

Package ‘HTMLUtils’

October 12, 2022

Type Package

Title Facilitates Automated HTML Report Creation

Version 0.1.8

Date 2022-06-10

Depends R2HTML

Imports methods, grDevices

Suggests

Author ``Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

Maintainer ``Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

Description Facilitates automated HTML report creation, in particular framed HTML pages and dynamically sortable tables.

License GPL

LazyLoad yes

Repository CRAN

NeedsCompilation no

Date/Publication 2022-06-11 09:50:02 UTC

R topics documented:

HTMLUtils-package	2
BasicHTML	2
FramedHTML	5
HTMLhref	10
HTMLsortedTable	11
InstallJSC	11
makePathName	12
myHTMLInitFile	13
MyReportBegin	14
MyReportEnd	15

Index**16**

HTMLUtils-package *Facilitates Automated HTML Report Creation*

Description

Facilitates automated HTML report creation, in particular framed HTML pages and dynamically sortable tables.

Details

Package: HTMLUtils
 Type: Package
 Title: Facilitates Automated HTML Report Creation
 Version: 0.1.7
 Date: 2015-01-17
 Depends: R2HTML
 Suggests:
 Author: "Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>
 Maintainer: "Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>
 License: GPL
 LazyLoad: yes
 Packaged: 2012-05-17 21:56:35 UTC; mloecher
 Repository: CRAN
 Date/Publication: 2012-05-18 05:59:13

Author(s)

"Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

BasicHTML *creates a basic HTML page displaying plots and annota*

Description

Creates a basic HTML page displaying plots and annotations that can easily be navigated. The plots can be created either 'on the fly' by passing the appropriate commands or beforehand in which case just the filenames need to be passed.

Usage

```
BasicHTML(cmds = NULL, HTMLobjects, Captions, MenuLabels, Comments = NULL,  
          file = "tmp.html", title = "", width = 480, height = 480,  
          FRAMES = FALSE, JSPATH = "jsc", LaunchPage = FALSE, APPEND = FALSE,  
          href = NULL, verbose = 0)
```

Arguments

cmds	list of commands that generates the plots. If missing, the graphfiles are assumed to exist already.
HTMLobjects	list of graph filenames, either to be created by the list of commands or to be copied to the Figures subdirectory and/or dataframes to be displayed in sortable tables.
Captions	vector of captions; these go directly below the graphs
MenuLabels	vector of labels for the main page.
Comments	Text/comments to be written between the graphs
file	file name of main page; '.html' extension will be added. The 'main' and 'menu' pages use this base as well.
title	title to be written in the navigation/menu page
width	width for all graphfiles
height	height for all graphfiles
FRAMES	is this an HTML page with frames ?
JSPATH	path that should contain the jsc components. If non existing, user will be prompted for installation.
LaunchPage	launch the page ?
APPEND	append to existing HTML page ?
href	links to other HTML pages
verbose	level of verbosity

Value

no return value

Author(s)

"Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

See Also

[FramedHTML](#)

Examples

```

if (interactive()){
  owd=setwd(tempdir())

  BasicHTML(cmds = list("plot(rnorm(100));","plot(1:10);"),
            HTMLobjects = list("Fig1.png", "Fig2.png"),
            Captions=c("Gaussian noise","seq 1:10"),
            MenuLabels = c("Marvel at the graph below","scatterplots are nice"),
            title="Test Page",width=480, height=480, verbose=1, JSPATH = NULL)

```

#example with plots and graphfiles having been generated beforehand:

```

png("Fig1.png");
  plot(rnorm(100));
dev.off()
png("Fig2.png");
  plot(1:10);
dev.off();

```

```

BasicHTML( HTMLobjects = list("Fig1.png", "Fig2.png"),
           Captions=c("Gaussian noise","seq 1:10"),
           MenuLabels = c("Marvel at the graph below","scatterplots are nice"),
           title="Test Page",
           width=480, height=480, verbose=1, JSPATH = NULL);

```

#example with absolute paths for graphfiles :

```

Fig1 <- paste(tempdir(),"/Fig1.png",sep="")
png(Fig1);

```

```
    plot(rnorm(100));
  dev.off()

  Fig2 <- paste(tempdir(), "/Fig2.png", sep="")

  png(Fig2);

  plot(1:10);

  dev.off();

BasicHTML( HTMLObjects = list(Fig1, Fig2),

  Captions=c("Gaussian noise", "seq 1:10"),

  MenuLabels = c("Marvel at the graph below", "scatterplots are nice"), title="Test Page",

  width=480, height=480, verbose=1, JSPATH = NULL);

#cleanup:

#system(paste("rm ", Fig1));system(paste("rm ", Fig2))

#example with sorted table:

x <- cbind.data.frame(x1 = round(rnorm(10),3), x2 = round(runif(10),3));

attr(x, "HEADER") <- "some random numbers";

BasicHTML(HTMLObjects = list("Fig1.png", x, "Fig2.png"),

  Captions=c("Gaussian noise", "Gaussian and uniform random numbers", "seq 1:10"),

  file = paste(Sys.getenv("HOME"), "/public_html/tmp/tmp.html", sep=""),

  JSPATH = "../jsc");

setwd(owd)

}
```

Description

Creates a framed HTML page displaying plots and annotations that can easily be navigated. The plots can be created either 'on the fly' by passing the appropriate commands or beforehand in which case just the filenames need to be passed.

The user has a great deal of flexibility in choosing appropriate directory structures.

Usage

```
FramedHTML(cmds = NULL, basepath = c("./", paste(Sys.getenv("HOME"),
"/public_html/", sep = ""))[1], path = "tmp", Graphpath = "Figures/",
DiagnosticsPath = "Diagnostics", file = "tmp", HTMLobjects,
Captions, MenuLabels1, MenuLabels2, href = NULL, Comments = NULL,
title = "", width = 480, height = 480, FRAMES = FALSE, JSCPATH = "jsc",
REFRESH = "", img.logo.path = paste(Sys.getenv("HOME"), "/public_html/",
sep = ""), img.logo = NULL, img.href = "http://www.sensenetworks.com",
APPEND = FALSE, verbose = 1)
```

Arguments

cmds	list of commands that generates the plots. If missing, the graphfiles are assumed to exist already.
basepath	base path of 'public_html' directory
path	subdirectory of basepath; will be created if non existing
Graphpath	subdirectory of 'basepath/path/' containing the graphfiles; will be created if non existing
DiagnosticsPath	
file	file name of main page; '.html' extension will be added. The '_main' and '_menu' pages use this base as well.
HTMLobjects	list of graph filenames, either to be created by the list of commands or to be copied to the Figures subdirectory and/or dataframes to be displayed in sortable tables.
Captions	vector of captions; these go directly below the graphs
MenuLabels1	vector of labels for the menu navigation page. It helps to keep these succinct and short !.
MenuLabels2	vector of labels for the main page; these go on top of the individual graphs, so they are complementary to the captions.
href	links to other HTML pages

Comments	Text/comments to be written between the graphs
title	title to be written in the navigation/menu page
width	width for all graphfiles
height	height for all graphfiles
FRAMES	is this an HTML page with frames ?
JSPATH	path that should contain the jsc components. If non existing, user will be prompted for installation.
REFRESH	Meta refresh is a method of instructing a web browser to automatically refresh the current web page after a given time interval
img.logo.path	path to search for the logo pic in the frame
img.logo	filename of logo to display
img.href	link of logo to point to.
APPEND	append to existing HTML page ?
verbose	level of verbosity

Value

no return values

Note

There is not much error checking. In particular, the lengths of the arguments `cmds`, `graphfiles`, `Captions`, `MenuLabels1`, `MenuLabels2` need to be all the same !

Author(s)

"Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

See Also

[BasicHTML](#)

Examples

```
if (interactive()){
  #example with plots and graphfiles being generated on the fly:
  owd=setwd(tempdir())
  system("mkdir Figures")

  FramedHTML(cmds = list("plot(rnorm(100));","plot(1:10);"),
```

```

HTMLObjects =list("Fig1.png", "Fig2.png"),
Captions=c("Gaussian noise","seq 1:10"),
MenuLabels1 = c("Label1","Label2"),
MenuLabels2 = c("Marvel at the graph below","scatterplots are nice"),
Comments = c("100 random numbers","Simple plot"), title="Test Page",
width=480, height=480, verbose=1)

```

#example with plots and graphfiles having been generated beforehand:

```

png("Fig1.png");
  plot(rnorm(100));
dev.off()
png("Fig2.png");
  plot(1:10);
dev.off();

```

```

FramedHTML( HTMLObjects = list("Fig1.png", "Fig2.png"),
  Captions=c("Gaussian noise","seq 1:10"),
MenuLabels1 = c("Label1","Label2"),
MenuLabels2 = c("Marvel at the graph below","scatterplots are nice"),
Comments = c("100 random numbers","Simple plot"), title="Test Page",
width=480, height=480, verbose=1);

```

#example with absolute paths for graphfiles :

```

Fig1 <- paste(tempdir(),"/Fig1.png",sep="")
png(Fig1);
  plot(rnorm(100));

```



```

dev.off()

Fig2 <- paste(tempdir(),"/Fig2.png",sep="")

png(Fig2);

  plot(1:10);

dev.off();

```

```

FramedHTML( HTMLObjects = list(Fig1, Fig2), Captions=c("Gaussian noise","seq 1:10"),

  MenuLabels1 = c("Label1","Label2"),

  MenuLabels2 = c("Marvel at the graph below","scatterplots are nice"),

  Comments = c("100 random numbers","Simple plot"),

  title="Test Page",width=480, height=480, verbose=1);

#cleanup:

#system(paste("rm ", Fig1));system(paste("rm ", Fig2))

#example with sorted table:

x <- cbind.data.frame(x1 = round(rnorm(10),3), x2 = round(runif(10),3));

attr(x, "HEADER") <- "some random numbers";

FramedHTML(HTMLObjects = list("Fig1.png", x, "Fig2.png"),

  MenuLabels1 = c("Label1","Label2","Label3"),

  MenuLabels2 = c("Marvel at the graph below","JavaScript rocks","scatterplots are nice"),

  Captions=c("Gaussian noise","Gaussian and uniform random numbers", "seq 1:10"),Comments = NULL,

  path = "tmp", file = "index");

#example with sorted tables only, no figures:

x <- cbind.data.frame(x1 = round(rnorm(10),3), x2 = round(runif(10),3));

attr(x, "HEADER") <- "some random numbers";

```

```
y <- cbind.data.frame(y1 = rbinom(10,50,0.3), y2 = rbinom(10,100,0.15));
attr(y, "HEADER") <- "rbinom";

FramedHTML(HTMLObjects = list( x, y),
           MenuLabels1 = c("x","y"),
           MenuLabels2 = c("JavaScript rocks","Secret numbers"),
           Captions=c("Gaussian and uniform random numbers", "Binomial draws"),Comments = NULL,
           path = "tmp", file = "index");

setwd(owd)
}
```

HTMLhref

adds an href item to the current HTML page

Description

adds an href item to the current HTML page

Usage

```
HTMLhref(href, txt, file = get(".HTML.file"), append = TRUE)
```

Arguments

href	HTML reference/URL
txt	text to display
file	file to write to
append	append to file (default TRUE)

Author(s)

"Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

HTMLsortedTable	<i>create sortable table</i>
-----------------	------------------------------

Description

create sortable table using JavaScript components in JSPATH directory

Usage

```
HTMLsortedTable(x, TITLE = "", HEADER = "", file = "tmp.html",  
                JSPATH = "jsc", path = paste(Sys.getenv("HOME"), "/public_html/",  
                sep = ""), debug = 0)
```

Arguments

x	data frame or matrix with column names
TITLE	title for the HTML page
HEADER	header to display for the sorted table
file	file name of main page; '.html' extension will be added. The '_main' and '_menu' pages use this base as well.
JSPATH	path that should contain the jsc components. If non existing, user will be prompted for installation.
path	directory to create the file in
debug	level of verbosity

Author(s)

"Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

InstallJSC	<i>installs the JS components</i>
------------	-----------------------------------

Description

prompts the user to install the JS components to the relevant directory, which enables dynamically sortable tables.

Usage

```
InstallJSC(JSPATH)
```

Arguments

JSPATH path to install the jsc directory to. Recommended is the base public html directory.

Author(s)

"Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

makePathName *create appropriate directory structure if needed*

Description

create appropriate directory structure if needed

Usage

```
makePathName(path, MakePath = TRUE, verbose = 0)
```

Arguments

path path to create
MakePath if yes, create directory if not exists
verbose level of verbosity

Value

returns absolute path

Author(s)

"Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

myHTMLInitFile	<i>Begins / Ends a new HTML report output</i>
----------------	---

Description

Those two functions handle the beginning and the ending of a HTML report, by writing the HTML `<body><head><title></title></head>...</body>` tags and their options. When working manually, the user may need to use it's own functions or to explicitly write to a file using `cat("", file=)`.

Usage

```
myHTMLInitFile(outdir = tempdir(), filename = "index", extension = "html",

HTMLframe = TRUE, BackGroundColor = "FFFFFF", BackGroundImg = "",

Title = "R output", NavTitle = "", CSSFile = "R2HTML.css",

useLaTeX = TRUE, useGrid = TRUE, img.logo.path = paste(Sys.getenv("HOME"),

"/public_html/", sep = ""), img.logo = "logo-SenseNetworks.png",

img.href = "http://www.sensenetworks.com", JSPATH = NULL,

APPEND = FALSE, REFRESH = "")
```

Arguments

outdir	directory to store the output
filename	target HTML report filename
extension	target HTML report extension (htm, html,...)
HTMLframe	should the output be handled by frames [boolean]
BackGroundColor	option bgcolor for HTML tag <code><body></code>
BackGroundImg	option background for HTML tag <code><body></code>
Title	string to pass to HTML <code><title></code> tag
NavTitle	title of navigation page
CSSFile	path and name of a CSS file to use

useLaTeX	boolean - add required references to javascript AsciiMathML in order to use as.latex
useGrid	boolean - add required references to javascript grid in order to use R2HTML grid functions
img.logo.path	path to search for the logo pic in the frame
img.logo	filename of logo to display, if NULL no logo to display!
img.href	link of logo to point to.
JSPATH	directory that contains the javascript code
APPEND	append to existing HTML page ?
REFRESH	Meta refresh is a method of instructing a web browser to automatically refresh the current web page after a given time interval.

Author(s)

"Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

MyReportBegin

gracefully initializes the HTML page

Description

gracefully initializes the HTML page

Usage

```
MyReportBegin(file = "report.html", title = "My Report Title",
              header = NULL)
```

Arguments

file	filename
title	title for HTML page
header	header yes/no

Author(s)

"Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

MyReportEnd *gracefully finalizes the HTML page*

Description

gracefully finalizes the HTML page

Usage

```
MyReportEnd(file = "report.html")
```

Arguments

file file to append to

Author(s)

"Markus Loecher, Berlin School of Economics and Law (BSEL)" <markus.loecher@gmail.com>

Index

* **package**

HTMLUtils-package, [2](#)

BasicHTML, [2](#), [7](#)

FramedHTML, [3](#), [5](#)

HTMLhref, [10](#)

HTMLsortedTable, [11](#)

HTMLUtils (HTMLUtils-package), [2](#)

HTMLUtils-package, [2](#)

InstallJSC, [11](#)

makePathName, [12](#)

myHTMLInitFile, [13](#)

MyReportBegin, [14](#)

MyReportEnd, [15](#)