

Package ‘HTMLUtils’

January 2, 2012

Type Package

Title Facilitates automated HTML report creation

Version 0.1.4

Date 2010-07-29

Depends R2HTML

Suggests GDD, Cairo

Author Markus Loecher, Sense Networks <markus@sensenetworks.com>

Maintainer Markus Loecher, Sense Networks <markus@sensenetworks.com>

Description Facilitates automated HTML report creation, in particular framed HTML pages and dynamically sortable tables.

License GPL

LazyLoad yes

Repository CRAN

Date/Publication 2010-08-10 14:16:25

R topics documented:

HTMLUtils-package	2
BasicHTML	2
CairoWorks	4
CleanUpdevs	5
FramedHTML	5
HTMLhref	7
HTMLsortedTable	8
InstallJSC	8
makePathName	9
myHTMLInitFile	9
MyReportBegin	10
MyReportEnd	11

Index**12**

HTMLUtils-package *Facilitates automated HTML report creation*

Description

Facilitates automated HTML report creation, in particular framed HTML pages and dynamically sortable tables.

Details

Package: HTMLUtils
 Type: Package
 Version: 0.1.4
 Date: 2010-07-29
 License: What license is it under?
 LazyLoad: yes

Author(s)

Markus Loecher, Sense Networks <markus@sensenetworks.com>

BasicHTML *creates a basic HTML page displaying plots and annotations*

Description

Creates a basic HTML page displaying plots and annotations that can easily be navigated. The plots can be created either 'on the fly' by passing the appropriate commands or beforehand in which case just the filenames need to be passed.

Usage

```
BasicHTML(cmds = NULL, HTMLobjects, Captions, MenuLabels, Comments,
           file = "tmp.html", title = "", width = 480, height = 480,
           FRAMES = FALSE, JSPATH = "jsc", LaunchPage = FALSE, APPEND = FALSE, href = NULL, verbose = 0)
```

Arguments

cmds	list of commands that generates the plots. If missing, the graphfiles are assumed to exist already.
HTMLobjects	list of graph filenames, either to be created by the list of commands or to be copied to the Figures subdirectory and/or dataframes to be displayed in sortable tables.
Captions	vector of captions; these go directly below the graphs
MenuLabels	vector of labels for the main page.
Comments	Text/comments to be written between the graphs
file	file name of main page; '.html' extension will be added. The '_main' and '_menu' pages use this base as well.
title	title to be written in the navigation/menu page
width	width for all graphfiles
height	height for all graphfiles
FRAMES	is this an HTML page with frames ?
JSPATH	path that should contain the jsc components. If non existing, user will be prompted for installation.
LaunchPage	launch the page ?
APPEND	append to existing HTML page ?
href	links to other HTML pages
verbose	level of verbosity

Author(s)

Markus Loecher, Sense Networks <markus@sensenetworks.com>

See Also

[FramedHTML](#)

Examples

```
#example with plots and graphfiles being generated on the fly:
```

```
## Not run:
```

```
BasicHTML(cmds = list("plot(rnorm(100));", "plot(1:10);"), HTMLobjects = list("Fig1.png", "Fig2.png"), Captions=c
```

```
#example with plots and graphfiles having been generated beforehand:
```

```
png("Fig1.png");
```

```
plot(rnorm(100));
```

```
dev.off()
```

```
png("Fig2.png");
```

```
plot(1:10);
```

```
dev.off();
```

```
BasicHTML(HTMLobjects = list("Fig1.png", "Fig2.png"), Captions=c("Gaussian noise", "seq 1:10"),
```

```

MenuLabels = c("Marvel at the graph below","scatterplots are nice"), title="Test Page",
width=480, height=480, verbose=1, JSPATH = NULL);

#example with absolute paths for graphfiles :
Fig1 <- paste(tempdir(),"/Fig1.png",sep="")
png(Fig1);
plot(rnorm(100));
dev.off()
Fig2 <- paste(tempdir(),"/Fig2.png",sep="")
png(Fig2);
plot(1:10);
dev.off();

BasicHTML( HTMLObjects = list(Fig1, Fig2), Captions=c("Gaussian noise","seq 1:10"),
MenuLabels = c("Marvel at the graph below","scatterplots are nice"), title="Test Page",
width=480, height=480, verbose=1, JSPATH = NULL);
#cleanup:
#system(paste("rm ", Fig1));system(paste("rm ", Fig2))

## End(Not run)
#example with sorted table:
## Not run: x <- cbind.data.frame(x1 = round(rnorm(10),3), x2 = round(runif(10),3));
## Not run: attr(x, "HEADER") <- "some random numbers";
## Not run: BasicHTML(HTMLObjects = list("Fig1.png", x, "Fig2.png"),
  Captions=c("Gaussian noise","Gaussian and uniform random numbers", "seq 1:10"),
  file = paste(Sys.getenv("HOME"), "/public_html/tmp/tmp.html",sep=""), JSPATH = "../jsc");
## End(Not run)

```

CairoWorks

to come

Description

to come

Usage

```
CairoWorks(testfile = paste(tempdir(),"/tmp.png",sep=""), verbose = 0)
```

Arguments

testfile	test file to create
verbose	level of verbosity

Author(s)

Markus Loecher, Sense Networks <markus@sensenetworks.com>

CleanUpdevs	<i>to come</i>
-------------	----------------

Description

to come

Usage

CleanUpdevs()

Author(s)

Markus Loecher, Sense Networks <markus@sensenetworks.com>

FramedHTML	<i>creates a framed HTML page displaying plots and annotations</i>
------------	--

Description

Creates a framed HTML page displaying plots and annotations that can easily be navigated. The plots can be created either 'on the fly' by passing the appropriate commands or beforehand in which case just the filenames need to be passed. The user has a great deal of flexibility in choosing appropriate directory structures.

Usage

```
FramedHTML(cmds = NULL, basepath = paste(Sys.getenv("HOME"), "/public_html/", sep = ""),
           path = "tmp", Graphpath = "Figures/", DiagnosticsPath = "Diagnostics",
           file = "tmp", HTMLobjects, Captions=NULL, MenuLabels1=NULL, MenuLabels2=NULL, href = NULL, Comment
           title = "", width = 480, height = 480, REFRESH = "", APPEND = FALSE, verbose = 1)
```

Arguments

cmds	list of commands that generates the plots. If missing, the graphfiles are assumed to exist already.
basepath	base path of 'public_html' directory
path	subdirectory of basepath; will be created if non existing
Graphpath	subdirectory of 'basepath/path/' containing the graphfiles; will be created if non existing
DiagnosticsPath	subdirectory of 'basepath/path/' containing diagnostic output; will be created if non existing

file	file name of main page; '.html' extension will be added. The '_main' and '_menu' pages use this base as well.
HTMLobjects	list of graph filenames, either to be created by the list of commands or to be copied to the Figures subdirectory and/or dataframes to be displayed in sortable tables.
Captions	vector of captions; these go directly below the graphs
MenuLabels1	vector of labels for the menu navigation page. It helps to keep these succinct and short !
MenuLabels2	vector of labels for the main page; these go on top of the individual graphs, so they are complementary to the captions.
href	links to other HTML pages
Comments	Text/comments to be written between the graphs
title	title to be written in the navigation/menu page
width	width for all graphfiles
height	height for all graphfiles
REFRESH	Meta refresh is a method of instructing a web browser to automatically refresh the current web page after a given time interval.
APPEND	append to existing HTML page ?
verbose	level of verbosity

Note

There is not much error checking. In particular, the lengths of the arguments `cmds`, `graphfiles`, `Captions`, `MenuLabels1`, `MenuLabels2` need to be all the same !

Author(s)

Markus Loecher, Sense Networks <markus@sensenetWORKS.com>

See Also

[BasicHTML](#)

Examples

```
#example with plots and graphfiles being generated on the fly:
```

```
## Not run:
```

```
FramedHTML(cmds = list("plot(rnorm(100));", "plot(1:10);"), HTMLobjects = list("Fig1.png", "Fig2.png"), Captions=c
```

```
#example with plots and graphfiles having been generated beforehand:
```

```
png("Fig1.png");
plot(rnorm(100));
dev.off()
png("Fig2.png");
plot(1:10);
dev.off();
```

```

FramedHTML( HTMLObjects = list("Fig1.png", "Fig2.png"), Captions=c("Gaussian noise","seq 1:10"),
MenuLabels1 = c("Label1","Label2"), MenuLabels2 = c("Marvel at the graph below","scatterplots are nice"),
Comments = c("100 random numbers","Simple plot"), title="Test Page",width=480, height=480, verbose=1);

#example with absolute paths for graphfiles :
Fig1 <- paste(tempdir(),"/Fig1.png",sep="")
png(Fig1);
plot(rnorm(100));
dev.off()
Fig2 <- paste(tempdir(),"/Fig2.png",sep="")
png(Fig2);
plot(1:10);
dev.off();

FramedHTML( HTMLObjects = list(Fig1, Fig2), Captions=c("Gaussian noise","seq 1:10"),
MenuLabels1 = c("Label1","Label2"), MenuLabels2 = c("Marvel at the graph below","scatterplots are nice"),
Comments = c("100 random numbers","Simple plot"), title="Test Page",width=480, height=480, verbose=1);
#cleanup:
#system(paste("rm ", Fig1));system(paste("rm ", Fig2))

## End(Not run)
#example with sorted table:
## Not run: x <- cbind.data.frame(x1 = round(rnorm(10),3), x2 = round(runif(10),3));
## Not run: attr(x, "HEADER") <- "some random numbers";
## Not run: FramedHTML(HTMLObjects = list("Fig1.png", x, "Fig2.png"),
MenuLabels1 = c("Label1","Label2","Label3"), MenuLabels2 = c("Marvel at the graph below","JavaScript rocks","sca
Captions=c("Gaussian noise","Gaussian and uniform random numbers", "seq 1:10"),
path = "tmp", file = "index");
## End(Not run)

```

HTMLhref

adds an href item to the current HTML page

Description

adds an href item to the current HTML page

Usage

```
HTMLhref(href, txt, file = get(".HTML.file"), append = TRUE)
```

Arguments

href	HTML reference/URL
txt	text to display
file	file to write to
append	append to file (default TRUE)

Author(s)

Markus Loecher, Sense Networks <markus@sensenetworks.com>

HTMLsortedTable *create sortable table*

Description

create sortable table using JavaScript components in JSPATH directory

Usage

HTMLsortedTable(x, TITLE = "", HEADER = "", file = "tmp.html", path = paste(Sys.getenv("HOME"), "/public_html"), JSPATH, debug)

Arguments

x	data frame or matrix with column names
TITLE	title for the HTML page
HEADER	header to display for the sorted table
file	file to write to
path	directory to create the file in
JSPATH	directory that contains the javascript components
debug	level of verbosity

Author(s)

Markus Loecher, Sense Networks <markus@sensenetworks.com>

InstallJSC *installs the JS components*

Description

prompts the user to install the JS components to the relevant directory, which enables dynamically sortable tables.

Usage

InstallJSC(JSPATH)

Arguments

JSPATH	path to install the jsc directory to. Recommended is the base public_html directory.
--------	--

Author(s)

Markus Loecher, Sense Networks <markus@sensenetworks.com>

makePathName *to come*

Description

to come

Usage

```
makePathName(path, MakePath = TRUE, verbose = 0)
```

Arguments

path	path to create
MakePath	if yes, create directory if not exists
verbose	level of verbosity

Author(s)

Markus Loecher, Sense Networks <markus@sensenetworks.com>

myHTMLInitFile *Begins / Ends a new HTML report output*

Description

Those two functions handle the beginning and the ending of a HTML report, by writing the HTML <body><head><title></title></head>...</body> tags and their options. When working manually, the user may need to use it's own functions or to explicitly write to a file using `cat("", file=)`.

Usage

```
myHTMLInitFile(outdir = tempdir(), filename = "index", extension = "html", HTMLframe = TRUE, Background
```

Arguments

outdir	directory to store the output
filename	target HTML report filename
extension	target HTML report extension (htm, html,...)
HTMLframe	should the output be handled by frames [boolean]
BackColorColor	option bgcolor for HTML tag <body>
BackGroundImg	option background for HTML tag <body>
Title	string to pass to HTML <title> tag
NavTitle	title of navigation page
CSSFile	path and name of a CSS file to use
useLaTeX	boolean - add required references to javascript AsciiMathML in order to use as.latex
useGrid	boolean - add required references to javascript grid in order to use R2HTML grid fonctions
img.logo.path	directory that contains the logo
img.logo	name of logo file
img.href	the URL the logo image points to
JSCPATH	directory that contains the javascript code
APPEND	append to existing HTML page ?
REFRESH	Meta refresh is a method of instructing a web browser to automatically refresh the current web page after a given time interval.

Author(s)

Markus Loecher, Sense Networks <markus@sensenetWORKS.com>

MyReportBegin *gracefully initializes the HTML page*

Description

gracefully initializes the HTML page

Usage

```
MyReportBegin(file = "report.html", title = "My Report Title", header = NULL)
```

Arguments

file	filename
title	title for HTML page
header	header yes/no

Author(s)

Markus Loecher, Sense Networks <markus@sensenetworks.com>

MyReportEnd

gracefully finalizes the HTML page

Description

gracefully finalizes the HTML page

Usage

```
MyReportEnd(file = "report.html")
```

Arguments

file file to append to

Author(s)

Markus Loecher, Sense Networks <markus@sensenetworks.com>

Index

BasicHTML, [2](#), [6](#)

CairoWorks, [4](#)

CleanUpdevs, [5](#)

FramedHTML, [3](#), [5](#)

HTMLhref, [7](#)

HTMLsortedTable, [8](#)

HTMLUtils (HTMLUtils-package), [2](#)

HTMLUtils-package, [2](#)

InstallJSC, [8](#)

makePathName, [9](#)

myHTMLInitFile, [9](#)

MyReportBegin, [10](#)

MyReportEnd, [11](#)