

Package ‘RobRex’

January 2, 2012

Version 0.8

Date 2010-12-03

Title Optimally robust influence curves for regression and scale

Description functions for the determination of optimally robust influence curves in case of linear regression with unknown scale and standard normal distributed errors where the regressor is random.

Depends R (>= 2.4.0), ROptRegTS(>= 0.6.1)

Author Matthias Kohl <Matthias.Kohl@stamats.de>

Maintainer Matthias Kohl <Matthias.Kohl@stamats.de>

LazyLoad yes

License LGPL-3

Encoding latin1

URL <http://robast.r-forge.r-project.org/>

LastChangedDate {\$LastChangedDate: 2010-12-03 12:13:24 +0100 (Fri, 03 Dec 2010) \$}

LastChangedRevision {\$LastChangedRevision: 440 \$}

SVNRevision 439

Repository CRAN

Repository/R-Forge/Project robast

Repository/R-Forge/Revision 446

Date/Publication 2011-01-21 08:45:52

R topics documented:

rgsOptIC.AL	2
rgsOptIC.ALc	3
rgsOptIC.ALs	5
rgsOptIC.BM	6
rgsOptIC.M	7
rgsOptIC.Mc	9
rgsOptIC.MK	10
rgsOptIC.Ms	11

Index	13
--------------	-----------

rgsOptIC.AL	<i>Computation of the optimally robust IC for AL estimators</i>
-------------	---

Description

The function `rgsOptIC.AL` computes the optimally robust IC for AL estimators in case of linear regression with unknown scale and (convex) contamination neighborhoods where the regressor is random; confer Subsubsection 7.2.1.1 of Kohl (2005).

Usage

```
rgsOptIC.AL(r, K, theta, scale = 1, A.rg.start, a.sc.start = 0, A.sc.start = 0.5,
            bUp = 1000, delta = 1e-06, itmax = 50, check = FALSE)
```

Arguments

<code>r</code>	non-negative real: neighborhood radius.
<code>K</code>	object of class "Distribution".
<code>theta</code>	specified regression parameter.
<code>scale</code>	specified error scale.
<code>A.rg.start</code>	positive definite and symmetric matrix: starting value for the standardizing matrix of the regression part.
<code>a.sc.start</code>	real: starting value for centering constant of the scale part.
<code>A.sc.start</code>	positive real: starting value for the standardizing constant of the scale part.
<code>bUp</code>	positive real: the upper end point of the interval to be searched for <code>b</code> .
<code>delta</code>	the desired accuracy (convergence tolerance).
<code>itmax</code>	the maximum number of iterations.
<code>check</code>	logical. Should constraints be checked.

Details

If `theta` is missing, it is set to 0. If `A.rg.start` is missing, the inverse of the second moment matrix of `K` is used. The Lagrange multipliers contained in the expression of the optimally robust IC can be accessed via the accessor functions `cent`, `clip` and `stand`.

Value

Object of class "ContIC"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Rieder, H. (1994) *Robust Asymptotic Statistics*. New York: Springer.

Kohl, M. (2005) *Numerical Contributions to the Asymptotic Theory of Robustness*. Bayreuth: Dissertation.

See Also

ContIC-class

Examples

```
K <- DiscreteDistribution(1:5) # = Unif({1,2,3,4,5})
IC1 <- rgsOptIC.AL(r = 0.1, K = K)
checkIC(IC1)
Risks(IC1)
cent(IC1)
clip(IC1)
stand(IC1)
```

rgsOptIC.ALc

Computation of the optimally robust IC for AL estimators

Description

The function `rgsOptIC.ALc` computes the optimally robust conditionally centered IC for AL estimators in case of linear regression with unknown scale and average conditional (convex) contamination neighborhoods where the regressor is random; confer Subsubsection 7.2.1.2 of Kohl (2005).

Usage

```
rgsOptIC.ALc(r, K, theta, scale = 1, A.rg.start, a.sc.start, A.sc.start = 0.5,
             bUp = 1000, delta = 1e-06, itmax = 50, check = FALSE)
```

Arguments

r	non-negative real: neighborhood radius.
K	object of class "DiscreteDistribution" or object of class "DiscreteMVDistribution".
theta	specified regression parameter.
scale	specified error scale.
A.rg.start	positive definite and symmetric matrix: starting value for the standardizing matrix of the regression part.
a.sc.start	real vector: starting values for centering function of the scale part.
A.sc.start	positive real: starting value for the standardizing constant of the scale part.
bUp	positive real: the upper end point of the interval to be searched for b.
delta	the desired accuracy (convergence tolerance).
itmax	the maximum number of iterations.
check	logical. Should constraints be checked.

Details

If theta is missing, it is set to 0. If A.rg.start is missing, the inverse of the second moment matrix of K is used. In case a.sc.start is missing, it is set to a null vector with length of the support of K.

Value

Object of class "Av1CondContIC"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

- Rieder, H. (1994) *Robust Asymptotic Statistics*. New York: Springer.
- Kohl, M. (2005) *Numerical Contributions to the Asymptotic Theory of Robustness*. Bayreuth: Dissertation.

See Also

Av1CondContIC-class

Examples

```
K <- DiscreteDistribution(1:5) # = Unif({1,2,3,4,5})
IC1 <- rgsOptIC.ALc(r = 0.1, K = K)
checkIC(IC1)
Risks(IC1)
```

`rgsOptIC.ALs`*Computation of the optimally robust IC for ALs estimators*

Description

The function `rgsOptIC.ALs` computes the optimally robust IC for ALs estimators in case of linear regression with unknown scale and (convex) contamination neighborhoods where the regressor is random; confer Subsection 7.3.1 of Kohl (2005).

Usage

```
rgsOptIC.ALs(r, K, A.rg.start, b.rg.Up = 1000, delta = 1e-06,  
            itmax = 50, check = FALSE)
```

Arguments

<code>r</code>	non-negative real: neighborhood radius.
<code>K</code>	object of class "Distribution".
<code>A.rg.start</code>	positive definite and symmetric matrix: starting value for the standardizing matrix of the regression part.
<code>b.rg.Up</code>	positive real: the upper end point of the interval to be searched for <code>b.rg</code> .
<code>delta</code>	the desired accuracy (convergence tolerance).
<code>itmax</code>	the maximum number of iterations.
<code>check</code>	logical. Should constraints be checked.

Details

If `A.rg.start` is missing, the inverse of the second moment matrix of `K` is used.

Value

Object of class "ContIC"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Rieder, H. (1994) *Robust Asymptotic Statistics*. New York: Springer.
Kohl, M. (2005) *Numerical Contributions to the Asymptotic Theory of Robustness*. Bayreuth: Dissertation.

See Also

`ContIC-class`

Examples

```
## code takes some time
## Not run:
K <- DiscreteDistribution(1:5) # = Unif({1,2,3,4,5})
IC1 <- rgsOptIC.ALs(r = 0.1, K = K)
checkIC(IC1)
Risks(IC1)
Infos(IC1)

## End(Not run)
```

rgsOptIC.BM

Computation of the optimally robust IC for BM estimators

Description

The function `rgsOptIC.BM` computes the optimally robust IC for BM estimators in case of linear regression with unknown scale and (convex) contamination neighborhoods where the regressor is random. These estimators were proposed by Bednarski and Mueller (2001); confer also Subsection 7.3.3 of Kohl (2005).

Usage

```
rgsOptIC.BM(r, K, b.rg.start = 2.5, b.sc.0.x.start, delta = 1e-06,
            MAX = 100, itmax = 1000)
```

Arguments

<code>r</code>	non-negative real: neighborhood radius.
<code>K</code>	object of class "DiscreteDistribution"
<code>b.rg.start</code>	positive real: starting value for b_{rg} .
<code>b.sc.0.x.start</code>	positive real: starting value for $b_{sc,0,x}$.
<code>delta</code>	the desired accuracy (convergence tolerance).
<code>itmax</code>	the maximum number of iterations.
<code>MAX</code>	if b_{loc} or $b_{sc,0}$ are beyond the admitted values, MAX is returned.

Details

The computation of the optimally robust IC for BM estimators is based on `optim` where MAX is used to control the constraints on b_{rg} and $b_{sc,0,x}$.

Value

Object of class "CondIC"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Bednarski, T and Mueller, C.H. (2001) Optimal bounded influence regression and scale M-estimators in the context of experimental design. *Statistics*, **35**(4): 349–369.

Kohl, M. (2005) *Numerical Contributions to the Asymptotic Theory of Robustness*. Bayreuth: Dissertation.

See Also

CondIC-class

Examples

```
## code takes some time
## Not run:
K <- DiscreteDistribution(1:5) # = Unif({1,2,3,4,5})
IC1 <- rgsOptIC.BM(r = 0.1, K = K)
checkIC(IC1)
Risks(IC1)

## End(Not run)
```

 rgsOptIC.M

Computation of the optimally robust IC for M estimators

Description

The function rgsOptIC.M computes the optimally robust IC for M estimators in case of linear regression with unknown scale and (convex) contamination neighborhoods where the regressor is random; confer Subsubsection 7.2.2.1 of Kohl (2005).

Usage

```
rgsOptIC.M(r, K, A.start, gg.start = 0.6, a1.start = -0.25,
           a3.start = 0.25, B.start, bUp = 1000, delta = 1e-05,
           MAX = 100, itmax = 1000, check = FALSE)
```

Arguments

r	non-negative real: neighborhood radius.
K	object of class "Distribution".
A.start	positive definite and symmetric matrix: starting value for the standardizing matrix of the regression part.
gg.start	positive real: starting value for the standardizing constant γ of the scale part.

a1.start	real: starting value for Lagrange multiplier α_1 .
a3.start	real: starting value for Lagrange multiplier α_3 .
B.start	symmetric matrix: starting value for Lagrange multiplier B.
bUp	positive real: the upper end point of the interval to be searched for b.
delta	the desired accuracy (convergence tolerance).
MAX	if A or γ are beyond the admitted values, MAX is returned.
itmax	the maximum number of iterations.
check	logical. Should constraints be checked.

Details

The computation of the optimally robust IC for M estimators is based on `optim` where MAX is used to control the constraints on A and γ .

Value

Object of class "IC"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Kohl, M. (2005) *Numerical Contributions to the Asymptotic Theory of Robustness*. Bayreuth: Dissertation.

See Also

IC-class

Examples

```
## code takes some time
## Not run:
K <- DiscreteDistribution(1:5) # = Unif({1,2,3,4,5})
IC1 <- rgsOptIC.M(r = 0.1, K = K)
checkIC(IC1)
Risks(IC1)

## End(Not run)
```

`rgsOptIC.Mc`*Computation of the optimally robust IC for Mc estimators*

Description

The function `rgsOptIC.Mc` computes the optimally robust conditionally centered IC for Mc estimators in case of linear regression with unknown scale and average conditional (convex) contamination neighborhoods where the regressor is random; confer Subsubsection 7.2.2.2 of Kohl (2005).

Usage

```
rgsOptIC.Mc(r, K, ggLo = 0.5, ggUp = 1, a1.x.start, a3.start = 0.25,  
           bUp = 1000, delta = 1e-05, itmax = 1000, check = FALSE)
```

Arguments

<code>r</code>	non-negative real: neighborhood radius.
<code>K</code>	object of class "DiscreteDistribution"
<code>ggLo</code>	positive real: the lower end point of the interval to be searched for γ .
<code>ggUp</code>	positive real: the upper end point of the interval to be searched for γ .
<code>a1.x.start</code>	real: starting value for the Lagrange multiplier function $\alpha_1(x)$.
<code>a3.start</code>	real: starting value for Lagrange multiplier α_3 .
<code>bUp</code>	positive real: the upper end point of the interval to be searched for b .
<code>delta</code>	the desired accuracy (convergence tolerance).
<code>itmax</code>	the maximum number of iterations.
<code>check</code>	logical. Should constraints be checked.

Value

Object of class "CondIC"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Kohl, M. (2005) *Numerical Contributions to the Asymptotic Theory of Robustness*. Bayreuth: Dissertation.

See Also

CondIC-class

Examples

```
## code takes some time
## Not run:
K <- DiscreteDistribution(1:5) # = Unif({1,2,3,4,5})
IC1 <- rgsOptIC.Mc(r = 0.1, K = K)
checkIC(IC1)
Risks(IC1)

## End(Not run)
```

rgsOptIC.MK

Computation of the optimally robust IC for MK estimators

Description

The function `rgsOptIC.MK` computes the optimally robust IC for MK estimators in case of linear regression with unknown scale and (convex) contamination neighborhoods where the regressor is random; confer Subsubsection 7.2.2.1 of Kohl (2005).

Usage

```
rgsOptIC.MK(r, K, ggLo = 0.5, ggUp = 1, a1.start = -0.25, a3.start = 0.25,
            B.start, bUp = 1000, delta = 1e-06, itmax = 1000, check = FALSE)
```

Arguments

<code>r</code>	non-negative real: neighborhood radius.
<code>K</code>	object of class "Distribution".
<code>ggLo</code>	positive real: the lower end point of the interval to be searched for γ .
<code>ggUp</code>	positive real: the upper end point of the interval to be searched for γ .
<code>a1.start</code>	real: starting value for Lagrange multiplier α_1 .
<code>a3.start</code>	real: starting value for Lagrange multiplier α_3 .
<code>B.start</code>	symmetric matrix: starting value for Lagrange multiplier B .
<code>bUp</code>	positive real: the upper end point of the interval to be searched for b .
<code>delta</code>	the desired accuracy (convergence tolerance).
<code>itmax</code>	the maximum number of iterations.
<code>check</code>	logical. Should constraints be checked.

Value

Object of class "IC"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Kohl, M. (2005) *Numerical Contributions to the Asymptotic Theory of Robustness*. Bayreuth: Dissertation.

See Also

IC-class

Examples

```
## code takes some time
## Not run:
K <- DiscreteDistribution(1:5) # = Unif({1,2,3,4,5})
IC1 <- rgsOptIC.MK(r = 0.1, K = K)
checkIC(IC1)
Risks(IC1)

## End(Not run)
```

rgsOptIC.Ms

Computation of the optimally robust IC for Ms estimators

Description

The function `rgsOptIC.Ms` computes the optimally robust conditionally centered IC for Ms estimators in case of linear regression with unknown scale and average conditional (convex) contamination neighborhoods where the regressor is random; confer Subsection 7.3.2 of Kohl (2005).

Usage

```
rgsOptIC.Ms(r, K, a1.x.start, a3.start = 0.25, b.sc.start = 1.5,
            bUp = 1000, ggLo = 0.5, ggUp = 1, delta = 1e-06,
            itmax = 1000, check = FALSE)
```

Arguments

<code>r</code>	non-negative real: neighborhood radius.
<code>K</code>	object of class "DiscreteDistribution"
<code>ggLo</code>	positive real: the lower end point of the interval to be searched for γ .
<code>ggUp</code>	positive real: the upper end point of the interval to be searched for γ .
<code>a1.x.start</code>	real: starting value for the Lagrange multiplier function $\alpha_1(x)$.
<code>a3.start</code>	real: starting value for Lagrange multiplier α_3 .
<code>b.sc.start</code>	positive real: starting value for the clipping bound b_{sc} .
<code>bUp</code>	positive real: the upper end point of the interval to be searched for b .
<code>delta</code>	the desired accuracy (convergence tolerance).
<code>itmax</code>	the maximum number of iterations.
<code>check</code>	logical. Should constraints be checked.

Value

Object of class "CondIC"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Kohl, M. (2005) *Numerical Contributions to the Asymptotic Theory of Robustness*. Bayreuth: Dissertation.

See Also

CondIC-class

Examples

```
## code takes some time
## Not run:
K <- DiscreteDistribution(1:5) # = Unif({1,2,3,4,5})
IC1 <- rgsOptIC.Ms(r = 0.1, K = K)
checkIC(IC1)
Risks(IC1)

## End(Not run)
```

Index

*Topic **robust**

- rgsOptIC.AL, [2](#)
 - rgsOptIC.ALc, [3](#)
 - rgsOptIC.ALs, [5](#)
 - rgsOptIC.BM, [6](#)
 - rgsOptIC.M, [7](#)
 - rgsOptIC.Mc, [9](#)
 - rgsOptIC.MK, [10](#)
 - rgsOptIC.Ms, [11](#)
-
- rgsOptIC.AL, [2](#)
 - rgsOptIC.ALc, [3](#)
 - rgsOptIC.ALs, [5](#)
 - rgsOptIC.BM, [6](#)
 - rgsOptIC.M, [7](#)
 - rgsOptIC.Mc, [9](#)
 - rgsOptIC.MK, [10](#)
 - rgsOptIC.Ms, [11](#)