

Package ‘agricolaeplotr’

July 20, 2021

Type Package

Title Visualization of Design of Experiments from the 'agricolae'
Package

Version 0.2.2

Maintainer Jens Harbers <jensharbers@gmail.com>

Description

Visualization of Design of Experiments from the 'agricolae' package with 'ggplot2' framework
The user provides an experiment design from the 'agricolae' package, calls the corresponding function and will receive a
visualization with 'ggplot2' based functions that are specific for each design. As there are many different designs, each design is tested on its type.
The output can be modified with standard 'ggplot2' commands or with other packages with 'ggplot2' function extensions.

License GPL (>= 3)

Encoding UTF-8

Imports ggplot2, agricolae, rmarkdown

RoxygenNote 7.1.1

Language en-US

Suggests testthat (>= 3.0.0), knitr

Config/testthat/edition 3

BugReports <https://github.com/jensharbers/agricolaeplotr/issues>

URL <https://github.com/jensharbers/agricolaeplotr>

Depends R (>= 3.6)

VignetteBuilder knitr

Note 'agricolae' is a package name 'ggplot2' is a package name

NeedsCompilation no

Author Jens Harbers [aut, cre] (<<https://orcid.org/0000-0001-6634-623X>>)

Repository CRAN

Date/Publication 2021-07-20 18:30:02 UTC

R topics documented:

plot_alpha	2
plot_bib	4
plot_cyclic	5
plot_dau	6
plot_design.factorial_crd	7
plot_design.factorial_lsd	9
plot_design.factorial_rcbd	10
plot_design_crd	11
plot_graeco	12
plot_latin_square	14
plot_lattice_simple	15
plot_lattice_triple	16
plot_rcdb	17
plot_split_crd	18
plot_split_lsd	20
plot_split_rcbd	21
plot_strip	23
plot_youden	24
test_input_height	25
test_input_ncols	26
test_input_nrows	26
test_input_reverse_x	27
test_input_reverse_y	27
test_input_width	28
test_names_design	28
test_name_in_column	29
test_string	30
theme_poster	30
theme_pres	31
Index	32

plot_alpha	<i>Plot Alpha design Experiments</i>
------------	--------------------------------------

Description

Plot a design of an experiment with an alpha design from agricolae design.alpha

Usage

```
plot_alpha(
  design,
  x = "cols",
  y = "block",
  factor_name = "trt",
```

```

  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)

```

Arguments

design	outdesign from agricolae package
x	Describes the x coordinates of a experiment design
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```

library(agricolaeplotr)
library(agricolae)
trt<-1:30
t <- length(trt)
# size block k
k<-3
# Blocks s
s<-t/k
# replications r
r <- 2
outdesign<- design.alpha(trt,k,r,serie=2)
plot_alpha(outdesign)

```

plot_bib

Plot Randomized Balanced Incomplete Block Designs

Description

Plot a design of an experiment with an Randomized Balanced Incomplete Block Designs (BIB) from design.bib

Usage

```
plot_bib(
  design,
  y = "block",
  factor_name = "trt",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```

library(agricolaeplotr)
library(agricolae)
trt<-c('A','B','C','D')
k<-3
outdesign<-design.bib(trt,k,serie=2,seed =41,kinds = 'Super-Duper') # seed = 41
plot_bib(outdesign)
#now let us change position of the columns
plot_bib(outdesign,reverse_x = TRUE)

```

plot_cyclic

*Plot Cyclic Design***Description**

Plot a design of an experiment with an cyclic design from agricolae design.cyclic

Usage

```

plot_cyclic(
  design,
  y = "block",
  factor_name = "trt",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)

```

Arguments

design	outdesign from agricolae package
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height

reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
k <- 2
r <- 6
trt <- c('CIP-101', 'CIP-201', 'CIP-301', 'CIP-401', 'CIP-501', LETTERS[1:2])
outdesign <- design.cyclic(trt, k=k, r=r, serie=3, rowcol=TRUE)
plot_cyclic(outdesign, factor_name = 'trt')
```

plot_dau

Plot Design of Augmented Blocks (dau)

Description

Plot a design of an experiment with an augmented block design from agricolae design.dau

Usage

```
plot_dau(
  design,
  y = "block",
  factor_name = "trt",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book

labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
T1<-c('A','B','C','D','E','F')
T2<-letters[19:26]
outdesign <-design.dau(T1,T2, r=5,serie=2)
plot_dau(outdesign)
plot_dau(outdesign,reverse_y = TRUE)
```

plot_design.factorial_crd

Plot Factorial Complete Randomized Designs (crd)

Description

Plot a design of a factorial experiment with completely randomized design (crd) from design.ab

Usage

```
plot_design.factorial_crd(
  design,
  ncols,
  nrows,
  y = "row",
  factor_name = "A",
  labels = "plots",
  width = 1,
  height = 1,
```

```

    space_width = 0.95,
    space_height = 0.85,
    reverse_y = FALSE,
    reverse_x = FALSE
  )

```

Arguments

<code>design</code>	outdesign from agricolae package
<code>ncols</code>	integer value, choose the number of columns to which the experiment should be plotted
<code>nrows</code>	integer value, choose the number of rows to which the experiment should be plotted
<code>y</code>	Describes the y coordinates of a experiment design, default is row
<code>factor_name</code>	Which factor should be used for plotting, needs to be a column in outdesign\$book
<code>labels</code>	string indicates the column of which the labels should be displayed
<code>width</code>	numeric value, describes the width of a plot in an experiment
<code>height</code>	numeric value, describes the height of a plot in an experiment
<code>space_width</code>	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
<code>space_height</code>	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
<code>reverse_y</code>	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
<code>reverse_x</code>	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```

library(agricolaeplotr)
library(agricolae)
trt<-c(3,2) # factorial 3x2
outdesign <- design.ab(trt, r=3, serie=2,design = 'crd')
plot_design.factorial_crd(outdesign,ncols = 8,nrows = 6)
plot_design.factorial_crd(outdesign,reverse_y = TRUE,ncols = 8,nrows = 6)
plot_design.factorial_crd(outdesign,reverse_y = TRUE,reverse_x = TRUE,ncols = 8,nrows = 6)

```

plot_design.factorial_lsd

Plot Factorial Latin Square Designs (lsd)

Description

Plot a design of a factorial experiment with latin square design (lsd) design from agricolae design.ab

Usage

```
plot_design.factorial_lsd(
  design,
  x = "col",
  y = "row",
  factor_name = "A",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
x	Describes the x coordinates of a experiment design
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
trt<-c(3,2) # factorial 3x2
outdesign <-design.ab(trt, r=3, serie=2,design = 'lsd')
plot_design.factorial_lsd(outdesign,factor_name = 'B',reverse_x = TRUE)
```

plot_design.factorial_rcbd

Plot Factorial Designs with rcbd Design

Description

Plot a design of a factorial experiment with randomized complete block design (rcbd) from design.ab

Usage

```
plot_design.factorial_rcbd(
  design,
  y = "row",
  factor_name = "A",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_x = FALSE,
  reverse_y = FALSE
)
```

Arguments

design	outdesign from agricolae package
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height

reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
trt<-c(2,4)
k=6
outdesign<-design.ab(trt, r=k, serie=3,design='rcbd')
plot_design.factorial_rcbd(design=outdesign,factor_name = 'B')
plot_design.factorial_rcbd(outdesign,reverse_y = TRUE,reverse_x = TRUE)
```

plot_design_crd

Plot Complete Randomized Design

Description

Plot a design of a factorial experiment with randomized complete block design from agricolae design.ab

Usage

```
plot_design_crd(
  design,
  ncols,
  nrows,
  y = "row",
  factor_name = "trt",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
ncols	integer value, choose the number of columns to which the experiment should be plotted
nrows	integer value, choose the number of rows to which the experiment should be plotted
y	Describes the y coordinates of a experiment design, default is row
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
trt = c(2,3,4,5,6)
outdesign1 <- design.crd(trt,r=5,serie=2,2543,'Mersenne-Twister')
plot_design_crd(outdesign1,ncols = 13,nrows = 3)
```

plot_graeco

Plot Graeco Latin Square Design

Description

Plot a design of an experiment with an Graeco - latin square design from agricolae design.graeco

Usage

```
plot_graeco(
  design,
  x = "col",
  y = "row",
  factor_name = "T1",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
x	Describes the x coordinates of a experiment design
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
T1<-c('a','b','c','d')
T2<-c('v','w','x','y','z','zz')
outdesign <- design.graeco(trt1=T1, trt2=T2, serie = 2,
  seed = 0, kinds = 'Super-Duper',randomization=TRUE)
```

```
plot_graeco(outdesign, factor_name = 'T2',reverse_y = TRUE)
plot_graeco(outdesign, factor_name = 'T2',reverse_x = TRUE)
```

plot_latin_square *Plot Latin Square Design*

Description

Plot a design of a factorial experiment with a latin square design from agricolae design.lsd

Usage

```
plot_latin_square(
  design,
  x = "col",
  y = "row",
  factor_name = "trt",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
x	Describes the x coordinates of a experiment design
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
trt<-LETTERS[1:9]
outdesign<- design.lsd(trt,serie=2)
plot_latin_square(outdesign, reverse_y = TRUE)
```

plot_lattice_simple *Plot Simple Lattice Design*

Description

Plot a design of a factorial experiment with a lattice design from agricolae design.lattice with r=2

Usage

```
plot_lattice_simple(
  design,
  y = "block",
  factor_name = "trt",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height

reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
trt<-1:100
outdesign<-design.lattice(trt,r=2,serie=3) # simple lattice design, 10x10
plot_lattice_simple(outdesign,width = 2, height = 1)
```

plot_lattice_triple *Plot Triple Lattice Design*

Description

Plot a design of a factorial experiment with a latin square design from agricolae design.lattice with r=3

Usage

```
plot_lattice_triple(
  design,
  y = "block",
  factor_name = "trt",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them

width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
trt<-LETTERS[1:9]
outdesign<-design.lattice(trt,r=3,serie=2)
plot_lattice_triple(design=outdesign,reverse_x=TRUE)
```

plot_rcdb

Plot randomized complete block designs

Description

Plot a design of an experiment with randomized complete block design (rcbd) design from agricolae design.rcbd

Usage

```
plot_rcdb(
  design,
  y = "block",
  factor_name = "trt",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
y	Describes the y coordinates of a experiment design
factor_name	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
# 5 treatments and 6 blocks
trt<-c('A', 'B', 'C', 'D', 'E')
outdesign <-design.rcbd(trt,6,serie=2,986,'Wichmann-Hill') # seed = 986
plot_rcdb(outdesign)
plot_rcdb(outdesign,reverse_y = TRUE,reverse_x = TRUE)
```

plot_split_crd

Plot Split Plot Designs (crd)

Description

Plot a design of a split plot experiment with a complete randomized design (crd) from design.split

Usage

```
plot_split_crd(
  design,
  nrows,
  ncols,
  factor_name_1 = "T1",
  factor_name_2 = "T2",
  labels = "plots",
  subplots = TRUE,
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
nrows	Number of rows for the design
ncols	Number of columns for the design
factor_name_1	string Which factor should be used for plotting, needs to be a column in outdesign\$book
factor_name_2	string Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	string Describes the column from that the plots are taken to display them
subplots	should the plot function return the subplots (default) or main plots?
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```

library(agricolaeplotr)
library(agricolae)
T1<-c('a','b','c','d','e','f','g')
T2<-c('v','w','x','y','zzz')
r <- 4
outdesign2 <- design.split(trt1=T1, trt2=T2, r=r,
  serie = 2, seed = 0, kinds = 'Super-Duper',
  randomization=TRUE,first=TRUE,design = 'crd')
plot_split_crd(outdesign2,ncols = 6,nrows=5)

outdesign2 <- design.split(trt1=T1, trt2=T2, r=r,
  serie = 2, seed = 0, kinds = 'Super-Duper',
  randomization=FALSE,first=TRUE,design = 'crd')
plot_split_crd(outdesign2,ncols = 6,nrows=5)

```

plot_split_lsd

Plot Split Plot Design lsd

Description

Plot a design of a split plot experiment with latin squared design (lsd) from design.split

Usage

```

plot_split_lsd(
  design,
  factor_name_1 = "T1",
  factor_name_2 = "T2",
  labels = "plots",
  subplots = TRUE,
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)

```

Arguments

design	outdesign from agricolae package
factor_name_1	string Which factor should be used for plotting, needs to be a column in outdesign\$book
factor_name_2	string Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	string Describes the column from that the plots are taken to display them

subplots	should the plot function return the subplots (default) or main plots?
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
T1<-c('a','b','c','d','e')
T2<-c('v','w','x','y')
outdesign2 <- design.split(trt1=T1, trt2=T2, r=r,serie = 2,
                          seed = 0, kinds = 'Super-Duper',
                          randomization=TRUE,first=TRUE,design = 'lsd')
plot_split_lsd(outdesign2,width = 4,height = 4)
```

plot_split_rcbd *Plot Split Plot Designs with rcdb*

Description

Plot a design of a split plot experiment with randomized complete blocks design (rcbd) from design.split

Usage

```
plot_split_rcbd(
  design,
  y = "block",
  factor_name_1 = "T1",
  factor_name_2 = "T2",
  subplots = TRUE,
  labels = "plots",
  width = 1,
```

```

height = 1,
space_width = 0.95,
space_height = 0.85,
reverse_y = FALSE,
reverse_x = FALSE
)

```

Arguments

design	outdesign from agricolae package
y	string defines the block
factor_name_1	string Which factor should be used for plotting, needs to be a column in outdesign\$book
factor_name_2	string Which factor should be used for plotting, needs to be a column in outdesign\$book
subplots	should the plot function return the subplots (default) or main plots?
labels	string Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```

library(agricolaeplotr)
library(agricolae)
T1<-c('a','b','c','d','e')
T2<-c('v','w','x','y','z','zz')
r = 3
outdesign2 <- design.split(trt1=T1, trt2=T2, r=r,serie = 2,
  seed = 0, kinds = 'Super-Duper',randomization=TRUE,
  first=TRUE,design = 'rcbd')
plot_split_rcbd(outdesign2,width = 1,height = 1)
plot_split_rcbd(outdesign2,width = 1,height = 1,reverse_y = TRUE)
plot_split_rcbd(outdesign2,width = 1,height = 1,reverse_x = TRUE,reverse_y = TRUE)

```

plot_strip

Plot Strip Design

Description

Plot a design of an experiment with an Strip Plot design from agricolae design.strip

Usage

```
plot_strip(
  design,
  x = "col",
  y = "row",
  factor_name_1 = "T1",
  factor_name_2 = "T2",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
x	Describes the x coordinates of a experiment design
y	Describes the y coordinates of a experiment design
factor_name_1	Which factor should be used for plotting, needs to be a column in outdesign\$book
factor_name_2	Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	Describes the column from that the plots are taken to display them
width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
T1<-c('a','b','c','d')
T2<-c('v','w','x','y','z')
r = 3
outdesign <- design.strip(trt1=T1, trt2=T2, r=r,serie = 2,
  seed = 0, kinds = 'Super-Duper',randomization=TRUE)
plot_strip(outdesign,factor_name_1 = "T1",factor_name_2="T2")
plot_strip(outdesign,factor_name_1 = "T1",factor_name_2="T2",reverse_x = TRUE)
```

plot_youden

Plot Youden Design

Description

Plot a Youden experiment design from agricolae design.youden

Usage

```
plot_youden(
  design,
  x = "col",
  y = "row",
  factor_name = "varieties",
  labels = "plots",
  width = 1,
  height = 1,
  space_width = 0.95,
  space_height = 0.85,
  reverse_y = FALSE,
  reverse_x = FALSE
)
```

Arguments

design	outdesign from agricolae package
x	Describes the x coordinates of a experiment design
y	Describes the y coordinates of a experiment design
factor_name	string Which factor should be used for plotting, needs to be a column in outdesign\$book
labels	string Describes the column from that the plots are taken to display them

width	numeric value, describes the width of a plot in an experiment
height	numeric value, describes the height of a plot in an experiment
space_width	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of width
space_height	numeric value, describes the share of the space of the plots. 0=only space, 1=no space between plots in term of height
reverse_y	boolean, should the plots of the experiment be changed in reverse order in Row direction? use reverse_y=TRUE to have same sketch as in agricolae. default:reverse_y=FALSE
reverse_x	boolean, should the plots of the experiment be changed in reverse order in column direction? default:reverse_x=FALSE

Value

ggplot graphic that can be modified, if wished

Examples

```
library(agricolaeplotr)
library(agricolae)
varieties<-c('perricholi','yungay','maria bonita','tomasa')
outdesign <-design.youden(varieties,r=2,serie=2,seed=23)
plot_youden(outdesign, labels = 'varieties')
```

test_input_height	<i>Test if input for height is numeric</i>
-------------------	--

Description

Test if input is numeric for field height

Usage

```
test_input_height(x)
```

Arguments

x	input to be tested
---	--------------------

Value

error

Examples

```
library(agricolaeplotr)
test_input_height(5)
```

test_input_ncols *checks matrix column input*

Description

checks if input is suitable for matrix column indication

Usage

```
test_input_ncols(x)
```

Arguments

x input to be tested

Value

error

Examples

```
library(agricolaeplotr)
test_input_ncols(9)
```

test_input_nrows *checks matrix rows input*

Description

checks if input is suitable for matrix row indication

Usage

```
test_input_nrows(x)
```

Arguments

x input to be tested

Value

error

Examples

```
library(agricolaeplotr)
test_input_nrows(10)
```

test_input_reverse_x *Test if input is a logical*

Description

Test if input is a logical

Usage

```
test_input_reverse_x(x)
```

Arguments

x input to be tested

Value

error

Examples

```
library(agricolaeplotr)
test_input_reverse_x(TRUE)
```

test_input_reverse_y *Test if input is a logical*

Description

Test if input is a logical

Usage

```
test_input_reverse_y(x)
```

Arguments

x input to be tested

Value

error

Examples

```
library(agricolaeplotr)
test_input_reverse_y(TRUE)
```

test_input_width *Test if input for width is numeric*

Description

Test if input is numeric for field width

Usage

```
test_input_width(x)
```

Arguments

x input to be tested

Value

error

Examples

```
library(agricolaeplotr)
test_input_width(3)
```

test_names_design *Test of experimental design*

Description

Test if the outdesign file contains book and parameter list

Usage

```
test_names_design(design)
```

Arguments

design design from agricolae package

Value

error

Examples

```
library(agricolaeplotr)
library(agricolae)
trt<-c(2,4)
k=6
outdesign<-design.ab(trt, r=k, serie=3,design='rcbd')
test_names_design(outdesign)
```

test_name_in_column	<i>Test if input column names</i>
---------------------	-----------------------------------

Description

Test if input is in column names of a table

Usage

```
test_name_in_column(x, design)
```

Arguments

x	string input
design	design from agricolae package

Value

error

Examples

```
library(agricolaeplotr)
library(agricolae)
trt<-c(2,4)
k=6
outdesign<-design.ab(trt, r=k, serie=3,design='rcbd')
test_name_in_column('B',outdesign)
```

test_string	<i>Test if input is a string</i>
-------------	----------------------------------

Description

Test if input is a string

Usage

```
test_string(x)
```

Arguments

x input to be tested

Value

error

Examples

```
library(agricolaeplotr)
test_string('smallstring')
```

theme_poster	<i>ggplot2 theme for poster presentation</i>
--------------	--

Description

This theme is designed to increase font size to ensure readability on poster presentations

Usage

```
theme_poster()
```

Value

ggplot2 theme

Examples

```
library(agricolaeplotr)
library(agricolae)
T1<-c('a','b','c','d','e','f','g')
T2<-c('v','w','x','y','z')
r <- 4
outdesign2 <- design.split(trt1=T1, trt2=T2, r=r,
  serie = 2, seed = 0, kinds = 'Super-Duper',
  randomization=FALSE,first=TRUE,design = 'crd')
plot_split_crd(outdesign2,ncols = 6,nrows=5)+
  theme_poster()
```

theme_pres

ggplot2 theme for outdoor presentation

Description

This theme is designed to increase font size to ensure readability on outdoor used devices

Usage

```
theme_pres()
```

Value

ggplot2 theme

Examples

```
library(agricolaeplotr)
library(agricolae)
T1<-c('a','b','c','d','e','f','g')
T2<-c('v','w','x','y','z')
r <- 4
outdesign2 <- design.split(trt1=T1, trt2=T2, r=r,
  serie = 2, seed = 0, kinds = 'Super-Duper',
  randomization=FALSE,first=TRUE,design = 'crd')
plot_split_crd(outdesign2,ncols = 6,nrows=5)+
  theme_pres()
```

Index

plot_alpha, 2
plot_bib, 4
plot_cyclic, 5
plot_dau, 6
plot_design.factorial_crd, 7
plot_design.factorial_lsd, 9
plot_design.factorial_rcbd, 10
plot_design_crd, 11
plot_graeco, 12
plot_latin_square, 14
plot_lattice_simple, 15
plot_lattice_triple, 16
plot_rcdb, 17
plot_split_crd, 18
plot_split_lsd, 20
plot_split_rcbd, 21
plot_strip, 23
plot_youden, 24

test_input_height, 25
test_input_ncols, 26
test_input_nrows, 26
test_input_reverse_x, 27
test_input_reverse_y, 27
test_input_width, 28
test_name_in_column, 29
test_names_design, 28
test_string, 30
theme_poster, 30
theme_pres, 31