

# Package ‘askpass’

October 12, 2022

**Type** Package

**Title** Safe Password Entry for R, Git, and SSH

**Version** 1.1

**Description** Cross-platform utilities for prompting the user for credentials or a passphrase, for example to authenticate with a server or read a protected key. Includes native programs for MacOS and Windows, hence no 'tcltk' is required. Password entry can be invoked in two different ways: directly from R via the askpass() function, or indirectly as password-entry back-end for 'ssh-agent' or 'git-credential' via the SSH\_ASKPASS and GIT\_ASKPASS environment variables. Thereby the user can be prompted for credentials or a passphrase if needed when R calls out to git or ssh.

**License** MIT + file LICENSE

**URL** <https://github.com/jeroen/askpass#readme>

**BugReports** <https://github.com/jeroen/askpass/issues>

**Encoding** UTF-8

**LazyData** true

**Imports** sys (>= 2.1)

**RoxygenNote** 6.1.1

**Suggests** testthat

**Language** en-US

**NeedsCompilation** yes

**Author** Jeroen Ooms [aut, cre] (<<https://orcid.org/0000-0002-4035-0289>>)

**Maintainer** Jeroen Ooms <jeroen@berkeley.edu>

**Repository** CRAN

**Date/Publication** 2019-01-13 12:50:03 UTC

## R topics documented:

askpass . . . . .	2
ssh_askpass . . . . .	2

**Index****3**


---

askpass	<i>Password Prompt Utility</i>
---------	--------------------------------

---

**Description**

Prompt the user for a password to authenticate or read a protected key. By default, this function automatically uses the most appropriate method based on the user platform and front-end. Users or IDEs can override this and set a custom password entry function via the askpass option.

**Usage**

```
askpass(prompt = "Please enter your password: ")
```

**Arguments**

prompt	the string printed when prompting the user for input.
--------	---

**Examples**

```
# Prompt user for passwd
pw <- askpass("Please enter your password")
```

---

ssh_askpass	<i>ASKPASS CMD TOOL</i>
-------------	-------------------------

---

**Description**

This returns the path to the native askpass executable which can be used by git-credential or ssh-agent. Most users don't have worry about this.

**Usage**

```
ssh_askpass()
```

**Details**

On Windows and MacOS the package automatically sets the SSH\_ASKPASS and GIT\_ASKPASS variables on load (if not already set). If these are set you should be able to run e.g. `sys::exec_wait("ssh-add")` and you should be prompted for a passphrase if your key is protected.

# Index

askpass, [2](#)

ssh\_askpass, [2](#)