

# Package ‘bio.infer’

March 19, 2012

**Type** Package

**Title** Predict environmental conditions from biological observations

**Version** 1.3-1

**Date** 2012-03-19

**Author** Lester L. Yuan

**Maintainer** Lester L. Yuan <yuan.lester@epa.gov>

**Description** Imports benthic count data, reformats this data, and computes environmental inferences from this data.

**Depends** R (>= 2.10), tcltk

**LazyLoad** FALSE

**LazyData** FALSE

**License** GPL (>= 2)

**Repository** CRAN

**Date/Publication** 2012-03-19 15:26:19

## R topics documented:

bio.infer-package . . . . .	2
bcnt.emapw . . . . .	3
bcnt.OR . . . . .	4
bcnt.otu.OR . . . . .	4
bcnt.tax.OR . . . . .	5
coef.east.sed . . . . .	6
coef.west.wt . . . . .	6
correct.taxanames . . . . .	7
envdata.emapw . . . . .	8
envdata.OR . . . . .	9

flist.data . . . . .	10
flist.match . . . . .	10
formtomat . . . . .	11
get.dupe.sel . . . . .	11
get.otu . . . . .	12
get.taxon.names . . . . .	13
get.taxonomic . . . . .	14
get.valid.names . . . . .	15
in.ITIS . . . . .	16
incorp.correct . . . . .	16
infergui . . . . .	17
itis.ttable . . . . .	17
load.itis . . . . .	18
load.revised.otu . . . . .	18
load.revised.species . . . . .	19
locate.dupes . . . . .	20
make.fulltbl . . . . .	21
make.species . . . . .	21
makess . . . . .	22
mlsolve . . . . .	23
modalDialog . . . . .	24
output.tax.table . . . . .	25
parse.taxon.name . . . . .	25
remove.dupes . . . . .	26
resolve.mult . . . . .	27
sel.coeffile . . . . .	27
ss.OR . . . . .	28
taxon.env . . . . .	28
tklist.modal . . . . .	30
trait.feeding . . . . .	31
trait.habit . . . . .	31
trait.stat . . . . .	32
view.te . . . . .	33
<b>Index</b>	<b>34</b>

---

bio.infer-package      *Scripts for computing biological inferences*

---

## Description

Reformats raw benthic count files, combines them with existing taxon-environment relationships, and computes inferences of environmental conditions.

## Details

Package: bio.infer  
Type: Package  
Version: 1.0  
Date: 2006-10-31  
License: GPL version 2 or newer

Use this package to import benthic count data, reformat the data, and compute inferences of environmental conditions using taxon-environment relationships.

Typically, the user will start by loading a local benthic count data file (see [bcnt.OR](#) for an example of the required format). This benthic count file will be merged with standardized taxonomic hierarchy information using [get.taxonomic](#). Then, operational taxonomic units will be assigned, based on the number of occurrences of different taxa and based on the identity of taxa for which environmental preferences have been quantified. (See [get.otu](#) for the OTU assignment script, and [coef.west.wt](#) for an example file of environmental preferences.)

Once OTUs have been assigned, the benthic count file is reformatted as a site-taxon matrix ([makes](#)). This file can then be used to compute biological inferences ([mlsolve](#)).

This package was developed in Windows but should be fully functional in other operating systems.

## Author(s)

Lester L. Yuan

---

bcnt.emapw

*Benthic count data for the western United States*

---

## Description

Benthic count data for streams in the western United States.

## Usage

```
data(bcnt.emapw)
```

## Format

Three fields are included.

ID.NEW Unique sample code

Taxaname Name of the observed taxon

Abundance Abundance of the observed taxon

## Source

U.S. Environmental Protection Agency Environmental Monitoring and Assessment Program

**Examples**

```
data(bcnt.emapw)
```

---

```
bcnt.OR
```

*Benthic count data for western Oregon*

---

**Description**

Benthic count data for streams in western Oregon.

**Usage**

```
data(bcnt.OR)
```

**Format**

Three fields are included.

SVN Unique sample code

Taxon Name of the observed taxon

CountValue Abundance of the observed taxon

**Source**

Oregon Department of Environmental Quality

**Examples**

```
data(bcnt.OR)
```

---

```
bcnt.otu.OR
```

*Benthic count data with OTU*

---

**Description**

Benthic count data from western Oregon with operational taxonomic units assigned by [get.otu](#).

**Usage**

```
data(bcnt.otu.OR)
```

**Format**

Five fields are included.

SVN Unique sample identifier

Taxon Original taxon name, same as in [bcnt.OR](#)

CountValue Taxon abundance

TNAME Taxon name after processing by [get.taxonomic](#)

OTU Operational taxonomic unit. Taxon name selected with associated taxon-environment data and selected to eliminate double-counting

**Source**

Oregon Department of Environmental Quality

**Examples**

```
data(bcnt.otu.OR)
```

---

bcnt.tax.OR

*Benthic count with taxonomic hierarchy*

---

**Description**

Benthic count data from western Oregon with full taxonomic hierarchy assigned by [get.taxonomic](#).

**Usage**

```
data(bcnt.tax.OR)
```

**Source**

Oregon Department of Environmental Quality

**Examples**

```
data(bcnt.tax.OR)
```

---

coef.east.sed                      *Regression coefficients for eastern U.S. sediment*

---

### **Description**

Regression coefficients describing relationships between different taxa and percent sands/fines.

### **Usage**

data(coef.west.wt)

### **Format**

A list of with following four elements is provided.

tnames Character vector with the names of each taxon modelled.

csave Matrix of regression coefficients for each taxon. Number of rows is the same as the number of taxa modelled and the number of columns is 6.

xvar Character vector with the names of variables modelled.

xlims List of limits for each of the environmental variables.

form Regression formula used to estimate coefficients.

### **Details**

These regression coefficients were computed using logistic regression.

### **Source**

Yuan, L.L.

### **Examples**

data(coef.east.sed)

---

coef.west.wt                      *Weighted regression coefficients for western U.S.*

---

### **Description**

Regression coefficients describing relationships between different taxa and percent sands/fines and stream temperature.

### **Usage**

data(coef.west.wt)

### Format

A list of with following four elements is provided.

tnames Character vector with the names of each taxon modelled.

csave Matrix of regression coefficients for each taxon. Number of rows is the same as the number of taxa modelled and the number of columns is 6.

xvar Character vector with the names of variables modelled.

xlims List of limits for each of the environmental variables.

form Regression formula used to estimate coefficients.

### Details

These regression coefficients were computed using logistic regression weighted by the number of stream miles represented by each sample.

### Source

Yuan, L.L.

### Examples

```
data(coef.west.wt)
```

---

correct.taxanames	<i>Correct unrecognized taxon names</i>
-------------------	---

---

### Description

Prompts user to correct unrecognized taxon names

### Usage

```
correct.taxanames(tname.old, get.tax.env)
```

### Arguments

tname.old Character vector of unrecognized names

get.tax.env Environment for ITIS taxon table

### Details

Prompts user to enter corrections to names via a tcltk dialog box.

### Value

Character vector of corrected names

**Author(s)**

Lester L. Yuan

---

envdata.emapw

*Environmental data from the western United States*

---

**Description**

Environmental data for stream sampled in the western United States.

**Usage**

```
data(envdata.0R)
```

**Format**

A data frame with 1674 observations on the following 8 variables.

ID.NEW Unique sample code

nt1 Total nitrogen concentration

no3 Nitrate concentration

pt1 Total phosphorus concentration

sed Percent sands and fines

tempres Corrected temperature

STRMTEMP Grab temperature

jday Julian sampling day

**Source**

U.S. Environmental Protection Agency Environmental Monitoring and Assessment Program.

**Examples**

```
data(envdata.emapw)
```

---

`envdata.OR`*Environmental data from western OR*

---

**Description**

Environmental data for stream sampled in western Oregon.

**Usage**

```
data(envdata.OR)
```

**Format**

A data frame with 245 observations on the following 13 variables.

STRM.ID Unique sample code

jday Sampling day

lon Longitude in decimal degrees

lat Latitude in decimal degrees

sed Percent sands and fines

elev Log-transformed elevation

slope Slope

area Log-transformed catchment area

sed.log Log-transformed percent sands and fines

temp Grab stream temperature

temp.avg Seven day average maximum temperature

elev.ut Elevation

sp Estimate of unit stream power

**Source**

Oregon Department of Environmental Quality

**Examples**

```
data(envdata.OR)
```

---

<code>flist.data</code>	<i>List available data</i>
-------------------------	----------------------------

---

**Description**

Lists available data in the package

**Usage**

```
flist.data()
```

**Value**

List of data files.

**Author(s)**

Lester L. Yuan

---

<code>flist.match</code>	<i>Selects data files matching search string</i>
--------------------------	--

---

**Description**

Select data files matching search string

**Usage**

```
flist.match(pattern = NULL)
```

**Arguments**

`pattern`          Character string to be matched.

**Value**

List of matched data files.

**Author(s)**

Lester L. Yuan

---

formtomat	<i>Analyze formula string</i>
-----------	-------------------------------

---

**Description**

Analyzes formula string that defines the regression models for taxon-environment relationships. Returns a numerical representation of the formula and the derivative of the formula that can be used by `mlsolve`.

**Usage**

```
formtomat(a, xvar)
```

**Arguments**

a	Character string defining regression formula.
xvar	Character vector with variable names.

**Details**

Internal function to `mlsolve`.

**Value**

List of transformations.

**Author(s)**

Lester L. Yuan

---

<code>get.dupe.sel</code>	<i>Get duplicate selection</i>
---------------------------	--------------------------------

---

**Description**

Prompt user to select correct version from duplicated entries

**Usage**

```
get.dupe.sel(sumstr)
```

**Arguments**

sumstr	Character vector summarizing duplicated taxon names
--------	---

**Details**

Prompts the user via a tcltk window to select appropriate name from duplicate taxon names.

**Value**

Returns integer indicating which names are selected.

**Author(s)**

Lester L. Yuan

---

get.otu

*Defines operational taxonomic units (OTUs)*

---

**Description**

get.otu generates OTUs for benthic count data using a simple algorithm that is designed to maximize the amount of taxonomic information retained across the entire data set, while eliminating redundant taxonomic identifications.

**Usage**

```
get.otu(bcnt, optlist = NULL, ndc = TRUE, outputFile = "sum.otu.txt",
gui = FALSE)
```

**Arguments**

bcnt	benthic count data frame that includes the full taxonomic hierarchy for each taxon. Typically, bcnt is the output from <a href="#">get.taxonomic</a> .
optlist	vector of taxon names for which trait or tolerance value is available. Specify optlist = NULL for cases in which OTU are computed without regard for any additional taxon specific information, e.g. for developing a RIVPACS model.
ndc	Logical flag indicating whether OTU should be computed that eliminate double-counting of taxa.
outputFile	File name for summary output file.
gui	Logical indicating whether to use gui interface.

**Details**

get.otu makes decisions out OTU according to the following rule. The number samples in which a given taxonomic group (e.g. Baetidae) is observed, is compared to the number of samples in which members of the that same group are identified to a higher taxonomic level (e.g., Baetis, Fallceon, Acentrella, etc.). If more samples are observed with the coarser identification, then all identifications are downgraded to the coarse identification. If more samples are observed at the finer level of identification, then those sample are retained, and all identifications at the coarser level are omitted. Before deciding on OTU assignments, the script first reviews the species names that are listed in the benthic count file and matches them with the species names provided in optlist.

**Value**

Final OTU decisions are returned as tab-delimited text file, `sum.otu.txt`, which is best viewed using a spreadsheet. A new benthic count file is also returned in R, including the original benthic count information and a new field specifying the OTU designation for each taxon. Manual revisions to the assigned OTUs can be recorded in `sum.otu.txt` and loaded with [load.revised.otu](#)

**Author(s)**

Lester L. Yuan

**See Also**

[get.taxonomic](#)

**Examples**

```
data(bcnt.tax.OR)
data(coef.west.wt)
bcnt.otu.OR <- get.otu(bcnt.tax.OR, coef.west.wt)
```

---

<code>get.taxon.names</code>	<i>Get taxon names from benthic count file</i>
------------------------------	--

---

**Description**

Get taxon names from benthic count file

**Usage**

```
get.taxon.names(bcnt)
```

**Arguments**

`bcnt`            Benthic count file with taxon names in second column

**Details**

Checks to see if second column is factor or character.

**Value**

Returns character vector of taxon names.

**Author(s)**

Lester L. Yuan

---

get.taxonomic      *Merge benthic count data with the ITIS taxonomy table*

---

### Description

get.taxonomic merges the taxon names provided in a benthic count data file with a standardized taxonomy table. The purpose of this function is to provide the complete taxonomic hierarchy for each taxon.

### Usage

```
get.taxonomic(bcnt)
```

### Arguments

bcnt	A benthic count data frame with the following three fields: a sample identifier, taxon name, and abundance. The three fields must be ordered as listed. Sample identifier is typically a character string that is a unique identifier for a given sample. Taxon name is a character string that specifies the name of the taxon observed in the sample, and abundance is the number of individuals of that taxon that were observed.
------	--

### Details

get.taxonomic attempts to match taxon names provided in a benthic count data file with taxa listed in ITIS. The script automatically corrects for the most common conventions in taxonomic naming. For example, taxon names are converted to all capital letters, and trailing strings such as "SP." and "SPP." are deleted.

The script lists taxa remaining that are not matched to entries in the ITIS database using [fix](#). The user can then enter a corrected spelling for the taxon name.

The script provides a final summary of the unmatched taxon names, and the user can continue revising names, or complete the program.

### Value

A final taxonomic table is returned as tab-delimited text in the file `sum.tax.table.txt`. This file is best viewed using a spreadsheet. Within R, the script returns a benthic count file with the original taxon name associated with a full taxonomic hierarchy for that taxon. The assigned species names can be modified by hand in `sum.tax.table.txt` and the revised information loaded with [load.revised.species](#).

### Author(s)

Lester L. Yuan

### See Also

[itis.ttable](#)

**Examples**

```
data(bcnt.OR)
data(itis.ttable)
## Not run:
bcnt.tax.OR <- get.taxonomic(bcnt.OR)

## End(Not run)
```

---

get.valid.names	<i>Get taxon names from benthic count file</i>
-----------------	--

---

**Description**

Identifies valid names from parsed name matrix.

**Usage**

```
get.valid.names(df.parse, get.tax.env)
```

**Arguments**

df.parse	Parsed name matrix
get.tax.env	Environment for ITIS taxon table

**Details**

Searches for taxon names in ITIS and splits name matrix into list with first element being the matrix of valid names and the second element being the matrix of invalid names.

**Value**

List of two taxon name matrices.

**Author(s)**

Lester L. Yuan

---

in.ITIS	<i>Check to see if taxon name is in ITIS</i>
---------	--

---

**Description**

Checks to see if taxon names are listed in the ITIS taxon table.

**Usage**

```
in.ITIS(df.parse, get.tax.env, col.sel = NULL)
```

**Arguments**

df.parse	Character vector or matrix character vectors of names that need to be checked for presence in ITIS
get.tax.env	Environment variable where the full ITIS taxon table is available
col.sel	Integer allowing selection of a particular column of the matrix of names to check.

**Value**

Returns a list in which each element of the list is a successive character string from the parsed names.

**Author(s)**

Lester L. Yuan

---

incorp.correct	<i>Incorporate taxon name revisions</i>
----------------	---

---

**Description**

Incorporates corrected taxon names into parse.list

**Usage**

```
incorp.correct(tname.new, parse.list)
```

**Arguments**

tname.new	Character vector of corrected taxon names
parse.list	List of parsed taxon names

**Value**

Revised parse.list.

**Author(s)**

Lester L. Yuan

---

infergui

*Graphical User Interface for biological inferences*

---

**Description**

Provides a graphical user interface that allows users to compute biological inferences using existing taxon-environment relationships.

**Usage**

infergui()

**Value**

None. Used for its side effects.

**Author(s)**

Lester L. Yuan

---

itis.ttable

*ITIS taxonomic hierarchy table*

---

**Description**

Full taxonomic hierarchy to genus for the Kingdom Animalia. Retrieved November 21, 2008 from the Integrated Taxonomic Information System on-line database, <http://www.itis.gov>.

**Usage**

data(itis.ttable)

**Source**

Integrated Taxonomic Information System, U.S. Department of Agriculture.

**Examples**

data(itis.ttable)

---

load.itis	<i>Load ITIS taxon table</i>
-----------	------------------------------

---

**Description**

Load ITIS taxon table to the specified environment.

**Usage**

```
load.itis(get.tax.env)
```

**Arguments**

get.tax.env      Environment variable.

**Details**

Loads full ITIS taxonomic table into specified environment.

**Value**

None. Used for side effects.

**Author(s)**

Lester L. Yuan

---

load.revised.otu	<i>Loads a user-revised OTU table</i>
------------------	---------------------------------------

---

**Description**

If manual correction of the OTU selections is desired, these corrections should be made on the "sum.otu.txt" file provided by [get.otu](#). The corrections should be saved as tab-delimited text, and then load.revised.otu run.

**Usage**

```
load.revised.otu(bcmt.otu, otufname = "sum.otu.txt")
```

**Arguments**

bcmt.otu            Original benthic count file with OTU designations. Output from [get.otu](#)  
otufname            File name of revised OTU assignments.

**Details**

The benthic count data frame is assumed to be the original output from [get.otu](#), and therefore has a field called TNAME.

**Value**

The script returns a new benthic count file that incorporates the corrections to the OTU table.

**Author(s)**

Lester L. Yuan

**See Also**

[get.otu](#)

---

load.revised.species *Loads a user-revised list of species names*

---

**Description**

If manual correction of the species names assigned by `get.taxonomic` is desired, these corrections should be made on the `sum.tax.table.txt` file. The corrections should be saved as tab-delimited text, and then `load.revised.species` run.

**Usage**

```
load.revised.species(bcnt.tax, fname)
```

**Arguments**

bcnt.tax	benthic count data frame that includes the full taxonomic hierarchy for each taxon.
fname	Character string containing file name for the revised, tab-delimited, file in the format of <code>sum.tax.table.txt</code> . See <a href="#">get.taxonomic</a> .

**Details**

The script prompts the user to enter the name of the text file containing the revised species names. The original "SPECIES" column in `bcnt.tax` is deleted and the new, revised version is merged into `bcnt.tax`.

**Value**

The script returns a new benthic count file that incorporates the corrections to the species names

**Author(s)**

Lester L. Yuan

**See Also**

[get.taxonomic](#)

---

locate.dupes	<i>Locate duplicated taxon names</i>
--------------	--------------------------------------

---

**Description**

Locate taxon names that match multiple records in ITIS.

**Usage**

```
locate.dupes(fulltab)
```

**Arguments**

fulltab	Full taxonomic table for matched taxon names
---------	--

**Details**

Finds duplicate names in fulltab

**Value**

Returns string that summarizes duplicates and their row numbers.

**Author(s)**

Lester L. Yuan

---

make.fulltab1	<i>Make full taxonomic table</i>
---------------	----------------------------------

---

**Description**

Merge full ITIS taxonomy with names in benthic count file

**Usage**

```
make.fulltab1(df.parse, get.tax.env)
```

**Arguments**

df.parse	Matrix with valid taxon names in the second column
get.tax.env	Environment variable where the full ITIS taxon table is available

**Details**

Initial merge of taxon names with full ITIS table.

**Value**

Returns the current list of valid taxon names merged with the full taxonomic hierarchy.

**Author(s)**

Lester L. Yuan

---

make.species	<i>Generate species names</i>
--------------	-------------------------------

---

**Description**

Generate species names from possibilities in the parsed taxa name table.

**Usage**

```
make.species(df.parse, fulltab)
```

**Arguments**

df.parse	Matrix with valid taxon names in the second column
fulltab	Full taxonomic table for matched taxon names

**Details**

Generates likely species names from matched taxon names that are identified as Genus level names.

**Value**

Returns full taxonomic table with SPECIES field appended.

**Author(s)**

Lester L. Yuan

---

makess	<i>Make a site-OTU matrix</i>
--------	-------------------------------

---

**Description**

makess generates a site-OTU matrix based on a benthic count file. The script assumes that the benthic count file has a field entitled 'OTU' on which the matrix is based.

**Usage**

```
makess(bcnt, tname = "OTU", plothist=FALSE, prints = FALSE, nview = 0)
```

**Arguments**

bcnt	a benthic count file that results from running <a href="#">get.otu</a> or <a href="#">load.revised.otu</a> .
tname	Character string specifying the field in bcnt in which the name of the taxon is stored.
plothist	Set to TRUE to plot a histogram of the proportion of abundance at each site that is included in the OTU designations
prints	Set to TRUE to view statistics on the proportion of abundance at each site that is included in the OTU designations
nview	Selects the number of sites to view in which the proportion of abundance included is low

**Value**

A site-OTU matrix.

**Author(s)**

Lester L. Yuan

**See Also**

[get.otu](#), [load.revised.otu](#)

**Examples**

```
data(bcnt.otu.OR)
ss.OR <- makess(bcnt.otu.OR)
```

---

mlsolve	<i>Maximum likelihood inferences</i>
---------	--------------------------------------

---

**Description**

mlsolve uses maximum likelihood estimation to infer environmental conditions from biological observations.

**Usage**

```
mlsolve(ss, coef0, site.sel = "all", bruteforce = FALSE)
```

**Arguments**

ss	A site-species matrix, with sample identifiers in the first column, and abundances. Typically, the result of <a href="#">makess</a> .
site.sel	Character vector of sample id's at which inferences should be computed. Default selection of 'all' forces script to compute inferences for all samples in the matrix.
coef0	Coefficient file with model specifications and regression coefficients defining taxon-environment relationships. See <a href="#">taxon.env</a> for more details.
bruteforce	Logical flag. Select TRUE to compute solution by brute force rather than by conjugate gradients. Provides a means of examining likelihood contours when needed.

**Details**

mlsolve uses maximum likelihood estimation to infer environmental conditions from biological observations. Maximum likelihood estimation in this context is a constrained optimization problem, in which we wish find the point at which the likelihood function is maximized, constrained by the range of the environmental variables in the calibration data. mlsolve formulates the likelihood function and calls [optim](#) to solve the optimization problem.

The option bruteforce can be used to check the performance of the iterative solver. When bruteforce is set to be TRUE, the script also computes likelihood values for a uniformly-spaced grid that spans the ranges of the environmental variables. This is a time-consuming calculation, and therefore should only be attempted on a few samples. Once the grid is computed, though, contours of the likelihood surface are plotted.

mlsolve requires that the taxa included in ss each have associated taxon-environment information in coef0. The best way to ensure that this condition is satisfied is to make sure that [get.otu](#) is run with the same coef0 as used in mlsolve, and that the results from get.otu are used to generate ss (see [makess](#)).

**Value**

The script returns a dataframe containing inferences for each sample as well as a logical flag indicating whether solutions computing with four different starting locations are consistent with one another.

**Author(s)**

Lester L. Yuan

**Examples**

```
data(coef.west.wt)
data(ss.OR)
inf.out <- mlsolve(ss.OR, coef.west.wt)
```

---

modalDialog

*Modal dialog box using TclTK*

---

**Description**

modalDialog generates a dialog box prompting the user to enter a list of text before the process continues. Based on scripts provided in <http://bioinf.wehi.edu.au/~wettenhall/RTclTkExamples/>

**Usage**

```
modalDialog(title,itemlist,entryInit,entryWidth=20,
            returnValOnCancel="ID_CANCEL")
```

**Arguments**

title	Title for the dialog box
itemlist	Character vector of names that the user must correct
entryInit	Default string to fill in the entries
entryWidth	Width of entry string
returnValOnCancel	Value for script to return if canceled

**Value**

Character vector of user entries.

**Author(s)**

Lester L. Yuan

---

output.tax.table	<i>Output final taxonomic table</i>
------------------	-------------------------------------

---

**Description**

Output final taxonomic table as tab-delimited text

**Usage**

```
output.tax.table(finaltab, tlevs)
```

**Arguments**

finaltab	Merged taxonomic table
tlevs	Character vector of taxonomic levels in ITIS

**Details**

Outputs final table to file.

**Value**

None. Used for side effects.

**Author(s)**

Lester L. Yuan

---

parse.taxon.name	<i>Parse taxon name</i>
------------------	-------------------------

---

**Description**

Parses taxon names from benthic count file to facilitate matching with ITIS.

**Usage**

```
parse.taxon.name(tname.orig)
```

**Arguments**

tname.orig	Character vector of taxon names
------------	---------------------------------

**Details**

Parses compound names typically found in benthic count files into a list of strings for each name.

**Value**

Returns a matrix in which each row corresponds with a different element of the provided character vector, and each column corresponds to distinct strings in each element.

**Author(s)**

Lester L. Yuan

---

remove.dupes

*Remove unselected duplicates from taxon table*

---

**Description**

Remove unselected duplicate taxon names from taxon table.

**Usage**

```
remove.dupes(fulltab, dupe.list, dupe.sel)
```

**Arguments**

fulltab	Full taxon table for matched taxon names.
dupe.list	List of duplicated entries.
dupe.sel	Character vector of taxa selected by user.

**Details**

Deletes rows from fulltab that are not selected by user

**Value**

Returns revised fulltab.

**Author(s)**

Lester L. Yuan

---

resolve.mult	<i>Resolve cases in which two taxa are found in ITIS</i>
--------------	--

---

**Description**

Resolves cases in which two taxa listed on the same entry are both found in ITIS.

**Usage**

```
resolve.mult(parse.list, get.tax.env)
```

**Arguments**

parse.list	List of taxa that are found in ITIS (position 1) and taxa that are still unresolved (position 2).
get.tax.env	Environment variable where the full ITIS taxon table is available

**Details**

The most likely reason for two valid taxa being listed in the same entry is that the taxonomist could only identify a specimen down to two possibilities. In these cases, the script downgrades the identification to a coarser level that is the same for both taxa.

**Value**

Updates parse.list so that resolved multiple listings are included in position 1.

**Author(s)**

Lester L. Yuan

---

sel.coefffile	<i>Select coefficient file</i>
---------------	--------------------------------

---

**Description**

Prompt user to select coefficient file from those available in data directory

**Usage**

```
sel.coefffile(fstring = "coef")
```

**Arguments**

fstring	Character string for filtering files in data directory
---------	--

**Details**

Provides the list of data files available to the user.

**Value**

Selected file name.

**Author(s)**

Lester L. Yuan

---

ss.0R	<i>site-OTU matrix for western Oregon</i>
-------	---

---

**Description**

Matrix with each row representing a distinct sample and each column representing a different OTU for western Oregon benthic count data.

**Usage**

```
data(ss.0R)
```

**Source**

Oregon Department of Environmental Quality

**Examples**

```
data(ss.0R)
```

---

taxon.env	<i>Estimate taxon-environment relationships</i>
-----------	---

---

**Description**

taxon.env estimates taxon-environment relationships using logistic regression.

**Usage**

```
taxon.env(form, bcnt, envdata, bcnt.siteid, bcnt.abndid,  
env.siteid,tlevs = "all", dumpdata = FALSE)
```

**Arguments**

form	Regression formula for model. Format is identical to that used for <code>glm</code> .
bcnt	A benthic count file with a full taxonomic hierarchy that results from running <a href="#">get.taxonomic</a> .
envdata	Environmental data file
bcnt.siteid	Field name for bcnt unique site identifier.
bcnt.abndid	Field name for bcnt taxon abundance.
env.siteid	Field name for envdata unique site identifier.
tlevs	Taxonomic levels to compute taxon-environment relationships.
dumpdata	Logical field specifying whether data used to estimate taxon-environment relationships should be included in the output.

**Details**

This script generates logistic regression models for taxa at various levels of taxonomic resolution (as specified by the user). The script computes the degrees of freedom specified by the model (`$df$`) and selects taxa that occur in at least 10 times `df` and is absent from at least 10 times `df` sites. Then, logistic regression models based on the formula specified by the user are computed for each taxon using `glm`. The user can select the taxonomic levels (e.g., CLASS, ORDER, SPECIES, etc.) at which taxon-environment relationships are computed using the parameter `tlevs`. The default value for `tlevs` computes relationships at all levels.

**Value**

Regression coefficient file that can be used with `mlsolve` to infer environmental conditions.

tnames	Taxon names for which models are calculated
csave	Matrix of regression coefficients
xvar	Character vector with names of explanatory variables
xlims	Range of each explanatory variable
form	Model formula
roc	Area under receiver operator curve for model for each taxon.
raw.data	Data used to estimate relationships. Only included if <code>dumpdata = T</code> .

**Author(s)**

Lester L. Yuan

**See Also**

[get.taxonomic](#)

## Examples

```
data(envdata.OR)
data(bcnt.tax.OR)
coef <- taxon.env(~sed + sed^2, bcnt.tax.OR, envdata.OR, "SVN",
"CountValue", "STRM.ID")
```

---

tklist.modal

*Modal select list dialog using TclTk*

---

## Description

tklist.modal generates a dialog box that prompts the user to select from a list of options. This script uses TclTk tools that should be operable on different operating systems.

## Usage

```
tklist.modal(title, elements0, returnValOnCancel="ID_CANCEL",selectmode =
"single")
```

## Arguments

title	Title for the list box.
elements0	Character vector of elements listing different choices
returnValOnCancel	Character string returned by the script if the dialog box is canceled
selectmode	Set to multiple to allow for multiple selections.

## Value

A TclTk dialog box.

## Author(s)

Lester L. Yuan

## Examples

```
## Not run:
tklist.modal("Select a color", c("red", "green", "blue"))

## End(Not run)
```

---

trait.feeding	<i>Feeding traits for benthic invertebrates</i>
---------------	---

---

**Description**

Feeding classifications for different benthic invertebrates.

**Usage**

```
data(trait.feeding)
```

**Format**

A data frame with two columns.

TAXON Character vector with the names of each taxon.

TRAITVAL Value of trait classification

**Details**

These trait classifications were summarized from the USGS data set prepared by Viera et al. <http://pubs.usgs.gov/ds/ds187/>.

**Source**

Yuan, L.L.

**Examples**

```
data(trait.feeding)
```

---

trait.habit	<i>Habit traits for benthic invertebrates</i>
-------------	---

---

**Description**

Habit classifications for different benthic invertebrates.

**Usage**

```
data(trait.habit)
```

**Format**

A data frame with two columns.

TAXON Character vector with the names of each taxon.

TRAITVAL Value of trait classification

**Details**

These trait classifications were summarized from the USGS data set prepared by Viera et al. <http://pubs.usgs.gov/ds/ds187/>.

**Source**

Yuan, L.L.

**Examples**

```
data(trait.habit)
```

---

trait.stat	<i>Compute trait metrics</i>
------------	------------------------------

---

**Description**

Compute trait metrics from benthic count data.

**Usage**

```
trait.stat(bcnt.otu, coefs)
```

**Arguments**

bcnt.otu	Benthic count file with OTU defined consistently with selected trait file
coefs	Trait file

**Details**

OTUs appropriate for the selected trait file must first be assigned using `get.otu`. A list of trait files provided in the library can be obtained using `sel.coefffile`. Script will compute richness, relative richness, and relative abundance of each trait group. Note that many taxa in a benthic count file are often not assigned to traits, and so relative richness and relative abundance values within a given sample may not sum to 1.

**Value**

Data frame of trait metrics.

**Author(s)**

Lester L. Yuan

---

`view.te`*View taxon-environment relationships*

---

**Description**

Viewer for taxon-environment relationships.

**Usage**

```
view.te(coef, plotform = "pdf")
```

**Arguments**

<code>coef</code>	Taxon-environment coefficient file (e.g. <code>coef.west.wt</code> )
<code>plotform</code>	Specify output plot format. Options include pdf and windows.

**Details**

Generates contour plots that show taxon-environment relationships represented by taxon-environment coefficients. Models with a single explanatory variable are displayed as line plots, and models with two explanatory variables are displayed as contour plots. Plots are returned to the file `taxon.env.pdf` if `plotform = "pdf"`.

**Value**

None. Used for side effects.

**Author(s)**

Lester L. Yuan

**Examples**

```
## Not run:  
data(coef.west.wt)  
view.te(coef.west.wt)  
## End(Not run)
```

# Index

## \*Topic **datasets**

- bcnt.emapw, 3
- bcnt.OR, 4
- bcnt.otu.OR, 4
- bcnt.tax.OR, 5
- coef.east.sed, 6
- coef.west.wt, 6
- envdata.emapw, 8
- envdata.OR, 9
- itis.ttable, 17
- ss.OR, 28
- trait.feeding, 31
- trait.habit, 31

## \*Topic **models**

- bio.infer-package, 2
- correct.taxanames, 7
- flist.data, 10
- flist.match, 10
- formtomat, 11
- get.dupe.sel, 11
- get.otu, 12
- get.taxon.names, 13
- get.taxonomic, 14
- get.valid.names, 15
- in.ITIS, 16
- incorp.correct, 16
- infergui, 17
- load.itis, 18
- load.revised.otu, 18
- load.revised.species, 19
- locate.dupes, 20
- make.fulltab1, 21
- make.species, 21
- makess, 22
- mlsolve, 23
- modalDialog, 24
- output.tax.table, 25
- parse.taxon.name, 25
- remove.dupes, 26

- resolve.mult, 27
- sel.coefffile, 27
- taxon.env, 28
- tklist.modal, 30
- trait.stat, 32
- view.te, 33

- bcnt.emapw, 3
- bcnt.OR, 3, 4, 5
- bcnt.otu.OR, 4
- bcnt.tax.OR, 5
- bio.infer (bio.infer-package), 2
- bio.infer-package, 2

- coef.east.sed, 6
- coef.west.wt, 3, 6, 33
- correct.taxanames, 7

- envdata.emapw, 8
- envdata.OR, 9

- fix, 14
- flist.data, 10
- flist.match, 10
- formtomat, 11

- get.dupe.sel, 11
- get.otu, 3, 4, 12, 18, 19, 22, 23, 32
- get.taxon.names, 13
- get.taxonomic, 3, 5, 12, 13, 14, 19, 20, 29
- get.valid.names, 15
- glm, 29

- in.ITIS, 16
- incorp.correct, 16
- infergui, 17
- itis.ttable, 14, 17

- load.itis, 18
- load.revised.otu, 13, 18, 22
- load.revised.species, 14, 19

locate.dupes, [20](#)

make.fulltab1, [21](#)  
make.species, [21](#)  
makess, [3](#), [22](#), [23](#)  
mlsolve, [3](#), [23](#)  
modalDialog, [24](#)

optim, [23](#)  
output.tax.table, [25](#)

parse.taxon.name, [25](#)

remove.dupes, [26](#)  
resolve.mult, [27](#)

sel.coefffile, [27](#), [32](#)  
ss.OR, [28](#)

taxon.env, [23](#), [28](#)  
tklist.modal, [30](#)  
trait.feeding, [31](#)  
trait.habit, [31](#)  
trait.stat, [32](#)

view.te, [33](#)