

Package ‘doSNOW’

December 13, 2017

Type Package

Title Foreach Parallel Adaptor for the 'snow' Package

Version 1.0.16

Description Provides a parallel backend for the `%dopar%` function using the snow package of Tierney, Rossini, Li, and Sevcikova.

Depends R (>= 2.5.0), foreach(>= 1.2.0), iterators(>= 1.0.0), snow(>= 0.3.0), utils

Suggests compiler, RUnit, caret, mlbench, rpart, parallel

License GPL-2

Author Rich Calaway [cre],
Microsoft Corporation [aut, cph],
Stephen Weston [aut]

Maintainer Rich Calaway <richcala@microsoft.com>

Repository CRAN

Repository/R-Forge/Project dosnow

Repository/R-Forge/Revision 31

Repository/R-Forge/DateTimeStamp 2017-12-08 23:07:26

Date/Publication 2017-12-13 08:59:05 UTC

NeedsCompilation no

R topics documented:

registerDoSNOW 2

Index 3

registerDoSNOW *registerDoSNOW*

Description

The registerDoSNOW function is used to register the SNOW parallel backend with the foreach package.

Usage

```
registerDoSNOW(cl)
```

Arguments

cl The cluster object to use for parallel execution.

See Also

[makeCluster](#)

Examples

```
cl <- makeCluster(2, type="SOCK")
registerDoSNOW(cl)
m <- matrix(rnorm(9), 3, 3)
foreach(i=1:nrow(m), .combine=rbind) %dopar% (m[i,] / mean(m[i,]))
stopCluster(cl)
```

Index

*Topic **utilities**

registerDoSNOW, [2](#)

makeCluster, [2](#)

registerDoSNOW, [2](#)