

Package ‘geometry’

September 9, 2015

License GPL (≥ 3) + file LICENSE

Title Mesh Generation and Surface Tesselation

Description Makes the qhull library (www.qhull.org) available in R, in a similar manner as in Octave and MATLAB. Qhull computes convex hulls, Delaunay triangulations, halfspace intersections about a point, Voronoi diagrams, furthest-site Delaunay triangulations, and furthest-site Voronoi diagrams. It runs in 2-d, 3-d, 4-d, and higher dimensions. It implements the Quickhull algorithm for computing the convex hull. Qhull does not support constrained Delaunay triangulations, or mesh generation of non-convex objects, but the package does include some R functions that allow for this. Currently the package only gives access to Delaunay triangulation and convex hull computation.

Version 0.3-6

URL <http://geometry.r-forge.r-project.org/>

Date 2015-09-04

BugReports https://r-forge.r-project.org/tracker/?group_id=1149

Depends R ($\geq 2.5.0$), magic

Suggests testthat, rgl, R.matlab, tripack

NeedsCompilation yes

Author C. B. Barber [cph],
Kai Habel [cph, aut],
Raoul Grasman [cph, aut],
Robert B. Gramacy [cph, aut],
Andreas Stahel [cph, aut],
David C. Sterratt [cph, aut, cre]

Maintainer David C. Sterratt <david.c.sterratt@ed.ac.uk>

Repository CRAN

Date/Publication 2015-09-09 13:47:14

R topics documented:

bary2cart	2
cart2bary	3
convhulln	5
delaunayn	6
distmesh2d	8
distmeshnd	10
dot	12
entry.value	12
extprod3d	13
matmax	14
mesh.dcircle	15
mesh.diff	16
mesh.drectangle	16
mesh.dsphere	17
mesh.hunif	18
polyarea	19
surf.tri	20
tetramesh	21
trimesh	22
tsearch	23
tsearchn	24
Unique	25
Index	26

bary2cart	<i>Conversion of Barycentric to Cartesian coordinates</i>
-----------	---

Description

Given the barycentric coordinates of one or more points with respect to a simplex, compute the Cartesian coordinates of these points.

Usage

```
bary2cart(X, Beta)
```

Arguments

X	Reference simplex in N dimensions represented by a $N + 1$ -by- N matrix
Beta	M points in barycentric coordinates with respect to the simplex X represented by a M -by- $N + 1$ matrix

Value

M -by- N matrix in which each row is the Cartesian coordinates of corresponding row of Beta

Author(s)

David Sterratt

See Also

cart2bary

Examples

```
## Define simplex in 2D (i.e. a triangle)
X <- rbind(c(0, 0),
           c(0, 1),
           c(1, 0))
## Cartesian coordinates of points
beta <- rbind(c(0, 0.5, 0.5),
              c(0.1, 0.8, 0.1))
## Plot triangle and points
trimesh(rbind(1:3), X)
text(X[,1], X[,2], 1:3) # Label vertices
P <- bary2cart(X, beta)
points(P)
```

cart2bary

Conversion of Cartesian to Barycentric coordinates.

Description

Given the Cartesian coordinates of one or more points, compute the barycentric coordinates of these points with respect to a simplex.

Usage

```
cart2bary(X, P)
```

Arguments

X Reference simplex in N dimensions represented by a $N + 1$ -by- N matrix
P M -by- N matrix in which each row is the Cartesian coordinates of a point.

Details

Given a reference simplex in N dimensions represented by a $N + 1$ -by- N matrix an arbitrary point **P** in Cartesian coordinates, represented by a 1-by- N row vector, can be written as

$$\mathbf{P} = \beta \mathbf{X}$$

where β is a $N + 1$ vector of the barycentric coordinates. A criterion on β is that

$$\sum_i \beta_i = 1$$

Now partition the simplex into its first N rows \mathbf{X}_N and its $N + 1$ th row \mathbf{X}_{N+1} . Partition the barycentric coordinates into the first N columns β_N and the $N + 1$ th column β_{N+1} . This allows us to write

$$\mathbf{P} - \mathbf{X}_{N+1} = \beta_N \mathbf{X}_N + \beta_{N+1} \mathbf{X}_{N+1} - \mathbf{X}_{N+1}$$

which can be written

$$\mathbf{P} - \mathbf{X}_{N+1} = \beta_N (\mathbf{X}_N - \mathbf{1} \mathbf{X}_{N+1})$$

where $\mathbf{1}$ is a N -by-1 matrix of ones. We can then solve for β_N :

$$\beta_N = (\mathbf{P} - \mathbf{X}_{N+1})(\mathbf{X}_N - \mathbf{1} \mathbf{X}_{N+1})^{-1}$$

and compute

$$\beta_{N+1} = 1 - \sum_{i=1}^N \beta_i$$

This can be generalised for multiple values of \mathbf{P} , one per row.

Value

M -by- $N + 1$ matrix in which each row is the barycentric coordinates of corresponding row of \mathbf{P} . If the simplex is degenerate a warning is issued and the function returns NULL.

Note

Based on the Octave function by David Bateman.

Author(s)

David Sterratt

See Also

bary2cart

Examples

```
## Define simplex in 2D (i.e. a triangle)
X <- rbind(c(0, 0),
           c(0, 1),
           c(1, 0))
## Cartesian coordinates of points
P <- rbind(c(0.5, 0.5),
           c(0.1, 0.8))
## Plot triangle and points
trimesh(rbind(1:3), X)
text(X[,1], X[,2], 1:3) # Label vertices
points(P)
cart2bary(X, P)
```

`convhulln`*Compute smallest convex hull that encloses a set of points*

Description

Returns an index matrix to the points of simplices (“triangles”) that form the smallest convex simplicial complex of a set of input points in N-dimensional space. This function interfaces the Qhull library.

Usage

```
convhulln(p, options = "Tv")
```

Arguments

<code>p</code>	An n-by-dim matrix. The rows of p represent n points in dim-dimensional space.
<code>options</code>	String containing extra options for the underlying Qhull command; see details below and Qhull documentation at http://www.qhull.org/html/qconvex.htm#synopsis .

Details

For silent operation, specify the option Pp.

Value

An m-by-dim index matrix of which each row defines a dim-dimensional “triangle”. The indices refer to the rows in p. If the option FA is provided, then the output is a list with entries hull containing the matrix mentioned above, and area and vol with the generalised area and volume of the hull described by the matrix. When applying convhulln to a 3D object, these have the conventional meanings: vol is the volume of enclosed by the hull and area is the total area of the facets comprising the hull’s surface. However, in 2D the facets of the hull are the lines of the perimeter. Thus area is the length of the perimeter and vol is the area enclosed.

Note

This is a port of the Octave’s (<http://www.octave.org>) geometry library. The Octave source was written by Kai Habel.

See further notes in [deLaunayn](#).

Author(s)

Raoul Grasman, Robert B. Gramacy and David Sterratt <david.c.sterratt@ed.ac.uk>

References

Barber, C.B., Dobkin, D.P., and Huhdanpaa, H.T., "The Quickhull algorithm for convex hulls," ACM Trans. on Mathematical Software, Dec 1996.

<http://www.qhull.org>

See Also

[convex.hull](#), [delaunayn](#), [surf.tri](#), [distmesh2d](#)

Examples

```
# example convhulln
# ==> see also surf.tri to avoid unwanted messages printed to the console by qhull
ps <- matrix(rnorm(3000), ncol=3) # generate points on a sphere
ps <- sqrt(3)*ps/drop(sqrt((ps^2) %*% rep(1, 3)))
ts.surf <- t(convhulln(ps)) # see the qhull documentations for the options
## Not run:
rgl.triangles(ps[ts.surf,1],ps[ts.surf,2],ps[ts.surf,3],col="blue",alpha=.2)
for(i in 1:(8*360)) rgl.viewpoint(i/8)

## End(Not run)
```

delaunayn

Delaunay triangulation in N-dimensions

Description

The Delaunay triangulation is a tessellation of the convex hull of the points such that no N-sphere defined by the N-triangles contains any other points from the set.

Usage

```
delaunayn(p, options = "", full = FALSE)
```

Arguments

p	p is an n-by-dim matrix. The rows of p represent n points in dim-dimensional space.
options	String containing extra options for the underlying Qhull command.(See the Qhull documentation (./doc/html/qdelaun.html) for the available options.)
full	Return all information associated with triangulation as a list. At present this is the triangulation (tri), a vector of facet areas (areas) and a list of neighbours of each facet (neighbours).

Details

If neither of the QJ or Qt options are supplied, the Qt option is passed to Qhull. The Qt option ensures all Delaunay regions are simplicial (e.g., triangles in 2-d). See [../doc/html/qdelaun.html](#) for more details. Contrary to the Qhull documentation, no degenerate (zero area) regions are returned with the Qt option since the R function removes them from the triangulation.

For silent operation, specify the option Pp.

Value

The return matrix has m rows and $\text{dim}+1$ columns. It contains for each row a set of indices to the points, which describes a simplex of dimension dim . The 3D simplex is a tetrahedron.

Note

This function interfaces the Qhull library and is a port from Octave (<http://www.octave.org>) to R. Qhull computes convex hulls, Delaunay triangulations, halfspace intersections about a point, Voronoi diagrams, furthest-site Delaunay triangulations, and furthest-site Voronoi diagrams. It runs in 2-d, 3-d, 4-d, and higher dimensions. It implements the Quickhull algorithm for computing the convex hull. Qhull handles roundoff errors from floating point arithmetic. It computes volumes, surface areas, and approximations to the convex hull. See the Qhull documentation included in this distribution (the doc directory [../doc/index.html](#)).

Qhull does not support constrained Delaunay triangulations, triangulation of non-convex surfaces, mesh generation of non-convex objects, or medium-sized inputs in 9-D and higher. A rudimentary algorithm for mesh generation in non-convex regions using Delaunay triangulation is implemented in [distmesh2d](#) (currently only 2D).

Author(s)

Raoul Grasman and Robert B. Gramacy; based on the corresponding Octave sources of Kai Habel.

References

Barber, C.B., Dobkin, D.P., and Huhdanpaa, H.T., "The Quickhull algorithm for convex hulls," ACM Trans. on Mathematical Software, Dec 1996.

<http://www.qhull.org>

See Also

[tri.mesh](#), [convhulln](#), [surf.tri](#), [distmesh2d](#)

Examples

```
# example delaunayn
d <- c(-1,1)
pc <- as.matrix(rbind(expand.grid(d,d,d),0))
tc <- delaunayn(pc)

# example tetramesh
## Not run:
```

```

rgl::rgl.viewpoint(60)
rgl::rgl.light(120,60)
tetramesh(tc,pc, alpha=0.9)

## End(Not run)

```

distmesh2d

A simple mesh generator for non-convex regions

Description

An unstructured simplex requires a choice of meshpoints (vertex nodes) and a triangulation. This is a simple and short algorithm that improves the quality of a mesh by relocating the meshpoints according to a relaxation scheme of forces in a truss structure. The topology of the truss is reset using Delaunay triangulation. A (sufficiently smooth) user supplied signed distance function (fd) indicates if a given node is inside or outside the region. Points outside the region are projected back to the boundary.

Usage

```

distmesh2d(fd, fh, h0, bbox, p = NULL, pfix = array(0, dim = c(0, 2)), ...,
  dptol = 0.001, ttol = 0.1, Fscale = 1.2, deltat = 0.2, geps = 0.001
  * h0, deps = sqrt(.Machine$double.eps) * h0, maxiter = 1000)

```

Arguments

fd	Vectorized signed distance function, for example mesh.dcircle or mesh.diff , accepting an n-by-2 matrix, where n is arbitrary, as the first argument.
fh	Vectorized function, for example mesh.hunif , that returns desired edge length as a function of position. Accepts an n-by-2 matrix, where n is arbitrary, as its first argument.
h0	Initial distance between mesh nodes. (Ignored if p is supplied)
bbox	Bounding box <code>cbind(c(xmin,xmax), c(ymin,ymax))</code>
p	An n-by-2 matrix. The rows of p represent locations of starting mesh nodes.
pfix	nfix-by-2 matrix with fixed node positions.
dptol	Algorithm stops when all node movements are smaller than dptol
ttol	Controls how far the points can move (relatively) before a retriangulation with delaunayn .
Fscale	“Internal pressure” in the edges.
deltat	Size of the time step in Eulers method.
geps	Tolerance in the geometry evaluations.
deps	Stepsize Δx in numerical derivative computation for distance function.
maxiter	Maximum iterations.
...	parameters to be passed to fd and/or fh

Details

This is an implementation of original Matlab software of Per-Olof Persson.

Excerpt (modified) from the reference below:

‘The algorithm is based on a mechanical analogy between a triangular mesh and a 2D truss structure. In the physical model, the edges of the Delaunay triangles of a set of points correspond to bars of a truss. Each bar has a force-displacement relationship $f(\ell, \ell_0)$ depending on its current length ℓ and its unextended length ℓ_0 .’

‘External forces on the structure come at the boundaries, on which external forces have normal orientations. These external forces are just large enough to prevent nodes from moving outside the boundary. The position of the nodes are the unknowns, and are found by solving for a static force equilibrium. The hope is that (when `fh = function(p) return(rep(1, nrow(p)))`), the lengths of all the bars at equilibrium will be nearly equal, giving a well-shaped triangular mesh.’

See the references below for all details. Also, see the comments in the source file.

Value

n-by-2 matrix with node positions.

Wishlist

- *Implement in C/Fortran
- *Implement an nD version as provided in the matlab package
- *Translate other functions of the matlab package

Author(s)

Raoul Grasman

References

<http://persson.berkeley.edu/distmesh/>

P.-O. Persson, G. Strang, A Simple Mesh Generator in MATLAB. SIAM Review, Volume 46 (2), pp. 329-345, June 2004

See Also

[tri.mesh](#), [delaunayn](#), [mesh.dcircle](#), [mesh.drectangle](#),
[mesh.diff](#), [mesh.union](#), [mesh.intersect](#)

Examples

```
# examples distmesh2d
fd <- function(p, ...) sqrt((p^2)%*%c(1,1)) - 1
# also predefined as `mesh.dcircle`
fh <- function(p, ...) rep(1, nrow(p))
bbox <- matrix(c(-1,1,-1,1),2,2)
p <- distmesh2d(fd, fh, 0.2, bbox, maxiter=100)
# this may take a while:
```

```

# press Esc to get result of current iteration

# example with non-convex region
fd <- function(p, ...) mesh.diff(p , mesh.drectangle, mesh.dcircle, radius=.3)
# fd defines difference of square and circle

p <- distmesh2d(fd,fh,0.05,bbox,radius=0.3,maxiter=4)
p <- distmesh2d(fd,fh,0.05,bbox,radius=0.3, maxiter=10)
# continue on previous mesh

```

distmeshnd

A simple mesh generator for non-convex regions in n-D space

Description

An unstructured simplex requires a choice of meshpoints (vertex nodes) and a triangulation. This is a simple and short algorithm that improves the quality of a mesh by relocating the meshpoints according to a relaxation scheme of forces in a truss structure. The topology of the truss is reset using Delaunay triangulation. A (sufficiently smooth) user supplied signed distance function (fd) indicates if a given node is inside or outside the region. Points outside the region are projected back to the boundary.

Usage

```

distmeshnd(fdist, fh, h, box, pfix = array(dim = c(0, ncol(box))), ...,
  ptol = 0.001, ttol = 0.1, deltat = 0.1, geps = 0.1 * h,
  deps = sqrt(.Machine$double.eps) * h)

```

Arguments

fdist	Vectorized signed distance function, for example mesh.dsphere , accepting an m-by-n matrix, where m is arbitrary, as the first argument.
fh	Vectorized function, for example mesh.hunif , that returns desired edge length as a function of position. Accepts an m-by-n matrix, where n is arbitrary, as its first argument.
h	Initial distance between mesh nodes.
box	2-by-n matrix that specifies the bounding box. (See distmesh2d for an example.)
pfix	nfix-by-2 matrix with fixed node positions.
ptol	Algorithm stops when all node movements are smaller than dptol
ttol	Controls how far the points can move (relatively) before a retriangulation with delaunayn .
deltat	Size of the time step in Eulers method.
geps	Tolerance in the geometry evaluations.
deps	Stepsize Δx in numerical derivative computation for distance function.
...	parameters that are passed to fdist and fh

Details

This is an implementation of original Matlab software of Per-Olof Persson.

Excerpt (modified) from the reference below:

‘The algorithm is based on a mechanical analogy between a triangular mesh and a n-D truss structure. In the physical model, the edges of the Delaunay triangles of a set of points correspond to bars of a truss. Each bar has a force-displacement relationship $f(\ell, \ell_0)$ depending on its current length ℓ and its unextended length ℓ_0 .’

‘External forces on the structure come at the boundaries, on which external forces have normal orientations. These external forces are just large enough to prevent nodes from moving outside the boundary. The position of the nodes are the unknowns, and are found by solving for a static force equilibrium. The hope is that (when `fh = function(p) return(rep(1,nrow(p)))`), the lengths of all the bars at equilibrium will be nearly equal, giving a well-shaped triangular mesh.’

See the references below for all details. Also, see the comments in the source file of `distmesh2d`.

Value

m-by-n matrix with node positions.

Wishlist

- *Implement in C/Fortran
- *Translate other functions of the matlab package

Author(s)

Raoul Grasman; translated from original Matlab sources of Per-Olof Persson.

References

<http://persson.berkeley.edu/distmesh/>

P.-O. Persson, G. Strang, A Simple Mesh Generator in MATLAB. SIAM Review, Volume 46 (2), pp. 329-345, June 2004

See Also

`distmesh2d`, `tri.mesh`, `de launay`, `mesh.dsphere`, `mesh.hunif`,
`mesh.diff`, `mesh.union`, `mesh.intersect`

Examples

```
## Not run:
# examples distmeshnd
require(rgl)

fd = function(p, ...) sqrt((p^2)%*%c(1,1,1)) - 1
# also predefined as `mesh.dsphere`
fh = function(p,...) rep(1,nrow(p))
# also predefined as `mesh.hunif`
```

```

bbox = matrix(c(-1,1),2,3)
p = distmeshnd(fd,fh,0.2,bbox, maxiter=100)
  # this may take a while:
  # press Esc to get result of current iteration

## End(Not run)

```

dot *Compute the dot product of two vectors*

Description

If x and y are matrices, calculate the dot-product along the first non-singleton dimension. If the optional argument d is given, calculate the dot-product along this dimension.

Usage

```
dot(x, y, d = NULL)
```

Arguments

x	Matrix of vectors
y	Matrix of vectors
d	Dimension along which to calculate the dot product

Value

Vector with length of d th dimension

Author(s)

David Sterratt

entry.value *Retrieve or set a list of array element values*

Description

entry.value retrieves or sets the values in an array a at the positions indicated by the rows of a matrix idx .

Usage

```
entry.value(a, idx)
```

Arguments

a	An array.
idx	Numerical matrix with the same number of columns as the number of dimensions of a. Each row indices a cell in a of which the value is to be retrieved or set.
value	An array of length nrow(idx).

Value

entry.value(a, idx) returns a vector of values at the indicated cells. entry.value(a, idx) <- val changes the indicated cells of a to val.

Author(s)

Raoul Grasman

Examples

```
a = array(1:(4^4), c(4,4,4,4))
entry.value(a, cbind(1:4, 1:4, 1:4, 1:4))
entry.value(a, cbind(1:4, 1:4, 1:4, 1:4)) <- 0

entry.value(a, as.matrix(expand.grid(1:4, 1:4, 1:4, 1:4)))
# same as `c(a[1:4, 1:4, 1:4, 1:4])` which is same as `c(a)`
```

extprod3d

Compute external- or 'cross'- product of 3D vectors.

Description

Computes the external product

$$(x_2y_3 - x_3y_2, x_3y_1 - x_1y_3, x_1y_2 - x_2y_1)$$

of the 3D vectors in **x** and **y**.

Usage

```
extprod3d(x, y)
```

Arguments

x	n-by-3 matrix. Each row is one x -vector
y	n-by-3 matrix. Each row is one y -vector

Value

n-by-3 matrix

Author(s)

Raoul Grasman

matmax

Row-wise matrix functions

Description

Compute maximum or minimum of each row, or sort each row of a matrix, or a set of (equal length) vectors.

Usage

```
matmax(...)
```

Arguments

... A numeric matrix or a set of numeric vectors (that are column-wise bind together into a matrix with cbind).

Value

matmin and matmax return a vector of length `nrow(cbind(...))`. matsort returns a matrix of dimension `dim(cbind(...))` with in each row of `cbind(...)` sorted. `matsort(x)` is a lot faster than, e.g., `'t(apply(x,1,sort))'`, if `x` is tall (i.e., `nrow(x)»ncol(x)` and `ncol(x)<30`). If `ncol(x)>30` then `matsort` simply calls `'t(apply(x,1,sort))'`. `matorder` returns a permutation which rearranges its first argument into ascending order, breaking ties by further arguments.

Author(s)

Raoul Grasman

Examples

```
example(Unique)
```

mesh.dcircle	<i>Circle distance function</i>
--------------	---------------------------------

Description

Signed distance from points p to boundary of circle to allow easy definition of regions in [distmesh2d](#).

Usage

```
mesh.dcircle(p, radius = 1, ...)
```

Arguments

p	A matrix with 2 columns (3 in <code>mesh.dsphere</code>), each row representing a point in the plane.
radius	radius of circle
...	additional arguments (not used)

Value

A vector of length `nrow(p)` containing the signed distances to the circle

Author(s)

Raoul Grasman; translated from original Matlab sources of Per-Olof Persson.

References

<http://persson.berkeley.edu/distmesh/>

P.-O. Persson, G. Strang, A Simple Mesh Generator in MATLAB. SIAM Review, Volume 46 (2), pp. 329-345, June 2004

See Also

[distmesh2d](#), [mesh.drectangle](#), [mesh.diff](#), [mesh.intersect](#), [mesh.union](#)

Examples

```
example(distmesh2d)
```

mesh.diff *Difference, union and intesection operation on two regions*

Description

Compute the signed distances from points p to a region defined by the difference, union or intersection of regions specified by the functions `regionA` and `regionB`. `regionA` and `regionB` must accept a matrix p with 2 columns as their first argument, and must return a vector of length `nrow(p)` containing the signed distances of the supplied points in p to their respective regions.

Usage

```
mesh.diff(p, regionA, regionB, ...)
```

Arguments

<code>p</code>	A matrix with 2 columns (3 in <code>mesh.dsphere</code>), each row representing a point in the plane.
<code>regionA</code>	vectorized function describing region A in the union / intersection / difference
<code>regionB</code>	vectorized function describing region B in the union / intersection / difference
<code>...</code>	additional arguments passed to <code>regionA</code> and <code>regionB</code>

Value

A vector of length `nrow(p)` containing the signed distances to the boundary of the region.

Author(s)

Raoul Grasman; translated from original Matlab sources of Per-Olof Persson.

See Also

[distmesh2d](#), [mesh.dcircle](#), [mesh.drectangle](#) [mesh.dsphere](#)

mesh.drectangle *Rectangle distance function*

Description

Signed distance from points p to boundary of rectangle to allow easy definition of regions in [distmesh2d](#).

Usage

```
mesh.drectangle(p, x1 = -1/2, y1 = -1/2, x2 = 1/2, y2 = 1/2, ...)
```


Arguments

p	A matrix with 2 columns, each row representing a point in the plane.
x1	lower left corner of rectangle
y1	lower left corner of rectangle
x2	upper right corner of rectangle
y2	upper right corner of rectangle
...	additional arguments (not used)

Value

a vector of length `nrow(p)` containing the signed distances

Author(s)

Raoul Grasman; translated from original Matlab sources of Per-Olof Persson.

References

<http://persson.berkeley.edu/distmesh/>

P.-O. Persson, G. Strang, A Simple Mesh Generator in MATLAB. SIAM Review, Volume 46 (2), pp. 329-345, June 2004

See Also

[distmesh2d](#), [mesh.drectangle](#), [mesh.diff](#), [mesh.intersect](#), [mesh.union](#)

Examples

```
example(distmesh2d)
```

mesh.dsphere	<i>Sphere distance function</i>
--------------	---------------------------------

Description

Signed distance from points `p` to boundary of sphere to allow easy definition of regions in [distmeshnd](#).

Usage

```
mesh.dsphere(p, radius = 1, ...)
```

Arguments

p	A matrix with 2 columns (3 in <code>mesh.dsphere</code>), each row representing a point in the plane.
radius	radius of sphere
...	additional arguments (not used)

Value

A vector of length `nrow(p)` containing the signed distances to the sphere

Author(s)

Raoul Grasman; translated from original Matlab sources of Per-Olof Persson.

References

<http://persson.berkeley.edu/distmesh/>

P.-O. Persson, G. Strang, *A Simple Mesh Generator in MATLAB*. *SIAM Review*, Volume 46 (2), pp. 329-345, June 2004

See Also

[distmeshnd](#)

Examples

```
example(distmeshnd)
```

mesh.hunif

Uniform desired edge length

Description

Uniform desired edge length function of position to allow easy definition of regions when passed as the `fh` argument of [distmesh2d](#) or [distmeshnd](#).

Usage

```
mesh.hunif(p, ...)
```

Arguments

<code>p</code>	A n -by- m matrix, each row representing a point in an m -dimensional space.
<code>...</code>	additional arguments (not used)

Value

Vector of ones of length n .

Author(s)

Raoul Grasman; translated from original Matlab sources of Per-Olof Persson.

See Also

[distmesh2d](#) and [distmeshnd](#).

polyarea	<i>Determines area of a polygon by triangle method.</i>
----------	---

Description

Determines area of a polygon by triangle method. The variables `x` and `y` define the vertex pairs, and must therefore have the same shape. They can be either vectors or arrays. If they are arrays then the columns of `x` and `y` are treated separately and an area returned for each.

Usage

```
polyarea(x, y, d = 1)
```

Arguments

<code>x</code>	X coordinates of vertices.
<code>y</code>	Y coordinates of vertices.
<code>d</code>	Dimension of array to work along.

Details

If the optional `dim` argument is given, then `polyarea` works along this dimension of the arrays `x` and `y`.

Value

Area(s) of polygon(s).

Author(s)

David Sterratt based on the octave sources by David M. Doolin

Examples

```
x <- c(1, 1, 3, 3, 1)
y <- c(1, 3, 3, 1, 1)
polyarea(x, y)
polyarea(cbind(x, x), cbind(y, y)) ## c(4, 4)
polyarea(cbind(x, x), cbind(y,y), 1) ## c(4, 4)
polyarea(rbind(x, x), rbind(y,y), 2) ## c(4, 4)
```

surf.tri *Find surface triangles from tetrahedra mesh*

Description

Find surface triangles from tetrahedron mesh typically obtained with [delaunayn](#).

Usage

```
surf.tri(p, t)
```

Arguments

p An n-by-3 matrix. The rows of p represent n points in dim-dimensional space.
t Matrix with 4 columns, interpreted as output of [delaunayn](#).

Details

surf.tri and [convhulln](#) serve a similar purpose in 3D, but surf.tri also works for non-convex meshes obtained e.g. with [dismeshnd](#). It also does not produce currently unavoidable diagnostic output on the console as convhulln does at the Rterm console—i.e., surf.tri is silent.

Value

An m-by-3 index matrix of which each row defines a triangle. The indices refer to the rows in p.

Note

surf.tri was based on matlab code for mesh of Per-Olof Persson (<http://persson.berkeley.edu/dismesh/>).

Author(s)

Raoul Grasman

See Also

[tri.mesh](#), [convhulln](#), [surf.tri](#), [dismesh2d](#)

Examples

```
## Not run:  
# more extensive example of surf.tri  
  
# url's of publically available data:  
data1.url = "http://neuroimage.usc.edu/USCPhantom/mesh_data.bin"  
data2.url = "http://neuroimage.usc.edu/USCPhantom/CT_PCS_trans.bin"  
  
meshdata = R.matlab::readMat(url(data1.url))
```

```

elec = R.matlab::readMat(url(data2.url))$eeg.ct2pcs/1000
brain = meshdata$mesh.brain[,c(1,3,2)]
scalp = meshdata$mesh.scalp[,c(1,3,2)]
skull = meshdata$mesh.skull[,c(1,3,2)]
tbr = t(surf.tri(brain, delaunayn(brain)))
tsk = t(surf.tri(skull, delaunayn(skull)))
tsc = t(surf.tri(scalp, delaunayn(scalp)))
rgl::rgl.triangles(brain[tbr,1], brain[tbr,2], brain[tbr,3],col="gray")
rgl::rgl.triangles(skull[tsk,1], skull[tsk,2], skull[tsk,3],col="white", alpha=0.3)
rgl::rgl.triangles(scalp[tsc,1], scalp[tsc,2], scalp[tsc,3],col="#a53900", alpha=0.6)
rgl::rgl.viewpoint(-40,30,.4,zoom=.03)
lx = c(-.025,.025); ly = -c(.02,.02);
rgl::rgl.spheres(elec[,1],elec[,3],elec[,2],radius=.0025,col='gray')
rgl::rgl.spheres( lx, ly,.11,radius=.015,col="white")
rgl::rgl.spheres( lx, ly,.116,radius=.015*.7,col="brown")
rgl::rgl.spheres( lx, ly,.124,radius=.015*.25,col="black")

## End(Not run)

```

tetramesh

*Render tetrahedron mesh (3D)***Description**

tetramesh(*T*, *X*, *col*) uses the [rgl](#) package to display the tetrahedrons defined in the *m*-by-4 matrix *T* as mesh. Each row of *T* specifies a tetrahedron by giving the 4 indices of its points in *X*.

Usage

```
tetramesh(T, X, col = grDevices::heat.colors(nrow(T)), clear = TRUE, ...)
```

Arguments

<i>T</i>	<i>T</i> is a <i>m</i> -by-3 matrix in <i>trimesh</i> and <i>m</i> -by-4 in <i>tetramesh</i> . A row of <i>T</i> contains indices into <i>X</i> of the vertices of a triangle/tetrahedron. <i>T</i> is usually the output of <i>delaunayn</i> .
<i>X</i>	<i>X</i> is an <i>n</i> -by-2/ <i>n</i> -by-3 matrix. The rows of <i>X</i> represent <i>n</i> points in 2D/3D space.
<i>col</i>	The tetrahedron color. See <i>rgl</i> documentation for details.
<i>clear</i>	Should the current rendering device be cleared?
...	Parameters to the rendering device. See the rgl package.

Author(s)

Raoul Grasman

See Also

[trimesh](#), [rgl](#), [delaunayn](#), [convhulln](#), [surf.tri](#)

Examples

```
## Not run:
# example delaunayn
d = c(-1,1)
pc = as.matrix(rbind(expand.grid(d,d,d),0))
tc = delaunayn(pc)

# example tetramesh
clr = rep(1,3) %o% (1:nrow(tc)+1)
rgl::rgl.viewpoint(60,fov=20)
rgl::rgl.light(270,60)
tetramesh(tc,pc,alpha=0.7,col=clr)

## End(Not run)
```

trimesh

*Display triangles mesh (2D)***Description**

`trimesh(T, p)` displays the triangles defined in the m -by-3 matrix T and points p as a mesh. Each row of T specifies a triangle by giving the 3 indices of its points in X .

Usage

```
trimesh(T, p, p2, add = FALSE, axis = FALSE, boxed = FALSE, ...)
```

Arguments

<code>T</code>	T is a m -by-3 matrix. A row of T contains indices into X of the vertices of a triangle. T is usually the output of delaunayn .
<code>p</code>	A vector or a matrix.
<code>p2</code>	if p is not a matrix p and $p2$ are bind to a matrix with <code>cbind</code> .
<code>add</code>	Add to existing plot in current active device?
<code>axis</code>	Draw axes?
<code>boxed</code>	Plot box?
<code>...</code>	Parameters to the rendering device. See the rgl package.

Author(s)

Raoul Grasman

See Also

[tetramesh](#), [rgl](#), [delaunayn](#), [convhulln](#), [surf.tri](#)

Examples

```
#example trimesh
p = cbind(x=rnorm(30), y=rnorm(30))
tt = delaunayn(p)
trimesh(tt,p)
```

tsearch

Search for the enclosing Delaunay convex hull

Description

For `t = delaunay(cbind(x, y))`, where (x, y) is a 2D set of points, `tsearch(x, y, t, xi, yi)` finds the index in `t` containing the points (xi, yi) . For points outside the convex hull the index is NA.

Usage

```
tsearch(x, y, t, xi, yi, bary = FALSE)
```

Arguments

<code>x</code>	X-coordinates of triangulation points
<code>y</code>	Y-coordinates of triangulation points
<code>t</code>	Triangulation, e.g. produced by <code>t = delaunayn(cbind(x, y))</code>
<code>xi</code>	X-coordinates of points to test
<code>yi</code>	Y-coordinates of points to test
<code>bary</code>	If TRUE return barycentric coordinates as well as index of triangle.

Value

If `bary` is FALSE, the index in `t` containing the points (xi, yi) . For points outside the convex hull the index is NA. If `bary` is TRUE, a list containing:

<code>list("idx")</code>	the index in <code>t</code> containing the points (xi, yi)
<code>list("p")</code>	a 3-column matrix containing the barycentric coordinates with respect to the enclosing triangle of each point code (xi, yi) .

Note

Based on the Octave function Copyright (C) 2007-2012 David Bateman.

Author(s)

David Sterratt

See Also

`tsearchn`, `delaunayn`

tsearchn

Search for the enclosing Delaunay convex hull

Description

For $t = \text{delaunayn}(x)$, where x is a set of points in d dimensions, $\text{tsearchn}(x, t, xi)$ finds the index in t containing the points xi . For points outside the convex hull, idx is NA. tsearchn also returns the barycentric coordinates p of the enclosing triangles.

Usage

```
tsearchn(x, t, xi, fast = TRUE)
```

Arguments

x	An n -by- d matrix. The rows of x represent n points in d -dimensional space.
t	A m -by- $d+1$ matrix. A row of t contains indices into x of the vertices of a d -dimensional simplex. t is usually the output of delaunayn .
xi	An n_i -by- d matrix. The rows of xi represent n points in d -dimensional space whose positions in the mesh are being sought.
$fast$	If the data is in 2D, use the fast C-based tsearch function to produce the results.

Value

A list containing:

<code>list("idx")</code>	An n_i -long vector containing the indices of the row of t in which each point in xi is found.
<code>list("p")</code>	An n_i -by- $d+1$ matrix containing the barycentric coordinates with respect to the enclosing simplex of each point in xi .

Note

Based on the Octave function Copyright (C) 2007-2012 David Bateman.

Author(s)

David Sterratt

See Also

`tsearch`, `delaunayn`

Unique

Extract Unique Rows

Description

'Unique' returns a vector, data frame or array like 'x' but with duplicate elements removed.

Usage

```
Unique(X, rows.are.sets = FALSE)
```

Arguments

X	Numerical matrix.
rows.are.sets	If 'TRUE', rows are treated as sets - i.e., to define uniqueness, the order of the rows does not matter.

Value

Matrix of the same number of columns as x, with the unique rows in x sorted according to the columns of x. If rows.are.sets = TRUE the rows are also sorted.

Note

'Unique' is (under circumstances) much quicker than the more generic base function 'unique'.

Author(s)

Raoul Grasman

Examples

```
# `Unique` is faster than `unique`
x = matrix(sample(1:(4*8),4*8),ncol=4)
y = x[sample(1:nrow(x),3000,TRUE), ]
gc(); system.time(unique(y))
gc(); system.time(Unique(y))

#
z = Unique(y)
x[matorder(x),]
z[matorder(z),]
```

Index

- *Topic **arith**
 - [dot](#), [12](#)
 - [entry.value](#), [12](#)
 - [extprod3d](#), [13](#)
 - [matmax](#), [14](#)
 - [mesh.dcircle](#), [15](#)
 - [mesh.drectangle](#), [16](#)
 - [mesh.dsphere](#), [17](#)
 - [Unique](#), [25](#)
- *Topic **array**
 - [dot](#), [12](#)
 - [entry.value](#), [12](#)
 - [extprod3d](#), [13](#)
 - [matmax](#), [14](#)
 - [Unique](#), [25](#)
- *Topic **dplot**
 - [convhulln](#), [5](#)
 - [delaunayn](#), [6](#)
 - [distmesh2d](#), [8](#)
 - [distmeshnd](#), [10](#)
 - [surf.tri](#), [20](#)
- *Topic **graphs**
 - [convhulln](#), [5](#)
 - [delaunayn](#), [6](#)
 - [distmesh2d](#), [8](#)
 - [distmeshnd](#), [10](#)
- *Topic **hplot**
 - [tetramesh](#), [21](#)
 - [trimesh](#), [22](#)
- *Topic **math**
 - [convhulln](#), [5](#)
 - [delaunayn](#), [6](#)
 - [distmesh2d](#), [8](#)
 - [distmeshnd](#), [10](#)
 - [dot](#), [12](#)
 - [entry.value](#), [12](#)
 - [extprod3d](#), [13](#)
 - [mesh.dcircle](#), [15](#)
 - [mesh.drectangle](#), [16](#)
 - [mesh.dsphere](#), [17](#)
 - [surf.tri](#), [20](#)
 - [Unique](#), [25](#)
- *Topic **optimize**
 - [distmesh2d](#), [8](#)
 - [distmeshnd](#), [10](#)
 - [surf.tri](#), [20](#)
- [bary2cart](#), [2](#)
- [cart2bary](#), [3](#)
- [convex.hull](#), [6](#)
- [convhulln](#), [5](#), [7](#), [20–22](#)
- [delaunayn](#), [5](#), [6](#), [8–11](#), [20–22](#)
- [distmesh2d](#), [6](#), [7](#), [8](#), [10](#), [11](#), [15–18](#), [20](#)
- [distmeshnd](#), [10](#), [17](#), [18](#), [20](#)
- [dot](#), [12](#)
- [entry.value](#), [12](#)
- [entry.value<- \(entry.value\)](#), [12](#)
- [extprod3d](#), [13](#)
- [matmax](#), [14](#)
- [matmin \(matmax\)](#), [14](#)
- [matorder \(matmax\)](#), [14](#)
- [matsort \(matmax\)](#), [14](#)
- [mesh.dcircle](#), [8](#), [9](#), [15](#), [16](#)
- [mesh.diff](#), [8](#), [9](#), [11](#), [15](#), [16](#), [17](#)
- [mesh.drectangle](#), [9](#), [15](#), [16](#), [16](#), [17](#)
- [mesh.dsphere](#), [10](#), [11](#), [16](#), [17](#)
- [mesh.hunif](#), [8](#), [10](#), [11](#), [18](#)
- [mesh.intersect](#), [9](#), [11](#), [15](#), [17](#)
- [mesh.intersect \(mesh.diff\)](#), [16](#)
- [mesh.union](#), [9](#), [11](#), [15](#), [17](#)
- [mesh.union \(mesh.diff\)](#), [16](#)
- [polyarea](#), [19](#)
- [rgl](#), [21](#), [22](#)

surf.tri, [6](#), [7](#), [20](#), [20](#), [21](#), [22](#)

tetramesh, [21](#), [22](#)

tri.mesh, [7](#), [9](#), [11](#), [20](#)

trimesh, [21](#), [22](#)

tsearch, [23](#)

tsearchn, [24](#)

Unique, [25](#)