

# Package ‘ggvoronoi’

November 15, 2018

**Version** 0.8.2

**Date** 2018-11-15

**Title** Voronoi Diagrams and Heatmaps with 'ggplot2'

**Author** Robert C. Garrett [aut, cre],  
Austin Nar [aut],  
Thomas J. Fisher [aut],  
Karsten Maurer [ctb]

**Maintainer** Robert C. Garrett <garretrc@miamioh.edu>

## Description

Easy creation and manipulation of Voronoi diagrams using 'deldir' with visualization in 'ggplot2'.

**Depends** R (>= 2.10), ggplot2 (>= 2.2.0)

**Imports** deldir, sp, rgeos, raster, methods

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.0.1.9000

**Suggests** knitr, rmarkdown, ggmap, dplyr, scales, testthat, vdiff

**VignetteBuilder** knitr

**URL** <https://github.com/garretrc/ggvoronoi/>

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2018-11-15 19:30:03 UTC

## R topics documented:

fortify_voronoi . . . . .	2
geom_voronoi . . . . .	2
ncdc_locations . . . . .	4
oxford_bikes . . . . .	4
oxford_map . . . . .	5
stat_voronoi . . . . .	5
voronoi_polygon . . . . .	7

**Index****8**


---

fortify\_voronoi      *Create Data Frame from voronoi\_polygons output*

---

**Description**

Allows output of voronoi\_polygon to be plotted using geom\_polygon.

**Usage**

```
fortify_voronoi(vor_spdf)
```

**Arguments**

vor\_spdf      Output from voronoi\_polygon (SpatialPolygonsDataFrame)

**Examples**

```
set.seed(45056)
x <- sample(1:200,100)
y <- sample(1:200,100)
points <- data.frame(x, y,
                     distance = sqrt((x-100)^2 + (y-100)^2))
circle <- data.frame(x = 100*(1+cos(seq(0, 2*pi, length.out = 2500))),
                    y = 100*(1+sin(seq(0, 2*pi, length.out = 2500))),
                    group = rep(1,2500))

vor_spdf <- voronoi_polygon(data=points,x="x",y="y",outline=circle)
vor_df <- fortify_voronoi(vor_spdf)

ggplot(vor_df) +
  geom_polygon(aes(x=x,y=y,fill=distance,group=group))
```

---

geom\_voronoi      *Voronoi Diagrams with ggplot2*

---

**Description**

Convenience function for use with stat\_voronoi. Uses geom\_polygon as the default geom and stat\_voronoi as the default stat. To plot region borders instead of a choropleth map, use stat\_voronoi() with geom="path", or use fill=NA with color="black".

**Usage**

```
geom_voronoi(mapping = NULL, data = NULL, stat = StatVoronoi,
             position = "identity", ..., na.rm = FALSE, show.legend = NA,
             inherit.aes = TRUE, outline = NULL)
```

**Arguments**

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data.
stat	The statistical transformation to use on the data for this layer, as a string.
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired <code>geom/stat</code> .
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
outline	<code>data.frame</code> with first column <code>x/longitude</code> , second column <code>y/latitude</code> , and a group column denoting islands or pieces.

**Examples**

```
set.seed(45056)
x <- sample(1:200,100)
y <- sample(1:200,100)
points <- data.frame(x, y,
  distance = sqrt((x-100)^2 + (y-100)^2))
circle <- data.frame(x = 100*(1+cos(seq(0, 2*pi, length.out = 2500))),
  y = 100*(1+sin(seq(0, 2*pi, length.out = 2500))),
  group = rep(1,2500))

ggplot(points) +
  geom_voronoi(aes(x=x,y=y,fill=distance))

ggplot(points) +
  geom_voronoi(aes(x=x,y=y,fill=distance),outline=circle)

ggplot(points) +
  geom_voronoi(aes(x=x,y=y,fill=distance),fill=NA,color="black")
```

---

`ncdc_locations`*Locations and Elevation of NCDC Weather Stations*

---

**Description**

A dataset containing identifying information as well as coordinates and elevation for each unique North American land-based weather station in the National Climatic Data Center. Note that sites with a missing elevation in the raw data (recorded as -999.9) have been removed. Some sites have a potentially erroneous recorded elevation of zero meters.

**Usage**`ncdc_locations`**Format**

A data frame with 65804 rows and 6 variables:

**ID** ID number to connect the data back to other NCDC data

**country** country that the site is in. USA, Canada or Mexico

**state** two character state/province abbreviation that the site is in

**lat** latitude coordinate

**long** longitude coordinate

**elev** site elevation in meters

**Source**

<https://www.ncdc.noaa.gov/data-access/land-based-station-data>

---

`oxford_bikes`*Bike Rack Locations in Oxford, Ohio.*

---

**Description**

A dataset with the location of bike racks in Oxford, Ohio. Includes Miami University's campus and Uptown Oxford.

**Usage**`oxford_bikes`

**Format**

A data frame with 205 rows and 3 variables:

**x** longitude coordinate

**y** latitude coordinate

**name** location name, if recorded

**Source**

Madeline Maurer, Justin Hopkins, Dr. Helaine Alessio, Amanda Meiering

---

oxford\_map

*Google Map of Oxford, Ohio.*

---

**Description**

A ggmap object containing a static google map image of Oxford, Ohio. Zoomed in to show the Uptown Oxford and Miami University campus areas.

**Usage**

```
oxford_map
```

**Format**

Large ggmap object

**Source**

Google Maps static map api (accessed from 'ggmap' package)

---

stat\_voronoi

*Voronoi Diagrams with ggplot2*

---

**Description**

Use geom="polygon" for choropleth heatmap or geom="path" for region borders.

**Usage**

```
stat_voronoi(mapping = NULL, data = NULL, geom = "polygon",  
  position = "identity", na.rm = FALSE, show.legend = NA,  
  inherit.aes = TRUE, outline = NULL, ...)
```

**Arguments**

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data.
geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
outline	<code>data.frame</code> with first column x/longitude, second column y/latitude, and a group column denoting islands or pieces.
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired <code>geom/stat</code> .

**Examples**

```
set.seed(45056)
x <- sample(1:200,100)
y <- sample(1:200,100)
points <- data.frame(x, y,
  distance = sqrt((x-100)^2 + (y-100)^2))
circle <- data.frame(x = 100*(1+cos(seq(0, 2*pi, length.out = 2500))),
  y = 100*(1+sin(seq(0, 2*pi, length.out = 2500))),
  group = rep(1,2500))

ggplot(points) +
  stat_voronoi(aes(x=x,y=y,fill=distance))

ggplot(points) +
  stat_voronoi(aes(x=x,y=y),geom="path")

ggplot(points) +
  stat_voronoi(aes(x=x,y=y,fill=distance),outline=circle)
```

---

voronoi_polygon	<i>Voronoi Diagram from Data Frame</i>
-----------------	--

---

**Description**

Create a Voronoi diagram for analysis or plotting with `geom_polygon`.

**Usage**

```
voronoi_polygon(data, x = "x", y = "y", outline = NULL,  
  data.frame = FALSE)
```

**Arguments**

<code>data</code>	data.frame containing a set of points to make voronoi regions and any additional desired columns.
<code>x</code>	numeric vector (for example longitude).
<code>y</code>	numeric vector (for example latitude).
<code>outline</code>	data.frame with first column x/longitude, second column y/latitude, and a group column denoting islands or pieces.
<code>data.frame</code>	output as data.frame? You will lose information if you do this. For use in StatVoronoi.

**Examples**

```
set.seed(45056)  
x <- sample(1:200,100)  
y <- sample(1:200,100)  
points <- data.frame(x, y,  
  distance = sqrt((x-100)^2 + (y-100)^2))  
circle <- data.frame(x = 100*(1+cos(seq(0, 2*pi, length.out = 2500))),  
  y = 100*(1+sin(seq(0, 2*pi, length.out = 2500))),  
  group = rep(1,2500))  
  
vor_spdf <- voronoi_polygon(data=points,x="x",y="y",outline=circle)  
vor_df <- fortify_voronoi(vor_spdf)  
  
ggplot(vor_df) +  
  geom_polygon(aes(x=x,y=y,fill=distance,group=group))
```

# Index

## \*Topic **choropleth**

- fortify\_voronoi, 2
- geom\_voronoi, 2
- stat\_voronoi, 5
- voronoi\_polygon, 7

## \*Topic **datasets**

- ncdc\_locations, 4
- oxford\_bikes, 4
- oxford\_map, 5
- stat\_voronoi, 5

## \*Topic **voronoi,**

- fortify\_voronoi, 2
- geom\_voronoi, 2
- stat\_voronoi, 5
- voronoi\_polygon, 7

aes(), 3, 6

aes\_(), 3, 6

borders(), 3, 6

fortify(), 3, 6

fortify\_voronoi, 2

geom\_voronoi, 2

ggplot(), 3, 6

layer(), 3, 6

ncdc\_locations, 4

oxford\_bikes, 4

oxford\_map, 5

stat\_voronoi, 5

StatVoronoi (stat\_voronoi), 5

voronoi\_polygon, 7