

Package ‘gpclip’

May 11, 2009

Depends R (>= 2.9.0), methods

Imports graphics

LazyLoad yes

Version 1.4-4

Date 2009-05-11

Title General Polygon Clipping Library for R

Author Roger D. Peng <rpeng@jhsph.edu> with contributions from Duncan Murdoch; GPC library
by Alan Murta

Maintainer Roger D. Peng <rpeng@jhsph.edu>

Description General polygon clipping routines for R based on Alan Murta’s C library

License file LICENSE

URL <http://www.cs.man.ac.uk/~toby/alan/software/>

Repository CRAN

Date/Publication 2009-05-11 18:49:23

R topics documented:

gpc.poly-class	2
gpc.poly.nohole-class	4
new-generics	5
polyfile	6
Index	9

gpc.poly-class *Class "gpc.poly"*

Description

A class for representing polygons composed of multiple contours, some of which may be holes.

Objects from the Class

Objects can be created by calls of the form `new("gpc.poly", ...)` or by reading in from a file using `read.polyfile`.

Slots

pts: Object of class "list". Actually, `pts` is a list of lists with length equal to the number of contours in the "gpc.poly" object. Each element of `pts` is a list of length 3 with names `x`, `y`, and `hole`. `x` and `y` are vectors containing the x and y coordinates, respectively, while `hole` is a logical indicating whether or not the contour is a hole.

Methods

[signature(x = "gpc.poly"): ...
append.poly signature(x = "gpc.poly", y = "gpc.poly"): ...
area.poly signature(object = "gpc.poly"): ...
coerce signature(from = "matrix", to = "gpc.poly"): ...
coerce signature(from = "data.frame", to = "gpc.poly"): ...
coerce signature(from = "gpc.poly", to = "matrix"): ...
coerce signature(from = "gpc.poly", to = "numeric"): ...
coerce signature(from = "numeric", to = "gpc.poly"): ...
get.bbox signature(x = "gpc.poly"): ...
get.pts signature(object = "gpc.poly"): ...
intersect signature(x = "gpc.poly", y = "gpc.poly"): ...
plot signature(x = "gpc.poly"): The argument `poly.args` can be used to pass a list of additional arguments to be passed to the underlying polygon call.
scale.poly signature(x = "gpc.poly"): ...
setdiff signature(x = "gpc.poly", y = "gpc.poly"): ...
show signature(object = "gpc.poly"): Scale x and y coordinates by amount `xscale` and `yscale`. By default `xscale` equals `yscale`.
union signature(x = "gpc.poly", y = "gpc.poly"): ...
tristrip signature(x = "gpc.poly"): ...
triangulate signature(x = "gpc.poly"): ...

Note

The class "gpc.poly.nohole" is identical to "gpc.poly" except the hole flag for each contour of a "gpc.poly.nohole" object is always FALSE.

Author(s)

Roger D. Peng

Examples

```
## Make some random polygons
set.seed(100)
a <- cbind(rnorm(100), rnorm(100))
a <- a[chull(a), ]

## Convert `a' from matrix to "gpc.poly"
a <- as(a, "gpc.poly")

b <- cbind(rnorm(100), rnorm(100))
b <- as(b[chull(b), ], "gpc.poly")

## More complex polygons with an intersection
p1 <- read.polyfile(system.file("poly-ex/ex-poly1.txt", package = "gpclib"))
p2 <- read.polyfile(system.file("poly-ex/ex-poly2.txt", package = "gpclib"))

## Plot both polygons and highlight their intersection in red
plot(append.poly(p1, p2))
plot(intersect(p1, p2), poly.args = list(col = 2), add = TRUE)

## Highlight the difference p1 \ p2 in green
plot(setdiff(p1, p2), poly.args = list(col = 3), add = TRUE)

## Highlight the difference p2 \ p1 in blue
plot(setdiff(p2, p1), poly.args = list(col = 4), add = TRUE)

## Plot the union of the two polygons
plot(union(p1, p2))

## Take the non-intersect portions and create a new polygon
## combining the two contours
p.comb <- append.poly(setdiff(p1, p2), setdiff(p2, p1))
plot(p.comb, poly.args = list(col = 2, border = 0))

## Coerce from a matrix
x <-
structure(c(0.0934073560027759, 0.192713393476752, 0.410062456627342,
0.470020818875781, 0.41380985426787, 0.271408743927828, 0.100902151283831,
0.0465648854961832, 0.63981588032221, 0.772382048331416,
0.753739930955121, 0.637744533947066, 0.455466052934407,
0.335327963176065, 0.399539700805524,
0.600460299194476), .Dim = c(8, 2))
y <-
```

```

structure(c(0.404441360166551, 0.338861901457321, 0.301387925052047,
0.404441360166551, 0.531852879944483, 0.60117973629424, 0.625537820957668,
0.179976985040276, 0.341542002301496, 0.445109321058688,
0.610817031070196, 0.596317606444189, 0.459608745684695,
0.215189873417722), .Dim = c(7, 2))

x1 <- as(x, "gpc.poly")
y1 <- as(y, "gpc.poly")

plot(append.poly(x1, y1))
plot(intersect(x1, y1), poly.args = list(col = 2), add = TRUE)

## Show the triangulation
plot(append.poly(x1, y1))
triangles <- triangulate(append.poly(x1,y1))
for (i in 0:(nrow(triangles)/3 - 1))
  polygon(triangles[3*i + 1:3,], col="lightblue")

```

```

gpc.poly.nohole-class
      Class "gpc.poly.nohole"

```

Description

A class for representing polygons with multiple contours but without holes.

Objects from the Class

Objects can be created by calls of the form `new("gpc.poly.nohole", ...)` or by calling `\code{read.polyfile}`.

Slots

pts: Object of class "list". See the help for "gpc.poly" for details.

Extends

Class "gpc.poly", directly.

Methods

coerce signature(from = "numeric", to = "gpc.poly.nohole"):...

Note

This class is identical to "gpc.poly" and is needed because the file formats for polygons without holes is slightly different from the file format for polygons with holes. For a "gpc.poly.nohole" object, the `hole` flag for each contour is always `FALSE`.

Also, `write.polyfile` will write the correct file format, depending on whether the object is of class "gpc.poly" or "gpc.poly.nohole".

Author(s)

Roger D. Peng

See Also

[gpc.poly-class](#)

Examples

```
## None
```

new-generics

Generics/Methods for polygon objects

Description

Some generic functions and methods for polygon objects

Usage

```
append.poly(x, y)
area.poly(object, ...)
get.pts(object)
get.bbox(x)
scale.poly(x, ...)
tristrip(x)
triangulate(x)
```

Arguments

<code>x, object</code>	A polygon object
<code>y</code>	A polygon object
<code>...</code>	Other arguments passed to methods

Details

The result of `tristrip(x)` is a list of two-column matrices. Each matrix is a `tristrip`, i.e. the rows are vertices of triangles, with each overlapping triple of rows corresponding to a separate triangle.

The result of `triangulate(x)` is a single two-column matrix. The rows are vertices of triangles, taken in non-overlapping triples.

Methods

- append.poly** signature(x = "gpc.poly", y = "gpc.poly"): Combine all contours of two "gpc.poly" objects and return the combined polygon as a "gpc.poly" object.
- area.poly** signature(object = "gpc.poly"): Compute and return the sum of the areas of all contours in a "gpc.poly" object.
- scale.poly** signature(x = "gpc.poly"): Scale (divide) the x and y coordinates of a "gpc.poly" object by the amount `xscale` and `yscale`, respectively. Return a scaled "gpc.poly" object.
- get.pts** signature(object = "gpc.poly"): Return the list of x and y coordinates of the vertices of a "gpc.poly" object.
- get.bbox** signature(x = "gpc.poly"): Return the bounding box for a "gpc.poly" object.
- tristrip** signature(x = "gpc.poly"): Return a tristrip list for a "gpc.poly" object.
- triangulate** signature(x = "gpc.poly"): Return a matrix of vertices of a triangulation of a "gpc.poly" object.

Author(s)

Roger D. Peng; GPC Library by Alan Murta; tristrip additions by Duncan Murdoch

See Also

"gpc.poly" class documentation.

Examples

```
holepoly <- read.polyfile(system.file("poly-ex/hole-poly.txt", package =
"gpplib"), nohole = FALSE)
area.poly(holepoly)
stopifnot(area.poly(holepoly) == 8)
```

polyfile

Read/Write polygon data

Description

Read/Write polygon and contour information from/to a text file.

Usage

```
read.polyfile(filename, nohole = TRUE)
write.polyfile(poly, filename = "GPCpoly.txt")
```

Arguments

filename	the name of the file (a character string) from/to which data should be read/written.
nohole	Is this a polygon without holes?
poly	an object of class "gpc.poly"

Details

The text file representation of a polygon is of the following format:

```
<number of contours>
<number of points in first contour>
x1 y1
x2 y2
...
<number of points in second contour>
x1 y1
x2 y2
...
```

For example, a data file for a polygon with 2 contours (a four-sided object and a triangle) might look like:

```
2
4
1.0 1.0
1.0 2.0
3.4 3.21
10 11.2
3
21.0 11.2
22.3 99.2
4.5 5.4
```

The vertices of the polygon can be ordered either clockwise or counter-clockwise.

If a polygon has contours which are holes, then the format is slightly different. Basically, a flag is set to indicate that a particular contour is a hole. The format is

```
<number of contours>
<number of points in first contour>
<hole flag>
x1 y1
x2 y2
...
<number of points in second contour>
<hole flag>
x1 y1
x2 y2
...
```

The hole flag is either 1 to indicate a hole, or 0 for a regular contour. For example, a four-sided polygon with a triangular hole would be written as:

```
2
3
1
4.0 4.0
6.0 5.0
5.0 6.0
4
0
2.0 1.0
8.0 2.0
7.0 9.0
1.0 7.0
```

Value

If `nohole` is `TRUE` (the default) `read.polyfile` returns an object of class `"gpc.poly.nohole"`. This object has the hole flag set to `FALSE` for all contours. If `nohole` is `FALSE`, then an object of class `"gpc.poly"` is returned.

`write.polyfile` does not return anything useful.

Author(s)

Roger D. Peng

See Also

[gpc.poly-class](#), [gpc.poly.nohole-class](#)

Examples

```
## None right now.
```

Index

*Topic **IO**

polyfile, 6

*Topic **classes**

gpc.poly-class, 2

gpc.poly.nohole-class, 4

*Topic **methods**

new-generics, 5

[, gpc.poly-method
(gpc.poly-class), 2

append.poly (new-generics), 5

append.poly, gpc.poly, gpc.poly-method
(gpc.poly-class), 2

append.poly-methods
(new-generics), 5

area.poly (new-generics), 5

area.poly, gpc.poly-method
(gpc.poly-class), 2

area.poly-methods (new-generics),
5

coerce, data.frame, gpc.poly-method
(gpc.poly-class), 2

coerce, gpc.poly, matrix-method
(gpc.poly-class), 2

coerce, gpc.poly, numeric-method
(gpc.poly-class), 2

coerce, matrix, gpc.poly-method
(gpc.poly-class), 2

coerce, numeric, gpc.poly-method
(gpc.poly-class), 2

coerce, numeric, gpc.poly.nohole-method
(gpc.poly.nohole-class), 4

get.bbox (new-generics), 5

get.bbox, gpc.poly-method
(gpc.poly-class), 2

get.bbox-methods (new-generics), 5

get.pts (new-generics), 5

get.pts, gpc.poly-method
(gpc.poly-class), 2

get.pts-methods (new-generics), 5

gpc.poly-class, 5, 8

gpc.poly-class, 2

gpc.poly.nohole-class, 8

gpc.poly.nohole-class, 4

intersect, gpc.poly, gpc.poly-method
(gpc.poly-class), 2

new-generics, 5

plot, gpc.poly-method
(gpc.poly-class), 2

polyfile, 6

read.polyfile (polyfile), 6

scale.poly (new-generics), 5

scale.poly, gpc.poly-method
(gpc.poly-class), 2

scale.poly-methods
(new-generics), 5

setdiff, gpc.poly, gpc.poly-method
(gpc.poly-class), 2

show, gpc.poly-method
(gpc.poly-class), 2

triangulate (new-generics), 5

triangulate, gpc.poly-method
(gpc.poly-class), 2

triangulate-methods
(new-generics), 5

tristrip (new-generics), 5

tristrip, gpc.poly-method
(gpc.poly-class), 2

tristrip-methods (new-generics), 5

union, gpc.poly, gpc.poly-method
(gpc.poly-class), 2

write.polyfile (polyfile), 6