

Package ‘kin.cohort’

January 2, 2012

Type Package

Title Analysis of kin-cohort studies

Version 0.6

Date 2009-01-30

Author Victor Moreno, Nilanjan Chatterjee, Bhramar Mukherjee

Maintainer Victor Moreno <v.moreno@iconcologia.net>

Depends survival

Description Analysis of kin-cohort studies. kin.cohort provides estimates of age-specific cumulative risk of a disease for carriers and noncarriers of a mutation. The cohorts are retrospectively built from relatives of probands for whom the genotype is known. Currently the method of moments and marginal maximum likelihood are implemented. Confidence intervals are calculated from bootstrap samples.
Most of the code is a translation from previous matlab code by Chatterjee.

License GPL (>= 2)

Repository CRAN

Date/Publication 2009-01-29 19:36:11

R topics documented:

kc.marginal	2
kc.moments	3
kin.cohort	5
kin.data	6
methods	7
simulations	8

Index	12
--------------	-----------

kc.marginal

*Marginal Maximum Likelihood estimation of kin-cohort data***Description**

This function estimates cumulative risk and hazard at given ages for carriers and noncarriers of a mutation based on the probands genotypes. It uses the Marginal Maximum Likelihood estimation method (Chatterjee and Wacholder, 2001). Piece-wise exponential distribution is assumed for the survival function.

Usage

```
kc.marginal(t, delta, genes, r, knots, f, pw = rep(1,length(t)),
            set = NULL, B = 1, maxit = 1000, tol = 1e-5, subset,
            logrank=TRUE, trace=FALSE)
```

Arguments

t	time variable. Usually age at diagnosis or at last follow-up
delta	disease status (1: event, 0: no event)
genes	factor or numeric vector (1 gene), matrix or dataframe (2 genes) with genotypes of proband numeric. factors and data.frame with factors are preferred in order to use user-defined labels. Otherwise use codes (1:noncarrier, 2: carrier, 3: homozygous carrier)
r	relationship with proband 1:parent, 2:sibling 3:offspring 0:proband. Probands will be excluded from analysis and offspring will be recoded 1 internally.
knots	time points (ages) for cumulative risk and hazard estimates
f	vector of mutation allele frequencies in the population
pw	prior weights, if needed
set	family id (only needed for bootstrap)
B	number of bootstrap samples (only needed for bootstrap)
maxit	max number of iterations for the EM algorithm
tol	convergence tolerance
subset	logical condition to subset data
logrank	Perform a logrank test
trace	Show iterations for bootstrap

Value

object of classes "kin.cohort" and "chatterjee".

cumrisk	matrix with cumulative risk estimates for noncarriers, carriers and the cumulative risk ratio. Estimates are given for the times indicated in the knot vector
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------

hazard	matrix with hazard estimates for noncarriers, carriers and the hazard ratio. Estimates are given for the times indicated in the knot vector
knots	vector of knots
conv	if the EM algorithm converged
niter	number of iterations needed for convergence
ngeno.rel	number of combinations of genotypes in the relatives
events	matrix with number of events and person years per each knot
logHR	mean log hazard ratio estimate (unweighted)
logrank	logrank test. If 2 genes, for the main effects, the cross-classification and the stratified tests
call	copy of call

if bootstrap confidence intervals are requested (B>1) then the returned object is of classes "kin.cohort.boot" and "chatterjee" with previous items packed in value estimate and each bootstrap sample packed in matrices.

Note

This function is best called by kin.cohort than directly

References

Chatterjee N and Wacholder S. A Marginal Likelihood Approach for Estimating Penetrance from Kin-Cohort Designs. *Biometrics*. 2001; 57: 245-52.

See Also

[kin.cohort](#), [print.kin.cohort](#), [plot.kin.cohort](#)

Examples

```
data(kin.data)
attach(kin.data)
res.mml<- kc.marginal(age, cancer, gen1, rel, knots=c(30,40,50,60,70,80), f=0.02)
res.mml
```

kc.moments

Kin-cohort estimation of penetrance by the method of moments

Description

This function estimates cumulative risk and hazard at given ages for carriers and noncarriers of a mutation based on the probands genotypes. It uses the method of moments described by Wacholder et al (1998)

Usage

```
kc.moments(t, delta, genes, r, knots, f, pw = rep(1,length(t)),
           set = NULL, B = 1, logrank = TRUE, subset, trace=FALSE)
```

Arguments

t	time variable. Usually age at diagnosis or at last follow-up
delta	disease status (1: event, 0: no event)
genes	genotype of proband numeric. A factor is preferred, otherwise numeric code of genotypes (1: noncarrier, 2:carrier, [3: homozygous carrier])
r	relationship with proband 1:parent, 2:sibling 3:offspring 0:proband. Probands will be excluded from analysis and offspring will be recoded 1 internally.
knots	time points (ages) for cumulative risk and hazard estimates
f	mutation allele frequency in the population
pw	prior weights, if needed
set	family id (only needed for bootstrap)
B	number of bootstrap samples (only needed for bootstrap)
logrank	if logrank test is desired
subset	logical condition to subset data
trace	Show iterations for bootstrap

Value

object of classes "kin.cohort" and "wacholder".

cumrisk	matrix of dimension (number of knots x 3) with cumulative risk estimates or noncarriers, carriers and the cumulative risk ratio
knots	vector of knots
km	object class survfit (package survival)
logrank	p-value of the logrank test
events	matrix with number of events and person years per each knot
call	copy of call

if bootstrap confidence intervals are requested (B>1) then the returned object is of classes "kin.cohort.boot" and "wacholder" with previous items packed in value estimate and each bootstrap sample packed in matrices.

Note

This function is best called by kin.cohort than directly

References

Wacholder S, Hartge P, Struwing JP, Pee D, McAdams M, Lawrence B, Tucker MA. The kin-cohort study for estimating penetrance. American Journal of Epidemiology. 1998; 148: 623-9.

See Also

[kin.cohort](#), [print.kin.cohort](#), [plot.kin.cohort](#)

Examples

```
data(kin.data)
attach(kin.data)
res.km<- kc.moments(age, cancer, gen1, rel, knots=c(30,40,50,60,70,80), f=0.02)
res.km
```

kin.cohort

Analysis of kin-cohort data

Description

This function estimates cumulative risk at given ages for carriers and noncarriers of a mutation based on the probands genotypes. It can use the Marginal Maximum Likelihood estimation method (Chatterjee and Wacholder, 2001) or the method of moments (Wacholder et al, 2001). Bootstrap confidence intervals can be requested.

Usage

```
kin.cohort(..., method = c("marginal", "mml", "chatterjee",
                           "moments", "km", "wacholder"))
```

Arguments

... see [kc.marginal](#) and [kc.moments](#) for details

method choose estimation method: Marginal Maximum Likelihood (selected by "marginal", "mml", "chatterjee") or method of moments (selected by "moments", "km", "wacholder")

Details

This function is a wrapper that will call [kc.marginal](#) or [kc.moments](#) depending on the argument method.

Author(s)

Victor Moreno, Nilanjan Chatterjee, Bhramar Mukherjee.
Maintainer: Victor Moreno <v.moreno@iconcologia.net>

References

Wacholder S, Hartge P, Struewing JP, Pee D, McAdams M, Lawrence B, Tucker MA. The kin-cohort study for estimating penetrance. *American Journal of Epidemiology*. 1998; 148: 623-9.

Chatterjee N and Wacholder S. A Marginal Likelihood Approach for Estimating Penetrance from Kin-Cohort Designs. *Biometrics*. 2001; 57: 245-52.

See Also

[kc.marginal](#), [kc.moments](#)

Examples

```
data(kin.data)
attach(kin.data)

res.k<- kin.cohort(age, cancer, gen1, rel, knots=c(30,40,50,60,70,80), f=0.02,
                  method="km")
res.k
plot(res.k)
plot(res.k,what="crr")

set.seed(1)
res.k.b<- kin.cohort(age, cancer, gen1, rel, knots=c(30,40,50,60,70,80), f=0.02,
                   set=family, method="km", B=10)
res.k.b
plot(res.k.b)
plot(res.k.b,what="crr")

res.m<- kin.cohort(age, cancer, gen1, rel, knots=c(30,40,50,60,70,80), f=0.02,
                  method="mml")
res.m
plot(res.m)
plot(res.m, what="hr")

res.m2<- kin.cohort(age, cancer, data.frame(gen1,gen2), rel,
                   knots=c(30,40,50,60,70,80), f=c(0.02,0.01), method="mml")
res.m2
plot(res.m2)
plot(res.m2, what="hr")

set.seed(1)
res.m.b<- kin.cohort(age, cancer, gen1, rel, knots=c(30,40,50,60,70,80), f=0.02,
                   set=family, method="mml", B=10)
res.m.b
plot(res.m.b)
plot(res.m.b, what="hr")
```

kin.data

sample data for kin-cohort analysis

Description

Simulated data of a study on the penetrance of breast cancer for carriers 2 mutations.

Usage

```
data(kin.data)
```

Format

A data frame with 15341 observations on the following 5 variables.

age age at diagnosis or at last follow-up

cancer disease status (1: breast cancer, 0: no breast cancer)

gen1 gen1 genotypes of proband

gen2 gen2 genotypes of proband

rel relationship with proband 1:parent or offspring, 2:sibling

family family id

Examples

```
data(kin.data)
```

methods

methods for print and plot

Description

Functions to print a formatted output and produce plots

Usage

```
## S3 method for class 'kin.cohort'
print(x, descriptive = TRUE, cumrisk = TRUE, hazard = FALSE, survival = FALSE,
      logrank = TRUE, HR = TRUE, digits = 5, ...)
```

```
## S3 method for class 'kin.cohort.boot'
print(x, cumrisk = TRUE, hazard = FALSE, HR = TRUE, conf = 0.95,
      digits = 5, show = TRUE, logrank = TRUE, ...)
```

```
## S3 method for class 'kin.cohort'
plot(x, what = c("cr", "hr", "crr"), min.age = min(x$knots),
     max.age = max(x$knots), max.y, type, add=FALSE, color, line, ...)
```

```
## S3 method for class 'kin.cohort.boot'
plot(x, conf = 0.95, what = c("cr", "hr", "crr"), min.age = min(x$knots),
     max.age = max(x$knots), age.start = 0, start.ref, max.y, type,
     median = FALSE, add = FALSE, color, line, ...)
```

Arguments

x	object to be printed or plotted
descriptive	print table with number of events and person-years
cumrisk	print cumulative risk
hazard	print hazard
survival	print survival
HR	print hazard ratios
logrank	print logrank p value
digits	digits for rounding
show	do not print
conf	coverage for confidence intervals
what	type of plot desired: cumulative risk ("cr"), hazard ratio ("hr", for marginal method only), cumulative risk ratio ("crr", for moments method only)
min.age	Minimal age for plots
max.age	Maximal age for plots
age.start	initial age value (x) for plots
start.ref	initial risk value (y) for plots
max.y	Max value for y axis
type	type of line in plots
add	If TRUE, then lines are added to current plot. Useful to compare analyses.
color	change line colors using a vector of values
line	change line width using a vector of values
median	plot median of bootstrap samples instead of point estimates
...	additional arguments for print or plot

Details

Specific output and plot types can be selected with arguments

simulations

simulation of kin cohort studies

Description

Functions to simulate data for kin-cohort analysis

Usage

```

kc.simul(nfam, f, hr, rand = 0, mean.sibs = 2, mean.desc = 1.5,
        a.age = 8, b.age = 80, a.cancer = 3, b.cancer = 180 )

sample.caco(object, p.cases = 1, caco.ratio = 1, verbose = TRUE)

## S3 method for class 'kin.cohort.sample'
summary(object,...)

```

Arguments

<code>nfam</code>	number of families to be generated
<code>f</code>	allele frequency
<code>hr</code>	hazard ratio for disease carriers relative noncarriers
<code>rand</code>	variance of random effect for cancer incidence (ratio of hr)
<code>mean.sibs</code>	mean number of siblings and descendants (~Poisson)
<code>mean.desc</code>	mean number of siblings and descendants (~Poisson)
<code>a.age</code>	shape parameter for age (~Weibull)
<code>b.age</code>	scale parameter for age (~Weibull)
<code>a.cancer</code>	shape parameter for cancer incidence (~Weibull)
<code>b.cancer</code>	scale parameter for cancer incidence (~Weibull)
<code>object</code>	object of class <code>kin.cohort.sample</code> and <code>data.frame</code>
<code>p.cases</code>	proportion of cases (affected) to include in sample. if more than 1, the exact number is assumed
<code>caco.ratio</code>	ratio of controls per case to include in sample
<code>verbose</code>	show the number of cases and controls sampled
<code>...</code>	additional arguments

Details

`kc.simul` will generate a cohort of probands of size `nfam`. Default parameters simulate a typical cancer study. Each of them will be assigned: a carrier status with probability $f^2 + 2f(1 - f)$; a current age drawn from a Weibull distribution with parameters `a.age` and `b.age`; an age at diagnosis (`agecancer`) drawn from a Weibull distribution with parameters `a.cancer` and `b.cancer`, if noncarrier. For carries, the scale (`b.cancer`) is shifted to get the desired hazard ratio (`hr`). If `rand`>0, then a family specific random effect is also added, drawn from a normal distribution with mean 0 and sd `rand`. If `agecancer`< `age` then the disease status (`cancer`) will be 1, 0 otherwise.

First degree relatives are generated for each proband: two parents, a random number of siblings (drawn from a Poisson with mean `mean.sibs`), and a random number of descendants (drawn from a Poisson with mean `mean.desc`). Each of them is assigned a carrier status with probability according to mendelian transmission conditional of the proband carrier status. Current age for

relatives are generated conditional on the proband's age, with random draws from normal distribution. Age at diagnosis (`agecancer`) is assumed independent, except for the optional family random effect. Gender is assigned at random with probability 0.5 for all individuals.

Note that the simulation of residual familial correlation with a random effect (`rand$>0`) does not maintain the desired hazard ratio (`hr`).

The generic function `summary` will show the number and proportion of carriers and affected subjects in the sample.

`sample.caco` will sample (from a simulation generated by `kc.simul`) a subset of cases (affected probands) and controls (unaffected probands) and their relatives. Currently only random sampling of controls is implemented (no matching). Sampling fraction is controlled by `caco.ratio`.

Currently, only one gene and one disease are simulated.

Value

object of class `kin.cohort.sample` and `data.frame` with fields

<code>famid</code>	family id
<code>rel</code>	relative type (0=proband, 1=parents, 2=siblings, 3=descendants)
<code>age</code>	current age of each subject
<code>gender</code>	gender (0=male, 1=female)
<code>carrier</code>	carrier status of proband (0=noncarrier, 1=carrier), common for all family members
<code>cancer</code>	affected (0=no, 1=yes)
<code>agecancer</code>	age at diagnosis or current age if not affected
<code>real.carrier</code>	carrier status of relatives (0=noncarrier, 1=carrier)

Examples

```
set.seed(7)
## cohort
s<-kc.simul(4000, f=0.03, hr=5)
summary(s)

## exclude probands
m.coh<- kc.marginal(s$agecancer, s$cancer, factor(s$carrier), s$rel,
                  knots=c(30,40,50,60,70,80,90), f=0.03)
m.coh

## relatives only
r.coh<- coxph(Surv(agecancer,cancer)~real.carrier, data=s)
print(exp(coef(r.coh)))

## probands only
p.coh<- coxph(Surv(agecancer,cancer)~carrier, data=s)
print(exp(coef(p.coh)))
```

```
## case-control
s.cc<- sample.caco(s)
summary(s.cc)

## exclude probands
m.caco<- kc.marginal(s.cc$agecancer, s.cc$cancer, factor(s.cc$carrier),
                    s.cc$rel, knots=c(30,40,50,60,70,80,90), f=0.03)
m.caco

## relatives only
r.caco<- glm(cancer~real.carrier, family=binomial, data=s.cc, subset=(s.cc$rel!=0))
print(exp(coef(r.caco)[2]))

## probands only
p.caco<- glm(cancer~carrier, family=binomial, data=s.cc, subset=(s.cc$rel==0))
print(exp(coef(p.caco)[2]))
```

Index

*Topic **datasets**

kin.data, 6

*Topic **methods**

methods, 7

simulations, 8

*Topic **print**

methods, 7

*Topic **survival**

kc.marginal, 2

kc.moments, 3

kin.cohort, 5

simulations, 8

kc.marginal, 2, 5, 6

kc.moments, 3, 5, 6

kc.simul (simulations), 8

kin.cohort, 3, 5, 5

kin.data, 6

methods, 7

plot.kin.cohort, 3, 5

plot.kin.cohort (methods), 7

print.kin.cohort, 3, 5

print.kin.cohort (methods), 7

sample.caco (simulations), 8

simulations, 8

summary.kin.cohort.sample

(simulations), 8