

Package ‘kohonen’

February 14, 2012

Version 2.0.9

Title Supervised and unsupervised self-organising maps

Author Ron Wehrens

Maintainer Ron Wehrens <ron.wehrens@fmach.it>

Description Supervised and unsupervised self-organising maps

License GPL (>= 2)

Depends R (>= 2.6.0), class, MASS

Repository CRAN

Date/Publication 2012-01-09 11:54:22

R topics documented:

bdk	2
check.whatmap	4
classvec2classmat	4
map.kohonen	5
nir	6
plot.kohonen	7
predict.kohonen	10
som	13
summary.kohonen	14
supersom	15
tricolor	17
unit.distances	18
wines	19
xyf	20
yeast	22

Index	23
--------------	-----------

Description

Supervised version of self-organising maps for mapping high-dimensional spectra or patterns to 2D: the Bi-Directional Kohonen map. This is an alternating training of the X-space and the Y-space of the map, where for updating the X-space more weight is given to the features in Y, and vice versa. Weights start by default with values of (0.75, 0.25) and during training go to (0.5, 0.5). Prediction is done only using the X-space. For continuous Y, the Euclidean distance is used; for categorical Y the Tanimoto distance.

Usage

```
bdk(data, Y, grid=somgrid(), rlen = 100, alpha = c(0.05, 0.01),
    radius = quantile(nhbrdist, 0.67) * c(1, -1), xweight = 0.75,
    contin, toroidal = FALSE, n.hood, keep.data = TRUE)
```

Arguments

<code>data</code>	a matrix, with each row representing an object.
<code>Y</code>	property that is to be modelled. In case of classification, Y is a matrix with exactly one '1' in each row indicating the class, and zeros elsewhere. For prediction of continuous properties, Y is a vector. A combination is possible, too, but one then should take care of appropriate scaling.
<code>grid</code>	a grid for the representatives: see <code>somgrid</code> .
<code>rlen</code>	the number of times the complete data set will be presented to the network.
<code>alpha</code>	learning rate, a vector of two numbers indicating the amount of change. Default is to decline linearly from 0.05 to 0.01 over <code>rlen</code> updates.
<code>radius</code>	the radius of the neighbourhood, either given as a single number or a vector (start, stop). If it is given as a single number the radius will run from the given number to the negative value of that number; as soon as the neighbourhood gets smaller than one only the winning unit will be updated. The default is to start with a value that covers 2/3 of all unit-to-unit distances.
<code>xweight</code>	the initial weight given to the X map in the calculation of distances for updating Y, and to the Y map for updating X. This will linearly go to 0.5 during training. Defaults to 0.75.
<code>contin</code>	parameter indicating whether Y is continuous or categorical. The default is to check whether all row sums of Y equal 1: in that case <code>contin</code> is FALSE.
<code>toroidal</code>	if TRUE, the edges of the map are joined. Note that in a hexagonal toroidal map, the number of rows must be even.
<code>n.hood</code>	the shape of the neighbourhood, either "circular" or "square". The latter is the default for rectangular maps, the former for hexagonal maps.
<code>keep.data</code>	save data in return value.

Value

an object of class "kohonen" with components

data	data matrix, only returned if <code>keep.data == TRUE</code> .
Y	Y, only returned if <code>keep.data == TRUE</code> .
contin	parameter indicating whether Y is continuous or categorical.
grid	the grid, an object of class "somgrid".
codes	list of two matrices, containing codebook vectors for X and Y, respectively.
changes	matrix containing two columns of mean average deviations from code vectors. Column 1 contains deviations used for updating Y; column 2 for updating X.
toroidal	whether a toroidal map is used.
unit.classif	winning units for all data objects, only returned if <code>keep.data == TRUE</code> .
distances	distances of objects to their corresponding winning unit, only returned if <code>keep.data == TRUE</code> .
method	the type of som, here "bdk"

Author(s)

Ron Wehrens

References

W.J. Melssen, R. Wehrens, and L.M.C. Buydens. *Chemom. Intell. Lab. Syst.*, 83, 99-113 (2006).

See Also

[som](#), [xyf](#), [plot.kohonen](#), [predict.kohonen](#)

Examples

```
### Wine example
data(wines)
set.seed(7)

training <- sample(nrow(wines), 120)
Xtraining <- scale(wines[training,])
Xtest <- scale(wines[-training,],
              center = attr(Xtraining, "scaled:center"),
              scale = attr(Xtraining, "scaled:scale"))

bdk.wines <- bdk(Xtraining,
                factor(wine.classes[training]),
                grid = somgrid(5, 5, "hexagonal"))

bdk.prediction <- predict(bdk.wines, newdata=Xtest)
table(wine.classes[-training], bdk.prediction$prediction)
```

check.whatmap	<i>Check the validity of a whatmap argument</i>
---------------	---

Description

Not meant to be called directly by the user.

Usage

```
check.whatmap(x, whatmap)
```

Arguments

x	Either a kohonen object from supersom, or a list of data matrices that can be used as input data for supersom.
whatmap	An indication of a subset of the data; either by naming the elements, or giving indices. If whatmap equals NULL, no selection is performed.

Value

Returns a numerical vector with the indices of the selected layers.

Author(s)

Ron Wehrens

classvec2classmat	<i>Convert a classification vector into a matrix or the other way around.</i>
-------------------	---

Description

Functions toggle between a matrix representation, where class membership is indicated with one '1' and for the rest zeros at each row, and an class vector (maybe integers or class names). The classification matrix contains one column per class. Conversion from a class matrix to a class vector assigns each row to the column with the highest value. An optional argument can be used to assign only those objects that have a probability higher than a certain threshold (default is 0).

Usage

```
classvec2classmat(yvec)
classmat2classvec(yamat, threshold=0)
```

Arguments

yvec	class vector. Usually integer values, but other types are also allowed.
ymat	class matrix: every column corresponds to a class.
threshold	only classify into a class if the probability is larger than this threshold.

Value

classvec2classmat returns the classification matrix, where each column consists of zeros and ones; classmat2classvec returns a class vector (integers).

Author(s)

Ron Wehrens

See Also

[bdk](#), [xyf](#)

Examples

```
classes <- c(rep(1, 5), rep(2, 7), rep(3, 9))
classmat <- classvec2classmat(classes)
classmat
classmat2classvec(classmat)
```

map.kohonen

Map data to a supervised or unsupervised SOM

Description

Map a data matrix onto a trained SOM.

Usage

```
## S3 method for class 'kohonen'
map(x, newdata, whatmap = NULL, weights,
     scale.distances = (nmaps > 1), ...)
```

Arguments

x	A trained supervised or unsupervised SOM obtained from functions som, xyf, or bdk.
newdata	Data matrix, with rows corresponding to objects.
whatmap	For supersom maps: the layers to take into account.
weights	For supersom maps: weights of the layers that are used for mapping.

`scale.distances`

whether to rescale distances per layer in the case of supersom maps (default): if TRUE the maximal distance of each layer equals one. If the absolute values of the distances per layer should be used, this argument should be set to FALSE. Note that in that case, when mapping the training data, the result returned by `map.kohonen` will differ from the mapping present in the map.

... Currently ignored.

Value

A list with elements

`unit.classif` a vector of units that are closest to the objects in the data matrix.
`dists` distances (currently only Euclidean distances) of the objects to the units.
`whatmap, weights, scale.distances`
 Values used for these arguments.

Author(s)

Ron Wehrens

See Also

[predict.kohonen](#)

Examples

```
data(wines)
set.seed(7)

training <- sample(nrow(wines), 120)
Xtraining <- scale(wines[training, ])
somnet <- som(Xtraining, somgrid(5, 5, "hexagonal"))

mapping <- map(somnet,
  scale(wines[-training, ],
    center=attr(Xtraining, "scaled:center"),
    scale=attr(Xtraining, "scaled:scale")))
```

nir

Near-infrared data with temperature effects

Description

A data object containing near-infrared spectra of ternary mixtures of ethanol, water and iso-propanol, measured at five different temperatures (30, 40, ..., 70 degrees Centigrade).

References

F. Wulfert , W.Th. Kok, A.K. Smilde: Anal. Chem. 1998, 1761-1767

Examples

```
data(nir)

set.seed(3)
nirnet <- xyf(data = nir$spectra[nir$training,],
             Y = nir$composition[nir$training,],
             xweight=.75,
             grid = somgrid(6, 6, "hexagonal"), rlen=500)
plot(nirnet, "counts", main="Counts")

## Focus on compound 2 (water):
par(mfrow = c(1,2))
set.seed(13)
nirnet <- xyf(data = nir$spectra[nir$training,],
             Y = nir$composition[nir$training, 2],
             grid = somgrid(6, 6, "hexagonal"), rlen=500)
water.xyf <- predict(nirnet)$unit.prediction
plot(nirnet, "property", property = water.xyf,
     main="Prediction of water content")
## Plot temperatures as circles
symbols(nirnet$grid$pts[nirnet$unit.classif,] +
       matrix(rnorm(sum(nir$training)*2, sd=.1), ncol=2),
       circles = (nir$temperature[nir$training] - 20)/250,
       inches = FALSE, add = TRUE)

## Model temperatures
set.seed(13)
nirnet2 <- xyf(data = nir$spectra[nir$training,],
             Y = classvec2classmat(nir$temperature[nir$training]),
             xweight=.25,
             grid = somgrid(6, 6, "hexagonal"), rlen=500)
temp.xyf <- classmat2classvec(predict(nirnet2)$unit.prediction)
plot(nirnet2, "property", property = as.numeric(temp.xyf),
     palette.name = rainbow,
     main="Prediction of temperatures")
## Plot concentrations of water as circles
symbols(nirnet2$grid$pts[nirnet2$unit.classif,] +
       matrix(rnorm(sum(nir$training)*2, sd=.1), ncol=2),
       circles = 0.05 + 0.4 * nir$composition[nir$training,2],
       inches = FALSE, add = TRUE)
```

Description

Plot self-organising map, obtained from function `kohonen`. Several types of plots are supported.

Usage

```
## S3 method for class 'kohonen'
plot(x, type = c("codes", "changes", "counts",
               "dist.neighbours", "mapping", "property", "quality"),
     classific = NULL, labels = NULL, pchs = NULL, main = NULL,
     palette.name = NULL, ncolors, bgcol = NULL,
     zlim = NULL, heatkey = TRUE, property, contin,
     whatmap = NULL, codeRendering = NULL, keepMargins = FALSE,
     heatkeywidth = .2, ...)
add.cluster.boundaries(x, cluster, lwd = 5, ...)
```

Arguments

<code>x</code>	kohonen object.
<code>type</code>	type of plot. (Wow!)
<code>classif</code>	classification object, as returned by <code>predict.kohonen</code> , or vector of unit numbers. Only needed if <code>type</code> equals "mapping" and "counts".
<code>labels</code>	labels to plot when <code>type</code> equals "mapping".
<code>pchs</code>	symbols to plot when <code>type</code> equals "mapping".
<code>main</code>	title of the plot.
<code>palette.name</code>	colors to use as unit background for "codes", "counts", "prediction", "property", and "quality" plotting types.
<code>ncolors</code>	number of colors to use for the unit backgrounds. Default is 20 for continuous data, and the number of distinct values (if less than 20) for categorical data.
<code>bgcol</code>	optional argument to colour the unit backgrounds for the "mapping" and "codes" plotting type. Defaults to "gray" and "transparent" in both types, respectively.
<code>zlim</code>	optional range for color coding of unit backgrounds.
<code>heatkey</code>	whether or not to generate a heatkey at the left side of the plot in the "property" and "counts" plotting types.
<code>property</code>	values to use with the "property" plotting type.
<code>contin</code>	whether or not the data should be seen as discrete (i.e. classes) or continuous in nature. Only relevant for the colour keys of plots of supervised networks.
<code>whatmap</code>	For supersom maps and a "codes" plot: what maps to show.
<code>codeRendering</code>	How to show the codes. Possible choices: "segments", "stars" and "lines".
<code>keepMargins</code>	if FALSE (the default), restore the original graphical parameters after plotting the kohonen map. If TRUE, one retains the map coordinate system so that one can add symbols to the plot, or map unit numbers using the <code>identify</code> function.
<code>heatkeywidth</code>	width of the colour key; the default of 0.2 should work in most cases but in some cases, e.g. when plotting multiple figures, it may need to be adjusted.
<code>lwd, ...</code>	other graphical parameters.
<code>cluster</code>	cluster labels of the map units.

Details

Several different types of plots are supported:

"changes" shows the mean distance to the closest codebook vector during training.

"codes" shows the codebook vectors.

"counts" shows the number of objects mapped to the individual units. Empty units are depicted in gray.

"dist.neighbours" shows the sum of the distances to all immediate neighbours. This kind of visualisation is also known as a U-matrix plot. Units near a class boundary can be expected to have higher average distances to their neighbours. Only available for the "som" and "super-som" maps, for the moment.

"mapping" shows where objects are mapped. It needs the "classif" argument, and a "labels" or "pchs" argument.

"property" properties of each unit can be calculated and shown in colour code. It can be used to visualise the similarity of one particular object to all units in the map, to show the mean similarity of all units and the objects mapped to them, etcetera. The parameter property contains the numerical values. See examples below.

"quality" shows the mean distance of objects mapped to a unit to the codebook vector of that unit. The smaller the distances, the better the objects are represented by the codebook vectors.

Function `add.cluster.boundaries` will add to an existing plot of a map thick lines, visualizing which units would be clustered together.

Author(s)

Ron Wehrens

See Also

[som](#), [bdk](#), [xyf](#)

Examples

```
data(wines)
set.seed(7)

kohmap <- xyf(scale(wines), classvec2classmat(wine.classes),
             grid = somgrid(5, 5, "hexagonal"), rlen=100)
plot(kohmap, type="changes")
plot(kohmap, type="codes", main = c("Codes X", "Codes Y"))
plot(kohmap, type="counts")

## palette suggested by Leo Lopes
coolBlueHotRed <- function(n, alpha = 1) {
  rainbow(n, end=4/6, alpha=alpha)[n:1]
}
plot(kohmap, type="quality", palette.name = coolBlueHotRed)
plot(kohmap, type="mapping",
     labels = wine.classes, col = wine.classes+1,
```

```

    main = "mapping plot")

## add background colors to units according to their predicted class labels
xyfpredictions <- classmat2classvec(predict(kohmap)$unit.predictions)
bgcols <- c("gray", "pink", "lightgreen")
plot(kohmap, type="mapping", col = wine.classes+1,
     pchs = wine.classes, bgcol = bgcols[as.integer(xyfpredictions)],
     main = "another mapping plot")

## Another way to show clustering information
set.seed(7)
sommap <- som(scale(wines),grid = somgrid(6, 4, "hexagonal"))
plot(sommap, type="dist.neighbours", main = "SOM neighbour distances")
## use hierarchical clustering to cluster the codebook vectors
som.hc <- cutree(hclust(dist(sommap$codes)), 5)
add.cluster.boundaries(sommap, som.hc)

## and the same for rectangular maps
set.seed(7)
sommap <- som(scale(wines),grid = somgrid(6, 4, "rectangular"))
plot(sommap, type="dist.neighbours", main = "SOM neighbour distances")
## use hierarchical clustering to cluster the codebook vectors
som.hc <- cutree(hclust(dist(sommap$codes)), 5)
add.cluster.boundaries(sommap, som.hc)

```

predict.kohonen

Predict properties using a trained Kohonen map

Description

Map objects to a trained Kohonen map, and return for each object the property associated with the corresponding winning unit. For som and supersom maps, the unit properties are calculated using explicit arguments `trainX` and `trainY`; for `xyf` and `bdk` maps, the predicted properties are the Y-codebookvectors. Note that in the latter case only the X-space is used for prediction.

Usage

```

## S3 method for class 'kohonen'
predict(object, newdata, trainX, trainY, unit.predictions,
        threshold = 0, whatmap = NULL, weights = 1, ...)

```

Arguments

<code>object</code>	Trained network.
<code>newdata</code>	Data matrix for which predictions are to be made. If not given, defaults to the training data (when available).
<code>trainX</code>	Training data for obtaining predictions for unsupervised maps; necessary for som maps trained with the <code>keep.data = FALSE</code> option.

trainY	Values for the dependent variable for the training data; necessary for som and supersom maps.
unit.predictions	Possible override of the predictions for each unit.
threshold	Used in class predictions; see classmat2classvec .
whatmap	For supersom maps: what layers to use in the mapping.
weights	For supersom maps: weights of layers uses in the mapping.
...	Currently not used.

Value

Returns a list with components

prediction	predicted values for the properties of interest. When multiple values are predicted, this element is a list, otherwise a vector or a matrix.
unit.classif	unit numbers to which objects in the data matrix are mapped.
unit.predictions	mean values associated with map units. Again, when multiple properties are predicted, this is a list.

Author(s)

Ron Wehrens

See Also

[som,xyf,bdk](#), [supersom](#), [map](#)

Examples

```
data(wines)
set.seed(7)

training <- sample(nrow(wines), 120)
Xtraining <- scale(wines[training, ])
Xtest <- scale(wines[-training, ],
              center = attr(Xtraining, "scaled:center"),
              scale = attr(Xtraining, "scaled:scale"))

som.wines <- som(Xtraining, grid = somgrid(5, 5, "hexagonal"))

som.prediction <- predict(som.wines, newdata = Xtest,
                        trainX = Xtraining,
                        trainY = factor(wine.classes[training]))
table(wine.classes[-training], som.prediction$prediction)

### more complicated examples
## Not run:
data(yeast)
```

```

### only consider complete cases
missings <- (apply(cbind(yeast$alpha, yeast$cdc15), 1,
                  function(x) any(is.na(x))))

yeast2 <- list(alpha = yeast$alpha[!missings,],
              cdc15 = yeast$cdc15[!missings,],
              class = yeast$class[!missings])

set.seed(7)
training.indices <- sample(nrow(yeast2$alpha), 300)
training <- rep(FALSE, nrow(yeast2$alpha))
training[training.indices] <- TRUE

## unsupervised mapping
yeast2.som <- som(yeast2$alpha[training,], somgrid(4, 6, "hexagonal"))
yeast2.som.prediction <- predict(yeast2.som,
                               newdata = yeast2$alpha[!training,],
                               trainY = yeast2$class[training])
predicted.classes <- yeast2.som.prediction$prediction

## supervised mapping (XYF)
yeast2.xyf <- xyf(yeast2$alpha[training,], yeast2$class[training],
                 somgrid(4, 6, "hexagonal"))
yeast2.xyf.prediction <- predict(yeast2.xyf,
                               newdata = yeast2$alpha[!training,])

## supervised mapping (BDK)
yeast2.bdk <- bdk(yeast2$alpha[training,], yeast2$class[training],
                 somgrid(4, 6, "hexagonal"))
yeast2.bdk.prediction <- predict(yeast2.bdk,
                               newdata = yeast2$alpha[!training,])

## unsupervised mapping (supersom): prediction of data layer not used
## in training
yeast2.ssom <- supersom(lapply(yeast2, function(x) subset(x, training)),
                      grid = somgrid(4, 6, "hexagonal"),
                      whatmap = 1)
yeast2.ssom.prediction <- predict(yeast2.ssom,
                               newdata = lapply(yeast2,
                                                function(x) subset(x, !training)),
                               trainY = list(class = yeast2$class[training]))

## supervised mapping (supersom): prediction of a data layer that has
## been used in training
yeast2.ssom2 <- supersom(lapply(yeast2, function(x) subset(x, training)),
                      grid = somgrid(4, 6, "hexagonal"),
                      whatmap = c(1,3))
yeast2.ssom2.prediction <- predict(yeast2.ssom2,
                               newdata = lapply(yeast2,
                                                function(x) subset(x, !training)),
                               whatmap = 1)

```

```
## End(Not run)
```

som	<i>Kohonen's self-organising maps</i>
-----	---------------------------------------

Description

Self-organising maps for mapping high-dimensional spectra or patterns to 2D; Euclidean distance is used. Modelled after the SOM function in package `class`.

Usage

```
som(data, grid=somgrid(), rlen = 100, alpha = c(0.05, 0.01),
     radius = quantile(nhbrdist, 0.67) * c(1, -1), init,
     toroidal = FALSE, n.hood, keep.data = TRUE)
```

Arguments

<code>data</code>	a matrix, with each row representing an object.
<code>grid</code>	a grid for the representatives: see <code>'somgrid'</code> .
<code>rlen</code>	the number of times the complete data set will be presented to the network.
<code>alpha</code>	learning rate, a vector of two numbers indicating the amount of change. Default is to decline linearly from 0.05 to 0.01 over <code>rlen</code> updates.
<code>radius</code>	the radius of the neighbourhood, either given as a single number or a vector (start, stop). If it is given as a single number the radius will run from the given number to the negative value of that number; as soon as the neighbourhood gets smaller than one only the winning unit will be updated. The default is to start with a value that covers 2/3 of all unit-to-unit distances.
<code>init</code>	the initial representatives, represented as a matrix. If missing, chosen (without replacement) randomly from <code>'data'</code> .
<code>toroidal</code>	if TRUE, the edges of the map are joined. Note that in a hexagonal toroidal map, the number of rows must be even.
<code>n.hood</code>	the shape of the neighbourhood, either "circular" or "square". The latter is the default for rectangular maps, the former for hexagonal maps.
<code>keep.data</code>	save data in return object.

Value

an object of class "kohonen" with components

<code>data</code>	data matrix, only returned if <code>keep.data == TRUE</code> .
<code>grid</code>	the grid, an object of class "somgrid".
<code>codes</code>	a matrix of code vectors.

changes	vector of mean average deviations from code vectors.
unit.classif	winning units for all data objects, only returned if keep.data == TRUE.
distances	distances of objects to their corresponding winning unit, only returned if keep.data == TRUE.
toroidal	whether a toroidal map is used.
method	the type of som, here "som".

Author(s)

Ron Wehrens

See Also

[xyf](#), [bdk](#), [plot.kohonen](#)

Examples

```
data(wines)
set.seed(7)

training <- sample(nrow(wines), 120)
Xtraining <- scale(wines[training, ])
Xtest <- scale(wines[-training, ],
              center = attr(Xtraining, "scaled:center"),
              scale = attr(Xtraining, "scaled:scale"))

som.wines <- som(Xtraining, grid = somgrid(5, 5, "hexagonal"))

som.prediction <- predict(som.wines, newdata = Xtest,
                        trainX = Xtraining,
                        trainY = factor(wine.classes[training]))
table(wine.classes[-training], som.prediction$prediction)
```

summary.kohonen

Summary and print methods for kohonen objects

Description

Summary and print methods for kohonen objects. The print method shows the dimensions and the topology of the map; if information on the training data is included, the summary method additionally prints information on the size of the data and the mean distance of an object to its closest codebookvector, which is an indication of the quality of the mapping.

Usage

```
## S3 method for class 'kohonen'
summary(object, ...)
## S3 method for class 'kohonen'
print(x, ...)
```

Arguments

x, object a kohonen object
 ... Not used.

Author(s)

Ron Wehrens

See Also

[som](#), [xyf](#), [bdk](#), [supersom](#)

Examples

```
data(wines)
xyf.wines <- xyf(scale(wines), classvec2classmat(wine.classes),
                grid = somgrid(5, 5, "hexagonal"))
xyf.wines
summary(xyf.wines)
```

supersom

Super-organising maps

Description

An extension of xyf maps to multiple data layers, possibly with different numbers of variables (though equal numbers of objects). NAs are allowed (see below). A weighted distance over all layers is calculated to determine the winning units during training.

Usage

```
supersom(data, grid=somgrid(), rlen = 100, alpha = c(0.05, 0.01),
         radius = quantile(nhbrdist, 0.67) * c(1, -1),
         contin, toroidal = FALSE, n.hood, whatmap = NULL, weights = 1,
         maxNA.fraction = .5, keep.data = TRUE)
```

Arguments

data list of data matrices.
 grid a grid for the representatives: see [somgrid](#).
 rlen the number of times the complete data set will be presented to the network.
 alpha learning rate, a vector of two numbers indicating the amount of change. Default is to decline linearly from 0.05 to 0.01 over rlen updates.

radius	the radius of the neighbourhood, either given as a single number or a vector (start, stop). If it is given as a single number the radius will run from the given number to the negative value of that number; as soon as the neighbourhood gets smaller than one only the winning unit will be updated. The default is to start with a value that covers 2/3 of all unit-to-unit distances.
contin	parameter indicating whether data are continuous or categorical. The default is to check whether all row sums equal 1: in that case contin is FALSE.
toroidal	if TRUE, the edges of the map are joined. Note that in a hexagonal toroidal map, the number of rows must be even.
n.hood	the shape of the neighbourhood, either "circular" or "square". The latter is the default for rectangular maps, the former for hexagonal maps.
whatmap	For supersom maps: what layers to use in the mapping.
weights	the weights given to individual layers. Default is 1/n, with n the number of layers.
maxNA.fraction	the maximal fraction of values that may be NA to prevent the row or column to be removed.
keep.data	save data in return value.

Value

an object of class "kohonen" with components

data	data matrix, only returned if keep.data == TRUE.
contin	parameter indicating whether elements of data are continuous or categorical.
na.rows	indices of objects (rows) that are removed because at least one of the layers has to many NAs for these objects.
unit.classif	winning units for all data objects, only returned if keep.data == TRUE.
distances	distances of objects to their corresponding winning unit, only returned if keep.data == TRUE.
grid	the grid, an object of class somgrid .
codes	a list of matrices containing codebook vectors.
changes	matrix of mean average deviations from code vectors; every map corresponds with one column.
toroidal	whether a toroidal map is used.
n.hood	the shape of the neighbourhood, either "circular" or "square". The latter is the default for rectangular maps, the former for hexagonal maps.
weights	For supersom maps: weights of layers uses in the mapping.
whatmap	For supersom maps: what layers to use in the mapping.
method	type of map, here "supersom".

Author(s)

Ron Wehrens

References

R. Wehrens and L.M.C. Buydens, J. Stat. Softw. 21 (5), 2007

See Also

[somgrid](#), [plot.kohonen](#)

Examples

```
data(yeast)
yeast.supersom <- supersom(yeast, somgrid(6, 6, "hexagonal"), whatmap = 3:6)
obj.classes <- as.integer(yeast$class)
colors <- c("yellow", "green", "blue", "red", "orange")
plot(yeast.supersom, type = "mapping", col = colors[obj.classes],
      pch = obj.classes, main = "yeast data", keepMargins = TRUE)
```

tricolor

Provides smooth unit colors for SOMs

Description

Function provides colour values for SOM units in such a way that the colour changes smoothly in every direction.

Usage

```
tricolor(grid,phis = c(0, 2 * pi/3, 4 * pi/3), offset = 0)
```

Arguments

grid	An object of class <code>somgrid</code> , such as the grid element in a <code>kohonen</code> object.
phis	A vector of three rotation angles. Values for red, green and blue are given by the y-coordinate of the units after rotation with these three angles, respectively. The default corresponds to (approximate) red colour of the middle unit in the top row, and pure green and blue colours in the bottom left and right units, respectively. In case of a triangular map, the top unit is pure red.
offset	Defines the minimal value in the RGB colour definition (default is 0). By supplying a value in the range $[0, .9]$, pastel-like colours are provided.

Value

Returns a matrix with three columns corresponding to red, green and blue. This can be used in the `rgb` function to provide colours for the units.

Author(s)

Ron Wehrens

See Also[plot.kohonen](#)**Examples**

```
data(wines)
som.wines <- som(wines, grid = somgrid(5, 5, "hexagonal"))

colour1 <- tricolor(som.wines$grid)
plot(som.wines, "mapping", bg = rgb(colour1))
colour2 <- tricolor(som.wines$grid, phi = c(pi/6, 0, -pi/6))
plot(som.wines, "mapping", bg = rgb(colour2))
colour3 <- tricolor(som.wines$grid, phi = c(pi/6, 0, -pi/6), offset = .5)
plot(som.wines, "mapping", bg = rgb(colour3))
```

`unit.distances`*Calculate distances between units in a SOM*

Description

Calculate distances between units in a SOM.

Usage

```
unit.distances(grid, toroidal)
```

Arguments

`grid` an object of class `somgrid`.

`toroidal` if true, edges of the map are joined so that the topology is that of a torus.

Value

Returns a (symmetrical) matrix containing distances. When `grid$n.hood` equals "circular", Euclidean distances are used; for `grid$n.hood` is "square" maximum distances. If `toroidal` equals TRUE, maps are joined at the edges and distances are calculated for the shortest path.

Author(s)

Ron Wehrens

Examples

```
library(kohonen)
data(wines)

kohmap <- som(wines, grid = somgrid(5, 5, "hexagonal"), rlen=10)

dists <- unit.distances(kohmap$grid, toroidal=FALSE)
plot(kohmap, type="property", property=dists[1,],
     main="Distances to unit 1", zlim=c(0,6),
     palette = rainbow, ncolors = 7, contin = TRUE)
dists <- unit.distances(kohmap$grid, toroidal=TRUE)
plot(kohmap, type="property", property=dists[1,],
     main="Distances to unit 1 (toroidal)", zlim=c(0,6),
     palette = rainbow, ncolors = 7, contin = TRUE)

kohmap <- som(wines, grid = somgrid(5, 5), rlen=10)

dists <- unit.distances(kohmap$grid, toroidal=FALSE)
plot(kohmap, type="property", property=dists[1,],
     main="Distances to unit 1", zlim=c(0,4),
     palette = rainbow, ncolors = 5, contin = TRUE)
dists <- unit.distances(kohmap$grid, toroidal=TRUE)
plot(kohmap, type="property", property=dists[1,],
     main="Distances to unit 1 (toroidal)", zlim=c(0,4),
     palette = rainbow, ncolors = 5, contin = TRUE)
```

wines

Wine data

Description

A data frame containing 177 rows and thirteen columns; object `vintages` contains the class labels. For compatibility with older versions of the package, variable `wine.classes` is retained, too.

These data are the results of chemical analyses of wines grown in the same region in Italy (Piedmont) but derived from three different cultivars: Nebbiolo, Barberas and Grignolino grapes. The wine from the Nebbiolo grape is called Barolo. The data contain the quantities of several constituents found in each of the three types of wines, as well as some spectroscopic variables.

Usage

```
data(wines)
```

Source

<http://kdd.ics.uci.edu>

References

M. Forina, C. Armanino, M. Castino and M. Ubigli. *Vitis*, 25:189-201 (1986)

xyf

*Supervised version of Kohonen's self-organising maps***Description**

Supervised version of self-organising maps for mapping high-dimensional spectra or patterns to 2D. The name stands for X-Y fused SOMs. One vector for each object is created by concatenating X and Y, and a SOM is trained in the usual way, with one exception: the distance of an object to a unit is the sum of separate distances for X and Y spaces. Prediction is done only using the X-space. For continuous Y, the Euclidean distance is used; for categorical Y the Tanimoto distance.

Usage

```
xyf(data, Y, grid=somgrid(), rlen = 100, alpha = c(0.05, 0.01),
    radius = quantile(nhbrdist, 0.67) * c(1, -1), xweight = 0.5,
    contin, toroidal = FALSE, n.hood, keep.data = TRUE)
```

Arguments

data	a matrix, with each row representing an object.
Y	property that is to be modelled. In case of classification, Y is a matrix of zeros, with exactly one '1' in each row indicating the class. For prediction of continuous properties, Y is a vector. A combination is possible, too, but one then should take care of appropriate scaling.
grid	a grid for the representatives: see somgrid.
rlen	the number of times the complete data set will be presented to the network.
alpha	learning rate, a vector of two numbers indicating the amount of change. Default is to decline linearly from 0.05 to 0.01 over rlen updates.
radius	the radius of the neighbourhood, either given as a single number or a vector (start, stop). If it is given as a single number the radius will run from the given number to the negative value of that number; as soon as the neighbourhood gets smaller than one only the winning unit will be updated. The default is to start with a value that covers 2/3 of all unit-to-unit distances.
xweight	the weight given to the X map in the calculation of distances for updating Y. Default is 0.5.
contin	parameter indicating whether Y is continuous or categorical. The default is to check whether all row sums of Y equal 1: in that case contin is FALSE.
toroidal	if TRUE, the edges of the map are joined. Note that in a hexagonal toroidal map, the number of rows must be even.
n.hood	the shape of the neighbourhood, either "circular" or "square". The latter is the default for rectangular maps, the former for hexagonal maps.
keep.data	save data in return value.

Value

an object of class "kohonen" with components

data	data matrix, only returned if <code>keep.data == TRUE</code> .
Y	Y, only returned if <code>keep.data == TRUE</code> .
contin	parameter indicating whether Y is continuous or categorical.
grid	the grid, an object of class "somgrid".
codes	list of two matrices, containing codebook vectors for X and Y, respectively.
changes	matrix containing two columns of mean average deviations from code vectors. Column 1 contains deviations used for updating Y; column 2 for updating X.
toroidal	whether a toroidal map is used.
unit.classif	winning units for all data objects, only returned if <code>keep.data == TRUE</code> .
distances	distances of objects to their corresponding winning unit, only returned if <code>keep.data == TRUE</code> .
method	the type of som, here "xyf".

Author(s)

Ron Wehrens

References

W.J. Melssen, R. Wehrens, and L.M.C. Buydens. *Chemom. Intell. Lab. Syst.*, 83, 99-113 (2006).

See Also

[som](#), [bdk](#), [plot.kohonen](#), [predict.kohonen](#)

Examples

```
### Wine example
data(wines)
set.seed(7)

training <- sample(nrow(wines), 120)
Xtraining <- scale(wines[training,])
Xtest <- scale(wines[-training,],
              center = attr(Xtraining, "scaled:center"),
              scale = attr(Xtraining, "scaled:scale"))

xyf.wines <- xyf(Xtraining,
                factor(wine.classes[training]),
                grid = somgrid(5, 5, "hexagonal"))

xyf.prediction <- predict(xyf.wines, newdata=Xtest)
table(wine.classes[-training], xyf.prediction$prediction)
```

yeast

Yeast cell-cycle data

Description

Microarray cell-cycle data for 800 yeast genes, arrested with six different methods, arranged in a list. Additional class information is present as well.

Usage

```
data(yeast)
```

References

P. Spellman et al., Mol. Biol. Cell 9, 3273-3297 (1998)

Index

*Topic **classif**

- bdk, 2
- check.whatmap, 4
- classvec2classmat, 4
- map.kohonen, 5
- plot.kohonen, 7
- predict.kohonen, 10
- som, 13
- summary.kohonen, 14
- supersom, 15
- tricolor, 17
- unit.distances, 18
- xyf, 20

*Topic **datasets**

- nir, 6
- wines, 19
- yeast, 22

add.cluster.boundaries (plot.kohonen), 7

bdk, 2, 5, 9, 11, 14, 15, 21

check.whatmap, 4
classmat2classvec, 11
classmat2classvec (classvec2classmat), 4
classvec2classmat, 4

map, 11
map (map.kohonen), 5
map.kohonen, 5

nir, 6

plot.heatkey (plot.kohonen), 7
plot.kohchanges (plot.kohonen), 7
plot.kohcodes (plot.kohonen), 7
plot.kohcounts (plot.kohonen), 7
plot.kohmapping (plot.kohonen), 7
plot.kohonen, 3, 7, 14, 17, 18, 21
plot.kohprop (plot.kohonen), 7
plot.kohquality (plot.kohonen), 7

plot.kohUmatrix (plot.kohonen), 7
plot.somgrid (plot.kohonen), 7
predict.kohonen, 3, 6, 10, 21
print.kohonen (summary.kohonen), 14

som, 3, 9, 11, 13, 15, 21
somgrid, 15–17
summary.kohonen, 14
supersom, 11, 15, 15

tricolor, 17

unit.distances, 18

vintages (wines), 19

wine.classes (wines), 19
wines, 19

xyf, 3, 5, 9, 11, 14, 15, 20

yeast, 22