

Package ‘laGP’

June 2, 2017

Title Local Approximate Gaussian Process Regression

Version 1.4

Date 2017-05-31

Author Robert B. Gramacy <rbg@vt.edu>

Depends R (>= 2.14)

Imports tgp, parallel

Suggests mvtnorm, MASS, akima, lhs, crs, DiceOptim

Description Performs approximate GP regression for large computer experiments and spatial datasets. The approximation is based on finding small local designs for prediction (independently) at particular inputs. OpenMP and SNOW parallelization are supported for prediction over a vast out-of-sample testing set; GPU acceleration is also supported for an important subroutine. OpenMP and GPU features may require special compilation. An interface to lower-level (full) GP inference and prediction is also provided, as are associated wrapper routines for blackbox optimization under mixed equality and inequality constraints via an augmented Lagrangian scheme, and for large scale computer model calibration.

Maintainer Robert B. Gramacy <rbg@vt.edu>

License LGPL

URL http://bobby.gramacy.com/r_packages/laGP

NeedsCompilation yes

Repository CRAN

Date/Publication 2017-06-02 07:14:04 UTC

R topics documented:

aGP	2
alcGP	9
darg	12
deleteGP	14
discrep.est	15
distance	19
fcilib	20

laGP	25
llikGP	30
mleGP	31
newGP	35
optim.auglag	37
predGP	43
Index	46

aGP

*Localized Approximate GP Regression For Many Predictive Locations***Description**

Provides localized Gaussian process inference and prediction at a large set of predictive locations, by (essentially) calling [laGP](#) at each location, and returning the moments of the predictive equations, and indices into the design, thus obtained

Usage

```

aGP(X, Z, XX, start = 6, end = 50, d = NULL, g = 1/10000,
    method = c("alc", "alcray", "mspe", "nn", "fish"), Xi.ret = TRUE,
    close = min(1000*if(method == "alcray") 10 else 1, nrow(X)),
    numrays = ncol(X), num.gpus = 0, gpu.threads = num.gpus,
    omp.threads = if (num.gpus > 0) 0 else 1,
    nn.gpu = if (num.gpus > 0) nrow(XX) else 0, verb = 1)
aGP.parallel(cls, XX, chunks = length(cls), X, Z, start = 6, end = 50,
    d = NULL, g = 1/10000, method = c("alc", "alcray", "mspe", "nn", "fish"),
    Xi.ret = TRUE, close = min(1000*if(method == "alcray") 10 else 1, nrow(X)),
    numrays = ncol(X), num.gpus = 0, gpu.threads = num.gpus,
    omp.threads = if (num.gpus > 0) 0 else 1,
    nn.gpu = if (num.gpus > 0) nrow(XX) else 0, verb = 1)
aGP.R(X, Z, XX, start = 6, end = 50, d = NULL, g = 1/10000,
    method = c("alc", "alcray", "mspe", "nn", "fish"), Xi.ret = TRUE,
    close = min(1000*if(method == "alcray") 10 else 1, nrow(X)),
    numrays = ncol(X), laGP=laGP.R, verb = 1)
aGPsep(X, Z, XX, start = 6, end = 50, d = NULL, g = 1/10000,
    method = c("alc", "alcray", "nn"), Xi.ret = TRUE,
    close = min(1000*if(method == "alcray") 10 else 1, nrow(X)),
    numrays = ncol(X), omp.threads = 1, verb = 1)
aGPsep.R(X, Z, XX, start = 6, end = 50, d = NULL, g = 1/10000,
    method = c("alc", "alcray", "nn"), Xi.ret = TRUE,
    close = min(1000*if(method == "alcray") 10 else 1, nrow(X)),
    numrays = ncol(X), laGPsep=laGPsep.R, verb = 1)
aGP.seq(X, Z, XX, d, methods=rep("alc", 2), M=NULL, ncalib=0, ...)

```

Arguments

<code>X</code>	a matrix or data.frame containing the full (large) design matrix of input locations
<code>Z</code>	a vector of responses/dependent values with $\text{length}(Z) = \text{ncol}(X)$
<code>XX</code>	a matrix of predictive locations with $\text{ncol}(XX) = \text{ncol}(X)$; aGP calls laGP for each row of XX as a value of Xref, independently
<code>start</code>	the number of Nearest Neighbor (NN) locations to start each independent call to laGP with; must have <code>start >= 6</code>
<code>end</code>	the total size of the local designs; <code>start < end</code>
<code>d</code>	a prior or initial setting for the lengthscale parameter in a Gaussian correlation function; a (default) NULL value triggers a sensible regularization (prior) and initial setting to be generated via <code>darg</code> ; a scalar specifies an initial value, causing <code>darg</code> to only generate the prior; otherwise, a list or partial list matching the output of <code>darg</code> can be used to specify a custom prior. In the case of a partial list, the only the missing entries will be generated. Note that a default/generated list specifies MLE/MAP inference for this parameter. When specifying initial values, a vector of length $\text{nrow}(XX)$ can be provided, giving a different initial value for each predictive location. With aGPsep, the starting values can be a $\text{ncol}(X)$ -by- $\text{nrow}(XX)$ matrix or $\text{ncol}(X)$ vector
<code>g</code>	a prior or initial setting for the nugget parameter; a NULL value causes a sensible regularization (prior) and initial setting to be generated via <code>garg</code> ; a scalar (default <code>g = 1/10000</code>) specifies an initial value, causing <code>garg</code> to only generate the prior; otherwise, a list or partial list matching the output of <code>garg</code> can be used to specify a custom prior. In the case of a partial list, only the missing entries will be generated. Note that a default/generated list specifies <i>no</i> inference for this parameter; i.e., it is fixed at its starting or default value, which may be appropriate for emulating deterministic computer code output. In such situations a value much smaller than the default may work even better (i.e., yield better out-of-sample predictive performance). The default was chosen conservatively. When specifying non-default initial values, a vector of length $\text{nrow}(XX)$ can be provided, giving a different initial value for each predictive location
<code>method</code>	specifies the method by which end-start candidates from X are chosen in order to predict at each row XX independently. In brief, ALC ("alc", default) minimizes predictive variance; ALCRAY ("alcray") executes a thrifty search focused on rays emanating from the reference location(s); MSPE ("mspe") augments ALC with extra derivative information to minimize mean-squared prediction error (requires extra computation); NN ("nn") uses nearest neighbor; and ("fish") uses the expected Fisher information - essentially 1/G from Gramacy & Apley (2015) - which is global heuristic, i.e., not localized to each row of XX
<code>methods</code>	for aGP.seq this is a vectorized method argument, containing a list of valid methods to perform in sequence. When <code>methods = FALSE</code> a call to M is invoked instead; see below for more details
<code>Xi.ret</code>	a scalar logical indicating whether or not a matrix of indices into X, describing the chosen sub-design for each of the predictive locations in XX, should be returned on output

close	a non-negative integer specifying the number of NNs (to each row XX) in X to consider when searching for the sub-design; close = 0 specifies all. For method="alcray" this specifies the scope used to snap ray-based solutions back to elements of X, otherwise there are no restrictions on that search
numrays	a scalar integer indicating the number of rays for each greedy search; only relevant when method="alcray". More rays leads to a more thorough, but more computationally intensive search
laGP	applicable only to the R-version aGP.R, this is a function providing the local design implementation to be used. Either <code>laGP</code> or <code>laGP.R</code> can be provided, or a bespoke routine providing similar outputs
laGPsep	applicable only to the R-version aGPsep.R, this is a function providing the local design implementation to be used. Either <code>laGPsep</code> or <code>laGPsep.R</code> can be provided, or a bespoke routine providing similar outputs
num.gpu	applicable only to the C-version aGP, this is a scalar positive integer indicating the number of GPUs available for calculating ALC (see <code>alcGP</code>); the package must be compiled for CUDA support; see README/INSTALL in the package source for more details
gpu.threads	applicable only to the C-version aGP; this is a scalar positive integer indicating the number of SMP (i.e., CPU) threads queueing ALC jobs on a GPU; the package must be compiled for CUDA support. If <code>gpu.threads >= 2</code> then the package must <i>also</i> be compiled for OpenMP support; see README/INSTALL in the package source for more details. We recommend setting <code>gpu.threads</code> to up to two-times the sum of the number of GPU devices and CPU cores. Only <code>method = "alc"</code> is supported when using CUDA. If the sum of <code>omp.threads</code> and <code>gpu.threads</code> is bigger than the max allowed by your system, then that max is used instead (giving <code>gpu.threads</code> preference)
omp.threads	applicable only to the C-version aGP; this is a scalar positive integer indicating the number of threads to use for SMP parallel processing; the package must be compiled for OpenMP support; see README/INSTALL in the package source for more details. For most Intel-based machines, we recommend setting <code>omp.threads</code> to up to two-times the number of hyperthreaded cores. When using GPUs (<code>num.gpu > 0</code>), a good default is <code>omp.threads=0</code> , otherwise load balancing could be required; see <code>nn.gpu</code> below. If the sum of <code>omp.threads</code> and <code>gpu.threads</code> is bigger than the max allowed by your system, then that max is used instead (giving <code>gpu.threads</code> preference)
nn.gpu	a scalar non-negative integer between 0 and <code>nrow(XX)</code> indicating the number of predictive locations utilizing GPU ALC calculations. Note this argument is only useful when both <code>gpu.threads</code> and <code>omp.threads</code> are non-zero, whereby it acts as a load balancing mechanism
verb	a positive integer specifying the verbosity level; <code>verb = 0</code> is quiet, and larger values cause more progress information to be printed to the screen. The value <code>min(0, verb-1)</code> is provided to each <code>laGP</code> call
cls	a cluster object created by <code>makeCluster</code> from the parallel or snow packages
chunks	a scalar integer indicating the number of chunks to break XX into for parallel evaluation on a cluster <code>cls</code> . Usually <code>chunks = length(cls)</code> is appropriate.

	However specifying more chunks can be useful when the nodes of the cluster are not homogeneous
M	an optional function taking two matrix inputs, of $\text{ncol}(X) - \text{ncalib}$ and ncalib columns respectively, which is applied in lieu of aGP. This can be useful for calibration where the computer model is cheap, i.e., does not require emulation; more details below
ncalib	an integer between 1 and $\text{ncol}(X)$ indicating how to partition X and XX inputs into the two matrices required for M
...	other arguments passed from aGP.seq to aGP

Details

This function invokes `laGP` with $X_{\text{ref}} = XX[i,]$ for each $i=1:\text{nrow}(XX)$, building up local designs, inferring local correlation parameters, and obtaining predictive locations independently for each location. For more details see `laGP`.

The function `aGP.R` is a prototype R-only version for debugging and transparency purposes. It is slower than `aGP`, which is primarily in C. However it may be useful for developing new programs that involve similar subroutines. Note that `aGP.R` may provide different output than `aGP` due to differing library subroutines deployed in R and C.

The function `aGP.parallel` allows `aGP` to be called on segments of the XX matrix distributed to a cluster created by `parallel`. It breaks XX into chunks which are sent to `aGP` workers pointed to by the entries of `cls`. The `aGP.parallel` function collects the outputs from each chunk before returning an object almost identical to what would have been returned from a single `aGP` call. On a single (SMP) node, this represents a poor-man's version of the OpenMP version described below. On multiple nodes both can be used.

If compiled with OpenMP flags, the independent calls to `laGP` will be farmed out to threads allowing them to proceed in parallel - obtaining nearly linear speed-ups. At this time `aGP.R` does not facilitate parallel computation, although a future version may exploit the `parallel` functionality for clustered parallel execution.

If `num.gpus > 0` then the the ALC part of the independent calculations performed by each thread will be offloaded to a GPU. If both `gpu.threads >= 1` and `omp.threads >= 1`, some of the ALC calculations will be done on the GPUs, and some on the CPUs. In our own experimentation we have not found this to lead to large speedups relative to `omp.threads = 0` when using GPUs. For more details, see Gramacy, Niemi, & Weiss (2014).

The `aGP.seq` function is provided primarily for use in calibration exercises, see Gramacy, et al. (2015). It automates a sequence of `aGP` calls, each with a potentially different method, successively feeding the previous estimate of local lengthscale (d) as in initial set of values for the next call. It also allows the use of `aGP` to be bypassed, feeding the inputs into a user-supplied M function instead. This feature is enabled when `methods = FALSE`. The M function takes two matrices (same number of rows) as inputs, where the first $\text{ncol}(X) - \text{ncalib}$ columns represent "field data" inputs shared by the physical and computer model (in the calibration context), and the remaining ncalib are the extra tuning or calibration parameters required to evaluate the computer model. For examples illustrating `aGP.seq` please see the documentation file for `discrep.est` and `demo("calib")`

Value

The output is a list with the following components.

mean	a vector of predictive means of length <code>nrow(XX)</code>
var	a vector of predictive variances of length <code>nrow(Xref)</code>
llik	a vector indicating the log likelihood/posterior probability of the data/parameter(s) under the chosen sub-design for each predictive location in <code>XX</code> ; provided up to an additive constant
time	a scalar giving the passage of wall-clock time elapsed for (substantive parts of) the calculation
method	a copy of the <code>method</code> argument
d	a full-list version of the <code>d</code> argument, possibly completed by <code>darg</code>
g	a full-list version of the <code>g</code> argument, possibly completed by <code>garg</code>
mle	if <code>d\$mle</code> and/or <code>g\$mle</code> are <code>TRUE</code> , then <code>mle</code> is a <code>data.frame</code> containing the values found for these parameters, and the number of required iterations, for each predictive location in <code>XX</code>
Xi	when <code>Xi.ret = TRUE</code> , this field contains a <code>matrix</code> of indices of length <code>end</code> into <code>X</code> indicating the sub-design chosen for each predictive location in <code>XX</code>
close	a copy of the <code>input</code> argument

The `aGP.seq` function only returns the output from the final `aGP` call. When `methods = FALSE` and `M` is supplied, the returned object is a `data.frame` with a `mean` column indicating the output of the computer model run, and a `var` column, which at this time is zero

Note

`aGPsep` provides the same functionality as `aGP` but deploys a separable covariance function. However criteria (methods) `EFI` and `MSPE` are not supported. This is considered “beta” functionality at this time.

Note that using `method="NN"` gives the same result as specifying `start=end`, however at some extra computational expense.

At this time, this function provides no facility to find local designs for the subset of predictive locations `XX` jointly, i.e., providing a `matrix` `Xref` to `laGP`.

The use of `OpenMP` threads with `aGPsep` is not as efficient as with `aGP` when calculating MLEs with respect to the `lengthscale` (i.e., `d=list(mle=TRUE, ...)`). The reason is that the `lbfgsb` C entry point uses static variables, and is therefore not thread safe. To circumvent this problem, an `OpenMP` `critical` pragma is used, which can create a bottle neck

Author(s)

Robert B. Gramacy <rbg@vt.edu>

References

- R.B. Gramacy (2016). **laGP**: *Large-Scale Spatial Modeling via Local Approximate Gaussian Processes in R*, *Journal of Statistical Software*, 72(1), 1-46; or see `vignette("laGP")`
- R.B. Gramacy and D.W. Apley (2015). *Local Gaussian process approximation for large computer experiments*. *Journal of Computational and Graphical Statistics*, 24(2), pp. 561-678; preprint on [arXiv:1303.0383](https://arxiv.org/abs/1303.0383); <http://arxiv.org/abs/1303.0383>

R.B. Gramacy, J. Niemi, R.M. Weiss (2014). *Massively parallel approximate Gaussian process regression*. SIAM/ASA Journal on Uncertainty Quantification, 2(1), pp. 568-584; preprint on arXiv:1310.5182; <http://arxiv.org/abs/1310.5182>

R.B. Gramacy and B. Haaland (2015). *Speeding up neighborhood search in local Gaussian process prediction*. Technometrics, to appear; preprint on arXiv:1409.0074 <http://arxiv.org/abs/1409.0074>

See Also

vignette("laGP"), [laGP](#), [alcGP](#), [mspeGP](#), [alcrayGP](#), [makeCluster](#), [clusterApply](#)

Examples

```
## first, a "computer experiment"

## Simple 2-d test function used in Gramacy & Apley (2014);
## thanks to Lee, Gramacy, Taddy, and others who have used it before
f2d <- function(x, y=NULL)
{
  if(is.null(y)) {
    if(!is.matrix(x)) x <- matrix(x, ncol=2)
    y <- x[,2]; x <- x[,1]
  }
  g <- function(z)
  return(exp(-(z-1)^2) + exp(-0.8*(z+1)^2) - 0.05*sin(8*(z+0.1)))
  z <- -g(x)*g(y)
}

## build up a design with N~40K locations
x <- seq(-2, 2, by=0.02)
X <- as.matrix(expand.grid(x, x))
Z <- f2d(X)

## predictive grid with NN=400 locations,
## change NN to 10K (length=100) to mimic setup in Gramacy & Apley (2014)
## the low NN set here is for fast CRAN checks
xx <- seq(-1.975, 1.975, length=10)
XX <- as.matrix(expand.grid(xx, xx))
ZZ <- f2d(XX)

## get the predictive equations, first based on Nearest Neighbor
out <- aGP(X, Z, XX, method="nn", verb=0)
## RMSE
sqrt(mean((out$mean - ZZ)^2))

## Not run:
## refine with ALC
out2 <- aGP(X, Z, XX, method="alc", d=out$mle$d)
## RMSE
sqrt(mean((out2$mean - ZZ)^2))

## visualize the results
```

```

par(mfrow=c(1,3))
image(xx, xx, matrix(out2$mean, nrow=length(xx)), col=heat.colors(128),
      xlab="x1", ylab="x2", main="predictive mean")
image(xx, xx, matrix(out2$mean-ZZ, nrow=length(xx)), col=heat.colors(128),
      xlab="x1", ylab="x2", main="bias")
image(xx, xx, matrix(sqrt(out2$var), nrow=length(xx)), col=heat.colors(128),
      xlab="x1", ylab="x2", main="sd")

## refine with MSPE
out3 <- aGP(X, Z, XX, method="mspe", d=out2$mle$d)
## RMSE
sqrt(mean((out3$mean - ZZ)^2))

## End(Not run)

## version with ALC-ray which is much faster than the ones not
## run above
out2r <- aGP(X, Z, XX, method="alcray", d=out2$mle$d, verb=0)
sqrt(mean((out2r$mean - ZZ)^2))

## a simple example with estimated nugget
library(MASS)

## motorcycle data and predictive locations
X <- matrix(mcycle[,1], ncol=1)
Z <- mcycle[,2]
XX <- matrix(seq(min(X), max(X), length=100), ncol=1)

## first stage
out <- aGP(X=X, Z=Z, XX=XX, end=30, g=list(mle=TRUE), verb=0)

## plot smoothed versions of the estimated parameters
par(mfrow=c(2,1))
df <- data.frame(y=log(out$mle$d), XX)
lo <- loess(y~., data=df, span=0.25)
plot(XX, log(out$mle$d), type="l")
lines(XX, lo$fitted, col=2)
dfnug <- data.frame(y=log(out$mle$g), XX)
lonug <- loess(y~., data=dfnug, span=0.25)
plot(XX, log(out$mle$g), type="l")
lines(XX, lonug$fitted, col=2)

## second stage design
out2 <- aGP(X=X, Z=Z, XX=XX, end=30, verb=0,
d=list(start=exp(lo$fitted), mle=FALSE),
g=list(start=exp(lonug$fitted)))

## plot the estimated surface
par(mfrow=c(1,1))
plot(X,Z)
df <- 20
s2 <- out2$var*(df-2)/df
q1 <- qt(0.05, df)*sqrt(s2) + out2$mean

```



```

q2 <- qt(0.95, df)*sqrt(s2) + out2$mean
lines(XX, out2$mean)
lines(XX, q1, col=1, lty=2)
lines(XX, q2, col=1, lty=2)

## compare to the single-GP result provided in the mleGP documentation

```

alcGP

Improvement statistics for sequential or local design

Description

Calculate the active learning Cohn (ALC) statistic, mean-squared predictive error (MSPE) or expected Fisher information (fish) for a Gaussian process (GP) predictor relative to a set of reference locations, towards sequential design or local search for Gaussian process regression

Usage

```

alcGP(gpi, Xcand, Xref = Xcand, parallel = c("none", "omp", "gpu"),
      verb = 0)
alcGPsep(gpsepi, Xcand, Xref = Xcand, parallel = c("none", "omp", "gpu"),
         verb = 0)
alcrayGP(gpi, Xref, Xstart, Xend, verb = 0)
alcrayGPsep(gpsepi, Xref, Xstart, Xend, verb = 0)
ieciGP(gpi, Xcand, fmin, Xref = Xcand, w = NULL, verb = 0)
ieciGPsep(gpsepi, Xcand, fmin, Xref = Xcand, w = NULL, verb = 0)
mspeGP(gpi, Xcand, Xref = Xcand, fi = TRUE, verb = 0)
fishGP(gpi, Xcand)

```

Arguments

<code>gpi</code>	a C-side GP object identifier (positive integer); e.g., as returned by newGP
<code>gpsepi</code>	a C-side separable GP object identifier (positive integer); e.g., as returned by newGPsep
<code>Xcand</code>	a matrix or data.frame containing a design of candidate predictive locations at which the ALC (or other) criteria is (are) evaluated. In the context of laGP , these are the possible locations for adding into the current local design
<code>fmin</code>	for <code>ieci*</code> only: a scalar value indicating the value of the best minimum found so far. This is usually set to the minimum of the Z-values stored in the <code>gpi</code> or <code>gpsepi</code> reference (for deterministic/low nugget settings), or otherwise the predicted mean value at the X locations
<code>Xref</code>	a matrix or data.frame containing a design of reference locations for ALC or MSPE. I.e., these are the locations at which the reduction in variance, or mean squared predictive error, are calculated. In the context of laGP , this is the single location <code>Xref = x</code> around which a local design is sought. For <code>alcrayGP</code> and <code>alcrayGPsep</code> the matrix may only have one row, i.e., one reference location

parallel	a switch indicating if any parallel calculation of the criteria (method) is desired. For parallel = "omp", the package be compiled with OpenMP flags; for parallel = "gpu", the package must be compiled with CUDA flags (only the ALC criteria is supported on the GPU); see README/INSTALL in the package source for more details
Xstart	a 1-by-ncol(Xref) starting location for a search along a ray between Xstart and Xend
Xend	a 1-by-ncol(Xref) ending location for a search along a ray between Xstart and Xend
fi	a scalar logical indicating if the expected Fisher information portion of the expression (MSPE is essentially $ALC + c(x)*EFI$) should be calculated (TRUE) or set to zero (FALSE). This flag is mostly for error checking against the other functions, alcGP and fishGP, since the constituent parts are separately available via those functions
w	weights on the reference locations Xref for IECI calculations; IECI is not fully documented at this time
verb	a positive integer specifying the verbosity level; verb = 0 is quiet, and larger values cause more progress information to be printed to the screen

Details

The best way to see how these functions are used in the context of local approximation is to inspect the code in the `laGP.R` function.

Otherwise they are pretty self explanatory. They evaluate the ALC, MSPE, and EFI quantities outlined in Gramacy & Apley (2015). The ALC is originally due to Seo, et al. (2000). The ray-based search is described by a forthcoming paper by Gramacy & Haaland (2015).

MSPE and EFI calculations are not supported for separable GP models. I.e., there are no `mspeGPsep` or `fishGPsep` functions.

`alcrayGP` and `alcrayGPsep` allows only one reference location ($nrow(Xref) = 1$).

Note that `ieciGP` and `ieciGPsep` are alpha functionality and are not fully documented at this time

Value

A vector of length $nrow(Xcand)$ is returned filled with values corresponding to the desired statistic

Author(s)

Robert B. Gramacy <rbg@vt.edu>

References

R.B. Gramacy (2016). **laGP**: *Large-Scale Spatial Modeling via Local Approximate Gaussian Processes in R*, Journal of Statistical Software, 72(1), 1-46; or see `vignette("laGP")`

R.B. Gramacy and D.W. Apley (2015). *Local Gaussian process approximation for large computer experiments*. Journal of Computational and Graphical Statistics, 24(2), pp. 561-678; preprint on arXiv:1303.0383; <http://arxiv.org/abs/1303.0383>

R.B. Gramacy, J. Niemi, R.M. Weiss (2014). *Massively parallel approximate Gaussian process regression*. SIAM/ASA Journal on Uncertainty Quantification, 2(1), pp. 568-584; preprint on arXiv:1310.5182; <http://arxiv.org/abs/1310.5182>

R.B. Gramacy and B. Haaland (2015). *Speeding up neighborhood search in local Gaussian process prediction*. Technometrics, to appear; preprint on arXiv:1409.0074 <http://arxiv.org/abs/1409.0074>

Seo, S., Wallat, M., Graepel, T., Obermayer, K. (2000). *Gaussian Process Regression: Active Data Selection and Test Point Rejection*. In Proceedings of the International Joint Conference on Neural Networks, vol. III, 241-246. IEEE.

See Also

[laGP](#), [aGP](#), [predGP](#)

Examples

```
## this follows the example in predGP, but only evaluates
## information statistics documented here

## Simple 2-d test function used in Gramacy & Apley (2015);
## thanks to Lee, Gramacy, Taddy, and others who have used it before
f2d <- function(x, y=NULL)
{
  if(is.null(y)) {
    if(!is.matrix(x)) x <- matrix(x, ncol=2)
    y <- x[,2]; x <- x[,1]
  }
  g <- function(z)
    return(exp(-(z-1)^2) + exp(-0.8*(z+1)^2) - 0.05*sin(8*(z+0.1)))
  z <- -g(x)*g(y)
}

## design with N=441
x <- seq(-2, 2, length=11)
X <- as.matrix(expand.grid(x, x))
Z <- f2d(X)

## fit a GP
gpi <- newGP(X, Z, d=0.35, g=1/1000, dK=TRUE)

## predictive grid with NN=400
xx <- seq(-1.9, 1.9, length=20)
XX <- as.matrix(expand.grid(xx, xx))

## predict
alc <- alcGP(gpi, XX)
mspe <- mspeGP(gpi, XX)
fish <- fishGP(gpi, XX)

## visualize the result
par(mfrow=c(1,3))
```

```

image(xx, xx, matrix(sqrt(alc), nrow=length(xx)), col=heat.colors(128),
      xlab="x1", ylab="x2", main="sqrt ALC")
image(xx, xx, matrix(sqrt(mspe), nrow=length(xx)), col=heat.colors(128),
      xlab="x1", ylab="x2", main="sqrt MSPE")
image(xx, xx, matrix(log(fish), nrow=length(xx)), col=heat.colors(128),
      xlab="x1", ylab="x2", main="log fish")

## clean up
deleteGP(gpi)

```

darg

Generate Priors for GP correlation

Description

Generate empirical Bayes regularization (priors) and choose initial values and ranges for (isotropic) lengthscale and nugget parameters to a Gaussian correlation function for a GP regression model

Usage

```

darg(d, X, samp.size = 1000)
garg(g, y)

```

Arguments

d	can be NULL, or a scalar indicating an initial value or a partial list whose format matches the one described in the Value section below
g	can be NULL, or a scalar indicating an initial value or a partial list whose format matches the one described in the Value section below
X	a matrix or data.frame containing the full (large) design matrix of input locations
y	a vector of responses/dependent values
samp.size	a scalar integer indicating a subset size of X to use for calculations; this is important for very large X matrices since the calculations are quadratic in nrow(X)

Details

These functions use aspects of the data, either X or y, to form weakly informative default priors, and choose initial values, for a lengthscale and nugget parameter. This is useful since the likelihood can sometimes be very flat, and even with proper priors inference can be sensitive to the specification of those priors and any initial search values. The focus here is on avoiding pathologies while otherwise remaining true to the spirit of MLE calculation.

darg output specifies MLE inference (`out$mle = TRUE`) by default, whereas garg instead fixes the nugget at the starting value, which may be sensible for emulating deterministic computer simulation data; when `out$mle = FALSE` the calculated range outputs `c(outmin, outmax)` are set to dummy values that are ignored in other parts of the **laGP** package.

darg calculates a Gaussian distance matrix between all pairs of X rows, or a subsample of rows of size `samp.size`. From those distances it chooses the range and start values from the range of (non-zero) distances and the 0.1 quantile, respectively. The Gamma prior values have a shape of `out$a = 3/2` and a rate `out$b` chosen by the incomplete Gamma inverse function to put 0.95 probability below `out$max`.

garg is similar except that it works with $(y - \text{mean}(y))^2$ instead of the pairwise distances of darg. The only difference is that the starting value is chosen as the 2.5% quantile.

Value

Both functions return a list containing the following entries. If the input object (`d` or `g`) specifies one of the values then that value is copied to the same list entry on output. See the Details section for how these values are calculated

<code>mle</code>	by default, TRUE for darg and FALSE for garg
<code>start</code>	starting value chosen from the quantiles of <code>distance(X)</code> or $(y - \text{mean}(y))^2$
<code>min</code>	minimum value in allowable range for the parameter - for future inference purposes
<code>max</code>	maximum value in allowable range for the parameter - for future inference purposes
<code>ab</code>	shape and rate parameters specifying a Gamma prior for the parameter

Author(s)

Robert B. Gramacy <rbg@vt.edu>

See Also

`vignette("laGP")`, [laGP](#), [aGP](#), [mleGP](#), [distance](#), [llikGP](#)

Examples

```
## motorcycle data
library(MASS)
X <- matrix(mcycle[,1], ncol=1)
Z <- mcycle[,2]

## get darg and garg
darg(NULL, X)
garg(list(mle=TRUE), Z)
```

`deleteGP`*Delete C-side Gaussian Process Objects*

Description

Frees memory allocated by a particular C-side Gaussian process object, or all GP objects currently allocated

Usage

```
deleteGP(gpi)
deleteGPsep(gpsepi)
deleteGPs()
deleteGPseps()
```

Arguments

<code>gpi</code>	a scalar positive integer specifying an allocated isotropic GP object
<code>gpsepi</code>	similar to <code>gpi</code> but indicating a separable GP object

Details

Any function calling `newGP` or `newGPsep` will require destruction via these functions or there will be a memory leak.

Value

Nothing is returned.

Author(s)

Robert B. Gramacy <rbg@vt.edu>

See Also

`vignette("laGP")`, `newGP`, `predGP`, `mleGP`

Examples

```
## see examples for newGP, predGP, or mleGP
```

discrep.est

*Estimate Discrepancy in Calibration Model***Description**

Estimates the Gaussian process discrepancy/bias and/or noise term in a modularized calibration of a computer model (emulator) to field data, and returns the log likelihood or posterior probability

Usage

```
discrep.est(X, Y, Yhat, d, g, bias = TRUE, clean = TRUE)
```

Arguments

X	a matrix or data.frame containing a design matrix of input locations for field data sites. Any columns of X without at least three unique input settings are dropped in a pre-processing step
Y	a vector of values with $\text{length}(Y) = \text{ncol}(X)$ containing the response from field data observations at X. A Y-vector with $\text{length}(Y) = k \times \text{ncol}(X)$, for positive integer k, can be supplied in which case the multiple code Y-values will be treated as replicates at the X-values
Yhat	a vector with $\text{length}(Yhat) = \text{length}(Y)$ containing predictions at X from an emulator of a computer simulation
d	a prior or initial setting for the (single/isotropic) lengthscale parameter in a Gaussian correlation function; a (default) NULL value triggers a sensible regularization (prior) and initial setting to be generated via <code>darg</code> ; a scalar specifies an initial value, causing <code>darg</code> to only generate the prior; otherwise, a list or partial list matching the output of <code>darg</code> can be used to specify a custom prior. In the case of a partial list, the only the missing entries will be generated. Note that a default/generated list specifies MLE/MAP inference for this parameter. When specifying initial values, a vector of length $\text{nrow}(XX)$ can be provided, giving a different initial value for each predictive location.
g	a prior or initial setting for the nugget parameter; a NULL value causes a sensible regularization (prior) and initial setting to be generated via <code>garg</code> ; a scalar (default $g = 1/1000$) specifies an initial value, causing <code>garg</code> to only generate the prior; otherwise, a list or partial list matching the output of <code>garg</code> can be used to specify a custom prior. In the case of a partial list, only the missing entries will be generated. Note that a default/generated list specifies <i>no</i> inference for this parameter; i.e., it is fixed at its starting value, which may be appropriate for emulating deterministic computer code output. When specifying initial values, a vector of length $\text{nrow}(XX)$ can be provided, giving a different initial value for each predictive location
bias	a scalar logical indicating if a (isotropic) GP discrepancy should be estimated (TRUE) or a Gaussian noise term only (FALSE)
clean	a scalar logical indicating if the C-side GP object should be freed before returning.

Details

Estimates an isotropic Gaussian correlation Gaussian process (GP) discrepancy term for the difference between a computer model output (\hat{Y}) and field data observations (Y) at locations X . The computer model predictions would typically come from a GP emulation from simulation data, possibly via `aGP` if the computer experiment is large.

This function is used primarily as a subroutine by `fcalib` which defines an objective function for optimization in order to solve the calibration problem via the method described by Gramacy, et al. (2015), designed for large computer experiments. However, once calibration is performed this function can be useful for making comparisons to other methods. Examples are provided in the `fcalib` documentation.

When `bias=FALSE` no discrepancy is estimated; only a zero-mean Gaussian error distribution is assumed

Value

The output object is comprised of the output of `jmleGP`, applied to a GP object built with responses $Y - \hat{Y}$. That object is augmented with a log likelihood, in `$ll`, and with a GP index `$gpi` when `clean=FALSE`. When `bias = FALSE` the output object retains the same form as above, except with dummy zero-values since calling `jmleGP` is not required

Note

Note that in principle a separable correlation function could be used (e.g, via `newGPsep`), however this is not implemented at this time

Author(s)

Robert B. Gramacy <rbg@vt.edu>

References

R.B. Gramacy (2016). *laGP: Large-Scale Spatial Modeling via Local Approximate Gaussian Processes in R*, Journal of Statistical Software, 72(1), 1-46; or see `vignette("laGP")`

R.B. Gramacy, D. Bingham, JP. Holloway, M.J. Grosskopf, C.C. Kuranz, E. Rutter, M. Trantham, P.R. Drake (2015). *Calibrating a large computer experiment simulating radiative shock hydrodynamics*. Annals of Applied Statistics, 9(3) 1141-1168; preprint on arXiv:1410.3293 <http://arxiv.org/abs/1410.3293>

F. Liu, M. Bayarri and J. Berger (2009). *Modularization in Bayesian analysis, with emphasis on analysis of computer models*. Bayesian Analysis, 4(1) 119-150.

See Also

`vignette("laGP")`, `jmleGP`, `newGP`, `aGP.seq`, `fcalib`

Examples

```

## the example here combines aGP.seq and discrep.est functions;
## it is comprised of snippets from demo("calib"), which contains
## code from the Calibration Section of vignette("laGP")

## Here we generate calibration data using a true calibration
## parameter, u, and then evaluate log posterior probabilities
## and out-of-sample RMSEs for that u value; the fcalib
## documentation repeats this with a single call to fcalib rather
## than first aGP.seq and then discrep.est

## begin data-generation code identical to aGP.seq, discrep.est, fcalib
## example sections and demo("calib")

## M: computer model test function used in Goh et al, 2013 (Technometrics)
## an elaboration of one from Bastos and O'Hagan, 2009 (Technometrics)
M <- function(x,u)
{
  x <- as.matrix(x)
  u <- as.matrix(u)
  out <- (1-exp(-1/(2*x[,2])))
  out <- out * (1000*u[,1]*x[,1]^3+1900*x[,1]^2+2092*x[,1]+60)
  out <- out / (100*u[,2]*x[,1]^3+500*x[,1]^2+4*x[,1]+20)
  return(out)
}

## bias: discrepancy function from Goh et al, 2013
bias <- function(x)
{
  x<-as.matrix(x)
  out<- 2*(10*x[,1]^2+4*x[,2]^2) / (50*x[,1]*x[,2]+10)
  return(out)
}

## beta.prior: marginal beta prior for u,
## defaults to a mode at 1/2 in hypercube
beta.prior <- function(u, a=2, b=2, log=TRUE)
{
  if(length(a) == 1) a <- rep(a, length(u))
  else if(length(a) != length(u)) stop("length(a) must be 1 or length(u)")
  if(length(b) == 1) b <- rep(b, length(u))
  else if(length(b) != length(u)) stop("length(b) must be 1 or length(u)")
  if(log) return(sum(dbeta(u, a, b, log=TRUE)))
  else return(prod(dbeta(u, a, b, log=FALSE)))
}

## tgp for LHS sampling
library(tgp)
rect <- matrix(rep(0:1, 4), ncol=2, byrow=2)

## training and testing inputs
ny <- 50; nny <- 1000

```

```

X <- lhs(ny, rect[1:2,])  ## computer model train
XX <- lhs(nny, rect[1:2,]) ## test

## true (but unknown) setting of the calibration parameter
## for the computer model
u <- c(0.2, 0.1)
Zu <- M(X, matrix(u, nrow=1))
ZZu <- M(XX, matrix(u, nrow=1))

## field data response, biased and replicated
sd <- 0.5
## Y <- computer output + bias + noise
reps <- 2 ## example from paper uses reps <- 10
Y <- rep(Zu, reps) + rep(bias(X), reps) + rnorm(reps*length(Zu), sd=sd)
YYtrue <- ZZu + bias(XX)
## variations: remove the bias or change 2 to 1 to remove replicates

## computer model design
nz <- 10000
XT <- lhs(nz, rect)
nth <- 1 ## number of threads to use in emulation, demo uses 8

## augment with physical model design points
## with various u settings
XT2 <- matrix(NA, nrow=10*ny, ncol=4)
for(i in 1:10) {
  I <- ((i-1)*ny+1):(ny*i)
  XT2[I,1:2] <- X
}
XT2[,3:4] <- lhs(10*ny, rect[3:4,])
XT <- rbind(XT, XT2)

## evaluate the computer model
Z <- M(XT[,1:2], XT[,3:4])

## flag indicating if estimating bias/discrepancy or not
bias.est <- TRUE
## two passes of ALC with MLE calculations for aGP.seq
methods <- rep("alcray", 2) ## demo uses rep("alc", 2)

## set up priors
da <- d <- darg(NULL, XT)
g <- garg(list(mle=TRUE), Y)

## end identical data generation code

## now calculate log posterior and do out-of-sample RMSE calculation
## for true calibration parameter value (u). You could repeat
## this for an estimate value from demo("calib"), for example
## u.hat <- c(0.8236673, 0.1406989)

## first log posterior

```

```

## emulate at field-data locations Xu
Xu <- cbind(X, matrix(rep(u, ny), ncol=2, byrow=TRUE))
ehat.u <- aGP.seq(XT, Z, Xu, da, methods, ncalib=2, omp.threads=nth, verb=0)

## estimate discrepancy from the residual
cmle.u <- discrep.est(X, Y, ehat.u$mean, d, g, bias.est, FALSE)
cmle.u$ll <- cmle.u$ll + beta.prior(u)
print(cmle.u$ll)
## compare to same calculation with u.hat above

## now RMSE
## Not run:
## predictive design with true calibration parameter
XXu <- cbind(XX, matrix(rep(u, nny), ncol=2, byrow=TRUE))

## emulate at predictive design
ehat.oos.u <- aGP.seq(XT, Z, XXu, da, methods, ncalib=2,
  omp.threads=nth, verb=0)

## predict via discrepancy
YYm.pred.u <- predGP(cmle.u$gp, XX)

## add in emulation
YY.pred.u <- YYm.pred.u$mean + ehat.oos.u$mean

## calculate RMSE
rmse.u <- sqrt(mean((YY.pred.u - YYtrue)^2))
print(rmse.u)
## compare to same calculation with u.hat above

## clean up
deleteGP(cmle.u$gp)

## End(Not run)

```

distance

Calculate Euclidean distance between pairs of points

Description

Calculate the Euclidean distance between pairs of points and return a distance matrix

Usage

```
distance(X1, X2 = NULL)
```

Arguments

X1	a matrix or data.frame containing real-valued numbers
X2	an optional matrix or data.frame containing real-valued numbers; must have <code>ncol(X2) = ncol(X1)</code>

Details

If $X2 = \text{NULL}$ distances between $X1$ and itself are calculated, resulting in an $\text{nrow}(X1)$ -by- $\text{nrow}(X1)$ distance matrix. Otherwise the result is $\text{nrow}(X1)$ -by- $\text{nrow}(X2)$ and contains distances between $X1$ and $X2$.

Calling $\text{distance}(X)$ is the same as $\text{distance}(X, X)$

Value

The output is a matrix, whose dimensions are described in the Details section above

Author(s)

Robert B. Gramacy <rbg@vt.edu>

See Also

[darg](#)

Examples

```
x <- seq(-2, 2, length=11)
X <- as.matrix(expand.grid(x, x))
## predictive grid with NN=400
xx <- seq(-1.9, 1.9, length=20)
XX <- as.matrix(expand.grid(xx, xx))

D <- distance(X)
DD <- distance(X, XX)
```

fcalib

Objective function for performing large scale computer model calibration via optimization

Description

Defines an objective function for performing blackbox optimization towards solving a modularized calibration of large computer model simulation to field data

Usage

```
fcalib(u, XU, Z, X, Y, da, d, g, uprior = NULL,
      methods = rep("alc", 2), M = NULL, bias = TRUE,
      omp.threads = 1, save.global = FALSE, verb=1)
```

Arguments

u	a vector of length $\text{ncol}(XU) - \text{ncol}(X)$ containing a setting of the calibration parameter
XU	a matrix or data.frame containing the full (large) design matrix of input locations to a computer simulator whose final $\text{ncol}(XU) - \text{ncol}(X)$ columns contain settings of a calibration or tuning parameter like u
Z	a vector of responses/dependent values with $\text{length}(Z) = \text{ncol}(XU)$ of computer model outputs at XU
X	a matrix or data.frame containing the full (large) design matrix of input locations
Y	a vector of values with $\text{length}(Y) = \text{ncol}(X)$ containing the response from field data observations at X. A Y-vector with $\text{length}(Y) = k \cdot \text{ncol}(X)$, for positive integer k, can be supplied in which case the multiple Y-values will be treated as replicates at the X-values
da	for emulating Z at XU: a prior or initial setting for the (single/isotropic) length-scale parameter in a Gaussian correlation function; a (default) NULL value triggers a sensible regularization (prior) and initial setting to be generated via darg ; a scalar specifies an initial value, causing darg to only generate the prior; otherwise, a list or partial list matching the output of darg can be used to specify a custom prior. In the case of a partial list, the only the missing entries will be generated. Note that a default/generated list specifies MLE/MAP inference for this parameter. When specifying initial values, a vector of length $\text{nrow}(XX)$ can be provided, giving a different initial value for each predictive location
d	for the discrepancy between emulations \hat{Y} at X, based on Z at XU, and the outputs Y observed at X. Otherwise, same description as da above
g	for the nugget in the GP model for the discrepancy between emulation \hat{Y} at X, based on Z at XU, and the outputs Y observed at X: a prior or initial setting for the nugget parameter; a NULL value causes a sensible regularization (prior) and initial setting to be generated via garg ; a scalar (default $g = 1/1000$) specifies an initial value, causing garg to only generate the prior; otherwise, a list or partial list matching the output of garg can be used to specify a custom prior. In the case of a partial list, only the missing entries will be generated. Note that a default/generated list specifies <i>no</i> inference for this parameter; i.e., it is fixed at its starting value, which may be appropriate for emulating deterministic computer code output. When specifying initial values, a vector of length $\text{nrow}(XX)$ can be provided, giving a different initial value for each predictive location. At this time, estimating a nugget for the computer model emulator is not supported by fcalib
uprior	an optional function taking u arguments which returns a log prior density value for the calibration parameter.
methods	a sequence of local search methods to be deployed when emulating Z at XU via aGP ; see aGP.seq for more details; provide <code>methods = FALSE</code> to use the computer model M directly
M	a computer model “simulation” function taking two matrices as inputs, to be used in lieu of emulation; see aGP.seq for mode details

bias	a scalar logical indicating whether a GP discrepancy or bias term should be estimated via <code>discrep.est</code> , as opposed to only a Gaussian (zero-mean) variance; see <code>discrep.est</code> for more details
omp.threads	a scalar positive integer indicating the number of threads to use for SMP parallel processing; see <code>aGP</code> for more details
save.global	an environment, e.g., <code>.GlobalEnv</code> if each evaluation of <code>fcalib</code> , say as called by a wrapper or optimization routine, should be saved. The variable used in that environment will be <code>fcalib.save</code> . Otherwise <code>save.global = FALSE</code> will skip saving the information
verb	a positive integer specifying the verbosity level; <code>verb = 0</code> is quiet, whereas a larger value causes each evaluation to be printed to the screen

Details

Gramacy, et al. (2015) defined an objective function which, when optimized, returns a setting of calibration parameters under a setup akin to the modularized calibration method of Liu, et al., (2009). The `fcalib` function returns a log density (likelihood or posterior probability) value obtained by performing emulation at a set of inputs X augmented with a value of the calibration parameter, u . The emulator is trained on XU and Z , presumed to be very large relative to the size of the field data set X and Y , necessitating the use of approximate methods like `aGP`, via `aGP.seq`. The emulated values, call them \hat{Y} are fed along with X and Y into the `discrep.est` function, whose whose likelihood or posterior calculation serves as a measure of merit for the value u .

The `fcalib` function is deterministic but, as Gramacy, et al. (2015) described, can result in a rugged objective surface for optimizing, meaning that conventional methods, like those in `optim` are unlikely to work well. They instead recommend using a blackbox derivative-free method, like NOMAD (Le Digabel, 2011). In our example below we use the implementation in the `crs` package, which provides an R wrapper around the underlying C library.

Note that while `fcalib` automates a call first to `aGP.seq` and then to `discrep.est`, it does not return enough information to complete, say, an out-of-sample prediction exercise like the one demonstrated in the `discrep.est` documentation. Therefore, after `fcalib` is used in an optimization to find the best setting of the calibration parameter, u , those functions must then be used in post-processing to complete a prediction exercise. See `demo("calib")` or `vignette("laGP")` for more details

Value

Returns a scalar measuring the negative log likelihood or posterior density of the calibration parameter u given the other inputs, for the purpose of optimization over u

Note

Note that in principle a separable correlation function could be used (e.g, via `newGPsep`), however this is not implemented at this time

Author(s)

Robert B. Gramacy <`rbg@vt.edu`>

References

- R.B. Gramacy (2016). **laGP**: *Large-Scale Spatial Modeling via Local Approximate Gaussian Processes in R*, Journal of Statistical Software, 72(1), 1-46; or see vignette("laGP")
- R.B. Gramacy, D. Bingham, JP. Holloway, M.J. Grosskopf, C.C. Kuranz, E. Rutter, M. Trantham, and P.R. Drake (2015). *Calibrating a large computer experiment simulating radiative shock hydrodynamics*. Annals of Applied Statistics, 9(3) 1141-1168; preprint on arXiv:1410.3293 <http://arxiv.org/abs/1410.3293>
- F. Liu, M. Bayarri, and J. Berger (2009). *Modularization in Bayesian analysis, with emphasis on analysis of computer models*. Bayesian Analysis, 4(1) 119-150.
- S. Le Digabel (2011). *Algorithm 909: NOMAD: Nonlinear Optimization with the MADS algorithm*. ACM Transactions on Mathematical Software, 37, 4, 44:1-44:15.
- J.S. Racine, Z. and Nie (2012). **crs**: *Categorical regression splines*. R package version 0.15-18.

See Also

vignette("laGP"), [jmleGP](#), [newGP](#), [aGP.seq](#), [discrep.est](#), [snomadr](#)

Examples

```
## the example here illustrates how fcalib combines aGP.seq and
## discrep.est functions, duplicating the example in the discrep.est
## documentation file. it is comprised of snippets from demo("calib"),
## which contains code from the Calibration Section of vignette("laGP")

## Here we generate calibration data using a true calibration
## parameter, u, and then evaluate log posterior probabilities;
## the discrep.est documentation repeats this with by first calling
## aGP.seq and then discrep.est. The answers should be identical, however
## note that a call first to example("fcalib") and then
## example("discrep.est") will generate two random data sets, causing
## the results not to match

## begin data-generation code identical to aGP.seq, discrep.est, fcalib
## example sections and demo("calib")

## M: computer model test function used in Goh et al, 2013 (Technometrics)
## an elaboration of one from Bastos and O'Hagan, 2009 (Technometrics)
M <- function(x,u)
{
  x <- as.matrix(x)
  u <- as.matrix(u)
  out <- (1-exp(-1/(2*x[,2])))
  out <- out * (1000*u[,1]*x[,1]^3+1900*x[,1]^2+2092*x[,1]+60)
  out <- out / (100*u[,2]*x[,1]^3+500*x[,1]^2+4*x[,1]+20)
  return(out)
}

## bias: discrepancy function from Goh et al, 2013
bias <- function(x)
{
```

```

    x<-as.matrix(x)
    out<- 2*(10*x[,1]^2+4*x[,2]^2) / (50*x[,1]*x[,2]+10)
    return(out)
  }

## beta.prior: marginal beta prior for u,
## defaults to a mode at 1/2 in hypercube
beta.prior <- function(u, a=2, b=2, log=TRUE)
{
  if(length(a) == 1) a <- rep(a, length(u))
  else if(length(a) != length(u)) stop("length(a) must be 1 or length(u)")
  if(length(b) == 1) b <- rep(b, length(u))
  else if(length(b) != length(u)) stop("length(b) must be 1 or length(u)")
  if(log) return(sum(dbeta(u, a, b, log=TRUE)))
  else return(prod(dbeta(u, a, b, log=FALSE)))
}

## tgp for LHS sampling
library(tgp)
rect <- matrix(rep(0:1, 4), ncol=2, byrow=2)

## training inputs
ny <- 50;
X <- lhs(ny, rect[1:2,])    ## computer model train

## true (but unknown) setting of the calibration parameter
## for the computer model
u <- c(0.2, 0.1)
Zu <- M(X, matrix(u, nrow=1))

## field data response, biased and replicated
sd <- 0.5
## Y <- computer output + bias + noise
reps <- 2 ## example from paper uses reps <- 10
Y <- rep(Zu,reps) + rep(bias(X),reps) + rnorm(reps*length(Zu), sd=sd)
## variations: remove the bias or change 2 to 1 to remove replicates

## computer model design
nz <- 10000
XU <- lhs(nz, rect)
nth <- 1 ## number of threads to use in emulation, demo uses 8

## augment with physical model design points
## with various u settings
XU2 <- matrix(NA, nrow=10*ny, ncol=4)
for(i in 1:10) {
  I <- ((i-1)*ny+1):(ny*i)
  XU2[I,1:2] <- X
}
XU2[,3:4] <- lhs(10*ny, rect[3:4,])
XU <- rbind(XU, XU2)

## evaluate the computer model

```



```

Z <- M(XU[,1:2], XU[,3:4])

## flag indicating if estimating bias/discrepancy or not
bias.est <- TRUE
## two passes of ALC with MLE calculations for aGP.seq
methods <- rep("alcray", 2) ## demo uses rep("alc", 2)

## set up priors
da <- d <- darg(NULL, XU)
g <- garg(list(mle=TRUE), Y)

## end identical data generation code

## now calculate log posterior for true calibration parameter
## value (u). You could repeat this for an estimate value
## from demo("calib"), for example u.hat <- c(0.8236673, 0.1406989)

fcalib(u, XU, Z, X, Y, da, d, g, beta.prior, methods, M, bias.est, nth)

```

laGP

Localized Approximate GP Prediction At a Single Input Location

Description

Build a sub-design of X of size `end`, and infer parameters, for approximate Gaussian process prediction at reference location(s) X_{ref} . Return the moments of those predictive equations, and indices into the local design

Usage

```

laGP(Xref, start, end, X, Z, d = NULL, g = 1/10000,
     method = c("alc", "alcray", "mspe", "nn", "fish"), Xi.ret = TRUE,
     close = min(1000*if(method == "alcray") 10 else 1, nrow(X)),
     alc.gpu = FALSE, numrays = ncol(X), rect = NULL, verb = 0)
laGP.R(Xref, start, end, X, Z, d = NULL, g = 1/10000,
     method = c("alc", "alcray", "mspe", "nn", "fish"), Xi.ret = TRUE,
     pall = FALSE, close = min(1000*if(method=="alcray") 10 else 1, nrow(X)),
     parallel = c("none", "omp", "gpu"), numrays = ncol(X), rect = NULL,
     verb = 0)
laGPsep(Xref, start, end, X, Z, d = NULL, g = 1/10000,
     method = c("alc", "alcray", "nn"), Xi.ret = TRUE,
     close = min(1000*if(method == "alcray") 10 else 1, nrow(X)),
     numrays = ncol(X), rect = NULL, verb = 0)
laGPsep.R(Xref, start, end, X, Z, d = NULL, g = 1/10000,
     method = c("alc", "alcray", "nn"), Xi.ret = TRUE,
     pall = FALSE, close = min(1000*if(method == "alcray") 10 else 1, nrow(X)),
     parallel = c("none", "omp"), numrays = ncol(X), rect = NULL,
     verb = 0)

```

Arguments

<code>Xref</code>	a vector of length $\text{ncol}(X)$ containing a single reference location; or a matrix with $\text{ncol}(Xref) = \text{ncol}(X)$ containing multiple reference locations (unless <code>method = "alcray"</code>) for simultaneous sub-design and prediction
<code>start</code>	the number of Nearest Neighbor (NN) locations for initialization; must specify <code>start >= 6</code>
<code>end</code>	the total size of the local designs; must have <code>start < end</code>
<code>X</code>	a matrix or <code>data.frame</code> containing the full (large) design matrix of input locations
<code>Z</code>	a vector of responses/dependent values with $\text{length}(Z) = \text{ncol}(X)$
<code>d</code>	a prior or initial setting for the lengthscale parameter for a Gaussian correlation function; a (default) NULL value causes a sensible regularization (prior) and initial setting to be generated via <code>darg</code> ; a scalar specifies an initial value, causing <code>darg</code> to only generate the prior; otherwise, a list or partial list matching the output of <code>darg</code> can be used to specify a custom prior. In the case of a partial list, the only the missing entries will be generated. Note that a default/generated list specifies MLE/MAP inference for this parameter. With <code>laGPsep</code> , the starting values can be a $\text{ncol}(X)$ -by- $\text{nrow}(XX)$ matrix or $\text{ncol}(X)$ vector
<code>g</code>	a prior or initial setting for the nugget parameter; a NULL value causes a sensible regularization (prior) and initial setting to be generated via <code>garg</code> ; a scalar (default <code>g = 1/10000</code>) specifies an initial value, causing <code>garg</code> to only generate the prior; otherwise, a list or partial list matching the output of <code>garg</code> can be used to specify a custom prior. In the case of a partial list, only the missing entries will be generated. Note that a default/generated list specifies <i>no</i> inference for this parameter; i.e., it is fixed at its starting or default value, which may be appropriate for emulating deterministic computer code output. In such situations a value much smaller than the default may work even better (i.e., yield better out-of-sample predictive performance). The default was chosen conservatively
<code>method</code>	Specifies the method by which <code>end-start</code> candidates from <code>X</code> are chosen in order to predict at <code>Xref</code> . In brief, ALC (" <code>alc</code> ", default) minimizes predictive variance; ALCRAY (" <code>alcray</code> ") executes a thrifty ALC-based search focused on rays emanating from the reference location [must have $\text{nrow}(Xref) = 1$]; MSPE (" <code>mspe</code> ") augments ALC with extra derivative information to minimize mean-squared prediction error (requires extra computation); NN (" <code>nn</code> ") uses nearest neighbor; and EFI (" <code>fish</code> ") uses the expected Fisher information - essentially $1/G$ from Gramacy & Apley (2015) - which is global heuristic, i.e., not localized to <code>Xref</code>
<code>xi.ret</code>	A scalar logical indicating whether or not a vector of indices into <code>X</code> , specifying the chosen sub-design, should be returned on output
<code>pa11</code>	a scalar logical (for <code>laGP.R</code> only) offering the ability to obtain predictions after every update (for progress indication and debugging), rather than after just the last update
<code>close</code>	a non-negative integer specifying the number of NNs (to <code>Xref</code>) in <code>X</code> to consider when searching for elements of the sub-design; <code>close = 0</code> specifies all. For <code>method="alcray"</code> this specifies the scope used to snap ray-based solutions back to elements of <code>X</code> , otherwise there are no restrictions on that search

<code>alc.gpu</code>	a scalar logical indicating if a GPU should be used to parallelize the evaluation of the ALC criteria (<code>method = "alc"</code>). Requires the package be compiled with CUDA flags; see README/INSTALL in the package source for more details; currently only available via <code>laGP</code> , not <code>laGPsep</code> or the <code>.R</code> variants and only supports off-loading ALC calculation to the GPU
<code>parallel</code>	a switch indicating if any parallel calculation of the criteria is desired. Currently parallelization at this level is only provided for <code>method = "alc"</code> . For <code>parallel = "omp"</code> , the package must be compiled with OMP flags; for <code>parallel = "gpu"</code> , the package must be compiled with CUDA flags see README/INSTALL in the package source for more details; currently only available via <code>laGP.R</code>
<code>numrays</code>	a scalar integer indicating the number of rays for each greedy search; only relevant when <code>method="alcray"</code> . More rays leads to a more thorough, but more computational intensive search
<code>rect</code>	an optional 2-by- <code>ncol(X)</code> matrix describing a bounding rectangle for <code>X</code> that is used by the <code>"alcray"</code> method. If not specified, the rectangle is calculated from the range applied to the columns of <code>X</code>
<code>verb</code>	a positive integer specifying the verbosity level; <code>verb = 0</code> is quiet, and larger values cause more progress information to be printed to the screen

Details

A sub-design of `X` of size `end` is built-up according to the criteria prescribed by the `method` and then used to predict at `Xref`. The first start locations are NNs in order to initialize the first GP, via `newGP` or `newGPsep`, and thereby initialize the search. Each subsequent addition is found via the chosen criterion (`method`), and the GP fit is updated via `updateGP` or `updateGPsep`

The runtime is cubic in `end`, although the multiplicative “constant” out front depends on the `method` chosen, the size of the design `X`, and `close`. The `"alcray"` method has a smaller constant since it does not search over all candidates exhaustively.

After building the sub-design, local MLE/MAP lengthscale (and/or nugget) parameters are estimated, depending on the `d` and `g` arguments supplied. This is facilitated by calls to `mleGP` or `jmleGP`.

Finally `predGP` is called on the resulting local GP model, and the parameters of the resulting Student-t distribution(s) are returned. Unless `Xi.ret = FALSE`, the indices of the local design are also returned.

The functions `laGP.R` and `laGPsep.R` are a prototype R-only version for debugging and transparency purposes. They are slower than `laGP` and `laGPsep`, which are primarily in C, and may not provide identical output in all cases due differing library implementations used as subroutines; see note below for an example. `laGP.R` and other `.R` functions in the package may be useful for developing new programs that involve similar subroutines. The current version of `laGP.R` allows OpenMP and/or GPU parallelization of the criteria (`method`) if the package is compiled with the appropriate flags. See README/INSTALL in the package source for more information. For algorithmic details, see Gramacy, Niemi, & Weiss (2014)

Value

The output is a `list` with the following components.

<code>mean</code>	a vector of predictive means of length <code>nrow(Xref)</code>
-------------------	--

s2	a vector of Student-t scale parameters of length <code>nrow(Xref)</code>
df	a Student-t degrees of freedom scalar (applies to all <code>Xref</code>)
llik	a scalar indicating the maximized log likelihood or log posterior probability of the data/parameter(s) under the chosen sub-design; provided up to an additive constant
time	a scalar giving the passage of wall-clock time elapsed for (substantive parts of) the calculation
method	a copy of the <code>method</code> argument
d	a full-list version of the <code>d</code> argument, possibly completed by <code>darg</code>
g	a full-list version of the <code>g</code> argument, possibly completed by <code>garg</code>
mle	if <code>d\$mle</code> and/or <code>g\$mle</code> are TRUE, then <code>mle</code> is a <code>data.frame</code> containing the values found for these parameters, and the number of required iterations
Xi	when <code>Xi.ret = TRUE</code> , this field contains a vector of indices of length <code>end</code> into <code>X</code> indicating the sub-design chosen
close	a copy of the input argument

Note

`laGPsep` provides the same functionality as `laGP` but deploys a separable covariance function. However criteria (methods) `EFI` and `MSPE` are not supported. This is considered “beta” functionality at this time.

Note that using `method="NN"` gives the same result as specifying `start=end`, however at some extra computational expense.

Handling multiple reference locations (`nrow(Xref) > 1`) is “beta” functionality. In this case the initial `start` locations are chosen by applying `NN` to the average distances to all `Xref` locations. This is not supported for `method="alcray"`.

Differences between the `Cqsort` function and R’s `order` function may cause chosen designs returned from `laGP` and `laGP.R` (code and `laGPsep` and `laGPsep.R`) to differ when multiple `X` values are equidistant to `Xref`

Author(s)

Robert B. Gramacy <rbg@vt.edu>

References

- R.B. Gramacy (2016). **laGP**: *Large-Scale Spatial Modeling via Local Approximate Gaussian Processes in R*, *Journal of Statistical Software*, 72(1), 1-46; or see `vignette("laGP")`
- R.B. Gramacy and D.W. Apley (2015). *Local Gaussian process approximation for large computer experiments*. *Journal of Computational and Graphical Statistics*, 24(2), pp. 561-678; preprint on [arXiv:1303.0383](https://arxiv.org/abs/1303.0383); <http://arxiv.org/abs/1303.0383>
- R.B. Gramacy, J. Niemi, R.M. Weiss (2014). *Massively parallel approximate Gaussian process regression*. *SIAM/ASA Journal on Uncertainty Quantification*, 2(1), pp. 568-584; preprint on [arXiv:1310.5182](https://arxiv.org/abs/1310.5182); <http://arxiv.org/abs/1310.5182>

R.B. Gramacy and B. Haaland (2015). *Speeding up neighborhood search in local Gaussian process prediction*. *Technometrics, to appear*; preprint on arXiv:1409.0074 <http://arxiv.org/abs/1409.0074>

See Also

vignette("laGP"), aGP, newGP, updateGP, predGP, mleGP, jmleGP, alcGP, mspeGP, alcrayGP

Examples

```
## examining a particular laGP call from the larger analysis provided
## in the aGP documentation

## Simple 2-d test function used in Gramacy & Apley (2014);
## thanks to Lee, Gramacy, Taddy, and others who have used it before
f2d <- function(x, y=NULL)
{
  if(is.null(y)) {
    if(!is.matrix(x)) x <- matrix(x, ncol=2)
    y <- x[,2]; x <- x[,1]
  }
  g <- function(z)
    return(exp(-(z-1)^2) + exp(-0.8*(z+1)^2) - 0.05*sin(8*(z+0.1)))
  z <- -g(x)*g(y)
}

## build up a design with N=~40K locations
x <- seq(-2, 2, by=0.02)
X <- as.matrix(expand.grid(x, x))
Z <- f2d(X)

## local analysis, first pass
Xref <- matrix(c(-1.725, 1.725), nrow=TRUE)
out <- laGP(Xref, 6, 50, X, Z, method="nn")

## second and pass via ALC, MSPE, and ALC-ray respectively
out2 <- laGP(Xref, 6, 50, X, Z, d=out$mle$d)
out2.mspe <- laGP(Xref, 6, 50, X, Z, d=out2$mle$d, method="mspe")
out2.alcray <- laGP(Xref, 6, 50, X, Z, d=out2$mle$d, method="alcray")

## look at the different designs
plot(rbind(X[out2$Xi,], X[out2.mspe$Xi,]), type="n",
     xlab="x1", ylab="x2", main="comparing local designs")
points(Xref[1], Xref[2], col=2, cex=0.5)
text(X[out2$Xi,], labels=1:50, cex=0.6)
text(X[out2.mspe$Xi,], labels=1:50, cex=0.6, col="green")
text(X[out2.alcray$Xi,], labels=1:50, cex=0.6, col="red")

legend("topright", c("pass 2 ALC", "pass 3 MSPE", "pass 3 ALCRAY"),
      text.col=c("black", "green", "red"), bty="n")

## compare times
```

```

data.frame(nn=out$time, alc=out2$time,
           mspe=out2.mspe$time, alcray=out2.alcray$time)

## Here is the example from the Gramacy & Haaland (2014) paper;
## the lower lengthscale (d) setting generates more spread
out <- laGP(Xref, 6, 50, X, Z, d=0.1, method="alc")
out2 <- laGP(Xref, 6, 50, X, Z, d=0.1, method="alcray")
plot(X[out$Xi,], xlab="x1", ylab="x2", type="n")
text(X[out$Xi,], labels=1:length(out$Xi), cex=0.7)
text(X[out2$Xi,], labels=1:length(out2$Xi), cex=0.7, col=3)
points(Xref[1], Xref[2], pch=19, col=2)
legend("topright", c("exhaustive", "via rays"), text.col=c(1,3), bty="n")

```

llikGP

Calculate a GP log likelihood

Description

Calculate a Gaussian process (GP) log likelihood or posterior probability with reference to a C-side GP object

Usage

```

llikGP(gpi, dab = c(0, 0), gab = c(0, 0))
llikGPsep(gpsepi, dab = c(0, 0), gab = c(0, 0))

```

Arguments

<code>gpi</code>	a C-side GP object identifier (positive integer); e.g., as returned by newGP
<code>gpsepi</code>	similar to <code>gpi</code> but indicating a separable GP object
<code>dab</code>	ab for the lengthscale parameter, see Details
<code>gab</code>	ab for the nugget parameter, see Details

Details

An “ab” parameter is a non-negative 2-vector describing shape and rate parameters to a Gamma prior; a zero-setting for either value results in no-prior being used in which case a likelihood is returned. If both ab parameters are specified, then the value returned can be interpreted as a posterior probability. See [darg](#) for more information about ab

Value

A real-valued scalar is returned.

Author(s)

Robert B. Gramacy <rbg@vt.edu>

See Also

[mleGP](#), [darg](#)

Examples

```
## partly following the example in mleGP
library(MASS)

## motorcycle data and predictive locations
X <- matrix(mcycle[,1], ncol=1)
Z <- mcycle[,2]

## get sensible ranges
d <- darg(NULL, X)
g <- garg(list(mle=TRUE), Z)

## initialize the model
gpi <- newGP(X, Z, d=d$start, g=g$start)

## calculate log likelihood
llikGP(gpi)
## calculate posterior probability
llikGP(gpi, d$ab, g$ab)

## clean up
deleteGP(gpi)
```

mleGP

Inference for GP correlation parameters

Description

Maximum likelihood/a posteriori inference for (isotropic and separable) Gaussian lengthscale and nugget parameters, marginally or jointly, for Gaussian process regression

Usage

```
mleGP(gpi, param = c("d", "g"), tmin=sqrt(.Machine$double.eps),
      tmax = -1, ab = c(0, 0), verb = 0)
mleGPsep(gpsepi, param=c("d", "g", "both"), tmin=rep(sqrt(.Machine$double.eps), 2),
         tmax=c(-1,1), ab=rep(0,4), maxit=100, verb=0)
mleGPsep.R(gpsepi, param=c("d", "g"), tmin=sqrt(.Machine$double.eps),
           tmax=-1, ab=c(0,0), maxit=100, verb=0)
jmleGP(gpi, drange=c(sqrt(.Machine$double.eps),10),
       grange=c(sqrt(.Machine$double.eps), 1), dab=c(0,0), gab=c(0,0), verb=0)
jmleGP.R(gpi, N=100, drange=c(sqrt(.Machine$double.eps),10),
         grange=c(sqrt(.Machine$double.eps), 1), dab=c(0,0), gab=c(0,0), verb=0)
jmleGPsep(gpsepi, drange=c(sqrt(.Machine$double.eps),10),
```

```

grange=c(sqrt(.Machine$double.eps), 1), dab=c(0,0), gab=c(0,0),
maxit=100, verb=0)
jmleGPsep.R(gpsepi, N=100, drange=c(sqrt(.Machine$double.eps),10),
grange=c(sqrt(.Machine$double.eps), 1), dab=c(0,0), gab=c(0,0),
maxit=100, mleGPsep=mleGPsep.R, verb=0)

```

Arguments

<code>gpi</code>	a C-side GP object identifier (positive integer); e.g., as returned by <code>newGP</code>
<code>gpsepi</code>	similar to <code>gpi</code> but indicating a separable GP object, as returned by <code>newGPsep</code>
<code>N</code>	for <code>jmleGP.R</code> , the maximum number of times the pair of margins should be iterated over before determining failed convergence; note that (at this time) <code>jmleGP</code> uses a hard-coded <code>N=100</code> in its C implementation
<code>param</code>	for <code>mleGP</code> , indicating whether to work on the lengthscale (<code>d</code>) or nugget (<code>g</code>) margin
<code>tmin</code>	for <code>mleGP</code> , smallest value considered for the parameter (<code>param</code>)
<code>tmax</code>	for <code>mleGP</code> , largest value considered for the parameter (<code>param</code>)
<code>drange</code>	for <code>jmleGP</code> , these are <code>c(tmin, tmax)</code> values for the lengthscale parameter; the default values are reasonable for 1-d inputs in the unit interval
<code>grange</code>	for <code>jmleGP</code> , these are <code>c(tmin, tmax)</code> values for the nugget parameter; the default values are reasonable for responses with a range of one
<code>ab</code>	for <code>mleGP</code> , a non-negative 2-vector describing shape and rate parameters to a Gamma prior for the parameter (<code>param</code>); a zero-setting for either value results in no-prior being used (MLE inference); otherwise MAP inference is performed
<code>maxit</code>	for <code>mleGPsep</code> this is passed as <code>control=list(trace=maxit)</code> to <code>optim</code> 's L-BFGS-B method for optimizing the likelihood/posterior of a separable GP representation; this argument is not used for isotropic GP versions, and nor for optimizing the nugget
<code>dab</code>	for <code>jmleGP</code> , this is <code>ab</code> for the lengthscale parameter
<code>gab</code>	for <code>jmleGP</code> , this is <code>ab</code> for the nugget parameter
<code>mleGPsep</code>	function for internal MLE calculation of the separable lengthscale parameter; one of either <code>mleGPsep.R</code> based on <code>method="L-BFGS-B"</code> using <code>optim</code> ; or <code>mleGPsep</code> using the C entry point <code>lbfgsb</code> . Both options use a C backend for the nugget
<code>verb</code>	a verbosity argument indicating how much information about the optimization steps should be printed to the screen; <code>verb <= 0</code> is quiet; for <code>jmleGP</code> , a <code>verb - 1</code> value is passed to the <code>mleGP</code> or <code>mleGPsep</code> subroutine(s)

Details

`mleGP` and `mleGPsep` perform marginal (or profile) inference for the specified `param`, either the lengthscale or the nugget. `mleGPsep` can perform simultaneous lengthscale and nugget inference via a common gradient with `param = "both"`. More details are provided below.

For the lengthscale, `mleGP` uses a Newton-like scheme with analytic first and second derivatives (more below) to find the scalar parameter for the isotropic Gaussian correlation function, with hard-coded 100-max iterations threshold and a `sqrt(.Machine$double.eps)` tolerance for determining

convergence; `mleGPsep.R` uses L-BFGS-B via `optim` for the vectorized parameter of the separable Gaussian correlation, with a user-supplied maximum number of iterations (`maxit`) passed to `optim`. When `maxit` is reached the output `conv = 1` is returned, whereby subsequent identical calls to `mleGPsep.R` can be used to continue with further iterations. `mleGPsep` is similar, but uses the C entry point `lbfgsb`.

For the nugget, both `mleGP` and `mleGPsep` utilize a (nearly identical) Newton-like scheme leveraging first and second derivatives.

`jmleGP` and `jmleGPsep` provide joint inference by iterating over the marginals of lengthscale and nugget. The `jmleGP.R` function is an R-only wrapper around `mleGP` (which is primarily in C), whereas `jmleGP` is primarily in C but should give answers but with reduced output and with hard-coded `N=100`. The same is true for `jmleGPsep`.

`mleGPsep` provides a `param = "both"` alternative to `jmleGPsep` leveraging a common gradient. It can be helpful to supply a larger `maxit` argument compared to `jmleGPsep` as the latter may do up to 100 outer iterations, cycling over lengthscale and nugget. `mleGPsep` usually requires many fewer total iterations, unless one of the lengthscale or nugget is already converged. In anticipation of `param = "both"` the `mleGPsep` function has longer default values for its bounds and prior arguments. These longer arguments are ignored when `param != "both"`. At this time `mleGP` does not have a `param = "both"` option.

All methods are initialized at the value of the parameter(s) currently stored by the C-side object referenced by `gpi` or `gpsepi`. It is *highly recommended* that sensible range values (`tmin`, `tmax` or `drange`, `grange`) be provided. The defaults provided are too loose for most applications. As illustrated in the examples below, the `darg` and `garg` functions can be used to set appropriate ranges from the distributions of inputs and output data respectively.

The Newton-like method implemented for the isotropic lengthscale and for the nugget offers very fast convergence to local maxima, but sometimes it fails to converge (for any of the usual reasons). The implementation detects this, and in such cases it invokes a `Brent_fmin` call instead - this is the method behind the `optimize` function.

Note that the `gpi` or `gpsepi` object(s) must have been allocated with `dK=TRUE`; alternatively, one can call `buildKGP` or `buildKGPsep` - however, this is not in the NAMESPACE at this time

Value

A self-explanatory `data.frame` is returned containing the values inferred and the number of iterations used. The `jmleGP.R` and `jmleGPsep.R` functions will also show progress details (the values obtained after each iteration over the marginals).

However, the most important “output” is the modified GP object which retains the setting of the parameters reported on output as a side effect.

`mleGPsep` and `jmleGPsep` provide an output field/column called `conv` indicating convergence (when 0), or alternately a value agreeing with a non-convergence code provided on output by `optim`

Author(s)

Robert B. Gramacy <rbg@vt.edu>

References

For standard GP inference, refer to any graduate text, e.g., Rasmussen & Williams *Gaussian Processes for Machine Learning*;

See Also

`vignette("laGP")`, `newGP`, `laGP`, `llikGP`, `optimize`

Examples

```
## a simple example with estimated nugget
library(MASS)

## motorcycle data and predictive locations
X <- matrix(mcycle[,1], ncol=1)
Z <- mcycle[,2]

## get sensible ranges
d <- darg(NULL, X)
g <- garg(list(mle=TRUE), Z)

## initialize the model
gpi <- newGP(X, Z, d=d$start, g=g$start, dK=TRUE)

## separate marginal inference (not necessary - for illustration only)
print(mleGP(gpi, "d", d$min, d$max))
print(mleGP(gpi, "g", g$min, g$max))

## joint inference (could skip straight to here)
print(jmleGP(gpi, drange=c(d$min, d$max), grange=c(g$min, g$max)))

## plot the resulting predictive surface
N <- 100
XX <- matrix(seq(min(X), max(X), length=N), ncol=1)
p <- predGP(gpi, XX, lite=TRUE)
plot(X, Z, main="stationary GP fit to motorcycle data")
lines(XX, p$mean, lwd=2)
lines(XX, p$mean+1.96*sqrt(p$s2*p$df/(p$df-2)), col=2, lty=2)
lines(XX, p$mean-1.96*sqrt(p$s2*p$df/(p$df-2)), col=2, lty=2)

## clean up
deleteGP(gpi)

##
## with a separable correlation function
##

## 2D Example: GoldPrice Function, mimicking GP_fit package
f <- function(x)
{
  x1 <- 4*x[,1] - 2
  x2 <- 4*x[,2] - 2;
```

```

    t1 <- 1 + (x1 + x2 + 1)^2*(19 - 14*x1 + 3*x1^2 - 14*x2 + 6*x1*x2 + 3*x2^2);
    t2 <- 30 + (2*x1 - 3*x2)^2*(18 - 32*x1 + 12*x1^2 + 48*x2 - 36*x1*x2 + 27*x2^2);
    y <- t1*t2;
    return(y)
}

## build design
library(tgp)
n <- 50 ## change to 100 or 1000 for more interesting demo
B <- rbind(c(0,1), c(0,1))
X <- dopt.gp(n, Xcand=lhs(10*n, B))$XX
## this differs from GP_fit in that we use the log response
Y <- log(f(X))

## get sensible ranges
d <- darg(NULL, X)
g <- garg(list(mle=TRUE), Y)

## build GP and jointly optimize via profile methods
gpisep <- newGPsep(X, Y, d=rep(d$start, 2), g=g$start, dK=TRUE)
jmleGPsep(gpisep, drange=c(d$min, d$max), grange=c(g$min, g$max))

## clean up
deleteGPsep(gpisep)

## alternatively, we can optimize via a combined gradient
gpisep <- newGPsep(X, Y, d=rep(d$start, 2), g=g$start, dK=TRUE)
mleGPsep(gpisep, param="both", tmin=c(d$min, g$min), tmax=c(d$max, d$max))
deleteGPsep(gpisep)

```

newGP

Create A New GP Object

Description

Build a Gaussian process C-side object based on the X-Z data and parameters provided, and augment those objects with new data

Usage

```

newGP(X, Z, d, g, dK = FALSE)
newGPsep(X, Z, d, g, dK = FALSE)
updateGP(gpi, X, Z, verb = 0)
updateGPsep(gpsepi, X, Z, verb = 0)

```

Arguments

X a matrix or data.frame containing the full (large) design matrix of input locations

Z	a vector of responses/dependent values with $\text{length}(Z) = \text{ncol}(X)$
d	a positive scalar lengthscale parameter for an isotropic Gaussian correlation function (<code>newGP</code>); or a vector for a separable version (<code>newGPsep</code>)
g	a positive scalar nugget parameter
dK	a scalar logical indicating whether or not derivative information (for the lengthscale) should be maintained by the GP object; this is required for calculating MLEs/MAPs of the lengthscale parameter(s) via <code>mleGP</code> and <code>jmlGP</code>
gpi	a C-side GP object identifier (positive integer); e.g., as returned by <code>newGP</code>
gpsepi	similar to <code>gpi</code> but indicating a separable GP object, as returned by <code>newGPsep</code>
verb	a scalar logical indicating the verbosity level. A positive value causes progress statements to be printed to the screen for each update of i in $1:\text{nrow}(X)$

Details

`newGP` allocates a new GP object on the C-side and returns its unique integer identifier (`gpi`), taking time which is cubic on $\text{nrow}(X)$; allocated GP objects must (eventually) be destroyed with `deleteGP` or `deleteGPs` or memory will leak. The same applies for `newGPsep`, except deploying a separable correlation with limited feature set; see `deleteGPsep` and `deleteGPseps`

`updateGP` takes `gpi` identifier as input and augments that GP with new data. A sequence of updates is performed, for each i in $1:\text{nrow}(X)$, each taking time which is quadratic in the number of data points. `updateGP` also updates any statistics needed in order to quickly search for new local design candidates via `laGP`. The same applies to `updateGPsep` on `gpsepi` objects

Value

`newGP` and `newGPsep` create a unique GP indicator (`gpi` or `gpsepi`) referencing a C-side object; `updateGP` and `updateGPsep` do not return anything, but yields a modified C-side object as a side effect

Author(s)

Robert B. Gramacy <rbg@vt.edu>

References

For standard GP inference, refer to any graduate text, e.g., Rasmussen & Williams *Gaussian Processes for Machine Learning*.

For efficient updates of GPs, see:

R.B. Gramacy and D.W. Apley (2015). *Local Gaussian process approximation for large computer experiments*. *Journal of Computational and Graphical Statistics*, 24(2), pp. 561-678; preprint on arXiv:1303.0383; <http://arxiv.org/abs/1303.0383>

See Also

`vignette("laGP")`, `deleteGP`, `mleGP`, `predGP`, `laGP`

Examples

```

## for more examples, see predGP and mleGP docs

## simple sine data
X <- matrix(seq(0,2*pi,length=7), ncol=1)
Z <- sin(X)

## new GP fit
gpi <- newGP(X, Z, 2, 0.000001)

## make predictions
XX <- matrix(seq(-1,2*pi+1, length=499), ncol=ncol(X))
p <- predGP(gpi, XX)

## sample from the predictive distribution
library(mvtnorm)
N <- 100
ZZ <- rmvt(N, p$Sigma, p$df)
ZZ <- ZZ + t(matrix(rep(p$mean, N), ncol=N))
matplot(XX, t(ZZ), col="gray", lwd=0.5, lty=1, type="l",
        xlab="x", ylab="f-hat(x)", bty="n")
points(X, Z, pch=19, cex=2)

## update with four more points
X2 <- matrix(c(pi/2, 3*pi/2, -0.5, 2*pi+0.5), ncol=1)
Z2 <- sin(X2)
updateGP(gpi, X2, Z2)

## make a new set of predictions
p2 <- predGP(gpi, XX)
ZZ <- rmvt(N, p2$Sigma, p2$df)
ZZ <- ZZ + t(matrix(rep(p2$mean, N), ncol=N))
matplot(XX, t(ZZ), col="gray", lwd=0.5, lty=1, type="l",
        xlab="x", ylab="f-hat(x)", bty="n")
points(X, Z, pch=19, cex=2)
points(X2, Z2, pch=19, cex=2, col=2)

## clean up
deleteGP(gpi)

```

Description

Uses a surrogate modeled augmented Lagrangian (AL) system to optimize an objective function (blackbox or known and linear) under unknown multiple (blackbox) constraints via expected improvement (EI) and variations; a comparator based on EI with constraints is also provided

Usage

```

optim.auglag(fn, B, fhat = FALSE, equal = FALSE, ethresh = 1e-2,
  slack = FALSE, cknown = NULL, start = 10, end = 100,
  Xstart = NULL, sep = TRUE, ab = c(3/2, 8), lambda = 1, rho = NULL,
  urate = 10, ncandf = function(t) { t }, dg.start = c(0.1, 1e-06),
  dlim = sqrt(ncol(B)) * c(1/100, 10), Bscale = 1, ey.tol = 1e-2,
  N = 1000, plotprog = FALSE, verb = 2, ...)
optim.efi(fn, B, fhat = FALSE, cknown = NULL, start = 10, end = 100,
  Xstart = NULL, sep = TRUE, ab = c(3/2,8), urate = 10,
  ncandf = function(t) { t }, dg.start = c(0.1, 1e-6),
  dlim = sqrt(ncol(B))*c(1/100,10), Bscale = 1, plotprog = FALSE,
  verb = 2, ...)

```

Arguments

fn	function of an input (x), facilitating vectorization on a matrix X thereof, returning a list with elements "obj" containing the (scalar) objective value and "c" containing a vector of evaluations of the (multiple) constraint function at x. The fn function must take a known.only argument which is explained in the note below; it need not act on that argument
B	2-column matrix describing the bounding box. The number of rows of the matrix determines the input dimension (length(x) in fn(x)); the first column gives lower bounds and the second gives upper bounds
fhat	a scalar logical indicating if the objective function should be modeled with a GP surrogate. The default of FALSE assumes a known linear objective scaled by Bscale. Using TRUE is an "alpha" feature at this time
equal	an optional vector containing zeros and ones, whose length equals the number of constraints, specifying which should be treated as equality constraints (0) and which as inequality (1)
ethresh	a threshold used for equality constraints to determine validity for progress measures; ignored if there are no equality constraints
slack	A scalar logical indicating if slack variables, and thus exact EI calculations should be used. The default of slack = FALSE results in Monte Carlo EI approximation. One can optionally specify slack = 2 to get the slack = TRUE behavior, with a second-stage L-BFGS-B optimization of the EI acquisition applied at the end, starting from the best value found on the random search grid
cknown	A optional positive integer vector specifying which of the constraint values returned by fn should be treated as "known", i.e., not modeled with Gaussian processes
start	positive integer giving the number of random starting locations before sequential design (for optimization) is performed; start >= 6 is recommended unless Xstart is non-NULL; in the current version the starting locations come from a space-filling design via dopt.gp
end	positive integer giving the total number of evaluations/trials in the optimization; must have end > start

Xstart	optional matrix of starting design locations in lieu of, or in addition to, start random ones; we recommend $nrow(Xstart) + start \geq 6$; also must have $ncol(Xstart) = nrow(B)$
sep	The default <code>sep = TRUE</code> uses separable GPs (i.e., via <code>newGPsep</code> , etc.) to model the constraints and objective; otherwise the isotropic GPs are used
ab	prior parameters; see <code>darg</code> describing the prior used on the lengthscale parameter during emulation(s) for the constraints
lambda	m-dimensional initial Lagrange multiplier parameter for m-constraints
rho	positive scalar initial quadratic penalty parameter in the augmented Lagrangian; the default setting of <code>rho = NULL</code> causes an automatic starting value to be chosen; see rejoinder to Gramacy, et al. (2016) or supplementary material to Picheny, et al. (2016)
urate	positive integer indicating how many optimization trials should pass before each MLE/MAP update is performed for GP correlation lengthscale parameter(s)
ncandf	function taking a single integer indicating the optimization trial number t , where $start < t \leq end$, and returning the number of search candidates (e.g., for expected improvement calculations) at round t ; the default setting allows the number of candidates to grow linearly with t
dg.start	2-vector giving starting values for the lengthscale and nugget parameters of the GP surrogate model(s) for constraints
dlim	2-vector giving bounds for the lengthscale parameter(s) under MLE/MAP inference, thereby augmenting the prior specification in <code>ab</code>
Bscale	scalar indicating the relationship between the sum of the inputs, $\sum(x)$, to fn and the output $fn(x)$; note that at this time only linear objectives are fully supported by the code - more details below
ey.tol	a scalar proportion indicating how many of the EIs at <code>ncandf(t)</code> candidate locations must be non-zero to “trust” that metric to guide search, reducing to an EY-based search instead [choosing that proportion to be one forces EY-based search]
N	positive scalar integer indicating the number of Monte Carlo samples to be used for calculating EI and EY
plotprog	logical indicating if progress plots should be made after each inner iteration; the plots show three panels tracking the best valid objective, the EI or EY surface over the first two input variables (requires <code>interp</code> , and the parameters of the lengthscale(s) of the GP(s) respectively. When <code>plotprog = TRUE</code> the <code>interp.loess</code> function is used to aid in creating surface plots, however this does not work well with fewer than fifteen points. You may also provide a function as an argument, having similar arguments/formals as <code>interp.loess</code> . For example, we use <code>interp</code> below, which would have been the default if not for licensing incompatibilities
verb	positive scalar integer indicating the verbosity level; the larger the value the more that is printed to the screen
...	additional arguments passed to <code>fn</code>

Details

In its current form, this is a “beta” code illustrating the suite of methods used to optimize two challenging constrained optimization problems from Gramacy, et al. (2016); and from Picheny, et al., (2016) see references below.

That scheme hybridizes Gaussian process based surrogate modeling and expected improvement (EI; Jones, et., al, 2008) with the additive penalty method (APM) implemented by the augmented Lagrangian (AL, e.g., Nocedal & Wright, 2006). The goal is to minimize a known linear objective function $f(x)$ under multiple, unknown (blackbox) constraint functions satisfying $c(x) \leq 0$, which is vector-valued. The solution here emulates the components of c with Gaussian process surrogates, and guides optimization by searching the posterior mean surface, or the EI of, the following composite objective

$$Y(x) = f(x) + \lambda^\top Y_c(x) + \frac{1}{2\rho} \sum_{i=1}^m \max(0, Y_{c_i}(x))^2,$$

where λ and ρ follow updating equations that guarantee convergence to a valid solution minimizing the objective. For more details, see Gramacy, et al. (2016).

A slack variable implementation that allows for exact EI calculations and can accommodate equality constraints, and mixed (equality and inequality) constraints, is also provided. For further details, see Picheny, et al. (2016). Details will be added to the documentation here at a later time.

The example below illustrates a variation on the toy problem considered in both papers, which bases sampling on EI. For examples making use of equality constraints, following the Picheny, et al (2016) papers; see the demos listed in the “See Also” section below, about which we now offer the following via an explanation of further, somewhat tangential, functionality provided by the library:

Although it is off by default, this function allows an unknown objective function to be modeled (`fhat = TRUE`), rather than assuming a known linear one. This is “beta” functionality at this time. For examples see `demo("AL fhat")` and `demo("GSBP")` which illustrate the AL and comparators in inequality and mixed constraints setups, respectively.

The `optim.efi` function is provided as a comparator. This method uses the same underlying GP models to with the hybrid EI and probability of satisfying the constraints heuristic from Schonlau, et al., (1998). See `demo("GSBP")` and `demo("LAH")` for `optim.efi` examples and comparisons between the original AL, the slack variable enhancement(s) on mixed constraint problems with known and blackbox objectives, respectively

Value

The output is a `list` summarizing the progress of the evaluations of the blackbox under optimization

<code>prog</code>	vector giving the best valid ($c(x) < 0$) value of the objective over the trials
<code>obj</code>	vector giving the value of the objective for the input under consideration at each trial
<code>X</code>	matrix giving the input values at which the blackbox function was evaluated
<code>C</code>	matrix giving the value of the constraint function for the input under consideration at each trial (corresponding to <code>X</code> above)

d	matrix of lengthscale values obtained at the final update of the GP emulator for each constraint
df	if fhat = TRUE then this is a matrix of lengthscale values for the objective obtained at the final update of the GP emulator
lambda	a matrix containing lambda vectors used in each outer loop iteration
rho	a vector of rho values used in each outer loop iteration

Note

This function is under active development, especially the newest features including separable GP surrogate modeling, surrogate modeling of a blackbox objective, and the use of slack variables for exact EI calculations and the support if equality constraints. Also note that, compared with earlier versions, it is now required to augment your blackbox function (fn) with an argument named `known.only`. This allows the user to specify if a potentially different object (with a subset of the outputs, those that are “known”) gets returned in certain circumstances. For example, the objective is treated as known in our examples. When a non-null `cknown` object is used, the `known.only` flag can be used to return only the outputs which are known.

Older versions of this function provided an argument called `nomax`. The NoMax feature is no longer supported

Author(s)

Robert B. Gramacy <rbg@vt.edu>

References

- Picheny, V., Gramacy, R.B., Wild, S.M., Le Digabel, S. (2016). “Bayesian optimization under mixed constraints with a slack-variable augmented Lagrangian”. Preprint available on arXiv:1605.09466; <http://arxiv.org/abs/1605.09466>
- Gramacy, R.B, Gray, G.A, Lee, H.K.H, Le Digabel, S., Ranjan P., Wells, G., Wild, S.M. (2016) “Modeling an Augmented Lagrangian for Improved Blackbox Constrained Optimization”, *Technometrics* (with discussion), 58(1), 1-11. Preprint available on arXiv:1403.4890; <http://arxiv.org/abs/1403.4890>
- Jones, D., Schonlau, M., and Welch, W. J. (1998). “Efficient Global Optimization of Expensive Black Box Functions.” *Journal of Global Optimization*, 13, 455-492.
- Schonlau, M., Jones, D.R., and Welch, W. J. (1998). “Global Versus Local Search in Constrained Optimization of Computer Models.” In *New Developments and Applications in Experimental Design*, vol. 34, 11-25. Institute of Mathematical Statistics.
- Nocedal, J. and Wright, S.J. (2006). *Numerical Optimization*. 2nd ed. Springer.

See Also

`vignette("laGP")`, `demo("ALfhat")` for blackbox objective, `demo("GSBP")` for a mixed constraints problem with blackbox objective, `demo("LAH")` for mix constraints with known objective, [optim.step.tgp](#) for unconstrained optimization; `optim` with `method="L-BFGS-B"` for box constraints, or `optim` with `method="SANN"` for simulated annealing

Examples

```

## this example assumes a known linear objective; further examples
## are in the optim.auglag demo

## a test function returning linear objective evaluations and
## non-linear constraints
aimprob <- function(X, known.only = FALSE)
{
  if(is.null(nrow(X))) X <- matrix(X, nrow=1)
  f <- rowSums(X)
  if(known.only) return(list(obj=f))
  c1 <- 1.5-X[,1]-2*X[,2]-0.5*sin(2*pi*(X[,1]^2-2*X[,2]))
  c2 <- rowSums(X^2)-1.5
  return(list(obj=f, c=cbind(c1,c2)))
}

## set bounding rectangle for adaptive sampling
B <- matrix(c(rep(0,2),rep(1,2)),ncol=2)

## optimization (primarily) by EI, change 25 to 100 for
## 99% chance of finding the global optimum with value 0.6
library(akima) ## for plotprog=interp
out <- optim.auglag(aimprob, B, end=25, plotprog=interp)

## using the slack variable implementation which is a little slower
## but more precise; slack=2 augments random search with L-BFGS-B

out2 <- optim.auglag(aimprob, B, end=25, slack=TRUE)
## Not run:
out3 <- optim.auglag(aimprob, B, end=25, slack=2)

## End(Not run)

## for more slack examples and comparison to optim.efi on problems
## involving equality and mixed (equality and inequality) constraints,
## see demo("ALfhat"), demo("GSBP") and demo("LAH")

## for comparison, here is a version that uses simulated annealing
## with the Additive Penalty Method (APM) for constraints
## Not run:
aimprob.apm <- function(x, B=matrix(c(rep(0,2),rep(1,2)),ncol=2))
{
  ## check bounding box
  for(i in 1:length(x)) {
    if(x[i] < B[i,1] || x[i] > B[i,2]) return(Inf)
  }

  ## evaluate objective and constraints
  f <- sum(x)
  c1 <- 1.5-x[1]-2*x[2]-0.5*sin(2*pi*(x[1]^2-2*x[2]))
  c2 <- x[1]^2+x[2]^2-1.5
}

```

```

    ## return APM composite
    return(f + abs(c1) + abs(c2))
}

## use SA; specify control=list(maxit=100), say, to control max
## number of iterations; does not easily facilitate plotting progress
out4 <- optim(runif(2), aimprob.apm, method="SANN")
## check the final value, which typically does not satisfy both
## constraints
aimprob(out4$par)

## End(Not run)

## for a version with a modeled objective see demo("ALfhat")

```

 predGP

GP Prediction/Kriging

Description

Perform Gaussian processes prediction (under isotropic or separable formulation) at new `XX` locations using a GP object stored on the C side

Usage

```

predGP(gpi, XX, lite = FALSE)
predGPsep(gpsepi, XX, lite = FALSE)

```

Arguments

<code>gpi</code>	a C-side GP object identifier (positive integer); e.g., as returned by newGP
<code>gpsepi</code>	similar to <code>gpi</code> but indicating a separable GP object, as returned by newGPsep
<code>XX</code>	a <code>matrix</code> or <code>data.frame</code> containing a design of predictive locations
<code>lite</code>	a scalar logical indicating whether (<code>lite = FALSE</code> , default) or not (<code>lite = TRUE</code>) a full predictive covariance matrix should be returned, as would be required for plotting random sample paths, but substantially increasing computation time if only point-prediction is required

Details

Returns the parameters of Student-t predictive equations. By default, these include a full predictive covariance matrix between all `XX` locations. However, this can be slow when `nrow(XX)` is large, so a `lite` options is provided, which only returns the diagonal of that matrix.

GP prediction is sometimes called “kriging”, especially in the spatial statistics literature. So this function could also be described as returning the “kriging equations”

Value

The output is a list with the following components.

mean	a vector of predictive means of length <code>nrow(Xref)</code>
Sigma	covariance matrix of for a multivariate Student-t distribution; alternately if <code>lite = TRUE</code> , then a field <code>s2</code> contains the diagonal of this matrix
df	a Student-t degrees of freedom scalar (applies to all <code>XX</code>)

Author(s)

Robert B. Gramacy <rbg@vt.edu>

References

for standard GP prediction, refer to any graduate text, e.g., Rasmussen & Williams *Gaussian Processes for Machine Learning*

See Also

`vignette("laGP")`, [newGP](#), [mleGP](#), [jmleGP](#),

Examples

```
## a "computer experiment" -- a much smaller version than the one shown
## in the aGP docs

## Simple 2-d test function used in Gramacy & Apley (2015);
## thanks to Lee, Gramacy, Taddy, and others who have used it before
f2d <- function(x, y=NULL)
{
  if(is.null(y)) {
    if(!is.matrix(x)) x <- matrix(x, ncol=2)
    y <- x[,2]; x <- x[,1]
  }
  g <- function(z)
    return(exp(-(z-1)^2) + exp(-0.8*(z+1)^2) - 0.05*sin(8*(z+0.1)))
  z <- -g(x)*g(y)
}

## design with N=441
x <- seq(-2, 2, length=11)
X <- as.matrix(expand.grid(x, x))
Z <- f2d(X)

## fit a GP
gpi <- newGP(X, Z, d=0.35, g=1/1000)

## predictive grid with NN=400
xx <- seq(-1.9, 1.9, length=20)
XX <- as.matrix(expand.grid(xx, xx))
ZZ <- f2d(XX)
```

```
## predict
p <- predGP(gpi, XX, lite=TRUE)
## RMSE: compare to similar experiment in aGP docs
sqrt(mean((p$mean - ZZ)^2))

## visualize the result
par(mfrow=c(1,2))
image(xx, xx, matrix(p$mean, nrow=length(xx)), col=heat.colors(128),
      xlab="x1", ylab="x2", main="predictive mean")
image(xx, xx, matrix(p$mean-ZZ, nrow=length(xx)), col=heat.colors(128),
      xlab="x1", ylab="x2", main="bas")

## clean up
deleteGP(gpi)

## see the newGP and mleGP docs for examples using lite = FALSE for
## sampling from the joint predictive distribution
```

Index

*Topic **design**

discrep.est, 15
fcalib, 20
optim.auglag, 37

*Topic **models**

aGP, 2
alcGP, 9
darg, 12
discrep.est, 15
fcalib, 20
laGP, 25
llikGP, 30
mleGP, 31
newGP, 35
predGP, 43

*Topic **nonlinear**

aGP, 2
alcGP, 9
darg, 12
discrep.est, 15
fcalib, 20
laGP, 25
llikGP, 30
mleGP, 31
newGP, 35
predGP, 43

*Topic **nonparametric**

aGP, 2
alcGP, 9
darg, 12
discrep.est, 15
fcalib, 20
laGP, 25
llikGP, 30
mleGP, 31
newGP, 35
predGP, 43

*Topic **optimize**

darg, 12

discrep.est, 15

fcalib, 20

mleGP, 31

optim.auglag, 37

*Topic **regression**

aGP, 2

alcGP, 9

darg, 12

discrep.est, 15

fcalib, 20

laGP, 25

llikGP, 30

mleGP, 31

newGP, 35

predGP, 43

*Topic **smooth**

aGP, 2

alcGP, 9

darg, 12

discrep.est, 15

fcalib, 20

laGP, 25

llikGP, 30

mleGP, 31

newGP, 35

predGP, 43

*Topic **spatial**

aGP, 2

alcGP, 9

darg, 12

discrep.est, 15

fcalib, 20

laGP, 25

llikGP, 30

mleGP, 31

newGP, 35

predGP, 43

*Topic **utilities**

deleteGP, 14

- distance, 19
- aGP, 2, 11, 13, 16, 21, 22, 29
- aGP.seq, 16, 21–23
- aGPsep (aGP), 2
- alcGP, 4, 7, 9, 29
- alcGPsep (alcGP), 9
- alcrayGP, 7, 29
- alcrayGP (alcGP), 9
- alcrayGPsep (alcGP), 9
- clusterApply, 7
- darg, 3, 12, 15, 20, 21, 26, 30, 31, 33, 39
- data.frame, 33
- deleteGP, 14, 36
- deleteGPs, 36
- deleteGPs (deleteGP), 14
- deleteGPsep, 36
- deleteGPsep (deleteGP), 14
- deleteGPseps, 36
- deleteGPseps (deleteGP), 14
- discrep.est, 5, 15, 22, 23
- distance, 13, 19
- dopt.gp, 38
- fcalib, 16, 20, 22
- fishGP (alcGP), 9
- garg, 3, 15, 21, 26, 33
- garg (darg), 12
- ieciGP (alcGP), 9
- ieciGPsep (alcGP), 9
- interp, 39
- interp.loess, 39
- jmleGP, 16, 23, 27, 29, 36, 44
- jmleGP (mleGP), 31
- jmleGPsep (mleGP), 31
- laGP, 2, 4–7, 9, 11, 13, 25, 34, 36
- laGP.R, 4, 10
- laGPsep, 4
- laGPsep (laGP), 25
- laGPsep.R, 4
- llikGP, 13, 30, 34
- llikGPsep (llikGP), 30
- makeCluster, 4, 7
- mleGP, 13, 14, 27, 29, 31, 31, 36, 44
- mleGPsep (mleGP), 31
- mspeGP, 7, 29
- mspeGP (alcGP), 9
- newGP, 9, 14, 16, 23, 27, 29, 30, 32, 34, 35, 43, 44
- newGPsep, 9, 14, 27, 32, 36, 39, 43
- newGPsep (newGP), 35
- optim, 22, 32, 33
- optim.auglag, 37
- optim.efi (optim.auglag), 37
- optim.step.tgp, 41
- optimize, 33, 34
- order, 28
- predGP, 11, 14, 27, 29, 36, 43
- predGPsep (predGP), 43
- snomadr, 23
- updateGP, 27, 29
- updateGP (newGP), 35
- updateGPsep, 27
- updateGPsep (newGP), 35