

Package ‘misc3d’

July 18, 2009

Title Miscellaneous 3D Plots

Version 0.7-0

Author Dai Feng and Luke Tierney

Maintainer Luke Tierney <luke@stat.uiowa.edu>

Suggests rgl, tkrplot, MASS

Description A collection of miscellaneous 3d plots, including isosurfaces.

License GPL

Repository CRAN

Date/Publication 2009-07-18 16:12:36

R topics documented:

contour3d	2
drawScene	5
image3d	7
kde3d	9
lighting	10
parametric3d	11
pointsTetrahedra	13
slices3d	14
surfaceTriangles	16
teapot	17
triangles	17

Index	19
--------------	-----------

contour3d

*Draw an Isosurface, a Three Dimension Contour Plot***Description**

Computes and renders 3D contours or isosurfaces computed by the marching cubes algorithm.

Usage

```
contour3d(f, level, x, y, z, mask = NULL, color = "white", color2 = NA,
         alpha = 1, fill = TRUE, col.mesh = if (fill) NA else color,
         material = "default", smooth = 0,
         add = FALSE, draw = TRUE, engine = "rgl", ...)
```

Arguments

<code>f</code>	a function of 3 arguments or a three dimensional array.
<code>level</code>	The level or levels at which to construct contour surfaces.
<code>x, y, z</code>	locations of grid planes at which values in <code>f</code> are measured or <code>f</code> is to be evaluated. Can be omitted if <code>f</code> is an array.
<code>mask</code>	a function of 3 arguments returning a logical array, a three dimensional logical array, or <code>NULL</code> . If not <code>NULL</code> , only cells for which <code>mask</code> is true at all eight vertices are used in forming the contour. Can also be a list of functions the same length as <code>level</code> .
<code>color</code>	color to use for the contour surface. Recycled to the length of 'levels'. Can also be a function, or list of functions, of three arguments. These are called for each level with three arguments, the coordinates of the midpoints of the triangles making up the surface. They should return a vector of colors to use for the triangles.
<code>color2</code>	opposite face color. Recycled to the length of 'levels'.
<code>alpha</code>	alpha channel level, a number between 0 and 1. Recycled to the length of 'levels'.
<code>fill</code>	logical; if <code>TRUE</code> , drawing should use filled surfaces; otherwise a wire frame should be drawn. Recycled to the length of 'levels'.
<code>col.mesh</code>	color to use for the wire frame. Recycled to the length of 'levels'.
<code>smooth</code>	integer or logical specifying Phong shading level for "standard" and "grid" engines or whether or not to use shading for the "rgl" engine. Recycled to the length of 'levels'.
<code>material</code>	material specification; currently only used by "standard" and "grid" engines. Currently possible values are the character strings "dull", "shiny", "metal", and "default". Recycled to the length of 'levels'.
<code>add</code>	logical; if <code>TRUE</code> , add to current <code>rgl</code> graph.
<code>draw</code>	logical; if <code>TRUE</code> , draw the results; otherwise, return contour triangles.

engine	character; currently "rgl", "standard", "grid" or "none"; for "none" the computed triangles are returned.
...	additional rendering arguments, e.g. material and texture properties for the "rgl" engine. See documentation for drawScene and drawScene.rgl

Details

Uses the marching-cubes algorithm, with adjustments for dealing with face and internal ambiguities, to draw isosurfaces. See references for the details.

Value

For the "rgl" engine the returned value is `NULL`. For the "standard" and "grid" engines the returned value is the viewing transformation as returned by `persp`. For the engine "none", or when `draw` is not true, the returned value is a structure representing the triangles making up the contour, or a list of such structures for multiple contours.

Note

The "rgl" engine now uses the standard rgl coordinates instead of negating `y` and swapping `y` and `z`. If you need to reproduce the previous behavior you can use `options(old.misc3d.orientation=TRUE)`.

Transparency only works properly in the "rgl" engine. For standard or grid graphics on pdf or quartz devices using alpha levels less than 1 does work but the triangle borders show as a less transparent mesh.

References

Chernyaev E. (1995) Marching Cubes 33: Construction of Topologically Correct Isosurfaces *Technical Report CN/95-17, CERN*

Daniel Adler, Oleg Nenadic and Walter Zucchini (2003) RGL: A R-library for 3D visualization with OpenGL

Lorensen W. and Cline H. (1987) Marching Cubes: A High Resolution 3D Surface Reconstruction Algorithm *Computer Graphics* **vol. 21, no. 4**, 163-169

Nielson G. and Hamann B. (1992) The Asymptotic Decider: Resolving the Ambiguity in Marching Cubes *Proc. IEEE Visualization* **92**, 83-91

See Also

[triangles3d](#), [material3d](#), [surface3d](#).

Examples

```
#Example 1: Draw a ball
f <- function(x, y, z)x^2+y^2+z^2
x <- seq(-2,2,len=20)
contour3d(f,4,x,x,x)
contour3d(f,4,x,x,x, engine = "standard")

# ball with one corner removed.
```

```

contour3d(f,4,x,x,x, mask = function(x,y,z) x > 0 | y > 0 | z > 0)
contour3d(f,4,x,x,x, mask = function(x,y,z) x > 0 | y > 0 | z > 0,
          engine="standard", screen = list(x = 290, y = -20),
          color = "red", color2 = "white")

# ball with computed colors
w <- function(x,y,z) {
  v <- sin(x) + cos(2 * y) * sin(5 * z)
  r <- range(v)
  n <- 100
  i <- pmax(pmin(ceiling(n * (v - r[1]) / (r[2] - r[1])), n), 1)
  terrain.colors(n)[i]
}
contour3d(f,4,x,x,x, color = w)

#Example 2: Nested contours of mixture of three tri-variate normal densities
nmix3 <- function(x, y, z, m, s) {
  0.4 * dnorm(x, m, s) * dnorm(y, m, s) * dnorm(z, m, s) +
  0.3 * dnorm(x, -m, s) * dnorm(y, -m, s) * dnorm(z, -m, s) +
  0.3 * dnorm(x, m, s) * dnorm(y, -1.5 * m, s) * dnorm(z, m, s)
}
f <- function(x,y,z) nmix3(x,y,z,.5,.5)
g <- function(n = 40, k = 5, alo = 0.1, ahi = 0.5, cmap = heat.colors) {
  th <- seq(0.05, 0.2, len = k)
  col <- rev(cmap(length(th)))
  al <- seq(alo, ahi, len = length(th))
  x <- seq(-2, 2, len=n)
  contour3d(f,th,x,x,x,color=col,alpha=al)
  bg3d(col="white")
}
g(40,5)
gs <- function(n = 40, k = 5, cmap = heat.colors, ...) {
  th <- seq(0.05, 0.2, len = k)
  col <- rev(cmap(length(th)))
  x <- seq(-2, 2, len=n)
  m <- function(x,y,z) x > .25 | y < -.3
  contour3d(f,th,x,x,x,color=col, mask = m, engine = "standard",
            scale = FALSE, ...)
  bg3d(col="white")
}
gs(40, 5, screen=list(z = 130, x = -80), color2 = "lightgray", cmap=rainbow)

## Not run:
#Example 3: Nested contours for FMRI data.
library(AnalyzeFMRI)
a <- f.read.analyze.volume(system.file("example.img", package="AnalyzeFMRI"))
a <- a[,,,1]
contour3d(a, 1:64, 1:64, 1.5*(1:21), lev=c(3000, 8000, 10000),
          alpha = c(0.2, 0.5, 1), color = c("white", "red", "green"))

# alternative masking out a corner
m <- array(TRUE, dim(a))
m[1:30,1:30,1:10] <- FALSE

```

```

contour3d(a, 1:64, 1:64, 1.5*(1:21), lev=c(3000, 8000, 10000),
          mask = m, color = c("white", "red", "green"))
contour3d(a, 1:64, 1:64, 1.5*(1:21), lev=c(3000, 8000, 10000),
          color = c("white", "red", "green"),
          color2 = c("gray", "red", "green"),
          mask = m, engine="standard",
          scale = FALSE, screen=list(z = 60, x = -120))
## End(Not run)

```

drawScene

Rendering of Triangular Mesh Surface Data

Description

Draw scenes consisting of one or more surfaces described by triangular mesh data structures.

Usage

```

drawScene(scene, light = c(0, 0, 1),
          screen = list(z = 40, x = -60), scale = TRUE, R.mat = diag(4),
          perspective = FALSE, distance = if (perspective) 0.2 else 0,
          fill = TRUE, xlim = NULL, ylim = NULL, zlim = NULL,
          aspect = c(1, 1), col.mesh = if (fill) NA else "black",
          polynom = 100, lighting = phongLighting, add = FALSE,
          engine = "standard", col.bg = "transparent", depth = 0,
          newpage = TRUE)
drawScene.rgl(scene, add = FALSE, ...)

```

Arguments

scene	a triangle mesh object of class <code>Triangles3D</code> or a list of such objects representing the scene to be rendered.
light	numeric vector of length 3 or 4. The first three elements represent the direction to the light in viewer coordinates; the viewer is at $(0, 0, 1 / \text{distance})$ looking down along the positive z-axis. The fourth element, if present, represents light intensity; the default is 1.
screen	as for panel.3dwire , a list giving sequence of rotations to be applied to the scene before being rendered. The initial position starts with the viewing point along the positive z-axis, and the x and y axes in the usual position. Each component of the list should be named one of "x", "y" or "z"; repetitions are allowed. The values indicate the amount of rotation about that axis in degrees.
scale	logical. Before viewing the x, y and z coordinates of the scene defining the surface are transformed to the interval $[-0.5, 0.5]$. If <code>scale</code> is true the x, y and z coordinates are transformed separately. Otherwise, the coordinates are scaled so that aspect ratios are retained. Ignored if <code>draw = TRUE</code>
R.mat	initial rotation matrix in homogeneous coordinates, to be applied to the data before <code>screen</code> rotates the view further.

<code>perspective</code>	logical, whether to render a perspective view. Setting this to <code>FALSE</code> is equivalent to setting <code>distance</code> to 0
<code>distance</code>	numeric, between 0 and 1, controls amount of perspective. The distance of the viewing point from the origin (in the transformed coordinate system) is $1 / \text{distance}$. This is described in a little more detail in the documentation for cloud .
<code>fill</code>	logical; if <code>TRUE</code> , drawing should use filled surfaces or wire frames as indicated by the object properties. Otherwise all objects in the scene should be rendered as wire frames.
<code>xlim, ylim, zlim</code>	x-, y- and z-limits. The scene is rendered so that the rectangular volume defined by these limits is visible.
<code>aspect</code>	vector of length 2. Gives the relative aspects of the y-size/x-size and z-size/x-size of the enclosing cube.
<code>col.mesh</code>	color to use for the wire frame if <code>frames</code> is true.
<code>polynum</code>	integer. Number of triangles to pass in batches to grid primitives for the "grid" engine. The default should be adequate.
<code>lighting</code>	a lighting function. Current options are <code>phongLighting</code> and <code>perspLighting</code> .
<code>add</code>	logical; if <code>TRUE</code> , add to current graph.
<code>engine</code>	character; currently "standard" or "grid".
<code>col.bg</code>	background color to use in color depth cuing.
<code>depth</code>	numeric, between 0 and 1. Controls the amount of color blending to <code>col.bg</code> for objects farther from the viewer. <code>depth</code> equal to zero means no depth cuing.
<code>newpage</code>	logical; if <code>TRUE</code> , and <code>add</code> is true, then the "grid" engine will call " <code>grid.newpage</code> "; otherwise the current page is used.
<code>...</code>	rgl material and texture properties; see documentation for rgl.material

Details

`drawScene` renders a scene consisting of one or more triangle mesh objects using standard or grid graphics. Object-specific rendering features such as smoothing and material are controlled by setting in the objects. Arguments to `drawScene` control global factors such as viewer and light position.

`drawScene.rgl` renders the scene in an rgl window.

If `add=TRUE` in standard or grid graphics then coordinates are not further scaled after the transformations implied by `R.mat`, and `distance` are applied. For the grid engine drawing occurs in the current viewport.

Value

`drawScene.rgl` returns `NULL`. The return value of `drawScene` is the viewing transformation as returned by `persp`.

Note

The "rgl" engine now uses the standard rgl coordinates instead of negating y and swapping y and z . If you need to reproduce the previous behavior you can use `options(old.misc3d.orientation=TRUE)`.

Transparency only works properly in the "rgl" engine. For standard or grid graphics on devices that support transparency using alpha levels less than 1 does work but the triangle borders show as a less transparent mesh.

See Also

[rgl.material](#)

Examples

```
vtri <- local({
  z <- 2 * volcano
  x <- 10 * (1:nrow(z))
  y <- 10 * (1:ncol(z))
  surfaceTriangles(x, y, z, color="green3")
})
drawScene(vtri, scale = FALSE)
drawScene(vtri, screen=list(x=40, y=-40, z=-135), scale = FALSE)
drawScene(vtri, screen=list(x=40, y=-40, z=-135), scale = FALSE,
  perspective = TRUE)
drawScene(vtri, screen=list(x=40, y=-40, z=-135), scale = FALSE,
  perspective = TRUE, depth = 0.4)
```

image3d

Draw Points on a 3D Grid

Description

Plots points on a three dimensional grid representing values in a three dimensional array. Assumes high values are inside and uses alpha blending to make outside points more transparent.

Usage

```
image3d(v, x = 1:dim(v)[1], y = 1:dim(v)[2], z = 1:dim(v)[3],
  vlim = quantile(v, c(.9, 1), na.rm=TRUE),
  col = heat.colors(256), alpha.power = 2,
  alpha = ((1:length(col))/ length(col))^alpha.power,
  breaks, sprites = TRUE, jitter = FALSE,
  radius = min(diff(x), diff(y), diff(z)),
  add = FALSE, ...)
```

Arguments

<code>v</code>	three dimensional data array.
<code>x, y, z</code>	locations of grid planes at which values in <code>v</code> are measured.
<code>vlim</code>	minimum and maximum <code>v</code> values for which points are to be drawn.
<code>col</code>	vector of colors for the points as generated by <code>heat.colors</code> or similar functions.
<code>alpha.power</code>	used to calculate the alpha values. The larger the power, the smaller the alpha, the more transparent the point. Only used if <code>alpha</code> is not supplied.
<code>alpha</code>	vector of alpha values between 0 and 1. The length of the vector should be equal to the length of <code>col</code> .
<code>breaks</code>	breakpoints for the colors; must give one more breakpoint than colors.
<code>sprites</code>	logical; if TRUE, use <code>sprites3d</code> to draw the points.
<code>radius</code>	radius used in <code>sprites3d</code> .
<code>jitter</code>	logical; if TRUE, add a small amount of noise to the point locations.
<code>add</code>	logical; if TRUE, add to current <code>rgl</code> graph.
<code>...</code>	material and texture properties. See <code>rgl.material</code> for details.

References

Daniel Adler, Oleg Nenadic and Walter Zucchini (2003) RGL: A R-library for 3D visualization with OpenGL

See Also

[image](#), [sprites3d](#), [points3d](#), [jitter](#).

Examples

```
# view density of mixture of tri-variate normals
nmix3 <- function(x, y, z, m, s) {
  0.4 * dnorm(x, m, s) * dnorm(y, m, s) * dnorm(z, m, s) +
  0.3 * dnorm(x, -m, s) * dnorm(y, -m, s) * dnorm(z, -m, s) +
  0.3 * dnorm(x, m, s) * dnorm(y, -1.5 * m, s) * dnorm(z, m, s)
}
f <- function(x, y, z) nmix3(x, y, z, .5, .5)
x <- seq(-2, 2, len=50)
g <- expand.grid(x = x, y = x, z = x)
v <- array(f(g$x, g$y, g$z), c(length(x), length(x), length(x)))
image3d(v)
image3d(v, jitter = TRUE)
```

`kde3d`*Compute a Three Dimension Kernel Density Estimate*

Description

Evaluates a three dimensional kernel density estimate using a Gaussian kernel with diagonal covariance matrix on a regular grid.

Usage

```
kde3d(x, y, z, h, n = 20, lims = c(range(x), range(y), range(z)))
```

Arguments

<code>x, y, z</code>	<code>x</code> , <code>y</code> , and <code>z</code> coordinates of the data.
<code>h</code>	vector of three bandwidths for the density estimate; recycled if length is less than three; default is based on the normal reference bandwidth (see bandwidth.nrd).
<code>n</code>	numbers of grid points to use for each dimension; recycled if length is less than three.
<code>lims</code>	lower and upper limits on the region for which the density estimate is to be computed, provides as a vector of length 6, corresponding to low and high values of <code>x</code> , <code>y</code> , and <code>z</code> ; recycled if only two values are supplied.

Value

A list of four components, `x`, `y`, `z`, and `d`. `x`, `y`, and `z` are the coordinates of the grid points at which the density estimate has been evaluated, and `d` is a three dimensional array of the estimated density values.

References

Based on the function [kde2d](#) in package **MASS**.

See Also

[kde2d](#).

Examples

```
with(quakes, {  
  d <- kde3d(long, lat, -depth, n = 40)  
  contour3d(d$d, exp(-12), d$x/22, d$y/28, d$z/640,  
            color = "green", color2 = "gray", scale=FALSE,  
            engine = "standard")  
})
```

`lighting`*Lighting Functions*

Description

Functions to compute colors modified for lighting effects.

Usage

```
phongLighting(normals, view, light, color, color2, alpha, material = "default")
perspLighting(normals, view, light, color, color2, alpha, material = "default")
```

Arguments

<code>normals</code>	numeric matrix with three columns representing surface normal vectors.
<code>view</code>	numeric vector of length 3 representing the direction to the viewer.
<code>light</code>	numeric vector of length 3 or 4. The first three elements represent the direction to the light. The fourth element, if present, represents light intensity; the default is 1.
<code>color</code>	colors to use for faces in the direction of the normal vectors.
<code>color2</code>	opposite face color.
<code>alpha</code>	alpha channel level, a number between 0 and 1.
<code>material</code>	material specification. Currently possible values are the character strings "dull", "shiny", "metal", and "default".

Details

`phongLighting` uses the Phong lighting model to compute colors modified for view direction, light direction, and material properties. `perspLighting` implements approximately the same lighting model as the `persp` function.

Value

Vector of color specifications.

parametric3d	<i>Draw a 3D Parametric Plot</i>
--------------	----------------------------------

Description

Plot a two-parameter surface in three dimensions.

Usage

```
parametric3d(fx, fy, fz, u, v, umin, umax, vmin, vmax, n = 100,
             color = "white", color2 = NA, alpha = 1,
             fill = TRUE, col.mesh = if (fill) NA else color,
             smooth = 0, material = "default",
             add = FALSE, draw = TRUE, engine = "rgl", ...)
```

Arguments

<code>fx, fy, fz</code>	vectorized functions of <code>u</code> and <code>v</code> to compute the <code>x</code> , <code>y</code> , and <code>z</code> coordinates.
<code>u</code>	numeric vector of <code>u</code> values.
<code>v</code>	numeric vector of <code>v</code> values.
<code>umin</code>	numeric; the minimum value of <code>u</code> . Ignored if <code>u</code> is supplied.
<code>umax</code>	numeric; the maximum value of <code>u</code> . Ignored if <code>u</code> is supplied.
<code>vmin</code>	numeric; the minimum value of <code>v</code> . Ignored if <code>v</code> is supplied.
<code>vmax</code>	numeric; the maximum value of <code>v</code> . Ignored if <code>v</code> is supplied.
<code>n</code>	the number of equally spaced <code>u</code> and <code>v</code> values to use. Ignored if <code>u</code> and <code>v</code> are supplied.
<code>color</code>	color to use for the surface. Can also be a function of three arguments. This is called with three arguments, the coordinates of the midpoints of the triangles making up the surface. The function should return a vector of colors to use for the triangles.
<code>color2</code>	opposite face color.
<code>alpha</code>	alpha channel level, a number between 0 and 1.
<code>fill</code>	logical; if <code>TRUE</code> , drawing should use filled surfaces; otherwise a wire frame should be drawn.
<code>col.mesh</code>	color to use for the wire frame.
<code>smooth</code>	integer or logical specifying Phong shading level for "standard" and "grid" engines or whether or not to use shading for the "rgl" engine.
<code>material</code>	material specification; currently only used by "standard" and "grid" engines. Currently possible values are the character strings "dull", "shiny", "metal", and "default".
<code>add</code>	logical; if <code>TRUE</code> , add to current graph.
<code>draw</code>	logical; if <code>TRUE</code> , draw the results; otherwise, return triangle mesh structure.

engine character; currently "rgl", "standard", "grid" or "none"; for "none" the computed triangles are returned.

... additional rendering arguments, e.g. material and texture properties for the "rgl" engine. See documentation for [drawScene](#) and [drawScene.rgl](#)

Details

Analogous to Mathematica's `Param3D`. Evaluates the functions `fx`, `fy`, and `fz` specifying the coordinates of the surface at a grid of values for the parameters `u` and `v`.

Value

For the "rgl" engine the returned value is `NULL`. For the "standard" and "grid" engines the returned value is the viewing transformation as returned by `persp`. For the engine "none", or when `draw` is not true, the returned value is a structure representing the triangles making up the surface.

Note

The "rgl" engine now uses the standard rgl coordinates instead of negating `y` and swapping `y` and `z`. If you need to reproduce the previous behavior you can use `options(old.misc3d.orientation=TRUE)`.

Transparency only works properly in the "rgl" engine. For standard or grid graphics on pdf or quartz devices using alpha levels less than 1 does work but the triangle borders show as a less transparent mesh.

References

Daniel Adler, Oleg Nenadic and Walter Zucchini (2003) RGL: A R-library for 3D visualization with OpenGL

See Also

[surface3d](#), [material3d](#), [scatterplot3d](#).

Examples

```
#Example 1: Ratio-of-Uniform sampling region of bivariate normal
parametric3d(fx = function(u, v) u * exp(-0.5 * (u^2 + v^2 -
  2 * 0.75 * u * v)/sqrt(1-.75^2))^(1/3),
  fy = function(u, v) v * exp(-0.5 * (u^2 + v^2 -
  2 * 0.75 * u * v)/sqrt(1-.75^2))^(1/3),
  fz = function(u, v) exp(-0.5 * (u^2 + v^2 - 2 * 0.75 * u *
  v)/sqrt(1-.75^2))^(1/3),
  umin = -20, umax = 20, vmin = -20, vmax = 20,
  n = 100)
parametric3d(fx = function(u, v) u * exp(-0.5 * (u^2 + v^2 -
  2 * 0.75 * u * v)/sqrt(1-.75^2))^(1/3),
  fy = function(u, v) v * exp(-0.5 * (u^2 + v^2 -
  2 * 0.75 * u * v)/sqrt(1-.75^2))^(1/3),
  fz = function(u, v) exp(-0.5 * (u^2 + v^2 - 2 * 0.75 * u *
  v)/sqrt(1-.75^2))^(1/3),
```

```

    u = qcauchy((1:100)/101), v = qcauchy((1:100)/101))
parametric3d(fx = function(u, v) u * exp(-0.5 * (u^2 + v^2 -
    2 * 0.75 * u * v)/sqrt(1-.75^2))^(1/3),
    fy = function(u, v) v * exp(-0.5 * (u^2 + v^2 -
    2 * 0.75 * u * v)/sqrt(1-.75^2))^(1/3),
    fz = function(u, v) exp(-0.5 * (u^2 + v^2 - 2 * 0.75 * u *
    v)/sqrt(1-.75^2))^(1/3),
    u = qcauchy((1:100)/101), v = qcauchy((1:100)/101),
    engine = "standard", scale = FALSE, screen = list(x=-90, y=20))

#Example 2: Ratio-of-Uniform sampling region of Bivariate t
parametric3d(fx = function(u,v) u*(dt(u,2) * dt(v,2))^(1/3),
    fy = function(u,v) v*(dt(u,2) * dt(v,2))^(1/3),
    fz = function(u,v) (dt(u,2) * dt(v,2))^(1/3),
    umin = -20, umax = 20, vmin = -20, vmax = 20,
    n = 100, color = "green")
parametric3d(fx = function(u,v) u*(dt(u,2) * dt(v,2))^(1/3),
    fy = function(u,v) v*(dt(u,2) * dt(v,2))^(1/3),
    fz = function(u,v) (dt(u,2) * dt(v,2))^(1/3),
    u = qcauchy((1:100)/101), v = qcauchy((1:100)/101),
    color = "green")
parametric3d(fx = function(u,v) u*(dt(u,2) * dt(v,2))^(1/3),
    fy = function(u,v) v*(dt(u,2) * dt(v,2))^(1/3),
    fz = function(u,v) (dt(u,2) * dt(v,2))^(1/3),
    u = qcauchy((1:100)/101), v = qcauchy((1:100)/101),
    color = "green", engine = "standard", scale = FALSE)

#Example 3: Surface of revolution
parametric3d(fx = function(u,v) u,
    fy = function(u,v) sin(v) * (u^3+2*u^2-2*u+2)/5,
    fz = function(u,v) cos(v) * (u^3+2*u^2-2*u+2)/5,
    umin = -2.3, umax = 1.3, vmin = 0, vmax = 2*pi)
parametric3d(fx = function(u,v) u,
    fy = function(u,v) sin(v) * (u^3+2*u^2-2*u+2)/5,
    fz = function(u,v) cos(v) * (u^3+2*u^2-2*u+2)/5,
    umin = -2.3, umax = 1.3, vmin = 0, vmax = 2*pi,
    engine = "standard", scale = FALSE,
    color = "red", color2 = "blue", material = "shiny")

```

pointsTetrahedra *Create a Set of Tetrahedra Centered at Data Points*

Description

Creates a scene consisting of small tetrahedra centered at specified data points in three dimensions.

Usage

```
pointsTetrahedra(x, y, z, size = 0.01, color = "black", ...)
```

Arguments

<code>x, y, z</code>	numeric vectors representing point coordinates.
<code>size</code>	numeric; multiple of data range to use for the size of the tetrahedron in each dimension; recycled to length 3.
<code>color</code>	color to use for the tetrahedra.
<code>...</code>	additional arguments to be passed on to <code>makeTriangles</code> .

Details

This function is useful, for example, for incorporating raw data along with a density estimate surface in a scene rendered using standard or grid graphics. For **rgl** rendering `points3d` is an alternative.

Value

Returns a triangle mesh scene representing the tetrahedra.

See Also

`points3d`.

Examples

```
with(quakes, {
  d <- kde3d(long, lat, -depth, n = 40)
  v <- contour3d(d$d, exp(-12), d$x/22, d$y/28, d$z/640,
                color="green", color2="gray", draw=FALSE)
  p <- pointsTetrahedra(long/22, lat/28, -depth/640,
                        size = 0.005)
  drawScene(list(v, p))
})
```

slices3d

Interactive Image Slices of 3D or 4D Volume Data

Description

Uses **tkrplot** to create an interactive slice view of three or four dimensional volume data.

Usage

```
slices3d(vol1, vol2=NULL, rlim1, rlim2, col1, col2, main,
         scale = 0.8, alpha=1, cross = TRUE,
         layout=c("counterclockwise", "clockwise"))
```

Arguments

<code>vol1</code>	a three or four dimensional real array. If two images are overlaid, then this is the one at bottom.
<code>vol2</code>	a three or four dimensional real array. If two images are overlaid, then this is the one on top. The default value is <code>NULL</code> , when only <code>vol1</code> is drawn.
<code>rlim1</code>	the minimum and maximum <code>vol1</code> values for which colors should be plotted, defaulting to the range of the values of <code>vol1</code> .
<code>rlim2</code>	the minimum and maximum <code>vol2</code> values for which colors should be plotted, defaulting to the range of the values of <code>vol2</code> , if two images are overlaid.
<code>col1</code>	a list of colors for <code>vol1</code> .
<code>col2</code>	a list of colors for <code>vol2</code> .
<code>main</code>	a character vector; main title for the plot.
<code>scale</code>	real value for scaling embedded plot size.
<code>alpha</code>	real value for transparency level, if two images are overlaid. The default value is 1.
<code>cross</code>	logical; if <code>TRUE</code> , show cross hairs of current slices.
<code>layout</code>	a character string specifying the layout. It must be either "counterclockwise" or "clockwise", and may be abbreviated. The default is "counterclockwise". Images corresponding to the x-y planes are always displayed in the third quadrant. If <code>layout</code> is counterclockwise, then the first quadrant shows images from the y-z planes and the second quadrant the x-z planes. Otherwise, the images in the first and the second quadrant are switched. The fourth quadrant is left for the slider used to select the value of the fourth index (if any) of input array(s).

Details

Shows slices of 3D array along the axes as produced by `image`, along with sliders for controlling which slices are shown. For 4D data an additional slider selects the value of the fourth index. Two images can be overlaid. This is useful for viewing medical imaging data (e.g. PET scans and fMRI data).

Examples

```
#Example 1: View of a mixture of three tri-variate normal densities
nmix3 <- function(x, y, z, m, s) {
  0.4 * dnorm(x, m, s) * dnorm(y, m, s) * dnorm(z, m, s) +
  0.3 * dnorm(x, -m, s) * dnorm(y, -m, s) * dnorm(z, -m, s) +
  0.3 * dnorm(x, m, s) * dnorm(y, -1.5 * m, s) * dnorm(z, m, s)
}
x<-seq(-2, 2, len=40)
g<-expand.grid(x = x, y = x, z = x)
v<-array(nmix3(g$x,g$y,g$z, .5,.5), c(40,40,40))
slices3d(vol1=v, main="View of a mixture of three tri-variate normals", col=heat.colors(2)

## Not run:
#Example 2: Put a z-map from fMRI data on top of a structure
```

```
#           image. The threshold value of the z-map is 2.
library(AnalyzeFMRI)
temp<-f.read.analyze.volume("standard.img")
z<-f.read.analyze.volume("z-map.img")
slices3d(vol1=temp, vol2=z[,,,1], rlim2=c(2,Inf), col2=heat.colors(20),
          main="Regions above threshold values.")

## End(Not run)
```

surfaceTriangles *Create a Triangle Mesh Representing a Surface*

Description

Creates a triangle mesh object representing a surface over a rectangular grid.

Usage

```
surfaceTriangles(x, y, f, color = "red", color2 = NA, alpha = 1,
                fill = TRUE, col.mesh = if (fill) NA else color,
                smooth = 0, material = "default")
```

Arguments

<code>x, y</code>	numeric vectors.
<code>f</code>	numeric matrix of dimension <code>length(x)</code> by <code>length(y)</code> or vectorized function of two arguments.
<code>color</code>	color to use for the surface. Can also be a function of three arguments. This is called with three arguments, the coordinates of the midpoints of the triangles making up the surface. The function should return a vector of colors to use for the triangles.
<code>color2</code>	opposite face color.
<code>alpha</code>	alpha channel level, a number between 0 and 1..
<code>fill</code>	logical; if TRUE, drawing should use filled surfaces; otherwise a wire frame should be drawn.
<code>col.mesh</code>	color to use for the wire frame.
<code>smooth</code>	integer or logical specifying Phong shading level for "standard" and "grid" engines or whether or not to use shading for the "rgl" engine.
<code>material</code>	material specification; currently only used by "standard" and "grid" engines. Currently possible values are the character strings "dull", "shiny", "metal", and "default".

Value

Returns a triangle mesh object representing the surface.

See Also

[persp](#), [rgl.surface](#), [surface3d](#).

Examples

```
drawScene(surfaceTriangles(seq(-1,1,len=30), seq(-1,1,len=30),
                           function(x, y) (x^2 + y^2), color2 = "green"))
drawScene.rgl(surfaceTriangles(seq(-1,1,len=30), seq(-1,1,len=30),
                              function(x, y) (x^2 + y^2), color2 = "green"))
```

teapot

Utah Teapot

Description

The Utah teapot is a classic computer graphics example. This data set contains a representation in terms of triangles.

Usage

volcano

Format

A list with components `vertices` and `edges`. `vertices` is a 3 by 1976 numeric matrix of the coordinates of the vertices. `edges` is a 3 by 3751 integer matrix of the indices of the triangles.

Source

Converted from the netCDF file made available by Dave Forrest at <http://www.maplepark.com/~drf5n/extras/teapot.nc>.

triangles

Triangle Mesh Functions

Description

Functions to create and modify triangle mesh objects representing 3D surfaces..

Usage

```
makeTriangles(v1, v2, v3, color = "red", color2 = NA, alpha = 1,
              fill = TRUE, col.mesh = if (fill) NA else color,
              smooth = 0, material = "default")
updateTriangles(triangles, color, color2, alpha, fill, col.mesh,
               material, smooth)
translateTriangles(triangles, x = 0, y = 0, z = 0)
scaleTriangles(triangles, x = 1, y = x, z = x)
transformTriangles(triangles, R)
```

Arguments

<code>v1, v2, v3</code>	specification of triangle coordinates. If all three are provided then they should be matrices with three columns representing coordinates of the first, second, and third vertices of the triangles. If only <code>v1</code> and <code>v2</code> are provided then <code>v1</code> should be a numeric matrix with three rows specifying coordinates of vertices, and <code>v2</code> should be an integer matrix with three rows specifying the indexes of the vertices in the triangles. If only <code>v1</code> is provided then it should be a matrix with three columns and number of rows divisible by three specifying the vertices of the triangles in groups of three.
<code>triangles</code>	triangle mesh object.
<code>x, y, z</code>	numeric of length one. Amounts by which to translate or scale corresponding coordinates.
<code>color</code>	color to use for the surface. Can also be a function of three arguments. This is called with three arguments, the coordinates of the midpoints of the triangles making up the surface. The function should return a vector of colors to use for the triangles.
<code>color2</code>	opposite face color.
<code>alpha</code>	alpha channel level, a number between 0 and 1.
<code>fill</code>	logical; if TRUE, drawing should use filled surfaces; otherwise a wire frame should be drawn.
<code>col.mesh</code>	color to use for the wire frame.
<code>smooth</code>	integer or logical specifying Phong shading level for "standard" and "grid" engines or whether or not to use shading for the "rgl" engine.
<code>material</code>	material specification; currently only used by "standard" and "grid" engines. Currently possible values are the character strings "dull", "shiny", "metal", and "default".
<code>R</code>	4 by 4 homogeneous coordinate transformation matrix to apply.

Details

`makeTriangles` creates a triangle mesh object. `updateTriangles` modifies fields of such an object. Both may perform some consistency checks.

`translateTriangles` and `scaleTriangles` translate or scale the vertex locations of triangle mesh objects by specified amounts.

`transformTriangles` applies a transformation specified by a 4 by 4 homogeneous transformation matrix.

Value

A triangle mesh object of class `Triangles3D`.

Index

*Topic **datasets**

teapot, [16](#)

*Topic **dplot**

kde3d, [8](#)

*Topic **hplot**

contour3d, [1](#)

drawScene, [4](#)

image3d, [7](#)

lighting, [9](#)

parametric3d, [10](#)

pointsTetrahedra, [13](#)

slices3d, [14](#)

surfaceTriangles, [15](#)

triangles, [17](#)

bandwidth.nrd, [8](#)

cloud, [5](#)

contour3d, [1](#)

drawScene, [2](#), [4](#), [11](#)

drawScene.rgl, [2](#), [11](#)

image, [8](#)

image3d, [7](#)

jitter, [8](#)

kde2d, [9](#)

kde3d, [8](#)

lighting, [9](#)

makeTriangles(*triangles*), [17](#)

material3d, [3](#), [11](#)

panel.3dwire, [5](#)

parametric3d, [10](#)

persp, [16](#)

perspLighting(*lighting*), [9](#)

phongLighting(*lighting*), [9](#)

points3d, [8](#), [13](#)

pointsTetrahedra, [12](#)

rgl.material, [6](#)

rgl.surface, [16](#)

scaleTriangles(*triangles*), [17](#)

scatterplot3d, [11](#)

slices3d, [14](#)

sprites3d, [8](#)

surface3d, [3](#), [11](#), [16](#)

surfaceTriangles, [15](#)

teapot, [16](#)

transformTriangles(*triangles*), [17](#)

translateTriangles(*triangles*), [17](#)

triangles, [17](#)

triangles3d, [3](#)

updateTriangles(*triangles*), [17](#)