

# Package ‘picante’

February 15, 2012

**Type** Package

**Title** R tools for integrating phylogenies and ecology

**Version** 1.3-0

**Date** 2011-4-22

**Author** Steven W. Kembel <skembel@uoregon.edu>, David D. Ackerly <dackerly@berkeley.edu>, Simon P. Blomberg <s.blomberg1@uq.edu.au>, Will K. Cornwell <cornwell@zoology.ubc.ca>, Peter D. Cowan <pdcc@berkeley.edu>, Matthew R. Helmus <mrhasmus@wisc.edu>, Helene Morlon <morlon.helene@gmail.com>, Campbell O. Webb <cwebb@oeb.harvard.edu>

**Maintainer** Steven W. Kembel <skembel@uoregon.edu>

**Depends** ape, vegan, nlme

**Suggests** brglm, circular, quantreg

**Description** Phylocom integration, community analyses, null-models, traits and evolution in R

**License** GPL-2

**Repository** CRAN

**Date/Publication** 2011-04-24 06:57:18

## R topics documented:

picante-package . . . . .	2
color.plot.phylo . . . . .	3
comdist . . . . .	4
comdistnt . . . . .	5
comm.phylo.cor . . . . .	6
comm.phylo.qr . . . . .	8
cor.table . . . . .	10
evol.distinct . . . . .	10
IvesGodfray . . . . .	11

Kcalc	12
match.phylo.data	13
matrix2sample	14
mntd	15
mpd	16
multiPhyloSignal	17
pblm	17
pcd	20
pd	21
phylocom	23
phyloSignal	23
phylosor	25
phylosor.rnd	26
phylostruct	27
pic.circular	29
pic3	29
prune.sample	31
psd	31
randomizeMatrix	33
raoD	34
readsample	36
sample2matrix	36
ses.mntd	37
ses.mpd	39
ses.pd	41
specaccum.psr	42
species.dist	44
sppregs	45
tax.distinctiveness	46
traitgram	47
unifrac	48
utility	49
writesample	50
writetraits	51
<b>Index</b>	<b>52</b>

---

picante-package

*picante: R tools for integrating phylogenies and ecology*

---

## Description

R tools for integrating phylogenies and ecology

**Details**

Package: picante  
 Type: Package  
 Version: 1.3-0  
 Date: 2011-4-22  
 License: GPL-2

**Author(s)**

Author: Steven W. Kembel <skembel@uoregon.edu>, David D. Ackerly <dackerly@berkeley.edu>, Simon P. Blomberg <s.blomberg1@uq.edu.au>, Will K. Cornwell <cornwell@zoology.ubc.ca>, Peter D. Cowan <pdcc@berkeley.edu>, Matthew R. Helmus <mrhasmus@wisc.edu>, Helene Morlon <morlon.helene@gmail.com>, Campbell O. Webb <cwebb@oeb.harvard.edu> Maintainer: Steven W. Kembel <skembel@uoregon.edu>

---

color.plot.phylo      *Color tip labels based on trait*

---

**Description**

Plots a phylogeny with tip labels colored to indicate continuous or discrete trait values

**Usage**

```
color.plot.phylo(phylo, df, trait, taxa.names,
                 num.breaks = ifelse(is.factor(df[,trait]),
                                     length(levels(df[,trait])), 12),
                 col.names = rainbow(ifelse(length(num.breaks) > 1, length(num.breaks) - 1, num.breaks)),
                 cut.labs = NULL,
                 leg.title = NULL,
                 main = trait,
                 leg.cex = 1,
                 tip.labs = NULL,
                 ...)
```

**Arguments**

phylo	An object of class phylo
df	A dataframe containing the traits to be plotted
trait	A string representing the name of column in the dataframe to be plotted

taxa.names	A string representing the name of column in the dataframe that contains the names of the taxa
num.breaks	For continuous traits, the number of bins to separate the data into
col.names	A vector of colors to use for tip labels
leg.title	A title for the tip color legend
main	A main title for the plot
cut.labs	A main title for the plot
leg.cex	A main title for the plot
tip.labs	A main title for the plot
...	Additional argument to pass to the <code>plot.phylo</code> function

### Details

If `trait` is a factor then each level of the factor is plotted with the corresponding `col.names` value (if `length(num.breaks) > length(col.names)` colors are recycled.) If `trait` is not a factor then it is assumed to be continuous and `trait` is evenly divided into `num.breaks` levels.

### Value

The command is invoked for its side effect, a plot of the phylo with tips colored based on `trait`

### Author(s)

Peter Cowan <pcdc@berkeley.edu>

---

comdist	<i>Calculates inter-community mean pairwise distance</i>
---------	--

---

### Description

Calculates MPD (mean pairwise distance) separating taxa in two communities, a measure of phylogenetic beta diversity

### Usage

```
comdist(comm, dis, abundance.weighted = FALSE)
```

### Arguments

comm	Community data matrix
dis	Interspecific distance matrix
abundance.weighted	Should mean pairwise distances separating species in two communities be weighted by species abundances? (default = FALSE)

**Details**

This function calculates a measure of phylogenetic beta diversity: the expected phylogenetic distance separating two individuals or taxa drawn randomly from different communities.

**Value**

Distance object of MPD values separating each pair of communities.

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

**References**

C.O. Webb, D.D. Ackerly, and S.W. Kembel. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. *Bioinformatics* 18:2098-2100.

**See Also**

[mpd](#), [ses.mpd](#)

**Examples**

```
data(phylocom)
comdist(phylocom$sample, cophenetic(phylocom$phylo), abundance.weighted=TRUE)
```

---

comdistnt

*Calculates inter-community mean nearest taxon distance*

---

**Description**

Calculates MNTD (mean nearest taxon distance) separating taxa in two communities, a measure of phylogenetic beta diversity

**Usage**

```
comdistnt(comm, dis, abundance.weighted = FALSE, exclude.conspecifics = FALSE)
```

**Arguments**

comm	Community data matrix
dis	Interspecific distance matrix
abundance.weighted	Should mean nearest taxon distances from each species to species in the other community be weighted by species abundance? (default = FALSE)
exclude.conspecifics	Should conspecific taxa in different communities be exclude from MNTD calculations? (default = FALSE)

**Details**

This metric has also been referred to as MNND (mean nearest neighbour distance).

This function calculates a measure of phylogenetic beta diversity: the average phylogenetic distance to the most similar taxon or individual in the other community for taxa or individuals in two communities.

**Value**

Distance object of MNTD values separating each pair of communities.

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

**References**

C.O. Webb, D.D. Ackerly, and S.W. Kembel. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. *Bioinformatics* 18:2098-2100.

**See Also**

[mntd](#), [ses.mntd](#)

**Examples**

```
data(phylocom)
comdistnt(phylocom$sample, cophenetic(phylocom$phylo), abundance.weighted=FALSE)
```

---

comm.phylo.cor	<i>Correlations between species co-occurrence and phylogenetic distances</i>
----------------	--

---

**Description**

Calculates measures of community phylogenetic structure (correlation between co-occurrence and phylogenetic distance) to patterns expected under various null models

**Usage**

```
comm.phylo.cor(samp, phylo, metric = c("cij", "checkerboard", "jaccard", "doi"),
  null.model = c("sample.taxa.labels", "pool.taxa.labels",
    "frequency", "richness", "independentswap", "trialswap"), runs = 999, ...)
```

**Arguments**

samp	Community data matrix
phylo	Phylogenetic tree
metric	Metric of co-occurrence to use (see <a href="#">species.dist</a> )
null.model	Null model to use (see Details section for description)
runs	Number of runs (randomizations)
...	Additional arguments to <a href="#">randomizeMatrix</a>

**Details**

Currently implemented null models (arguments to null.model):

**sample.taxa.labels** Shuffle phylogeny tip labels (only within set of taxa present in community data)

**pool.taxa.labels** Shuffle phylogeny tip labels (across all taxa included in phylogenetic tree)

**frequency** Randomize community data matrix abundances within species (maintains species occurrence frequency)

**richness** Randomize community data matrix abundances within samples (maintains sample species richness)

**independentswap** Randomize community data matrix maintaining species occurrence frequency and site richness using independent swap

**trialswap** Randomize community data matrix maintaining species occurrence frequency and site richness using trial swap

**Value**

A list with elements:

obs.corr	Observed co-occurrence/phylogenetic distance correlation
obs.corr.p	P-value of observed correlation (standard P-value for correlation coefficient, not based on comparison with randomizations)
obs.rank	Rank of observed correlation vs. random
runs	Number of runs (randomizations)
obs.rand.p	P-value of observed correlation vs. randomizations (= obs.rank / (runs + 1))
random.corr	A vector of random correlation calculated for each run

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

**References**

Cavender-Bares J., D.A. Ackerly, D. Baum and F.A. Bazzaz. 2004. Phylogenetic overdispersion in Floridian oak communities, *American Naturalist*, 163(6):823-843.

**See Also**[randomizeMatrix](#)**Examples**

```
data(phylocom)
comm.phylo.cor(phylocom$sample, phylocom$phylo, metric="cij", null.model="sample.taxa.labels")
```

---

comm.phylo.qr	<i>Quantile regression slopes between species co-occurrence and phylogenetic distances</i>
---------------	--

---

**Description**

Calculates measures of community phylogenetic structure (quantile regression between co-occurrence and phylogenetic distance) to patterns expected under various null models

**Usage**

```
comm.phylo.qr(samp, phylo, metric = c("cij", "checkerboard", "jaccard", "doij"),
  null.model = c("sample.taxa.labels", "pool.taxa.labels",
    "frequency", "richness", "independentswap", "trialswap"),
  quant = 0.75, runs = 999, show.plot = FALSE, ...)
```

**Arguments**

samp	Community data matrix
phylo	Phylogenetic tree
metric	Metric of co-occurrence to use (see <a href="#">species.dist</a> )
null.model	Null model to use (see Details section for description)
quant	Quantile of slope to be fit (using <a href="#">rq</a> )
runs	Number of runs (randomizations)
show.plot	Option to display a plot of co-occurrence versus phylogenetic distance with quantile regression slope fit
...	Additional arguments to <a href="#">randomizeMatrix</a>

**Details**

This function fits a quantile regression of co-occurrence versus phylogenetic distances separating species, and compares observed patterns to the patterns expected under some null model. The quantile regressions are fit using the [rq](#) function from the [quantreg](#) package.

Currently implemented null models (arguments to null.model):

**sample.taxa.labels** Shuffle phylogeny tip labels (only within set of taxa present in community data)

- pool.taxa.labels** Shuffle phylogeny tip labels (across all taxa included in phylogenetic tree)
- frequency** Randomize community data matrix abundances within species (maintains species occurrence frequency)
- richness** Randomize community data matrix abundances within samples (maintains sample species richness)
- independentswap** Randomize community data matrix maintaining species occurrence frequency and site richness using independent swap
- trialswap** Randomize community data matrix maintaining species occurrence frequency and site richness using trial swap

### Value

A list with elements:

- obs.qr.intercept      Observed co-occurrence/phylogenetic distance quantile regression intercept
- obs.qr.slope      Observed co-occurrence/phylogenetic distance quantile regression slope
- obs.qr.slope.p      P-value of observed quantile regression slope significance versus null model (calculated based on comparison with randomizations)
- obs.rank      Rank of observed quantile regression slope vs. random
- runs      Number of runs (randomizations)
- random.qr.slopes      A vector of quantile regression slopes calculated for each randomization

### Author(s)

Steven Kembel <skembel@uoregon.edu>

### References

Cavender-Bares J., D.A. Ackerly, D. Baum and F.A. Bazzaz. 2004. Phylogenetic overdispersion in Floridian oak communities, *American Naturalist*, 163(6):823-843. Slingsby, J. A. and G. A. Verboom. 2006. Phylogenetic relatedness limits coexistence at fine spatial scales: evidence from the schoenoid sedges (Cyperaceae: Schoeneae) of the Cape Floristic Region, South Africa. *The American Naturalist* 168:14-27.

### See Also

[randomizeMatrix](#)

### Examples

```
data(phylocom)
comm.phylo.qr(phylocom$sample, phylocom$phylo, metric="cij", null.model="sample.taxa.labels")
```

---

cor.table *Table of correlations and P-values*

---

### Description

Table of correlations with associated P-values and df, can be used with regular or independent contrast data

### Usage

```
cor.table(x, cor.method = c("pearson", "spearman"),
          cor.type=c("standard", "contrast"))
```

### Arguments

x	Data frame of data points or contrasts at nodes
cor.method	Correlation method (as <a href="#">cor</a> )
cor.type	Are data standard or independent contrast values?

### Value

r	Correlation values
df	Degrees of freedom
P	P-values

### Author(s)

Steven Kembel <skembel@uoregon.edu>

### References

Garland, T., Jr., P. H. Harvey, and A. R. Ives. 1992. Procedures for the analysis of comparative data using phylogenetically independent contrasts. *Systematic Biology* 41:18-32.

---

evol.distinct *Species' evolutionary distinctiveness*

---

### Description

Calculates evolutionary distinctiveness measures for a suite of species by: a) equal splits (Redding and Mooers 2006) b) fair proportions (Isaac et al., 2007). Returns a datafram with species identifiers and species scores.

**Usage**

```
evol.distinct(tree, type = c("equal.splits", "fair.proportion"), scale = FALSE, use.branch.lengths = TRUE)
```

**Arguments**

tree	an object of class phylo
type	a) equal splits (Redding and Mooers 2006) or b) fair proportions (Isaac et al., 2007)
scale	The scale option refers to whether or not the phylogeny should be scaled to a depth of 1 or, in the case of an ultrametric tree, scaled such that branch lengths are relative.
use.branch.lengths	If use.branch.lengths=FALSE, then all branch lengths are changed to 1.

**Note**

This function will return a vector of evolutionary distinctiveness for every species in the given tree. If only a subset of values are needed there are two, conceptually distinct options: either prune the tree first and then pass the tree in or subset the resulting vector. These two options will provide very different outputs.

**Author(s)**

Karen Magnuson-Ford, Will Cornwell, Arne Mooers, Mark Vellend

**References**

Redding, D.W. and Mooers, A.O. (2006). Incorporating evolutionary measures into conservation prioritisation. *Conservation Biology*, 20, 1670-1678.

Isaac, N.J.B., Turvey, S.T., Collen, B., Waterman, C. and Baillie, J.E.M. (2007). Mammals on the EDGE: conservation priorities based on threat and phylogeny. *PLoS ONE*, 2, e296.

Mark Vellend, William K. Cornwell, Karen Magnuson-Ford, and Arne Mooers. In press. Measuring phylogenetic biodiversity. In: *Biological diversity: frontiers in measurement and assessment*. Edited by Anne Magurran and Brian McGill.

---

IvesGodfray

*Host-parasitoid food web data*

---

**Description**

Data on the structure of a host-parasitoid food web from Ives & Godfray (2006). Includes information on phylogenetic covariances among 12 leaf-mining moth hosts and 27 species of parasitoid wasps.

**Usage**

```
data(IvesGodfray)
```

**Format**

A list with three elements:

- host Phylogenetic variance/covariance matrix for 12 leaf-mining moth hosts
- parasitoid Phylogenetic variance/covariance matrix for 27 species of parasitoid wasps
- interactions Matrix describing interactions between hosts and parasitoids

**Source**

Ives A.R. & Godfray H.C. (2006) Phylogenetic analysis of trophic associations. *The American Naturalist*, 168, E1-E14

**See Also**

[pblm](#)

---

Kcalc

*K statistic of phylogenetic signal*

---

**Description**

Calculates K statistic of phylogenetic signal

**Usage**

```
Kcalc(x, phy, checkdata=TRUE)
```

**Arguments**

x	Vector or data.frame of trait data (in phylo\$tip.label order)
phy	phylo object
checkdata	Check for match between trait and phylogeny taxa labels using <a href="#">match.phylo.data?</a> (default=TRUE)

**Value**

K	K statistic
---	-------------

**Author(s)**

Simon Blomberg <s.blomberg1@uq.edu.au> and David Ackerly <dackerly@berkeley.edu>

**References**

- Blomberg, S. P., and T. Garland, Jr. 2002. Tempo and mode in evolution: phylogenetic inertia, adaptation and comparative methods. *Journal of Evolutionary Biology* 15:899-910.
- Blomberg, S. P., T. Garland, Jr., and A. R. Ives. 2003. Testing for phylogenetic signal in comparative data: behavioral traits are more labile. *Evolution* 57:717-745.

**See Also**[phylosignal](#)**Examples**

```
randtree <- rcoal(20)
randtraits <- rTraitCont(randtree)
Kcalc(randtraits[randtree$tip.label], randtree)
```

---

match.phylo.data	<i>Match taxa in phylogeny and data</i>
------------------	---

---

**Description**

These functions compare taxa present in phylogenies with community or trait data sets, pruning and sorting the two kinds of data to match one another for subsequent analysis.

**Usage**

```
match.phylo.comm(phy, comm)
match.phylo.data(phy, data)
match.comm.dist(comm, dis)
```

**Arguments**

phy	A phylogeny object of class phylo
comm	Community data matrix
data	A data object - a vector (with names matching phy) or a data.frame or matrix (with row names matching phy)
dis	A distance matrix - a dist or matrix object

**Details**

A common pitfall in comparative analyses in R is that taxa labels are assumed to match between phylogenetic and other data sets. These functions prune a phylogeny and community or trait data set to match one another, reporting taxa that are missing from one data set or the other.

Taxa names for phylogeny objects are taken from the phylogeny's tip labels. Taxa names for community data are taken from the column names. Taxa names for trait data are taken from the element names (vector) or row names (data.frame or matrix). Taxa names for distance data are taken from column/row names of the distance matrix/dist object.

If community data lack taxa names, the function will issue a warning and no result will be returned, since the community-phylogenetic analyses in *picante* require named taxa in the community data set.

If trait data or distance matrix lack names, a warning is issued and the data are assumed to be sorted in the same order as the phylogeny's tip labels or community's column labels.

These utility functions are used by several functions that assume taxa labels in phylogeny and data match, including [Kcalc](#), [phylosignal](#), and [raoD](#).

**Value**

A list containing the following elements, pruned and sorted to match one another:

phy	A phylogeny object of class phylo
comm	Community data matrix
data	A data object (vector, data.frame or matrix)
dist	A distance matrix - a dist or matrix object

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

**See Also**

[prune.missing](#), [prune.sample](#)

**Examples**

```
data(phylocom)
match.phylo.comm(phylocom$phylo, phylocom$sample)
match.phylo.data(phylocom$phylo, phylocom$traits[1:10,])
```

---

matrix2sample

*Convert community data matrix to Phylocom sample*

---

**Description**

Converts a community data matrix to a Phylocom database-format community sample

**Usage**

```
matrix2sample(z)
```

**Arguments**

z	Community data matrix
---	-----------------------

**Value**

Phylocom database-format community sample

**Author(s)**

Steven Kembel <skembel@uoregon.edu> and Cam Webb <cwebb@oeb.harvard.edu>

**References**

Webb, C.O., Ackerly, D.D., and Kembel, S.W. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. Version 4.0.1. <http://www.phylodiversity.net/phylocom/>.

**Examples**

```
data(phylocom)
matrix2sample(phylocom$sample)
```

---

mntd

*Mean nearest taxon distance*


---

**Description**

Calculates MNTD (mean nearest taxon distance) for taxa in a community

**Usage**

```
mntd(samp, dis, abundance.weighted=FALSE)
```

**Arguments**

samp	Community data matrix
dis	Interspecific distance matrix
abundance.weighted	Should mean nearest taxon distances for each species be weighted by species abundance? (default = FALSE)

**Details**

This metric has also been referred to as MNND (mean nearest neighbour distance), and the function was named mnnd in picante versions < 0.7.

**Value**

Vector of MNTD values for each community.

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

**References**

Webb, C., D. Ackerly, M. McPeck, and M. Donoghue. 2002. Phylogenies and community ecology. *Annual Review of Ecology and Systematics* 33:475-505.

**See Also**[ses.mntd](#)**Examples**

```
data(phylocom)
mntd(phylocom$sample, cophenetic(phylocom$phylo), abundance.weighted=TRUE)
```

---

mpd

*Mean pairwise distance*

---

**Description**

Calculates mean pairwise distance separating taxa in a community

**Usage**

```
mpd(samp, dis, abundance.weighted=FALSE)
```

**Arguments**

samp	Community data matrix
dis	Interspecific distance matrix
abundance.weighted	Should mean pairwise distances be weighted by species abundance? (default = FALSE)

**Value**

Vector of MPD values for each community

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

**References**

Webb, C., D. Ackerly, M. McPeck, and M. Donoghue. 2002. Phylogenies and community ecology. *Annual Review of Ecology and Systematics* 33:475-505.

**See Also**[ses.mpd](#)**Examples**

```
data(phylocom)
mpd(phylocom$sample, cophenetic(phylocom$phylo), abundance.weighted=TRUE)
```

---

multiPhylosignal	<i>Calculates phylogenetic signal for data.frame of traits</i>
------------------	--

---

**Description**

Calculates phylogenetic signal for data.frame of traits. Traits may have missing values in which case the tree will be pruned prior to calculating phylogenetic signal for each trait.

**Usage**

```
multiPhylosignal(x, phy, checkdata=TRUE, ...)
```

**Arguments**

x	Data frame of trait data (traits in columns) with row names corresponding to tip.labels
phy	phylo object
checkdata	Check for match between trait and phylogeny taxa labels using <a href="#">match.phylo.data?</a> (default=TRUE)
...	Additional arguments to <a href="#">phylosignal</a>

**Value**

Returns a data frame with phylogenetic signal results for each trait

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

---

pblm	<i>Phylogenetic Bipartite Linear Model</i>
------	--

---

**Description**

Fits a linear model to the association strengths of a bipartite data set with or without phylogenetic correlation among the interacting species

**Usage**

```
pblm(assocs, tree1=NULL, tree2=NULL, covars1=NULL, covars2=NULL, bootstrap=FALSE, nreps=10, maxit=10000, ps)
pblmpredict(x, tree1.w.novel=NULL, tree2.w.novel=NULL, predict.originals=FALSE)
```

**Arguments**

<code>assocs</code>	A matrix of association strengths among two sets of interacting species
<code>tree1</code>	A phylo tree object or a phylogenetic covariance matrix for the rows of <code>assocs</code>
<code>tree2</code>	A phylo tree object or a phylogenetic covariance matrix for the columns of <code>assocs</code>
<code>covars1</code>	A matrix of covariates (e.g., traits) for the row species of <code>assocs</code>
<code>covars2</code>	A matrix of covariates (e.g., traits) for the column species of <code>assocs</code>
<code>bootstrap</code>	logical, bootstrap confidence intervals of the parameter estimates
<code>nreps</code>	Number of bootstrap replicated data sets to estimate parameter CIs
<code>maxit</code>	as in <code>optim</code>
<code>pstart</code>	starting values of the two phylogenetic signal strength parameters passed to <code>optim</code>
<code>x</code>	object of class <code>pblm</code>
<code>tree1.w.novel</code>	A phylo tree object or a phylogenetic covariance matrix which corresponds to <code>tree1</code> of <code>x</code> with species to predict associations
<code>tree2.w.novel</code>	A phylo tree object or a phylogenetic covariance matrix which corresponds to <code>tree2</code> of <code>x</code> with species to predict associations
<code>predict.originals</code>	if TRUE then the associations of each original species in the two phylogenies is predicted

**Details**

Fit a linear model with covariates using estimated generalized least squares to the association strengths between two sets of interacting species. Associations can be either binary or continuous. If phylogenies of the two sets of interacting species are supplied, two *phylogenetic signal strength* parameters ( $d1$  and  $d2$ ), one for each species set, based on an Ornstein-Uhlenbeck model of evolution with stabilizing selection are estimated. Values of  $d=1$  indicate no stabilizing selection and correspond to the Brownian motion model of evolution;  $0 < d < 1$  represents stabilizing selection;  $d=0$  depicts the absence of phylogenetic correlation (i.e., a star phylogeny); and  $d > 1$  corresponds to disruptive selection where phylogenetic signal is amplified. Confidence intervals for these and the other parameters can be estimated with bootstrapping.

The function `pblmpredict` predicts the associations of novel species following the methods given in appendix B of Ives and Godfray (2006).

**Value**

<code>MSE</code>	total, full (each $d$ estimated), star ( $d=0$ ), and base ( $d=1$ ) mean squared errors
<code>signal.strength</code>	two estimates of phylogenetic signal strength
<code>coefficients</code>	estimated intercept and covariate coefficients with approximate 95 percent CIs for the three model types (full, star, base)
<code>CI.boot</code>	95 percent CIs for all parameters

variates	matrix of model variates (can be used for plotting)
residuals	matrix of residuals from the three models (full, star and base)
predicted	predicted associations
bootvalues	matrix of parameters estimated from the nreps bootstrap replicated data sets used to calculate CIs
phylocovs	phylogenetic covariance matrices scaled by the estimated d1 and d2
cors.1	correlations among predicted and observed associations for species of tree1, NA if predict.originals=FALSE
cors.2	correlations among predicted and observed associations for species of tree2, NA if predict.originals=FALSE
pred.novels1	predicted associations for the novel speices of tree1
pred.novels2	predicted associations for the novel speices of tree2

### Note

Covariates that apply to both species sets (e.g., sampling site) should be supplied in the covariate matrix of the set with the most species.

Bootstrapping CIs is slow due to the function `optim` used to estimate the model parameters. See appendix A in Ives and Godfray (2006) for a discussion about this bootstrapping procedure

If `pblmpredict=TRUE` the function does not first remove each species in turn when predicting the associations of the original species as is done in Ives and Godfray (2006).

### Author(s)

Matthew Helmus <mrhelmus@gmail.com>

### References

Ives A.R. & Godfray H.C. (2006) Phylogenetic analysis of trophic associations. *The American Naturalist*, 168, E1-E14

Blomberg S.P., Garland T.J. & Ives A.R. (2003) Testing for phylogenetic signal in comparative data: Behavioral traits are more labile. *Evolution*, 57, 717-745

### Examples

```
#load example data from Ives & Godfray (2006)
data(IvesGodfray)

#net attack rate of parasitoid on host eq.4 in Ives and Godfray
A<-(-1*log(1-IvesGodfray$interactions[,-28]/t(IvesGodfray$interactions[28])))

# Make tips of the phylogenetic trees contemporaneous by extending tips
p<-dim(IvesGodfray$host)[1]
q<-dim(IvesGodfray$parasitoid)[1]
host.cov.scaled<-IvesGodfray$host
```

```

para.cov.scaled<-IvesGodfray$parasitoid
for (i in 1:p)
{
  host.cov.scaled[i,i]<-max(host.cov.scaled)
}
for (i in 1:q)
{
  para.cov.scaled[i,i]<-max(para.cov.scaled)
}

# scale covariance matrices (this reduces numerical problems caused by
# determinants going to infinity or zero)
host.cov.scaled<-host.cov.scaled/(det(as.matrix(host.cov.scaled))^(1/p))
para.cov.scaled<-para.cov.scaled/(det(as.matrix(para.cov.scaled))^(1/q))

pblm.A <- pblm(sqrt(A),tree1=host.cov.scaled,tree2=para.cov.scaled)
pblm.A$signal.strength #compare to Ives and Godfray (2006) Table 1 Line 1
pblm.A$MSE

```

---

pcd

*Phylogenetic Community Dissimilarity*


---

## Description

Pairwise dissimilarity in phylogenetic community composition that is partitioned into a nonphylogenetic and a phylogenetic component.

## Usage

```
pcd(comm, tree, PSVmncd=NULL, PSVpool=NULL, reps=10^4)
```

## Arguments

comm	Community data matrix
tree	Object of class phylo or a phylogenetic covariance matrix
PSVmncd	Vector of null mean conditional <i>phylogenetic species variability</i> ( <i>PSV</i> ) values
PSVpool	The standard, unconditional <i>PSV</i> calculated for the species pool
reps	The number of random draws from the species pool used to produce PSVmncd

## Details

*Phylogenetic community dissimilarity* (*PCD*) is the pairwise differences between communities derived by asking how much of the variance among species in the values of a hypothetical nonselected trait in one community can be predicted by the known trait values of species in another community. *PCD* is partitioned into a nonphylogenetic component that reflects shared species between communities (*PCDc*) and a phylogenetic component that reflects the evolutionary relationships among nonshared species (*PCDp*). In order to compare communities that vary in species richness, the

metric is standardized under the assumption that the species in communities are selected at random from the species pool. The analyses here define the species pool as the list of all species in the set of communities in `comm`, but the species pool can be defined under any hypothesis of community assembly either by manipulating the code or inputting a user defined `PSVmncd` and `PSVpool`.

### Value

The function returns a list with items:

<code>PCD</code>	A square matrix of <i>PCD</i> values
<code>PCDc</code>	A square matrix of <i>PCDc</i> values
<code>PCDp</code>	A square matrix of <i>PCDp</i> values
<code>PSVmncd</code>	A vector of null mean conditional <i>PSV</i> values used to calculate <i>PCD</i>
<code>PSVpool</code>	The unconditional <i>PSV</i> of the species pool used to calculate <i>PCD</i>

### Note

The sampling procedure used to standardize *PCD* and produce `PSVmncd` and `PSVpool` can be slow.

### Author(s)

Anthony Ives <arives@wisc.edu> and Matthew Helmus <mrhelmus@gmail.com>

### References

Ives A.R. & Helmus M.R. (2010). Phylogenetic metrics of community similarity. *The American Naturalist*, 176, E128-E142.

### See Also

[psv](#), [phylosor](#), [unifrac](#)

### Examples

```
data(phylocom)
pcd(phylocom$sample, phylocom$phylo)
```

---

pd

*Calculate Faith's Phylogenetic Diversity*

---

### Description

Calculate the sum of the total phylogenetic branch length for one or multiple samples.

### Usage

```
pd(samp, tree, include.root=TRUE)
```

**Arguments**

<code>samp</code>	Community data matrix
<code>tree</code>	A phylo tree object
<code>include.root</code>	Should the root node be included in all PD calculations (default = TRUE)

**Value**

Returns a dataframe of the PD and species richness (SR) values for all samples

**Warning**

If the root is to be included in all calculations (`include.root=TRUE`), the PD of all samples will include the branch length connecting taxa in those samples and the root node of the supplied tree. The root of the supplied tree may not be spanned by any taxa in the sample. If you want the root of your tree to correspond to the most recent ancestor of the taxa actually present in your sample, you should prune the tree before running `pd`:

```
prunedTree <- prune.sample(sample, tree)
```

**Note**

The data sets need not be species-community data sets but may be any sample data set with an associated phylogeny. PD is not statistically independent of species richness, it positively correlates with species richness across samples. The function [ses.pd](#) compares observed PD to the values expected under various randomizations and allows a way to standardize for unequal richness across samples.

If the root is to be included in all calculations of PD (`include.root=TRUE`), the tree must be rooted. Single-species samples will be assigned a PD value equal to the distance from the root to the present.

If the root is not included in all calculations by default (`include.root=FALSE`), the tree need not be rooted, but in the case of single-species samples the PD will be equal to NA and a warning will be issued.

**Author(s)**

Matthew Helmus <mrhelius@gmail.com>, Jonathan Davies <davies@nceas.ucsb.edu>, Steven Kembel <skembel@uoregon.edu>

**References**

Faith D.P. (1992) Conservation evaluation and phylogenetic diversity. *Biological Conservation*, 61, 1-10.

**See Also**

[psr](#), [ses.pd](#)

**Examples**

```
data(phylocom)
pd(phylocom$sample, phylocom$phylo)
```

---

phylocom

*Phylocom default data*

---

**Description**

Phylogeny, community and trait data from the Phylocom 4.0 distribution

**Usage**

```
data(phylocom)
```

**Format**

A list with three elements:

- phylo Phylogenetic tree (an object of class phylo)
- sample Community data (a data.frame with samples in rows and species in columns)
- traits Trait data (a data.frame with species in rows and traits in columns)

**Source**

Webb, C.O., Ackerly, D.D., and Kembel, S.W. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. Version 4.0.1. <http://www.phylodiversity.net/phylocom/>.

---

phylosignal

*Measure phylogenetic signal*

---

**Description**

Calculates K statistic of phylogenetic signal as well as P-value based on variance of phylogenetically independent contrasts relative to tip shuffling randomization.

**Usage**

```
phylosignal(x, phy, reps = 999, checkdata=TRUE, ...)
```

**Arguments**

x	Trait vector (same order as phy\$tip.label)
phy	phylo object
reps	Number of randomizations
checkdata	Check for match between trait and phylogeny taxa labels using <a href="#">match.phylo.data?</a> (default=TRUE)
...	Additional arguments passed to pic

**Value**

Data frame with columns:

K	K statistic
PIC.variance	Mean observed PIC variance
PIC.variance.P	P-value of observed vs. random variance of PICs
PIC.variance.z	Z-score of observed vs. random variance of PICs

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

**References**

- Blomberg, S. P., and T. Garland, Jr. 2002. Tempo and mode in evolution: phylogenetic inertia, adaptation and comparative methods. *Journal of Evolutionary Biology* 15:899-910.
- Blomberg, S. P., T. Garland, Jr., and A. R. Ives. 2003. Testing for phylogenetic signal in comparative data: behavioral traits are more labile. *Evolution* 57:717-745.

**See Also**

[Kcalc](#)

**Examples**

```
randtree <- rcoal(20)
randtraits <- rTraitCont(randtree)
phylosignal(randtraits[randtree$tip.label], randtree)
```

---

phylosor

*Phylogenetic index of beta-diversity PhyloSor*

---

**Description**

Fraction of branch-length shared between two communities

**Usage**

```
phylosor(samp, tree)
```

**Arguments**

samp	Community data matrix
tree	Object of class phylo - a rooted phylogeny

**Value**

A distance object of the PhyloSor index of similarity between communities, the fraction of PD (branch-length) shared between two samples

**Warning**

The phylosor of all samples will include the branch length connecting taxa in those samples and the root of the supplied tree. The root of the supplied tree may not be spanned by any taxa in the sample. If you want the root of your tree to correspond to the most recent ancestor of the taxa actually present in your sample, you should prune the tree before running phylosor:

```
prunedTree <- prune.sample(sample, tree)
```

**Note**

The root of the supplied tree is included in calculations of PhyloSor. The supplied tree must be rooted. Single-species samples will be assigned a PD value equal to the distance from the root to the present.

**Author(s)**

Helene Morlon <morlon.helene@gmail.com> and Steven Kembel <skembel@uoregon.edu>

**References**

Bryant, J.B., Lamanna, C., Morlon, H., Kerkhoff, A.J., Enquist, B.J., Green, J.L. 2008. Microbes on mountainsides: Contrasting elevational patterns of bacterial and plant diversity. *Proceedings of the National Academy of Sciences* 105 Supplement 1: 11505-11511

**See Also**

[phylosor.rnd, pd](#)

**Examples**

```
data(phylocom)
phylosor(phylocom$sample, phylocom$phylo)
```

---

phylosor.rnd	<i>Null PhyloSor values of phylogenetic beta-diversity</i>
--------------	--

---

**Description**

PhyloSor values obtained by randomization for different choices of null models

**Usage**

```
phylosor.rnd(samp, tree, cstSor=TRUE, null.model=c("taxa.labels",
  "frequency", "richness", "independentswap", "trialswap"),
  runs=999, iterations=1000)
```

**Arguments**

samp	Community data matrix
tree	Object of class phylo - a rooted phylogeny
cstSor	TRUE if the Sorensen similarity should be kept constant across communities. FALSE otherwise
null.model	Null model to use (see Details section)
runs	Number of randomizations
iterations	Number of iterations to use for each randomization (for independent swap and trial null models)

**Details**

Currently implemented null models (arguments to null.model):

**taxa.labels** Shuffle community data matrix labels. Maintains species richness in each community and species shared between communities. Should be used with `cstSor=TRUE`

**frequency** Randomize community data matrix abundances within species (maintains species occurrence frequency). Does not maintain species richness in communities nor species shared between communities. Can only be used with `cstSor=FALSE`

**richness** With `cstSor=TRUE`: For each pair of community, maintains species richness in each community and species shared between communities. Sample in the species pool with equal probability; With `cstSor=FALSE`: Maintains species richness in each community, does not maintain species shared between communities. Sample in the species pool with equal probability

**independentswap** Randomize community data matrix with the independent swap algorithm (Gotelli 2000) maintaining species occurrence frequency and sample species richness. Can only be used with `cstSor=FALSE`

**trialswap** Randomize community data matrix with the trial-swap algorithm (Miklos & Podani 2004) maintaining species occurrence frequency and sample species richness. Can only be used with `cstSor=FALSE`

**Value**

A list of length the number of runs. Each element of the list is a distance matrix containing the PhyloSor values of phylogenetic beta-diversity obtained by randomization

**Author(s)**

Helene Morlon <morlon.helene@gmail.com> and Steven Kembel <skembel@uoregon.edu>

**References**

Bryant, J.B., Lamanna, C., Morlon, H., Kerkhoff, A.J., Enquist, B.J., Green, J.L. 2008. Microbes on mountainsides: Contrasting elevational patterns of bacterial and plant diversity. Proceedings of the National Academy of Sciences 105 Supplement 1: 11505-11511

**See Also**

[phylosor](#), [randomizeMatrix](#)

**Examples**

```
data(phylocom)
phylosor.rnd(phylocom$sample,phylocom$phylo,cstSor=TRUE,null.model="richness",runs=5)
```

---

phylostruct	<i>Permutations to Test for Phylogenetic Signal in Community Composition</i>
-------------	--

---

**Description**

Randomize sample/community data matrices to create null distributions of given metrics

**Usage**

```
phylostruct(samp, tree, env=NULL, metric=c("psv", "psr", "pse", "psc", "sppregs"), null.model=c("frequency", "richness", "independentswap", "trialswap"), runs=100, it=1000, alpha=0.05, fam="binomial")
```

**Arguments**

samp	community data matrix, species as columns, communities as rows
tree	phylo tree object or a phylogenetic covariance matrix
env	environmental data matrix
metric	if metric="psv", "psr", "pse", or "psc" compares the observed mean of the respective metric to a null distribution at a given alpha; if metric="sppregs" compares the three correlations produced by <a href="#">sppregs</a> to null distributions
null.model	permutation procedure used to create the null distribution, see <a href="#">randomizeMatrix</a>

runs	the number of permutations to create the distribution, a rule of thumb is (number of communities)/alpha
it	the number of swaps for the independent and trial-swap null models, see <a href="#">randomizeMatrix</a>
alpha	probability value to compare the observed mean/correlations to a null distribution
fam	as in <a href="#">sppregs</a>

### Details

The function creates null distributions for the [psd](#) set of metrics and for the correlations of [sppregs](#) from observed community data sets.

### Value

metric	metric used
null.model	permutation used
runs	number of permutations
it	number of swaps if applicable
obs	observed mean value of a particular metric or the three observed correlations from <a href="#">sppregs</a>
mean.null	mean(s) of the null distribution(s)
quantiles.null	quantiles of the null distribution(s) to compare to obs; determined by alpha
phylo.structure	if obs less than (alpha/2), phylo.structure="underdispersed"; if obs greater than (1-alpha/2), phylo.structure="overdispersed"; otherwise phylo.structure="random" and NULL if metric="sppregs"
nulls	null values of the distribution(s)

### Author(s)

Matthew Helmus <[mrhelmus@gmail.com](mailto:mrhelmus@gmail.com)>

### References

Helmus M.R., Bland T.J., Williams C.K. & Ives A.R. (2007a) Phylogenetic measures of biodiversity. *American Naturalist*, 169, E68-E83

Helmus M.R., Savage K., Diebel M.W., Maxted J.T. & Ives A.R. (2007b) Separating the determinants of phylogenetic community structure. *Ecology Letters*, 10, 917-925

Gotelli N.J. (2000) Null model analysis of species co-occurrence patterns. *Ecology*, 81, 2606-2621

### See Also

[psd](#), [sppregs](#), [randomizeMatrix](#)

---

pic.circular	<i>Phylogenetic independent contrasts for circular data</i>
--------------	---

---

**Description**

Computes the phylogenetic independent contrasts for traits with circular distributions

**Usage**

```
pic.circular(x, phy, scaled = TRUE, var.contrasts = FALSE)
```

**Arguments**

x	A vector of class <code>circular</code> , <code>modulo = "2pi"</code> with length equal to <code>length(phy\$edge.label)</code>
phy	An object of class <code>phylo</code>
scaled	logical, indicates whether the contrasts should be scaled with their expected variance (default to TRUE).
var.contrasts	logical, indicates whether the expected variance of the contrasts should be returned (default to FALSE)

**Details**

If x has names, these are matched to the dataframe, otherwise values are expected to be in the same order and an error is issued.

**Value**

Vector of contrasts for trait x on phylogeny phy

**Author(s)**

Peter Cowan <pc@berkeley.edu> based on the ape package pic function by Emmanuel Paradis

---

pic3	<i>Independent contrasts</i>
------	------------------------------

---

**Description**

Modification of pic function from ape to return internal node values as well as contrasts and variance of contrasts.

**Usage**

```
pic3(x, phy, scaled = TRUE, var.contrasts = TRUE)
```

**Arguments**

x	Trait vector (same order as phy\$tip.label)
phy	phylo object
scaled	TRUE = standardize contrasts by branch lengths
var.contrasts	TRUE = return variance of contrasts

**Value**

Matrix with three columns:

row.names	node numbers
contrasts	independent contrast value
variance	variance of contrasts (sum of subtending branch lengths)
node.vals	values calculated at internal nodes by contrast algorithm

**Warning**

Assumes that trait data are sorted in the same order as phy\$tip.label

**Author(s)**

Original pic function by Emmanuel Paradis <Emmanuel.Paradis@mpl.ird.fr> modified to return node.vals by David Ackerly <dackerly@berkeley.edu>

**References**

- Felsenstein J (1985) Phylogenies and the comparative method. *American Naturalist* 125: 1-15.
- Garland T, Jr, Harvey PH & Ives AR (1992) Procedures for the analysis of comparative data using phylogenetically independent contrasts. *Systematic Biology* 41: 18-32.

**See Also**

[pic](#)

**Examples**

```
randtree <- rcoal(20)
randtraits <- rTraitCont(randtree)
pic3(randtraits,randtree)
```

---

prune.sample	<i>Prune tree to match community data or trait data</i>
--------------	---

---

**Description**

Prune a phylogenetic tree to include only species present in a community data set or with non-missing trait data

**Usage**

```
prune.sample(samp, phylo)
prune.missing(x, phylo)
```

**Arguments**

phylo	phylo object
samp	Community data matrix
x	Vector of trait data

**Value**

Returns a pruned phylo object

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

---

psd	<i>Phylogenetic Species Diversity Metrics</i>
-----	---

---

**Description**

Calculate the bounded phylogenetic biodiversity metrics: phylogenetic species variability, richness, evenness and clustering for one or multiple samples.

**Usage**

```
psv(samp, tree, compute.var=TRUE)
psr(samp, tree, compute.var=TRUE)
pse(samp, tree)
psc(samp, tree)
psd(samp, tree, compute.var=TRUE)
psv.spp(samp, tree)
```

**Arguments**

samp	Community data matrix
tree	A phylo tree object or a phylogenetic covariance matrix
compute.var	Computes the expected variances for PSV and PSR for each community

**Details**

*Phylogenetic species variability (PSV)* quantifies how phylogenetic relatedness decreases the variance of a hypothetical unselected/neutral trait shared by all species in a community. The expected value of PSV is statistically independent of species richness, is one when all species in a sample are unrelated (i.e., a star phylogeny) and approaches zero as species become more related. PSV is directly related to mean phylogenetic distance. The expected variance around PSV for any sample of a particular species richness can be approximated. To address how individual species contribute to the mean PSV of a data set, the function `psv.spp` gives signed proportions of the total deviation from the mean PSV that occurs when all species are removed from the data set one at a time. The absolute values of these “species effects” tend to positively correlate with species prevalence.

*Phylogenetic species richness (PSR)* is the number of species in a sample multiplied by PSV. It can be considered the species richness of a sample after discounting by species relatedness. The value is maximum at the species richness of the sample, and decreases towards zero as relatedness increases. The expected variance around PSR for any sample of a particular species richness can be approximated.

*Phylogenetic species evenness (PSE)* is the metric PSV modified to incorporate relative species abundances. The maximum attainable value of PSE (i.e., 1) occurs only if species abundances are equal and species phylogeny is a star. PSE essentially grafts each individual of a species onto the tip of the phylogeny of its species with branch lengths of zero.

*Phylogenetic species clustering (PSC)* is a metric of the branch tip clustering of species across a sample’s phylogeny. As PSC increases to 1, species are less related to one another the tips of the phylogeny. PSC is directly related to mean nearest neighbor distance.

**Value**

Returns a dataframe of the respective phylogenetic species diversity metric values

**Note**

These metrics are bounded either between zero and one (PSV, PSE, PSC) or zero and species richness (PSR); but the metrics asymptotically approach zero as relatedness increases. Zero can be assigned to communities with less than two species, but conclusions drawn from assigning communities zero values need be carefully explored for any data set. The data sets need not be species-community data sets but may be any sample data set with an associated phylogeny.

**Author(s)**

Matthew Helmus <mrhelmus@gmail.com>

**References**

Helmus M.R., Bland T.J., Williams C.K. & Ives A.R. (2007) Phylogenetic measures of biodiversity. *American Naturalist*, 169, E68-E83

**See Also**

[mpd](#), [mnnd](#), [specaccum.psr](#)

---

randomizeMatrix	<i>Null models for community data matrix randomization</i>
-----------------	--

---

**Description**

Various null models for randomizing community data matrices

**Usage**

```
randomizeMatrix(samp, null.model = c("frequency", "richness", "independentswap", "trialswap"), iterations)
```

**Arguments**

samp	Community data matrix
null.model	Null model to use (see Details section for description)
iterations	Number of independent or trial-swaps to perform

**Details**

Currently implemented null models (arguments to null.model):

**frequency** Randomize community data matrix abundances within species (maintains species occurrence frequency)

**richness** Randomize community data matrix abundances within samples (maintains sample species richness)

**independentswap** Randomize community data matrix with the independent swap algorithm (Gotelli 2000) maintaining species occurrence frequency and sample species richness

**trialswap** Randomize community data matrix with the trial-swap algorithm (Miklos & Podani 2004) maintaining species occurrence frequency and sample species richness

**Value**

Randomized community data matrix

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

## References

- Gotelli, N.J. 2000. Null model analysis of species co-occurrence patterns. *Ecology* 81: 2606-2621
- Miklos I. & Podani J. 2004. Randomization of presence-absence matrices: Comments and new algorithms. *Ecology* 85: 86-92.

## Examples

```
data(phylocom)
randomizeMatrix(phylocom$sample, null.model="richness")
```

---

raoD	<i>Rao's quadratic entropy</i>
------	--------------------------------

---

## Description

Calculates Rao's quadratic entropy, a measure of within- and among-community diversity taking species dissimilarities into account

## Usage

```
raoD(comm, phy=NULL)
```

## Arguments

comm	Community data matrix
phy	Object of class phylo - an ultrametric phylogenetic tree (optional)

## Details

Rao's quadratic entropy (Rao 1982) is a measure of diversity in ecological communities that can optionally take species differences (e.g. phylogenetic dissimilarity) into account. This method is conceptually similar to analyses of genetic diversity among populations (Nei 1973), but instead of diversity of alleles among populations, it measures diversity of species among communities.

If no phylogeny is supplied, Dkk is equivalent to Simpson's diversity (probability that two individuals drawn from a community are from different taxa), Dkl is a beta-diversity equivalent of Simpson's diversity (probability that individuals drawn from each of two communities belong to different taxa), and H is Dkl standardized to account for within-community diversity.

If an ultrametric phylogeny is supplied, Dkk is equivalent to the mean pairwise phylogenetic distance (distance to MRCA) between two individuals drawn from a community, Dkl is the mean pairwise phylogenetic distance between individuals drawn from each of two communities, and H is Dkl standardized to account for within-community diversity.

$$D[kl] = \text{sum}(t[ij] * x[ki] * x[lj])$$

where  $x[ki]$  is the relative abundance of taxon  $i$  in community  $k$  and  $t[ij]$  is a matrix of weights for all pairs of taxa  $i,j$ . Without a phylogeny, when  $i=j$ ,  $t[ij]=0$ , otherwise  $t[ij]=1$ . With a phylogeny,  $t[ij]$  is the phylogenetic distance to MRCA for taxa  $i,j$ .

$$H[kl] = D[kl] - (D[kk] + D[l]) / 2$$

Alpha, beta and total measure the average diversity within, among, and across all communities based on Dkk and H values taking variation in number of individuals per community into account. A Fst-like measure is calculated by dividing beta by the total diversity across all samples.

### Value

A list of results

Dkk	Within-community diversity
Dk1	Among-community diversity
H	Among-community diversities excluding within-community diversity
total	Total diversity across all samples
alpha	Alpha diversity - average within-community diversity
beta	Beta diversity - average among-community diversity
Fst	Beta diversity / total diversity

### Warning

Alpha, beta, and total diversity components and Fst should not be interpreted as a measure of relative differentiation among versus within communities. See Jost (2007) for a detailed description of this problem. Hardy and Jost (2008) suggest Fst can be interpreted as 'local species identity excess' or 'local phylogenetic similarity excess' rather than as a measure of among-community differentiation.

### Author(s)

Steven Kembel <skembel@uoregon.edu>

### References

- Hardy, O.J., and Jost. L. 2008. Interpreting and estimating measures of community phylogenetic structuring. *J. Ecol.* 96:849-852.
- Jost, L. 2007. Partitioning diversity into independent alpha and beta components. *Ecology* 88: 2427-2439.
- Nei, M. 1973. Analysis of gene diversity in sub-divided populations. *Proceedings of the National Academy of Sciences of the USA* 70:3321-3323.
- Rao, C.R. 1982. Diversity and dissimilarity coefficients: a unified approach. *Theoretical Population Biology* 21:2443.
- Webb, C.O., Ackerly, D.D., and Kembel, S.W. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. Version 4.0.1. <http://www.phylodiversity.net/phylocom/>.

### See Also

[mpd](#), [comdist](#)

**Examples**

```
data(phylocom)
raoD(phylocom$sample)
raoD(phylocom$sample, phylocom$phylo)
```

---

readsample	<i>Read Phylocom sample</i>
------------	-----------------------------

---

**Description**

Reads a Phylocom sample file and converts to a community data matrix

**Usage**

```
readsample(filename = "")
```

**Arguments**

filename           Phylocom sample file path

**Value**

Community data matrix

**Author(s)**

Steven Kembel <skembel> and Cam Webb <cwebb@oeb.harvard.edu>

**References**

Webb, C.O., Ackerly, D.D., and Kembel, S.W. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. Version 4.0.1. <http://www.phylodiversity.net/phylocom/>.

---

sample2matrix	<i>Convert Phylocom sample to community data matrix</i>
---------------	---

---

**Description**

Convert a Phylocom database-format sample to community data matrix.

**Usage**

```
sample2matrix(x)
```

**Arguments**

- x                      Phylocom sample formatted data frame, a data frame with three columns:
- Column 1 Community name
  - Column 2 Species abundance
  - Column 3 Species name

**Author(s)**

Steven Kembel <skembel@uoregon.edu> and Cam Webb <cwebb@oeb.harvard.edu>

**References**

Webb, C.O., Ackerly, D.D., and Kembel, S.W. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. Version 4.0.1. <http://www.phylodiversity.net/phylocom/>.

---

ses.mntd	<i>Standardized effect size of MNTD</i>
----------	---

---

**Description**

Standardized effect size of mean nearest taxon distances in communities. When used with a phylogenetic distance matrix, equivalent to -1 times the Nearest Taxon Index (NTI).

**Usage**

```
ses.mntd(samp, dis, null.model = c("taxa.labels", "richness", "frequency", "sample.pool", "phylogeny.p",
  abundance.weighted=FALSE, runs = 999, iterations = 1000)
```

**Arguments**

- |                    |  |
|--------------------|--|
| samp               | Community data matrix  |
| dis                | Distance matrix (generally a phylogenetic distance matrix)   |
| null.model         | Null model to use (see Details section for description)  |
| abundance.weighted | Should mean nearest taxon distances for each species be weighted by species abundance? (default = FALSE) |
| runs               | Number of randomizations   |
| iterations         | Number of iterations to use for each randomization (for independent swap and trial null models)          |

## Details

The metric used by this function has also been referred to as MNND (mean nearest neighbour distance), and the function was named `ses.mnnd` in picante versions < 0.7.

Currently implemented null models (arguments to `null.model`):

**taxa.labels** Shuffle distance matrix labels (across all taxa included in distance matrix)

**richness** Randomize community data matrix abundances within samples (maintains sample species richness)

**frequency** Randomize community data matrix abundances within species (maintains species occurrence frequency)

**sample.pool** Randomize community data matrix by drawing species from pool of species occurring in at least one community (sample pool) with equal probability

**phylogeny.pool** Randomize community data matrix by drawing species from pool of species occurring in the distance matrix (phylogeny pool) with equal probability

**independentswap** Randomize community data matrix with the independent swap algorithm (Gotelli 2000) maintaining species occurrence frequency and sample species richness

**trialswap** Randomize community data matrix with the trial-swap algorithm (Miklos & Podani 2004) maintaining species occurrence frequency and sample species richness

## Value

A data frame of results for each community

<code>ntaxa</code>	Number of taxa in community
<code>mntd.obs</code>	Observed MNTD in community
<code>mntd.rand.mean</code>	Mean MNTD in null communities
<code>mntd.rand.sd</code>	Standard deviation of MNTD in null communities
<code>mntd.obs.rank</code>	Rank of observed MNTD vs. null communities
<code>mntd.obs.z</code>	Standardized effect size of MNTD vs. null communities (= $(mntd.obs - mntd.rand.mean) / mntd.rand.sd$ , equivalent to -NTI)
<code>mntd.obs.p</code>	P-value (quantile) of observed MNTD vs. null communities (= $mntd.obs.rank / runs + 1$ )
<code>runs</code>	Number of randomizations

## Author(s)

Steven Kembel <[skembel@uoregon.edu](mailto:skembel@uoregon.edu)>

## References

Webb, C.O., Ackerly, D.D., and Kembel, S.W. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. Version 4.0.1. <http://www.phylodiversity.net/phylocom/>.

**See Also**[mntd](#), [randomizeMatrix](#)**Examples**

```
data(phylocom)
ses.mntd(phylocom$sample, cophenetic(phylocom$phylo), null.model="taxa.labels")
```

ses.mpd

*Standardized effect size of MPD***Description**

Standardized effect size of mean pairwise distances in communities. When used with a phylogenetic distance matrix, equivalent to -1 times the Nearest Relative Index (NRI).

**Usage**

```
ses.mpd(samp, dis, null.model = c("taxa.labels", "richness", "frequency", "sample.pool",
    "phylogeny.pool", "independentswap", "trialswap"),
    abundance.weighted = FALSE, runs = 999, iterations = 1000)
```

**Arguments**

samp	Community data matrix
dis	Distance matrix (generally a phylogenetic distance matrix)
null.model	Null model to use (see Details section for description)
abundance.weighted	Should mean nearest taxon distances for each species be weighted by species abundance? (default = FALSE)
runs	Number of randomizations
iterations	Number of iterations to use for each randomization (for independent swap and trial null models)

**Details**

Currently implemented null models (arguments to null.model):

**taxa.labels** Shuffle distance matrix labels (across all taxa included in distance matrix)

**richness** Randomize community data matrix abundances within samples (maintains sample species richness)

**frequency** Randomize community data matrix abundances within species (maintains species occurrence frequency)

**sample.pool** Randomize community data matrix by drawing species from pool of species occurring in at least one community (sample pool) with equal probability

**phylogeny.pool** Randomize community data matrix by drawing species from pool of species occurring in the distance matrix (phylogeny pool) with equal probability

**independentswap** Randomize community data matrix with the independent swap algorithm (Gotelli 2000) maintaining species occurrence frequency and sample species richness

**trialswap** Randomize community data matrix with the trial-swap algorithm (Miklos & Podani 2004) maintaining species occurrence frequency and sample species richness

## Value

A data frame of results for each community

ntaxa	Number of taxa in community
mpd.obs	Observed mpd in community
mpd.rand.mean	Mean mpd in null communities
mpd.rand.sd	Standard deviation of mpd in null communities
mpd.obs.rank	Rank of observed mpd vs. null communities
mpd.obs.z	Standardized effect size of mpd vs. null communities (= (mpd.obs - mpd.rand.mean) / mpd.rand.sd, equivalent to -NRI)
mpd.obs.p	P-value (quantile) of observed mpd vs. null communities (= mpd.obs.rank / runs + 1)
runs	Number of randomizations

## Author(s)

Steven Kembel <skembel@uoregon.edu>

## References

Webb, C.O., Ackerly, D.D., and Kembel, S.W. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. Version 4.0.1. <http://www.phylodiversity.net/phylocom/>.

## See Also

[mpd, randomizeMatrix](#)

## Examples

```
data(phylocom)
ses.mpd(phylocom$sample, cophenetic(phylocom$phylo), null.model="taxa.labels")
```

ses.pd

*Standardized effect size of PD***Description**

Standardized effect size of phylogenetic diversity (Faith's PD) in communities.

**Usage**

```
ses.pd(samp, tree, null.model = c("taxa.labels", "richness", "frequency",
  "sample.pool", "phylogeny.pool", "independentswap", "trialswap"),
  runs = 999, iterations = 1000, ...)
```

**Arguments**

samp	Community data matrix
tree	Phylogeny (phylo object)
null.model	Null model to use (see Details section for description)
runs	Number of randomizations
iterations	Number of iterations to use for each randomization (for independent swap and trial null models)
...	Additional arguments to <a href="#">pd</a> function

**Details**

Currently implemented null models (arguments to null.model):

**taxa.labels** Shuffle taxa labels across tips of phylogeny (across all taxa included in phylogeny)

**richness** Randomize community data matrix abundances within samples (maintains sample species richness)

**frequency** Randomize community data matrix abundances within species (maintains species occurrence frequency)

**sample.pool** Randomize community data matrix by drawing species from pool of species occurring in at least one community (sample pool) with equal probability

**phylogeny.pool** Randomize community data matrix by drawing species from pool of species occurring in the phylogeny (phylogeny pool) with equal probability

**independentswap** Randomize community data matrix with the independent swap algorithm (Gotelli 2000) maintaining species occurrence frequency and sample species richness

**trialswap** Randomize community data matrix with the trial-swap algorithm (Miklos & Podani 2004) maintaining species occurrence frequency and sample species richness

**Value**

A data frame of results for each community

ntaxa	Number of taxa in community
pd.obs	Observed PD in community
pd.rand.mean	Mean PD in null communities
pd.rand.sd	Standard deviation of PD in null communities
pd.obs.rank	Rank of observed PD vs. null communities
pd.obs.z	Standardized effect size of PD vs. null communities (= (pd.obs - pd.rand.mean) / pd.rand.sd)
pd.obs.p	P-value (quantile) of observed PD vs. null communities (= mpd.obs.rank / runs + 1)
runs	Number of randomizations

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

**References**

Webb, C.O., Ackerly, D.D., and Kembel, S.W. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. Version 4.0.1. <http://www.phylodiversity.net/phylocom/>.

Proches, S., Wilson, J.R.U. and Cowling, R.M. 2006. How much evolutionary history in a 10 x 10m plot? Proceedings of Royal Society of London B, Biological Sciences 273:1143-1148.

**See Also**

[pd, randomizeMatrix](#)

**Examples**

```
data(phylocom)
ses.pd(phylocom$sample, phylocom$phylo, null.model="taxa.labels", runs=99)
```

---

specaccum.psr

*Phylogenetic Species Richness Sample-Based Rarefaction Curve*

---

**Description**

Finds a sample-based rarefaction curve for phylogenetic species richness for a set of samples.

**Usage**

```
specaccum.psr(samp, tree, permutations = 100, method = "random", ...)
```

**Arguments**

samp	Community data matrix
tree	A phylo tree object or a phylogenetic covariance matrix
permutations	Number of permutations with method method= "random"
method	Species accumulation method, currently only "random" is supported which adds samples in random order.
...	Other parameters to functions

**Value**

The function returns an object of class "specaccum" with items:

call	Function call.
method	Accumulator method.
sites	Number of sites/samples.
richness	The mean phylogenetic species richness corresponding to number of sites/samples.
sd	The standard deviation of phylogenetic species accumulation curve (or its standard error) estimated from permutations in method = "random".
perm	Permutation results with method = "random" and NULL in other cases. Each column in perm holds one permutation.

**Author(s)**

Matthew Helmus <mrhelmus@gmail.com> based on the vegan package [specaccum](#) function by Roeland Kindt and Jari Oksanen.

**References**

- Gotelli N.J. & Colwell R.K. (2001) Quantifying biodiversity: procedures and pitfalls in the measurement and comparison of species richness. *Ecology Letters*, 4, 379-391
- Helmus M.R., Bland T.J., Williams C.K. & Ives A.R. (2007) Phylogenetic measures of biodiversity. *American Naturalist*, 169, E68-E83

**See Also**

[psr](#), [specaccum](#)

**Examples**

```
data(phylocom)
accum.sr<-specaccum(phylocom$sample, permutations = 100, method = "random")
plot(accum.sr, col="blue")
points(accum.sr$sites, accum.sr$richness, pch=19, col="blue")

accum.psr<-specaccum.psr(phylocom$sample, phylocom$phylo, permutations = 100, method = "random")
plot(accum.psr, add=TRUE, col = "red")
```

```
points(accum.psr$sites, accum.psr$richness, pch=19, col="red")  
legend(5,5,legend=c("SR", "PSR"),pch=c(19,19),col=c("blue", "red"))
```

---

species.dist	<i>Species co-occurrence distances</i>
--------------	--

---

## Description

Compute interspecific distances based on patterns of species co-occurrence in communities.

## Usage

```
species.dist(x, metric = c("cij", "jaccard", "checkerboard", "doij"))
```

## Arguments

x	Community data matrix
metric	Co-occurrence metric to use (see Details section for description)

## Details

Currently implemented co-occurrence measures (arguments to metric):

**cij** Schoener's index of co-occurrence

**jaccard** Jaccard index of co-occurrence

**checkerboard** Checkerboard index of co-occurrence

**doij** DOij index of co-occurrence

## Value

A dist object with co-occurrences among all species pairs

## Author(s)

Steven Kembel <skembel@uoregon.edu>

## References

Hardy, O.J. 2008. Testing the spatial phylogenetic structure of local communities: statistical performances of different null models and test statistics on a locally neutral community. *Journal of Ecology* 96:914-926.

## See Also

[vegdist](#)

**Description**

Fit regressions on species abundance or presence/absence across communities and calculate phylogenetic correlations

**Usage**

```
sppregs(samp, env, tree=NULL, fam="gaussian")
sppregs.plot(sppreg, rows=c(1,3), cex.mag=1, x.label="phylogenetic correlations",
y.label=c("occurrence correlations w/ env", "occurrence correlations wo/ env", "change in correlations"))
```

**Arguments**

samp	community data matrix, species as columns, communities as rows
env	environmental data matrix
tree	phylo tree object or a phylogenetic covariance matrix
fam	with fam = "gaussian" fits with <a href="#">glm</a> ; with fam = "binomial" fit logistic regressions with Firth's bias-reduction using <a href="#">brglm</a>
sppreg	object from function <a href="#">sppregs</a>
rows	rows = c(1,3) plots in a row; rows = c(3,1) in a column
cex.mag	value for cex in par
x.label	x axis labels
y.label	y axis labels

**Details**

For each species in `samp`, the function fits regressions of species presence/absence or abundances on the environmental variables supplied in `env`; and calculates the  $(n^2-n)/2$  pairwise species correlations between the residuals of these fits and pairwise species phylogenetic correlations. The residuals can be thought of as the presence/absence of species across sites/communities after accounting for how species respond to environmental variation across sites. Each set of coefficients can be tested for phylogenetic signal with, for example, the function [phylosignal](#).

The function `sppregs.plot` produces a set of three plots of the correlations of pairwise species phylogenetic correlations versus: the observed pairwise correlations of species across communities, the residual correlations, and the pairwise differences between (i.e., the change in species co-occurrence once the environmental variables are taken into account). The significance of these correlations can be tested via permutation with the function [phylostruct](#).

**Value**

family	the regression error distribution
residuals	the residuals from each species regression
coefficients	the estimated coefficients from each species regression
std.errors	the standard errors of the coefficients
correlations	correlations of pairwise species phylogenetic correlations between: the observed pairwise correlations of species across communities, the residual correlations, and the pairwise differences between the two
cors.pa	the observed pairwise correlations of species across communities
cors.resid	the residual pairwise correlations of species across communities
cors.phylo	the phylogenetic pairwise correlations among species

**Note**

The function requires the library [brglm](#) to perform logistic regressions

**Author(s)**

Matthew Helmus <mrhelmus@gmail.com>

**References**

Helmus M.R., Savage K., Diebel M.W., Maxted J.T. & Ives A.R. (2007) Separating the determinants of phylogenetic community structure. *Ecology Letters*, 10, 917-925

**See Also**

[phylostruct](#), [phylosignal](#)

---

tax.distinctiveness     *Taxonomic distinctiveness sensu Vane-Wright or May*

---

**Description**

Taxic diversity: Vane-Wright et al., 1991 and May 1990 which accounts for polytomies by counting the number of branches descending from each node that lies on the path from a spp tip to the root (not just counting the number of nodes).

**Usage**

```
tax.distinctiveness(tree, type = c("Vane-Wright", "May"))
```

**Arguments**

tree	an object of class phylo
type	specify "Vane-Wright" or "May"

**Author(s)**

Karen Magnuson-Ford, Will Cornwell, Arne Mooers, Mark Vellend

**References**

Vane-Wright, R.I., Humphries, C.J. and Williams, P.H. (1991). What to protect? - Systematics and the agony of choice. *Biological Conservation*, 55, 235-254.

May, R.M. (1990). Taxonomy as destiny. *Nature*, 347, 129-130.

Mark Vellend, William K. Cornwell, Karen Magnuson-Ford, and Arne Mooers. In press. Measuring phylogenetic biodiversity In: *Biological diversity: frontiers in measurement and assessment*. Edited by Anne Magurran and Brian McGill.

---

 traitgram

---

*Draw phylogeny with nodes at trait positions*


---

**Description**

Draws a phylogeny where x position of nodes and tips corresponds to value of a continuous trait variable, and y position corresponds to node depth (i.e. age).

**Usage**

```
traitgram(x, phy, xaxt = 's', underscore = FALSE, show.names = TRUE,
          show.xaxis.values = TRUE, method = c('ace', 'pic'), ...)
```

**Arguments**

x	Trait vector (same order as phy\$tip.label, or with taxon names in names)
phy	phylo object
xaxt	x axis default type
underscore	if FALSE remove underscore from taxonomic names
show.names	if TRUE show taxon names across tips of phylogeny
show.xaxis.values	if TRUE show values for trait on x=axis
method	method for calculation of internal trait values. 'ace' = ace maximum likelihood method from ape; 'pic' = independent contrasts method. pic option can be used when ace fails to converge or otherwise seems to fail to correctly reconstruct ancestral values
...	Additional arguments passed to plot

**Value**

Plots a traitgram, no values returned.

**Author(s)**

David Ackerly <dackerly@berkeley.edu>

**See Also**

[pic3](#)

**Examples**

```
randtree <- rcoal(20)
randtraits <- rTraitCont(randtree)
traitgram(randtraits,randtree)
traitgram(randtraits,randtree,method='pic')
```

---

unifrac

*Unweighted UniFrac distance between communities*

---

**Description**

Calculates unweighted UniFrac, a phylogenetic beta diversity metric of the the unique (non-shared) fraction of total phylogenetic diversity (branch-length) between two communities.

**Usage**

```
unifrac(comm, tree)
```

**Arguments**

comm	Community data matrix
tree	Object of class phylo - a rooted phylogeny

**Value**

A dist object of the unweighted UniFrac distances between communities (the unique (non-shared) fraction of total phylogenetic diversity (branch-length) between two communities).

**Warning**

The UniFrac distance between samples will include the branch length connecting taxa in those samples and the root of the supplied tree. The root of the supplied tree may not be spanned by any taxa in the sample. If you want the root of your tree to correspond to the most recent ancestor of the taxa actually present in your samples, you should prune the tree before running unifrac: `prunedTree <- prune.sample(sample, tree)`

**Note**

The supplied tree must be rooted. Single-species samples will be assigned a PD value equal to the distance from the root to the present.

**Author(s)**

Steven Kembel <skembel@uoregon.edu>

**References**

Lozupone, C., Hamady, M., and Knight, R. 2006. UniFrac - an online tool for comparing microbial community diversity in a phylogenetic context. *BMC Bioinformatics* 7:371.

**See Also**

[pd](#)

**Examples**

```
data(phylocom)
unifrac(phylocom$sample, phylocom$phylo)
```

---

utility

*Picante utility functions*

---

**Description**

Picante utility functions for tree and data manipulation

**Usage**

```
df2vec(x, colID=1)
internal2tips(phy, int.node, return.names = FALSE)
node.age(phy)
pic.variance(x, phy, scaled = TRUE)
sortColumns(x)
sortRows(x)
taxaShuffle(x)
tipShuffle(phy)
```

**Arguments**

phy	phylo object
x	A data.frame, matrix or dist object
colID	Numeric or character ID of column to include
int.node	internal node number
return.names	TRUE or FALSE
scaled	Scale contrasts by branch length
...	Additional arguments

**Details**

Various utility functions for manipulating trees, data, etc.

**Value**

df2vec	A named vector
internal2tips	Vector of tips descended from a node
node.age	Phylo object with phylo\\$ages vector of node ages corresponding to phylo\\$edge
pic.variance	Variance of independent contrasts
sortColumns	A data.frame or matrix with columns sorted by name
sortRows	A data.frame or matrix with rows sorted by name
taxaShuffle	Matrix with taxa names shuffled
tipShuffle	Phylo object with taxa names shuffled

**Author(s)**

Steven Kembel <skembel@uoregon.edu>, Peter Cowan <pc@berkeley.edu>, David Ackerly <dackerly@berkeley.edu>

---

writesample

*Write a Phylocom community sample file*

---

**Description**

Write a community data matrix to a Phylocom community sample file

**Usage**

```
writesample(community, filename = "")
```

**Arguments**

community	Community data matrix
filename	Filename path

**Author(s)**

Steven Kembel <skembel@uoregon.edu> and Cam Webb <cwebb@oeb.harvard.edu>

**References**

Webb, C.O., Ackerly, D.D., and Kembel, S.W. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. Version 4.0.1. <http://www.phylodiversity.net/phylocom/>.

---

writetraits                      *Write a Phylocom traits formatted file*

---

**Description**

Write a Phylocom traits formatted file

**Usage**

```
writetraits(trt, file = "", bin = NULL, sigd = 3)
```

**Arguments**

trt	Data frame containing trait data
file	Filename path
bin	Vector index of trait columns to be treated as binary
sigd	Significant digits for output

**Author(s)**

David Ackerly <dackerly@berkeley.edu> and Steven Kembel <skembel@uoregon.edu>

**References**

Webb, C.O., Ackerly, D.D., and Kembel, S.W. 2008. Phylocom: software for the analysis of phylogenetic community structure and trait evolution. Version 4.0.1. <http://www.phylodiversity.net/phylocom/>.

# Index

- \*Topic **IO**
  - readsample, 36
  - sample2matrix, 36
- \*Topic **color**
  - color.plot.phylo, 3
- \*Topic **datasets**
  - IvesGodfray, 11
  - phylocom, 23
- \*Topic **file**
  - writesample, 50
  - writetraits, 51
- \*Topic **manip**
  - matrix2sample, 14
  - prune.sample, 31
  - randomizeMatrix, 33
  - utility, 49
- \*Topic **package**
  - picante-package, 2
- \*Topic **univar**
  - comdist, 4
  - comdistnt, 5
  - comm.phylo.cor, 6
  - comm.phylo.qr, 8
  - cor.table, 10
  - Kcalc, 12
  - match.phylo.data, 13
  - mntd, 15
  - mpd, 16
  - multiPhyloSignal, 17
  - pblm, 17
  - pcd, 20
  - pd, 21
  - phyloSignal, 23
  - phylosor, 25
  - phylosor.rnd, 26
  - phylostruct, 27
  - pic.circular, 29
  - pic3, 29
  - psd, 31
  - raoD, 34
  - ses.mntd, 37
  - ses.mpd, 39
  - ses.pd, 41
  - specaccum.psr, 42
  - species.dist, 44
  - sppregs, 45
  - traitgram, 47
  - unifrac, 48
- brglm, 45, 46
- color.plot.phylo, 3
- comdist, 4, 35
- comdistnn (comdistnt), 5
- comdistnt, 5
- comm.phylo.cor, 6
- comm.phylo.qr, 8
- cor, 10
- cor.table, 10
- df2vec (utility), 49
- evol.distinct, 10
- glm, 45
- internal2tips (utility), 49
- IvesGodfray, 11
- Kcalc, 12, 13, 24
- match.comm.dist (match.phylo.data), 13
- match.phylo.comm (match.phylo.data), 13
- match.phylo.data, 12, 13, 17, 24
- matrix2sample, 14
- mnnd, 33
- mnnd (mntd), 15
- mntd, 6, 15, 39
- mpd, 5, 16, 33, 35, 40
- multiPhyloSignal, 17

node.age (utility), 49  
optim, 18, 19  
  
pblm, 12, 17  
pblmpredict (pblm), 17  
PCD (pcd), 20  
pcd, 20  
pd, 21, 25, 41, 42, 49  
phylocom, 23  
phylosignal, 13, 17, 23, 45, 46  
phylosor, 21, 25, 27  
phylosor.rnd, 25, 26  
phylostruct, 27, 45, 46  
pic, 30  
pic.circular, 29  
pic.variance (utility), 49  
pic3, 29, 48  
picante (picante-package), 2  
picante-package, 2  
prune.missing, 14  
prune.missing (prune.sample), 31  
prune.sample, 14, 31  
psc (psd), 31  
psd, 28, 31  
pse (psd), 31  
psr, 22, 43  
psr (psd), 31  
PSV, 20  
psv, 21  
psv (psd), 31  
  
randomizeMatrix, 7–9, 27, 28, 33, 39, 40, 42  
raoD, 13, 34  
readsample, 36  
rq, 8  
  
sample2matrix, 36  
ses.mnnd (ses.mntd), 37  
ses.mntd, 6, 16, 37  
ses.mpd, 5, 16, 39  
ses.pd, 22, 41  
sortColumns (utility), 49  
sortRows (utility), 49  
specaccum, 43  
specaccum.psr, 33, 42  
species.dist, 7, 8, 44  
sppregs, 27, 28, 45, 45  
  
taxaShuffle (utility), 49  
tipShuffle (utility), 49  
traitgram, 47  
  
unifrac, 21, 48  
utility, 49  
  
vegdist, 44  
  
writesample, 50  
writetraits, 51