

Package ‘sbtools’

September 27, 2016

Title USGS ScienceBase Tools

Maintainer Tim Kern <kernt@usgs.gov>

Version 1.1.6

Description Tools for interacting with U.S. Geological Survey ScienceBase <<https://www.sciencebase.gov>> interfaces. ScienceBase is a data cataloging and collaborative data management platform. Functions included for querying ScienceBase, and creating and fetching datasets.

Imports jsonlite, curl, httr (>= 1.0.0), stringr, methods

Suggests testthat, xml2, rgdal, sp

License CC0

URL <https://github.com/USGS-R/sbtools>

BugReports <https://github.com/USGS-R/sbtools/issues>

RoxygenNote 5.0.1

NeedsCompilation no

Author Tim Kern [cre],
Luke Winslow [aut],
Scott Chamberlain [aut],
Alison Appling [aut],
Jordan Read [aut]

Repository CRAN

Date/Publication 2016-09-27 23:43:21

R topics documented:

sbtools-package	3
authenticate_sb	3
current_session	4
folder_create	4
identifier_exists	5
is_logged_in	6
items_create	6

items_update	8
items_upsert	9
item_append_files	10
item_create	10
item_exists	11
item_file_download	12
item_get	13
item_get_fields	14
item_get_parent	15
item_get_wfs	15
item_list_children	16
item_list_files	17
item_move	18
item_rename_files	19
item_replace_files	20
item_rm	20
item_rm_files	21
item_update	22
item_update_identifier	23
item_upload_create	23
item_upsert	24
query_items	25
query_item_identifier	28
query_item_in_folder	29
query_sb	30
query_sb_datatype	31
query_sb_date	32
query_sb_doi	33
query_sb_spatial	34
query_sb_text	35
sbitem	36
sb_datatypes	37
sb_ping	37
session_details	38
session_logout	38
session_renew	39
session_validate	40
set_endpoint	41
user_id	41

sbtools-package *R interface to ScienceBase*

Description

This package provides a rich interface to USGS's ScienceBase <https://www.sciencebase.gov/> - a data cataloging and collaborative data management platform. For further information, see the sbtools manuscript [here](#).

Functions are included for searching for data, retrieving, creating, and updating datasets.

Details

Functionality in this package allows all users to query ScienceBase for data using a variety of metadata types ([query_sb_text](#), [query_sb_doi](#), [query_sb_spatial](#)). Items and associated information can be requested by [item_get](#) including item parents [item_get_parent](#) and children [item_list_children](#). Data and attached files can be accessed for all available items through provided functionality (e.g., [item_get_wfs](#) and [item_file_download](#)).

Authentication

See the function [authenticate_sb](#) to authenticate. You'll be required to pass in your ScienceBase username and password.

Authenticated users can create, update, and remove items ([item_list_children](#), [item_list_children](#), [item_create](#), [item_update](#), [item_rm](#)).

Feedback

Report any feedback or bugs at <https://github.com/USGS-R/sbtools/issues>

`authenticate_sb` *Authenticate to SB for subsequent calls*

Description

This connects to SB, authenticates and gets a session token for communicating with SB. If you do not supply a username or password, you will be prompted to enter them.

Usage

```
authenticate_sb(username, password)
```

Arguments

username	Sciencebase username
password	Sciencebase password, prompts user if not supplied

current_session	<i>Return current cached session</i>
-----------------	--------------------------------------

Description

Returns the currently cached SB session. If there is no authenticated session, returns NULL. Emits a warning if the session has expired.

Usage

```
current_session()
```

Examples

```
session = current_session()
#null unless currently authenticated
session
```

folder_create	<i>Create a folder</i>
---------------	------------------------

Description

Create a special kind of item on ScienceBase that is intended to be a "folder" that contains one or more child items. This is similar to a standard item ([item_create](#)) but defaults to showing child-items on the ScienceBase web interface.

Usage

```
folder_create(parent_id = user_id(), name, ..., session = current_session())
```

Arguments

parent_id	An sbitem object or character ScienceBase ID corresponding to the parent item (folder)
name	(character) the folder name
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

A [response](#) object

Examples

```
## Not run:
folder_create(name="foobar345")

## End(Not run)
```

identifier_exists *Check if identifier exists*

Description

This function quickly checks to see if an identifier exists. It does a quick head request to skip the overhead of item metadata retrieval. This will also return FALSE if the identifier exists but is associated with an item that is unavailable due to permission restrictions.

Usage

```
identifier_exists(sb_id, ..., session = current_session())
```

Arguments

- sb_id An [sbitem](#) object or a character ScienceBase ID corresponding to the item
- ... Additional parameters are passed on to [GET](#), [POST](#), [HEAD](#), [PUT](#), or [DELETE](#)
- session Session object from [authenticate_sb](#). Defaults to anonymous or last authenticated session

Value

Logical, TRUE or FALSE

Examples

```
# identifier exists
identifier_exists(sb_id = "4f4e4b24e4b07f02db6aea14")

# identifier does not exist
identifier_exists(sb_id = "aaaaaaakkkkkkkbbbbbb")
```

is_logged_in	<i>Check whether you're logged into a ScienceBase session</i>
--------------	---

Description

Check whether you're logged into a ScienceBase session

Usage

```
is_logged_in(..., session = current_session())
```

Arguments

...	Additional parameters are passed on to GET
session	SB session object from authenticate_sb

Value

Logical, TRUE or FALSE

Examples

```
## Not run:  
is_logged_in()  
  
## End(Not run)
```

items_create	<i>Create many new SB items</i>
--------------	---------------------------------

Description

A method to create multiple ScienceBase items with a single call and a single HTTP service request. Can be useful for improving performance of creating a large number of items at once.

Usage

```
items_create(parent_id = user_id(), title, ..., info = NULL,  
             session = current_session())
```

Arguments

parent_id	An <code>sbitem</code> object or character ScienceBase ID corresponding to the parent item (folder). This must be of length 1 or more. If length 1, then we recycle it for every item.
title	Two or more titles for the new SB items
...	Additional parameters are passed on to <code>GET</code> , <code>POST</code> , <code>HEAD</code> , <code>PUT</code> , or <code>DELETE</code>
info	(optional) list of metadata info for the new items. for each item include a named list of variables
session	Session object from <code>authenticate_sb</code> . Defaults to anonymous or last authenticated session

Details

The length of the `title` and `info` values must be the same length - however, the `parent_id` can be of length 1 or equal to the length of each of `title` and `info` parameters

Value

One or more objects of class `sbitem` in a list

Examples

```
## Not run:
# helper function to make a random name
aname <- function() paste0(sample(letters, size = 5, replace = TRUE), collapse = "")

# Create some items - by default we use your user ID
items_create(title = c(aname(), aname()))

# add additional items in the info parameter - by default we use your user ID
items_create(title = c(aname(), aname()),
  info = list(
    list(contacts = list(list(name = "Suzy"))),
    list(contacts = list(list(name = "Brandy")))
  )
)

# another example with more information - by default we use your user ID
items_create(title = c(aname(), aname()),
  info = list(
    list(contacts = list(list(name = "Suzy"))),
    list(contacts = list(list(name = "Brandy")))
  )
)

# Pass an object of class sbitem
(x <- folder_create(user_id(), aname()))
items_create(x, title = c(aname(), aname()))

## End(Not run)
```

items_update	<i>Update many SB items with new metadata</i>
--------------	---

Description

A method to update multiple ScienceBase items with a single call and a single HTTP service request. Can be useful for improving performance of updating a large number of items at once.

Usage

```
items_update(sb_id, info, ..., session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
info	list of metadata info (key-value pairs) to change on the item
...	Additional parameters are passed on to PUT
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Details

If length of sb_id > 1, then length of info input must be the same

Value

One or more objects of class `sbitem` in a list

Examples

```
## Not run:
# helper function to make a random name
aname <- function() paste0(sample(letters, size = 5, replace = TRUE), collapse = "")

res <- items_create(user_id(), title = c(aname(), aname()))
out <- items_update(res, info = list( list(title = aname()), list(title = aname()) ) )
vapply(out, "[", "", "title")

## End(Not run)
```

items_upsert	<i>Upsert many SB items</i>
--------------	-----------------------------

Description

Either creates or updates (if items already exist)

Usage

```
items_upsert(parent_id = user_id(), title = NULL, ..., info = NULL,  
             session = current_session())
```

Arguments

parent_id	An sbitem object or character ScienceBase ID corresponding to the parent item (folder)
title	The title of the new SB item
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
info	(optional) list of metadata info for the new item
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

An object of class `sbitem`

Examples

```
## Not run:  
# helper function to make a random name  
aname <- function() paste0(sample(letters, size = 5, replace = TRUE), collapse = "")  
  
# Create some item - by default we use your user ID  
z1 <- item_create(title = aname())  
z2 <- item_create(title = aname())  
  
# Upsert items  
(x <- items_upsert(list(z1, z2), title = c(aname(), aname())))  
  
# Call item_upsert again, updates this time  
items_upsert(x, info = list(  
  contacts = list(list(name = "Suzy"))  
)  
)  
  
## End(Not run)
```

item_append_files *Upload File to Item*

Description

Adds a file to an item

Usage

```
item_append_files(sb_id, files, ..., session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
files	A file path to upload.
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

An object of class sbitem

Examples

```
## Not run:
res <- item_create(user_id(), "testing 123")
cat("foo bar", file = "foobar.txt")
item_append_files(res$id, "foobar.txt")

## End(Not run)
```

item_create *Create a new SB item*

Description

Create a new item on ScienceBase with the requested parent and item title. Info can be provided to populate metadata at the time of creation.

Usage

```
item_create(parent_id = user_id(), title, ..., info,
            session = current_session())
```

Arguments

parent_id	An sbitem object or character ScienceBase ID corresponding to the parent item (folder)
title	The title of the new SB item
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
info	(optional) list of metadata info for the new item
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

An object of class `sbitem`

Examples

```
## Not run:
# Create an item - by default we use your user ID
item_create(title = "testing 123")

# Pass an object of class sbitem
x <- folder_create(user_id(), "foobar456")
item_create(x, "foobar456-item")

## End(Not run)
```

item_exists	<i>check if identifier tuple already exists on SB</i>
-------------	---

Description

returns TRUE if tuple already belongs to a sciencebase item, FALSE if not

Usage

```
item_exists(scheme, type, key, ..., session = current_session())
```

Arguments

scheme	the identifier scheme
type	the identifier type
key	the identifier key
...	Additional parameters are passed on to GET
session	an SB session

Value

boolean for whether item exists

Examples

```
## Not run:
item_exists('mda_streams', 'ts_doobs', 'nwis_01018035')
item_exists('mda_streams', 'site_root', 'nwis_01018035')

## End(Not run)
```

item_file_download *Download files attached to item*

Description

Function to download files attached to an item on SB. Either files can be specified directly using the names and destinations parameters, or a dest_dir can be supplied where all attached files will be written with the names as stored on SB.

Usage

```
item_file_download(sb_id, ..., names, destinations, dest_dir,
  session = current_session(), overwrite_file = FALSE)
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
names	String vector list of file names attached to item that you wish to download.
destinations	String vector list of destinations for requested files. Must be same length as names
dest_dir	A directory path for saving files when names parameter is omitted
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session
overwrite_file	Boolean indicating if file should be overwritten if it already exists locally

Value

Character vector of full paths to local files

Author(s)

Luke Winslow

Examples

```
## Not run:

#downloads two files attached to this item
item_file_download('548b2b31e4b03f64633662a4', dest_dir=tempdir())

#downloads a specific file attached to this item
item_file_download('548b2b31e4b03f64633662a4', names='gdp.txt',
destinations=file.path(tempdir(), 'fname.txt'))

## End(Not run)
```

item_get

Retrieve SB item

Description

Retrieves an item and its metadata from ScienceBase based on its unique ID. Errors if the requested item ID does not exist or access is restricted due to permissions.

Usage

```
item_get(sb_id, ..., session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

An object of class `sbitem`

Examples

```
# Get an item
item_get("4f4e4b24e4b07f02db6aea14")

## Not run:
# Search for item IDs, then pass to item_get
library("httr")
res <- query_items(list(s = "Search", q = "water", format = "json"))
ids <- vapply(httr::content(res)$items, "[[", "", "id")
lapply(ids[1:3], item_get)

## End(Not run)
```

item_get_fields	<i>Retrieve specific fields from an SB item</i>
-----------------	---

Description

Retrieve specific fields from an SB item

Usage

```
item_get_fields(sb_id, fields, ..., drop = TRUE,  
               session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
fields	a vector of fields
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
drop	logical. If only one field is selected, should the list format be dropped?
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

List serialization of chosen metadata for an SB item

Examples

```
# Get certain fields from an item  
item_get_fields("4f4e4b24e4b07f02db6aea14", c('title', 'citation', 'contacts'))  
  
## Not run:  
# If only 1 field selection, do or don't drop list format  
item_get_fields("4f4e4b24e4b07f02db6aea14", 'title')  
item_get_fields("4f4e4b24e4b07f02db6aea14", 'title', drop = FALSE)  
  
## End(Not run)
```

item_get_parent	<i>Get an item's parent ID</i>
-----------------	--------------------------------

Description

Retrieves the parent of a supplied item based on the ScienceBase item tree hierarchy.

Usage

```
item_get_parent(sb_id, ..., session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

An item object representing the parent of the supplied item.

Examples

```
## Not run:
item_get_parent("4f4e4b24e4b07f02db6aea14")

item_get("4f4e4b24e4b07f02db6aea14") %>% item_get_parent()

## End(Not run)
```

item_get_wfs	<i>Download and load from SB WFS service</i>
--------------	--

Description

This function attempts to download the spatial layer data attached to the requested SB item. SB exposes discrete spatial objects (points, polygons) as web services based on the Open Geospatial Consortium, [Web Feature Service \(WFS\)](#) standardized interface. This requires the following libraries not by default installed with sbtools: `rgdal`, `httr`, and `xml2`. You can install them simply by running `install.packages(c("xml2", "httr", "rgdal"))`

Usage

```
item_get_wfs(sb_id, ..., session)
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Examples

```
## Not run:
library(sp)
layer = item_get_wfs('55e372b9e4b05561fa208212')

plot(layer)

## End(Not run)
```

item_list_children *Return IDs for all child items*

Description

Returns a list of child IDs for a ScienceBase item

Usage

```
item_list_children(sb_id, fields = c("id", "title"), ...,
  session = current_session(), limit = 20)
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
fields	A character vector of requested data fields. Defaults to 'id' and 'title'. Full list of possible fields is available online in SB documentation .
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session
limit	Max children returned.

Value

List of [sbitem](#) for each child item.

Examples

```
## Not run:
item_list_children(user_id())

as.sbitmap('5060b03ae4b00fc20c4f3c8b') %>% item_list_children
item_get('5060b03ae4b00fc20c4f3c8b') %>% item_list_children

## End(Not run)
```

item_list_files	<i>Get list of files attached to SB item</i>
-----------------	--

Description

Lists all files attached to a SB item. Files can be downloaded from ScienceBase using [item_file_download](#). (advanced) Recursive options lists all files attached to an item and all children items.

Usage

```
item_list_files(sb_id, recursive = FALSE, ..., session = current_session())
```

Arguments

sb_id	An sbitmap object or a character ScienceBase ID corresponding to the item
recursive	(logical) List files recursively. Default: FALSE
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

A data.frame with columns filename, size, and url. If item has no attached files, returns a zero row data.frame.

Examples

```
## Not run:
item_list_files("4f4e4b24e4b07f02db6aea14")

# list files recursively
## create item
id <- item_create(user_id(), title="some title")
## 1. create nested item w/ file
file <- system.file("examples", "books.json", package = "sbtools")
id2 <- item_create(id, title = "newest-thing")
item_upload_create(id2, file)
## 2. create nested item w/ file
file <- system.file("examples", "species.json", package = "sbtools")
```

```

id3 <- item_create(id, title = "a-new-thing")
item_upload_create(id3, file)
## 3. create nested item w/ file
file <- system.file("examples", "data.csv", package = "sbtools")
id4 <- item_create(id, title = "another-thing")
item_upload_create(id4, file)
item_list_files(id = '56562348e4b071e7ea53e09d', recursive = FALSE) # default
item_list_files(id = '56562348e4b071e7ea53e09d', recursive = TRUE)

## End(Not run)

```

item_move

Move item from one folder to another

Description

Move item from one folder to another

Usage

```
item_move(sb_id, id_new, ..., session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
id_new	Folder/item to move id to. A ScienceBase ID or something that can be coerced to a SB item ID by as.sbitem
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

An object of class `sbitem`. Same as `id`, but with new parent id

Examples

```

## Not run:
# create 1st folder
(fold1 <- folder_create(user_id(), "bear123"))
(res <- item_create(fold1, "item-to-move"))

# create 2nd folder
(fold2 <- folder_create(user_id(), "bear456"))

# move item in 1st folder to 2nd folder
(res2 <- item_move(res, fold2))

```

```
# test identical
identical(res2$parentId, fold2$id)

## End(Not run)
```

item_rename_files *Rename item attached files*

Description

Renames files attached to an SB item.

Usage

```
item_rename_files(sb_id, names, new_names, ..., session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
names	List of names of files to rename
new_names	List of new file names to use
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Examples

```
## Not run:

names = c('file1.txt', 'file2.txt')
new_names = c('newname1.txt', 'newname2.txt')

item_rename_files('sbid', names, new_names)

## End(Not run)
```

item_replace_files *Replace files associated with an item*

Description

replaces existing files associated with an item with a new one. (Currently does not support multi-file uploads.) This function will not append an existing collection of files. If that is desired, use [item_append_files](#)

Usage

```
item_replace_files(sb_id, files, ..., all = FALSE,
                 session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
files	A character vector of file paths
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
all	A boolean indicating if all attached files should be removed before uploading new files. FALSE if only files with matching names should be replaced. If you wish to upload files with duplicate names, see item_append_files . Defaults to FALSE.
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

item_rm *Remove item from SB*

Description

Remove an item from ScienceBase. This is not reversible and will delete an item and its attached files. (advanced) Recursive is to be used with care and could result in unexpected file deletion.

Usage

```
item_rm(sb_id, ..., recursive = FALSE, session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
recursive	logical, FALSE by default. CAUTION: setting recursive=TRUE means that not only will this item be deleted, but so will all its child items and their child items and so on.
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

[htrr](#) response object

Examples

```
## Not run:
res <- item_create(user_id(), "item-to-delete")
item_rm(res)

## End(Not run)
```

item_rm_files	<i>Remove files associated with an item</i>
---------------	---

Description

Removes existing files associated with an item.

This function is the key way to remove files attached to SB items.

Usage

```
item_rm_files(sb_id, files, ..., session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
files	A character vector of file names to remove. If not supplied, defaults to removing all attached files.
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

An updated object of class `sbitem`

Examples

```
## Not run:
res <- item_create(user_id(), "item456")
cat("foo bar", file = "foobar.txt")
item_append_files(res, "foobar.txt")
res <- item_get(res)
res$files[[1]]$name
res2 <- item_rm_files(res)
res2$files

## End(Not run)
```

item_update

Update a SB item with new metadata

Description

Updates metadata associated with a ScienceBase item based on supplied list of new or updated metadata elements.

Usage

```
item_update(sb_id, info, ..., session = current_session())
```

Arguments

sb_id	An <code>sbitem</code> object or a character ScienceBase ID corresponding to the item
info	list of metadata info (key-value pairs) to change on the item
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

An object of class `sbitem`

Examples

```
## Not run:
res <- item_create(user_id(), "item-to-update")
out <- item_update(res, list(title = "item-updated"))
out$title

## End(Not run)
```

 item_update_identifier

Add custom identifier to an existing item

Description

Adds or updates an item's alternative identifier. This can add additional identifiers or update those already in place. See [query_item_identifier](#) for finding items based on alternative identifier.

Usage

```
item_update_identifier(sb_id, scheme, type, key, ...,
    session = current_session())
```

Arguments

sb_id	An sbitem object or a character ScienceBase ID corresponding to the item
scheme	The identifier scheme
type	The identifier type
key	The identifier key
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Examples

```
## Not run:

session = authenticate_sb("user@usgs.gov")
item_update_identifier("5485fd99e4b02acb4f0c7e81", "scheme", "type", "key", session=session)

## End(Not run)
```

 item_upload_create

Upload file(s) and create a new item

Description

Create a new item with files attached, all in one call to SB

Usage

```
item_upload_create(parent_id, files, ..., session = current_session())
```

Arguments

parent_id	An sbitem object or character ScienceBase ID corresponding to the parent item (folder)
files	A string vector of paths to files to be uploaded
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

An object of class `sbitem`

Examples

```
## Not run:
# You'll need a parent id for a folder/item
## here, using your highest level parent folder
file <- system.file("examples", "books.json", package = "sbtools")
item_upload_create(user_id(), file)

## End(Not run)
```

item_upsert

Upsert an SB item

Description

Either creates or updates (if item already exists)

Usage

```
item_upsert(parent_id = user_id(), title = NULL, ..., info = NULL,
            session = current_session())
```

Arguments

parent_id	An sbitem object or character ScienceBase ID corresponding to the parent item (folder)
title	The title of the new SB item
...	Additional parameters are passed on to GET , POST , HEAD , PUT , or DELETE
info	(optional) list of metadata info for the new item
session	Session object from authenticate_sb . Defaults to anonymous or last authenticated session

Value

An object of class sbitem

Examples

```
## Not run:
# helper function to make a random name
aname <- function() paste0(sample(letters, size = 5, replace = TRUE), collapse = "")

# Create an item - by default we use your user ID
(x <- item_upsert(title = aname()))

# Call item_upsert again, updates this time
item_upsert(x, info = list(
  contacts = list(list(name = "Suzy"))
)
)

## End(Not run)
```

query_items

Query SB for items using generic query parameters

Description

Query SB for items using generic query parameters

Usage

```
query_items(query_list, ..., session = current_session())
```

Arguments

query_list	List of item query selectors. See Details.
...	Additional parameters are passed on to GET
session	Session object from authenticate_sb

Details

The following is a list of query parameters you can use in the query_list parameter.

- s (character): Only option: "Search"
- format (character): One of "json", "xml", "csv", or "atom"
- q (character): Query string
- q (character): Lucene query string
- max (integer): Number of records to return. Default: 20

- offset (integer): Record to start at. Default: 1
- fields (character): Character vector of fields to return
- folderId (character): Alphanumeric string representing folder ID
- parentId (character): Alphanumeric string representing folder ID. This can be used to return all children items within the folder, but not within sub-folders.
- sort (character) One of "firstContact", "dateCreated", "lastUpdated", or "title". By default sorted by search score
- order (character) One of "asc" or "desc"
- ids Vector of item ids.
- ancestors (character): Alphanumeric string representing folder ID. This can be used to return all children items within the folder, even within sub-folders. Used as a filter
- tags Filter by tags, e.g, "distribution". Used as a filter
- browseCategory One of Used as a filter
- browseType One of Used as a filter
- dateRange A json string with keys dateType and choice. Where dateType is one of Acquisition, Award, Collected, dateCreated, Received, Reported, Transmitted, Due, End, Info, lastUpdated, Publication, Release, or Start. And where choice is one of day, week, month, year, or range (if range selected, also supply start and end keys with dates of the form YYYY-MM-DD). Used as a filter
- projectStatus One of Active, Approved, Completed, In Progress, Proposed. Used as a filter
- spatialQuery A WKT string. Used as a filter
- extentQuery Use existing extents (footprints) to search against item bounding boxes and representational points. This is a alphanumeric string.

Value

An object of class [response](#)

See Also

[query_item_identifier](#), [query_item_in_folder](#)

Examples

```
## Not run:
# Basic query
library("httr")
res <- query_items(list(s = "Search", q = "water", format = "json"))
httr::content(res)

# Paging
## max - number of results
res <- query_items(list(s = "Search", q = "water", format = "json", max = 2))
length(httr::content(res)$items)
res <- query_items(list(s = "Search", q = "water", format = "json", max = 30))
length(httr::content(res)$items)
```

```

## offset - start at certain record
res <- query_items(list(s = "Search", q = "water", format = "json",
max = 30, offset = 10))
httr::content(res)
## links - use links given in output for subsequent queries
httr::content(httr::GET(
content(res)$nextlink$url
))

# Return only certain fields
res <- query_items(list(s = "Search", q = "water", format = "json", fields = 'title'))
httr::content(res)$items[[1]]

# Search a folder ID
res <- query_items(list(s = "Search", q = "water", format = "json",
folderId = '504216b9e4b04b508bfd337d'))
httr::content(res)$items

# Filter by ancestor
query_items(list(s = "Search", ancestors = "4f831626e4b0e84f6086809b", format = "json"))

# Filter by tags
content(query_items(list(s = "Search", tags = "distribution", format = "json")))

# Filter by browse category
content(query_items(list(s = "Search", browseCategory = "Image", format = "json")))

# Filter by browse type
content(query_items(list(s = "Search", browseType = "Collection", format = "json")))

# Filter by WKT geometry string
wkt1 <- "POLYGON((-104.4 41.0,-95.1 41.0,-95.1 37.5,-104.4 37.5,-104.4 41.0))"
wkt2 <- "POLYGON((-104.4 38.3,-95.2 38.3,-95.2 33.7,-104.4 34.0,-104.4 38.3))"
content(query_items(list(s = "Search", spatialQuery = wkt1, format = "json")))
content(query_items(list(s = "Search", spatialQuery = wkt1,
spatialQuery = wkt2, format = "json")))

# Project status
content(query_items(list(s = "Search", projectStatus = "Active", format = "json")))

# Date range
query_items(list(s = "Search",
dateRange = '{"dateType":"Collected","choice":"year"}', format = "json"))
query_items(list(s = "Search",
dateRange = '{"dateType":"lastUpdated","choice":"month"}', format = "json"))
query_items(list(s = "Search",
dateRange =
'{"dateType":"Release","choice":"range","start":"2014-09-01","end":"2015-09-01"}',
format = "json"))

# Extent query
## just a alphanumeric code
content(query_items(list(s = "Search", extentQuery = '2873462', format = "json")))

```

```

## with buffering, intersect
content(query_items(list(s = "Search", extentQuery = '{"extent":2873462,
"relation":"intersects","buffer":"5"}', format = "json")))
## with buffering, within
content(query_items(list(s = "Search", extentQuery = '{"extent":2873462,
"relation":"within","buffer":"5"}', format = "json")))
## with buffering, within
content(query_items(list(s = "Search", extentQuery = '{"extent":2873462,
"relation":"disjoint","buffer":"5"}', format = "json")))

# Lucene query
## note, you have to pass the q parameter if you pass the lq parameter
content(query_items(list(s = "Search", q = "", lq = '"sage OR grouse"')))

## End(Not run)

```

query_item_identifier *Query SB for items based on custom identifier*

Description

Find all items under a scheme or also query by for a specific type and key

Usage

```

query_item_identifier(scheme, type = NULL, key = NULL, ...,
  session = current_session(), limit = 20)

```

Arguments

scheme	The identifier scheme
type	(optional) The identifier type
key	(optional) The identifier key
...	Additional parameters are passed on to GET
session	(optional) SB Session to use, not provided queries public items only
limit	Max number of matching items to return

Value

The SB item id for the matching item. NULL if no matching item found.

Examples

```

## Not run:
authenticate_sb()

ex_item = item_create(title='identifier example')
item_update_identifier(ex_item, 'project1', 'dataset1', 'key1')
ex2_item = item_create(title='identifier example 2')
item_update_identifier(ex2_item, 'project1', 'dataset1', 'key2')

#query the specific item
query_item_identifier('project1', 'dataset1', 'key1')

#or get the collection of items based on the ID hierarchy
query_item_identifier('project1')

item_rm(ex_item)
item_rm(ex2_item)

## End(Not run)

```

query_item_in_folder *Search within an SB folder*

Description

Search for text in the title, abstract, etc. within an SB folder and any subfolders.

Usage

```

query_item_in_folder(text, folder, ..., session = current_session(),
  limit = 20)

```

Arguments

text	text in the title, abstract, etc. of the desired item
folder	an SB item ID for the folder to search in
...	Additional parameters are passed on to GET
session	(optional) SB Session to use, not provided queries public items only
limit	Max number of matching items to return

Value

A list of matching items as sbitem objects.

query_sb

*Query SB for items using generic query parameters***Description**

Generic SB query function to construct advanced queries.

The following is a list of query parameters you can use in the `query_list` parameter.

- `q` (character): Query string
- `q` (character): Lucene query string
- `fields` (character): Character vector of fields to return
- `folderId` (character): Alphanumeric string representing folder ID
- `parentId` (character): Alphanumeric string representing folder ID. This can be used to return all children items within the folder, but not within sub-folders.
- `sort` (character) One of "firstContact", "dateCreated", "lastUpdated", or "title". By default sorted by search score
- `order` (character) One of "asc" or "desc"
- `ids` Vector of item ids.
- `ancestors` (character): Alphanumeric string representing folder ID. This can be used to return all children items within the folder, even within sub-folders. Used as a filter
- `tags` Filter by tags, e.g, "distribution". Used as a filter
- `browseCategory` One of Used as a filter
- `browseType` One of Used as a filter
- `dateRange` A json string with keys `dateType` and `choice`. Where `dateType` is one of Acquisition, Award, Collected, dateCreated, Received, Reported, Transmitted, Due, End, Info, lastUpdated, Publication, Release, or Start. And where `choice` is one of day, week, month, year, or range (if range selected, also supply start and end keys with dates of the form YYYY-MM-DD). Used as a filter
- `projectStatus` One of Active, Approved, Completed, In Progress, Proposed. Used as a filter
- `spatialQuery` A WKT string. Used as a filter
- `extentQuery` Use existing extents (footprints) to search against item bounding boxes and representational points. This is a alphanumeric string.

Usage

```
query_sb(query_list, ..., limit = 20, session = current_session())
```

Arguments

<code>query_list</code>	List of item query selectors. See Details.
<code>...</code>	Additional parameters are passed on to GET
<code>limit</code>	Maximum number of returned items. Will do paging to retrieve results when limit is over 1000. Use with caution, queries 10k results are slow.
<code>session</code>	Session object from authenticate_sb

Value

A list of [sbitem](#) objects

See Also

[query_items](#)

Examples

```
## Not run:
query_sb(list(q = "water"))

# Search by project status
query_sb(list(projectStatus = "Active"))

# Search a folder ID
query_sb(list(q = "water", folderId = '504216b9e4b04b508bfd337d'))

# Filter by ancestor
query_sb(list(ancestors = "4f831626e4b0e84f6086809b"))

# Filter by tags
query_sb(list(tags = "distribution"))

# Filter by browse category
query_sb(list(browseCategory = "Image"))

# Filter by browse type
query_sb(list(browseType = "Map Service"))

# Filter by WKT geometry string
wkt1 <- "POLYGON((-104.4 41.0,-95.1 41.0,-95.1 37.5,-104.4 37.5,-104.4 41.0))"
wkt2 <- "POLYGON((-104.4 38.3,-95.2 38.3,-95.2 33.7,-104.4 34.0,-104.4 38.3))"
query_sb(list(spatialQuery = wkt1))
query_sb(list(spatialQuery = wkt1, spatialQuery = wkt2))

# Date range
query_sb(list(dateRange = '{"dateType":"Collected","choice":"year"}'))
query_sb(list(dateRange = '{"dateType":"lastUpdated","choice":"month"}'))
query_sb(list(dateRange =
'{"dateType":"Release","choice":"range","start":"2014-09-01","end":"2015-09-01"}'))

## End(Not run)
```

Description

Queries ScienceBase for items with matching datatype.

Usage

```
query_sb_datatype(datatype, ..., limit = 20, session = current_session())
```

Arguments

datatype	Character string indicating datatype. See sb_datatypes for full list of available datatypes.
...	Additional parameters are passed on to GET
limit	Maximum number of returned items. Will do paging to retrieve results when limit is over 1000. Use with caution, queries 10k results are slow.
session	Session object from authenticate_sb

Value

A list of [sbitem](#) objects. List of length 0 means no matches were found.

Examples

```
#query for items with WFS Layer data
query_sb_datatype('Static Map Image')

#query for US Topo maps
query_sb_datatype('Map Service')
```

query_sb_date

Query SB for items within a date range

Description

Queries ScienceBase for items with timestamps within a certain date/time range.

Usage

```
query_sb_date(start = as.POSIXct("1970-01-01"), end = Sys.time(),
  date_type = "lastUpdated", ..., limit = 20, session = current_session())
```


Arguments

start	Start date as POSIXct object. Defaults to 1970-01-01
end	End date as POSIXct object. Defaults to today.
date_type	Which object timestamp to query against. Options are (case sensitive): 'Acquisition', 'Award', 'Collected', 'dateCreated', 'Received', 'Reported', 'Transmitted', 'Due', 'End', 'Info', 'lastUpdated', 'Publication', 'Release', 'Repository Created', 'Repository Updated', 'Start'.
...	Additional parameters are passed on to GET
limit	Maximum number of returned items. Will do paging to retrieve results when limit is over 1000. Use with caution, queries 10k results are slow.
session	Session object from authenticate_sb

Examples

```
## Not run:
# find items updated today
query_sb_date(Sys.time(), Sys.time())

# find items with publications from the 1970's
query_sb_date(as.POSIXct('1970-01-01'), as.POSIXct('1980-01-01'),
  date_type='Publication', limit=1000)

## End(Not run)
```

query_sb_doi *Query SB for specific DOI (Digital Object Identifier)*

Description

Queries for ScienceBase items with a specific DOI identifier. In ScienceBase, these are stored as additional unique identifiers.

Usage

```
query_sb_doi(doi, ..., limit = 20, session = current_session())
```

Arguments

doi	DOI to search for as character
...	Additional parameters are passed on to GET
limit	Maximum number of returned items. Will do paging to retrieve results when limit is over 1000. Use with caution, queries 10k results are slow.
session	Session object from authenticate_sb

Value

A list of `sbi` objects. List of length 0 means no matches were found.

Examples

```
#Two example DOI-specific queries
query_sb_doi('10.5066/F7M043G7')

query_sb_doi('10.5066/F7Z60M35')
```

query_sb_spatial	<i>Query SB based on spatial extent</i>
------------------	---

Description

Queries ScienceBase based on a spatial bounding box. Accepts either an `sp` spatial data object (uses the spatial object's bounding box) or long/lat coordinates defining the bounding box limits.

Usage

```
query_sb_spatial(bbox, long, lat, bb_wkt, ..., limit = 20,
  session = current_session())
```

Arguments

<code>bbox</code>	An <code>sp</code> spatial data object. The bounding box of the object is used for the query.
<code>long</code>	A vector of longitude values that will define the boundaries of a bounding box. Min and Max of supplied longitudes are used. (alternate option to <code>bbox</code>).
<code>lat</code>	A vector of latitude values that will define the boundaries of a bounding box. Min and Max of supplied latitude are used. (alternate option to <code>bbox</code>).
<code>bb_wkt</code>	A character string using the Well Known Text (WKT) standard for defining spatial data. Must be a POLYGON WKT object.
<code>...</code>	Additional parameters are passed on to GET
<code>limit</code>	Maximum number of returned items. Will do paging to retrieve results when limit is over 1000. Use with caution, queries 10k results are slow.
<code>session</code>	Session object from authenticate_sb

Examples

```
#specify the latitude and longitude points to define the bounding box range.
# This is simply bottom left and top right points
query_sb_spatial(long=c(-104.4, -95.1), lat=c(37.5, 41.0), limit=3)

#use a pre-formatted WKT polygon to grab data
```

```

query_sb_spatial(bb_wkt="POLYGON((-104.4 41.0,-95.1 41.0,-95.1 37.5,-104.4 37.5,-104.4 41.0))",
                 limit=3)

## Not run:
###Use the bounding box of an sp object
#grab an sp object from a pre-determined ScienceBase Item
layer = item_get_wfs('55e372b9e4b05561fa208212')

#get items in that BB
query_sb_spatial(layer)

## End(Not run)

```

query_sb_text	<i>Query SB for items containing specific text</i>
---------------	--

Description

Queries for ScienceBase items that have matching text in the title or description

Usage

```
query_sb_text(text, ..., limit = 20, session = current_session())
```

Arguments

text	Text string for search
...	Additional parameters are passed on to GET
limit	Maximum number of returned items. Will do paging to retrieve results when limit is over 1000. Use with caution, queries 10k results are slow.
session	Session object from authenticate_sb

Value

A list of [sbitem](#) objects. List of length 0 means no matches were found.

Examples

```

#query for the package maintainer's name
query_sb_text('Luke Winslow')

#query for one of the old river gaging stations
query_sb_text('Lees Ferry')

```

sbitem	<i>ScienceBase item class</i>
--------	-------------------------------

Description

ScienceBase item class

Usage

```
as.sbitem(x, ...)  
  
## Default S3 method:  
as.sbitem(x, ...)  
  
is.sbitem(x)
```

Arguments

x	Input, variety of things, character, list, or sbitem class object
...	Further args passed on to item_get , only in the method for character class inputs

Examples

```
## Not run:  
# Single item from item_get()  
item_get("4f4e4b24e4b07f02db6aea14")  
  
# Get many w/ e.g., an lapply() call  
library("httr")  
res <- query_items(list(s = "Search", q = "water", format = "json"))  
ids <- vapply(httr::content(res)$items, "[[", "", "id")  
(out <- lapply(ids[1:3], item_get))  
  
# create item class from only an item ID  
as.sbitem("4f4e4b24e4b07f02db6aea14")  
  
# sbitem gives back itself  
(x <- as.sbitem("4f4e4b24e4b07f02db6aea14"))  
as.sbitem(x)  
  
## End(Not run)
```

sb_datatypes	<i>Query SB for all available datatypes</i>
--------------	---

Description

Queries ScienceBase for the list of all available datatypes. This can be coupled with [query_sb_datatype](#) to query based on the type of data

Usage

```
sb_datatypes(limit = 50, session = current_session())
```

Arguments

limit	Maximum number of returned items. Will do paging to retrieve results when limit is over 1000. Use with caution, queries 10k results are slow.
session	Session object from authenticate_sb

Examples

```
#return all datatypes (limit 50 by default)
sb_datatypes()
```

sb_ping	<i>Ping ScienceBase to see if it's available</i>
---------	--

Description

Ping ScienceBase to see if it's available

Usage

```
sb_ping(...)
```

Arguments

... Additional parameters are passed on to [GET](#)

Value

Boolean (TRUE) indicating if a connection to ScienceBase can be established and if it is responding as expected. FALSE otherwise.

Examples

```
#TRUE if all is well and SB can be contacted
sb_ping()
```

session_details	<i>Get session info</i>
-----------------	-------------------------

Description

Get the details associated with current ScienceBase user session.

Usage

```
session_details(..., session = current_session())
```

Arguments

...	Additional parameters are passed on to GET
session	SB session object from authenticate_sb

Value

list, if not logged in states that, but if logged in, user details

Examples

```
## Not run:
session_info()

## End(Not run)
```

session_logout	<i>Logout of a ScienceBase session</i>
----------------	--

Description

Logout of a ScienceBase session

Usage

```
session_logout(..., session = current_session())
```

Arguments

...	Additional parameters are passed on to GET
session	SB session object from authenticate_sb

Value

invisible, returns nothing if logged out, or errors with message

Examples

```
## Not run:
session_logout()

## End(Not run)
```

session_renew	<i>Checks current session and re-authenticates if necessary</i>
---------------	---

Description

Checks the state of your Sciencebase session, re-authenticates if the session is expired, and simply renews if the session is active.

Usage

```
session_renew(password, ..., username, session = current_session())
```

Arguments

password	The password to use, if needed, to renew the session.
...	Any additional parameters are currently ignored.
username	Optional. Used only to confirm that the current username is what you expect; if you want to switch usernames, use <code>authenticate_sb()</code> instead of this function.
session	SB session object from <code>authenticate_sb</code> . Default is the current session.

Value

Returns the session object.

Examples

```
## Not run:
# an empty call is sufficient if the session is current,
# but will break if haven't been logged in before
session_renew()

# include a password if session may be expired
session_renew('newpass')

# optionally confirm the value of the current username
session_renew(username='olduser@usgs.gov', 'newpass')

## End(Not run)
```

session_validate	<i>Validate sbtools session state</i>
------------------	---------------------------------------

Description

A session is considered valid if it is NULL or a true, non-expired SB session

Usage

```
session_validate(session = current_session())
```

Arguments

session sbtools session object (from [authenticate_sb](#))

Details

This validates the underlying RCurl session. The session object becomes invalid if the R session has been saved to disk or persisted through an R restart. This verifies that the session object is either valid, or is a NULL object, which means no session state is being persisted. Note, this does not verify the credentials are valid or that you have permission to access the SB item, so it does not guarantee a successful request.

Value

TRUE/FALSE indicating if session is valid and can be used. Returns TRUE if session is NULL as well.

Examples

```
## Not run:
session = authenticate_sb('user@usgs.gov')

#return true as underlying RCurl session is valid
session_validate(session)

## End(Not run)
```

set_endpoint	<i>Set SB endpoint</i>
--------------	------------------------

Description

Sets the internal URLs used to either the production or development (beta) SB server. URLs are stored internally to the package

Usage

```
set_endpoint(endpoint = c("production", "development"))
```

Arguments

endpoint Indicate which SB endpoint you want to use options: c('production', 'development')

Author(s)

Luke Winslow

Examples

```
## Not run:
set_endpoint('prod')

# getting item from production SB servers
item_get('54b94448e4b0ed73b67550ea')

set_endpoint('dev')
# getting item from beta SB servers
item_get('54b94448e4b0ed73b67550ea')

## End(Not run)
```

user_id	<i>Get your parent ID</i>
---------	---------------------------

Description

Required for creating items

Usage

```
user_id(..., session = current_session())
```

Arguments

... Additional parameters are passed on to [POST](#)
session Session object from [authenticate_sb](#)

Value

A single character string, your user id

Examples

```
## Not run:  
user_id()  
  
## End(Not run)
```

Index

*Topic **package**

sbtools-package, 3

as.sbitem, 18

as.sbitem(sbitem), 36

authenticate_sb, 3, 3, 4–25, 30, 32–35, 37–40, 42

current_session, 4

DELETE, 4, 5, 7, 9–24

folder_create, 4

GET, 4–7, 9–25, 28–30, 32–35, 37, 38

HEAD, 4, 5, 7, 9–24

identifier_exists, 5

is.sbitem(sbitem), 36

is_logged_in, 6

item_append_files, 10, 20

item_create, 3, 4, 10

item_exists, 11

item_file_download, 3, 12, 17

item_get, 3, 13, 36

item_get_fields, 14

item_get_parent, 3, 15

item_get_wfs, 3, 15

item_list_children, 3, 16

item_list_files, 17

item_move, 18

item_rename_files, 19

item_replace_files, 20

item_rm, 3, 20

item_rm_files, 21

item_update, 3, 22

item_update_identifier, 23

item_upload_create, 23

item_upsert, 24

items_create, 6

items_update, 8

items_upsert, 9

POSIXct, 33

POST, 4, 5, 7, 9–24, 42

PUT, 4, 5, 7–24

query_item_identifier, 23, 26, 28

query_item_in_folder, 26, 29

query_items, 25, 31

query_sb, 30

query_sb_datatype, 31, 37

query_sb_date, 32

query_sb_doi, 3, 33

query_sb_spatial, 3, 34

query_sb_text, 3, 35

response, 4, 21, 26

sb_datatypes, 32, 37

sb_ping, 37

sbitem, 4, 5, 7–24, 31, 32, 34, 35, 36

sbtools (sbtools-package), 3

sbtools-package, 3

session_details, 38

session_logout, 38

session_renew, 39

session_validate, 40

set_endpoint, 41

user_id, 41