

Package ‘splancs’

January 22, 2012

Version 2.01-31

Date 2012-01-20

Title Spatial and Space-Time Point Pattern Analysis

Author Barry Rowlingson <b.rowlingson@lancaster.ac.uk> and Peter Diggle, adapted and packaged for R by Roger Bivand, pcp functions by Giovanni Petris, goodness of fit by Stephen Eglen

Maintainer Roger Bivand <Roger.Bivand@nhh.no>

Depends R (>= 2.10.0), sp (>= 0.9)

Description Spatial and Space-Time Point Pattern Analysis Functions

License GPL (>= 2)

URL <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>

Repository CRAN

Date/Publication 2012-01-22 12:03:11

R topics documented:

| | |
|---------------------|----|
| addpoints | 3 |
| amacrines | 4 |
| areapl | 4 |
| as.points | 5 |
| bboxx | 6 |
| bodmin | 7 |
| burkitt | 7 |
| cardiff | 9 |
| csr | 9 |
| delpoints | 11 |
| dsquare | 11 |
| Fhat | 12 |
| Fzero | 13 |

| | |
|------------------------|----|
| gen | 14 |
| getpoly | 15 |
| Ghat | 16 |
| gridpts | 17 |
| inout | 17 |
| inpip | 19 |
| is.points | 20 |
| k12hat | 20 |
| Kenv.csr | 21 |
| Kenv.label | 22 |
| Kenv.pcp | 23 |
| Kenv.tor | 25 |
| Kenv.tor1 | 26 |
| kernel2d | 28 |
| kernel3d | 29 |
| kernrat | 30 |
| kerview | 31 |
| khat | 32 |
| khvc | 34 |
| khvmat | 35 |
| mpoint | 36 |
| mse2d | 37 |
| n2dist | 38 |
| ndistF | 39 |
| ndistG | 40 |
| npts | 41 |
| okblack | 41 |
| okwhite | 42 |
| pcp | 42 |
| pcp.sim | 44 |
| pdense | 45 |
| pip | 46 |
| plt | 47 |
| pointmap | 47 |
| polymap | 48 |
| print.ribfit | 49 |
| ranpts | 50 |
| rLabel | 51 |
| rtor.shift | 52 |
| sbox | 53 |
| secal | 53 |
| Shift | 54 |
| southlancs | 55 |
| splancs | 56 |
| spoints | 57 |
| stdiagn | 57 |
| stkhat | 58 |
| stmctest | 60 |

| | |
|---------------------|-----------|
| <i>addpoints</i> | 3 |
| stsecal | 61 |
| stvmat | 62 |
| thin | 63 |
| tor.shift | 64 |
| tribble | 65 |
| triblik | 66 |
| uganda | 67 |
| zoom | 67 |
| Index | 69 |

| | |
|------------------------|---|
| <code>addpoints</code> | <i>Add points interactively to a point data set</i> |
|------------------------|---|

Description

Add points interactively to a point data set.

Usage

```
addpoints(pts, plot=FALSE, quiet=FALSE)
```

Arguments

| | |
|--------------------|--|
| <code>pts</code> | A points data set. |
| <code>plot</code> | if true, plot the <code>pts</code> data, using <code>pointmap</code> . If false, or if <code>pts</code> is missing, don't plot the data. |
| <code>quiet</code> | if true, don't print a prompt to enter points. |

Details

The points entered are displayed on the current graphics device.

Value

A points data set consisting of `pts` and the points entered on the current graphics device.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[delpoints](#)

| | |
|-----------|----------------------------------|
| amacrines | <i>Amacrines on/off data set</i> |
|-----------|----------------------------------|

Description

Two two-column matrices of points marked on and off

Usage

```
data(amacrines)
```

Format

Two two-column matrices of points marked on and off

Source

<http://www.maths.lancs.ac.uk/~diggle/pointpatterns/Datasets/>, Peter J. Diggle, Department of Mathematics and Statistics, Lancaster University, Lancaster LA1 4YF, UK: public-domain spatial point pattern data-sets.

| | |
|--------|----------------------------------|
| areapl | <i>Calculate area of polygon</i> |
|--------|----------------------------------|

Description

Calculate area of polygon. If the polygon is self-intersecting, the area will not be correct.

Usage

```
areapl(poly)
```

Arguments

poly a polygon data set

Value

The area of the polygon is returned

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

Examples

```
x <- c(1,0,0,1,1,1,1,3,3,1)
y <- c(0,0,1,1,0,0,-1,-1,0,0)
m <- cbind(x, y)
plot(m, type="b")
areapl(m)
areapl(m[1:5,])
areapl(m[6:10,])
```

as.points

Creates data in spatial point format

Description

Creates data in spatial point format.

Usage

```
as.points(...)
```

Arguments

... any object(s), such as x and y vectors of the same length, or a list or data frame containing x and y vectors. Valid options for ... are: a points object ; returns it unaltered; a list with x and y elements of the same length — returns a points object with the x and y elements as the coordinates of the points; two vectors of equal length ; returns a points object with the first vector as the x coordinates, the second vector as the y-coordinates.

Value

as.points tries to return the argument(s) as a points object.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

`bbox`*Generate a non-closed bounding polygon*

Description

Generate a non-closed bounding polygon from the bounding box of an object

Usage

```
bbox(obj)
```

Arguments

| | |
|------------------|--|
| <code>obj</code> | A matrix with two rows and two columns reporting the bounding box of an object |
|------------------|--|

Details

The object used by `bbox` may easily be created by using the `sp` `bbox` method on an object of interest, such as a points data set.

Value

A points data set of four points giving the non-closed coordinates of the bounding box

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[sbox](#), [bbox](#)

bodmin *Bodmin Moors granite tors*

Description

Locations of 35 granite tors on Bodmin Moor, taken from Infomap data set (northings multiplied by -1 to correspond to Figure 3.2, p. 82, Bailey and Gatrell.

Usage

```
data(bodmin)
```

Format

A list corresponding to a Venables and Ripley point object with 35 observations

| | | |
|------|---------|---------------------------------------|
| x | numeric | grid eastings |
| y | numeric | grid northings |
| area | list | bounding box with xl, xu, yl, yu |
| poly | array | polygon boundary with columns x and y |

Source

Pinder and Witherick, 1977 - Bailey and Gatrell 1995, ch. 3.

References

Bailey, T. C. and Gatrell, A. C. 1995, Interactive spatial data analysis. Longman, Harlow.

burkitt *Burkitt's lymphoma in Uganda*

Description

Locations of cases of Burkitt's lymphoma in the Western Nile district of Uganda 1960-1975. The time variable is recorded as the number of days starting from an origin of 1 Jan 1960. The examples given below show how the `chron()` function and derived time structures may be used to analyse the data in the time dimension.

Usage

```
data(burkitt)
```

Format

The data is provided as a data table:

| | | |
|-------|---------|--|
| x | numeric | grid eastings |
| y | numeric | grid northings |
| t | numeric | day number starting at 1/1/1960 of onset |
| age | numeric | age of child patient |
| dates | factor | day as string yy-mm-dd |

as a points object burpts of burkitt\$x and burkitt\$y; and a point object of the area boundary burbdy.

Source

Williams, E. H. et al. 1978, - Bailey and Gatrell 1995, ch. 3.

References

Bailey, T. C. and Gatrell, A. C. 1995, Interactive spatial data analysis. Longman, Harlow.

Examples

```

data(burkitt)
burDates <- as.Date(as.character(burkitt$dates), "%y-%m-%d")
res <- aggregate(rep(1, length(burDates)), list(quarters(burDates), format(burDates, "%y")), sum)
plot(as.numeric(as.character(res$Group.2))+0.25*(as.numeric(substr(as.character(res$Group.1), 2, 2))-1), res$x,
axis(1, at=seq(61,75,4), labels=format(seq.Date(as.Date("1961/1/1"), as.Date("1975/1/1"), "4 years"))))
title("Plot of Burkitt's lymphoma in West Nile district,\nQ3 grey shaded")
op <- par(mfrow=c(3,5))
for (i in unique(format(burDates, "%y"))) {
  polymap(burbdy)
  pointmap(burpts[which(format(burDates, "%y") == i),], add=TRUE, pch=19)
  title(main=paste("19", i, sep=""))
}
par(op)
op <- par(mfrow=c(2,2))
for (i in c("Q1", "Q2", "Q3", "Q4")) {
  polymap(burbdy)
  pointmap(burpts[which(unclass(quarters(burDates)) == i),], add=TRUE,
  pch=19)
  title(main=i)
}
par(op)
op <- par(mfrow=c(3,4))
for (i in months(seq(as.Date("70-01-01", "%y-%m-%d"), len=12, by="1 month")))) {
  polymap(burbdy)
  pointmap(burpts[which(unclass(months(burDates)) == i),], add=TRUE, pch=19)
  title(main=i)
}
par(op)

```

cardiff *Locations of homes of juvenile offenders*

Description

Locations of homes of 168 juvenile offenders on a Cardiff housing estate

Usage

```
data(cardiff)
```

Format

A list corresponding to a Venables and Ripley point object with 168 observations

| | | |
|------|---------|---------------------------------------|
| x | numeric | grid eastings |
| y | numeric | grid northings |
| area | list | bounding box with xl, xu, yl, yu |
| poly | array | polygon boundary with columns x and y |

Source

Herbert, 1980, - Bailey and Gatrell 1995, ch. 3.

References

Bailey, T. C. and Gatrell, A. C. 1995, Interactive spatial data analysis. Longman, Harlow.

csr *Generate completely spatially random points on a polygon*

Description

Generate completely spatially random points on a polygon.

Usage

```
csr(poly, npoints)
```

Arguments

| | |
|---------|-----------------------------------|
| poly | A polygon data set. |
| npoints | The number of points to generate. |

Details

`csr` generates points randomly in the bounding box of `poly`, then uses `pip` to extract those in the polygon. If the number of points remaining is less than that required, `csr` generates some more points in the bounding box until at least `npoints` remain inside the polygon. If too many points are generated then the list of points is truncated.

Uses `runif()` to generate random numbers and so updates `.Random.seed`, the standard S random number generator seed.

Value

A point data set consisting of `npoints` points distributed randomly, i.e. as an independent random sample from the uniform distribution in the polygon defined by `poly`.

References

Rowlingson, B. and Diggle, P. 1993 Splanacs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splanacs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

Examples

```
data(cardiff)
nsim <- 29
emp.Ghat <- Ghat(as.points(cardiff), seq(0,30,1))
av.Ghat <- numeric(length(emp.Ghat))
U.Ghat <- numeric(length(emp.Ghat))
L.Ghat <- numeric(length(emp.Ghat))
U.Ghat <- -99999
L.Ghat <- 99999
for(i in 1:nsim) {
  S.Ghat <- Ghat(csr(cardiff$poly, length(cardiff$x)), seq(0,30,1))
  av.Ghat <- av.Ghat + S.Ghat
  L.Ghat <- pmin(S.Ghat, L.Ghat)
  U.Ghat <- pmax(S.Ghat, U.Ghat)
}
av.Ghat <- av.Ghat/nsim
plot(av.Ghat, emp.Ghat, type="l", xlim=c(0,1), ylim=c(0,1),
     xlab="Simulated average G", ylab="Empirical G")
lines(c(0,1),c(0,1),lty=2)
lines(U.Ghat,emp.Ghat,lty=3)
lines(L.Ghat,emp.Ghat,lty=3)
```

| | |
|-----------|---|
| delpoints | <i>Select points to delete from a points data set</i> |
|-----------|---|

Description

Select points to delete from a points data set.

Usage

```
delpoints(pts, add=FALSE)
```

Arguments

| | |
|-----|---|
| pts | a points data set |
| add | if false, plot the points using pointmap. |

Details

Using the mouse, the user selects points on the current graphics device. These points are marked on the plot as they are selected. The function returns the remaining points as a points object. If add is false the points are plotted on the current plot device.

Value

A points object containing the undeleted points.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

| | |
|---------|--|
| dsquare | <i>Distance-squared from a number of points to a number of sources</i> |
|---------|--|

Description

Computes the distance-squared from a number of points to a number of sources.

Usage

```
dsquare(pts, sracs, namepref="d")
```

Arguments

| | |
|----------|--|
| pts | A number of points representing the locations of cases and controls. |
| srcs | A number of points representing source locations |
| namepref | A prefix given to the name of the results. |

Value

A data frame with the same number of columns as `srcs`. The column names will be the value of `namepref` prefixing the numbers from 1 to the number of sources.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[tribble](#), [triblik](#)

Fhat

F nearest neighbour distribution function

Description

Calculates an estimate of the F nearest neighbour distribution function

Usage

`Fhat(pts1, pts2, s)`

Arguments

| | |
|------|---|
| pts1 | A points data set |
| pts2 | A points data set |
| s | A vector of distances at which to evaluate Fhat |

Details

The function `Fhat(pts1, pts2, s)` is defined as the proportion of members of a point set `pts2` for which the distance to the nearest member of another points set `pts1` is less than or equal to `s`.

Value

A vector of the same length as `s`, containing the value of `Fhat` at the distances in `s`.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[nndistF,Fzero](#)

Examples

```
data(uganda)
plot(seq(20, 500, 20), Fhat(as.points(uganda),
as.points(csr(uganda$poly, length(uganda$x)))), seq(20, 500, 20)),
type="l", xlab="distance", ylab="Estimated F")
plot(Ghat(as.points(uganda), seq(20, 500, 20)), Fhat(as.points(uganda),
as.points(csr(uganda$poly, length(uganda$x)))), seq(20, 500, 20)),
type="l", xlab="Estimated G", ylab="Estimated F")
lines(c(0,1),c(0,1),lty=2)
```

Fzero

Theoretical nearest neighbour distribution function

Description

Calculate the theoretical nearest neighbour distribution function.

Usage

```
Fzero(density,s)
```

Arguments

| | |
|---------|--|
| density | The density of the point pattern, i.e. the number of points per unit area. |
| s | A vector of distances at which to evaluate Fzero |

Details

Fzero returns the nearest neighbour distribution for a homogeneous planar Poisson process. In fortran notation, Fzero(s) is $FZERO = 1 - \exp(-PI * DENSITY * (S ** 2))$.

Value

A vector of the same length as s, containing the value of Fzero at the distances in s.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[Fhat,Ghat,pdense](#)

Examples

```
data(uganda)
plot(Ghat(as.points(uganda), seq(20, 500, 20)), Fzero(pdense(as.points(uganda),
uganda$poly), seq(20, 500, 20)), type="l", ylab="Theoretical G",
xlab="Estimated G")
lines(c(0,1),c(0,1),lty=2)
```

gen

generate points in polygon

Description

generates random points within a defined polygon, trying to reach npoints points - used in csr.

Usage

```
gen(poly, npoints)
```

Arguments

| | |
|---------|----------------------------------|
| poly | A polygon data set |
| npoints | The number of points to generate |

Value

returns a point object.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also[csr](#)

`getpoly`*Draw a polygon on the current graphics device*

Description

Draw a polygon on the current graphics device

Usage

```
getpoly(quiet=FALSE)
```

Arguments

`quiet` if TRUE, don't prompt for input of a polygon.

Details

The system prompts the user to enter points on the current graphics device using the mouse or other pointing device. The points are joined on the screen with the current line symbol. A polygon of the points entered is drawn on the current graphics device.

Value

A polygon data set consisting of the points entered. The current coordinate system is used.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

Ghat

G nearest neighbour distribution function

Description

Calculates an estimate of the G nearest neighbour distribution function.

Usage

```
Ghat(pts,s)
```

Arguments

| | |
|-----|---|
| pts | A points data set |
| s | A vector of distances at which to evaluate the G function |

Details

The function `Ghat(pts,s)` is defined as the proportion of members of a point set for which the distance to the nearest other member of the set is less than or equal to `s`.

Value

A vector of the same length as `s`, containing the estimate of G at the distances in `s`.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[Fhat](#), [ndistG](#)

Examples

```
data(uganda)
plot(seq(20, 500, 20), Ghat(as.points(uganda), seq(20, 500, 20)),
     type="l", xlab="distance", ylab="Estimated G")
```

| | |
|---------|----------------------------------|
| gridpts | <i>Generate a grid of points</i> |
|---------|----------------------------------|

Description

Generate a grid of points

Usage

```
gridpts(poly,npts,xs,ys)
```

Arguments

| | |
|-------|--|
| poly | polygon in which to generate the points |
| npts | approximate number of points to generate |
| xs,ys | grid spacing in x and y |

Either npts or xs and ys must be specified. If all three are given then xs and ys are ignored.

Value

A points object containing a grid of points inside the polygon. If npts is specified, then a grid spacing xs and ys will be calculated to give approximately npts in the polygon. If xs and ys are given then these will be used to generate a number of points in the polygon.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

| | |
|-------|---|
| inout | <i>Test points for inclusion in a polygon</i> |
|-------|---|

Description

Test points for inclusion in a polygon.

Usage

```
inout(pts,poly,bound=NULL,quiet=TRUE)
```

Arguments

| | |
|-------|--|
| pts | A points data set |
| poly | A polygon data set |
| bound | If points fall exactly on polygon boundaries, the default NULL gives arbitrary assignments. If TRUE, then all points "on" boundaries are set as within the polygon, if FALSE, outside. |
| quiet | Do not report which points are on boundary for non-NULL bound |

Value

A vector of logical values. TRUE means the point was inside the polygon, FALSE means the point was outside. Note that "inside" is an arbitrary concept for points "on" the polygon boundary.

References

Rowlingson, B. and Diggle, P. 1993 SplanCs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/SplanCs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[inpip,pip](#)

Examples

```
data(uganda)
suganda <- sbox(uganda$poly)
ruganda <- csr(suganda, 1000)
polymap(suganda)
polymap(uganda$poly, add=TRUE)
def <- inout(ruganda, uganda$poly, bound=NULL)
pointmap(as.points(ruganda[def,1], ruganda[def,2]), add=TRUE, col="black")
pointmap(as.points(ruganda[!def,1], ruganda[!def,2]), add=TRUE, col="red")
tru <- inout(ruganda, uganda$poly, bound=TRUE, quiet=FALSE)
which(tru & !def)
ds1 <- as.points(expand.grid(x=seq(-1.5,1.5,0.5), y=seq(-1.5,1.5,0.5)))
ds1.poly <- ds1[chull(ds1),]
ds2 <- as.points(rnorm(300),rnorm(300))
plot(ds2, type="n", asp=1)
polymap(ds1.poly, add=TRUE, border="lightblue", col="lightblue", lwd=1)
points(ds2[inout(ds2,ds1.poly),], col="green", pch=20)
points(ds2[!inout(ds2,ds1.poly),], col="orange", pch=20)
points(ds1[inout(ds1,ds1.poly),], col="black", pch=20)
points(ds1[!inout(ds1,ds1.poly),], col="red", pch=20)
plot(ds2, type="n", asp=1)
polymap(ds1.poly, add=TRUE, border="lightblue", col="lightblue", lwd=1)
points(ds2[inout(ds2,ds1.poly,bound=TRUE),], col="green", pch=20)
points(ds2[!inout(ds2,ds1.poly,bound=TRUE),], col="orange", pch=20)
```

```

points(ds1[inout(ds1,ds1.poly,bound=TRUE),], col="black", pch=20)
points(ds1[!inout(ds1,ds1.poly,bound=TRUE),], col="red", pch=20)
plot(ds2, type="n", asp=1)
polymap(ds1.poly, add=TRUE, border="lightblue", col="lightblue", lwd=1)
points(ds2[inout(ds2,ds1.poly,bound=FALSE),], col="green", pch=20)
points(ds2[!inout(ds2,ds1.poly,bound=FALSE),], col="orange", pch=20)
points(ds1[inout(ds1,ds1.poly,bound=FALSE),], col="black", pch=20)
points(ds1[!inout(ds1,ds1.poly,bound=FALSE),], col="red", pch=20)

```

inPIP

Select points inside a polygon

Description

Select points inside a polygon

Usage

```
inPIP(pts,poly,bound=NULL,quiet=TRUE)
```

Arguments

| | |
|-------|--|
| pts | A points data set |
| poly | A polygon data set |
| bound | If points fall exactly on polygon boundaries, the default NULL gives arbitrary assignments. If TRUE, then all points "on" boundaries are set as within the polygon, if FALSE, outside. |
| quiet | Do not report which points are on boundary for non-NULL bound |

Value

inPIP returns a vector of indices of the points in pts that are located in the polygon. Note that "in" is an arbitrary concept for points "on" the polygon boundary.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[PIP](#)

is.points

Point Objects

Description

Tests for data in spatial point format.

Usage

```
is.points(p)
```

Arguments

p any object.

Value

is.points returns TRUE if p is a points object, FALSE otherwise.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

k12hat

Bivariate K-function

Description

Calculates an estimate of the bivariate K-function

Usage

```
k12hat(pts1,pts2,poly,s)
```

Arguments

pts1,pts2 Two points data sets
poly A polygon containing the points
s A vector of distances at which to estimate the K12 function

Details

The bivariate K function is defined as the expected number of points of pattern 1 within a distance s of an arbitrary point of pattern 2, divided by the overall density of the points in pattern 1. To estimate this function, the approximately unbiased estimator given by Lotwick and Silverman (1982) is used.

Value

A vector like s containing the value of $K12hat$ at the points in s .

References

Lotwick, H.W. and Silverman B.W. (1982) Methods for Analysing Spatial Processes of Several types of Points. *J. R. Statist Soc B*44 406-13; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

Examples

```
data(okwhite)
data(okblack)
okpoly <- list(x=c(okwhite$x, okblack$x), y=c(okwhite$y, okblack$y))
plot(seq(5,80,5), sqrt(k12hat(as.points(okwhite), as.points(okblack),
bbox(bbox(as.points(okpoly))), seq(5,80,5))/pi) - seq(5,80,5), xlab="distance",
ylab=expression(hat(L)[12]), ylim=c(-20,20), type="l")
```

Kenv.csr

Envelope of Khat from simulations of complete spatial randomness

Description

Compute envelope of Khat from simulations of complete spatial randomness.

Usage

```
Kenv.csr(nptg,poly,nsim,s,quiet=FALSE)
```

Arguments

| | |
|-------|---|
| nptg | Number of points to generate in each simulation. |
| poly | Polygon in which to generate the points. |
| nsim | Number of simulations to do. |
| s | Vector of distances at which to calculate the envelope. |
| quiet | If FALSE, print a message after every simulation for progress monitoring. If TRUE, print no messages. |

Value

A list with two components, called \$upper and \$lower. Each component is a vector like s. The two components contain the upper and lower bound of the Khat envelope.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[csr](#), [khat](#)

Examples

```
data(cardiff)
UL.khat <- Kenv.csr(length(cardiff$x), cardiff$poly, nsim=29, seq(2,30,2))
plot(seq(2,30,2), sqrt(khat(as.points(cardiff), cardiff$poly,
seq(2,30,2))/pi)-seq(2,30,2), type="l", xlab="Splancs - polygon boundary",
ylab="Estimated L", ylim=c(-1,1.5))
lines(seq(2,30,2), sqrt(UL.khat$upper/pi)-seq(2,30,2), lty=2)
lines(seq(2,30,2), sqrt(UL.khat$lower/pi)-seq(2,30,2), lty=2)
```

Kenv.label

Envelope of $K1\hat{K}2\hat{K}$ from random labelling of two point patterns

Description

Compute envelope of $K1\hat{K}2\hat{K}$ from random labelling of two point patterns

Usage

```
Kenv.label(pts1,pts2,poly,nsim,s,quiet=FALSE)
```

Arguments

| | |
|-------|---|
| pts1 | First point data set. |
| pts2 | Second point data set. |
| poly | Polygon containing the points. |
| nsim | Number of random labellings to do. |
| s | Vector of distances at which to calculate the envelope. |
| quiet | If FALSE, print a message after every simulation for progress monitoring. If TRUE, print no messages. |

Details

The two point data sets are randomly labelled using `rLabel`, then `Khat` is called to estimate the K-function for each resulting set at the distances in `s`. The difference between these two estimates is then calculated. The maximum and minimum values of this difference at each distance, over the `nLab` labellings is returned.

Value

A list with two components, called `$upper` and `$lower`. Each component is a vector like `s`.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[rLabel](#), [ikhat](#)

Examples

```
data(okwhite)
data(okblack)
okpoly <- list(x=c(okwhite$x, okblack$x), y=c(okwhite$y, okblack$y))
K1.hat <- khat(as.points(okwhite), bboxx(bbox(as.points(okpoly))), seq(5,80,5))
K2.hat <- khat(as.points(okblack), bboxx(bbox(as.points(okpoly))), seq(5,80,5))
K.diff <- K1.hat-K2.hat
plot(seq(5,80,5), K.diff, xlab="distance", ylab=expression(hat(K)[1]-hat(K)[2]),
ylim=c(-11000,7000), type="l", main="Simulation envelopes, random labelling")
env.lab <- Kenv.label(as.points(okwhite), as.points(okblack),
bboxx(bbox(as.points(okpoly))), nsim=29, s=seq(5,80,5))
lines(seq(5,80,5), env.lab$upper, lty=2)
lines(seq(5,80,5), env.lab$lower, lty=2)
```

Kenv.pcp

Calculate simulation envelope for a Poisson Cluster Process

Description

This function computes the envelope of `Khat` from simulations of a Poisson Cluster Process for a given polygon

Usage

```
Kenv.pcp(rho, m, s2, region.poly, larger.region=NULL, nsim, r, vectorise.loop=TRUE)
```

Arguments

| | |
|----------------|--|
| rho | intensity of the parent process |
| m | average number of offsprings per parent |
| s2 | variance of location of offsprings relative to their parent |
| region.poly | a polygon defining the region in which the process is to be generated |
| larger.region | a rectangle containing the region of interest given in the form (xl,xu,yl,yu), defaults to sbox() around region.poly |
| nsim | number of simulations required |
| r | vector of distances at which the K function has to be estimated |
| vectorise.loop | if TRUE, use new vectorised code, if FALSE, use loop as before |

Value

| | |
|-------|-------------------------|
| ave | mean of simulations |
| upper | upper bound of envelope |
| lower | lower bound of envelope |

Author(s)

Giovanni Petris <GPetris@uark.edu>, Roger.Bivand@nhh.no

References

Diggle, P. J. (1983) *Statistical analysis of spatial point patterns*, London: Academic Press, pp. 55-57 and 78-81; Bailey, T. C. and Gatrell, A. C. (1995) *Interactive spatial data analysis*, Harlow: Longman, pp. 106-109.

See Also

[pcp](#), [pcp.sim](#), [khat](#)

Examples

```
data(cardiff)
polymap(cardiff$poly)
pointmap(as.points(cardiff), add=TRUE)
title("Locations of homes of 168 juvenile offenders")
pcp.fit <- pcp(as.points(cardiff), cardiff$poly, h0=30, n.int=30)
pcp.fit
m <- npts(as.points(cardiff))/(areapl(cardiff$poly)*pcp.fit$par[2])
r <- seq(2,30,by=2)
K.env <- Kenv.pcp(pcp.fit$par[2], m, pcp.fit$par[1], cardiff$poly,
                 nsim=20, r=r)
L.env <- lapply(K.env, FUN=function(x) sqrt(x/pi)-r)
limits <- range(unlist(L.env))
plot(r, sqrt(khat(as.points(cardiff),cardiff$poly,r)/pi)-r, ylim=limits,
      main="L function with simulation envelopes and average", type="l",
```

```

      xlab="distance", ylab="")
lines(r, L.env$lower, lty=5)
lines(r, L.env$upper, lty=5)
lines(r, L.env$ave, lty=6)
abline(h=0)

```

Kenv.tor

Envelope of K12hat from random toroidal shifts of two point patterns

Description

Compute envelope of K12hat from random toroidal shifts of two point patterns.

Usage

```
Kenv.tor(pts1,pts2,poly,nsim,s,quiet=FALSE)
```

Arguments

| | |
|-------|---|
| pts1 | First point data set. |
| pts2 | Second point data set. |
| poly | Polygon containing the points. |
| nsim | Number of random toroidal shifts to do. |
| s | Vector of distances at which to calculate the envelope. |
| quiet | If FALSE, print a message after every simulation for progress monitoring. If true, print no messages. |

Details

The second point data set is randomly shifted using `rtor.shift` in the rectangle defined by `poly`. Then `k12hat` is called to compute K12hat for the two patterns. The upper and lower values of K12hat over the `ntor` toroidal shifts are returned.

Value

A list with two components, called `$upper` and `$lower`. Each component is a vector like `s`.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[rtor.shift,k12hat](#)

Examples

```
data(okwhite)
data(okblack)
okpoly <- list(x=c(okwhite$x, okblack$x), y=c(okwhite$y, okblack$y))
plot(seq(5,80,5), sqrt(k12hat(as.points(okwhite), as.points(okblack),
bbox(bbox(as.points(okpoly))), seq(5,80,5)/pi) - seq(5,80,5), xlab="distance",
ylab=expression(hat(L)[12]), ylim=c(-35,35), type="l",
main="Simulation envelopes, random toroidal shifts")
env.ok <- Kenv.tor(as.points(okwhite), as.points(okblack),
bbox(bbox(as.points(okpoly))), nsim=29, s=seq(5,80,5))
lines(seq(5,80,5), sqrt(env.ok$upper/pi)-seq(5,80,5), lty=2)
lines(seq(5,80,5), sqrt(env.ok$lower/pi)-seq(5,80,5), lty=2)
```

Kenv.tor1

Modified envelope of K12hat from random toroidal shifts of two point patterns

Description

Modification of `Kenv.tor()` to allow the assignment of a p value to the goodness of fit, following the method outlined in Peter Diggle's 1986 paper (J Neurosci methods 18:115-125) and in his 2002 book.

Usage

```
Kenv.tor1(pts1, pts2, poly, nsim, s, quiet = FALSE)
```

Arguments

| | |
|-------|--|
| pts1 | First point data set |
| pts2 | Second point data set |
| poly | Polygon containing the points |
| nsim | Number of random toroidal shifts to do |
| s | Vector of distances at which to calculate the envelope |
| quiet | If FALSE, print a message after every simulation for progress monitoring. If TRUE, print no messages |

Value

A list with components: `$upper`, `$lower`, `real`, `u`, `ksim`, and `rank`. The first three components are vectors like `s`, the next two contain results passed back from the simulations, and the final is a one-element vector with the rank of the observed data set.

Author(s)

Stephen Eglen <stephen@inf.ed.ac.uk>

See Also

[Kenv.tor](#)

Examples

```

data(amacrines)
ama.a <- rbind(amacrines.on, amacrines.off)
ama.bb <- bbox(bbox(as.points(ama.a)))
ama.t <- seq(from = 0.002, to=.250, by=0.002)
nsim=999
plot(amacrines.on, asp=1, pch=19,
     main="Data set, match figure 1.4 of Diggle(2002)?")
points(amacrines.off, pch=1)
#
k12 <- k12hat(amacrines.on, amacrines.off, ama.bb, ama.t)
#
k11 <- khat(amacrines.on, ama.bb, ama.t)
k22 <- khat(amacrines.off, ama.bb, ama.t)
k00 <- khat(ama.a, ama.bb, ama.t)
theor <- pi * (ama.t^2)
#
plot(ama.t, k12-theor, ylim=c(min( c(k12, k11, k22, k00) - theor),
                               max( c(k12, k11, k22, k00) - theor)),
     main="2nd order properties, match figure 4.8 of Diggle (2002)", type="l")
lines(ama.t, -theor)
lines(ama.t, k11-theor, lty=2)
lines(ama.t, k22-theor, lty=3)
lines(ama.t, k00-theor, lty=5)
#
k12.tor <- Kenv.tor(amacrines.on, amacrines.off, ama.bb,
                  nsim, ama.t, quiet=TRUE)
plot(ama.t, k12.theor, type="l", main="Output from Kenv.tor")
lines(ama.t, k12.tor$upper-theor, type="l", col="red")
lines(ama.t, k12.tor$lower-theor, type="l", col="red")
#
k12.sims <- Kenv.tor1(amacrines.on, amacrines.off, ama.bb,
                    nsim, ama.t, quiet=TRUE)
plot(ama.t, sqrt(k12.sims$real/pi), type="l", asp=1, bty="n",
     main=paste("K12 versus toroidal sims; rank ", k12.sims$rank, "of",
                length(k12.sims$u)))
lines(ama.t, sqrt(k12.sims$upper/pi), col="red")
lines(ama.t, sqrt(k12.sims$lower/pi), col="red")

```

kernel2d

*Kernel smoothing of a point pattern***Description**

Perform kernel smoothing of a point pattern

Usage

```
kernel2d(pts,poly,h0,nx=20,ny=20,kernel='quartic',quiet=FALSE)
spkernel2d(pts, poly, h0, grd, kernel = "quartic")
```

Arguments

| | |
|--------|--|
| pts | A points data set, or in function spkernel2d an object with a coordinates method from the sp package |
| poly | A splancs polygon data set |
| h0 | The kernel width parameter |
| nx | Number of points along the x-axis of the returned grid. |
| ny | Number of points along the y-axis of the returned grid. |
| kernel | Type of kernel function to use. Currently only the quartic kernel is implemented. |
| quiet | If TRUE, no debugging output is printed. |
| grd | a GridTopology object from the sp package |

Details

The kernel estimate, with a correction for edge effects, is computed for a grid of points that span the input polygon. The kernel function for points in the grid that are outside the polygon are returned as NA's. The output list is in a format that can be read into image() directly, for display and superposition onto other plots.

Value

kernel2d returns a list with the following components:

| | |
|------------|---|
| x | List of x-coordinates at which the kernel function has been evaluated. |
| y | List of y-coordinates at which the kernel function has been evaluated. |
| z | A matrix of dimension nx by ny containing the value of the kernel function. |
| h0, kernel | containing the values input to kernel2d |

spkernel2d returns a numeric vector with the value of the kernel function stored in the order required by sp package SpatialGridDataFrame objects

References

Berman M. and Diggle P.J. (1989) Estimating Weighted Integrals of the Second-Order Intensity of Spatial Point Patterns. *J. R. Statist Soc B* 51 81-92; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655, (Barry Rowlingson); the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

Examples

```
data(bodmin)
plot(bodmin$poly, asp=1, type="n")
image(kernel2d(as.points(bodmin), bodmin$poly, h0=2, nx=100, ny=100),
add=TRUE, col=terrain.colors(20))
pointmap(as.points(bodmin), add=TRUE)
polymap(bodmin$poly, add=TRUE)
bodmin.xy <- coordinates(bodmin[1:2])
apply(bodmin$poly, 2, range)
grd1 <- GridTopology(cellcentre.offset=c(-5.2, -11.5), cellsize=c(0.2, 0.2), cells.dim=c(75,100))
k100 <- spkernel2d(bodmin.xy, bodmin$poly, h0=1, grd1)
k150 <- spkernel2d(bodmin.xy, bodmin$poly, h0=1.5, grd1)
k200 <- spkernel2d(bodmin.xy, bodmin$poly, h0=2, grd1)
k250 <- spkernel2d(bodmin.xy, bodmin$poly, h0=2.5, grd1)
df <- data.frame(k100=k100, k150=k150, k200=k200, k250=k250)
kernels <- SpatialGridDataFrame(grd1, data=df)
spplot(kernels, checkEmptyRC=FALSE, col.regions=terrain.colors(16), cuts=15)
```

kernel3d

Space-time kernel

Description

Compute the space-time kernel

Usage

```
kernel3d(pts, times, xgr, ygr, zgr, hxy, hz)
```

Arguments

| | |
|-------|---|
| pts | A matrix of event coordinates x,y. |
| times | A vector of event times, t. |
| xgr | The values of x at which to compute the kernel function. |
| ygr | The values of y at which to compute the kernel function. |
| zgr | The values of time at which to compute the kernel function. |
| hxy | The quartic kernel width in the x and y direction. |
| hz | The quartic kernel width in the temporal direction. |

Value

A list is returned. Most of the components are just copies of the input parameters, except for the `$v` parameter. This is a three dimensional array containing the kernel-smoothed values. Its dimension is `[length(xgr), length(ygr), length(tgr)]`.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[kerview](#)

Examples

```
data(burkitt)
b3d <- kernel3d(burpts, burkitt$t, seq(250,350,10), seq(250, 400, 10),
  seq(365,5800,365), 30, 200)
brks <- quantile(b3d$v, seq(0,1,0.05))
cols <- heat.colors(length(brks)-1)
oldpar <- par(mfrow=c(3,5))
for (i in 1:15) image(seq(250,350,10), seq(250, 400, 10), b3d$v[, ,i],
  asp=1, xlab="", ylab="", main=1960+i, breaks=brks, col=cols)
par(oldpar)
```

kernrat

Ratio of two kernel smoothings

Description

Return the ratio of two kernel smoothings

Usage

```
kernrat(pts1,pts2,poly,h1,h2,nx=20,ny=20,kernel='quartic')
```

Arguments

| | |
|------------------------|--|
| <code>pts1,pts2</code> | Point data sets |
| <code>poly</code> | A polygon data set |
| <code>h1,h2</code> | The kernel width parameters, <code>h1</code> for <code>pts1</code> , and <code>h2</code> for <code>pts2</code> |
| <code>nx</code> | Number of points along the x-axis of the returned grid. |
| <code>ny</code> | Number of points along the y-axis of the returned grid. |
| <code>kernel</code> | Type of kernel function to use. Currently only the quartic kernel is implemented. |

Value

A list with the following components:

| | |
|--------|--|
| x | List of x-coordinates at which the kernel function has been evaluated. |
| y | List of y-coordinates at which the kernel function has been evaluated. |
| z | A matrix of dimension nx by ny containing the ratio of the kernel functions. |
| h | A vector of length 2 containing h1 and h2 |
| kernel | a character string containing the kernel name. |

References

Berman M. and Diggle P.J. (1989) Estimating Weighted Integrals of the Second-Order Intensity of Spatial Point Patterns. *J. R. Statist Soc* B51 81-92; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[kernel2d](#), [mse2d](#)

Examples

```
data(okwhite)
data(okblack)
okpoly <- list(x=c(okwhite$x, okblack$x), y=c(okwhite$y, okblack$y))
kr <- kernrat(as.points(okwhite), as.points(okblack), bbox(bbox(as.points(okpoly))),
  h1=50, h2=50)
image(kr, asp=1)
brks <- quantile(c(kr$z), seq(0,1,1/10), na.rm=TRUE)
lbrks <- formatC(brks, 3, 6, "g", " ")
cols <- heat.colors(length(brks)-1)
def.par <- par(no.readonly = TRUE)
layout(matrix(c(1,0,1,2), 2, 2, byrow = TRUE), c(2.5,1.5), c(1,3), TRUE)
image(kr, breaks=brks, col=cols, asp=1)
plot.new()
legend(c(0,1), c(0,1), legend=paste(lbrks[-length(lbrks)], lbrks[-1], sep=":"), fill=cols, bty="n")
par(def.par)
```

Description

A linked-window system for browsing space-time data.

Usage

```
kerview(pts, times, k3, map=TRUE, adding=TRUE, ncol=1)
```

Arguments

| | |
|--------|--|
| pts | A matrix of event x,y coordinates. |
| times | A vector of event times. |
| k3 | An object returned from kernel3d, the space-time kernel smoothing function |
| map | If false, don't plot the map display. |
| adding | If true, overwrite successive images in the image display, else make a fresh image plot each time. |
| ncol | Number of columns and rows for multiple images and maps. |

Details

This function displays three linked views of the data. In the current graphics window a temporal slice from the kernel smoothing is displayed. Another graphics device is started to display a map of the data that contributed to that time-slice. A third graphics device shows a histogram of the times of the events. Clicking with the mouse in this window with button 1 sets the time for the other displays to the time on the x-axis of the histogram at the clicked point.

In this way the 3-dimensional kernel smoothed function can be browsed, and the corresponding map of the data compared.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[kernel3d](#)

khat

K-function

Description

Calculates an estimate of the K-function

Usage

```
khat(pts,poly,s,newstyle=FALSE,checkpoly=TRUE)
## S3 method for class 'khat'
print(x, ...)
## S3 method for class 'khat'
plot(x, ...)
```

Arguments

| | |
|-----------|--|
| pts | A points data set |
| poly | A polygon containing the points - must be a perimeter ring of points |
| s | A vector of distances at which to calculate the K function |
| newstyle | if TRUE, the function returns a khat object |
| checkpoly | if TRUE compare polygon area and polygon bounding box and convex hull areas to see whether the polygon object is malformed; may be set to FALSE if the polygon is known to be a ring of points |
| x | a khat object |
| ... | other arguments passed to plot and print functions |

Details

The K function is defined as the expected number of further points within a distance s of an arbitrary point, divided by the overall density of the points. In practice an edge-correction is required to avoid biasing the estimation due to non-recording of points outside the polygon.

The newstyle argument and khat object were introduced in collaboration with Thomas de Cornulier to permit the mapping of counts or khats for chosen distance values, as in <ftp://pbil.univ-lyon1.fr/pub/mac/ADE/ADE4/DocThemPDFUS/Thema81.pdf>, p.18.

Value

If newstyle is FALSE, a vector like s containing the value of K at the points in s . else a khat object list with:

| | |
|--------|--|
| khat | the value of K at the points in s |
| counts | integer matrix of counts of points within the vector of distances s for each point |
| khats | matrix of values of K within the vector of distances s for each point |
| s | s |

References

Ripley, B.D. 1976 The second-order analysis of stationary point processes, *J. Appl. Prob.* 13 255-266; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also[Kenv.csr](#)**Examples**

```

data(cardiff)
s <- seq(2,30,2)
plot(s, sqrt(khat(as.points(cardiff), cardiff$poly, s)/pi) - s,
      type="l", xlab="Splancs - polygon boundary", ylab="Estimated L",
      ylim=c(-1,1.5))
newstyle <- khat(as.points(cardiff), cardiff$poly, s, newstyle=TRUE)
str(newstyle)
newstyle
apply(newstyle$khats, 2, sum)
plot(newstyle)

```

khvc

*Covariance matrix for the difference between two K-functions***Description**

Calculate the covariance matrix for the difference between two K-functions. Also return the contribution to the variance for each of the two point patterns,

Usage

```
khvc(pts1, pts2, poly, s)
```

Arguments

| | |
|------|---|
| pts1 | An object containing the case locations. |
| pts2 | An object containing the control locations. |
| poly | A polygon enclosing the locations in pts1 and pts2 |
| s | A vector of distances at which the calculation is to be made. |

Value

A list with four components:

| | |
|--------|---|
| varmat | The upper triangle of the covariance matrix. |
| k11 | The variance of Khat for the cases |
| k22 | The variance of Khat for the controls |
| k12 | The covariance of Khat for the cases and Khat for controls. |

Note

Note that the diagonal of the covariance matrix is $k11 - 2 * k12 + k22$

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[khat](#), [khvmat](#), [secal](#)

khvmat

Covariance matrix for the difference between two K-functions

Description

Calculate the covariance matrix for the difference between two K-functions under random labelling of the corresponding two sets of points.

Usage

```
khvmat(pts1, pts2, poly, s)
```

Arguments

| | |
|------|---|
| pts1 | An object containing the case locations. |
| pts2 | An object containing the control locations. |
| poly | Polygon enclosing the points in pts1 and pts2. |
| s | A vector of distances at which the calculation is to be made. |

Value

A matrix containing the covariances, with the variances on the diagonal.

References

Diggle P.J and Chetwynd A.C (1991) Second order analysis of spatial clustering Biometrics 47 1155-63; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[secal](#)

| | |
|--------|---|
| mpoint | <i>Overlay a number of point patterns</i> |
|--------|---|

Description

Overlay a number of point patterns.

Usage

```
mpoint(..., cpch, add=FALSE, type="p")
```

Arguments

| | |
|------|--|
| ... | At least one argument consisting of a points data set must be specified. |
| cpch | A vector of characters for plotting symbols |
| add | if add is TRUE then overlay on an existing plot |
| type | plot data as points if type="p", lines if type="l" |

Details

mpoint enables several point or polygon datasets to be overlaid. The plot region is calculated so that all the specified datasets fit in the region. The parameter cpch specifies the characters to use for each set of points. The default cpch consists of the numbers 1 to 9 followed by the uppercase letters A to Z. If cpch is shorter than the number of point sets to plot, then it is repeated.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[pointmap](#)

`mse2d`*Mean Square Error for a Kernel Smoothing*

Description

Estimate the Mean Square Error for a Kernel Smoothing.

Usage

```
mse2d(pts,poly,nsmse, range)
```

Arguments

| | |
|--------------------|--|
| <code>pts</code> | A set of points. |
| <code>poly</code> | A polygon containng the points. |
| <code>nsmse</code> | Number of steps of <code>h</code> at which to calculate the mean square error. |
| <code>range</code> | Maximum value of <code>h</code> for calculating the mean square error. |

Value

A list with two components, `$h` and `$mse`. These vectors store corresponding values of the mean square error at values of the kernel smoothing parameter, `h`. The value of `h` corresponding to the minimum value of `$mse` can be passed to `kernel2d` as the optimum smoothing parameter.

References

Berman M. \& Diggle P.J. (1989) Estimating Weighted Integrals of the Second-Order Intensity of a Spatial Point Pattern. *J. R. Statist Soc B* 51 81–92; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[kernel2d](#)

Examples

```
data(bodmin)
Mse2d <- mse2d(as.points(bodmin), bodmin$poly, nsmse=50, range=8)
plot(Mse2d$h[5:50],Mse2d$mse[5:50], type="l")
```

`n2dist`*Nearest neighbours for two point patterns*

Description

Calculate nearest neighbours for two point patterns

Usage

```
n2dist(pts1,pts2)
```

Arguments

`pts1,pts2` Point data sets

Value

Returns a list with components `$dists` and `$neighs`. `$dists[i]` is the distance of the nearest neighbour of point `pts2[i,]` in `pts1` and `$neighs[i]` is the index in `pts1` of the point nearest to `pts2[i,]`. Documentation and example by Alun Pope, 2007-08-23.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[nndistF](#), [Fhat](#), [Ghat](#), [Fzero](#)

Examples

```
(test1 <- matrix(c(151.1791, -33.86056, 151.1599, -33.88729, 151.1528,  
-33.90685, 151.1811, -33.85937),nrow=4,byrow=TRUE))  
(test2 <- as.points(151.15, -33.9))  
n2dist(test1,test2)  
n2dist(test2,test1)
```

| | |
|---------|--|
| nndistF | <i>Nearest neighbour distances as used by Fhat()</i> |
|---------|--|

Description

Calculate nearest neighbour distances as used by `Fhat()`

Usage

```
nndistF(pts1,pts2)
```

Arguments

| | |
|------|-------------------|
| pts1 | A points data set |
| pts2 | A points data set |

Value

The set of distances from each of the points in `pts2` to the nearest point in `pts1` is returned as a vector.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[nndistG](#), [Fhat](#), [Ghat](#), [Fzero](#)

Examples

```
data(uganda)
boxplot(nndistF(as.points(uganda), as.points(csr(uganda$poly, length(uganda$x))))))
plot(ecdf(nndistF(as.points(uganda),
as.points(csr(uganda$poly, length(uganda$x))))),
main="Fhat ecdf Uganda volcano data")
```

| | |
|---------|--|
| nndistG | <i>Nearest neighbour distances as used by Ghat()</i> |
|---------|--|

Description

Calculate nearest neighbour distances as used by `Ghat()`.

Usage

```
nndistG(pts)
```

Arguments

`pts` A points data set

Value

Returns a list with components `$dists` and `$neighs`. `$dists[i]` is the distance to the nearest neighbour of point `i` in `pts`, and `$neighs[i]` is the index of the neighbour of point `i`.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[nndistF](#), [Fhat](#), [Ghat](#), [Fzero](#)

Examples

```
data(uganda)
boxplot(nndistG(as.points(uganda))$dists)
plot(ecdf(nndistG(as.points(uganda))$dists))
```

| | |
|------|-------------------------------------|
| npts | <i>Number of points in data set</i> |
|------|-------------------------------------|

Description

return number of points in data set

Usage

```
npts(pts)
```

Arguments

pts A points data set

Value

The number of points in the data set.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

| | |
|---------|---------------------------------|
| okblack | <i>Oklahoma black offenders</i> |
|---------|---------------------------------|

Description

Locations of theft from property offences committed by black offenders in Oklahoma City

Usage

```
data(okblack)
```

Format

A list corresponding to a Venables and Ripley point object with 147 observations

| | | |
|------|---------|----------------------------------|
| x | numeric | grid eastings |
| y | numeric | grid northings |
| area | list | bounding box with xl, xu, yl, yu |

Source

Carter and Hill, 1979, - Bailey and Gatrell 1995, ch. 3.

References

Bailey, T. C. and Gatrell, A. C. 1995, Interactive spatial data analysis. Longman, Harlow.

| | |
|---------|---------------------------------|
| okwhite | <i>Oklahoma white offenders</i> |
|---------|---------------------------------|

Description

Locations of theft from property offences committed by white offenders in Oklahoma City

Usage

data(okwhite)

Format

A list corresponding to a Venables and Ripley point object with 104 observations

| | | |
|------|---------|----------------------------------|
| x | numeric | grid eastings |
| y | numeric | grid northings |
| area | list | bounding box with xl, xu, yl, yu |

Source

Carter and Hill, 1979, - Bailey and Gatrell 1995, ch. 3.

References

Bailey, T. C. and Gatrell, A. C. 1995, Interactive spatial data analysis. Longman, Harlow.

| | |
|-----|--------------------------------------|
| pcp | <i>Fit a Poisson cluster process</i> |
|-----|--------------------------------------|

Description

The function fits a Poisson cluster process to point data for a given enclosing polygon and fit parameters

Usage

pcp(point.data, poly.data, h0=NULL, expo=0.25, n.int=20)

Arguments

| | |
|------------|---|
| point.data | a points object |
| poly.data | a polygon enclosing the study region |
| h0 | upper bound of integration in the criterion function |
| expo | exponent in the criterion function |
| n.int | number of intervals used to approximate the integral in the criterion function with a sum |

Value

The function returns an object as returned by `optim`, including:

| | |
|-------------|---|
| par | The best set of parameters s_2 and ρ found |
| value | The value of the fit corresponding to 'par' |
| convergence | '0' indicates successful convergence |

Author(s)

Giovanni Petris <GPetris@uark.edu>, Roger.Bivand@nhh.no

References

Diggle, P. J. (1983) *Statistical analysis of spatial point patterns*, London: Academic Press, pp. 55-57 and 78-81; Bailey, T. C. and Gatrell, A. C. (1995) *Interactive spatial data analysis*, Harlow: Longman, pp. 106-109.

See Also

[optim](#), [pcp.sim](#), [Kenv.pcp](#), [khat](#)

Examples

```
data(cardiff)
polymap(cardiff$poly)
pointmap(as.points(cardiff), add=TRUE)
title("Locations of homes of 168 juvenile offenders")
pcp.fit <- pcp(as.points(cardiff), cardiff$poly, h0=30, n.int=30)
pcp.fit
```

`pcp.sim`*Generate a Poisson Cluster Process*

Description

The function generates a Poisson cluster process for a given polygon within a larger bounding region and given process parameters

Usage

```
pcp.sim(rho, m, s2, region.poly, larger.region=NULL, vectorise.loop=TRUE)
```

Arguments

| | |
|-----------------------------|--|
| <code>rho</code> | intensity of the parent process |
| <code>m</code> | average number of offsprings per parent |
| <code>s2</code> | variance of location of offsprings relative to their parent |
| <code>region.poly</code> | a polygon defining the region in which the process is to be generated |
| <code>larger.region</code> | a rectangle containing the region of interest given in the form (xl,xu,yl,yu), defaults to <code>sbox()</code> around <code>region.poly</code> |
| <code>vectorise.loop</code> | if TRUE, use new vectorised code, if FALSE, use loop as before |

Details

The function generates the parents in the larger bounding region, generates their children also in the larger bounding region, and then returns those inside the given polygon.

Value

A point object with the simulated pattern

Author(s)

Giovanni Petris <GPetris@uark.edu>, Roger.Bivand@nhh.no

References

Diggle, P. J. (1983) *Statistical analysis of spatial point patterns*, London: Academic Press, pp. 55-57 and 78-81; Bailey, T. C. and Gatrell, A. C. (1995) *Interactive spatial data analysis*, Harlow: Longman, pp. 106-109.

See Also

[pcp](#), [Kenv.pcp](#), [khat](#)

Examples

```
data(cardiff)
polymap(cardiff$poly)
pointmap(as.points(cardiff), add=TRUE)
title("Locations of homes of 168 juvenile offenders")
pcp.fit <- pcp(as.points(cardiff), cardiff$poly, h0=30, n.int=30)
pcp.fit
m <- npts(as.points(cardiff))/(areapl(cardiff$poly)*pcp.fit$par[2])
sims <- pcp.sim(pcp.fit$par[2], m, pcp.fit$par[1], cardiff$poly)
pointmap(as.points(sims), add=TRUE, col="red")
```

pdense

Overall density for a point pattern

Description

Calculate overall density for a point pattern.

Usage

```
pdense(pts, poly)
```

Arguments

| | |
|------|--------------------|
| pts | A points data set |
| poly | A polygon data set |

Value

The density of the points in the polygon. i.e. the number of points per unit area.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[Fzero](#)

pip *Points inside or outside a polygon*

Description

Return points inside or outside a polygon.

Usage

```
pip(pts,poly,out=FALSE,bound=NULL,quiet=TRUE)
```

Arguments

| | |
|-------|--|
| pts | A points data set |
| poly | A polygon data set |
| out | If out=TRUE, return the points outside the polygon, else the points inside. |
| bound | If points fall exactly on polygon boundaries, the default NULL gives arbitrary assignments. If TRUE, then all points "on" boundaries are set as within the polygon, if FALSE, outside. |
| quiet | Do not report which points are on boundary for non-NULL bound |

Details

pip calls inout, then selects the appropriate sub-set of points.

Value

pip returns the points of pts that lie inside (or outside with out=TRUE) the polygon poly. Compare this with inpip, which returns the indices of the points in the polygon, and inout which returns a logical vector indicating whether points are inside or outside.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[inpip](#), [inout](#)

| | |
|-----|---|
| plt | <i>bins nearest neighbour distances</i> |
|-----|---|

Description

bins nearest neighbour distances

Usage

```
plt(data, value)
```

Arguments

| | |
|-------|------------------------------|
| data | nearest neighbour distances |
| value | breaks for binning distances |

Value

binned values

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[Fhat](#), [Ghat](#)

| | |
|----------|-----------------|
| pointmap | <i>Graphics</i> |
|----------|-----------------|

Description

Plots point and polygon data sets on the current graphics device.

Usage

```
pointmap(pts, add=FALSE, axes=TRUE, xlab="", ylab="", asp, ...)
```

Arguments

| | |
|------------|---|
| pts | a points data set. |
| add | if FALSE, start a new plot. If TRUE, superimpose on current plot. |
| axes | if true, display axes with labelling. If false, do not display any axes on the plot. |
| xlab, ylab | Label strings for x and y axes. |
| asp | aspect parameter for plot |
| ... | Graphical arguments may be entered, and these are passed to the standard S points and polygon routines. |

Details

The specified data set is plotted on the current graphics device, either as points or polygons. For `polymap`, the last point in the data set is drawn connected to the first point. `pointmap` and `polymap` preserve the aspect ratio in the data by using the `asp=1` plot argument. Graphical parameters can also be supplied to these routines, and are passed through to `plot`. Some useful parameters include `pch` to change the plotting character for points, `lty` to change the line type for polygons, and `type="n"` to set up axes for the plot without plotting anything.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[mpoint](#)

Examples

```
data(bodmin)
plot(bodmin$poly, asp=1, type="n")
pointmap(as.points(bodmin), add=TRUE)
polymap(bodmin$poly, add=TRUE)
```

polymap

Graphics

Description

Plots point and polygon data sets on the current graphics device.

Usage

```
polymap(poly, add=FALSE, xlab="", ylab="", axes=TRUE, asp, ...)
```

Arguments

| | |
|------------|---|
| poly | a polygon. |
| add | if FALSE, start a new plot. If TRUE, superimpose on current plot. |
| xlab, ylab | Label strings for x and y axes. |
| axes | if true, display axes with labelling. If false, do not display any axes on the plot. |
| asp | aspect parameter for plot |
| ... | Graphical arguments may be entered, and these are passed to the standard S points and polygon routines. |

Details

The specified data set is plotted on the current graphics device, either as points or polygons. For `polymap`, the last point in the data set is drawn connected to the first point. `pointmap` and `polymap` preserve the aspect ratio in the data by using the `asp=1` plot argument. Graphical parameters can also be supplied to these routines, and are passed through to `plot`. Some useful parameters include `pch` to change the plotting character for points, `lty` to change the line type for polygons, and `type="n"` to just set up axes for the plot without plotting anything.

References

Rowlingson, B. and Diggle, P. 1993 `Splancs`: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[par](#), [mpoint](#)

Examples

```
data(bodmin)
plot(bodmin$poly, asp=1, type="n")
pointmap(as.points(bodmin), add=TRUE)
polymap(bodmin$poly, add=TRUE)
```

```
print.ribfit
```

```
Display the fit from tribble()
```

Description

Display the fit from tribble

Usage

```
## S3 method for class 'ribfit'
print(x, ...)
```

Arguments

x An object returned from tribble
 ... optional arguments to pass through to print()

Details

The parameter estimates and log-likelihood for the raised incidence model are displayed. The likelihood ratio, $D = 2*(L-L_0)$, is also given. This function is called whenever print operates on an object with class ribfit.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[tribble](#)

ranpts

adjust number of random points in polygon

Description

adjust number of random points in polygon

Usage

```
ranpts(pts, poly, nprq)
```

Arguments

pts points object
 poly polygon object
 nprq required number of points

Value

points object with required number of random points

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[csr](#)

| | |
|--------|--|
| rLabel | <i>Randomly label two or more point sets</i> |
|--------|--|

Description

Randomly label two or more point sets. (function name changed from rlabel to rLabel to avoid collision with spatstat)

Usage

```
rLabel(...)
```

Arguments

... Any number of points data sets

Details

The output data sets are a random labelling of the input data sets, i.e. all the points in the input data sets are randomly assigned to the output sets. The number of points in each output set is the same as its corresponding input set.

Value

A list of points data sets. There are as many elements in the list as arguments.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

| | |
|------------|--|
| rtor.shift | <i>Random toroidal shift on a point data set</i> |
|------------|--|

Description

Perform a random toroidal shift on a point data set

Usage

```
rtor.shift(pts,rect)
```

Arguments

| | |
|------|--|
| pts | The point data set to shift |
| rect | A rectangle defining the region for the toroidal map. If not given, the bounding box of pts is used. |

Details

The planar region defined by rect is assumed connected at its top and bottom edges, and at its left and right sides. A random shift is applied to the points and the resulting set of points returned.

Value

A point data set like pts, but after application of a random toroidal shift along the x and y axes.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[Shift](#)

| | |
|------|--|
| sbox | <i>Generate a box surrounding a point object</i> |
|------|--|

Description

Generate a box surrounding a point object

Usage

```
sbox(pts, xfrac = .1, yfrac = .1)
```

Arguments

| | |
|-------|---|
| pts | A points data set |
| xfrac | The fraction of the width of the point pattern by which the box will surround the point pattern to the left and right. |
| yfrac | The fraction of the height of the point pattern by which the box will surround the point pattern to the top and bottom. |

Value

A points data set of four points giving the coordinates of the surrounding box

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[bboxx](#)

| | |
|-------|---|
| secal | <i>Standard errors for the difference between two K-functions</i> |
|-------|---|

Description

Calculate standard errors for the difference between two K-functions under random labelling of the corresponding two sets of points.

Usage

```
secal(pts1, pts2, poly, s)
```

Arguments

| | |
|-----------|---|
| pts1,pts2 | Two point data sets |
| poly | Polygon enclosing the points in pts1 and pts2 |
| s | A vector of distances at which to calculate the standard error. |

Details

To compare two point patterns, one can calculate the difference between their K-functions. The function `secal` gives the pointwise standard errors for the estimated differences, under the random labelling hypothesis.

Value

A vector like `s` containing the value of the standard error at each of the distances in `s`

References

Diggle P.J. and Chetwynd A.G. (1991) Second-order analysis of spatial clustering *Biometrics* 47 1155–63; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[khat](#)

| | |
|-------|-------------------------------|
| Shift | <i>Shift a point data set</i> |
|-------|-------------------------------|

Description

Shift a point data set (function name changed from `shift` to `Shift` to avoid collision with `spatstat`)

Usage

```
Shift(pts, xsh=0.0, ysh=0.0)
```

Arguments

| | |
|-----|----------------------------------|
| pts | The point data set to shift |
| xsh | Amount to shift along the x-axis |
| ysh | Amount to shift along the y-axis |

Value

A point data set like `pts`, but with `xsh` added to its `x`-coordinates, and `ysh` added to its `y`-coordinates.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[tor.shift](#)

southlancs

Cancer cases in Chorley-Ribble

Description

Locations of cases of cancer of lung and larynx in Chorley-Ribble, Lancashire. The data set is split into a points object `southlancs.pts` and a case/control 0/1 vector `southlancs.cc`. There are 917 controls and 57 cases in this data set - these numbers differ from 978 and 58 in Diggle (1990) and Diggle and Rowlingson (1994). The data set also includes the approximate location of an old incinerator `old.incinerator`, as well as `southlancs.bdy`, the study area boundary.

Usage

```
data(southlancs)
```

Format

A data frame with 974 observations

| | | | |
|------|----|---------|--------------------------------|
| [,1] | x | numeric | grid eastings (metres) |
| [,2] | y | numeric | grid northings (metres) |
| [,3] | cc | numeric | case/control, lung=0, larynx=1 |

Source

Diggle, Gatrell and Lovett, 1990, - Bailey and Gatrell 1995, ch. 3.

References

Bailey and Gatrell 1995, ch. 3; Diggle, P. (1990) A point process modelling approach to raised incidence of a rare phenomenon in the vicinity of a prespecified point. *Journal of the Royal Statistical*

Society, A, 153, 349-362; Diggle, P. and Rowlingson, B. (1994) A conditional approach to point process modelling of elevated risk. *Journal of the Royal Statistical Society, A*, 157, 433-440.

Examples

```
data(southlancs)
op <- par(mfrow=c(2,1))
pointmap(southlancs.pts[southlancs.cc == 0,])
pointmap(old.incinerator, add=TRUE, col="red", pch=19)
title("Lung cancer controls")
pointmap(southlancs.pts[southlancs.cc == 1,])
pointmap(old.incinerator, add=TRUE, col="red", pch=19)
title("Larynx cancer cases")
par(op)
polymap(southlancs.bdy, border="grey")
contour(kernel2d(southlancs.pts[southlancs.cc == 0,],
southlancs.bdy, h=500, nx=100, ny=100), nlevels=20,
add=TRUE, drawlabels=FALSE)
pointmap(southlancs.pts[southlancs.cc == 1,], add=TRUE, pch=19,
col="green")
pointmap(old.incinerator, add=TRUE, pch=19, col="red")
title(xlab="h=500, quartic kernel")
title("Density map of control, green case points, red old incinerator")
```

splancs

Return version number and author information

Description

Return version number and author information

Usage

```
splancs()
```

Value

The version string is returned. This is a number of the format x.yy, where x is the major version number and yy is the minor version number.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

| | |
|---------|----------------------|
| spoints | <i>Point Objects</i> |
|---------|----------------------|

Description

Creates and tests for data in spatial point format.

Usage

```
spoints(data,npoints)
```

Arguments

| | |
|---------|---|
| data | vector containing the data values for the points in order (x1,y1),(x2,y2),... |
| npoints | number of points to generate, if missing, set to length(data)/2. |

Value

spoints returns an object suitable for use as a point data object. If npoints is given, the vector data is either truncated or repeated until sufficient data values are generated. The returned object is a two-column matrix, where the first column stores the x-coordinate, and the second column stores the y-coordinate.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[npts](#)

| | |
|---------|--|
| stdiagn | <i>Summary plots for clustering analysis</i> |
|---------|--|

Description

Produces some summary plots for clustering analysis

Usage

```
stdiagn(pts, stkh, stse, stmc=0,Dzero=FALSE)
```

Arguments

| | |
|--------|---|
| pts | A set of points, as used in Splancs |
| stkhat | An object returned from stkhat |
| stse | An object returned from stsecal |
| stmct | An object returned from stmctest |
| Dzero | FALSE - default D plot, TRUE Dzero plot |

Details

Four plots are produced on the current graphics device. The first plot is simply a map of the data. The second is a perspective plot of the difference between space-time K-function and the product of spatial and temporal K-functions. The third plot is of the standardised residuals against the product of spatial and temporal K-functions. If the Monte-Carlo data is given the fourth plot is a histogram of the test statistics, with the value for the data indicated with a vertical line. See Diggle, Chetwynd, Haggkvist, and Morris (1995) for details.

References

Diggle, P., Chetwynd, A., Haggkvist, R. and Morris, S. 1995 Second-order analysis of space-time clustering. *Statistical Methods in Medical Research*, 4, 124-136; Bailey, T. C. and Gatrell, A. C. 1995, *Interactive spatial data analysis*. Longman, Harlow, pp. 122-125; Rowlingson, B. and Diggle, P. 1993 *Splancs: spatial point pattern analysis code in S-Plus*. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[stkhat](#), [stsecal](#), [stvmat](#), [stmctest](#)

Examples

```
example(stkhat)
example(stsecal)
example(stmctest)
stdiagn(burpts, bur1, bur1se, bur1mc)
```

 stkhat

Space-time K-functions

Description

Compute the space-time K-functions

Usage

```
stkhat(pts, times, poly, tlimits, s, tm)
```

Arguments

| | |
|---------|--|
| pts | A set of points as defined in Splancs |
| times | A vector of times, the same length as the number of points in pts |
| poly | A polygon enclosing the points |
| tlimits | A vector of length 2 specifying the upper and lower temporal domain. |
| s | A vector of spatial distances for the analysis. |
| tm | A vector of times for the analysis |

Value

A list with the following components is returned:

| | |
|------|---------------------------------|
| s, t | The spatial and temporal scales |
| ks | The spatial K-function |
| kt | The temporal K-function |
| kst | The space-time K-function |

For details see Diggle, Chetwynd, Haggkvist, and Morris (1995)

References

Diggle, P., Chetwynd, A., Haggkvist, R. and Morris, S. 1995 Second-order analysis of space-time clustering. *Statistical Methods in Medical Research*, 4, 124-136; Bailey, T. C. and Gatrell, A. C. 1995, *Interactive spatial data analysis*. Longman, Harlow, pp. 122-125; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[stsecal](#), [stvmatrix](#), [stmctest](#), [stdiagn](#)

Examples

```
data(burkitt)
bur1 <- stkhat(burpts, burkitt$t, burbdy, c(400, 5800),
  seq(1,40,2), seq(100, 1500, 100))
oldpar <- par(mfrow=c(2,1))
plot(bur1$s, bur1$ks, type="l", xlab="distance", ylab="Estimated K",
  main="spatial K function")
plot(bur1$t, bur1$kt, type="l", xlab="time", ylab="Estimated K",
  main="temporal K function")
par(oldpar)
```

 stmctest

Monte-Carlo test of space-time clustering

Description

Perform a Monte-Carlo test of space-time clustering.

Usage

```
stmctest(pts, times, poly, tlimits, s, tt, nsim, quiet=FALSE, returnSims=FALSE)
```

Arguments

| | |
|------------|--|
| pts | A set of points as used by Splancs. |
| times | A vector of times, the same length as the number of points in pts. |
| poly | A polygon enclosing the points. |
| tlimits | A vector of length 2, specifying the upper and lower temporal domain. |
| s | A vector of spatial distances for the analysis. |
| tt | A vector of times for the analysis. |
| nsim | The number of simulations to do. |
| quiet | If quiet=TRUE then no output is produced, otherwise the function prints the number of simulations completed so far, and also how the test statistic for the data ranks with the simulations. |
| returnSims | default FALSE, if TRUE, return the stkhat output for the observed data and each simulation as attributes obs and sims |

Details

The function uses a sum of residuals as a test statistic, randomly permutes the times of the set of points and recomputes the test statistic for a number of simulations. See Diggle, Chetwynd, Haggkvist and Morris (1995) for details.

Value

A list with components:

| | |
|----|---|
| t0 | The observed value of the statistic |
| t | A single column matrix with nsim values each of which is a simulated value of the statistic |

Note

The example of using returned simulated values is included only to show how the values might be used, not to indicate that this constitutes a way of examining which observed values of the space-time measure are exceptional.

References

Diggle, P., Chetwynd, A., Haggkvist, R. and Morris, S. 1995 Second-order analysis of space-time clustering. *Statistical Methods in Medical Research*, 4, 124-136; Bailey, T. C. and Gatrell, A. C. 1995, *Interactive spatial data analysis*. Longman, Harlow, pp. 122-125; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[stkhat](#), [stsecal](#), [stvmat](#), [stdiagn](#)

Examples

```
example(stkhat)
bur1mc <- stmctest(burpts, burkitt$t, burbdy, c(400, 5800),
  seq(1,40,2), seq(100, 1500, 100), nsim=49, quiet=TRUE, returnSims=TRUE)
plot(density(bur1mc$t), xlim=range(c(bur1mc$t0, bur1mc$t)))
abline(v=bur1mc$t0)
r0 <- attr(bur1mc, "obs")$kst-outer(attr(bur1mc, "obs")$ks, attr(bur1mc, "obs")$kt)
rsimlist <- lapply(attr(bur1mc, "sims"), function(x) x$kst - outer(x$ks, x$kt))
rarray <- array(do.call("cbind", rsimlist), dim=c(20, 15, 49))
rmin <- apply(rarray, c(1,2), min)
rmax <- apply(rarray, c(1,2), max)
r0 < rmin
r0 > rmax
```

stsecal

Standard error for space-time clustering

Description

Computes the standard error for space-time clustering.

Usage

```
stsecal(pts, times, poly, tlim, s, tm)
```

Arguments

| | |
|-------|--|
| pts | A set of points, as defined in Splancs. |
| times | A vector of times, the same length as the number of points in pts |
| poly | A polygon enclosing the points |
| tlim | A vector of length 2 specifying the upper and lower temporal domain. |
| s | A vector of spatial distances for the analysis |
| tm | A vector of times for the analysis |

Value

A matrix of dimension $[\text{length}(s), \text{length}(t)]$ is returned. Element $[i, j]$ is the standard error at $s[i], t[j]$. See Diggle Chetwynd Haggkvist and Morris (1995) for details.

References

Diggle, P., Chetwynd, A., Haggkvist, R. and Morris, S. 1995 Second-order analysis of space-time clustering. *Statistical Methods in Medical Research*, 4, 124-136; Bailey, T. C. and Gatrell, A. C. 1995, *Interactive spatial data analysis*. Longman, Harlow, pp. 122-125; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[stkhat](#), [stsecal](#), [stvmat](#), [stdiagn](#)

Examples

```
example(stkhat)
bur1se <- stsecal(burpts, burkitt$t, burbdy, c(400, 5800),
  seq(1,40,2), seq(100, 1500, 100))
```

 stvmat

Variance matrix for space-time clustering

Description

Compute the variance matrix for space-time clustering

Usage

```
stvmat(pts, times, poly, tlim, s, tm)
```

Arguments

| | |
|-------|--|
| pts | A set of points. |
| times | A vector of times, the same length as the number of points in pts |
| poly | A polygon that encloses the points |
| tlim | A vector of length 2 specifying the upper and lower temporal domain. |
| s | A vector of spatial distances for the analysis |
| tm | A vector of times for the analysis |

Value

A four-dimensional matrix is returned. The covariance between space-time t_1, s_1 and t_2, s_2 is given by the corresponding element $[t_1, s_1, t_2, s_2]$ For full details, see Diggle, Chetwynd, Hagkvist and Morris (1995)

References

Diggle, P., Chetwynd, A., Hagkvist, R. and Morris, S. 1995 Second-order analysis of space-time clustering. *Statistical Methods in Medical Research*, 4, 124-136; Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

See Also

[stkhat](#), [stseca1](#), [stmctest](#), [stdiagn](#)

thin

Randomly thin a point data set

Description

Randomly thin a point data set.

Usage

```
thin(pts,n)
```

Arguments

| | |
|-----|--------------------------------|
| pts | a points data set. |
| n | the number of points to return |

Value

Returns a point data set consisting of n points selected randomly from the set pts.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. *Computers and Geosciences*, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. *Journal of Geographical Systems*, 2, 307-317.

| | |
|-----------|---|
| tor.shift | <i>Toroidal shift on a point data set</i> |
|-----------|---|

Description

Perform a toroidal shift on a point data set

Usage

```
tor.shift(pts,xsh=0.0,ysh=0.0,rect)
```

Arguments

| | |
|------|--|
| pts | The point data set to shift |
| xsh | Amount to shift along the x-axis |
| ysh | Amount to shift along the y-axis |
| rect | A rectangle defining the region for the toroidal map. If not given, the bounding box of pts is used. |

Details

The planar region defined by rect is assumed connected at its top and bottom edges, and at its left and right sides. A shift of xsh and ysh is applied to the points and the resulting set of points returned.

Value

A point data set like pts, but after application of a toroidal shift along the x and y axes.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[Shift](#)

tribble

*Diggle-Rowlingson Raised Incidence Model***Description**

Fits the Diggle-Rowlingson Raised Incidence Model.

Usage

```
tribble(ccflag, vars=NULL, alphas=NULL, betas=NULL, rho,
        which=1:length(alphas), covars=NULL, thetas=NULL,
        steps=NULL, reqmin=0.001, icount=50, hessian=NULL)
```

Arguments

| | |
|---------|---|
| ccflag | Case-control flag : a vector of ones and zeroes. |
| vars | A matrix where $\text{vars}[i, j]$ is the distance squared from point i to source j . |
| alphas | Initial value of the alpha parameters. |
| betas | Initial value of the beta parameters. |
| rho | Initial value of the rho parameter. |
| which | Defines the mapping from sources to parameters. |
| covars | A matrix of covariates to be modelled as log-linear terms. The element $\text{covars}[i, j]$ is the value of covariate j for case/control i . |
| thetas | Initial values of covariate parameters. |
| steps | Step sizes for the Nelder-Mead simplex algorithm. |
| reqmin | Tolerance for simplex algorithm |
| icount | Iteration count for simplex algorithm |
| hessian | by default NULL, any other value causes hessian to be computed and returned |

Value

The return value is a list with many components, and class `ribfit`.

| | |
|-----------|---|
| alphas | A vector of the alpha parameters at the maximum |
| betas | A vector of the beta values at the maximum |
| rho | The value of rho at the maximum |
| logl | The maximised log-likelihood |
| null.logl | The null log-likelihood |
| call | The function call to <code>tribble</code> |

For further information see Diggle and Rowlingson (1993).

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[triblik](#), [dsquare](#)

triblik

Log-likelihood for the Diggle-Rowlingson raised incidence model

Description

Calculates the log-likelihood for the Diggle-Rowlingson raised incidence model.

Usage

```
triblik(ccflag, vars=NULL, alphas=NULL, betas=NULL, rho,
        which=1:length(alphas), covars=NULL, thetas=NULL)
```

Arguments

| | |
|--------|---|
| ccflag | Case-control flag : a vector of ones and zeroes. |
| vars | A matrix where vars[i, j] is the distance squared from point i to source j. |
| alphas | The alpha parameters. |
| betas | The beta parameters. |
| rho | The rho parameter. |
| which | Defines the mapping from sources to parameters. |
| covars | A matrix of covariates to be modelled as log-linear terms. The element covars[i, j] is the value of covariate j for case/control i. |
| thetas | The covariate parameters. |

Value

The log-likelihood for the given parameters and the given distances and optional covariates is returned.

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[tribble](#), [dsquare](#)

uganda

Craters in Uganda

Description

Locations of craters in a volcanic field in Uganda

Usage

```
data(uganda)
```

Format

A list corresponding to a Venables and Ripley point object with 120 observations

| | | |
|------|---------|---------------------------------------|
| x | numeric | grid eastings |
| y | numeric | grid northings |
| area | list | bounding box with xl, xu, yl, yu |
| poly | array | polygon boundary with columns x and y |

Source

Tinkler, 1971, - Bailey and Gatrell 1995, ch. 3.

References

Bailey, T. C. and Gatrell, A. C. 1995, Interactive spatial data analysis. Longman, Harlow.

zoom

Interactively specify a region of a plot for expansion

Description

Interactively specify a region of a plot for expansion

Usage

```
zoom(quiet=FALSE, out=FALSE, ...)
```

Arguments

| | |
|-------|---|
| quiet | If false, prompt the user to enter two coordinates. If true, say nothing. |
| out | If true, expand the limits of the current plot by a factor of three, centred on the current plot. |
| ... | Other arguments are passed through to pointmap. |

Details

A prompt is optionally displayed, and the user selects two points forming the diagonal of a rectangle. A new, empty plot is created that has its axis limits set to the bounding square of the selected rectangle. If out=TRUE, no prompt is displayed, and a new blank plot is created with its limits in x and y set to span an area three times the height and width centred on the current centre.

Value

None

References

Rowlingson, B. and Diggle, P. 1993 Splancs: spatial point pattern analysis code in S-Plus. Computers and Geosciences, 19, 627-655; the original sources can be accessed at: <http://www.maths.lancs.ac.uk/~rowlings/Splancs/>. See also Bivand, R. and Gebhardt, A. 2000 Implementing functions for spatial statistical analysis using the R language. Journal of Geographical Systems, 2, 307-317.

See Also

[pointmap](#)

Index

*Topic **datasets**

- amacrines, 4
- bodmin, 7
- burkitt, 7
- cardiff, 9
- okblack, 41
- okwhite, 42
- southlancs, 55
- uganda, 67

*Topic **spatial**

- addpoints, 3
- areapl, 4
- as.points, 5
- bboxx, 6
- csr, 9
- delpoints, 11
- dsquare, 11
- Fhat, 12
- Fzero, 13
- gen, 14
- getpoly, 15
- Ghat, 16
- gridpts, 17
- inout, 17
- inpip, 19
- is.points, 20
- k12hat, 20
- Kenv.csr, 21
- Kenv.label, 22
- Kenv.pcp, 23
- Kenv.tor, 25
- Kenv.tor1, 26
- kernel2d, 28
- kernel3d, 29
- kernrat, 30
- kerview, 31
- khat, 32
- khvc, 34
- khvmat, 35

- mpoint, 36
- mse2d, 37
- n2dist, 38
- nndistF, 39
- nndistG, 40
- npts, 41
- pcp, 42
- pcp.sim, 44
- pdense, 45
- pip, 46
- plt, 47
- pointmap, 47
- polymap, 48
- print.ribfit, 49
- ranpts, 50
- rLabel, 51
- rtor.shift, 52
- sbox, 53
- secal, 53
- Shift, 54
- splancs, 56
- spoints, 57
- stdiagn, 57
- stkhat, 58
- stmctest, 60
- stsecal, 61
- stvmat, 62
- thin, 63
- tor.shift, 64
- tribble, 65
- triblik, 66
- zoom, 67

- addpoints, 3
- amacrines, 4
- areapl, 4
- as.points, 5

- bbox, 6
- bboxx, 6, 53

- bodmin, [7](#)
- burbdy (burkitt), [7](#)
- burkitt, [7](#)
- burpts (burkitt), [7](#)

- cardiff, [9](#)
- csr, [9](#), [15](#), [22](#), [51](#)

- delpoints, [3](#), [11](#)
- dsquare, [11](#), [66](#), [67](#)

- Fhat, [12](#), [14](#), [16](#), [38–40](#), [47](#)
- Fzero, [13](#), [13](#), [38–40](#), [45](#)

- gen, [14](#)
- getpoly, [15](#)
- Ghat, [14](#), [16](#), [38–40](#), [47](#)
- gridpts, [17](#)

- inout, [17](#), [46](#)
- inpip, [18](#), [19](#), [46](#)
- is.points, [20](#)

- k12hat, [20](#), [26](#)
- Kenv.csr, [21](#), [34](#)
- Kenv.label, [22](#)
- Kenv.pcp, [23](#), [43](#), [44](#)
- Kenv.tor, [25](#), [27](#)
- Kenv.tor1, [26](#)
- kernel2d, [28](#), [31](#), [37](#)
- kernel3d, [29](#), [32](#)
- kernrat, [30](#)
- kerview, [30](#), [31](#)
- khat, [22–24](#), [32](#), [35](#), [43](#), [44](#), [54](#)
- khvc, [34](#)
- khvmat, [35](#), [35](#)

- mpoint, [36](#), [48](#), [49](#)
- mse2d, [31](#), [37](#)

- n2dist, [38](#)
- ndistF, [13](#), [38](#), [39](#), [40](#)
- ndistG, [16](#), [39](#), [40](#)
- npts, [41](#), [57](#)

- okblack, [41](#)
- okwhite, [42](#)
- old.incinerator (southlancs), [55](#)
- optim, [43](#)

- par, [49](#)

- pcp, [24](#), [42](#), [44](#)
- pcp.sim, [24](#), [43](#), [44](#)
- pdense, [14](#), [45](#)
- pip, [18](#), [19](#), [46](#)
- plot.khat (khat), [32](#)
- plt, [47](#)
- pointmap, [36](#), [47](#), [68](#)
- polymap, [48](#)
- print.khat (khat), [32](#)
- print.ribfit, [49](#)

- ranpts, [50](#)
- rLabel, [23](#), [51](#)
- rtor.shift, [26](#), [52](#)

- sbox, [6](#), [53](#)
- secal, [35](#), [53](#)
- Shift, [52](#), [54](#), [64](#)
- southlancs, [55](#)
- spkernel2d (kernel2d), [28](#)
- splancs, [56](#)
- spoints, [57](#)
- stdiagn, [57](#), [59](#), [61–63](#)
- stkhat, [58](#), [58](#), [61–63](#)
- stmctest, [58](#), [59](#), [60](#), [63](#)
- stsecal, [58](#), [59](#), [61](#), [61–63](#)
- stvmat, [58](#), [59](#), [61](#), [62](#), [62](#)

- thin, [63](#)
- tor.shift, [55](#), [64](#)
- tribble, [12](#), [50](#), [65](#), [67](#)
- triblik, [12](#), [66](#), [66](#)

- uganda, [67](#)

- zoom, [67](#)