

Package ‘tidymodels’

November 27, 2018

Title Easily Install and Load the 'Tidymodels' Packages

Version 0.0.2

Description The tidy modeling ``verse" is a collection of packages for modeling and statistical analysis that share the underlying design philosophy, grammar, and data structures of the tidyverse.

License GPL-3 | file LICENSE

URL <https://github.com/tidymodels/tidymodels>

BugReports <https://github.com/tidymodels/tidymodels/issues>

Depends R (>= 3.1)

Imports broom (>= 0.5.0), cli (>= 1.0.1), crayon (>= 1.3.4), dials (>= 0.0.1), dplyr (>= 0.7.8), ggplot2 (>= 3.1.0), infer (>= 0.4.0), magrittr (>= 1.5), parsnip (>= 0.0.1), pillar (>= 1.3.0), purrr (>= 0.2.5), recipes (>= 0.1.4), rlang (>= 0.3.0.1), rsample (>= 0.0.3), rstudioapi (>= 0.8), tibble (>= 1.4.2), tidytext (>= 0.2.0), tidypredict (>= 0.2.0), tidyposterior (>= 0.0.2), yardstick (>= 0.0.2)

Suggests covr, knitr, rmarkdown, testthat

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

NeedsCompilation no

Author Kuhn Max [aut, cre],
Hadley Wickham [aut],
RStudio [cph, fnd]

Maintainer Kuhn Max <max@rstudio.com>

Repository CRAN

Date/Publication 2018-11-27 05:40:03 UTC

R topics documented:

pkg_deps	2
tag_show	2
tidymodels_conflicts	3
tidymodels_packages	3
tidymodels_update	4

Index	5
--------------	----------

pkg_deps	<i>List all dependencies</i>
----------	------------------------------

Description

List all dependencies

Usage

```
pkg_deps(x = "tidymodels", recursive = FALSE)
```

Arguments

x	A character string for the packages being evaluated.
recursive	If TRUE, will also list all dependencies of tidymodels packages.

tag_show	<i>Facilities for loading and updating other packages</i>
----------	---

Description

'tidymodels' contains a set of tags for specific topics in modeling and analysis. These can be used to load packages in groups.

Usage

```
tag_show()
tag_attach(tag)
tag_update(tag)
```

Arguments

tag	A character strong for the tag. Current options are 'Bayesian analysis', 'deep learning', 'feature engineering', 'parallel processing', 'resampling', 'text analysis', and 'time series'.
-----	---

Examples

```
tag_show()
```

tidymodels_conflicts *Conflicts between the tidymodels and other packages*

Description

This function lists all the conflicts between packages in the tidymodels and other packages that you have loaded.

Usage

```
tidymodels_conflicts()
```

Details

There are four conflicts that are deliberately ignored: `intersect`, `union`, `setequal`, and `setdiff` from `dplyr`. These functions make the base equivalents generic, so shouldn't negatively affect any existing code.

Examples

```
tidymodels_conflicts()
```

tidymodels_packages *List all packages in the tidymodels*

Description

List all packages in the tidymodels

Usage

```
tidymodels_packages(include_self = TRUE)
```

Arguments

`include_self` Include tidymodels in the list?

Examples

```
tidymodels_packages()
```

tidymodels_update	<i>Update tidymodels packages</i>
-------------------	-----------------------------------

Description

This will check to see if all tidymodels packages (and optionally, their dependencies) are up-to-date, and will install after an interactive confirmation.

Usage

```
tidymodels_update(pkg = "tidymodels", recursive = FALSE, ...)
```

Arguments

pkg	A character string for the model being updated.
recursive	If TRUE, will also check all dependencies of tidymodels packages.
...	Extra arguments to pass to [utils::install.packages()]

Value

Nothing is returned but a message is printed to the console about which packages (if any) should be installed along with code to do so.

Examples

```
## Not run:  
tidymodels_update()  
  
## End(Not run)
```

Index

`pkg_deps`, [2](#)

`tag_attach(tag_show)`, [2](#)

`tag_show`, [2](#)

`tag_update(tag_show)`, [2](#)

`tags(tag_show)`, [2](#)

`tidymodels_conflicts`, [3](#)

`tidymodels_packages`, [3](#)

`tidymodels_update`, [4](#)