

Package ‘treefit’

March 10, 2020

Title The First Software for Quantitative Trajectory Inference

Version 1.0.0

Description Perform two types of analysis: 1) checking the goodness-of-fit of tree models to your single-cell gene expression data; and 2) deciding which tree best fits your data.

License GPL (>= 3)

URL <https://hayamizu-lab.github.io/treefit-r/>,
<https://github.com/hayamizu-lab/treefit-r/>

BugReports <https://github.com/hayamizu-lab/treefit-r/issues>

Encoding UTF-8

LazyData true

RoxygenNote 7.0.2

Imports ggplot2, igraph, patchwork, pracma

Suggests Seurat, gridExtra, knitr, qpdf, rmarkdown, testthat

VignetteBuilder knitr

Language en-US

NeedsCompilation no

Author Momoko Hayamizu [aut] (<<https://orcid.org/0000-0001-8825-6331>>),
Kouhei Sutou [aut, cre] (<<https://orcid.org/0000-0002-5528-5109>>)

Maintainer Kouhei Sutou <kou@clear-code.com>

Repository CRAN

Date/Publication 2020-03-10 09:50:02 UTC

R topics documented:

generate_2d_n_arms_linked_star_data	2
generate_2d_n_arms_star_data	3
perturbate_knn	3
perturbate_poisson	4
plot.treefit	5
treefit	5

generate_2d_n_arms_linked_star_data

Generate a 2-dimensional linked star tree data

Description

Generate a 2-dimensional linked star tree data. Each star tree data contain `n_samples_vector[i]` data points and fit a star tree with `n_arms_vector[i]` arms.

Usage

```
generate_2d_n_arms_linked_star_data(n_samples_vector, n_arms_vector, fatness)
```

Arguments

<code>n_samples_vector</code>	The vector of the number of samples to be generated. For example, <code>c(200, 100, 300)</code> means that the first tree has 200 samples, the second tree has 100 samples and the third tree has 300 samples.
<code>n_arms_vector</code>	The vector of the number of arms to be generated. For example, <code>c(3, 2, 5)</code> means the first tree fits a star tree with 3 arms, the second tree fits a star tree with 2 arms and the third tree fits a star tree with 5 arms. The size of <code>n_arms_vector</code> must equal to the size of <code>n_samples_vector</code> .
<code>fatness</code>	How fat from the based tree. <code>[0.0, 1.0]</code> is available value range.

Value

A generated matrix. The rows and columns correspond to samples and features.

Examples

```
# Generate a 2-dimensional linked star tree data that contain
# 200-400-300 data points and fit a linked star tree with 3-5-4
# arms. The generated data are a bit noisy but tree-like.
linked_star.tree_like <-
  treefit::generate_2d_n_arms_linked_star_data(c(200, 400, 300),
                                              c(3, 5, 4),
                                              0.1)

plot(linked_star.tree_like)

# Generate a 2-dimensional linked star tree data that contain
# 300-200 data points and fit a linked star tree with 4-3 arms.
# The generated data are very noisy and less tree-like.
linked_star.less_tree_like <-
  treefit::generate_2d_n_arms_linked_star_data(c(300, 200),
                                              c(4, 3),
                                              0.9)

plot(linked_star.less_tree_like)
```

generate_2d_n_arms_star_data
Generate a 2-dimensional star tree data

Description

Generate a 2-dimensional star tree data that contain `n_samples` data points and fit a star tree with `n_arms` arms.

Usage

```
generate_2d_n_arms_star_data(n_samples, n_arms, fatness)
```

Arguments

<code>n_samples</code>	The number of samples to be generated.
<code>n_arms</code>	The number of arms to be generated.
<code>fatness</code>	How fat from the based star tree. [0.0, 1.0] is available value range.

Value

A generated matrix. The rows and columns correspond to samples and features.

Examples

```
# Generate a 2-dimensional star tree data that contain 500 data points
# and fit a star tree with 3 arms. The generated data are a bit noisy but
# tree-like.
star.tree_like <- treefit::generate_2d_n_arms_star_data(500, 3, 0.1)
plot(star.tree_like)

# Generate a 2-dimensional star tree data that contain 600 data points
# and fit a star tree with 5 arms. The generated data are very noisy and
# less tree-like.
star.less_tree_like <- treefit::generate_2d_n_arms_star_data(600, 5, 0.9)
plot(star.less_tree_like)
```

perturbate_knn *Generate perturbed expression by k-NN data*

Description

Generate perturbed expression from the original expression based on k-NN (k-nearest neighbor) data.

Usage

```
perturbate_knn(expression, strength = 1)
```

Arguments

expression	The original expression. The rows and columns correspond to samples and features. The expression is normalized count of features.
strength	How much perturbed. 0.0 is weak. 1.0 is strong.

Value

A perturbed expression as a matrix. The matrix's expression values are perturbed from the original expression values. The shape of the matrix is the same as the original expression. The dimension names of the matrix are also the same as the original expression.

Note

This is an API for advanced users. This API may be changed.

perturbate_poisson	<i>Generate perturbed counts by the Poisson distribution</i>
--------------------	--

Description

Generate perturbed counts from the original counts by the Poisson distribution.

Usage

```
perturbate_poisson(counts, strength = 1)
```

Arguments

counts	The original counts. The rows and columns correspond to samples and features. The values are count of features.
strength	How much perturbed. 0.0 is weak. 1.0 is strong.

Value

A perturbed counts as a matrix. The matrix's counts are perturbed from the original counts. The shape of the matrix is the same as the original counts. The dimension names of the matrix are also the same as the original counts.

Note

This is an API for advanced users. This API may be changed.

plot.treefit	<i>Plot estimated results</i>
--------------	-------------------------------

Description

Plot estimate results to get insight.

Usage

```
## S3 method for class 'treefit'  
plot(x, ...)
```

Arguments

x	The estimated result by treefit() to be visualized.
...	The more estimated results to be visualized together or other graphical parameters.

Value

A plot object as a ggplot object. It plots the given one or more estimated results to get insights from one or more treefit() results.

Examples

```
# Generate a tree data.  
tree <- treefit::generate_2d_n_arms_star_data(200, 3, 0.1)  
# Estimate the goodness-of-fit between tree models and the tree data.  
fit <- treefit::treefit(list(expression=tree), "tree")  
# Visualize the estimated result.  
plot(fit)  
  
# You can mix multiple estimated results by adding "name" column.  
tree2 <- treefit::generate_2d_n_arms_star_data(200, 3, 0.9)  
fit2 <- treefit::treefit(list(expression=tree2), "tree2")  
plot(fit, fit2)
```

treefit	<i>Estimate the goodness-of-fit between tree models and data</i>
---------	--

Description

Estimate the goodness-of-fit between tree models and data.

Usage

```
treefit(
  target,
  name = NULL,
  perturbations = NULL,
  normalize = NULL,
  reduce_dimension = NULL,
  build_tree = NULL,
  max_p = 20,
  n_perturbations = 20
)
```

Arguments

target	The target data to be estimated. It must be one of them: <ul style="list-style-type: none"> • <code>list(counts=COUNTS,expression=EXPRESSION)</code>: You must specify at least one of COUNTS and EXPRESSION. They are matrix. The rows and columns correspond to samples such cells and features such as genes. COUNTS's value is count data such as the number of genes expressed. EXPRESSION's value is normalized count data. • Seurat object
name	The name of target as string.
perturbations	How to perturbate the target data. If this is NULL, all available perturbation methods are used. You can specify used perturbation methods as <code>list</code> . Here are available methods:
normalize	How to normalize counts data. If this is NULL, the default normalization is applied. You can specify a function that normalizes counts data.
reduce_dimension	How to reduce dimension of expression data. If this is NULL, the default dimensionality reduction is applied. You can specify a function that reduces dimension of expression data.
build_tree	How to build a tree of expression data. If this is NULL, MST is built. You can specify a function that builds tree of expression data.
max_p	How many low dimension Laplacian eigenvectors are used. The default is 20.
n_perturbations	How many times to perturb. The default is 20.

Value

An estimated result as a `treefit` object. It has the following attributes:

- `max_cca_distance`: The result of max canonical correlation analysis distance as `data.frame`.
- `rms_cca_distance`: The result of root mean square canonical correlation analysis distance as `data.frame`.
- `n_principal_paths_candidates`: The candidates of the number of principal paths.

`data.frame` of `max_cca_distance` and `rms_cca_distance` has the same structure. They have the following columns:

- `p`: Dimensionality of the feature space of tree structures.
- `mean`: The mean of the target distance values.
- `standard_deviation`: The standard deviation of the target distance values.

Examples

```
# Generate a star tree data that have normalized expression values
# not count data.
star <- treefit::generate_2d_n_arms_star_data(300, 3, 0.1)
# Estimate tree-likeness of the tree data.
fit <- treefit::treefit(list(expression=star))
```

Index

`generate_2d_n_arms_linked_star_data`, [2](#)

`generate_2d_n_arms_star_data`, [3](#)

`perturbate_knn`, [3](#)

`perturbate_poisson`, [4](#)

`plot.treefit`, [5](#)

`treefit`, [5](#)