

Package ‘FishResp’

March 7, 2019

Version 1.0.3

Title Analytical Tool for Aquatic Respirometry

Description Calculates metabolic rate of fish and other aquatic organisms measured using an intermittent-flow respirometry approach. The tool is used to run a set of graphical QC tests of raw respirometry data, correct it for background respiration and chamber effect, filter and extract target values of absolute and mass-specific metabolic rate. Experimental design should include background respiration tests and measuring of one or more metabolic rate traits. The package allows a user to import raw respirometry data obtained from 'AquaResp' (free software), 'AutoResp' ('LoligoSystems'), 'OxyView' ('PreSens'), 'Pyro Oxygen Logger' ('PyroScience') and 'Q-box Aqua' ('QubitSystems').

URL <https://fishresp.org>

Maintainer Sergey Morozov <sergey.morozov@helsinki.fi>

License GPL-3

SystemRequirements Display resolution >= 1280x800; RAM >= 4GB

Depends R (>= 3.0.0)

Imports chron, lattice, mclust, rMR, respirometry

LazyData FALSE

RoxygenNote 6.1.1

Encoding UTF-8

NeedsCompilation no

Author Sergey Morozov [aut, cre],
R.J. Scott McCairns [aut, ths],
Federico Calboli [ctb],
Juha Merila [ths],
Stephen White [dte],
Daniel Montgomery [dte],
Laura Almodovar-Acevedo [dte],
Niclas Kolm [dte],
Alexander Kotrschal [dte]

Repository CRAN

Date/Publication 2019-03-07 13:42:45 UTC

R topics documented:

AMR	2
AMR.clean	3
AMR.raw	4
AMR.slope	5
calculate.MR	6
convert.respirometry	7
convert.rMR	8
correct.meas	9
export.MR	11
extract.slope	12
FishResp	14
import.meas	14
import.test	17
info	19
input.info	20
post	21
pre	21
presens.aquaresp	22
pyroscience.aquaresp	23
QC.activity	24
QC.meas	25
QC.slope	26
results	27
rm.data	28
SMR	29
SMR.clean	30
SMR.raw	31
SMR.slope	32
Index	33

 AMR

Active Metabolic Rate: Final Data

Description

A dataset contains background respiration, absolute and mass-specific active metabolic rate data obtained by using the function [calculate.MR](#)

Usage

AMR

Format

A data frame with 12 rows and 16 variables:

Chamber.No the number of a chamber

Ind ID of an animal

Mass wet mass of an animal (g)

Volume the volume of a chamber (mL)

Date.Time date and time of a measurement phase (yyyy/mm/dd hh:mm:ss)

Phase the type of phase and an ordinal number of measurements (e.g. M1)

Temp average temperature over the period of a measurement phase (C°)

Slope.with.BR slope of animal oxygen consumption with slope of background respiration ($mgO_2 L^{-1}s^{-1}$)

Slope slope of animal oxygen consumption without background respiration ($mgO_2 L^{-1}s^{-1}$)

SE standard error of a slope of animal oxygen consumption without background respiration ($mgO_2 L^{-1}s^{-1}$)

R2 r^2 of a slope of animal oxygen consumption without background respiration

MR.abs.with.BR absolute AMR with background respiration ($mgO_2 h^{-1}$)

BR percentage rate of background respiration

MR.abs absolute AMR ($mgO_2 h^{-1}$)

MR.mass mass-specific AMR ($mgO_2 kg^{-1}h^{-1}$)

DO.unit the measure unit of DO concentration

AMR.clean

Active Metabolic Rate: Corrected Raw Data

Description

A dataset contains raw data of active metabolic rate measurements corrected for background respiration using the function [correct.meas](#)

Usage

AMR.clean

Format

A data frame with 7200 rows and 17 variables:

Date.Time date and time (yyyy/mm/dd hh:mm:ss)

Date date (yyyy/mm/dd)

Real.Time time (hh:mm:ss)

Time ordinal number of seconds in each measurement phase (1-600)

Phase the type of phase and an ordinal number of measurements (e.g. M1, F3)

Start.Meas the first second of a measurement phase (hh:mm:ss)
End.Meas the last second of a measurement phase (hh:mm:ss)
Chamber.No the number of a chamber
Ind ID of an animal
Mass wet mass of an animal (g)
Volume the volume of a chamber (mL)
Init.O2 initial level of dissolved oxygen (mgO₂/L)
Temp temperature at each second (C°)
O2 actual level of dissolved oxygen at each second (mgO₂/L)
BR slope of background respiration (mgO₂ L⁻¹ s⁻¹)
O2.correct actual level of dissolved oxygen at each second corrected by slope of background respiration (mgO₂/L)
DO.unit the measure unit of DO concentration

 AMR.raw

 Active Metabolic Rate: Raw Data

Description

The dataset contains raw data of active metabolic rate measurements obtained by using the function `import.meas`

Usage

AMR.raw

Format

A data frame with 1800 rows and 16 variables:

Date.Time date and time (yyyy/mm/dd hh:mm:ss)
Phase the type of phase and an ordinal number of measurements (e.g. M1, F3)
Temp.1 temperature at each second (C°)
Ox.1 actual level of dissolved oxygen at each second (mgO₂/L)
Real.Time time (hh:mm:ss)
Date date (yyyy/mm/dd)
Time ordinal number of seconds in each measurement phase (1-600)
Start.Meas the first second of a measurement phase (hh:mm:ss)
End.Meas the last second of a measurement phase (hh:mm:ss)
Total.Phases the total number of measurement phases (constant value)
Ox.2 see Ox.1

Ox.3 see Ox.1

Ox.4 see Ox.1

Temp.2 see Temp.1

Temp.3 see Temp.1

Temp.4 see Temp.1

AMR.slope

Active Metabolic Rate: Extracted Slope(s)

Description

A dataset contains extracted slopes for further AMR calculations and other attributes of active metabolic rate measurements obtained by using the function [extract.slope](#)

Usage

AMR.slope

Format

A data frame with 12 rows and 12 variables:

Chamber.No the number of a chamber

Ind ID of an animal

Mass wet mass of an animal (g)

Volume the volume of a chamber (mL)

Date.Time date and time of a measurement phase (yyyy/mm/dd hh:mm:ss)

Phase the type of phase and an ordinal number of measurements (e.g. M1)

Temp average temperature over the period of a measurement phase (C°)

Slope.with.BR slope of animal oxygen consumption with slope of background respiration ($mgO_2 L^{-1}s^{-1}$)

Slope slope of animal oxygen consumption without background respiration ($mgO_2 L^{-1}s^{-1}$)

SE standard error of a slope of animal oxygen consumption without background respiration ($mgO_2 L^{-1}s^{-1}$)

R2 r^2 of a slope of animal oxygen consumption without background respiration

DO.unit the measure unit of DO concentration

calculate.MR	<i>Calculation of Metabolic Rate</i>
--------------	--------------------------------------

Description

The function is used to calculate and plot background respiration, absolute and mass-specific metabolic rates.

Usage

```
calculate.MR(slope.data, density = 1000,  
            plot.BR = TRUE,  
            plot.MR.abs = TRUE,  
            plot.MR.mass = TRUE)
```

Arguments

slope.data	a data frame obtained by using the function extract.slope
density	numeric: the density of an animal body (kg/m^3)
plot.BR	logical: if TRUE, the graph of background respiration rate is plotted
plot.MR.abs	logical: if TRUE, the graph of absolute metabolic rate is plotted
plot.MR.mass	logical: if TRUE, the graph of mass-specific metabolic rate is plotted

Value

The function returns a data frame with calculated background respiration, absolute and mass-specific metabolic rates. The data frame is used in the function [export.MR](#).

Examples

```
# if the data have been already loaded to R,  
# skip the first two lines of the code:  
data(SMR.slope)  
data(AMR.slope)  
  
SMR <- calculate.MR(SMR.slope,  
                  density = 1000,  
                  plot.BR = TRUE,  
                  plot.MR.abs = TRUE,  
                  plot.MR.mass = TRUE)  
  
AMR <- calculate.MR(AMR.slope,  
                  density = 1000,  
                  plot.BR = TRUE,  
                  plot.MR.abs = TRUE,  
                  plot.MR.mass = TRUE)
```

convert.respirometry *Convert Raw Respirometry Data (respirometry)*

Description

This function is the modification of the function `conv_o2` from the R package **respirometry** allowing to convert raw respirometry data from one DO unit to another obtained in multichannel respirometry systems.

Usage

```
convert.respirometry(import.file, export.file,  
                     n.chamber = c(1,2,3,4,5,6,7,8),  
                     logger = c("AutoResp", "FishResp", "QboxAqua"),  
                     from, to, sal = 0, atm_pres = 1013.25)
```

Arguments

<code>import.file</code>	the name of a file with raw respirometry data which should be imported to convert DO units
<code>export.file</code>	the name of a file with results of the DO unit conversion
<code>n.chamber</code>	integer: the number of chambers used in an experiment (including empty ones)
<code>logger</code>	string: the name of a logger software used for intermittent-flow respirometry. Note, that both 'OxyView' and 'Pyro Oxygen Logger' used in couple with the 'AquaResp' software should be converted to the 'FishResp' format before running this function (see the functions presens.aquaresp or pyroscience.aquaresp , respectively).
<code>from</code>	string: dissolved oxygen unit in an imported file (more information can be found in the documentation of the function <code>conv_o2</code> , R package respirometry)
<code>to</code>	string: dissolved oxygen unit in an exported file (more information can be found in the documentation of the function <code>conv_o2</code> , R package respirometry)
<code>sal</code>	string: salinity is measured in ppm (more information can be found in the documentation of the function <code>conv_o2</code> , R package respirometry)
<code>atm_pres</code>	string: ambient atmospheric pressure value (more information can be found in the documentation of the function <code>conv_o2</code> , R package respirometry)

Value

The function exports a data frame with converted DO units.

Examples

```
# Import raw data for standard metabolic rate
SMR.path = system.file("extdata/stickleback/SMR_raw.txt.xz", package = "FishResp")

convert.respirometry(import.file = SMR.path,
  export.file = "converted_SMR_raw.txt",
  n.chamber = 1, logger = "AutoResp",
  from = "mg_per_l", to = "mmol_per_l",
  sal = 0, atm_pres = 1013.25)
```

convert.rMR

Convert Raw Respirometry Data (rMR)

Description

This function is the modification of the function `DO.unit.convert` from the R package **rMR** allowing to convert raw respirometry data from one DO unit to another obtained in multichannel respirometry systems.

Usage

```
convert.rMR(import.file, export.file,
  n.chamber = c(1,2,3,4,5,6,7,8),
  logger = c("AutoResp", "FishResp", "QboxAqua"),
  DO.units.in, DO.units.out, salinity = 0,
  bar.press = 101.325, bar.units.in = "kpa")
```

Arguments

<code>import.file</code>	the name of a file with raw respirometry data which should be imported to convert DO units
<code>export.file</code>	the name of a file with results of the DO unit conversion
<code>n.chamber</code>	integer: the number of chambers used in an experiment (including empty ones)
<code>logger</code>	string: the name of a logger software used for intermittent-flow respirometry. Note, that both 'OxyView' and 'Pyro Oxygen Logger' used in couple with the 'AquaResp' software should be converted to the 'FishResp' format before running this function (see the functions presens.aquaresp or pyroscience.aquaresp , respectively).
<code>DO.units.in</code>	string: dissolved oxygen unit in an imported file (more information can be found in the documentation of the function <code>DO.unit.convert</code> , R package rMR)
<code>DO.units.out</code>	string: dissolved oxygen unit in an exported file (more information can be found in the documentation of the function <code>DO.unit.convert</code> , R package rMR)
<code>salinity</code>	string: salinity is measured in ppm (more information can be found in the documentation of the function <code>DO.unit.convert</code> , R package rMR)

bar.press string: ambient barometric pressure value (more information can be found in the documentation of the function `DO.unit.convert`, R package **rMR**)

bar.units.in string: barometric pressure unit (more information can be found in the documentation of the function `DO.unit.convert`, R package **rMR**)

Value

The function exports a data frame with converted DO units.

Examples

```
# Import raw data for active metabolic rate
AMR.path = system.file("extdata/stickleback/AMR_raw.txt.xz", package = "FishResp")

convert.rMR(import.file = AMR.path,
            export.file = "converted_AMR_raw.txt",
            n.chamber = 2, logger = "AutoResp", salinity = 0,
            DO.units.in = "mg/L", DO.units.out = "PP",
            bar.press = 101.325, bar.units.in = "kpa")
```

correct.meas

Correction of Metabolic Rate Measurements

Description

The function is used to correct metabolic rate measurements for background respiration. To this end, oxygen consumption is estimated as the slope of the linear regression of measured O_2 concentration over time, and is extracted for background respiration test and for each measurement phase. The correction is based on subtraction of oxygen consumption obtained during background respiration test from oxygen consumption obtained during metabolic rate measurements.

Usage

```
correct.meas(info.data, pre.data, post.data, meas.data,
            method = c("pre.test", "post.test", "average",
                      "linear", "exponential", "parallel"),
            empty.chamber = c("CH1", "CH2", "CH3", "CH4",
                              "CH5", "CH6", "CH7", "CH8"))
```

Arguments

info.data a data frame obtained by using the function `input.info`

pre.data a data frame obtained by using the function `import.test` for a blank test before actual metabolic rate measurements

post.data a data frame obtained by using the function `import.test` for a blank test after actual metabolic rate measurements


```
AMR.clean <- correct.meas(info.data = info,
                          post.data = post,
                          meas.data = AMR.raw,
                          method = "post.test")
```

 export.MR

Export Metabolic Rate

Description

The function is used to export final dataset with information about background respiration, absolute and mass-specific metabolic rates into a .txt or .csv file. If two traits (MR.data.1, MR.data.2) are used, the datasets might be merged. Additionally, absolute, mass-specific and factorial metabolic scope might be calculated, where MR.data.1 is standard or resting metabolic rate and MR.data.2 is active or maximum metabolic rate.

Usage

```
export.MR(MR.data.1, MR.data.2, file = "",
          simplify = TRUE, MS = TRUE,
          plot.MS.abs = TRUE,
          plot.MS.mass = TRUE,
          plot.MS.fact = TRUE)
```

Arguments

MR.data.1	a data frame obtained by using the function extract.slope
MR.data.2	a data frame obtained by using the function extract.slope
file	the name of an exported file with results of the analysis
simplify	logical: if TRUE, the number of columns in the extracted data frame is reduced
MS	logical: if TRUE, metabolic scope is calculated and attached to the exported dataset
plot.MS.abs	logical: if TRUE, the graph of absolute metabolic scope is plotted (x-axis shows measurement phases for MR.data.2)
plot.MS.mass	logical: if TRUE, the graph of mass-specific metabolic scope is plotted (x-axis shows measurement phases for MR.data.2)
plot.MS.fact	logical: if TRUE, the graph of factorial metabolic scope is plotted (x-axis shows measurement phases of for MR.data.2)

Value

If only one traits exists, the function exports a data frame with full or simplified structure. If both traits are used, the function returns and exports 'MR.data.1' and 'MR.data.2' with metabolic scope parameters (optionally).

Examples

```
# if the data have been already loaded to R,
# skip the first two lines of the code:
data(SMR)
data(AMR)

results <- export.MR(SMR, AMR,
  file = "results.txt",
  simplify = TRUE,
  MS = TRUE,
  plot.MS.abs = TRUE,
  plot.MS.mass = TRUE,
  plot.MS.fact = TRUE)
```

extract.slope	<i>Extraction of Slope(s)</i>
---------------	-------------------------------

Description

The function extracts the slopes of the linear regression of corrected O_2 concentration over time with defined parameters (see Arguments).

Usage

```
extract.slope(clean.data,
  method = c("all", "min", "max",
    "lower.tail", "upper.tail",
    "calcSMR.m1nd", "calcSMR.quant",
    "calcSMR.low10", "calcSMR.low10pc"),
  r2=0.95, length = 9999, n.slope = 1000,
  percent = 10, p = 0.25, G = 1:4)
```

Arguments

clean.data	a data frame obtained by using the function correct.meas
method	string: the method of extracting slopes: <ul style="list-style-type: none"> • 'all' all slopes • 'min' extracts lowest absolute slopes, specify the number of extracted slopes (parameter: n.slope) • 'max' extracts highest absolute slopes, specify the number of extracted slopes (parameter: n.slope) • 'lower.tail' extracts slopes from a lower tail of absolute slope distribution, specify percentage of a lower tail (parameter: percent) • 'upper.tail' extracts slopes from an upper tail of absolute slope distribution, specify percentage of an upper tail (parameter: percent)

- 'calcSMR.mlnd' calculates the mean of the lowest normal distribution (MLND) using the parameter G (see Appendix S1 in Chabot et al, 2016)
- 'calcSMR.quant' calculates quantile value of slope distribution using the parameter p (see Appendix S1 in Chabot et al, 2016)
- 'calcSMR.low10' calculates the mean of the 10 lowest absolute slopes (see Appendix S1 in Chabot et al, 2016)
- 'calcSMR.low10pc' calculates the mean of the lowest 10

r2	numeric: minimal coefficient of determination (r^2) for extracted slopes. Coefficient of determination is used as a threshold of quality to be determined by the user (by default $r^2 = 0.95$)
length	integer: length of a measurement period for slope calculations (in seconds; by default - full length)
n.slope	integer: the number of extracted slopes, only one slope is calculated for each measurement phase (used in the methods "min" and "max"; by default - all slopes)
percent	integer: percentage of lower or upper tail (used in the methods "lower.tail" and "upper.tail", respectively; by default percent = 10)
p	integer: p-value of quantile used in the method "calcSMR.quant" (by default p = 0.25)
G	integer: G value is used in the method "calcSMR.mlnd" (by default G = 1:4)

Value

The function returns a data frame with the information about extracted slopes. The data frame is used in the functions [QC.slope](#) and [calculate.MR](#).

References

1. Chabot, D., Steffensen, J. F., & Farrell, A. P. (2016). The determination of standard metabolic rate in fishes. *Journal of Fish Biology*, 88(1), 81-121.
2. Herrmann, J. P., & Enders, E. C. (2000). Effect of body size on the standard metabolism of horse mackerel. *Journal of Fish Biology*, 57(3), 746-760.

Examples

```
# if the data have been already loaded to R,
# skip the first two lines of the code:
data(SMR.clean)
data(AMR.clean)

SMR.slope <- extract.slope(SMR.clean,
                          method = "min",
                          n.slope = 3,
                          r2=0.95,
                          length = 1200)

AMR.slope <- extract.slope(AMR.clean,
                          method = "all",
```

```
r2=0.95,
length = 300)
```

 FishResp

FishResp: Analytical Tool for Aquatic Respirometry

Description

Calculates metabolic rate of fish and other aquatic organisms measured using an intermittent-flow respirometry approach. The tool is used to run a set of graphical QC tests of raw respirometry data, correct it for background respiration and chamber effect, filter and extract target values of absolute and mass-specific metabolic rate. Experimental design should include background respiration tests and measuring of one or more metabolic rate traits. The package allows a user to import raw respirometry data obtained from 'AquaResp' (free software), 'AutoResp' ('LoligoSystems'), 'OxyView' ('PreSens'), 'Pyro Oxygen Logger' ('PyroScience') and 'Q-box Aqua' ('QubitSystems').

Author(s)

Sergey Morozov <sergey.morozov@helsinki.fi> Scott McCairns <scott.mccairns@inra.fr>

References

Before using the R package 'FishResp', we recommend reading the publication describing this software and two keystone reviews devoted to metabolic rate measurements of fish using an intermittent-flow approach:

1. Morozov, S., McCairns, R. J. S., Merila, J. (2019). FishResp: R package and GUI application for analysis of aquatic respirometry data. *Conservation Physiology*, 7(1), coz003.
2. Clark, T. D., Sandblom, E., Jutfelt, F. (2013). Aerobic scope measurements of fishes in an era of climate change: respirometry, relevance and recommendations. *Journal of Experimental Biology*, 216(15), 2771-2782.
3. Svendsen, M. B. S., Bushnell, P. G., Steffensen, J. F. (2016). Design and setup of intermittent-flow respirometry system for aquatic organisms. *Journal of Fish Biology*, 88(1), 26-50.

 import.meas

Import Raw Data of Metabolic Rate Measurements

Description

The function is used to import raw data of metabolic rate measurements to R environment.

Usage

```
import.meas(file, info.data,
            n.chamber = c(1,2,3,4,5,6,7,8),
            logger = c("AutoResp", "FishResp", "QboxAqua"),
            date.format = c("DMY", "MDY", "YMD"),
            start.measure = "00:00:00",
            stop.measure = "23:59:59",
            set.date.time = NA,
            meas.to.wait = 0,
            plot.temperature = TRUE,
            plot.oxygen = TRUE)
```

Arguments

file	the name of a file which raw data of metabolic rate measurements are to be read from
info.data	a data frame obtained by using the function input.info
n.chamber	integer: the number of chambers used in an experiment (including empty ones)
logger	string: the name of a logger software used for intermittent-flow respirometry <ul style="list-style-type: none"> • 'AutoResp' if you use commercial software by 'Loligo Systems' • 'FishResp' if you use free software 'AquaResp' in combination with equipment produced by 'PreSens' or 'Pyroscience', please convert data to the 'FishResp' format using the functions presens.aquaresp or pyroscience.aquaresp, respectively. If you do not use commercial software or 'AquaResp' for running intermittent-flow respirometry, adjust raw data manually to the 'FishResp' format (see Details below). • 'QboxAqua' if you use commercial software by 'Qubit Systems'
date.format	string: date format (DMY, MDY or YMD)
start.measure	chron: time when metabolic rate measurements are started
stop.measure	chron: time when metabolic rate measurements are finished
set.date.time	chron: this parameter is turned off by default and needed to be specified only if raw data were recorded by 'Q-box Aqua' logger software. Specifically, input the date and time when .cdbl file was built in one of the following formats: "dd/mm/yyyy/hh:mm:ss", "mm/dd/yyyy/hh:mm:ss", or "yyyy/mm/dd/hh:mm:ss" (in accordance to the chosen date.format parameter).
meas.to.wait	integer: the number of first rows for each measurement phase (M) which should be reassigned to the wait phase (W). The parameter should be used when the wait phase (W) is absent (e.g. in 'Q-box Aqua' logger software) or not long enough to eliminate non-linear change in DO concentration over time from the measurement phase (M) after shutting off water supply from the ambient water source.
plot.temperature	logical: if TRUE then the graph of raw temperature data is plotted
plot.oxygen	logical: if TRUE then the graph of raw oxygen data is plotted

Details

If you use closed respirometry approach, please standardize raw data. The example of "FishResp" format for 4-channel respirometry system is shown here:

Date&Time	Phase	Temp.1	Ox.1	Temp.2	Ox.2	Temp.3	Ox.3	Temp.4	Ox.4
19/08/2016/18:47:20	F1	24.49	7.78	24.56	7.73	24.49	7.78	24.56	7.73
19/08/2016/18:47:21	F1	24.49	7.78	24.56	7.73	24.49	7.78	24.56	7.73
19/08/2016/18:47:22	M1	24.49	7.77	24.56	7.72	24.49	7.78	24.56	7.73
19/08/2016/18:47:23	M1	24.49	7.76	24.56	7.72	24.49	7.78	24.56	7.73

where the items are:

- Date&Time should be represented in one of the following formats: "dd/mm/yyyy/hh:mm:ss", "mm/dd/yyyy/hh:mm:ss", or "yyyy/mm/dd/hh:mm:ss". Time step-interval is one second: one row of data per second.
- Phase should have at least two levels: M (measurement) and F (flush). The ordinal number of a phase should be attached to the level of a phase: F1, M1, F2, M2 ...
- Temp.1 contains values of water temperature in Celsius (C°) for Chamber 1
- Ox.1 contains values of dissolved oxygen measured in 'mg/L', 'mmol/L' or 'ml/L' for Chamber 1. If other measurement units were used, convert them to 'mg/L', 'mmol/L' or 'ml/L' using the function [convert.respirometry](#) or [convert.rMR](#).
- ...

Value

The function returns a data frame containing standardized raw data of metabolic rate measurements. The data frame should be used in the function [correct.meas](#) to correct metabolic rate measurements for background respiration.

Examples

```
# Import raw data for standard and active metabolic
# rate measurements (SMR and AMR, respectively)

# if the data have been already loaded to R,
# skip the first line of the code:
data(info)
## Not run:
SMR.path = system.file("extdata/stickleback/SMR_raw.txt.xz", package = "FishResp")
SMR.raw <- import.meas(file = SMR.path,
                       info.data = info,
                       logger = "AutoResp",
                       n.chamber = 4,
                       date.format = "DMY",
                       start.measure = "22:00:00",
                       stop.measure = "06:00:00",
                       plot.temperature = TRUE,
                       plot.oxygen = TRUE)
```

```

AMR.path = system.file("extdata/stickleback/AMR_raw.txt.xz", package = "FishResp")
AMR.raw <- import.meas(file = AMR.path,
                      info.data = info,
                      logger = "AutoResp",
                      n.chamber = 4,
                      date.format = "DMY",
                      plot.temperature = TRUE,
                      plot.oxygen = TRUE)

# an example for importing raw data recorded by 'Q-box Aqua'
qbox.path = system.file("extdata/qboxaqua/qboxaqua.csv", package = "FishResp")
RMR.raw <- import.meas(file = qbox.path,
                      info.data = info,
                      logger = "QboxAqua",
                      n.chamber = 1,
                      date.format = "DMY",
                      start.measure = "23:30:00",
                      stop.measure = "01:00:00",
                      set.date.time = "23/02/2014/23:30:22",
                      meas.to.wait = 200,
                      plot.temperature = TRUE,
                      plot.oxygen = TRUE)

## End(Not run)

```

import.test

Import Background Respiration Data

Description

The function is used to import raw data of background respiration to R environment. The test should be done immediately before and/or after the actual metabolic rate measurements (pre-test and post-test, respectively).

Usage

```

import.test(file, info.data,
           n.chamber = c(1,2,3,4,5,6,7,8),
           logger = c("AutoResp", "FishResp", "QboxAqua"),
           meas.to.wait = 0,
           plot.temperature = TRUE,
           plot.oxygen = TRUE)

```

Arguments

file the name of a file which the pre- or post-test data are to be read from. Note, if the file contains more than one measurement phase (e.g. M1 and M2), only the first one (M1) will be imported in R.

info.data	a data frame obtained by using the function <code>input.info</code>
n.chamber	integer: the number of chambers used in an experiment (including empty ones)
logger	string: the name of a logger software used for intermittent-flow respirometry: <ul style="list-style-type: none"> • 'AutoResp' if you use commercial software by 'Loligo Systems' • 'FishResp' if you use free software 'AquaResp' in combination with equipment produced by 'PreSens' or 'Pyroscience', please convert data to the 'FishResp' format using the functions <code>presens.aquaresp</code> or <code>pyroscience.aquaresp</code>, respectively. If you do not use commercial software or 'AquaResp' for running intermittent-flow respirometry, adjust raw data manually to the 'FishResp' format (see Details below). • 'QboxAqua' if you use commercial software by 'Qubit Systems'
meas.to.wait	integer: the number of first rows for each measurement phase (M) which should be reassigned to the wait phase (W). The parameter should be used when the wait phase (W) is absent (e.g. in 'Q-box Aqua' logger software) or not long enough to eliminate non-linear change in DO concentration over time from the measurement phase (M) after shutting off water supply from the ambient water source.
plot.temperature	logical: if TRUE then the graph of raw temperature data is plotted
plot.oxygen	logical: if TRUE then the graph of raw oxygen data is plotted

Details

Do not use this function if an empty chamber is used for controlling background respiration in parallel with actual metabolic rate measurements. See about application of 'parallel' method in the function `correct.meas`

If you use closed respirometry approach, please standardize raw data. The example of "FishResp" format for 4-channel respirometry system is shown here:

Date&Time	Phase	Temp.1	Ox.1	Temp.2	Ox.2	Temp.3	Ox.3	Temp.4	Ox.4
19/08/2016/18:47:20	F1	24.49	7.78	24.56	7.73	24.49	7.78	24.56	7.73
19/08/2016/18:47:21	F1	24.49	7.78	24.56	7.73	24.49	7.78	24.56	7.73
19/08/2016/18:47:22	M1	24.49	7.77	24.56	7.72	24.49	7.78	24.56	7.73
19/08/2016/18:47:23	M1	24.49	7.76	24.56	7.72	24.49	7.78	24.56	7.73

where the items are:

- Date&Time should be represented in one of the following formats: "dd/mm/yyyy/hh:mm:ss", "mm/dd/yyyy/hh:mm:ss", or "yyyy/mm/dd/hh:mm:ss". Time step-interval is one second: one row of data per second.
- Phase should have at least two levels: M (measurement) and F (flush). The ordinal number of a phase should be attached to the level of a phase: F1, M1, F2, M2 ...
- Temp.1 contains values of water temperature in Celsius (C°) for Chamber 1

- Ox.1 contains values of dissolved oxygen measured in 'mg/L', 'mmol/L' or 'ml/L' for Chamber 1. If other measurement units were used, convert them to 'mg/L', 'mmol/L' or 'ml/L' using the function `convert.respirometry` or `convert.rMR`.
- ...

Value

The function returns a data frame containing standardized raw data of a background respiration test. The data frame should be used in the function `correct.meas` to correct metabolic rate measurements for background respiration.

Examples

```
# Import raw data for pre- and post-tests

# if the data have been already loaded to R,
# skip the first line of the code:
data(info)

pre.path = system.file("extdata/stickleback/pre_raw.txt.xz", package = "FishResp")
pre <- import.test(pre.path,
                  info.data = info,
                  logger = "AutoResp",
                  n.chamber = 4,
                  plot.temperature = TRUE,
                  plot.oxygen = TRUE)

post.path = system.file("extdata/stickleback/post_raw.txt.xz", package = "FishResp")
post <- import.test(post.path,
                   info.data = info,
                   logger = "AutoResp",
                   n.chamber = 4,
                   plot.temperature = TRUE,
                   plot.oxygen = TRUE)
```

info

Info about Individuals and Chambers

Description

A dataset contains the information about individuals (three-spined sticklebacks) and chambers (Blazka-type, 250 mL) which were input manually in the function `input.info`

Usage

```
info
```

Format

A data frame with 4 rows and 4 variables:

ID ID of an animal

Mass wet mass of an animal (g)

Volume the volume of a chamber (mL)

DO.unit the measure unit of DO concentration

input.info

Input the Information about Individuals and Chambers

Description

The function is used to input manually the information required for metabolic rate calculations: ID and wet mass of individuals, volume of chambers. Values of those parameters should be filled in the same order in a vector format replacing default NA values in the template. In addition, specify which unit has been used to measure dissolved oxygen concentration.

Usage

```
input.info(ID = c(NA, NA, NA, NA, NA, NA, NA, NA),
           Mass = c(NA, NA, NA, NA, NA, NA, NA, NA),
           Volume = c(NA, NA, NA, NA, NA, NA, NA, NA),
           DO.unit = c("mg/L", "mmol/L", "ml/L"))
```

Arguments

ID	string: ID of fish or another aquatic organism
Mass	numeric: wet mass of an individual in grams (g)
Volume	numeric: the volume of a chamber in milliliters (mL) or the whole respirometry loop (if measured)
DO.unit	character: dissolved oxygen used in raw data should be measured in 'mg/L', 'mmol/L' or 'ml/L'. If other measurement units were used, convert them to 'mg/L', 'mmol/L' or 'ml/L' using the function convert.respirometry or convert.rMR .

Details

It is especially important to keep such format of vectors when not the full number of individuals is in a multi-channel respirometry system. E.g.: if you use a 4-channel respirometry system with three fish and only Chamber 1 is empty, but data are still collected from there, do not remove NA values for that chamber to prevent the shift of actual data between the chambers.

Value

The function returns a data frame with four columns: "ID", "Mass", "Volume", "DO.unit". The data frame is used in the functions [import.test](#), [import.meas](#), and [correct.meas](#).

Examples

```
# Four sticklebacks in a 4-channel respirometry system
info <- input.info(ID = c("Stickleback_1", "Stickleback_2",
                          "Stickleback_3", "Stickleback_4"),
                  Mass = c(1.86, 1.92, 2.23, 1.80),
                  Volume = c(250, 250, 250, 250),
                  DO.unit = "mg/L")
```

 post

Post Raw Data

Description

A dataset contains raw data of a background test conducted before metabolic rate measurements (post-test), obtained by using the function `import.test`.

Usage

```
post
```

Format

A data frame with 2400 rows and 7 variables:

Chamber.No the number of a chamber

Test a constant string "test"

Time ordinal number of seconds in each measurement phase (1-600)

Init.O2 initial level of dissolved oxygen (mgO₂/L)

Temp temperature at each second (C°)

O2 actual level of dissolved oxygen at each second (mgO₂/L)

delta.O2 the difference between actual and initial O_2

 pre

Pre Raw Data

Description

A dataset contains raw data of a background test conducted before metabolic rate measurements (pre-test), obtained by using the function `import.test`.

Usage

```
pre
```

Format

A data frame with 4800 rows and 7 variables:

Chamber.No the number of a chamber

Test a constant string "test"

Time ordinal number of seconds in each measurement phase (1-1200)

Init.O2 initial level of dissolved oxygen (mgO₂/L)

Temp temperature at each second (C°)

O2 actual level of dissolved oxygen at each second (mgO₂/L)

delta.O2 the difference between actual and initial O₂

presens.aquaresp	<i>Convert Respirometry Data from PreSens and AquaResp Software to the FishResp Format</i>
------------------	--

Description

The function is used to convert raw data from 'OxyView' (**PreSens**) and a summary file from 'AquaResp' (**free software**) to 'FishResp' format. This function should be applied before usage of the functions `import.test` and `import.meas`. The output is a file containing raw respirometry data in the 'FishResp' format (see Details in `import.test` to read more information about the 'FishResp' format)

Usage

```
presens.aquaresp(presens.file,
                 aquaresp.file,
                 fishresp.file,
                 n.chamber = c(1,2,3,4),
                 date.format = c("DMY", "MDY", "YMD"),
                 wait.phase = NA, measure.phase = NA)
```

Arguments

presens.file	the name of a file which contains raw data obtained from the 'OxyView' software (PreSens)
aquaresp.file	the name of a file which contains summary data obtained from the 'AquaResp' software (free software)
fishresp.file	the name of an exported file containing raw data in the 'FishResp' format
n.chamber	integer: the number of chambers used in an experiment (including empty ones)
date.format	string: date format (DMY, MDY or YMD) used in raw data obtained from the 'OxyView' software
wait.phase	integer: duration of the wait phase (in seconds), see the 'AquaResp' summary file (row #5)
measure.phase	integer: duration of the measure phase (in seconds), see the 'AquaResp' summary file (row #6)

Arguments

<code>pyroscience.file</code>	the name of a file which contains raw data obtained from the 'Pyro Oxygen Logger' software (PyroScience)
<code>aquaresp.file</code>	the name of a file which contains summary data obtained from the 'AquaResp' software (free software)
<code>fishresp.file</code>	the name of an exported file containing raw data in the 'FishResp' format
<code>n.chamber</code>	integer: the number of chambers used in an experiment (including empty ones)
<code>date.format</code>	string: date format (DMY, MDY or YMD) used in raw data obtained from the 'Pyro Oxygen Logger' software
<code>wait.phase</code>	integer: duration of the wait phase (in seconds), see the 'AquaResp' summary file (row #5)
<code>measure.phase</code>	integer: duration of the measure phase (in seconds), see the 'AquaResp' summary file (row #6)

Value

The function exports a file containing raw data in the 'FishResp' format

Examples

```
pyroscience.path = system.file("extdata/pyroscience/pyroscience.txt",
                             package = "FishResp")
aquaresp.path = system.file("extdata/pyroscience/pyroscience-aquaresp.txt",
                            package = "FishResp")

pyroscience.aquaresp(pyroscience.file = pyroscience.path,
                    aquaresp.file = aquaresp.path,
                    fishresp.file = "fishresp.txt",
                    date.format = "MDY",
                    n.chamber = 1,
                    wait.phase = 120,
                    measure.phase = 600)
```

Description

Graphical quality control tests for animal activity in chambers over the period of measurements defined in the function `correct.meas`. The function is used for determination of time period for calculation of standard or resting metabolic rate. Note, that mass-specific metabolic rate is calculated for each period of measurements (not raw data).

Usage

```
QC.activity(clean.data, compare = TRUE, output = FALSE)
```

Arguments

clean.data	a data frame obtained by using the function correct.meas
compare	logical: if TRUE then two graphs are plotted to compare mass-specific metabolic rate before and after correction for background respiration
output	logical: if TRUE then the functions return output or print it

Details

QC.activity uses functions [extract.slope](#) and [calculate.MR](#) with default parameters (excluding $r^2 = 0$) to plot a graph of animal activity

Examples

```
# if the data have been already loaded to R,  
# skip the first line of the code:  
data(SMR.clean)  
  
QC.activity(SMR.clean, compare = TRUE)
```

QC.meas

Quality Control of Raw Data

Description

Graphical quality control tests of temperature and oxygen raw data before and after correction for background respiration

Usage

```
QC.meas(clean.data,  
        QC = c("Temperature",  
               "Total.O2.phases",  
               "Corrected.O2.phases",  
               "Total.O2.chambers",  
               "Corrected.O2.chambers"))
```

Arguments

<code>clean.data</code>	a data frame obtained by using the function <code>correct.meas</code>
<code>QC</code>	string: the name of a visual QC test. Five options are available: <ul style="list-style-type: none"> • "Temperature": a graph of temperature vs. time ordered by chambers • "Total.O2.chambers": a graph of dissolved oxygen vs. time ordered by chambers • "Total.O2.phases": a graph of dissolved oxygen vs. time ordered by chambers and phases • "Corrected.O2.chambers": a graph of dissolved oxygen corrected for background respiration vs. time ordered by chambers • "Corrected.O2.phases": a graph of dissolved oxygen corrected for background respiration vs. time ordered by chambers and phases

Examples

```
## Not run:
# if the data have been already loaded to R,
# skip the first line of the code:
data(SMR.clean)

QC.meas(SMR.clean, "Temperature")
QC.meas(SMR.clean, "Total.O2.phases")
QC.meas(SMR.clean, "Corrected.O2.phases")
QC.meas(SMR.clean, "Total.O2.chambers")
QC.meas(SMR.clean, "Corrected.O2.chambers")

## End(Not run)
```

QC.slope

Quality Control of Slope(s)

Description

Graphical quality control test of extracted slopes represents a visual comparison of linear regression of corrected O_2 concentration over time with current and alternative length of measurements.

Usage

```
QC.slope(slope.data, clean.data,
         chamber = c("CH1", "CH2", "CH3", "CH4",
                    "CH5", "CH6", "CH7", "CH8"),
         current = 9999, alter = 9999, residuals = FALSE)
```

Arguments

slope.data	a data frame obtained by using the function extract.slope
clean.data	a data frame obtained by using the function correct.meas
chamber	string: the chamber chosen for the QC test
current	integer: current length of measurements for slope estimation (in seconds, black line)
alter	integer: alternative length of measurements for slope estimation (in seconds, red line)
residuals	logical: if TRUE then regression diagnostic graphs are plotted for each slope estimation (black graphs: for current slope estimation; red graphs: for alternative slope estimation). More information on diagnostic graphs can be found in the documentation of the function plot.lm .

Examples

```
# if the data have been already loaded to R,
# skip the first four lines of the code:
data(SMR.clean)
data(SMR.slope)
data(AMR.clean)
data(AMR.slope)

QC.slope(SMR.slope, SMR.clean, chamber = "CH1",
         current = 1200, alter = 600)

QC.slope(AMR.slope, AMR.clean, chamber = "CH4",
         current = 600, alter = 300, residuals = TRUE)
```

 results

Results of Analysis: SMR, AMR and MS

Description

A final dataset containing information about both standard and active metabolic rates, and metabolic scope obtained by using the function [export.MR](#).

Usage

```
results
```

Format

A data frame with 36 rows and 18 variables:

Chamber.No The number of a chamber

Ind ID of an animal

Mass wet mass of an animal (g)

Volume the volume of a chamber (mL)

DO.unit the measure unit of DO concentration

SMR_Temp Average temperature over a period of a measurement phase (C°)

SMR_R2 $r^2 = 0$ of a slope of animal oxygen consumption without background respiration

SMR_BR Percentage rate of background respiration

SMR_MR.abs Absolute SMR ($mgO_2 h^{-1}$)

SMR_MR.mass Mass-specific SMR ($mgO_2 kg^{-1}h^{-1}$)

AMR_Temp Average temperature over a period of a measurement phase (C°)

AMR_R2 $r^2 = 0$ of a slope of animal oxygen consumption without background respiration

AMR_BR Percentage rate of background respiration

AMR_MR.abs Absolute AMR ($mgO_2 h^{-1}$)

AMR_MR.mass Mass-specific AMR ($mgO_2 kg^{-1}h^{-1}$)

MS.abs Absolute metabolic scope: the difference between absolute AMR and SMR ($mgO_2 h^{-1}$)

MS.mass Mass-specific metabolic scope: the difference between mass-specific AMR and SMR ($mgO_2 kg^{-1}h^{-1}$)

MS.fact Factorial metabolic scope: the ratio between AMR and SMR

 rm.data

 Remove Poor Quality Data

Description

The function nulls values of the column 'O2.correct' for specified measurement phase(s) of a specified chamber in a data frame generated by the function `correct.meas`. As a result, those nulled data will not be available for further steps of the analysis, particularly for the function `extract.slope`.

Usage

```
rm.data(clean.data,
        chamber = c("CH1", "CH2", "CH3", "CH4",
                    "CH5", "CH6", "CH7", "CH8"),
        M.phase = "M0")
```

Arguments

<code>clean.data</code>	a data frame obtained by using the function <code>correct.meas</code>
<code>chamber</code>	string: the chamber where poor quality data were observed (must not contain multiple elements in a vector)
<code>M.phase</code>	string: the measurement phase(s) which should be eliminated from further steps of the analysis.

Value

The function returns a data frame containing data of metabolic rate measurements corrected for background respiration, where values of the column 'O2.correct' for excluded measurement phases were nulled. The data frame is used in the functions [extract.slope](#) and [QC.slope](#).

Examples

```
# if the data have been already loaded to R,
# skip the first line of the code:
data(AMR.clean)
AMR.clean.modified <- rm.data(AMR.clean,
                             chamber = "CH3",
                             M.phase = c("M1", "M2"))
```

SMR

*Standard Metabolic Rate: Final Data***Description**

A dataset contains background respiration, absolute and mass-specific standard metabolic rate data obtained by using the function [calculate.MR](#)

Usage

SMR

Format

A data frame with 12 rows and 16 variables:

Chamber.No the number of a chamber

Ind ID of an animal

Mass wet mass of an animal (g)

Volume the volume of a chamber (mL)

Date.Time date and time of a measurement phase (yyyy/mm/dd hh:mm:ss)

Phase the type of phase and an ordinal number of measurements (e.g. M1)

Temp average temperature over the period of a measurement phase (C°)

Slope.with.BR slope of animal oxygen consumption with slope of background respiration ($mgO_2 L^{-1}s^{-1}$)

Slope slope of animal oxygen consumption without background respiration ($mgO_2 L^{-1}s^{-1}$)

SE standard error of a slope of animal oxygen consumption without background respiration ($mgO_2 L^{-1}s^{-1}$)

R2 r^2 of a slope of animal oxygen consumption without background respiration

MR.abs.with.BR absolute SMR with background respiration ($mgO_2 h^{-1}$)

BR percentage rate of background respiration

MR.abs absolute SMR ($mgO_2 h^{-1}$)

MR.mass mass-specific SMR ($mgO_2 kg^{-1}h^{-1}$)

DO.unit the measure unit of DO concentration

SMR.clean

*Standard Metabolic Rate: Corrected Raw Data***Description**

A dataset contains raw data of standard metabolic rate measurements corrected for background respiration using the function [correct.meas](#)

Usage

SMR.clean

Format

A data frame with 76800 rows and 17 variables:

Date.Time date and time (yyyy/mm/dd hh:mm:ss)

Date date (yyyy/mm/dd)

Real.Time time (hh:mm:ss)

Time ordinal number of seconds in each measurement phase (1-1200)

Phase the type of phase and an ordinal number of measurements (e.g. M1, F3)

Start.Meas the first second of a measurement phase (hh:mm:ss)

End.Meas the last second of a measurement phase (hh:mm:ss)

Chamber.No the number of a chamber

Ind ID of an animal

Mass wet mass of an animal (g)

Volume the volume of a chamber (mL)

Init.O2 initial level of dissolved oxygen (mgO₂/L)

Temp temperature at each second (C°)

O2 actual level of dissolved oxygen at each second (mgO₂/L)

BR slope of background respiration (mgO₂ L⁻¹s⁻¹)

O2.correct actual level of dissolved oxygen at each second corrected by slope of background respiration (mgO₂/L)

DO.unit the measure unit of DO concentration

SMR.raw

Standard Metabolic Rate: Raw Data

Description

The dataset containing raw data of standard metabolic rate measurements obtained by using the function `import.meas`)

Usage

SMR.raw

Format

A data frame with 19200 rows and 16 variables:

Date.Time date and time (yyyy/mm/dd hh:mm:ss)

Phase the type of phase and an ordinal number of measurements (e.g. M1, F3)

Temp.1 temperature at each second (C°)

Ox.1 actual level of dissolved oxygen at each second (mgO₂/L)

Real.Time time (hh:mm:ss)

Date date (yyyy/mm/dd)

Time ordinal number of seconds in each measurement phase (1-1200)

Start.Meas the first second of a measurement phase (hh:mm:ss)

End.Meas the last second of a measurement phase (hh:mm:ss)

Total.Phases the total number of measurement phases (constant value)

Ox.2 see Ox.1

Ox.3 see Ox.1

Ox.4 see Ox.1

Temp.2 see Temp.1

Temp.3 see Temp.1

Temp.4 see Temp.1

SMR.slope *Standard Metabolic Rate: Extracted Slope(s)*

Description

A dataset containing extracted slopes for further SMR calculations and other attributes of standard metabolic rate measurements obtained by using the function [extract.slope](#)

Usage

SMR.slope

Format

A data frame with 12 rows and 12 variables:

Chamber.No the number of a chamber

Ind ID of an animal

Mass wet mass of an animal (g)

Volume the volume of a chamber (mL)

Date.Time date and time of a measurement phase (yyyy/mm/dd hh:mm:ss)

Phase the type of phase and an ordinal number of measurements (e.g. M1)

Temp average temperature over the period of a measurement phase (C°)

Slope.with.BR slope of animal oxygen consumption with slope of background respiration ($mgO_2 L^{-1} s^{-1}$)

Slope slope of animal oxygen consumption without background respiration ($mgO_2 L^{-1} s^{-1}$)

SE standard error of a slope of animal oxygen consumption without background respiration ($mgO_2 L^{-1} s^{-1}$)

R2 r^2 of a slope of animal oxygen consumption without background respiration

DO.unit the measure unit of DO concentration

Index

*Topic **datasets**

AMR, [2](#)
AMR.clean, [3](#)
AMR.raw, [4](#)
AMR.slope, [5](#)
info, [19](#)
post, [21](#)
pre, [21](#)
results, [27](#)
SMR, [29](#)
SMR.clean, [30](#)
SMR.raw, [31](#)
SMR.slope, [32](#)

AMR, [2](#)
AMR.clean, [3](#)
AMR.raw, [4](#)
AMR.slope, [5](#)

calculate.MR, [2](#), [6](#), [13](#), [25](#), [29](#)
conv_o2, [7](#)
convert.respirometry, [7](#), [16](#), [19](#), [20](#)
convert.rMR, [8](#), [16](#), [19](#), [20](#)
correct.meas, [3](#), [9](#), [12](#), [16](#), [18–20](#), [24–28](#), [30](#)

DO.unit.convert, [8](#), [9](#)

export.MR, [6](#), [11](#), [27](#)
extract.slope, [5](#), [6](#), [10](#), [11](#), [12](#), [25](#), [27–29](#), [32](#)

FishResp, [14](#)
FishResp-package (FishResp), [14](#)

import.meas, [4](#), [10](#), [14](#), [20](#), [22](#), [23](#), [31](#)
import.test, [9](#), [17](#), [20–23](#)
info, [19](#)
input.info, [9](#), [15](#), [18](#), [19](#), [20](#)

plot.lm, [27](#)
post, [21](#)
pre, [21](#)

presens.aquaresp, [7](#), [8](#), [15](#), [18](#), [22](#)
pyroscience.aquaresp, [7](#), [8](#), [15](#), [18](#), [23](#)

QC.activity, [10](#), [24](#)
QC.meas, [10](#), [25](#)
QC.slope, [10](#), [13](#), [26](#), [29](#)

results, [27](#)
rm.data, [28](#)

SMR, [29](#)
SMR.clean, [30](#)
SMR.raw, [31](#)
SMR.slope, [32](#)