

Package ‘FracKrigingR’

November 8, 2021

Type Package

Title Spatial Multivariate Data Modeling

Version 1.0.0

Copyright Vilnius University Institute of Data Science and Digital Technologies

Author Neringa Urbonaite [aut, cre],
Leonidas Sakalauskas [aut]

Maintainer Neringa Urbonaite <neringa.urbonaite@mif.vu.lt>

Description Aim is to provide fractional Brownian vector field generation algorithm, Hurst parameter estimation method and fractional kriging model for multivariate data modeling.

License GPL-2

Encoding UTF-8

URL <https://github.com/NidaGreen/FracKriging>

Imports psych, clusterGeneration, graphics, stats

Suggests knitr, gstat, sp, rmarkdown, raster

RoxygenNote 7.1.2

NeedsCompilation no

Repository CRAN

Date/Publication 2021-11-08 08:40:08 UTC

R topics documented:

FracField	2
FracKrig	3
FracMatrix	4
MaxLikelihood	5
Index	7

FracField	<i>FracField</i>
-----------	------------------

Description

Generates fractional Brownian vector field data

Usage

```
FracField(K, m, H, X)
```

Arguments

K	number of observations
m	number of criteria
H	Hurst parameter (a real in interval [0,1))
X	Coordinates

Value

Returns a fractional Brownian vector field matrix.

Examples

```
# Load FracKrigingR library
library(FracKrigingR)
# generate Coordinates
p=2; K=10;
X<-matrix(0,ncol=p, nrow=K)
for(j in 1:p){
  for(i in 1:K){
    X[i,j] = rnorm(1, 0, 1)
  }
}
# generate fractional Brownian vector field
H = 0.5; m = 3
FracField(K,m,H,X)
```

FracKrig

*FracKrig***Description**

Performs extrapolation for spatial multivariate data

Usage

```
FracKrig(X, Z, Xnew, H)
```

Arguments

X	Coordinates
Z	observations
Xnew	Coordinates of points where the prognosis should be made
H	Hurst parameter (a real in interval [0,1))

Value

Returns a matrix of fractional kriging prognosis.

Examples

```
library(sp)
library(gstat)
data(meuse)
xy<-cbind(meuse$x,meuse$y)
X<-xy[1:50,]
min_max_norm <- function(x) {
  (x - min(x)) / (max(x) - min(x))
}
normalize <- function(x) {
  return ((x - min(x)) / (max(x) - min(x)))
}
dat<-cbind(meuse[3],meuse[4],meuse[5])
data<-dat[51:100,]
zz1 <- as.data.frame(lapply(dat, normalize))
data1=as.data.frame(lapply(as.data.frame(data), normalize))
Z<-as.matrix(zz1[1:50,])
library(FracKrigingR)
K<-50
#Hurst parameter estimation
H<-0.2
Xnew<-xy[51:100,]
results<- FracKrig(X,Z,Xnew,H)
denormalize <- function(x, bottom, top){
```

```

      (top - bottom) * x + bottom
    }
    z1 = denormalize(
      results[,1], top = max(data[,1]), bottom = min(data[,1])
    )
    z2 = denormalize(
      results[,2], top = max(data[,2]), bottom = min(data[,2])
    )
    z3 = denormalize(
      results[,3], top = max(data[,3]), bottom = min(data[,3])
    )
    RMSE<-function(z,prognosis){
      rmse<-sqrt(((1/(length(z))))*sum((z-prognosis)^2))
      rmse
    }
    Cd<-RMSE(data[,1],z1)
    Cu<-RMSE(data[,2],z2)
    Pb<-RMSE(data[,3],z3)
    Cd
    Cu
    Pb

```

FracMatrix

FracMatrix

Description

Fractional distance matrix

Usage

FracMatrix(H, K, X)

Arguments

H	Hurst parameter (a real in interval [0,1))
K	number of observations
X	Coordinates

Value

Returns a fractional distance matrix, which depends on the Hurst parameter.

Examples

```
# Load FracKrigingR library
library(FracKrigingR)
#Fractional Brownian vector field
K = 10; H = 0.5; p = 2
#Generate coordinates
X<-matrix(0,ncol=p, nrow=K)
for(j in 1:p){
  for(i in 1:K){
    X[i,j] = rnorm(1, 0, 1)
  }
}
FracMatrix(H, K, X)
```

MaxLikelihood

MaxLikelihood

Description

Maximum likelihood method for Hurst parameter estimation of multivariate data

Usage

```
MaxLikelihood(X, Z)
```

Arguments

X	Coordinates
Z	Observations

Value

Returns the estimate of the Hurst parameter (a real in $[0,1)$) and a graph indicating the minimized maximum likelihood function with the Hurst parameter.

Examples

```
# Load FracKrigingR library
library(FracKrigingR)
# generate Coordinates
p<-2; K<-20;
X<-matrix(0,ncol=p, nrow=K)
for(j in 1:p){
  for(i in 1:K){
    X[i,j] = rnorm(1, 0, 1)
  }
}
# generate fractional Brownian vector field
H <- 0.8; m <- 3
```

```
Z<-FracField(K,m,H,X)
# Hurst parameter estimation
MaxLikelihood(X,Z)
```

Index

FracField, 2

FracKrig, 3

FracMatrix, 4

MaxLikelihood, 5