Package 'GFDsurv'

September 30, 2026

Type Package

Title Tests for Survival Data in General Factorial Designs

Version 0.1.3

URL https://github.com/MerleMunko/GFDsurv

Description Implemented are three Wald-type statistic and respective permuted versions for null hypotheses formulated in terms of cumulative hazard rate functions, medians and the concordance measure, respectively, in the general framework of survival factorial designs with possibly heterogeneous survival and/or censoring distributions, for crossed designs with an arbitrary number of factors and nested designs with up to three factors.
Ditzhaus, Dobler and Pauly (2020) <doi:10.1177/0962280220980784>
Ditzhaus, Genuneit, Janssen, Pauly (2023) <doi:10.1111/biom.13575>
Dobler and Pauly (2019) <doi:10.1177/0962280219831316>.

License GPL (>= 3)

Imports gridExtra (>= 2.3), shiny (>= 1.5.0), shinyjs (>= 2.0.0), shinythemes (>= 1.1.2), survival (>= 3.2-7), survminer (>= 0.4.8), tippy (>= 0.1.0), magic (>= 1.5-9), MASS (>= 7.3-53), plyr (>= 1.8.6), stats

Encoding UTF-8

Suggests condSURV

NeedsCompilation no

Author Marc Ditzhaus [aut], Dennis Dobler [aut], Markus Pauly [aut], Philipp Steinhauer [aut], Merle Munko [aut, cre]

Maintainer Merle Munko <mmunko@novaims.unl.pt>

Repository CRAN

Date/Publication 2026-09-30 17:50:02 UTC

Config/roxygen2/version 8.0.0

Contents

casanova 2
copsanova 4
GFDsurvGUI 5
medsanova 6

Index **9**

`casanova` *CASANOVA: Cumulative Aalen survival analyis-of-variance*

Description

The function `casanova` calculates the Wald-type statistic based on the combination of differently weighted Nelson-Aalen-type integrals. Respective p-values are obtained by a χ^2-approximation and a permutation approach, respectively.

Usage

```
casanova(
  formula,
  event = "event",
  data = NULL,
  nperm = 1999,
  cross = TRUE,
  nested.levels.unique = FALSE,
  rg = list(c(0, 0))
)
```

Arguments

`formula`	A model `formula` object. The left hand side contains the time variable and the right hand side contains the factor variables of interest. An interaction term must be specified.
`event`	The name of censoring status indicator with values 0=censored and 1=uncensored. The default choice is "event"
`data`	A data.frame, list or environment containing the variables in formula and the censoring status indicator. Default option is `NULL`.
`nperm`	The number of permutations used for calculating the permuted p-value. The default option is 1999.
`cross`	logical. Should the crossing weight w(x) = 1 - 2x be included? The default is `TRUE`.
`nested.levels.unique`	A logical specifying whether the levels of the nested factor(s) are labeled uniquely or not. Default is FALSE, i.e., the levels of the nested factor are the same for each level of the main factor.

`rg` A list containing the exponents `c(r, g)` of the weights $w(x) = x^r(1-x)^g$. Both exponents need to be natural numbers including 0. Default is `list( c(0, 0) )` corresponding to the log-rank weight.

Details

The `casanova` function calculates the Wald-type statistic of weighted Nelson-Aalen type integrals for general factorial survival designs. Crossed as well as hierachically nested designs are implemented. Moreover, the approach allows the combination of different weights into a joint statistic. The user can choose between weights of the following form: w(x) = 1 - 2x (`cross = TRUE`) and w(x) = x^r * (1-x)^g for natural numbers r,g (including 0). The function automatically check whether the specified weights fulfill the linear independence assumption and choose a subset of linearly independent weights if the original weights violate the aforemention assumption.

The `casanova` function returns the test statistic as well as two corresponding p-values: the first is based on a χ^2 approximation and the second one is based on a permutation procedure.

Value

A `casanova` object containing the following components:

`pvalues_stat`	The p-values obtained by χ^2-approximation
`pvalues_per`	The p-values of the permutation approach
`statistics`	The value of the casanova along with degrees of freedom of the central chi-square distribution and p-value, as well as the p-value of the permutation procedure.
`rg`	A list containing the exponents of the direction considered in the statistical analysis
`cross`	logical. Was the crossing direction considered in the statistical analysis
`indep`	logical. Were the directions specified by the user linearly independent?
`nperm`	The number of permutations used for calculating the permuted p-value.

References

Ditzhaus, M., Genuneit, J., Janssen, A. and Pauly, M. (2023). CASANOVA: Permutation Inference in Factorial Survival Designs. Biometrics, Volume 79, Issue 1, March 2023, Pages 203–215, https://doi.org/10.1111/biom.13575.

Examples

```
library("survival")
data(veteran)
out <- casanova(formula ="time ~ trt*celltype",event = "status",
 data = veteran)

## Detailed informations:
summary(out)
```

copsanova *copSANOVA: concordance parameter survival analyis-of-variance*

Description

The function copanova calculates the ANOVA-rank-type statistic for general factorial survival designs based on the (extended) concordance parameter. The respective p-value is obtained by a multiplier bootstrap approach.

Usage

```
copsanova(
  formula,
  event = "event",
  data = NULL,
  BSiter = 1999,
  weights = "pois",
  tau = NULL,
  nested.levels.unique = FALSE
)
```

Arguments

formula	A model formula object. The left hand side contains the time variable and the right hand side contains the factor variables of interest. An interaction term must be specified.
event	The name of censoring status indicator with values 0=censored and 1=uncensored. The default choice is "event"
data	A data.frame, list or environment containing the variables in formula and the censoring status indicator. Default option is NULL.
BSiter	The number of bootstrap iterations; the default is 1999.
weights	Character to specify the multiplier bootstrap approach. Either a wild bootstrap with centred Poisson ("pois", default) or standard normal ("norm") weights, or the weird bootstrap ("weird") can be chosen. Moreover, both wild bootstrap strategies can be selected with a correcting factor for liberality by "corrLibPois" and "corrLibNorm".
tau	The truncation time specifying the end of the relevant time window for the analysis. By default (NULL), the smallest 95%-quantile of the times per group is chosen.
nested.levels.unique	A logical specifying whether the levels of the nested factor(s) are labeled uniquely or not. Default is FALSE, i.e., the levels of the nested factor are the same for each level of the main factor.

Details

The copsanova function calculates the ANOVA-rank-type statistic for general factorial survival designs based on the (extended) concordance parameter. Crossed as well as hierachically nested designs are implemented. The p-value is determined by a multiplier bootstrap approach. Here, a wild bootstrap with/without correcting factors for liberal tests or the weird bootstrap of Andersen et al. (1993) can be chosen. The concrete analysis is done on the time window [0,tau], where tau need to be chosen equal to (default) or smaller than the smallest out of the largest possible censoring times per group.

The copsanova function returns the test statistic as well as a corresponding p-value based on a the specified multiplier procedure.

Value

An copsanova object containing the following components:

statistics	The value of the copsanova along with the p-value of the specified multiplier bootstrap.
Bsiter	The number of bootstrap iterations.
weights	The chosen multiplier bootstrap method.
tau	The chosen truncation time specifying the end of the relevant time window for the analysis.

References

Dobler, D. and Pauly, M. (2020). Factorial analyses of treatment effects under independent right-censoring. Statistical Methods in Medical Research 29(2), 325-343. doi:10.1177/0962280219831316.

Examples

```
library(condSURV)
data(colonCS)
out <- copsanova(formula ="Stime ~ rx*sex",event = "event",
                 data = colonCS, BSiter = 99)

##Detailed informations:
summary(out)
```

GFDsurvGUI *A shiny app for the package GFDsurv*

Description

This function provides a shiny app for calculating CASANOVA, medSANOVA and copSANOVA test statistics and respective p-values.

Usage

```
GFDsurvGUI()
```

`medsanova` *medSANOVA: Median survival analysis-of-variance*

Description

The function `medsanova` calculates the Wald-type test statistic for inferring median survival differences in general factorial designs. Respective p-values are obtain by a χ^2-approximation and a permutation approach.

Usage

```
medsanova(
  formula,
  event = "event",
  data = NULL,
  nperm = 1999,
  nonex_action = "setInf",
  var_method = "twosided",
  var_level = 0.9,
  nested.levels.unique = FALSE,
  seed = 1
)
```

Arguments

`formula`	A model `formula` object. The left hand side contains the time variable and the right hand side contains the factor variables of interest. An interaction term must be specified.
`event`	The name of the censoring status indicator with values 0=censored and 1=uncensored. The default choice is `"event"`.
`data`	A data.frame, list or environment containing the variables in formula and the censoring status indicator. Default option is `NULL`.
`nperm`	The number of permutations used for calculating the permuted p-value. The default option is 1999.
`nonex_action`	One of the options `"redraw"` and `"setInf"`, which specifies how permutation samples with non-existing medians should be handled, see details. The default option is `"setInf"`.
`var_method`	Method for the variance estimation of the sample medians. The default is the "one-sided" confidence interval approach. Additionally, the "two-sided" confidence interval approach can be used.
`var_level`	A number between 0 and 1 specifying the confidence level for the variance estimation method; the default value is `0.9`.

`nested.levels.unique`
: A logical specifying whether the levels of the nested factor(s) are labeled uniquely or not. Default is `FALSE`, i.e., the levels of the nested factor are the same for each level of the main factor.

`seed`
: A single value, interpreted as an integer, or `NULL`; used for the seed to guarantee reproducibility. The default value is `1`.

Details

The `medsanova` function calculates the Wald-type statistic for median differences in general factorial survival designs. Crossed as well as hierarchically nested designs are implemented. To estimate the sample medians' variances, a one-sided (resp. two-sided) confidence interval approach is used and the level of this confidence interval can be specified by `var_level`.

The `medsanova` function returns the test statistic as well as two corresponding p-values: the first is based on a χ^2 approximation and the second one is based on a permutation procedure.

In the two-sample case, the `medsanova` function also provides the estimate for the difference between the medians, (asymptotic and permutation based) 95% confidence intervals for the difference as well as the standard error SE of the median difference.

For the argument `nonex_action`, `"redraw"` means that a new permutation is drawn instead while `"setInf"` means that the permutation statistic is set to `Inf`. The first option might lead to an incorrect type-I error even under exchangeability while the latter yields conservative test decisions.

Value

An `medsanova` object contains the following components:

`pvalues_stat`
: The p-values obtained by χ^2-approximation

`pvalues_per`
: The p-values of the permutation approach

`statistics`
: The value of the Wald-type test statistic along with the degrees of freedom of the χ^2-distribution and the respective p-value, as well as the p-value of the permutation procedure.

`nperm`
: The number of permutations used for calculating the permuted p-value.

`medians`
: The calculated survival medians in all subgroups.

References

Ditzhaus, M., Dobler, D. and Pauly, M.(2020). Inferring median survival differences in general factorial designs via permutation tests. Statistical Methods in Medical Research. doi:10.1177/0962280220980784.

Examples

```
library("survival")
data(veteran)
out <- medsanova(formula ="time ~ trt*celltype",event = "status",
 data = veteran)

## Detailed informations:
summary(out)
```

```
## show the medians
out$medians
```

Index

casanova, 2
copsanova, 4

GFDsurvGUI, 5

medsanova, 6