

Package ‘GrapheR’

December 13, 2016

Encoding latin1

Type Package

Title A Multi-Platform GUI for Drawing Customizable Graphs in R

Version 1.9-86

Date 2015-12-12

Author Maxime Hervé

Maintainer Maxime Hervé <mx.herve@gmail.com>

Depends R (>= 2.13.0), tcltk

Description A multi-platform user interface for drawing highly customizable graphs in R. It aims to be a valuable help to quickly draw publishable graphs without any knowledge of R commands. Six kinds of graph are available: histogram, box-and-whisker plot, bar plot, pie chart, curve and scatter plot.

License GPL-2

LazyLoad yes

NeedsCompilation no

Repository CRAN

Date/Publication 2016-12-13 07:56:50

R topics documented:

GrapheR-package	2
run.GrapheR	2
Swallows	3

Index	4
--------------	----------

GrpheR-package

A Multi-Platform GUI for Drawing Customizable Graphs in R

Description

A multi-platform user interface for drawing highly customizable graphs in R. It aims to be a valuable help to quickly draw publishable graphs without any knowledge of R commands. Six kinds of graph are available: histogram, box-and-whisker plot, bar plot, pie chart, curve and scatter plot.

Details

Package:	GrpheR
Type:	Package
Version:	1.9-86
Date:	2016-12-12
License:	GPL-2
LazyLoad:	yes

Author(s)

Maxime Hervé

Maintainer: Maxime Hervé <mx.herve@gmail.com>

References

Dalgaard P (2001) A Primer on the R-Tcl/Tk Package. *R News*, **1(3)**, 27–31.

Dalgaard P (2002) Changes to the R-Tcl/Tk Package. *R News*, **2(3)**, 25–27.

Hervé M (2011) GrpheR: a multiplatform GUI for drawing customizable graphs in R. *The R Journal*, **3(2)**, 45–53.

run.GrapheR

Run GrpheR

Description

The function launches GrpheR. Use it after closing the interface to re-launch it.

Usage

```
run.GrapheR(lang = NULL, path.to.save = NULL, figurej = FALSE)
```

Arguments

lang	language, when interface relaunching.
path.to.save	if not NULL, code is automatically generated and save when drawing a graph, without asking any question. The file is created in the given folder.
figurej	if TRUE, allow to choose the "FigureJ" option when saving a graph. This will save the graph (and the associated code) in a format adapted for the pulgin FigureJ of the Software ImageJ.

Author(s)

Maxime Hervé <mx.herve@gmail.com>

Swallows

Swallows dataset

Description

An illustrative and fictive dataset about African and European swallows.

Usage

Swallows

Format

1. Species
2. Sex
3. Size
4. Weight
5. Coconuts
6. Distance

Index

*Topic **datasets**

Swallows, [3](#)

GrapheR (GrapheR-package), [2](#)

GrapheR-package, [2](#)

run.GrapheR, [2](#)

Swallows, [3](#)