

**A Handbook of Statistical Analyses
Using R**

Brian S. Everitt and Torsten Hothorn



Density Estimation: Erupting Geysers and Star Clusters

7.1 Introduction

7.2 Density Estimation

The three kernel functions are implemented in R as shown in lines 1–3 of Figure 7.1. For some grid x , the kernel functions are plotted using the R statements in lines 5–11 (Figure 7.1).

The kernel estimator \hat{f} is a sum of ‘bumps’ placed at the observations. The kernel function determines the shape of the bumps while the window width h determines their width. Figure 7.2 (redrawn from a similar plot in Silverman, 1986) shows the individual bumps $n^{-1}h^{-1}K((x-x_i)/h)$, as well as the estimate \hat{f} obtained by adding them up for an artificial set of data points

```
R> x <- c(0, 1, 1.1, 1.5, 1.9, 2.8, 2.9, 3.5)
```

```
R> n <- length(x)
```

For a grid

```
R> xgrid <- seq(from = min(x) - 1, to = max(x) + 1, by = 0.01)
```

on the real line, we can compute the contribution of each measurement in x , with $h = 0.4$, by the Gaussian kernel (defined in Figure 7.1, line 3) as follows;

```
R> h <- 0.4
```

```
R> bumps <- sapply(x, function(a) gauss((xgrid - a)/h)/(n * h))
```

A plot of the individual bumps and their sum, the kernel density estimate \hat{f} , is shown in Figure 7.2.

7.3 Analysis Using R

7.3.1 A Parametric Density Estimate for the Old Faithful Data

```
R> logL <- function(param, x) {
+   d1 <- dnorm(x, mean = param[2], sd = param[3])
+   d2 <- dnorm(x, mean = param[4], sd = param[5])
+   -sum(log(param[1] * d1 + (1 - param[1]) * d2))
+ }
R> startparam <- c(p = 0.5, mu1 = 50, sd1 = 3, mu2 = 80, sd2 = 3)
R> opp <- optim(startparam, logL, x = faithful$waiting,
```

```
1 R> rec <- function(x) (abs(x) < 1) * 0.5
2 R> tri <- function(x) (abs(x) < 1) * (1 - abs(x))
3 R> gauss <- function(x) 1/sqrt(2*pi) * exp(-(x^2)/2)
4 R> x <- seq(from = -3, to = 3, by = 0.001)
5 R> plot(x, rec(x), type = "l", ylim = c(0,1), lty = 1,
6 +       ylab = expression(K(x)))
7 R> lines(x, tri(x), lty = 2)
8 R> lines(x, gauss(x), lty = 3)
9 R> legend(-3, 0.8, legend = c("Rectangular", "Triangular",
10 + "Gaussian"), lty = 1:3, title = "kernel functions",
11 +       bty = "n")
```




Figure 7.1 Three commonly used kernel functions.

```

1 R> plot(xgrid, rowSums(bumps), ylab = expression(hat(f)(x)),
2 +       type = "l", xlab = "x", lwd = 2)
3 R> rug(x, lwd = 2)
4 R> out <- apply(bumps, 2, function(b) lines(xgrid, b))

```




Figure 7.2 Kernel estimate showing the contributions of Gaussian kernels evaluated for the individual observations with bandwidth $h = 0.4$.

```

+           method = "L-BFGS-B",
+           lower = c(0.01, rep(1, 4)),
+           upper = c(0.99, rep(200, 4)))
R> opp
$par
      p      mu1      sd1      mu2      sd2
0.3608912 54.6121380 5.8723776 80.0934106 5.8672829

$value
[1] 1034.002

$counts

```

```
R> epa <- function(x, y)
+   ((x^2 + y^2) < 1) * 2/pi * (1 - x^2 - y^2)
R> x <- seq(from = -1.1, to = 1.1, by = 0.05)
R> epavals <- sapply(x, function(a) epa(a, x))
R> persp(x = x, y = x, z = epavals, xlab = "x", ylab = "y",
+   zlab = expression(K(x, y)), theta = -35, axes = TRUE,
+   box = TRUE)
```




Figure 7.3 Epanechnikov kernel for a grid between $(-1.1, -1.1)$ and $(1.1, 1.1)$.

```
1 R> data("faithful", package = "datasets")
2 R> x <- faithful$waiting
3 R> layout(matrix(1:3, ncol = 3))
4 R> hist(x, xlab = "Waiting times (in min.)", ylab = "Frequency",
5 +       probability = TRUE, main = "Gaussian kernel",
6 +       border = "gray")
7 R> lines(density(x, width = 12), lwd = 2)
8 R> rug(x)
9 R> hist(x, xlab = "Waiting times (in min.)", ylab = "Frequency",
10 +      probability = TRUE, main = "Rectangular kernel",
11 +      border = "gray")
12 R> lines(density(x, width = 12, window = "rectangular"), lwd = 2)
13 R> rug(x)
14 R> hist(x, xlab = "Waiting times (in min.)", ylab = "Frequency",
15 +      probability = TRUE, main = "Triangular kernel",
16 +      border = "gray")
17 R> lines(density(x, width = 12, window = "triangular"), lwd = 2)
18 R> rug(x)
```




Figure 7.4 Density estimates of the geysers eruption data imposed on a histogram of the data.

```
R> library("KernSmooth")
R> data("CYGOB1", package = "HSAUR")
R> CYGOB1d <- bkde2D(CYGOB1, bandwidth = sapply(CYGOB1, dpik))
R> contour(x = CYGOB1d$x1, y = CYGOB1d$x2, z = CYGOB1d$fhat,
+         xlab = "log surface temperature",
+         ylab = "log light intensity")
```




Figure 7.5 A contour plot of the bivariate density estimate of the CYGOB1 data, i.e., a two-dimensional graphical display for a three-dimensional problem.


```
R> persp(x = CYGOB1d$x1, y = CYGOB1d$x2, z = CYGOB1d$fhat,  
+       xlab = "log surface temperature",  
+       ylab = "log light intensity",  
+       zlab = "estimated density",  
+       theta = -35, axes = TRUE, box = TRUE)
```




Figure 7.6 The bivariate density estimate of the CYGOB1 data, here shown in a three-dimensional fashion using the `persp` function.

```
function gradient  
55 55  
  
$convergence  
[1] 0
```

Of course, optimising the appropriate likelihood ‘by hand’ is not very convenient. In fact, (at least) two packages offer high-level functionality for estimating mixture models. The first one is package *mclust* (Fraley et al., 2006) implementing the methodology described in Fraley and Raftery (2002). Here,

a Bayesian information criterion (BIC) is applied to choose the form of the mixture model:

```
R> library("mclust")
R> mc <- Mclust(faithful$waiting)
R> mc
'Mclust' model object:
best model: univariate, equal variance (E) with 2 components
```

and the estimated means are

```
R> mc$parameters$mean
      1      2
54.61675 80.09239
```

with estimated standard deviation (found to be equal within both groups)

```
R> sqrt(mc$parameters$variance$sigma^2)
[1] 5.868639
```

The proportion is $\hat{p} = 0.36$. The second package is called *flexmix* whose functionality is described by [Leisch \(2004\)](#). A mixture of two normals can be fitted using

```
R> library("flexmix")
R> fl <- flexmix(waiting ~ 1, data = faithful, k = 2)
```

with $\hat{p} = 0.36$ and estimated parameters

```
R> parameters(fl, component = 1)
      Comp.1
coef.(Intercept) 54.628701
sigma             5.895234
```

```
R> parameters(fl, component = 2)
```

```
      Comp.2
coef.(Intercept) 80.098582
sigma             5.871749
```

We can get standard errors for the five parameter estimates by using a bootstrap approach (see [Efron and Tibshirani, 1993](#)). The original data are slightly perturbed by drawing n out of n observations *with replacement* and those artificial replications of the original data are called *bootstrap samples*. Now, we can fit the mixture for each bootstrap sample and assess the variability of the estimates, for example using confidence intervals. Some suitable R code based on the `Mclust` function follows. First, we define a function that, for a bootstrap sample `indx`, fits a two-component mixture model and returns \hat{p} and the estimated means (note that we need to make sure that we always get an estimate of p , not $1 - p$):

```
R> library("boot")
R> fit <- function(x, indx) {
+   a <- Mclust(x[indx], minG = 2, maxG = 2)$parameters
+   if (a$pro[1] < 0.5)
+     return(c(p = a$pro[1], mu1 = a$mean[1],
```

```
R> opar <- as.list(opp$par)
R> rx <- seq(from = 40, to = 110, by = 0.1)
R> d1 <- dnorm(rx, mean = opar$mu1, sd = opar$sd1)
R> d2 <- dnorm(rx, mean = opar$mu2, sd = opar$sd2)
R> f <- opar$p * d1 + (1 - opar$p) * d2
R> hist(x, probability = TRUE, xlab = "Waiting times (in min.)",
+      border = "gray", xlim = range(rx), ylim = c(0, 0.06),
+      main = "")
R> lines(rx, f, lwd = 2)
R> lines(rx, dnorm(rx, mean = mean(x), sd = sd(x)), lty = 2,
+      lwd = 2)
R> legend(50, 0.06, lty = 1:2, bty = "n",
+      legend = c("Fitted two-component mixture density",
+      "Fitted single normal density"))
```




Figure 7.7 Fitted normal density and two-component normal mixture for geyser eruption data.

```
+
+           mu2 = a$mean[2]))
+   return(c(p = 1 - a$pro[1], mu1 = a$mean[2],
+           mu2 = a$mean[1]))
+ }
```

The function `fit` can now be fed into the `boot` function (Canty and Ripley, 2006) for bootstrapping (here 1000 bootstrap samples are drawn)

```
R> bootpara <- boot(faithful$waiting, fit, R = 1000)
```

We assess the variability of our estimates \hat{p} by means of adjusted bootstrap percentile (BCa) confidence intervals, which for \hat{p} can be obtained from

```
R> boot.ci(bootpara, type = "bca", index = 1)
```

```
BOOTSTRAP CONFIDENCE INTERVAL CALCULATIONS
Based on 1000 bootstrap replicates
```

```
CALL :
boot.ci(boot.out = bootpara, type = "bca", index = 1)
```

```
Intervals :
Level      BCa
95%      ( 0.3041,  0.4233 )
Calculations and Intervals on Original Scale
```

We see that there is a reasonable variability in the mixture model, however, the means in the two components are rather stable, as can be seen from

```
R> boot.ci(bootpara, type = "bca", index = 2)
```

```
BOOTSTRAP CONFIDENCE INTERVAL CALCULATIONS
Based on 1000 bootstrap replicates
```

```
CALL :
boot.ci(boot.out = bootpara, type = "bca", index = 2)
```

```
Intervals :
Level      BCa
95%      (53.42, 56.07 )
Calculations and Intervals on Original Scale
```

for $\hat{\mu}_1$ and for $\hat{\mu}_2$ from

```
R> boot.ci(bootpara, type = "bca", index = 3)
```

```
BOOTSTRAP CONFIDENCE INTERVAL CALCULATIONS
Based on 1000 bootstrap replicates
```

```
CALL :
boot.ci(boot.out = bootpara, type = "bca", index = 3)
```

```
Intervals :
Level      BCa
95%      (79.05, 81.01 )
Calculations and Intervals on Original Scale
```

Finally, we show a graphical representation of both the bootstrap distribution of the mean estimates *and* the corresponding confidence intervals. For convenience, we define a function for plotting, namely

```
R> bootplot <- function(b, index, main = "") {
+   dens <- density(b$t[,index])
+   ci <- boot.ci(b, type = "bca", index = index)$bca[4:5]
```

```
R> layout(matrix(1:2, ncol = 2))
R> bootplot(bootpara, 2, main = expression(mu[1]))
R> bootplot(bootpara, 3, main = expression(mu[2]))
```




Figure 7.8 Bootstrap distribution and confidence intervals for the mean estimates of a two-component mixture for the geyser data.

```
+   est <- b$t0[index]
+   plot(dens, main = main)
+   y <- max(dens$y) / 10
+   segments(ci[1], y, ci[2], y, lty = 2)
+   points(ci[1], y, pch = "(")
+   points(ci[2], y, pch = ")")
+   points(est, y, pch = 19)
+ }
```

The element `t` of an object created by `boot` contains the bootstrap replications of our estimates, i.e., the values computed by `fit` for each of the 1000 bootstrap samples of the geyser data. First, we plot a simple density estimate and then construct a line representing the confidence interval. We apply this function to the bootstrap distributions of our estimates $\hat{\mu}_1$ and $\hat{\mu}_2$ in Figure 7.8.



Bibliography

- Canty, A. and Ripley, B. D. (2006), *boot: Bootstrap R (S-PLUS) Functions (Canty)*, URL <http://CRAN.R-project.org>, R package version 1.2-29.
- Efron, B. and Tibshirani, R. J. (1993), *An Introduction to the Bootstrap*, London, UK: Chapman & Hall/CRC.
- Fraley, C. and Raftery, A. E. (2002), “Model-based clustering, discriminant analysis, and density estimation,” *Journal of the American Statistical Association*, 97, 611–631.
- Fraley, C., Raftery, A. E., and Wehrens, R. (2006), *mclust: Model-based Cluster Analysis*, URL <http://www.stat.washington.edu/mclust>, R package version 3.1-1.
- Leisch, F. (2004), “FlexMix: A general framework for finite mixture models and latent class regression in R,” *Journal of Statistical Software*, 11, URL <http://www.jstatsoft.org/v11/i08/>.
- Silverman, B. (1986), *Density Estimation*, London, UK: Chapman & Hall/CRC.