

# Package ‘LPCM’

January 6, 2023

**Type** Package

**Title** Local Principal Curve Methods

**Version** 0.47-3

**Date** 2023-01-05

**Author** Jochen Einbeck and Ludger Evers

**Maintainer** Jochen Einbeck <jochen.einbeck@durham.ac.uk>

**Depends** R (>= 3.5.0)

**Suggests** scatterplot3d, lattice, dr, multimode

**Description** Fitting multivariate data patterns with local principal curves, including tools for data compression (projection) and measuring goodness-of-fit; with some additional functions for mean shift clustering. See Einbeck, Tutz and Evers (2005) <[doi:10.1007/s11222-005-4073-8](https://doi.org/10.1007/s11222-005-4073-8)> and Einbeck (2011) <[doi:10.13176/11.288](https://doi.org/10.13176/11.288)>.

**License** GPL (>= 2)

**LazyLoad** yes

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2023-01-06 14:50:37 UTC

## R topics documented:

LPCM-package . . . . .	2
calspeedflow . . . . .	3
coverage . . . . .	4
followx . . . . .	7
gaia . . . . .	8
gvessel . . . . .	10
kernels.and.distances . . . . .	11
lpc . . . . .	12
lpc.control . . . . .	14
lpc.project . . . . .	16
lpc.spline . . . . .	17

<code>lpc.spline.auxiliary.functions</code> . . . . .	19
<code>ms</code> . . . . .	20
<code>ms.rep</code> . . . . .	22
<code>plot.lpc</code> . . . . .	24
<code>print.lpc</code> . . . . .	26
<code>Rc</code> . . . . .	27
<code>unscale</code> . . . . .	29

<b>Index</b>	<b>31</b>
--------------	-----------

---

LPCM-package	<i>Local principal curve methods</i>
--------------	--------------------------------------

---

## Description

Fitting multivariate data patterns with local principal curves, including tools for data compression (projection) and measuring goodness-of-fit; with some additional functions for mean shift clustering.

This package implements the techniques introduced in Einbeck, Tutz & Evers (2005), Einbeck, Evers & Powell (2010) and Einbeck (2011).

The main functions to be called by the user are

- `lpc`, for the estimation of the local centers of mass which describe the principal curve;
- `ms`, for calculation of mean shift trajectories and associated clusters.

The package contains also specialized functions for projection and spline fitting (`lpc.project`, `lpc.spline`), functions for bandwidth selection (`lpc.self.coverage`, `ms.self.coverage`), goodness of fit assessment (`Rc`, `coverage`), as well as some methods for generic functions such as `print` and `plot`.

## Details

Package:	LPCM
Type:	Package
License:	GPL (>=2)
LazyLoad:	yes

## Acknowledgements

Contributions (in form of pieces of code, or useful suggestions for improvements) by Jo Dwyer, Mohammad Zayed, and Ben Oakley are gratefully acknowledged.

**Author(s)**

Jochen Einbeck and Ludger Evers

Maintainer: Jochen Einbeck <jochen.einbeck@durham.ac.uk>

**References**

Einbeck, J., Tutz, G., & Evers, L. (2005): Local principal curves, *Statistics and Computing* 15, 301-313.

Einbeck, J., Evers, L., & Powell, B. (2010): Data compression and regression through local principal curves and surfaces, *International Journal of Neural Systems*, 20, 177-192.

Einbeck, J. (2011): Bandwidth selection for nonparametric unsupervised learning techniques – a unified approach via self-coverage. *Journal of Pattern Recognition Research* 6, 175-192.

**See Also**

pcurve, princurve

---

calspeedflow

*Speed-flow data from California.*

---

**Description**

A ‘fundamental diagram’ with observations of speed and flow recorded from 9th of July 2007, 9am, to 10th of July 2007, 10pm, on Line 5 of the Californian Freeway SR57-N, VDS number 1202263. The data were originally measured in intervals of thirty seconds, and then aggregated over intervals of 5 minutes length.

**Usage**

```
data(calspeedflow)
```

**Format**

A data frame with 444 observations on the following 4 variables.

Date a factor with levels 07/09/2007... 07/10/2007.

Timestamp a factor with a timestamps in intervals of five minutes.

Lane5Flow a numeric vector of vehicle flow in vehicles per 5 minutes.

Lane5Speed a numeric vector of vehicle speed in miles per hour.

**Source**

Retrieved from PeMS.

## References

Einbeck, J., and Dwyer, J. (2011). Using principal curves to analyze traffic patterns on freeways. *Transportmetrica* 7, 229-246.

## Examples

```
data(calspeedflow)
plot(calspeedflow[,3:4])
```

---

coverage

*Coverage and self-coverage plots.*

---

## Description

These functions compute coverages and self-coverages, and produce corresponding plots, for any principal curve object. The former may be used as goodness-of-fit measures, and the latter for bandwidth selection.

## Usage

```
coverage.raw(X, vec, tau, weights=1, plot.type="p", print=FALSE,
            label=NULL,...)
```

```
coverage(X, vec, taumin=0.02, taumax, gridsize=25, weights=1,
        plot.type="o", print=FALSE,...)
```

```
lpc.coverage(object, taumin=0.02, taumax, gridsize=25, quick=TRUE,
            plot.type="o", print=FALSE, ...)
```

```
lpc.self.coverage(X, taumin=0.02, taumax=0.5, gridsize=25, x0=1,
                way = "two", scaled=1, weights=1, pen=2, depth=1,
                control=lpc.control(boundary=0, cross=FALSE), quick=TRUE,
                plot.type="o", print=FALSE, ... )
```

```
ms.self.coverage(X, taumin=0.02, taumax=0.5, gridsize=25,
                thr=0.001, scaled=1, cluster=FALSE, plot.type="o",
                print=FALSE, ...)
```

```
select.self.coverage(self, smin, plot.type="o", plot.segments=NULL)
```

## Arguments

<code>X</code>	a $N \times d$ data matrix.
<code>object</code>	An object of type <code>lpc</code> , <code>lpc.spline</code> or <code>ms</code> .
<code>vec</code>	A matrix with $d$ columns. The rows contain the points which make up the fitted object.

<code>tau</code>	tube size.
<code>taumin</code>	Minimal tube size.
<code>taumax</code>	Maximal tube size.
<code>weights</code>	An optional vector of weights. If weights are specified, then the coverage is the weighted mean of the indicator functions for falling within the tube. The function <code>lpc.coverage</code> does not have a <code>weights</code> argument, as it extracts the weights from the <code>\$weights</code> component of the fitted object.
<code>label</code>	Experimental option; don't use.
<code>gridsize</code>	The number of different tube sizes to consider.
<code>quick</code>	If TRUE, an approximate coverage curve is provided by computing distances between data points and the curve through the closest local centers or mass; whereas with FALSE we use the distances of the points when projected orthogonally onto the spline representation of the local principal curve. The latter takes considerably more computing time. The resulting coverage curves are generally very similar, but the quick version may deliver little spurious peaks occasionally.
<code>thr</code>	adjacent mean shift clusters are merged if their relative distance falls below this threshold.
<code>cluster</code>	if TRUE, distances are always measured to the cluster to which an observation is assigned, rather than to the nearest cluster.
<code>self</code>	An object of class <code>self</code> , or a matrix with two columns providing a self-coverage curve.
<code>smin</code>	Minimum coverage for bandwidth selection. Default: 1/3 for clustering, 2/3 for principal curves.
<code>plot.type</code>	If set to 0, no plotted output is given. Otherwise, an appropriate plot is provided, using the plotting type as specified.
<code>plot.segments</code>	A list with default <code>list(lty=c(1, 2, 3), lwd=c(2, 1, 1), lcol=c(3, 3, 3))</code> which specifies how (and how many) bandwidth candidates, in order of decreasing negative second derivative of self-coverage, are to be highlighted.
<code>print</code>	If TRUE, coverage values are printed on the screen as soon as computed. This is quite helpful especially if <code>gridsize</code> is large.
<code>x0, way, scaled, pen, depth, control</code>	Auxiliary parameters as outlined in <a href="#">lpc</a> , <a href="#">lpc.control</a> , and <a href="#">ms</a> .
<code>...</code>	Optional graphical parameters passed to the corresponding plotting functions.

## Details

The function `coverage.raw` computes the coverage, i.e. the proportion of data points lying inside a circle or band with radius  $\tau$ , for a fixed value `tau`. The whole coverage curve  $C(\tau)$  is constructed through function `coverage`.

Functions `coverage.raw` and `coverage` can be used for any object fitted by an unsupervised learning technique (for instance, HS principal curves, or even clustering algorithms), while the functions prefixing with `lpc.` and `ms.` can only be used for the corresponding objects. The functions `lpc.coverage` and `ms.coverage` are wrappers around `coverage` which operate directly a fitted object, rather than a data matrix.

Function `select.self.coverage` extracts suitable bandwidths from the self-coverage curve, and produces a plot. The function is called from within `lpc.self.coverage` or `ms.self.coverage` but can also be called directly by the user (for instance, if the graphical output is to be reproduced, or if the minimum coverage `smin` is to be modified). The component `$select` contains the selected candidate bandwidths, in the order of strength of evidence provided by the self-coverage criterion (the best bandwidth comes first, etc.). A plot is produced as a by-product, which symbolizes the best bandwidth by a thick solid line, the second-best by a dashed line, and the third-best by a dotted line. It is recommended to run the self-coverage functions with fixed starting points, as in the examples below, and to scale by the range only.

See Einbeck (2011) for details. Note that the original publication by Einbeck, Tutz, and Evers (2005) uses ‘quick’ coverage curves.

### Value

A list of items, and a plot (unless `plot.type=0`).

The functions `lpc.self.coverage` and `ms.self.coverage` produce an object of class `self`. The component `$select` recommends suitable bandwidths for the use in `lpc`, in the order of strength of evidence. These correspond to points of strong negative curvature (implemented via second differences) of the self-coverage curve.

### Author(s)

J. Einbeck

### References

Einbeck, J., Tutz, G., & Evers, L. (2005). Local principal curves. *Statistics and Computing* 15, 301-313.

Einbeck, J. (2011). Bandwidth selection for mean-shift based unsupervised learning techniques: a unified approach via self-coverage. *Journal of Pattern Recognition Research* 6, 175-192.

### See Also

[lpc](#), [ms](#)

### Examples

```
data(faithful)
mfit <- ms(faithful)
coverage(mfit$data, mfit$cluster.center, gridsize=18)

## Not run:
f.self <- ms.self.coverage(faithful,gridsize= 50, taumin=0.1, taumax=0.5, plot.type="o")
h <- select.self.coverage(f.self)$select
mfit2 <- ms(faithful,h=h[2]) # using `second-best' suggested bandwidth

## End(Not run)

## Not run:
```

```
data(gvessel)
g.self <-lpc.self.coverage(gvessel[,c(2,4,5)], x0=c(35, 1870, 6.3), print=FALSE, plot.type=0)
h <- select.self.coverage(g.self)$select
g.lfit <- lpc(gvessel[,c(2,4,5)], h=h[1], x0=c(35, 1870, 6.3))
lpc.coverage(g.lfit, gridsize=10, print=FALSE)

## End(Not run)
```

---

followx

*Fit an individual branch of a local principal curve.*

---

### Description

Internal function of package **LPCM** called by `lpc`. Do not use!

### Usage

```
followx(Xi, x0, h, t0, iter, way, weights, pen = 2, phi = 1,
        lasteigenvector = 0, rho0 = 0.4, boundary=0.005,
        convergence.at= 0.000001, cross=TRUE)
```

### Arguments

Xi  
x0  
h  
t0  
iter  
way  
weights  
pen  
phi  
lasteigenvector  
  
rho0  
boundary  
convergence.at  
cross

### Author(s)

JE

### See Also

[lpc](#)

---

gaia

*Gaia data*

---

### **Description**

(Simulated) spectral decomposition of stellar objects, generated in the framework of the Gaia project.

### **Usage**

```
data(gaia)
```

### **Format**

A data frame with 8286 observations on the following 22 variables.

ID ID of the object

metallicity metallicity (abundance); that is proportion of matter other than hydrogen and helium relative to that of the sun.

gravity the surface gravity; that is acceleration due to gravity at the surface of the star.

temperature the 'effective' temperature (K); that is the temperature of the observable part of the stellar atmosphere.

band1 photon counts in band 1

band2 photon counts in band 2

band3 photon counts in band 3

band4 photon counts in band 4

band5 photon counts in band 5

band6 photon counts in band 6

band7 photon counts in band 7

band8 photon counts in band 8

band9 photon counts in band 9

band10 photon counts in band 10

band11 photon counts in band 11

band12 photon counts in band 12

band13 photon counts in band 13

band14 photon counts in band 14

band15 photon counts in band 15

band16 photon counts in band 16



## Details

Gaia is an astrophysics mission of the European Space Agency (ESA) which will undertake a detailed survey of over  $10^9$  stars in our Galaxy and extragalactic objects. An important part of the scientific analysis of these data is the classification of all the objects as well as the estimation of stellar astrophysical parameters (effective stellar temperature, surface gravity, metallicity). This will be done on the basis of high-dimensional spectroscopic and astrometric data such as those ones given here.

More precisely, the spectral data come in form of photon counts ("fluxes") observed in (originally) 96 wavelength intervals ("bands"), see Bailer-Jones (2010) for more details. The data given here are a 16-dimensional subset created by binning/selecting from the 96 bands. The counts given here are standardized, i.e. they are divided by the total number of incoming photons over all filters (in other words, they add up to 1). Note that these data are simulated using computer models. The satellite which will collect the actual data will be launched in 2012.

The 16-d spectral data have been used in Einbeck, Evers and Bailer-Jones (2008) as well as Einbeck, Evers and Powell (2010) in order to predict the stellar temperature.

## Source

Coryn Bailer-Jones (MPIA Heidelberg).

## References

Bailer-Jones, C.A.L. (2010). The ILIUM forward modelling algorithm for multivariate parameter estimation and its application to derive stellar parameters from Gaia spectrophotometry, *Monthly Notices of the Royal Astronomical Society*, vol. 403, pp. 96-116.

Einbeck, J., Evers, L., and Bailer-Jones, C.A.L. (2008). Representing complex data using localized principal components with application to astronomical data. In: Gorban, A, Kegl, B, Wunsch, D, & Zinovyev, A: *Principal Manifolds for Data Visualization and Dimension Reduction; Lecture Notes in Computational Science and Engineering* 58, 180-204, ISSN/ISBN: 978-3-540-73749-0.

Einbeck, J., Evers, L., and Powell, B. (2010): Data compression and regression through local principal curves and surfaces, *International Journal of Neural Systems*, 20, 177-192.

## Examples

```
data(gaia)
s <- sample(nrow(gaia),200)
library(lattice)
splom(gaia[s,5:20], cex=0.3, pscales=0)

## Not run:
gaia.pc <- princomp(gaia[s,5:20])
temp <- gaia$temperature
tempcol <- (temp[s]- min(temp[s]))/max(temp[s]- min(temp[s]))
library(scatterplot3d)
scatterplot3d(gaia.pc$scores[,c(2,1,3)], pch="+",
              color=rgb(sqrt(tempcol),0,1-sqrt(tempcol)))
# This is a 3D scatterplot of the first three principal component scores;
# with higher stellar temperatures shaded in red colour.
```

```
## End(Not run)
```

---

```
gvessel
```

```
North Atlantic Water Temperature Data.
```

---

## Description

These are observations taken over nine days in May 2000 by the German vessel Gauss in the North Atlantic.

## Usage

```
data(gvessel)
```

## Format

A data frame with 643 observations on the following 7 variables.

day2g an integer for the day at which the measurement was taken.

salg a numeric vector with measurements of salinity according to the PSS (Practical Salinity Scale).

tempg a numeric vector with measurements of water temperature in degrees Celsius.

depthg a numeric vector with the water depths (in meters) at which the measurements were taken.

oxyg a numeric vector with measurements of oxygen content (mm per litre of water)

longg longitude

latg latitude

## Source

Retrieved by B. Powell from the World Ocean Database.

## References

Einbeck, J., Evers, L., and Powell, B. (2010): Data compression and regression through local principal curves and surfaces, *International Journal of Neural Systems*, 20, 177-192.

## Examples

```
data(gvessel)
pairs(gvessel[,c(3,2,4,5)])
tcol <- (gvessel$tempg- min(gvessel$tempg))/(max(gvessel$tempg)- min(gvessel$tempg))
require(scatterplot3d)
scatterplot3d(gvessel[,2],gvessel[,4],gvessel[,5], color=rgb(tcol,0,1-tcol))
```

---

kernels.and.distances *Auxiliary kernel and distance functions.*

---

### Description

Internal **LPCM** functions which are normally not to be called by the user.

### Usage

```
kern(y, x = 0, h = 1)
kernd(X, x, h)
kdex(X, x, h)
distancevector(X, y, d = "euclid", na.rm = TRUE)
vecdist(X,Y)
mindist(X,y)
enorm(x)
```

### Arguments

x	a number or vector.
y	a vector.
h	a bandwidth.
X	a matrix.
Y	a matrix.
d	type of distance measure (only 'euclid').
na.rm	...

### Details

kern specifies the base kernel (by default Gaussian) used in lpc ; kernd is the corresponding multivariate product kernel. kdex is a pointwise multivariate kernel density estimator.

distancevector makes use of function vdisseuclid from R package **hopach** (but that package does not need to be loaded). enorm is the Euclidean norm.

### Author(s)

JE

### References

Pollard, van der Laan, and Wall (2010). Hierarchical Ordered Partitioning and Collapsing Hybrid (HOPACH). R package **hopach** version 2.9.1.

lpc

*Local principal curves***Description**

This is the main function which computes the actual local principal curve, i.e. a sequence of local centers of mass.

**Usage**

```
lpc(X, h, t0 = mean(h), x0, way = "two", scaled = 1,
    weights=1, pen = 2, depth = 1, control=lpc.control())
```

**Arguments**

X	data matrix with $N$ rows (observations) and $d$ columns (variables).
h	bandwidth. May be either specified as a single number, then the same bandwidth is used in all dimensions, or as a $d$ -dimensional bandwidth vector. If the data are scaled, then the bandwidth has to be specified in fractions of the data range or standard deviation, respectively, e.g. <code>scaled=1</code> and <code>h= c(0.2, 0.1)</code> gives 20 percent of the range of the first variable and 10 percent of the range of the second variable. If left unspecified, then default settings are invoked; see the ‘Notes’ section below.
t0	scalar step length. Default setting is <code>t0=h</code> , if <code>h</code> is a scalar, and <code>t0=mean(h)</code> , if <code>h</code> is a vector.
x0	specifies the choice of starting points. The default choice <code>x0=1</code> will select one suitable starting point automatically (in form of a local density mode). The second built-in option <code>x0=0</code> will use all local density modes as starting points, hence produce as many branches as modes. Optionally, one can also set one or more starting points manually here. This can be done in form of a matrix, where each row corresponds to a starting point, or in form of a vector, where starting points are read in consecutive order from the entries of the vector. The starting point has always to be specified on the original data scale, even if <code>scaled&gt;0</code> . A fixed number of starting points can be enforced through option <code>mult</code> in <code>lpc.control</code> .
way	"one": go only in direction of the first local eigenvector, "back": go only in opposite direction, "two": go from starting point in both directions.
scaled	if 1 (or TRUE), scales each variable by dividing through its range. If <code>scaled=2</code> , scaling is performed by dividing through the standard deviation (see also the Notes section below).
weights	a vector of observation weights (can also be used to exclude individual observations from the computation by setting their weight to zero.)
pen	power used for angle penalization (see [1]). If set to 0, the angle penalization is switched off.

depth	maximum depth of branches ( $\phi_{max}$ in [2]), restricted to the values 1,2 or 3 (The original LPC branch has depth 1. If, along this curve, a point features a high second local PC, this launches a new starting point, and the resulting branch has depth 2. If, along this branch, a point features a high second local PC, this launches a new starting point, and the resulting branch has depth 3. )
control	Additional parameters steering particularly the starting-, boundary-, and convergence behavior of the fitted curve. See <a href="#">lpc.control</a> .

**Value**

A list of items:

LPC	The coordinates of the local centers of mass of the fitted principal curve.
Parametrization	Curve parameters and branch labels for each local center of mass.
h	The bandwidth used for the curve estimation.
to	The constant $t_0$ used for the curve estimation.
starting.points	The coordinates of the starting point(s) used.
data	The data frame used for curve estimation.
scaled	the user-supplied value, could be boolean or numerical
weights	The vector of weights used for curve estimation.
control	The settings used in <code>lpc.control()</code>
Misc	Miscellanea.

**Note**

All values provided in the output refer to the scaled data, unless `scaled=0` or (equivalently) `scaled=FALSE`. Use [unscale](#) to convert the results back to the original data scale.

The default option `scaled=1` or `scaled=TRUE` scales the data by dividing each variable through their range (differing from the scaling through the standard deviation as common e.g. for PCA). The setting `scaled=2`, and in fact all other settings `scaled>0`, will scale the data by their standard deviation.

If `scaled=1` or if no scaling is applied, then the default bandwidth setting is 10 percent of the data range in each direction. If the data are scaled through the standard deviation, then the default setting is 40 percent of the standard deviation in each direction.

**Author(s)**

J. Einbeck and L. Evers. See [LPCM-package](#) for further acknowledgements.

**References**

- [1] Einbeck, J., Tutz, G., & Evers, L. (2005). Local principal curves. *Statistics and Computing* 15, 301-313.
- [2] Einbeck, J., Tutz, G., & Evers, L. (2005): Exploring Multivariate Data Structures with Local Principal Curves. In: Weihs, C. and Gaul, W. (Eds.): *Classification - The Ubiquitous Challenge*. Springer, Heidelberg, pages 256-263.

## Examples

```

data(calspeedflow)
lpc1 <- lpc(calspeedflow[,3:4])
plot(lpc1)

data(mussels, package="dr")
lpc2 <- lpc(mussels[,-3], x0=as.numeric(mussels[49,-3]),scaled=0)
plot(lpc2, curvecol=2)

data(gaia)
s <- sample(nrow(gaia),200)
gaia.pc <- princomp(gaia[s,5:20])
lpc3 <- lpc(gaia.pc$scores[,c(2,1,3)],scaled=0)
plot(lpc3, curvecol=2, type=c("curve","mass"))

# Simulated letter 'E' with branched LPC
ex<- c(rep(0,40), seq(0,1,length=20), seq(0,1,length=20), seq(0,1,length=20))
ey<- c(seq(0,2,length=40), rep(0,20), rep(1,20), rep(2,20))
sex<-rnorm(100,0,0.01); sey<-rnorm(100,0,0.01)
eex<-rnorm(100,0,0.1); eey<-rnorm(100,0,0.1)
ex1<-ex+sex; ey1<-ey+sey
ex2<-ex+eex; ey2<-ey+eey
e1<-cbind(ex1,ey1); e2<-cbind(ex2,ey2)
lpc.e1 <- lpc(e1, h= c(0.1,0.1), depth=2, scaled=0)
plot(lpc.e1, type=c("curve","mass", "start"))

```

---

lpc.control

*Auxiliary parameters for controlling local principal curves.*


---

## Description

This function bundles parameters controlling mainly the starting-, convergence-, boundary-, and stopping-behaviour of the local principal curve. It will be used only inside the `lpc()` function argument.

## Usage

```

lpc.control(iter =100, cross=TRUE,
            boundary = 0.005, convergence.at = 0.00001,
            mult=NULL, ms.h=NULL, ms.sub=30,
            pruning.thresh=0.0, rho0=0.4)

```

## Arguments

`iter` Maximum number of iterations on either side of the starting point within each branch.

cross	Logical parameter. If FALSE, a curve is stopped when it comes too close to an another part of itself. Note: Even when cross=FALSE, different branches of the curve (for higher depth or multiple starting points) are still allowed to cross. This option only avoids crossing of each particular branch with itself. Used in the self-coverage functions to avoid overfitting.
boundary	This boundary correction [2] reduces the bandwidth adaptively once the relative difference of parameter values between two centers of mass falls below the given threshold. This measure delays convergence and enables the curve to proceed further into the end points. If set to 0, this boundary correction is switched off.
convergence.at	This forces the curve to stop if the relative difference of parameter values between two centers of mass falls below the given threshold. If set to 0, then the curve will always stop after exactly iter iterations.
mult	numerical value which enforces a fixed number of starting points. If the number given here is larger than the number of starting points provided at x0, then the missing points will be set at random (For example, if $d = 2$ , mult=3, and $x0=c(58.5, 17.8, 80, 20)$ , then one gets the starting points (58.5, 17.8), (80,20), and a randomly chosen third one. Another example for such a situation is $x0=NULL$ with mult=1, in which one random starting point is chosen). If the number given here is smaller the number of starting points provided at x0, then only the first mult starting points will be used.
ms.h	sets the bandwidth (vector) for the initial mean shift procedure which finds the local density modes, and, hence, the starting points for the LPC. If unspecified, the bandwidth h used in function lpc is used here too.
ms.sub	proportion of data points (default=30) which are used to initialize mean shift trajectories for the mode finding. In fact, we use $\min(\max(\text{ms.sub}, \text{floor}(\text{ms.sub}*N/100)), 10*\text{ms.sub})$ trajectories.
pruning.thresh	Prunes branches corresponding to higher-depth starting points if their density estimate falls below this threshold. Typically, a value between 0.0 and 1.0. The setting 0.0 means no pruning.
rho0	A numerical value which steers the birth process of higher-depth starting points. Usually, between 0.3 and 0.4 (see reference [1]).

**Value**

A list of the nine specified input parameters, which can be read by the control argument of the lpc function.

**Author(s)**

JE

**References**

[1] Einbeck, J., Tutz, G. & Evers, L. (2005): Exploring Multivariate Data Structures with Local Principal Curves. In: Weihs, C. and Gaul, W. (Eds.): Classification - The Ubiquitous Challenge. Springer, Heidelberg, pages 256-263.

[2] Einbeck, J. and Zayed, M. (2014). Some asymptotics for localized principal components and curves. *Communications in Statistics - Theory and Methods* 43, 1736-1749.

### Examples

```
data(calspeedflow)
fit1 <- lpc(calspeedflow[,c(3,4)], x0=c(50,60),scaled=1,
  control=lpc.control(iter=20, boundary=0))
plot(fit1, type=c("curve","start","mass"))
```

---

lpc.project

*Projection onto LPC*

---

### Description

Projects a new observation onto the spline representation of the local principal curve.

### Usage

```
lpc.project(object, newdata, ...)
```

### Arguments

object	Object of class lpc or lpc.spline.
newdata	A data frame containing the new data to be projected.
...	Additional arguments to be passed to lpc.project.spline.

### Value

closest.pi	Projection index of projected point(s) (in cubic spline parametrization).
closest.or.pi	Projection index of projected point(s) (in terms of the original LPC parametrization).
closest.coords	Coordinates of projected data point(s)
closest.dist	Euclidean distance between data point(s) and their projected counterpart(s).
closest.branch	ID of branch onto which the data point was projected (the IDs get allocated in the output component \$Parametrization of function lpc).

### Note

The parametrization of the cubic spline function is not exactly the same as that of the original LPC. The reason is that the latter uses Euclidean distances between centers of masses, while the former uses the arc length along the cubic spline. The differences are normally quite small, though.

### Author(s)

J. Einbeck and L. Evers



**References**

Einbeck, J., Evers, L. & Hinchliff, K. (2010): Data compression and regression based on local principal curves. In A. Fink, B. Lausen, W. Seidel, and A. Ultsch (Eds), *Advances in Data Analysis, Data Handling, and Business Intelligence*, Heidelberg, pp. 701–712, Springer.

**See Also**

[lpc](#), [lpc.spline](#)

**Examples**

```
data(gvessel)
gvessel.lpc <- lpc(gvessel[,c(2,4,5)], scaled=TRUE, h=0.11, x0=c(35, 1870, 6.3))
lpc.project(gvessel.lpc, newdata=data.frame(salg=35,dephtg= 2000,oxyg=6))
```

---

lpc.spline

*Representing local principal curves through a cubic spline.*

---

**Description**

Fits a natural cubic spline component-wise through the series of local centers of mass. This provides a continuous parametrization in terms of arc length distance, which can be used to compute a projection index for the original or new data points.

**Usage**

```
lpc.spline(lpcobject, optimize = TRUE, compute.Rc=FALSE,
           project=FALSE, ...)
```

**Arguments**

lpcobject	Object of class lpc.
optimize	Boolean. If TRUE, optimize is used to find the point on the curve with minimum distance. Otherwise, data points are only projected onto the closest knot.
compute.Rc	Boolean. If TRUE, the goodness-of-fit measure $R_C$ suggested in [1] is computed and returned (using the scaled data, if scaled=TRUE in lpcobject).
project	Boolean. If TRUE, projections onto curve are computed.
...	Additional arguments to be passed to lpc.project.spline

**Details**

See reference [2].

**Value**

knots.pi	LPC parameters (in cubic spline parametrization) at position of the knots of the spline function (these are not identical to the LPC mass points!)
knots.coords	Coordinates of the spline knots.
closest.pi	Parameter of the projected data points.
closest.coords	Coordinates of projected data points.
closest.dist	Euclidean distance between original and projected data point.
closest.branch	ID Number of the branch on which the data point was projected (the IDs are given in the output of function lpc).
Rc	Value of $R_C$ .
project	repeats the input value of project.
lpcobject	returns the provided object lpcobject.
splinefun	returns the cubic spline function (generated by lpc.splinefun).

**Warning**

Careful with options project and compute.Rc - they can take rather long if the data set is large!

**Note**

The parametrization of the cubic spline function is not exactly the same as that of the original LPC. The reason is that the latter uses Euclidean distances between centers of masses, while the former uses the arc length along the cubic spline. However, the differences are normally quite small.

**Author(s)**

J. Einbeck and L. Evers

**References**

- [1] Einbeck, J., Tutz, G., and Evers, L. (2005). Local principal curves. *Statistics and Computing* 15, 301-313.
- [2] Einbeck, J., Evers, L. & Hinchliff, K. (2010): Data compression and regression based on local principal curves. In A. Fink, B. Lausen, W. Seidel, and A. Ultsch (Eds), *Advances in Data Analysis, Data Handling, and Business Intelligence*, Heidelberg, pp. 701–712, Springer.

**See Also**

[lpc](#)

**Examples**

```
data(gvessel)
gvessel.lpc <- lpc(gvessel[,c(2,4,5)], h=0.11, x0=c(35, 1870, 6.3))
gvessel.spline <- lpc.spline(gvessel.lpc)
plot(gvessel.spline, lwd=2)
```

---

`lpc.spline.auxiliary.functions`*Auxiliary functions for spline fitting and projection.*

---

**Description**

Internal functions of package **LPCM** called by `lpc.spline` and others. These will rarely be called directly by the user.

**Usage**`lpc.splinefun(lpcobject)``lpc.fit.spline(lpcsl, num.knots = 100)``lpc.spline.eval(lpcsl, or.pi, branch = 0)``lpc.project.spline(lpcsl, newdata, num.knots = 100, optimize = TRUE)``lpc.curve.length(lpcsl, or.pi, branch = 0, total.subdivisions = 10000,  
min.subdivisions = 100)`**Arguments**

<code>lpcobject</code>	Object of type <code>lpc</code> .
<code>lpcsl</code>	Object generated by <code>lpc.splinefun</code> .
<code>num.knots</code>	number of spline knots
<code>or.pi</code>	original projection index
<code>branch</code>	branch ID
<code>newdata</code>	new data frame
<code>optimize</code>	Boolean.
<code>total.subdivisions</code>	total number of subdivisions for arc length computation.
<code>min.subdivisions</code>	minimum number of subdivisions for arc length computation.

**Author(s)**

L. Evers and J. Einbeck

**See Also**

[lpc.spline](#)

---

ms *Mean shift clustering.*

---

### Description

Function for mean shift clustering, which, for a given bandwidth, detects the local modes and performs the clustering.

### Usage

```
ms(X, h, subset, thr=0.01, scaled= 1, iter=200, plot=TRUE, ...)
```

### Arguments

X	data matrix or vector.
h	scalar or vector-valued bandwidth (by default, 5 percent of the data range, or 20 percent of the standard deviation, respectively, in each direction). If set manually and <code>scaled&gt;0</code> , this bandwidth needs to be set on the scaled scale; for instance setting <code>scale</code> ; for instance <code>scaled=1</code> and <code>h=0.10</code> will use a bandwidth of 10 percent of the data range in either direction.
subset	vector specifying a subset of 1:n, where n is the sample size. This allows to run the iterative mean shift procedure only from a subset of points (if unspecified, 1:n is used here, i.e. each data point serves as a starting point).
thr	adjacent mean shift clusters are merged if their relative distance falls below this threshold (see Note section).
scaled	if equal to 1 (default), each variable is divided by its range, and if equal to 2 (or any other positive value other than 1), each variable is divided by its standard deviation. If equal to 0, then no scaling is applied.
iter	maximum mean shift iterations (passed to <code>ms.rep</code> ).
plot	if equal to 0, then no plotted output. For bivariate data, <code>plot=1</code> gives by default a dynamically created color plot showing the mean shift trajectories and the resulting clustering.
...	further graphical parameters.

### Details

The methods implemented here can be used for density mode estimation, clustering, and the selection of starting points for the LPC algorithm.

It can be shown (Chen, 1995, Comaniciu & Meer, 2002, Li, 2005) that, if the mean shift is computed iteratively, the resulting sequence of local means converges to a mode of the estimated density function. By assigning each data point to the mode to which it has converged, this turns into a clustering technique.

**Value**

The function `ms` produces an object of class `ms`, with components:

<code>cluster.center</code>	a matrix which gives the coordinates of the estimated density modes (i.e., of the mean-shift based cluster centers).
<code>cluster.label</code>	assigns each data point to the cluster center to which its mean shift trajectory has converged.
<code>closest.label</code>	assigns each data point to the closest cluster center in terms of Euclidean distance.
<code>data</code>	the data frame (scaled if <code>scaled=TRUE</code> ).
<code>scaled</code>	the user-supplied value, could be boolean or numerical.
<code>scaled.by</code>	the data were scaled by dividing each variable through the values provided in this vector.

**Note**

All values provided in the output refer to the scaled data, unless `scaled=0` or (equivalently) `scaled=FALSE`.

The default option `scaled=1` or `scaled=TRUE` scales the data by dividing each variable through their range (differing from the scaling through the standard deviation as common e.g. for PCA). All other settings `scaled>0` will scale the data by their standard deviation.

If `scaled=1` or if no scaling is applied, then the default bandwidth setting is 5 percent of the data range in each direction. If the data are scaled through the standard deviation, then the default setting is 20 percent of the standard deviation in each direction.

The threshold `thr` for merging cluster centers works as follows: After identification of a new cluster center, we compute the Euclidean distance of the new center to (each) existing center, relative to the Euclidean distance of the existing center to the overall mean. If this distance falls below `thr`, then the new center is deemed identical to the old one.

The goodness-of-fit measure  $R_C$  can also be applied in this context. For instance, a value of  $R_C = 0.8$  means that, after the clustering, the mean absolute residual length has been reduced by 80% (compared to the distances to the overall mean).

**Author(s)**

J. Einbeck. See [LPCM-package](#) for further acknowledgements.

**References**

- Chen, Y. (1995). Mean Shift, Mode Seeking, and Clustering. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 17, 790-799.
- Comaniciu, D. and Meer, P. (2002). Mean shift: a robust approach toward feature space analysis, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 24, 603-619.
- Li, X, Hu, Z, and Wu, F. (2007). A note on the convergence of the mean shift, *Pattern Recognition* 40, 1756 - 1762.

**See Also**

[ms.rep](#), [Rc](#), [plot.ms](#)

**Examples**

```
data(faithful)
# Mean shift clustering with default bandwidth (5 percent of data range)
ms(faithful)
```

---

ms.rep

*Mean shift procedures.*


---

**Description**

Functions for mean shift, iterative mean shift, and inverse mean shift.

**Usage**

```
meanshift(X, x, h)
ms.rep(X, x, h, thresh= 0.0001, iter=200)
ms.rep.min(X, x, h, thresh=0.000001, iter=200, adjust.convergence=FALSE, verbose=TRUE)
```

**Arguments**

<code>X</code>	data matrix or vector.
<code>x</code>	point from which we wish to shift to the local mean.
<code>h</code>	scalar or vector-valued bandwidth; see also description in <a href="#">ms</a> .
<code>thresh, iter</code>	mean shift iterations are stopped when the mean shift length (relative to the distance of <code>x</code> to the overall mean; see Note section) falls below <code>thresh</code> , or after <code>iter</code> iterations (whatever event happens first).
<code>adjust.convergence</code>	Unimplemented. See also Notes section below.
<code>verbose</code>	Allows or suppresses text output messages.

**Details**

The function `meanshift` computes a single mean shift iteration, and `ms.rep` computes an iterative series of mean shift iterations. Both of these functions are rarely used on their own, but are typically called by the overarching function [ms](#).

The function `ms.rep.min` is an experimental function for the computation of antimodes based on an inverse version of the mean shift procedure. This function has only been tested for one-dimensional data (Ameijeiras-Alonso and Einbeck, 202x). It may or may not produce a result for higher data dimensions, but the methodology has not been properly investigated for this case, i.e. any result obtained could be something different to an antimode.

**Value**

The function `meanshift` delivers a single (vector-valued) value.

The functions `ms.rep` and `ms.rep.min` produce a list with the following items:

`Meanshift.points`

(called `M` for `ms.rep.min`); the trajectory of points found while proceeding from the starting value `x` to the mode (or antimode, respectively)

`Threshold.values`

These give the iteration-wise values of the relative length of the mean shift step (explained in the Note section) which are then compared to `thresh`.

`start`

The starting value.

`final`

The mode or antimode, respectively.

**Note**

The threshold `thresh` for stopping mean shift iterations works as follows. At each iteration, we compare the length of the mean shift, that is the Euclidean distance between the point `x` and its local mean `m`, to the Euclidean distance between the point `x` and the overall data mean `M`. If this distance falls below `thresh`, the mean shift procedure is stopped.

When `ms.rep` is called by function `ms`, the relation of the thresholds `thr` and `thresh` is `thresh = thr^2`.

Convergence of inverse mean shift algorithm is not mathematically guaranteed. Of course, no antimode will be found if there is none (i.e., if the value `x` is not situated between two modes), in which case the method will return a NA. But the algorithm may also fail to converge if the antimode is associated with a very small density value, which however rarely happens in practice unless the two distributions are fully separated. In this case the inverse mean shift algorithm will oscillate around the antimode, and the mean of these oscillating values (available from the function output) could give a suitable estimate of the antimode. Such adjustments are not yet implemented in an automated form in the present version of **LPCM**; so any estimate given in the output is the ‘plain’ estimate (whether it exists or not).

**Author(s)**

J. Einbeck. See [LPCM-package](#) for further acknowledgements.

**References**

Ameijeiras-Alonso, J. and Einbeck, J. (202x). A fresh look at mean-shift based modal clustering. Under submission.

**See Also**

[ms](#)

**Examples**

```

data(stamps, package="multimode")
h0 <- 0.005
hist(stamps, breaks=20)
# Take arbitrary starting value x=0.08, sitting between a mode and antimode
mode <- ms.rep(stamps, 0.08,h0)$final
antimode <- ms.rep.min(stamps, 0.08,h0, verbose=FALSE)$final
segments(mode, 0, mode, 100, col=2, lwd=3)
segments(antimode, 0, antimode,100, col=3, lwd=3)

```

plot.lpc

*Plotting local principal curves and mean shift trajectories***Description**

Takes an object of class `lpc`, `lpc.spline` or `ms`. In the case of principal curves, it plots any subset of the following components of the local principal curve: Centers of mass; the curve connecting the local centers of mass; the cubic spline representation of the curve; the projections onto the curve; the starting points. For the mean shift procedure, it produces a plot of mean shift trajectories and cluster centers.

**Usage**

```

## S3 method for class 'lpc'
plot(x, type, unscale = TRUE, lwd = 1, datcol = "grey60",
     datpch = 21, masscol = NULL, masspch = 15, curvecol = 1, splinecol = 3,
     projectcol = 4, startcol = NULL, startpch=NULL,...)
## S3 method for class 'lpc.spline'
plot(x, type, unscale = TRUE, lwd = 1, datcol = "grey60",
     datpch = 21, masscol = NULL, masspch = 15, curvecol = 1, splinecol = 3,
     projectcol = 4, startcol = NULL, startpch=NULL,...)
## S3 method for class 'ms'
plot(x, unscale=FALSE, lwd=1, datcol="grey70", datpch=21, masscol=NULL,
     masspch=15, curvecol=NULL, ...)

```

**Arguments**

<code>x</code>	an object of class <code>lpc</code> , <code>lpc.spline</code> , or <code>ms</code> .
<code>type</code>	a vector of type <code>c("mass", "spline", ...)</code> with possible entries <code>mass</code> , <code>curve</code> , <code>spline</code> , <code>project</code> , <code>start</code> .
<code>unscale</code>	if <code>TRUE</code> , then data (and all fitted components) are scaled back to their original scale; otherwise the scaled data are plotted (only relevant if <code>scaled=TRUE</code> in the fitted object). For <code>ms</code> , this is currently unimplemented.
<code>lwd</code>	width of principal curves or trajectories.
<code>datcol</code>	color of data points.
<code>datpch</code>	plotting symbol for data points.



masscol	color of centers of mass (see below) or cluster centers.
masspch	plotting symbol for centers of mass or cluster centers.
curvecol	color of the curve interpolating the local centers of mass (this is the "local principal curve").
splinecol	color of the spline representation of the local principal curve.
projectcol	color of projections onto the spline representation of the local principal curve.
startcol	color of the plotted starting points.
startpch	plotting symbol for starting points; needs to be either a single symbol, or a vector of symbols of the same length as the number of starting points.
...	further arguments passed to plot or scatterplot3d.

**Value**

A plot of adequate dimensionality (depending on the type of object).

For local principal curves, the minimum supported dimension is  $d = 2$ , and for the mean shift it is  $d = 1$ . In either case, the maximum supported dimension is  $d = 16$ . With increasing dimension  $d$ , less plotting options tend to be supported. The nicest plots are obtained for  $d = 2$  and  $d = 3$ .

The most flexible plotting option is masscol. Depending on the length of the specified vector, this will be interpreted differently. If a scalar is provided, the corresponding color will be given to all centers of mass (or cluster centers). For LPCs, if the length of the vector is larger than 1, then this option will assign different colours to different depths, or different branch numbers, or to individual data points, depending on the length. The default setting is assigning colours according to depth, in the order red, blue, black.

**Warning**

This function computes all missing information (if possible), so computation will take the longer the less informative the given object is, and the more advanced aspects are asked to plot!

**Author(s)**

JE

**References**

Einbeck, J., Tutz, G., and Evers, L. (2005). Local principal curves. *Statistics and Computing* 15, 301-313.

Einbeck, J., Evers, L. & Hinchliff, K. (2010): Data compression and regression based on local principal curves. In A. Fink, B. Lausen, W. Seidel, and A. Ultsch (Eds), *Advances in Data Analysis, Data Handling, and Business Intelligence*, Heidelberg, pp. 701–712, Springer.

**See Also**

[lpc](#), [lpc.spline](#), [ms](#)

**Examples**

```

data(calspeedflow)
lpc1 <- lpc(calspeedflow[,3:4])
plot(lpc1, type=c("spline","project"), lwd=2)
ms1<- ms(calspeedflow[,3:4], subset=sample.int(444,100), plot=FALSE)
# starts trajectories from 100 random obs'n
plot(ms1, masscol=1)
plot(ms1, curvecol="grey30")

data(mussels, package="dr")
ms2 <- ms(mussels[,-3], scaled=1, h=0.1, plot=FALSE)
plot(ms2, datpch=20, masspch=24)

```

---

print.lpc

*Printing output for lpc, lpc.spline, and ms objects*


---

**Description**

Takes an object of class `lpc`, `lpc.spline`, `ms` and displays some standard output.

**Usage**

```

## S3 method for class 'lpc'
print( x, digits = max(3, getOption("digits") - 3), ...)
## S3 method for class 'lpc.spline'
print( x, digits = max(3, getOption("digits") - 3), ...)
## S3 method for class 'ms'
print( x, digits = max(3, getOption("digits") - 3), ...)

```

**Arguments**

<code>x</code>	an object of class <code>lpc</code> , <code>lpc.spline</code> , or <code>ms</code> .
<code>digits</code>	not yet in use.
<code>...</code>	further arguments.

**Value**

Some short text.

**Author(s)**

JE

**See Also**

[lpc](#), [ms](#)

**Examples**

```

data(calspeedflow)
lpc1 <- lpc(calspeedflow[,3:4])
print(lpc1)
lpc2 <- lpc.spline(lpc1)
print(lpc2)
## Not run:
ms1<- ms(calspeedflow[,3:4], plot=FALSE)
print(ms1)
## End(Not run)

```

Rc

*Measuring goodness-of-fit for principal objects.***Description**

These functions compute the ‘coverage coefficient’  $R_C$  for local principal curves, local principal points (i.e., kernel density estimates obtained through iterated mean shift), and other principal objects.

**Usage**

```

Rc(x,...)

## S3 method for class 'lpc'
Rc(x,...)
## S3 method for class 'lpc.spline'
Rc(x,...)
## S3 method for class 'ms'
Rc(x,...)

base.Rc(data, closest.coords, type="curve")

```

**Arguments**

x	an object used to select a method.
...	Further arguments passed to or from other methods (not needed yet).
data	A data matrix.
closest.coords	A matrix of coordinates of the projected data.
type	For principal curves, don’t modify. For principal points, set "points".

## Details

Rc computes the coverage coefficient  $R_C$ , a quantity which estimates the goodness-of-fit of a fitted principal object. This quantity can be interpreted similar to the coefficient of determination in regression analysis: Values close to 1 indicate a good fit, while values close to 0 indicate a ‘bad’ fit (corresponding to linear PCA).

For objects of type `lpc`, `lpc.spline`, and `ms`, S3 methods are available which use the generic function `Rc`. This, in turn, calls the base function `base.Rc`, which can also be used manually if the fitted object is of another class. In principle, function `base.Rc` can be used for assessing goodness-of-fit of any principal object provided that the coordinates (`closest.coords`) of the projected data are available. For instance, for HS principal curves fitted via `princurve`, this information is contained in component `$s`, and for a k-means object, say `fitk`, this information can be obtained via `fitk$centers[fitk$cluster,]`. Set `type="points"` in the latter case.

The function `Rc` attempts to compute all missing information, so computation will take the longer the less informative the given object `x` is. Note also, `Rc` looks up the option `scaled` in the fitted object, and accounts for the scaling automatically. Important: If the data were scaled, then do NOT unscale the results by hand in order to feed the unscaled version into `base.Rc`, this will give a wrong result.

In terms of methodology, these functions compute  $R_C$  directly through the mean reduction of absolute residual length, rather than through the area above the coverage curve.

These functions do currently not account for observation weights, i.e.  $R_C$  is computed through the unweighted mean reduction in absolute residual length (even if weights have been used for the curve fitting).

In the clustering context, a value of  $R_C = 0.8$  means that, after the clustering, the mean absolute residual length has been reduced by 80% (compared to the distances to the overall mean).

## Author(s)

J. Einbeck.

## References

Einbeck, Tutz, and Evers (2005). Local principal curves. *Statistics and Computing* 15, 301-313.

Einbeck (2011). Bandwidth selection for nonparametric unsupervised learning techniques – a unified approach via self-coverage. *Journal of Pattern Recognition Research* 6, 175-192.

## See Also

[lpc.spline](#), [ms](#), [coverage](#).

## Examples

```
data(calspeedflow)
lpc1 <- lpc.spline(lpc(calspeedflow[,3:4]), project=TRUE)
Rc(lpc1)
## Not run:
# is the same as:
base.Rc(lpc1$lpcobject$data, lpc1$closest.coords)
```

```
## End(Not run)

## Not run:
ms1 <- ms(calspeedflow[,3:4], plot=FALSE)
Rc(ms1)
# is the same as:
base.Rc(ms1$data, ms1$cluster.center[ms1$closest.label,], type="points")

## End(Not run)
```

---

unscale

*Unscaling local principal objects.*

---

### Description

unscale takes an object of type lpc, lpc.spline, or ms, which had been fitted using option scaled=TRUE, and transforms the scaled components back to the original data scale.

### Usage

```
unscale(x, ...)

## S3 method for class 'lpc'
unscale(x,...)
## S3 method for class 'lpc.spline'
unscale(x,...)
## S3 method for class 'ms'
unscale(x,...)
```

### Arguments

x                    an object used to select a method.  
...                   Further arguments passed to or from other methods (not needed yet).

### Value

A list of relevant items, such as LPC, start, cluster.centers, etc., which gives the unscaled versions of these quantities (some of them may carry the value NULL, if the corresponding information was not available from x).

### Author(s)

JE

### See Also

[lpc](#), [lpc.spline](#), [ms](#)

**Examples**

```
data(gvessel)
unscale(lpc(gvessel[,c(2,4,5)], h=0.11, x0=c(35, 1870, 6.3)) )
```

# Index

- \* **datasets**
  - calsspeedflow, 3
  - gaia, 8
  - gvessel, 10
- \* **multivariate**
  - coverage, 4
  - lpc, 12
  - lpc.project, 16
  - lpc.spline, 17
  - LPCM-package, 2
  - ms, 20
  - ms.rep, 22
  - plot.lpc, 24
  - print.lpc, 26
  - Rc, 27
  - unscale, 29
- \* **smooth**
  - lpc, 12
  - lpc.spline, 17
  - LPCM-package, 2
- base.Rc (Rc), 27
- calsspeedflow, 3
- coverage, 2, 4, 28
- distancevector (kernels.and.distances), 11
- enorm (kernels.and.distances), 11
- followx, 7
- gaia, 8
- gvessel, 10
- kdex (kernels.and.distances), 11
- kern (kernels.and.distances), 11
- kernd (kernels.and.distances), 11
- kernels.and.distances, 11
- lpc, 2, 5–7, 12, 17, 18, 25, 26, 29
- lpc.control, 5, 13, 14
- lpc.coverage (coverage), 4
- lpc.curve.length
  - (lpc.spline.auxiliary.functions), 19
- lpc.fit.spline
  - (lpc.spline.auxiliary.functions), 19
- lpc.project, 2, 16
- lpc.project.spline
  - (lpc.spline.auxiliary.functions), 19
- lpc.self.coverage, 2
- lpc.self.coverage (coverage), 4
- lpc.spline, 2, 17, 17, 19, 25, 28, 29
- lpc.spline.auxiliary.functions, 19
- lpc.spline.eval
  - (lpc.spline.auxiliary.functions), 19
- lpc.splinefun
  - (lpc.spline.auxiliary.functions), 19
- LPCM (LPCM-package), 2
- LPCM-package, 2
- meanshift (ms.rep), 22
- mindist (kernels.and.distances), 11
- ms, 2, 5, 6, 20, 22, 23, 25, 26, 28, 29
- ms.rep, 22, 22
- ms.self.coverage, 2
- ms.self.coverage (coverage), 4
- plot, 2
- plot.lpc, 24
- plot.ms, 22
- plot.ms (plot.lpc), 24
- print, 2
- print.lpc, 26
- print.ms (print.lpc), 26

Rc, [2](#), [22](#), [27](#)

select.self.coverage (coverage), [4](#)

unscale, [13](#), [29](#)

vecdist (kernels.and.distances), [11](#)