

Package ‘MALDIquantForeign’

February 1, 2019

Version 0.12

Date 2019-01-30

Title Import/Export Routines for 'MALDIquant'

Depends R (>= 3.2.2), methods, MALDIquant (>= 1.16.4)

Imports base64enc, digest, readBrukerFlexData (>= 1.7), readMzXmlData (>= 2.7), XML

Suggests knitr, testthat (>= 0.8), RNetCDF (>= 1.6.1)

Description Functions for reading (tab, csv, Bruker fid, CIPHERgen XML, mzXML, mzML, imzML, Analyze 7.5, CDF, mMass MSD) and writing (tab, csv, mMass MSD, mzML, imzML) different file formats of mass spectrometry data into/from 'MALDIquant' objects.

License GPL (>= 3)

URL <http://strimmerlab.org/software/maldiquant/>

<https://github.com/sgibb/MALDIquantForeign/>

BugReports <https://github.com/sgibb/MALDIquantForeign/issues/>

LazyLoad yes

VignetteBuilder knitr

RoxygenNote 6.1.0

NeedsCompilation no

Author Sebastian Gibb [aut, cre] (<<https://orcid.org/0000-0001-7406-4443>>),
Pietro Franceschi [ctb]

Maintainer Sebastian Gibb <mail@sebastiangibb.de>

Repository CRAN

Date/Publication 2019-02-01 08:33:21 UTC

R topics documented:

MALDIquantForeign-package	2
export,AbstractMassObject-method	3
exportImzML,MassSpectrum-method	4
exportMs,MassSpectrum-method	6
exportMzML,MassSpectrum-method	7
exportTab,AbstractMassObject-method	8
import	10
importAnalyze	12
importBrukerFlex	13
importCdf	14
importCIPHERgenXML	15
importImzML	16
importMs	17
importMzML	18
importMzXML	19
importTxt	20
MALDIquantForeign-parallel	21
supportedFileFormats	22
Index	24

MALDIquantForeign-package

Import/Export routines for ‘MALDIquant’

Description

This package reads and writes different file formats of mass spectrometry data into/from ‘MALDIquant’ objects.

Details

Package: MALDIquantForeign
 License: GPL (>= 3)
 URL: <http://strimmerlab.org/software/malDIquant/>

Author(s)

Sebastian Gibb <mail@sebastiangibb.de>

References

<http://strimmerlab.org/software/malDIquant/>

export,AbstractMassObject-method
Export files

Description

This function provides a general interface to export [AbstractMassObject-class](#) objects (e.g. [MassSpectrum-class](#), [MassPeaks-class](#)) into different file formats.

Usage

```
## S4 method for signature 'AbstractMassObject'  
export(x, file, type="auto", force=FALSE, ...)
```

```
## S4 method for signature 'list'  
export(x, path, type, force=FALSE, ...)
```

Arguments

x	a AbstractMassObject-class object or a list of AbstractMassObject-class objects.
file	character, file name.
type	character, file format. If type is set to “auto” the file extension is used.
force	logical, If TRUE the file would be overwritten or path would be created.
path	character, path to directory in which the list of AbstractMassObject-class would be exported.
...	arguments to be passed to specific export functions.

Details

Specific export functions:

tab	exportTab
csv	exportCsv
imzML	exportImzML
msd	exportMsd
mzML	exportMzML

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>

See Also

[MassPeaks-class](#), [MassSpectrum-class](#)

Examples

```
## Not run:
library("MALDIquant")
library("MALDIquantForeign")

s <- list(createMassSpectrum(mass=1:5, intensity=1:5),
          createMassSpectrum(mass=1:5, intensity=1:5))

## export a single spectrum
export(s[[1]], file="spectrum.csv")
## identical to exportCsv(s[[1]], file="spectrum.csv")

## export a list of spectra
export(s, path="spectra", type="csv")
## identical to exportCsv(s, path="spectra")

## End(Not run)
```

exportImzML,MassSpectrum-method
Export to imzML files

Description

This function exports [MassSpectrum-class](#) objects into imzML files.

Usage

```
## S4 method for signature 'MassSpectrum'
exportImzML(x, file, force=FALSE, processed=TRUE,
            coordinates=NULL, pixelSize=c(100, 100), ...)

## S4 method for signature 'list'
exportImzML(x, path, force=FALSE, processed=TRUE,
            coordinates=NULL, pixelSize=c(100, 100), ...)
```

Arguments

x	a MassSpectrum-class object or a list of MassSpectrum-class objects.
file	character, file name.
force	logical, If TRUE the file would be overwritten or path would be created.

processed	logical, If TRUE (default) the spectra will be saved in processed mode (means mass and intensity is stored for each spectra separately in contrast to continuous mode where the mass is stored only for one spectrum).
coordinates	matrix, 2 column matrix that contains the x- and y-coordinates for the spectra.
pixelSize	numeric, a vector of length 2 that contains the x and y pixel size in micrometers (default: c(100, 100)).
path	character, path to directory in which the list of <code>MassSpectrum-class</code> would be exported. If path is a single filename all spectra will be exported to a single imzML file.
...	arguments to be passed to internal functions.

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>

Schramm T, Hester A, Klinkert I, Both J-P, Heeren RMA, Brunelle A, Laprevote O, Desbenoit N, Robbe M-F, Stoeckli M, Spengler B, Roempp A (2012)
imzML - A common data format for the flexible exchange and processing of mass spectrometry imaging data.

Journal of Proteomics 75 (16):5106-5110.

<http://dx.doi.org/10.1016/j.jprot.2012.07.026>

See Also

[MassSpectrum-class](#)

Examples

```
## Not run:
library("MALDIquant")
library("MALDIquantForeign")

s <- list(createMassSpectrum(mass=1:5, intensity=1:5),
         createMassSpectrum(mass=1:5, intensity=1:5))

## export a list of spectra
exportImzML(s, path="processed.imzML", coordinates=cbind(x=1:2, y=c(1, 1)))

## End(Not run)
```

exportMsd,MassSpectrum-method

Export to MSD files

Description

This function exports [AbstractMassObject-class](#) objects (e.g. [MassSpectrum-class](#), [MassPeaks-class](#)) into mMass MSD files.

Usage

```
## S4 method for signature 'MassSpectrum'  
exportMsd(x, file, force=FALSE, peaks, ...)
```

```
## S4 method for signature 'list'  
exportMsd(x, path, force=FALSE, peaks, ...)
```

Arguments

x	a MassSpectrum-class object or a list of MassSpectrum-class objects.
file	character, file name.
force	logical, If TRUE the file would be overwritten or path would be created.
peaks	a MassPeaks-class object or a list of MassPeaks-class objects.
path	character, path to directory in which the list of AbstractMassObject-class would be exported.
...	arguments to be passed to write.table .

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>,
mMass homepage: <http://mmass.org/>

See Also

[MassPeaks-class](#), [MassSpectrum-class](#)

Examples

```
## Not run:
library("MALDIquant")
library("MALDIquantForeign")

s <- list(createMassSpectrum(mass=1:5, intensity=1:5),
          createMassSpectrum(mass=1:5, intensity=1:5))
p <- list(createMassPeaks(mass=4:5, intensity=4:5, snr=1:2),
          createMassPeaks(mass=4:5, intensity=4:5, snr=1:2))

## export a single spectrum
exportMsd(s[[1]], file="spectrum.msd")

## export a single spectrum with corresponding peaks
exportMsd(s[[1]], file="spectrum.msd", peaks=p[[1]])

## export a list of spectra with corresponding peaks
exportMsd(s, path="spectra", peaks=p, force=TRUE)

## End(Not run)
```

exportMzML,MassSpectrum-method

Export to mzML files

Description

This function exports [MassSpectrum-class](#) objects into mzML files.

Usage

```
## S4 method for signature 'MassSpectrum'
exportMzML(x, file, force=FALSE, ...)

## S4 method for signature 'list'
exportMzML(x, path, force=FALSE, ...)
```

Arguments

x	a MassSpectrum-class object or a list of MassSpectrum-class objects.
file	character, file name.
force	logical, If TRUE the file would be overwritten or path would be created.
path	character, path to directory in which the list of MassSpectrum-class would be exported. If path is a single filename all spectra will be exported to a single mzML file.
...	arguments to be passed to internal functions.

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>,
HUPO Proteomics Standards Initiative mzML 1.1.0 Specification: <http://www.psivdev.info/mzml>

See Also

[MassSpectrum-class](#)

Examples

```
## Not run:
library("MALDIquant")
library("MALDIquantForeign")

s <- list(createMassSpectrum(mass=1:5, intensity=1:5),
         createMassSpectrum(mass=1:5, intensity=1:5))

## export a single spectrum
exportMzML(s[[1]], file="spectrum.mzML")

## export a list of spectra
exportMzML(s, path="spectra.mzML")

## End(Not run)
```

exportTab, AbstractMassObject-method
Export to text files

Description

This function exports [AbstractMassObject-class](#) objects (e.g. [MassSpectrum-class](#), [MassPeaks-class](#)) into different text file formats.

Usage

```
## S4 method for signature 'AbstractMassObject'
exportTab(x, file, force=FALSE, ...)

## S4 method for signature 'list'
exportTab(x, path, force=FALSE, ...)
```



```
## S4 method for signature 'AbstractMassObject'  
exportCsv(x, file, force=FALSE, ...)  
  
## S4 method for signature 'list'  
exportCsv(x, path, force=FALSE, ...)
```

Arguments

x	a AbstractMassObject-class object or a list of AbstractMassObject-class objects.
file	character, file name.
force	logical, If TRUE the file would be overwritten or path would be created.
path	character, path to directory in which the list of AbstractMassObject-class would be exported.
...	arguments to be passed to write.table .

Details

exportTab and exportCsv use [write.table](#) with different defaults (sep="\t" in exportTab and sep="," in exportCsv).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>

See Also

[MassPeaks-class](#), [MassSpectrum-class](#), [write.table](#)

Examples

```
## Not run:  
library("MALDIquant")  
library("MALDIquantForeign")  
  
s <- list(createMassSpectrum(mass=1:5, intensity=1:5),  
         createMassSpectrum(mass=1:5, intensity=1:5))  
  
## export a single spectrum  
exportTab(s[[1]], file="spectrum.tab")  
  
## export a list of spectra and use ; as separator  
exportCsv(s, path="spectra", sep=";", force=TRUE)
```

```
## End(Not run)
```

```
import Import files
```

Description

This function provides a general interface to import different file formats into [MassSpectrum-class](#) or [MassPeaks-class](#) objects.

Usage

```
import(path, type = "auto", pattern, excludePattern = NULL,
  removeEmptySpectra = TRUE, centroided = FALSE, massRange = c(0,
  Inf), minIntensity = 0, mc.cores = 1L, verbose = interactive(),
  ...)
```

Arguments

path	character, path to directory or file which should be read in.
type	character, file format. If type is set to "auto" MALDIquant tries to detect the correct file type automatically. It often depends on the file extension (if path is a directory the most represented file extension is used; pattern argument is ignored).
pattern	character, a regular expression to find files in a directory (see details).
excludePattern	character, a regular expression to exclude files in a directory (see details).
removeEmptySpectra	logical, should empty spectra excluded?
centroided	logical, if centroided=FALSE (default) the data are treated as not centroided and a list of MassSpectrum-class objects is returned. Use centroided=TRUE to assume centroided data and get a list of MassPeaks-class objects.
massRange	double, limits of mass import (left/minimal mass, right/maximal mass).
minIntensity	double, minimal intensity to import.
mc.cores	number of cores to use (default 1; only unix-based platforms are supported, see MALDIquantForeign-parallel for details).
verbose	logical, verbose output?
...	arguments to be passed to specific import functions.

Details

Specific import functions:

txt	importTxt
tab	importTab
csv	importCsv
fid	importBrukerFlex
ciphergen	importCiphergenXml
mzXML	importMzXml
mzML	importMzMl
imzML	importImzMl
analyze	importAnalyze
cdf	importCdf
msd	importMsd

path: In addition to the above mentioned file types the following (compressed) archives are supported, too: zip, tar, tar.gz, tar.bz2, tar.xz. The archives are uncompressed in a temporary directory. Afterwards the [import](#) function is called (with type="auto").

pattern: Sometimes unusual file extensions are used (e.g. "*.xml" for mzXML files). In this case a specific pattern could be defined to import files with an unusual file extension (e.g. pattern="^.*\\.xml\$" to read all *.xml files in a directory; see [regexp](#) for details).

excludePattern: Sometimes some files should be excluded. E.g. to ignore additional acquired Bruker LIFT spectra (MALDI-TOF/TOF; which are not supported, yet) you could use excludePattern="([[:digit:]]\\.]+)L

Value

a list of [MassSpectrum-class](#) or [MassPeaks-class](#) objects (depending on the centroided argument).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>

See Also

[MassSpectrum-class](#), [MassPeaks-class](#) [MALDIquantForeign-parallel](#)

Examples

```
library("MALDIquant")
library("MALDIquantForeign")

## get example directory
```

```
exampleDirectory <- system.file("exampledata", package="MALDIquantForeign")

## import mzXML files
s <- import(exampleDirectory, type="mzXML")

## import tab delimited file with different file extension (default: *.tab)
s <- import(exampleDirectory, type="tab", pattern="^.*\\.txt")

## import single mzML file
s <- import(file.path(exampleDirectory, "tiny1.mzML1.1.mzML"))

## import gzipped csv file
s <- import(file.path(exampleDirectory, "compressed", "csv1.csv.gz"))
```

importAnalyze

Import Analyze 7.5 files

Description

This function imports files in Analyze 7.5 file format into [MassSpectrum-class](#) or [MassPeaks-class](#) objects.

Usage

```
importAnalyze(path, ...)
```

Arguments

`path` character, path to directory or file which should be read in.
`...` arguments to be passed to [import](#).

Value

a list of [MassSpectrum-class](#) or [MassPeaks-class](#) objects (depending on the centroided argument).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/malDIquant/>
<http://www.grahamwideman.com/gw/brain/analyze/formatdoc.htm>, <http://eeg.sourceforge.net/ANALYZE75.pdf>

See Also

[MassSpectrum-class](#), [MassPeaks-class](#)

importBrukerFlex	<i>Import Bruker Daltonics *flex files</i>
------------------	--

Description

This function imports files in Bruker Daltonics *flex-series file format into [MassSpectrum-class](#) or [MassPeaks-class](#) objects.

Usage

```
importBrukerFlex(path, ...)
```

Arguments

path	character, path to directory or file which should be read in.
...	arguments to be passed to readBrukerFlexFile .

Value

a list of [MassSpectrum-class](#) or [MassPeaks-class](#) objects (depending on the centroided argument).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/malDIquant/>

See Also

[MassSpectrum-class](#), [MassPeaks-class](#), [readBrukerFlexFile](#)

Examples

```
library("MALDIquant")
library("MALDIquantForeign")

## get example directory
exampleDirectory <- system.file("exampledata", package="MALDIquantForeign")

s <- importBrukerFlex(exampleDirectory)
```

`importCdf`*Import CDF files*

Description

This function imports files in NetCDF file format into `MassSpectrum-class` or `MassPeaks-class` objects.

Please note that the *RNetCDF* is needed.

Usage

```
importCdf(path, ...)
```

Arguments

`path` character, path to directory or file which should be read in.
`...` arguments to be passed to `import`.

Value

a list of `MassSpectrum-class` or `MassPeaks-class` objects (depending on the centroided argument).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>

See Also

`MassSpectrum-class`, `MassPeaks-class`

Examples

```
library("MALDIquant")
library("MALDIquantForeign")

## get example directory
exampleDirectory <- system.file("exampledata", package="MALDIquantForeign")

## import
if (requireNamespace("RNetCDF", quietly=TRUE)) {
  s <- importCdf(exampleDirectory)
} else {
  message("You have to install the RNetCDF package to use importCdf.")
}
```

```
}
```

```
importCIPHERgenXML      Import CIPHERgen XML files
```

Description

This function imports files in CIPHERgen XML file format into [MassSpectrum-class](#) or [MassPeaks-class](#) objects.

Usage

```
importCIPHERgenXML(path, ...)
```

Arguments

path	character, path to directory or file which should be read in.
...	arguments to be passed to import .

Value

a list of [MassSpectrum-class](#) or [MassPeaks-class](#) objects (depending on the centroided argument).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>

See Also

[MassSpectrum-class](#), [MassPeaks-class](#)

Examples

```
library("MALDIquant")
library("MALDIquantForeign")

## get example directory
exampleDirectory <- system.file("exampledata", package="MALDIquantForeign")

## import
s <- importCIPHERgenXML(exampleDirectory)
```

importImzML	<i>Import imzML files</i>
-------------	---------------------------

Description

This function imports files in imzML file format into [MassSpectrum-class](#) or [MassPeaks-class](#) objects.

Usage

```
importImzML(path, coordinates = NULL, ...)
```

Arguments

path	character, path to directory or file which should be read in.
coordinates	matrix, 2 column matrix that contains the x- and y-coordinates for spectra that should be imported. Other spectra would be ignored.
...	arguments to be passed to import .

Value

a list of [MassSpectrum-class](#) or [MassPeaks-class](#) objects (depending on the centroided argument).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/malDIquant/>,
Definition of imzML format: <http://www.imzml.org/>

See Also

[MassSpectrum-class](#), [MassPeaks-class](#)

Examples

```
library("MALDIquant")
library("MALDIquantForeign")

## get example directory
exampleDirectory <- system.file("exampledata", package="MALDIquantForeign")

## import
s <- importImzML(file.path(exampleDirectory, "tiny_continuous.imzML"))
```



```
## import only spectra for pixel 1,1 and 2,1
s <- importImzML(file.path(exampleDirectory, "tiny_continuous.imzML"),
  coordinates = cbind(1:2, c(1, 1)))
```

importMsd

Import MSD files

Description

This function imports files in mMass MSD file format into [MassSpectrum-class](#) or [MassPeaks-class](#) objects.

Usage

```
importMsd(path, ...)
```

Arguments

path character, path to directory or file which should be read in.
... arguments to be passed to [import](#).

Value

a list of [MassSpectrum-class](#) or [MassPeaks-class](#) objects (depending on the centroided argument).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/malDIquant/>,
mMass homepage: <http://mmass.org/>

See Also

[MassSpectrum-class](#), [MassPeaks-class](#)

Examples

```
library("MALDIquant")
library("MALDIquantForeign")

## get example directory
exampleDirectory <- system.file("exampleData", package="MALDIquantForeign")

## import
s <- importMsd(exampleDirectory)
```

importMzML

Import mzML files

Description

This function imports files in mzML file format into [MassSpectrum-class](#) or [MassPeaks-class](#) objects.

Usage

```
importMzML(path, ...)
```

Arguments

`path` character, path to directory or file which should be read in.
`...` arguments to be passed to [import](#).

Value

a list of [MassSpectrum-class](#) or [MassPeaks-class](#) objects (depending on the `centroided` argument).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>,
Definition of mzML format: <http://www.psidev.info/mzml>

See Also

[MassSpectrum-class](#), [MassPeaks-class](#)

Examples

```
library("MALDIquant")
library("MALDIquantForeign")

## get example directory
exampleDirectory <- system.file("exampledata", package="MALDIquantForeign")

## import
s <- importMzML(exampleDirectory)
```

importMzXml	<i>Import mzXML files</i>
-------------	---------------------------

Description

This function imports files in mzXML file format into [MassSpectrum-class](#) or [MassPeaks-class](#) objects.

Usage

```
importMzXml(path, ...)
```

Arguments

path	character, path to directory or file which should be read in.
...	arguments to be passed to readMzXmlFile .

Value

a list of [MassSpectrum-class](#) or [MassPeaks-class](#) objects (depending on the centroided argument).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>,
Definition of mzXML format: <http://tools.proteomecenter.org/mzXMLschema.php>

See Also

[MassSpectrum-class](#), [MassPeaks-class](#), [readMzXmlFile](#)

Examples

```
library("MALDIquant")
library("MALDIquantForeign")

## get example directory
exampleDirectory <- system.file("exampledata", package="MALDIquantForeign")

## import
s <- importMzXml(exampleDirectory)
```

importTxt	<i>Import text files</i>
-----------	--------------------------

Description

This function imports different text file formats into [MassSpectrum-class](#) or [MassPeaks-class](#) objects.

Usage

```
importTxt(path, ...)

importTab(path, ...)

importCsv(path, ...)
```

Arguments

path	character, path to directory or file which should be read in.
...	arguments to be passed to read.table .

Details

`importTab`, `importTxt` and `importCsv` use [read.table](#) with different defaults.

Value

a list of [MassSpectrum-class](#) or [MassPeaks-class](#) objects (depending on the centroided argument).

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/maldiquant/>

See Also

[MassSpectrum-class](#), [MassPeaks-class](#), [read.table](#)

Examples

```
library("MALDIquant")
library("MALDIquantForeign")

## get example directory
exampleDirectory <- system.file("exampledata", package="MALDIquantForeign")

## import txt files
s <- importTxt(exampleDirectory)

## import csv files
s <- importCsv(exampleDirectory)
```

MALDIquantForeign-parallel

Parallel Support in Package **MALDIquantForeign**

Description

[MALDIquantForeign-package](#) offers multi-core support using [mclapply](#) and [mcmapply](#). This approach is limited to unix-based platforms.

Details

Please note that not all import functions benefit from parallelisation. The current implementation is limited to run the parallelisation over different files. That's why only imports of multiple files could be run on multiple cores. E.g. a single mzML file containing 4 spectra would always be read on a single core. In contrast 4 mzML files each containing just one spectra could be read in using 4 cores.

The improvement in the runtime depends on the amount of data to read, the proportion of parsing/decoding of the data, the amount of memory and the speed of the hard disk.

Please note: It is possible that using parallelisation results in a worse runtime!

Author(s)

Sebastian Gibb <mail@sebastiangibb.de>

References

<http://strimmerlab.org/software/maldiquest/>

See Also

[MALDIquant-parallel](#), [mclapply](#), [mcmapply](#)

Examples

```
## load packages
library("MALDIquant")
library("MALDIquantForeign")

exampleDirectory <- system.file("exampledata", package="MALDIquantForeign")

## run single-core import
print(system.time(
  s1 <- importMzML(exampleDirectory, centroided=TRUE, verbose=FALSE)
))

if(.Platform$OS.type == "unix") {
  ## run multi-core import
  ## (because the example spectra are very small (just 5 data points) the
  ## multi-core solution is slower on most systems)
  print(system.time(
    s2 <- importMzML(exampleDirectory, centroided=TRUE, mc.cores=2,
                     verbose=FALSE)
  ))
  stopifnot(all.equal(s1, s2))
}
```

supportedFileFormats *Supported file formats*

Description

This function prints all file formats supported by [MALDIquantForeign-package](#).

Usage

```
supportedFileFormats()
```

Details**Import:**

txt	importTxt
tab	importTab
csv	importCsv
fid	importBrukerFlex
ciphergen	importCiphergenXml
mzXML	importMzXml
mzML	importMzML

imzML	importImzML
analyze	importAnalyze
cdf	importCdf
msd	importMsd

Export:

tab	exportTab
csv	exportCsv
imzML	exportImzML
msd	exportMsd
mzML	exportMzML

Value

a list with two named elements (import and export) containing a character vector of supported file types.

Author(s)

Sebastian Gibb

References

<http://strimmerlab.org/software/malDIquant/>

See Also

[export](#), [import](#)

Examples

```
library("MALDIquantForeign")  
  
supportedFileFormats()
```

Index

- *Topic **misc**
 - MALDIquantForeign-parallel, [21](#)
- *Topic **package**
 - MALDIquantForeign-package, [2](#)
- export, [23](#)
- export
 - (export, AbstractMassObject-method), [3](#)
- export, AbstractMassObject-method, [3](#)
- export, list-method
 - (export, AbstractMassObject-method), [3](#)
- exportCsv, [3](#), [23](#)
- exportCsv
 - (exportTab, AbstractMassObject-method), [8](#)
 - exportCsv, AbstractMassObject-method
 - (exportTab, AbstractMassObject-method), [8](#)
 - exportCsv, list-method
 - (exportTab, AbstractMassObject-method), [8](#)
- exportImzMl, [3](#), [23](#)
- exportImzMl
 - (exportImzMl, MassSpectrum-method), [4](#)
 - exportImzMl, list-method
 - (exportImzMl, MassSpectrum-method), [4](#)
 - exportImzMl, MassSpectrum-method, [4](#)
- exportMsd, [3](#), [23](#)
- exportMsd
 - (exportMsd, MassSpectrum-method), [6](#)
 - exportMsd, list-method
 - (exportMsd, MassSpectrum-method), [6](#)
 - exportMsd, MassSpectrum-method, [6](#)
- exportMzMl, [3](#), [23](#)
- exportMzMl
 - (exportMzMl, MassSpectrum-method), [7](#)
 - exportMzMl, list-method
 - (exportMzMl, MassSpectrum-method), [7](#)
 - exportMzMl, MassSpectrum-method, [7](#)
- exportTab, [3](#), [23](#)
- exportTab
 - (exportTab, AbstractMassObject-method), [8](#)
 - exportTab, AbstractMassObject-method, [8](#)
 - exportTab, list-method
 - (exportTab, AbstractMassObject-method), [8](#)
- import, [10](#), [11](#), [12](#), [14–18](#), [23](#)
- importAnalyze, [11](#), [12](#), [23](#)
- importBrukerFlex, [11](#), [13](#), [22](#)
- importCdf, [11](#), [14](#), [23](#)
- importCIPHERgenXml, [11](#), [15](#), [22](#)
- importCsv, [11](#), [22](#)
- importCsv (importTxt), [20](#)
- importImzMl, [11](#), [16](#), [23](#)
- importMsd, [11](#), [17](#), [23](#)
- importMzMl, [11](#), [18](#), [22](#)
- importMzXml, [11](#), [19](#), [22](#)
- importTab, [11](#), [22](#)
- importTab (importTxt), [20](#)
- importTxt, [11](#), [20](#), [22](#)
- MALDIquantForeign-package, [2](#)
- MALDIquantForeign-parallel, [21](#)
- mclapply, [21](#), [22](#)
- mcmapply, [21](#), [22](#)
- read.table, [20](#), [21](#)
- readBrukerFlexFile, [13](#)
- readMzXmlFile, [19](#)
- regexp, [11](#)

supportedFileFormats, [22](#)

write.table, [6](#), [9](#)