

Package ‘PortfolioAnalytics’

April 19, 2015

Type Package

Title Portfolio Analysis, Including Numerical Methods for Optimization of Portfolios

Version 1.0.3636

Date 2015-04-18

Maintainer Brian G. Peterson <brian@braverock.com>

Description Portfolio optimization and analysis routines and graphics.

Depends R (>= 2.14.0), zoo, xts (>= 0.8), foreach,
PerformanceAnalytics (>= 1.1.0)

Suggests quantmod, DEoptim(>= 2.2.1), iterators, fGarch, Rglpk,
quadprog, ROI (>= 0.1.0), ROI.plugin.glpk (>= 0.0.2),
ROI.plugin.quadprog (>= 0.0.2), ROI.plugin.symphony (>= 0.0.2),
pso, GenSA, corpcor, testthat, nloptr (>= 1.0.0), MASS,
robustbase

License GPL

Copyright (c) 2004-2015

NeedsCompilation yes

Author Brian G. Peterson [cre, aut, cph],
Peter Carl [aut, cph],
Kris Boudt [ctb, cph],
Ross Bennett [ctb, cph],
Hezky Varon [ctb],
Guy Yollin [ctb],
R. Douglas Martin [ctb]

Repository CRAN

Date/Publication 2015-04-19 07:38:57

R topics documented:

PortfolioAnalytics-package	4
ac.ranking	10

add.constraint	11
add.objective	13
add.sub.portfolio	15
applyFUN	16
barplotGroupWeights	17
black.litterman	18
BlackLittermanFormula	19
box_constraint	20
CCCGarch.MM	21
center	21
centroid.buckets	22
centroid.complete.mc	23
centroid.sectors	23
centroid.sign	24
chart.Concentration	25
chart.EF.Weights	26
chart.EfficientFrontier	27
chart.EfficientFrontierOverlay	29
chart.GroupWeights	30
chart.RiskBudget	31
chart.RiskReward	33
chart.Weights	35
check_constraints	37
cokurtosisMF	37
cokurtosisSF	38
combine.optimizations	39
combine.portfolios	39
constrained_objective	40
constraint	41
constraint_ROI	42
constraint_v2	43
coskewnessMF	43
coskewnessSF	44
covarianceMF	44
covarianceSF	45
create.EfficientFrontier	46
diversification	47
diversification_constraint	47
EntropyProg	48
equal.weight	50
etl_milp_opt	51
etl_opt	51
extractCokurtosis	52
extractCoskewness	53
extractCovariance	53
extractEfficientFrontier	54
extractGroups	55
extractObjectiveMeasures	55

extractStats	56
extractWeights	57
factor_exposure_constraint	57
fn_map	59
generatesequence	60
get_constraints	60
gmw_opt	61
gmw_opt_leverage	62
gmw_opt_ptc	62
gmw_opt_toc	63
group_constraint	64
group_fail	65
HHI	66
indexes	66
insert_constraints	67
insert_objectives	67
inverse.volatility.weight	68
is.constraint	69
is.objective	69
is.portfolio	70
leverage_exposure_constraint	70
maxret_milp_opt	71
maxret_opt	72
meanetl.efficient.frontier	72
meanvar.efficient.frontier	73
meucci.moments	74
meucci.ranking	74
minmax_objective	75
mult.portfolio.spec	76
name.replace	77
objective	77
optimize.portfolio	78
optimize.portfolio.parallel	82
optimize.portfolio.rebalancing	83
plot.optimize.portfolio.DEoptim	85
portfolio.moments.bl	87
portfolio.moments.boudt	87
portfolio.spec	88
portfolio_risk_objective	89
position_limit_constraint	90
pos_limit_fail	91
print.constraint	91
print.efficient.frontier	92
print.optimize.portfolio.rebalancing	93
print.optimize.portfolio.ROI	93
print.portfolio	94
print.summary.optimize.portfolio	95
print.summary.optimize.portfolio.rebalancing	95

quadratic_utility_objective	96
randomize_portfolio_v1	97
randomize_portfolio_v2	97
random_portfolios_v1	98
random_portfolios_v2	99
random_walk_portfolios	100
regime.portfolios	101
return_constraint	101
return_objective	102
risk_budget_objective	103
rp_grid	104
rp_sample	105
rp_simplex	105
rp_transform	106
scatterFUN	107
set.portfolio.moments_v1	108
set.portfolio.moments_v2	109
statistical.factor.model	109
summary.efficient.frontier	110
summary.optimize.portfolio	111
summary.optimize.portfolio.rebalancing	111
summary.portfolio	112
trailingFUN	112
transaction_cost_constraint	113
turnover	114
turnover_constraint	114
turnover_objective	115
update.constraint	116
update_constraint_v1tov2	117
var.portfolio	117
weight_concentration_objective	118
weight_sum_constraint	119

Index 121

PortfolioAnalytics-package

Numeric methods for optimization of portfolios

Description

PortfolioAnalytics is an R package to provide numerical solutions for portfolio problems with complex constraints and objective sets. The goal of the package is to aid practitioners and researchers in solving portfolio optimization problems with complex constraints and objectives that mirror real-world applications.

One of the goals of the packages is to provide a common interface to specify constraints and objectives that can be solved by any supported solver (i.e. optimization method). Currently supported optimization methods include

- random portfolios
- differential evolution
- particle swarm optimization
- generalized simulated annealing
- linear and quadratic programming routines

The solver can be specified with the `optimize_method` argument in `optimize.portfolio` and `optimize.portfolio.rebalancing`. The `optimize_method` argument must be one of "random", "DEoptim", "pso", "GenSA", "ROI", "quadprog", "glpk", or "symphony".

Additional information on random portfolios is provided below. The differential evolution algorithm is implemented via the DEoptim package, the particle swarm optimization algorithm via the pso package, the generalized simulated annealing via the GenSA package, and linear and quadratic programming are implemented via the ROI package which acts as an interface to the Rglpk, Rsymphony, and quadprog packages.

A key strength of PortfolioAnalytics is the generalization of constraints and objectives that can be solved.

If `optimize_method="ROI"` is specified, a default solver will be selected based on the optimization problem. The glpk solver is the default solver for LP and MILP optimization problems. The quadprog solver is the default solver for QP optimization problems. For example, `optimize_method = "quadprog"` can be specified and the optimization problem will be solved via ROI using the quadprog plugin package.

The extension to ROI solves a limited type of convex optimization problems:

- Maximize portfolio return subject leverage, box, group, position limit, target mean return, and/or factor exposure constraints on weights.
- Minimize portfolio variance subject to leverage, box, group, turnover, and/or factor exposure constraints (otherwise known as global minimum variance portfolio).
- Minimize portfolio variance subject to leverage, box, group, and/or factor exposure constraints and a desired portfolio return.
- Maximize quadratic utility subject to leverage, box, group, target mean return, turnover, and/or factor exposure constraints and risk aversion parameter. (The risk aversion parameter is passed into `optimize.portfolio` as an added argument to the `portfolio` object).
- Maximize portfolio mean return per unit standard deviation (i.e. the Sharpe Ratio) can be done by specifying `maxSR=TRUE` in `optimize.portfolio`. If both mean and StdDev are specified as objective names, the default action is to maximize quadratic utility, therefore `maxSR=TRUE` must be specified to maximize Sharpe Ratio.
- Minimize portfolio ES/ETL/CVaR optimization subject to leverage, box, group, position limit, target mean return, and/or factor exposure constraints and target portfolio return.
- Maximize portfolio mean return per unit ES/ETL/CVaR (i.e. the STARR Ratio) can be done by specifying `maxSTARR=TRUE` in `optimize.portfolio`. If both mean and ES/ETL/CVaR are specified as objective names, the default action is to maximize mean return per unit ES/ETL/CVaR.

These problems also support a `weight_concentration` objective where concentration of weights as measured by HHI is added as a penalty term to the quadratic objective.

Because these convex optimization problem are standardized, there is no need for a penalty term. The multiplier argument in `add.objective` passed into the complete constraint object are ignored by the ROI solver.

Many real-world portfolio optimization problems are global optimization problems, and therefore are not suitable for linear or quadratic programming routines. PortfolioAnalytics provides a random portfolio optimization method and also utilizes the R packages DEoptim, pso, and GenSA for solving non-convex global optimization problems.

PortfolioAnalytics supports three methods of generating random portfolios.

- The sample method to generate random portfolios is based on an idea by Pat Burns. This is the most flexible method, but also the slowest, and can generate portfolios to satisfy leverage, box, group, position limit, and leverage constraints.
- The simplex method to generate random portfolios is based on a paper by W. T. Shaw. The simplex method is useful to generate random portfolios with the full investment constraint (where the sum of the weights is equal to 1) and min box constraints. Values for `min_sum` and `max_sum` of the leverage constraint will be ignored, the sum of weights will equal 1. All other constraints such as the box constraint `max`, group and position limit constraints will be handled by elimination. If the constraints are very restrictive, this may result in very few feasible portfolios remaining. Another key point to note is that the solution may not be along the vertexes depending on the objective. For example, a risk budget objective will likely place the portfolio somewhere on the interior.
- The grid method to generate random portfolios is based on the `gridSearch` function in package NMOF. The grid search method only satisfies the min and max box constraints. The `min_sum` and `max_sum` leverage constraint will likely be violated and the weights in the random portfolios should be normalized. Normalization may cause the box constraints to be violated and will be penalized in `constrained_objective`.

PortfolioAnalytics leverages the PerformanceAnalytics package for many common objective functions. The objective types in PortfolioAnalytics are designed to be used with PerformanceAnalytics functions, but any user supplied valid R function can be used as an objective.

Optimization

This summary attempts to provide an overview of how to construct a portfolio object with constraints and objectives, run the optimization, and chart the results.

The portfolio object is initialized with the `portfolio.spec` function. The main argument to `portfolio.spec` is `assets`. The `assets` argument can be a scalar value for the number of assets, a character vector of fund names, or a named vector of initial weights.

Adding constraints to the portfolio object is done with `add.constraint`. The `add.constraint` function is the main interface for adding and/or updating constraints to the portfolio object. This function allows the user to specify the portfolio to add the constraints to, the type of constraints, arguments for the constraint, and whether or not to enable the constraint. If updating an existing constraint, the `indexnum` argument can be specified.

Objectives can be added to the portfolio object with `add.objective`. The `add.objective` function is the main function for adding and/or updating objectives to the portfolio object. This function allows the user to specify the portfolio to add the objectives to, the type, name of the objective function, arguments to the objective function, and whether or not to enable the objective. If updating an existing objective, the `indexnum` argument can be specified.

With the constraints and objectives specified in the portfolio object, the portfolio object can be passed to `optimize.portfolio` or `optimize.portfolio.rebalancing` to run the optimization. Arguments to `optimize.portfolio` include asset returns, the portfolio object specifying constraints and objectives, optimization method, and other parameters specific to the solver. `optimize.portfolio.rebalancing` adds support for backtesting portfolio optimization through time with rebalancing or rolling periods.

Advanced Optimization

In addition to the more standard optimizations described above, PortfolioAnalytics also supports multi-layer optimization and regime switching optimization.

Support for multi-layer optimization allows one to construct a top level portfolio and several sub-portfolios with potentially different assets, constraints, and objectives. First, each sub-portfolio is optimized out-of-sample which creates a time series of returns. One can think of the out of sample returns for each sub-portfolio as the returns for a synthetic instrument. Finally, the out-of-sample returns of each sub-portfolio are then used as inputs for the top level optimization. The top level portfolio and sub-portfolios are created as normal using `portfolio.spec`, `add.constraint`, and `add.objective`. The multi-layer portfolio specification object is first initialized by passing the top level portfolio to `mult.portfolio.spec`. Sub-portfolios are then added with `add.sub.portfolio`. The multi-layer portfolio specification object can then be passed to `optimize.portfolio` and `optimize.portfolio.rebalancing`. See `demo(multi_layer_optimization)`.

Support for regime switching models allows one to change constraints and objectives depending on the current regime. Portfolios are created as normal with `portfolio.spec`, `add.constraint`, and `add.objective`. The portfolios are then combined with a regime object using `regime.portfolios` to create a regime portfolio specification which can then be passed to `optimize.portfolio` and `optimize.portfolio.rebalancing`. Regime switching optimization is implemented in such a way that any arbitrary regime model can be used. See `demo(regime_switching)`.

Portfolio Moments

The PortfolioAnalytics framework to estimate solutions to constrained optimization problems is implemented in such a way that the moments of the returns are set once for use in lower level optimization functions. The `set.portfolio.moments` function computes the first, second, third, and fourth moments depending on the objective function(s) in the portfolio object. For example, if the third and fourth moments do not need to be calculated for a given objective, then `set.portfolio.moments` will try to detect this and not compute those moments. Currently, `set.portfolio.moments` implements methods to compute moments based on sample estimates, higher moments from fitting a statistical factor model based on the work of Kris Boudt, the Black Litterman model, and the Fully Flexible Framework based on the work of Attilio Meucci (NEED REFERENCE HERE). See the Custom Moment and Objective Functions vignette for a more detailed description and examples.

Charts and Graphs

Intuition into the optimization can be aided through visualization. The goal of creating the charts is to provide visualization tools for optimal portfolios regardless of the chosen optimization method.

`chart.Weights` plots the weights of the optimal portfolio. `chart.RiskReward` plots the optimal portfolio in risk-reward space. The random portfolios, DEoptim, and pso solvers will return trace portfolio information at each iteration when `optimize.portfolio` is run with `trace=TRUE`. If this is the case, `chart.RiskReward` will plot these portfolios so that the feasible space can be easily

visualized. Although the GenSA and ROI solvers do not return trace portfolio information, random portfolios can be generated with the argument `rp=TRUE` in `chart.RiskReward`. A plot function is provided that will plot the weights and risk-reward scatter chart. The component risk contribution can be charted for portfolio optimization problems with risk budget objectives with `chart.RiskBudget`. Neighbor portfolios can be plotted in `chart.RiskBudget`, `chart.Weights`, and `chart.RiskReward`.

Efficient frontiers can be extracted from `optimize.portfolio` objects or created from a `portfolio` object. The efficient frontier can be charted in risk-reward space with `chart.EfficientFrontier`. The weights along the efficient frontier can be charted with `chart.EF.Weights`.

Multiple objects created via `optimize.portfolio` can be combined with `combine.optimizations` for visual comparison. The weights of the optimal portfolios can be plotted with `chart.Weights`. The optimal portfolios can be compared in risk-reward space with `chart.RiskReward`. The portfolio component risk contributions of the multiple optimal portfolios can be plotted with `chart.RiskBudget`.

Demos

PortfolioAnalytics contains a comprehensive collection of demos to demonstrate the functionality from very basic optimization problems such as estimating the solution to a minimum variance portfolio to more complex optimization problems with custom moment and objective functions.

Vignettes

TODO

Package Dependencies

Several of the functions in the PortfolioAnalytics package require time series data of returns and the `xts` package is used for working with time series data.

The PerformanceAnalytics package is used for many common objective functions. The objective types in PortfolioAnalytics are designed to be used with PerformanceAnalytics functions such as `StdDev`, `VaR`, and `ES`.

The `foreach` and `iterators` packages are used extensively throughout the package to support parallel programming. The primary functions where `foreach` loops are used is `optimize.portfolio`, `optimize.portfolio.rebalancing`, and `create.EfficientFrontier`.

In addition to a random portfolios optimization method, PortfolioAnalytics supports backend solvers by leveraging the following packages: DEoptim, pso, GenSA, ROI and associated ROI plugin packages.

Further Work

Continued work to improved charts and graphs.

Continued work to improve features to combine and compare multiple optimal portfolio objects.

Support for more solvers.

Comments, suggestions, and/or code patches are welcome.

Acknowledgements

TODO

Author(s)

Ross Bennett
Kris Boudt
Peter Carl
Brian G. Peterson

Maintainer: Brian G. Peterson <brian@braverock.com>

References

Boudt, Kris and Lu, Wanbo and Peeters, Benedict, *Higher Order Comoments of Multifactor Models and Asset Allocation* (June 16, 2014). Available at SSRN: <http://ssrn.com/abstract=2409603> or <http://dx.doi.org/10.2139/ssrn.2409603>

Chriss, Neil A and Almgren, Robert, *Portfolios from Sorts* (April 27, 2005). Available at SSRN: <http://ssrn.com/abstract=720041> or <http://dx.doi.org/10.2139/ssrn.720041>

Meucci, Attilio, *The Black-Litterman Approach: Original Model and Extensions* (August 1, 2008). Shorter version in, THE ENCYCLOPEDIA OF QUANTITATIVE FINANCE, Wiley, 2010. Available at SSRN: <http://ssrn.com/abstract=1117574> or <http://dx.doi.org/10.2139/ssrn.1117574>

Meucci, Attilio, *Fully Flexible Views: Theory and Practice* (August 8, 2008). Fully Flexible Views: Theory and Practice, Risk, Vol. 21, No. 10, pp. 97-102, October 2008. Available at SSRN: <http://ssrn.com/abstract=1213325>

Scherer, Bernd and Martin, Doug, *Modern Portfolio Optimization*. Springer. 2005.

Shaw, William Thornton, *Portfolio Optimization for VAR, CVaR, Omega and Utility with General Return Distributions: A Monte Carlo Approach for Long-Only and Bounded Short Portfolios with Optional Robustness and a Simplified Approach to Covariance Matching* (June 1, 2011). Available at SSRN: <http://ssrn.com/abstract=1856476> or <http://dx.doi.org/10.2139/ssrn.1856476>

See Also

CRAN task view on Empirical Finance

<http://cran.r-project.org/src/contrib/Views/Econometrics.html>

CRAN task view on Optimization

<http://cran.r-project.org/web/views/Optimization.html>

Large-scale portfolio optimization with DEoptim

<http://cran.r-project.org/web/packages/DEoptim/vignettes/DEoptimPortfolioOptimization.pdf>

ac.ranking

*Asset Ranking***Description**

Compute the first moment from a single complete sort

Usage

```
ac.ranking(R, order, ...)
```

Arguments

R	xts object of asset returns
order	a vector of indexes of the relative ranking of expected asset returns in ascending order. For example, <code>order = c(2, 3, 1, 4)</code> means that the expected returns of $R[,2] < R[,3]$, $R[,1] < R[,4]$.
...	any other passthrough parameters

Details

This function computes the estimated centroid vector from a single complete sort using the analytical approximation as described in R. Almgren and N. Chriss, "Portfolios from Sorts". The centroid is estimated and then scaled such that it is on a scale similar to the asset returns. By default, the centroid vector is scaled according to the median of the asset mean returns.

Value

The estimated first moments based on ranking views

References

R. Almgren and N. Chriss, "Portfolios from Sorts" http://papers.ssrn.com/sol3/papers.cfm?abstract_id=720041

See Also

[centroid.complete.mc](#) [centroid.sectors](#) [centroid.sign](#) [centroid.buckets](#)

Examples

```
data(edhec)
R <- edhec[,1:4]
ac.ranking(R, c(2, 3, 1, 4))
```

add.constraint	<i>General interface for adding and/or updating optimization constraints.</i>
----------------	---

Description

This is the main function for adding and/or updating constraints to the [portfolio.spec](#) object.

Usage

```
add.constraint(portfolio, type, enabled = TRUE, message = FALSE, ...,
              indexnum = NULL)
```

Arguments

portfolio	an object of class 'portfolio' to add the constraint to, specifying the constraints for the optimization, see portfolio.spec
type	character type of the constraint to add or update, currently 'weight_sum' (also 'leverage' or 'weight'), 'box', 'group', 'turnover', 'diversification', 'position_limit', 'return', 'factor_exposure', or 'leverage_exposure'
enabled	TRUE/FALSE. The default is enabled=TRUE.
message	TRUE/FALSE. The default is message=FALSE. Display messages if TRUE.
...	any other passthru parameters to specify constraints
indexnum	if you are updating a specific constraint, the index number in the \$constraints list to update

Details

The following constraint types may be specified:

- `weight_sum`, `weight`, `leverage` Specify constraint on the sum of the weights, see [weight_sum_constraint](#)
- `full_investment` Special case to set `min_sum=1` and `max_sum=1` of weight sum constraints
- `dollar_neutral`, `active` Special case to set `min_sum=0` and `max_sum=0` of weight sum constraints
- `box` box constraints for the individual asset weights, see [box_constraint](#)
- `long_only` Special case to set `min=0` and `max=1` of box constraints
- `group` specify the sum of weights within groups and the number of assets with non-zero weights in groups, see [group_constraint](#)
- `turnover` Specify a constraint for target turnover. Turnover is calculated from a set of initial weights, see [turnover_constraint](#)
- `diversification` target diversification of a set of weights, see [diversification_constraint](#)
- `position_limit` Specify the number of non-zero, long, and/or short positions, see [position_limit_constraint](#)
- `return` Specify the target mean return, see [return_constraint](#)
- `factor_exposure` Specify risk factor exposures, see [factor_exposure_constraint](#)
- `leverage_exposure` Specify a maximum leverage exposure, see [leverage_exposure_constraint](#)

Author(s)

Ross Bennett

See Also

[portfolio.spec](#), [weight_sum_constraint](#), [box_constraint](#), [group_constraint](#), [turnover_constraint](#), [diversification_constraint](#), [position_limit_constraint](#), [return_constraint](#), [factor_exposure_constraint](#), [leverage_exposure_constraint](#)

Examples

```
data(edhec)
returns <- edhec[, 1:4]
fund.names <- colnames(returns)
pspec <- portfolio.spec(assets=fund.names)
# Add the full investment constraint that specifies the weights must sum to 1.
pspec <- add.constraint(portfolio=pspec, type="weight_sum", min_sum=1, max_sum=1)
# The full investment constraint can also be specified with type="full_investment"
pspec <- add.constraint(portfolio=pspec, type="full_investment")

# Another common constraint is that portfolio weights sum to 0.
pspec <- add.constraint(portfolio=pspec, type="weight_sum", min_sum=0, max_sum=0)
pspec <- add.constraint(portfolio=pspec, type="dollar_neutral")
pspec <- add.constraint(portfolio=pspec, type="active")

# Add box constraints
pspec <- add.constraint(portfolio=pspec, type="box", min=0.05, max=0.4)

# min and max can also be specified per asset
pspec <- add.constraint(portfolio=pspec, type="box", min=c(0.05, 0, 0.08, 0.1),
max=c(0.4, 0.3, 0.7, 0.55))
# A special case of box constraints is long only where min=0 and max=1
# The default action is long only if min and max are not specified
pspec <- add.constraint(portfolio=pspec, type="box")
pspec <- add.constraint(portfolio=pspec, type="long_only")

# Add group constraints
pspec <- add.constraint(portfolio=pspec, type="group", groups=list(c(1, 2, 1), 4),
group_min=c(0.1, 0.15), group_max=c(0.85, 0.55), group_labels=c("GroupA", "GroupB"),
group_pos=c(2, 1))

# Add position limit constraint such that we have a maximum number of three
# assets with non-zero weights.
pspec <- add.constraint(portfolio=pspec, type="position_limit", max_pos=3)

# Add diversification constraint
pspec <- add.constraint(portfolio=pspec, type="diversification", div_target=0.7)

# Add turnover constraint
pspec <- add.constraint(portfolio=pspec, type="turnover", turnover_target=0.2)

# Add target mean return constraint
```

```

pspec <- add.constraint(portfolio=pspec, type="return", return_target=0.007)

# Example using the indexnum argument
portf <- portfolio.spec(assets=fund.names)
portf <- add.constraint(portf, type="full_investment")
portf <- add.constraint(portf, type="long_only")

# indexnum corresponds to the index number of the constraint
# The full_investment constraint was the first constraint added and has
# indexnum=1
portf$constraints[[1]]

# View the constraint with indexnum=2
portf$constraints[[2]]

# Update the constraint to relax the sum of weights constraint
portf <- add.constraint(portf, type="weight_sum",
  min_sum=0.99, max_sum=1.01,
  indexnum=1)

# Update the constraint to modify the box constraint
portf <- add.constraint(portf, type="box",
  min=0.1, max=0.8,
  indexnum=2)

```

add.objective	<i>General interface for adding optimization objectives, including risk, return, and risk budget</i>
---------------	--

Description

This function is the main function for adding and updating business objectives in an object of type [portfolio.spec](#).

Usage

```

add.objective_v1(constraints, type, name, arguments = NULL, enabled = TRUE,
  ..., indexnum = NULL)

add.objective_v2(portfolio, constraints = NULL, type, name,
  arguments = NULL, enabled = TRUE, ..., indexnum = NULL)

add.objective(portfolio, constraints = NULL, type, name, arguments = NULL,
  enabled = TRUE, ..., indexnum = NULL)

```

Arguments

portfolio	an object of type 'portfolio' to add the objective to, specifying the portfolio for the optimization, see portfolio
-----------	---

constraints	a 'vl_constraint' object for backwards compatibility, see constraint
type	character type of the objective to add or update, currently 'return', 'risk', 'risk_budget', 'quadratic_utility', or 'weight_concentration'
name	name of the objective, should correspond to a function, though we will try to make allowances
arguments	default arguments to be passed to an objective function when executed
enabled	TRUE/FALSE
...	any other passthru parameters
indexnum	if you are updating a specific objective, the index number in the \$objectives list to update

Details

In general, you will define your objective as one of the following types: 'return', 'risk', 'risk_budget', 'quadratic utility', or 'weight_concentration'. These have special handling and intelligent defaults for dealing with the function most likely to be used as objectives, including mean, median, VaR, ES, etc.

Objectives of type 'turnover' and 'minmax' are also supported.

Author(s)

Brian G. Peterson and Ross Bennett

See Also

[objective](#), [portfolio.spec](#)

Examples

```
data(edhec)
returns <- edhec[,1:4]
fund.names <- colnames(returns)
portf <- portfolio.spec(assets=fund.names)
# Add some basic constraints
portf <- add.constraint(portf, type="full_investment")
portf <- add.constraint(portf, type="long_only")

# Creates a new portfolio object using portf and adds a quadratic utility
# objective. This will add two objectives to the portfolio object; 1) mean and
# 2) var. The risk aversion parameter is commonly referred to as lambda in the
# quadratic utility formulation that controls how much the portfolio variance
# is penalized.
portf.maxQU <- add.objective(portf, type="quadratic_utility",
                             risk_aversion=0.25)

# Creates a new portfolio object using portf and adds mean as an objective
portf.maxMean <- add.objective(portf, type="return", name="mean")

# Creates a new portfolio object using portf and adds StdDev as an objective
```

```

portf.minStdDev <- add.objective(portf, type="risk", name="StdDev")

# Creates a new portfolio object using portf and adds ES as an objective.
# Note that arguments to ES are passed in as a named list.
portf.minES <- add.objective(portf, type="risk", name="ES",
                             arguments=list(p=0.925, clean="boudt"))

# Creates a new portfolio object using portf.minES and adds a risk budget
# objective with limits on component risk contribution.
# Note that arguments to ES are passed in as a named list.
portf.RiskBudgetES <- add.objective(portf.minES, type="risk_budget", name="ES",
                                    arguments=list(p=0.925, clean="boudt"),
                                    min_prisk=0, max_prisk=0.6)

# Creates a new portfolio object using portf.minES and adds a risk budget
# objective with equal component risk contribution.
# Note that arguments to ES are passed in as a named list.
portf.EqRiskES <- add.objective(portf.minES, type="risk_budget", name="ES",
                                arguments=list(p=0.925, clean="boudt"),
                                min_concentration=TRUE)

# Creates a new portfolio object using portf and adds a weight_concentration
# objective. The conc_aversion parameter controls how much concentration is
# penalized. The portfolio concentration is defined as the Herfindahl Hirschman
# Index of the weights.
portf.conc <- add.objective(portf, type="weight_concentration",
                            name="HHI", conc_aversion=0.01)

```

add.sub.portfolio	<i>Add sub-portfolio</i>
-------------------	--------------------------

Description

Add a sub-portfolio to a multiple layer portfolio specification object

Usage

```

add.sub.portfolio(mult.portfolio, portfolio, optimize_method = c("DEoptim",
  "random", "ROI", "pso", "GenSA"), search_size = 20000, rp = NULL,
  rebalance_on = NULL, training_period = NULL, trailing_periods = NULL,
  ..., indexnum = NULL)

```

Arguments

mult.portfolio	a mult.portfolio.spec object
portfolio	a portfolio object to add as a sub portfolio.
optimize_method	optimization method for the sub portfolio
search_size	integer, how many portfolios to test, default 20,000

rp	matrix of random portfolio weights, default NULL, mostly for automated use by rebalancing optimization or repeated tests on same portfolios
rebalance_on	haracter string of period to rebalance on. See endpoints for valid names.
training_period	an integer of the number of periods to use as a training data in the front of the returns data
trailing_periods	an integer with the number of periods to roll over (i.e. width of the moving or rolling window), the default is NULL will run using the returns data from inception
...	additonal passthrough parameters to optimize.portfolio.rebalancing
indexnum	the index number of the sub portfolio. If indexnum=NULL (the default), then the sub portfolio object is appended to the list of sub portfolios in the <code>mult.portfolio</code> object. If indexnum is specified, the portfolio in that index number is overwritten.

Author(s)

Ross Bennett

See Also[mult.portfolio.spec portfolio.spec optimize.portfolio optimize.portfolio.rebalancing](#)

applyFUN

*Apply a risk or return function to a set of weights***Description**

This function is used to calculate risk or return metrics given a matrix of weights and is primarily used as a convenience function used in `chart.Scatter` functions

Usage

```
applyFUN(R, weights, FUN = "mean", arguments)
```

Arguments

R	xts object of asset returns
weights	a matrix of weights generated from <code>random_portfolios</code> or <code>optimize.portfolio</code>
FUN	name of a function
arguments	named list of arguments to FUN

Author(s)

Ross Bennett

barplotGroupWeights *barplot of group weights by group or category*

Description

This function is called by chart.GroupWeights function if chart.type="barplot"

Usage

```
barplotGroupWeights(object, ..., grouping = c("groups", "category"),
  main = "Group Weights", las = 3, xlab = NULL, cex.lab = 0.8,
  element.color = "darkgray", cex.axis = 0.8)
```

Arguments

object	object of class optimize.portfolio
...	passthrough parameters to plot
grouping	<ul style="list-style-type: none"> groups: group the weights by group constraints category_labels: group the weights by category_labels in portfolio object
main	an overall title for the plot: see title
las	numeric in {0,1,2,3}; the style of axis labels 0: always parallel to the axis [<i>default</i>], 1: always horizontal, 2: always perpendicular to the axis, 3: always vertical.
xlab	a title for the x axis: see title
cex.lab	The magnification to be used for x and y labels relative to the current setting of cex
element.color	color for the default border and axis
cex.axis	The magnification to be used for x and y axis relative to the current setting of cex

Author(s)

Ross Bennett

black.litterman	<i>Black Litterman Estimates</i>
-----------------	----------------------------------

Description

Compute the Black Litterman estimate of moments for the posterior normal.

Usage

```
black.litterman(R, P, Mu = NULL, Sigma = NULL, Views = NULL)
```

Arguments

R	returns
P	a K x N pick matrix
Mu	vector of length N of the prior expected values. The sample mean is used if Mu=NULL.
Sigma	an N x N matrix of the prior covariance matrix. The sample covariance is used if Sigma=NULL.
Views	a vector of length K of the views

Value

- BLMu: posterior expected values
- BLSigma: posterior covariance matrix

Note

This function is largely based on the work of Xavier Valls to port the matlab code of Attilio Meucci to R as documented in the Meucci package.

Author(s)

Ross Bennett, Xavier Valls

References

A. Meucci - "Exercises in Advanced Risk and Portfolio Management" <http://symmys.com/node/170>.

See Also

[BlackLittermanFormula](#)

BlackLittermanFormula *Computes the Black-Litterman formula for the moments of the posterior normal.*

Description

This function computes the Black-Litterman formula for the moments of the posterior normal, as described in A. Meucci, "Risk and Asset Allocation", Springer, 2005.

Usage

```
BlackLittermanFormula(Mu, Sigma, P, v, Omega)
```

Arguments

Mu	[vector] (N x 1) prior expected values.
Sigma	[matrix] (N x N) prior covariance matrix.
P	[matrix] (K x N) pick matrix.
v	[vector] (K x 1) vector of views.
Omega	[matrix] (K x K) matrix of confidence.

Value

BLMu [vector] (N x 1) posterior expected values.
BLSigma [matrix] (N x N) posterior covariance matrix.

Author(s)

Xavier Valls <flamejat@gmail.com>

References

A. Meucci - "Exercises in Advanced Risk and Portfolio Management" <http://symmys.com/node/170>.
See Meucci's script for "BlackLittermanFormula.m"

box_constraint	<i>constructor for box_constraint.</i>
----------------	--

Description

Box constraints specify the upper and lower bounds on the weights of the assets. This function is called by `add.constraint` when `type="box"` is specified. See [add.constraint](#).

Usage

```
box_constraint(type = "box", assets, min, max, min_mult, max_mult,  
              enabled = TRUE, message = FALSE, ...)
```

Arguments

<code>type</code>	character type of the constraint
<code>assets</code>	number of assets, or optionally a named vector of assets specifying initial weights
<code>min</code>	numeric or named vector specifying minimum weight box constraints
<code>max</code>	numeric or named vector specifying minimum weight box constraints
<code>min_mult</code>	numeric or named vector specifying minimum multiplier box constraint from initial weight in assets
<code>max_mult</code>	numeric or named vector specifying maximum multiplier box constraint from initial weight in assets
<code>enabled</code>	TRUE/FALSE
<code>message</code>	TRUE/FALSE. The default is <code>message=FALSE</code> . Display messages if TRUE.
<code>...</code>	any other passthru parameters to specify box constraints

Value

an object of class 'box_constraint'

Author(s)

Ross Bennett

See Also

[add.constraint](#)

Examples

```

data(edhec)
ret <- edhec[, 1:4]

pspec <- portfolio.spec(assets=colnames(ret))

# defaults to min=0 and max=1
pspec <- add.constraint(pspec, type="box")

# specify box constraints as a scalar
pspec <- add.constraint(pspec, type="box", min=0.05, max=0.45)

# specify box constraints per asset
pspec <- add.constraint(pspec, type="box", min=c(0.05, 0.10, 0.08, 0.06),
max=c(0.45, 0.55, 0.35, 0.65))

```

CCCgarch.MM	<i>compute comoments for use by lower level optimization functions when the conditional covariance matrix is a CCC GARCH model</i>
-------------	--

Description

it first estimates the conditional GARCH variances, then filters out the time-varying volatility and estimates the higher order comoments on the innovations rescaled such that their unconditional covariance matrix is the conditional covariance matrix forecast

Usage

```
CCCgarch.MM(R, momentargs = NULL, ...)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
momentargs	list containing arguments to be passed down to lower level functions, default NULL
...	any other passthru parameters

center	<i>Center</i>
--------	---------------

Description

Center a matrix

Usage

```
center(x)
```

Arguments

x matrix

Details

This function is used primarily to center a time series of asset returns or factors. Each column should represent the returns of an asset or factor realizations. The expected value is taken as the sample mean.

$x_{\text{centered}} = x - \text{mean}(x)$

Value

matrix of centered data

centroid.buckets	<i>Buckets Centroid</i>
------------------	-------------------------

Description

Compute the centroid for buckets of assets

Usage

```
centroid.buckets(buckets, simulations = 1000)
```

Arguments

buckets a list where each element contains the index of the assets in the respective bucket. The assets within each bucket have no order. The bucket elements are in ascending order such that $R_{\text{bucket}_1} < \dots < R_{\text{bucket}_n}$

simulations number of simulations

Details

A common use of buckets is to divide the assets into quartiles or deciles, but is generalized here for an arbitrary number of buckets and arbitrary number of assets in each bucket.

Value

the centroid vector

Author(s)

Ross Bennett

centroid.complete.mc *Complete Cases Centroid*

Description

Numerical method to estimate complete cases centroid

Usage

```
centroid.complete.mc(order, simulations = 1000)
```

Arguments

order	a vector of indexes of the relative ranking of expected asset returns in ascending order. For example, order = c(2, 3, 1, 4) expresses a view on the expected returns such that $R_2 < R_3 < R_1 < R_4$
simulations	number of simulations

Value

the centroid vector

Author(s)

Ross Bennett

Examples

```
# Express a view on the assets such that
#  $R_2 < R_1 < R_3 < R_4$ 
centroid.complete.mc(c(2, 1, 3, 4))
```

centroid.sectors *Multiple Sectors Centroid*

Description

Compute the centroid for expressing views on the relative ranking of assets within sectors.

Usage

```
centroid.sectors(sectors, simulations = 1000)
```

Arguments

sectors	a list where each list element contains the order of each asset in the given sector
simulations	number of simulations

Value

the centroid vector

Author(s)

Ross Bennett

Examples

```
# Express a view on the assets in two sectors
# Sector 1 View: R_2 < R_1 < R_3
# Sector 2 View: R_5 < R_4
x <- list()
x[[1]] <- c(2, 1, 3)
x[[2]] <- c(5, 4)
centroid.sectors(x)
```

centroid.sign

Positive and Negative View Centroid

Description

Compute the centroid for expressing a view on assets with positive or negative expected returns

Usage

```
centroid.sign(positive, negative, simulations = 1000)
```

Arguments

positive	a vector of the index of assets with positive expected return in ascending order
negative	a vector of the index of assets with negative expected return in ascending order.
simulations	number of simulations

Value

the centroid vector

Author(s)

Ross Bennett

Examples

```
# Express a view that
# R_1 < R_2 < 0 < R_3 < R_4
centroid.sign(c(1, 2), c(4, 3))
```

chart.Concentration	<i>Classic risk reward scatter and concentration</i>
---------------------	--

Description

This function charts the `optimize.portfolio` object in risk-return space and the degree of concentration based on the weights or percentage component contribution to risk.

Usage

```
chart.Concentration(object, ..., return.col = "mean", risk.col = "ES",  
  chart.assets = FALSE, conc.type = c("weights", "pct_contrib"),  
  col = heat.colors(20), element.color = "darkgray", cex.axis = 0.8,  
  xlim = NULL, ylim = NULL)
```

Arguments

<code>object</code>	optimal portfolio created by optimize.portfolio .
<code>...</code>	any other passthru parameters.
<code>return.col</code>	string matching the objective of a 'return' objective, on vertical axis.
<code>risk.col</code>	string matching the objective of a 'risk' objective, on horizontal axis.
<code>chart.assets</code>	TRUE/FALSE. Includes a risk reward scatter of the assets in the chart.
<code>conc.type</code>	concentration type can be based on the concentration of weights or concentration of percentage component contribution to risk (only works with risk budget objective for the optimization).
<code>col</code>	color palette or vector of colors to use.
<code>element.color</code>	color for the border and axes.
<code>cex.axis</code>	The magnification to be used for axis annotation relative to the current setting of <code>cex</code> .
<code>xlim</code>	set the x-axis limit, same as in plot .
<code>ylim</code>	set the y-axis limit, same as in plot .

Author(s)

Peter Carl and Ross Bennett

See Also

[optimize.portfolio](#)

chart.EF.Weights	<i>Chart weights along an efficient frontier</i>
------------------	--

Description

This function produces a stacked barplot of weights along an efficient frontier.

Usage

```
chart.EF.Weights(object, ...)

## S3 method for class 'efficient.frontier'
chart.EF.Weights(object, ..., colorset = NULL,
  n.portfolios = 25, by.groups = FALSE, match.col = "ES", main = "",
  cex.lab = 0.8, cex.axis = 0.8, cex.legend = 0.8, legend.labels = NULL,
  element.color = "darkgray", legend.loc = "topright")

## S3 method for class 'optimize.portfolio'
chart.EF.Weights(object, ..., colorset = NULL,
  n.portfolios = 25, by.groups = FALSE, match.col = "ES", main = "",
  cex.lab = 0.8, cex.axis = 0.8, cex.legend = 0.8, legend.labels = NULL,
  element.color = "darkgray", legend.loc = "topright")
```

Arguments

object	object of class <code>efficient.frontier</code> or <code>optimize.portfolio</code> .
...	passthru parameters to <code>barplot</code> .
colorset	color palette or vector of colors to use.
n.portfolios	number of portfolios to extract along the efficient frontier.
by.groups	TRUE/FALSE. If TRUE, the group weights are charted.
match.col	string name of column to use for risk (horizontal axis). Must match the name of an objective.
main	title used in the plot.
cex.lab	the magnification to be used for x-axis and y-axis labels relative to the current setting of 'cex'.
cex.axis	the magnification to be used for sizing the axis text relative to the current setting of 'cex', similar to plot .
cex.legend	the magnification to be used for sizing the legend relative to the current setting of 'cex', similar to plot .
legend.labels	character vector to use for the legend labels.
element.color	provides the color for drawing less-important chart elements, such as the box lines, axis lines, etc.
legend.loc	NULL, "topright", "right", or "bottomright". If legend.loc is NULL, the legend will not be plotted.

Author(s)

Ross Bennett

 chart.EfficientFrontier

Chart the efficient frontier and risk-return scatter

Description

Chart the efficient frontier and risk-return scatter of the assets for `optimize.portfolio` or `efficient.frontier` objects

Usage

```
chart.EfficientFrontier(object, ...)
```

```
## S3 method for class 'optimize.portfolio.ROI'
chart.EfficientFrontier(object, ...,
  match.col = "ES", n.portfolios = 25, xlim = NULL, ylim = NULL,
  cex.axis = 0.8, element.color = "darkgray", main = "Efficient Frontier",
  RAR.text = "SR", rf = 0, tangent.line = TRUE, cex.legend = 0.8,
  chart.assets = TRUE, labels.assets = TRUE, pch.assets = 21,
  cex.assets = 0.8)
```

```
## S3 method for class 'optimize.portfolio'
chart.EfficientFrontier(object, ...,
  match.col = "ES", n.portfolios = 25, xlim = NULL, ylim = NULL,
  cex.axis = 0.8, element.color = "darkgray", main = "Efficient Frontier",
  RAR.text = "SR", rf = 0, tangent.line = TRUE, cex.legend = 0.8,
  chart.assets = TRUE, labels.assets = TRUE, pch.assets = 21,
  cex.assets = 0.8)
```

```
## S3 method for class 'efficient.frontier'
chart.EfficientFrontier(object, ...,
  match.col = "ES", n.portfolios = NULL, xlim = NULL, ylim = NULL,
  cex.axis = 0.8, element.color = "darkgray", main = "Efficient Frontier",
  RAR.text = "SR", rf = 0, tangent.line = TRUE, cex.legend = 0.8,
  chart.assets = TRUE, labels.assets = TRUE, pch.assets = 21,
  cex.assets = 0.8)
```

Arguments

<code>object</code>	object to chart.
<code>...</code>	passthru parameters to plot
<code>match.col</code>	string name of column to use for risk (horizontal axis). <code>match.col</code> must match the name of an objective measure in the <code>objective_measures</code> or <code>opt_values</code> slot in the object created by optimize.portfolio .

<code>n.portfolios</code>	number of portfolios to use to plot the efficient frontier.
<code>xlim</code>	set the x-axis limit, same as in plot .
<code>ylim</code>	set the y-axis limit, same as in plot .
<code>cex.axis</code>	numerical value giving the amount by which the axis should be magnified relative to the default.
<code>element.color</code>	provides the color for drawing less-important chart elements, such as the box lines, axis lines, etc.
<code>main</code>	a main title for the plot.
<code>RAR.text</code>	string name for risk adjusted return text to plot in the legend.
<code>rf</code>	risk free rate. If <code>rf</code> is not null, the maximum Sharpe Ratio or modified Sharpe Ratio tangency portfolio will be plotted.
<code>tangent.line</code>	TRUE/FALSE to plot the tangent line.
<code>cex.legend</code>	numerical value giving the amount by which the legend should be magnified relative to the default.
<code>chart.assets</code>	TRUE/FALSE to include the assets.
<code>labels.assets</code>	TRUE/FALSE to include the asset names in the plot. <code>chart.assets</code> must be TRUE to plot asset names.
<code>pch.assets</code>	plotting character of the assets, same as in plot .
<code>cex.assets</code>	numerical value giving the amount by which the asset points and labels should be magnified relative to the default.

Details

For objects created by `optimize.portfolio` with 'DEoptim', 'random', or 'pso' specified as the `optimize_method`:

- The efficient frontier plotted is based on the the trace information (sets of portfolios tested by the solver at each iteration) in objects created by `optimize.portfolio`.

For objects created by `optimize.portfolio` with 'ROI' specified as the `optimize_method`:

- The mean-StdDev or mean-ETL efficient frontier can be plotted for optimal portfolio objects created by `optimize.portfolio`.
- If `match.col="StdDev"`, the mean-StdDev efficient frontier is plotted.
- If `match.col="ETL"` (also "ES" or "CVaR"), the mean-ETL efficient frontier is plotted.

Note that `trace=TRUE` must be specified in [optimize.portfolio](#)

GenSA does not return any useable trace information for portfolios tested at each iteration, therefore we cannot extract and chart an efficient frontier.

By default, the tangency portfolio (maximum Sharpe Ratio or modified Sharpe Ratio) will be plotted using a risk free rate of 0. Set `rf=NULL` to omit this from the plot.

Author(s)

Ross Bennett

```
chart.EfficientFrontierOverlay
```

Plot multiple efficient frontiers

Description

Overlay the efficient frontiers of multiple portfolio objects on a single plot.

Usage

```
chart.EfficientFrontierOverlay(R, portfolio_list, type, n.portfolios = 25,
  match.col = "ES", search_size = 2000, main = "Efficient Frontiers",
  cex.axis = 0.8, element.color = "darkgray", legend.loc = NULL,
  legend.labels = NULL, cex.legend = 0.8, xlim = NULL, ylim = NULL, ...,
  chart.assets = TRUE, labels.assets = TRUE, pch.assets = 21,
  cex.assets = 0.8, col = NULL, lty = NULL, lwd = NULL)
```

Arguments

<code>R</code>	an xts object of asset returns
<code>portfolio_list</code>	list of portfolio objects created by portfolio.spec and combined with combine.portfolios
<code>type</code>	type of efficient frontier, see create.EfficientFrontier
<code>n.portfolios</code>	number of portfolios to extract along the efficient frontier. This is only used for objects of class <code>optimize.portfolio</code>
<code>match.col</code>	string name of column to use for risk (horizontal axis). Must match the name of an objective.
<code>search_size</code>	passed to <code>optimize.portfolio</code> for <code>type="DEoptim"</code> or <code>type="random"</code> .
<code>main</code>	title used in the plot.
<code>cex.axis</code>	the magnification to be used for sizing the axis text relative to the current setting of 'cex', similar to plot .
<code>element.color</code>	provides the color for drawing less-important chart elements, such as the box lines, axis lines, etc.
<code>legend.loc</code>	location of the legend; NULL, "bottomright", "bottom", "bottomleft", "left", "topleft", "top", "topright", "right" and "center".
<code>legend.labels</code>	character vector to use for the legend labels.
<code>cex.legend</code>	The magnification to be used for sizing the legend relative to the current setting of 'cex', similar to plot .
<code>xlim</code>	set the x-axis limit, same as in plot .
<code>ylim</code>	set the y-axis limit, same as in plot .
<code>...</code>	passthrough parameters to plot .
<code>chart.assets</code>	TRUE/FALSE to include the assets.
<code>labels.assets</code>	TRUE/FALSE to include the asset names in the plot.

pch.assets	plotting character of the assets, same as in plot .
cex.assets	A numerical value giving the amount by which the asset points and labels should be magnified relative to the default.
col	vector of colors with length equal to the number of portfolios in portfolio_list.
lty	vector of line types with length equal to the number of portfolios in portfolio_list.
lwd	vector of line widths with length equal to the number of portfolios in portfolio_list.

Author(s)

Ross Bennett

chart.GroupWeights	<i>Chart weights by group or category</i>
--------------------	---

Description

Chart weights by group or category

Usage

```
chart.GroupWeights(object, ..., grouping = c("groups", "category"),
  plot.type = "line", main = "Group Weights", las = 3, xlab = NULL,
  cex.lab = 0.8, element.color = "darkgray", cex.axis = 0.8)
```

Arguments

object	object of class <code>optimize.portfolio</code> .
...	passthrough parameters to plot .
grouping	<ul style="list-style-type: none"> groups: group the weights by group constraints. category_labels: group the weights by category_labels in the portfolio object.
plot.type	"line" or "barplot".
main	an overall title for the plot: see title .
las	numeric in {0,1,2,3}; the style of axis labels 0: always parallel to the axis, 1: always horizontal, 2: always perpendicular to the axis, 3: always vertical[<i>default</i>].
xlab	a title for the x axis: see title .
cex.lab	the magnification to be used for x and y labels relative to the current setting of cex.
element.color	color for the default border and axis.
cex.axis	the magnification to be used for x and y axis relative to the current setting of cex.

Author(s)

Ross Bennett

chart.RiskBudget

*Generic method to chart risk contribution***Description**

This function is the generic method to chart risk budget objectives for `optimize.portfolio`, `optimize.portfolio.rebalancing`, and `opt.list` objects. This function charts the contribution or percent contribution of the resulting objective measures of a `risk_budget_objective`. The risk contributions for `optimize.portfolio.rebalancing` objects are plotted through time with [chart.StackedBar](#).

Usage

```
chart.RiskBudget(object, ...)

## S3 method for class 'optimize.portfolio'
chart.RiskBudget(object, ..., neighbors = NULL,
  risk.type = "absolute", main = "Risk Contribution", ylab = "",
  xlab = NULL, cex.axis = 0.8, cex.lab = 0.8,
  element.color = "darkgray", las = 3, ylim = NULL)

## S3 method for class 'optimize.portfolio.rebalancing'
chart.RiskBudget(object, ...,
  match.col = "ES", risk.type = "absolute", regime = NULL,
  main = "Risk Contribution")

## S3 method for class 'opt.list'
chart.RiskBudget(object, ..., match.col = "ES",
  risk.type = "absolute", main = "Risk Budget", plot.type = "line",
  cex.axis = 0.8, cex.lab = 0.8, element.color = "darkgray", las = 3,
  ylim = NULL, colorset = NULL, legend.loc = NULL, cex.legend = 0.8)
```

Arguments

<code>object</code>	optimal portfolio object created by optimize.portfolio or optimize.portfolio.rebalancing
<code>...</code>	any other passthru parameters to plot
<code>neighbors</code>	risk contribution or <code>pct_contrib</code> of neighbor portfolios to be plotted, see Details.
<code>match.col</code>	string of risk column to match. The <code>opt.list</code> object may contain risk budgets for ES or StdDev and this will match the proper column names of the objectives list outp (e.g. ES.contribution).
<code>risk.type</code>	"absolute" or "percentage" to plot risk contribution in absolute terms or percentage contribution.

regime	integer of the regime number. For use with optimize.portfolio.rebalancing run with regime switching portfolios.
main	main title for the chart.
plot.type	"line" or "barplot".
ylab	label for the y-axis.
xlab	label for the x-axis.
cex.axis	the magnification to be used for axis annotation relative to the current setting of cex.
cex.lab	the magnification to be used for axis annotation relative to the current setting of cex.
element.color	provides the color for drawing less-important chart elements, such as the box lines, axis lines, etc.
las	numeric in {0,1,2,3}; the style of axis labels 0: always parallel to the axis [<i>default</i>], 1: always horizontal, 2: always perpendicular to the axis, 3: always vertical.
ylim	set the y-axis limit, same as in plot
colorset	color palette or vector of colors to use
legend.loc	legend.loc NULL, "topright", "right", or "bottomright". If legend.loc is NULL, the legend will not be plotted
cex.legend	The magnification to be used for the legend relative to the current setting of cex

Details

neighbors may be specified in three ways. The first is as a single number of neighbors. This will extract the neighbors closest to the portfolios in terms of the out numerical statistic. The second method consists of a numeric vector for neighbors. This will extract the neighbors with portfolio index numbers that correspond to the vector contents. The third method for specifying neighbors is to pass in a matrix. This matrix should look like the output of [extractStats](#), and should contain properly named contribution and pct_contrib columns.

See Also

[optimize.portfolio](#) [optimize.portfolio.rebalancing](#) [chart.StackedBar](#)

chart.RiskReward	<i>classic risk reward scatter</i>
------------------	------------------------------------

Description

This function charts the `optimize.portfolio` object in risk-return space.

Usage

```
chart.RiskReward(object, ...)
```

```
## S3 method for class 'optimize.portfolio.DEoptim'
chart.RiskReward(object, ...,
  neighbors = NULL, return.col = "mean", risk.col = "ES",
  chart.assets = FALSE, element.color = "darkgray", cex.axis = 0.8,
  xlim = NULL, ylim = NULL)
```

```
## S3 method for class 'optimize.portfolio.GenSA'
chart.RiskReward(object, ...,
  neighbors = NULL, return.col = "mean", risk.col = "ES",
  chart.assets = FALSE, element.color = "darkgray", cex.axis = 0.8,
  ylim = NULL, xlim = NULL, rp = FALSE)
```

```
## S3 method for class 'optimize.portfolio.pso'
chart.RiskReward(object, ...,
  neighbors = NULL, return.col = "mean", risk.col = "ES",
  chart.assets = FALSE, element.color = "darkgray", cex.axis = 0.8,
  xlim = NULL, ylim = NULL)
```

```
## S3 method for class 'optimize.portfolio.ROI'
chart.RiskReward(object, ...,
  neighbors = NULL, return.col = "mean", risk.col = "ES",
  chart.assets = FALSE, element.color = "darkgray", cex.axis = 0.8,
  xlim = NULL, ylim = NULL, rp = FALSE)
```

```
## S3 method for class 'optimize.portfolio.random'
chart.RiskReward(object, ...,
  neighbors = NULL, return.col = "mean", risk.col = "ES",
  chart.assets = FALSE, element.color = "darkgray", cex.axis = 0.8,
  xlim = NULL, ylim = NULL)
```

```
## S3 method for class 'opt.list'
chart.RiskReward(object, ..., risk.col = "ES",
  return.col = "mean", main = "", ylim = NULL, xlim = NULL,
  labels.assets = TRUE, chart.assets = FALSE, pch.assets = 1,
  cex.assets = 0.8, cex.axis = 0.8, cex.lab = 0.8, colorset = NULL,
  element.color = "darkgray")
```

Arguments

object	optimal portfolio created by optimize.portfolio .
neighbors	set of 'neighbor' portfolios to overplot, see Details.
...	any other passthru parameters.
return.col	string matching the objective of a 'return' objective, on vertical axis.
risk.col	string matching the objective of a 'risk' objective, on horizontal axis.
chart.assets	TRUE/FALSE. Includes a risk reward scatter of the assets in the chart.
element.color	color for the default plot scatter points.
cex.axis	The magnification to be used for axis annotation relative to the current setting of cex.
xlim	set the x-axis limit, same as in plot .
ylim	set the y-axis limit, same as in plot .
rp	TRUE/FALSE to generate random portfolios to plot the feasible space
main	a main title for the plot.
labels.assets	TRUE/FALSE to include the names in the plot.
pch.assets	plotting character of the assets, same as in plot
cex.assets	numerical value giving the amount by which the asset points should be magnified relative to the default.
cex.lab	numerical value giving the amount by which the labels should be magnified relative to the default.
colorset	color palette or vector of colors to use.

Details

neighbors may be specified in three ways. The first is as a single number of neighbors. This will extract the neighbors closest portfolios in terms of the out numerical statistic. The second method consists of a numeric vector for neighbors. This will extract the neighbors with portfolio index numbers that correspond to the vector contents. The third method for specifying neighbors is to pass in a matrix. This matrix should look like the output of [extractStats](#), and should contain risk.col, return.col, and weights columns all properly named.

See Also

[optimize.portfolio](#)

chart.Weights	<i>boxplot of the weights of the optimal portfolios</i>
---------------	---

Description

This function charts the optimal weights of a portfolio run via `optimize.portfolio` or `optimize.portfolio.rebalancing`. The upper and lower bounds on weights can be plotted for single period optimizations. The optimal weights will be charted through time for `optimize.portfolio.rebalancing` objects. For `optimize.portfolio.rebalancing` objects, the weights are plotted with `chart.StackedBar`.

Usage

```
chart.Weights(object, ...)

## S3 method for class 'optimize.portfolio.rebalancing'
chart.Weights(object, ...,
  main = "Weights")

## S3 method for class 'optimize.portfolio.DEoptim'
chart.Weights(object, ...,
  neighbors = NULL, main = "Weights", las = 3, xlab = NULL,
  cex.lab = 1, element.color = "darkgray", cex.axis = 0.8,
  colorset = NULL, legend.loc = "topright", cex.legend = 0.8,
  plot.type = "line")

## S3 method for class 'optimize.portfolio.GenSA'
chart.Weights(object, ...,
  neighbors = NULL, main = "Weights", las = 3, xlab = NULL,
  cex.lab = 1, element.color = "darkgray", cex.axis = 0.8,
  colorset = NULL, legend.loc = "topright", cex.legend = 0.8,
  plot.type = "line")

## S3 method for class 'optimize.portfolio.pso'
chart.Weights(object, ..., neighbors = NULL,
  main = "Weights", las = 3, xlab = NULL, cex.lab = 1,
  element.color = "darkgray", cex.axis = 0.8, colorset = NULL,
  legend.loc = "topright", cex.legend = 0.8, plot.type = "line")

## S3 method for class 'optimize.portfolio.ROI'
chart.Weights(object, ..., neighbors = NULL,
  main = "Weights", las = 3, xlab = NULL, cex.lab = 1,
  element.color = "darkgray", cex.axis = 0.8, colorset = NULL,
  legend.loc = "topright", cex.legend = 0.8, plot.type = "line")

## S3 method for class 'optimize.portfolio.random'
chart.Weights(object, ...,
  neighbors = NULL, main = "Weights", las = 3, xlab = NULL,
```

```

cex.lab = 1, element.color = "darkgray", cex.axis = 0.8,
colorset = NULL, legend.loc = "topright", cex.legend = 0.8,
plot.type = "line")

## S3 method for class 'opt.list'
chart.Weights(object, neighbors = NULL, ...,
  main = "Weights", las = 3, xlab = NULL, cex.lab = 1,
  element.color = "darkgray", cex.axis = 0.8, colorset = NULL,
  legend.loc = "topright", cex.legend = 0.8, plot.type = "line")

```

Arguments

object	optimal portfolio object created by optimize.portfolio .
neighbors	set of 'neighbor' portfolios to overplot. See Details.
...	any other passthru parameters .
main	an overall title for the plot: see title
las	numeric in {0,1,2,3}; the style of axis labels 0: always parallel to the axis, 1: always horizontal, 2: always perpendicular to the axis, 3: always vertical [<i>default</i>].
xlab	a title for the x axis: see title
cex.lab	The magnification to be used for x and y labels relative to the current setting of cex
element.color	provides the color for drawing less-important chart elements, such as the box lines, axis lines, etc.
cex.axis	The magnification to be used for axis annotation relative to the current setting of cex.
colorset	color palette or vector of colors to use.
legend.loc	location of the legend. If NULL, the legend will not be plotted.
cex.legend	The magnification to be used for legend annotation relative to the current setting of cex.
plot.type	"line" or "barplot" to plot.

See Also

[optimize.portfolio](#) [optimize.portfolio.rebalancing](#) [chart.StackedBar](#)

check_constraints	<i>check if a set of weights satisfies the constraints</i>
-------------------	--

Description

This function checks if a set of weights satisfies all constraints. This is used as a helper function for random portfolios created with `rp_simplex` and `rp_grid` to eliminate portfolios that do not satisfy the constraints.

Usage

```
check_constraints(weights, portfolio)
```

Arguments

weights	vector of weights
portfolio	object of class 'portfolio'

Value

TRUE if all constraints are satisfied, FALSE if any constraint is violated

Author(s)

Ross Bennett

cokurtosisMF	<i>Cokurtosis Matrix Estimate</i>
--------------	-----------------------------------

Description

Estimate cokurtosis matrix using a statistical factor model

Usage

```
cokurtosisMF(beta, stockM2, stockM4, factorM2, factorM4)
```

Arguments

beta	(N x k) matrix of factor loadings (i.e. the betas) from a statistical factor model
stockM2	vector of length N of the 2nd moment of the model residuals
stockM4	vector of length N of the 4th moment of the model residuals
factorM2	(k x k) matrix of the 2nd moment of the factor realizations from a statistical factor model
factorM4	(k x k ³) matrix of the 4th moment of the factor realizations from a statistical factor model

Details

This function estimates an $(N \times N^3)$ cokurtosis matrix from a statistical factor model with k factors, where N is the number of assets.

Value

$(N \times N^3)$ cokurtosis matrix

cokurtosisSF	<i>Cokurtosis Matrix Estimate</i>
--------------	-----------------------------------

Description

Estimate cokurtosis matrix using a single factor statistical factor model

Usage

cokurtosisSF(beta, stockM2, stockM4, factorM2, factorM4)

Arguments

beta	vector of length N or $(N \times 1)$ matrix of factor loadings (i.e. the betas) from a single factor statistical factor model
stockM2	vector of length N of the 2nd moment of the model residuals
stockM4	vector of length N of the 4th moment of the model residuals
factorM2	scalar of the 2nd moment of the factor realizations from a single factor statistical factor model
factorM4	scalar of the 4th moment of the factor realizations from a single factor statistical factor model

Details

This function estimates an $(N \times N^3)$ cokurtosis matrix from a statistical factor model with k factors, where N is the number of assets.

Value

$(N \times N^3)$ cokurtosis matrix

combine.optimizations *Combine objects created by optimize.portfolio*

Description

This function takes a list of objects created by `optimize.portfolio` and sets the class name attribute to 'opt.list' for use in generic functions

Usage

```
combine.optimizations(x)
```

Arguments

x a list of objects created by `optimize.portfolio`

Value

an `opt.list` object

combine.portfolios *Combine a list of portfolio objects*

Description

This function takes a list of objects created by `portfolio.spec` and sets the class name attribute to 'portfolio.list' for use in generic functions

Usage

```
combine.portfolios(x)
```

Arguments

x a list of objects created by `portfolio.spec`

Value

a `portfolio.list` object

`constrained_objective` *calculate a numeric return value for a portfolio based on a set of constraints and objectives*

Description

Function to calculate a numeric return value for a portfolio based on a set of constraints and objectives. We'll try to make as few assumptions as possible and only run objectives that are enabled by the user.

Usage

```
constrained_objective_v1(w, R, constraints, ..., trace = FALSE,
  normalize = TRUE, storage = FALSE)

constrained_objective_v2(w, R, portfolio, ..., trace = FALSE,
  normalize = TRUE, storage = FALSE, env = NULL)

constrained_objective(w, R, portfolio, ..., trace = FALSE, normalize = TRUE,
  storage = FALSE, env = NULL)
```

Arguments

<code>R</code>	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns.
<code>w</code>	a vector of weights to test.
<code>portfolio</code>	an object of class <code>portfolio</code> specifying the constraints and objectives for the optimization, see portfolio .
<code>...</code>	any other passthru parameters.
<code>trace</code>	TRUE/FALSE whether to include debugging and additional detail in the output list. The default is FALSE. Several charting functions require that <code>trace=TRUE</code> .
<code>normalize</code>	TRUE/FALSE whether to normalize results to min/max sum (TRUE), or let the optimizer penalize portfolios that do not conform (FALSE)
<code>storage</code>	TRUE/FALSE default TRUE for DEoptim with trace, otherwise FALSE. not typically user-called.
<code>constraints</code>	a <code>v1_constraint</code> object for backwards compatibility with <code>constrained_objective_v1</code> .
<code>env</code>	environment of moments calculated in <code>optimize.portfolio</code>

Details

If the user has passed in either `min_sum` or `max_sum` constraints for the portfolio, or both, and are using a numerical optimization method like DEoptim, and `normalize=TRUE`, we'll normalize the weights passed in to whichever boundary condition has been violated. If using random portfolios, all the portfolios generated will meet the constraints by construction. NOTE: this means that the weights produced by a numeric optimization algorithm like DEoptim, pso, or GenSA might

violate constraints, and will need to be renormalized after optimizing. We apply the same normalization in `optimize.portfolio` so that the weights you see have been normalized to `min_sum` if the generated portfolio is smaller than `min_sum` or `max_sum` if the generated portfolio is larger than `max_sum`. This normalization increases the speed of optimization and convergence by several orders of magnitude in many cases.

You may find that for some portfolios, normalization is not desirable, if the algorithm cannot find a direction in which to move to head towards an optimal portfolio. In these cases, it may be best to set `normalize=FALSE`, and penalize the portfolios if the sum of the weighting vector lies outside the `min_sum` and/or `max_sum`.

Whether or not we normalize the weights using `min_sum` and `max_sum`, and are using a numerical optimization engine like DEoptim, we will penalize portfolios that violate weight constraints in much the same way we penalize other constraints. If a `min_sum/max_sum` normalization has not occurred, convergence can take a very long time. We currently do not allow for a non-normalized full investment constraint. Future version of this function could include this additional constraint penalty.

When you are optimizing a return objective, you must specify a negative multiplier for the return objective so that the function will maximize return. If you specify a target return, any return that deviates from your target will be penalized. If you do not specify a target return, you may need to specify a negative VTR (value to reach) , or the function will not converge. Try the maximum expected return times the multiplier (e.g. -1 or -10). Adding a return objective defaults the multiplier to -1.

Additional parameters for other solvers (e.g. random portfolios or `DEoptim.control` or pso or GenSA) may be passed in via ...

Author(s)

Kris Boudt, Peter Carl, Brian G. Peterson, Ross Bennett

See Also

`constraint`, `objective`, `DEoptim.control`

constraint

constructor for class constraint

Description

This function is the constructor for the `v1_constraint` object for backwards compatibility.

Usage

```
constraint(assets = NULL, ..., min, max, min_mult, max_mult, min_sum = 0.99,
  max_sum = 1.01, weight_seq = NULL)
```

Arguments

assets	number of assets, or optionally a named vector of assets specifying initial weights
...	any other passthru parameters
min	numeric or named vector specifying minimum weight box constraints
max	numeric or named vector specifying minimum weight box constraints
min_mult	numeric or named vector specifying minimum multiplier box constraint from initial weight in assets
max_mult	numeric or named vector specifying maximum multiplier box constraint from initial weight in assets
min_sum	minimum sum of all asset weights, default .99
max_sum	maximum sum of all asset weights, default 1.01
weight_seq	seed sequence of weights, see generatesequence

Author(s)

Peter Carl, Brian G. Peterson

See Also

[add.constraint](#)

Examples

```
exconstr <- constraint(assets=10, min_sum=1, max_sum=1, min=.01, max=.35,
weight_seq=generatesequence())
```

constraint_ROI	<i>constructor for class constraint_ROI</i>
----------------	---

Description

constructor for class constraint_ROI

Usage

```
constraint_ROI(assets = NULL, op.problem, solver = c("glpk", "quadprog"),
weight_seq = NULL)
```

Arguments

assets	number of assets, or optionally a named vector of assets specifying seed weights
op.problem	an object of type "OP" (optimization problem, of ROI) specifying the complete optimization problem, see ROI help pages for proper construction of OP object.
solver	string argument for what solver package to use, must have ROI plugin installed for that solver. Currently support is for glpk and quadprog.
weight_seq	seed sequence of weights, see generatesequence

Author(s)

Hezky Varon

constraint_v2	<i>constructor for v2 constraint specification</i>
---------------	--

Description

See main documentation entry in [add.constraint](#).

Usage

```
constraint_v2(type, enabled = TRUE, ..., constrclass = "v2_constraint")
```

Arguments

type	character type of the constraint to add or update
enabled	TRUE/FALSE to enabled the constraint
...	any other passthru parameters
constrclass	name of class for the constraint

coskewnessMF	<i>Coskewness Matrix Estimate</i>
--------------	-----------------------------------

Description

Estimate coskewness matrix using a statistical factor model

Usage

```
coskewnessMF(beta, stockM3, factorM3)
```

Arguments

beta	(N x k) matrix of factor loadings (i.e. the betas) from a statistical factor model
stockM3	vector of length N of the 3rd moment of the model residuals
factorM3	(k x k^2) matrix of the 3rd moment of the factor realizations from a statistical factor model

Details

This function estimates an (N x N^2) coskewness matrix from a statistical factor model with k factors, where N is the number of assets.

Value

(N x N^2) coskewness matrix

coskewnessSF	<i>Coskewness Matrix Estimate</i>
--------------	-----------------------------------

Description

Estimate coskewness matrix using a single factor statistical factor model

Usage

```
coskewnessSF(beta, stockM3, factorM3)
```

Arguments

beta	vector of length N or (N x 1) matrix of factor loadings (i.e. the betas) from a single factor statistical factor model
stockM3	vector of length N of the 3rd moment of the model residuals
factorM3	scalar of the 3rd moment of the factor realizations from a single factor statistical factor model

Details

This function estimates an $(N \times N^2)$ coskewness matrix from a single factor statistical factor model with $k=1$ factors, where N is the number of assets.

Value

$(N \times N^2)$ coskewness matrix

covarianceMF	<i>Covariance Matrix Estimate</i>
--------------	-----------------------------------

Description

Estimate covariance matrix using a statistical factor model

Usage

```
covarianceMF(beta, stockM2, factorM2)
```

Arguments

beta	$(N \times k)$ matrix of factor loadings (i.e. the betas) from a statistical factor model
stockM2	vector of length N of the variance (2nd moment) of the model residuals (i.e. idiosyncratic variance of the stock)
factorM2	$(k \times k)$ matrix of the covariance (2nd moment) of the factor realizations from a statistical factor model

Details

This function estimates an (N x N) covariance matrix from a statistical factor model with k factors, where N is the number of assets.

Value

(N x N) covariance matrix

covarianceSF	<i>Covariance Matrix Estimate</i>
--------------	-----------------------------------

Description

Estimate covariance matrix using a single factor statistical factor model

Usage

covarianceSF(beta, stockM2, factorM2)

Arguments

- beta vector of length N or (N x 1) matrix of factor loadings (i.e. the betas) from a single factor statistical factor model
- stockM2 vector of length N of the variance (2nd moment) of the model residuals (i.e. idiosyncratic variance of the stock)
- factorM2 scalar value of the 2nd moment of the factor realizations from a single factor statistical factor model

Details

This function estimates an (N x N) covariance matrix from a single factor statistical factor model with k=1 factors, where N is the number of assets.

Value

(N x N) covariance matrix

```
create.EfficientFrontier
```

create an efficient frontier

Description

create an efficient frontier

Usage

```
create.EfficientFrontier(R, portfolio, type, n.portfolios = 25,
  risk_aversion = NULL, match.col = "ES", search_size = 2000, ...)
```

Arguments

R	xts object of asset returns
portfolio	object of class 'portfolio' specifying the constraints and objectives, see portfolio.spec .
type	type of efficient frontier, see Details.
n.portfolios	number of portfolios to calculate along the efficient frontier
risk_aversion	vector of risk_aversion values to construct the efficient frontier. n.portfolios is ignored if risk_aversion is specified and the number of points along the efficient frontier will be equal to the length of risk_aversion.
match.col	column to match when extracting the efficient frontier from an objected created by optimize.portfolio .
search_size	passed to optimize.portfolio for type="DEoptim" or type="random".
...	passthrough parameters to optimize.portfolio .

Details

Currently there are 4 'types' supported to create an efficient frontier:

- "mean-var", "mean-sd", or "mean-StdDev": This is a special case for an efficient frontier that can be created by a QP solver. The portfolio object should have two objectives: 1) mean and 2) var. If the portfolio object does not contain these objectives, they will be added using default parameters. The efficient frontier will be created via [meanvar.efficient.frontier](#).
- "mean-ETL", "mean-ES", "mean-CVaR", "mean-etl": This is a special case for an efficient frontier that can be created by an LP solver. The portfolio object should have two objectives: 1) mean and 2) ETL/ES/CVaR. If the portfolio object does not contain these objectives, they will be added using default parameters. The efficient frontier is created via [meanetl.efficient.frontier](#).
- "DEoptim": This can handle more complex constraints and objectives than the simple mean-var and mean-ETL cases. For this type, we actually call [optimize.portfolio](#) with `optimize_method="DEoptim"` and then extract the efficient frontier with `extract.efficient.frontier`.
- "random": This can handle more complex constraints and objectives than the simple mean-var and mean-ETL cases. For this type, we actually call [optimize.portfolio](#) with `optimize_method="random"` and then extract the efficient frontier with `extract.efficient.frontier`.

Value

an object of class 'efficient.frontier' with the objective measures and weights of portfolios along the efficient frontier.

Author(s)

Ross Bennett

See Also

[optimize.portfolio](#), [portfolio.spec](#), [meanvar.efficient.frontier](#), [meanetl.efficient.frontier](#)

diversification

Function to compute diversification as a constraint

Description

Diversification is defined as 1 minus the sum of the squared weights

$$diversification = 1 - \sum(w^2)$$

Usage

```
diversification(weights)
```

Arguments

weights vector of asset weights

Author(s)

Ross Bennett

diversification_constraint

constructor for diversification_constraint

Description

The diversification constraint specifies a target diversification value. This function is called by `add.constraint` when `type="diversification"` is specified, see [add.constraint](#). Diversification is computed as `1 - sum(weights^2)`.

Usage

```
diversification_constraint(type = "diversification", div_target = NULL,
  enabled = TRUE, message = FALSE, ...)
```

Arguments

type	character type of the constraint
div_target	diversification target value
enabled	TRUE/FALSE
message	TRUE/FALSE. The default is message=FALSE. Display messages if TRUE.
...	any other passthru parameters to specify diversification constraint an object of class 'diversification_constraint'

Author(s)

Ross Bennett

See Also

[add.constraint](#)

Examples

```
data(edhec)
ret <- edhec[, 1:4]

pspec <- portfolio.spec(assets=colnames(ret))

pspec <- add.constraint(portfolio=pspec, type="diversification", div_target=0.7)
```

EntropyProg

Entropy pooling program for blending views on scenarios with a prior scenario-probability distribution

Description

Entropy program will change the initial predictive distribution 'p' to a new set 'p_' that satisfies specified moment conditions but changes other propoerties of the new distribution the least by minimizing the relative entropy between the two distributions. Theoretical note: Relative Entropy (Kullback-Leibler information criterion KLIC) is an asymmetric measure.

Usage

```
EntropyProg(p, A = NULL, b = NULL, Aeq, beq, verbose = FALSE)
```


Arguments

p	a vector of initial probabilities based on prior (reference model, empirical distribution, etc.). Sum of 'p' must be 1
Aeq	matrix consisting of equality constraints (paired with argument 'beq'). Denoted as 'H' in the Meucci paper. (denoted as 'H' in the "Meucci - Flexible Views Theory & Practice" paper formula 86 on page 22)
beq	vector corresponding to the matrix of equality constraints (paired with argument 'Aeq'). Denoted as 'h' in the Meucci paper
A	matrix consisting of inequality constraints (paired with argument 'b'). Denoted as 'F' in the Meucci paper
b	vector consisting of inequality constraints (paired with matrix A). Denoted as 'f' in the Meucci paper
verbose	If TRUE, prints out additional information. Default FALSE.

$$\tilde{p} \equiv \operatorname{argmin}_{F x \leq f, H x = h} \left\{ \sum_{j=1}^J x_j (\ln(x_j) - \ln(p_j)) \right\} \ell(x, \lambda, \nu) \equiv x' (\ln(x) - \ln(p)) + \lambda' (F x - f) + \nu' (H x - h)$$

Details

We retrieve a new set of probabilities for the joint-scenarios using the Entropy pooling method. Of the many choices of 'p' that satisfy the views, we choose 'p' that minimize the entropy or distance of the new probability distribution to the prior joint-scenario probabilities.

We use Kullback-Leibler divergence or relative entropy $\operatorname{dist}(p, q)$: $\sum p \cdot \ln(p/q)$. Therefore we define solution as $p^* = \operatorname{argmin}(\text{choice of } p) [\sum \text{across all scenarios: } p \cdot \ln(p/q)]$, such that 'p' satisfies views. The views modify the prior in a coherent manner (minimizing distortion). We formulate the stress tests of the baseline scenarios as linear constraints on yet-to-be defined probabilities. Note that the numerical optimization acts on a very limited number of variables equal to the number of views. It does not act directly on the very large number of variables of interest, namely the probabilities of the Monte Carlo scenarios. This feature guarantees the numerical feasibility of entropy optimization.

Note that new probabilities are generated in much the same way that the state-price density modifies objective probabilities of pay-offs to risk-neutral probabilities in contingent-claims asset pricing.

Compute posterior (=change of measure) with Entropy Pooling, as described in

Value

a list with

- p_: revised probabilities based on entropy pooling
- optimizationPerformance: a list with status of optimization, value, number of iterations, and sum of probabilities

Author(s)

Ram Ahluwalia <ram@wingedfootcapital.com>

References

A. Meucci - "Fully Flexible Views: Theory and Practice". See page 22 for illustration of numerical implementation Symmys site containing original MATLAB source code <http://www.symmys.com> NLOPT open-source optimization site containing background on algorithms <http://ab-initio.mit.edu/wiki/index.php/NLopt> We use the information-theoretic estimator of Kitamura and Stutzer (1997). Reversing 'p' and 'p_' leads to the empirical likelihood" estimator of Qin and Lawless (1994). See Robertson et al, "Forecasting Using Relative Entropy" (2002) for more theory

equal.weight	<i>Create an equal weight portfolio</i>
--------------	---

Description

This function calculates objective measures for an equal weight portfolio.

Usage

```
equal.weight(R, portfolio, ...)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
portfolio	an object of type "portfolio" specifying the constraints and objectives for the optimization
...	any other passthru parameters to constrained_objective

Details

This function is simply a wrapper around [constrained_objective](#) to calculate the objective measures in the given portfolio object of an equal weight portfolio. The portfolio object should include all objectives to be calculated.

Value

a list containing the returns, weights, objective measures, call, and portfolio object

Author(s)

Ross Bennett

`etl_milp_opt`*Minimum ETL MILP Optimization*

Description

This function is called by `optimize.portfolio` to solve minimum ETL problems via mixed integer linear programming.

Usage

```
etl_milp_opt(R, constraints, moments, target, alpha, solver = "glpk",
             control = NULL)
```

Arguments

<code>R</code>	xts object of asset returns
<code>constraints</code>	object of constraints in the portfolio object extracted with <code>get_constraints</code>
<code>moments</code>	object of moments computed based on objective functions
<code>target</code>	target return value
<code>alpha</code>	alpha value for ETL/ES/CVaR
<code>solver</code>	solver to use
<code>control</code>	list of solver control parameters

Author(s)

Ross Bennett

`etl_opt`*Minimum ETL LP Optimization*

Description

This function is called by `optimize.portfolio` to solve minimum ETL problems.

Usage

```
etl_opt(R, constraints, moments, target, alpha, solver = "glpk",
        control = NULL)
```

Arguments

R	xts object of asset returns
constraints	object of constraints in the portfolio object extracted with get_constraints
moments	object of moments computed based on objective functions
target	target return value
alpha	alpha value for ETL/ES/CVaR
solver	solver to use
control	list of solver control parameters

Author(s)

Ross Bennett

extractCokurtosis	<i>Cokurtosis Estimate</i>
-------------------	----------------------------

Description

Extract the cokurtosis matrix estimate from a statistical factor model

Usage

```
extractCokurtosis(model, ...)
```

Arguments

model	statistical factor model estimated via statistical.factor.model
...	not currently used

Value

cokurtosis matrix estimate

Author(s)

Ross Bennett

See Also

[statistical.factor.model](#)

extractCoskewness	<i>Coskewness Estimate</i>
-------------------	----------------------------

Description

Extract the coskewness matrix estimate from a statistical factor model

Usage

```
extractCoskewness(model, ...)
```

Arguments

model	statistical factor model estimated via statistical.factor.model
...	not currently used

Value

coskewness matrix estimate

Author(s)

Ross Bennett

See Also

[statistical.factor.model](#)

extractCovariance	<i>Covariance Estimate</i>
-------------------	----------------------------

Description

Extract the covariance matrix estimate from a statistical factor model

Usage

```
extractCovariance(model, ...)
```

Arguments

model	statistical factor model estimated via statistical.factor.model
...	not currently used

Value

covariance matrix estimate

Author(s)

Ross Bennett

See Also[statistical.factor.model](#)

extractEfficientFrontier*Extract the efficient frontier data points*

Description

This function extracts the efficient frontier from an object created by [optimize.portfolio](#).

Usage

```
extractEfficientFrontier(object, match.col = "ES", n.portfolios = 25,
  risk_aversion = NULL)
```

Arguments

object	an optimal portfolio object created by optimize.portfolio
match.col	string name of column to use for risk (horizontal axis). match.col must match the name of an objective measure in the objective_measures or opt_values slot in the object created by optimize.portfolio .
n.portfolios	number of portfolios to use to plot the efficient frontier
risk_aversion	vector of risk_aversion values to construct the efficient frontier. n.portfolios is ignored if risk_aversion is specified and the number of points along the efficient frontier is equal to the length of risk_aversion.

Details

If the object is an `optimize.portfolio.ROI` object and match.col is "ES", "ETL", or "CVaR", then the mean-ETL efficient frontier will be created via `meanetl.efficient.frontier`.

If the object is an `optimize.portfolio.ROI` object and match.col is "StdDev", then the mean-StdDev efficient frontier will be created via `meanvar.efficient.frontier`. Note that if 'var' is specified as the name of an objective, the value returned will be 'StdDev'.

For objects created by `optimize.portfolio` with the DEoptim, random, or pso solvers, the efficient frontier will be extracted from the object via `extract.efficient.frontier`. This means that `optimize.portfolio` must be run with `trace=TRUE`.

Value

an `efficient.frontier` object with weights and other metrics along the efficient frontier

Author(s)

Ross Bennett

extractGroups	<i>Extract the group and/or category weights</i>
---------------	--

Description

This function extracts the weights by group and/or category from an object of class `optimize.portfolio`. Group constraints or `category_labels` must be specified for this to return group constraints.

Usage

```
extractGroups(object, ...)
```

Arguments

object	object of class <code>optimize.portfolio</code>
...	passthrough parameters. Not currently used

Value

a list with two elements

- `weights`: Optimal set of weights from the `optimize.portfolio` object
- `category_weights`: Weights by category if `category_labels` are supplied in the `portfolio` object
- `group_weights`: Weights by group if group is a constraint type

Author(s)

Ross Bennett

extractObjectiveMeasures	<i>Extract the objective measures</i>
--------------------------	---------------------------------------

Description

This function will extract the objective measures from the optimal portfolio run via `optimize.portfolio`

Usage

```
extractObjectiveMeasures(object)
```

Arguments

object list returned by optimize.portfolio

Value

list of objective measures

Author(s)

Ross Bennett

See Also

[optimize.portfolio](#)

extractStats	<i>extract some stats and weights from a portfolio run via optimize.portfolio</i>
--------------	---

Description

This function will dispatch to the appropriate class handler based on the input class of the optimize.portfolio output object.

Usage

```
extractStats(object, prefix = NULL, ...)
```

Arguments

object list returned by optimize.portfolio
 prefix prefix to add to output row names
 ... any other passthru parameters

Details

For optimize.portfolio objects:

In general, extractStats will extract the values objective measures and weights at each iteration of a set of weights. This is the case for the DEoptim, random portfolios, and pso solvers that return trace information. Note that trace=TRUE must be specified in optimize.portfolio to return the trace information.

For optimize.portfolio.pso objects, this function will extract the weights (swarm positions) from the PSO output and the out values (swarm fitness values) for each iteration of the optimization. This function can be slow because we need to run constrained_objective to calculate the objective measures on the transformed weights.

For optimize.portfolio.rebalancing objects:

The extractStats function will return a list of the objective measures and weights at each rebalance date for optimize.portfolio.rebalancing objects. The objective measures and weights of each iteration or permutation will be returned if the optimization was done with DEoptim, random portfolios, or pso. This could potentially result in a very large list object where each list element has thousands of rows of at each rebalance period.

The output from the GenSA solver does not store weights evaluated at each iteration. The GenSA output for trace.mat contains nb.steps, temperature, function.value, and current.minimum

See Also

[optimize.portfolio](#)

extractWeights	<i>Extract weights from a portfolio run via optimize.portfolio or optimize.portfolio.rebalancing</i>
----------------	--

Description

This function will dispatch to the appropriate class handler based on the input class of the optimize.portfolio or optimize.portfolio.rebalancing output object

Usage

```
extractWeights(object, ...)
```

Arguments

object	list returned by optimize.portfolio
...	any other passthru parameters

See Also

[optimize.portfolio](#), [optimize.portfolio.rebalancing](#)

factor_exposure_constraint	<i>Constructor for factor exposure constraint</i>
----------------------------	---

Description

The factor exposure constraint sets upper and lower bounds on exposures to risk factors. This function is called by add.constraint when type="factor_exposure" is specified, see [add.constraint](#)

Usage

```
factor_exposure_constraint(type = "factor_exposure", assets, B, lower, upper,  
  enabled = TRUE, message = FALSE, ...)
```

Arguments

<code>type</code>	character type of the constraint
<code>assets</code>	named vector of assets specifying initial weights
<code>B</code>	vector or matrix of risk factor exposures
<code>lower</code>	vector of lower bounds of constraints for risk factor exposures
<code>upper</code>	vector of upper bounds of constraints for risk factor exposures
<code>enabled</code>	TRUE/FALSE
<code>message</code>	TRUE/FALSE. The default is message=FALSE. Display messages if TRUE.
<code>...</code>	any other passthru parameters to specify risk factor exposure constraints

Details

B can be either a vector or matrix of risk factor exposures (i.e. betas). If B is a vector, the length of B must be equal to the number of assets and lower and upper must be scalars. If B is passed in as a vector, it will be converted to a matrix with one column.

If B is a matrix, the number of rows must be equal to the number of assets and the number of columns represent the number of factors. The length of lower and upper must be equal to the number of factors. The B matrix should have column names specifying the factors and row names specifying the assets. Default column names and row names will be assigned if the user passes in a B matrix without column names or row names.

Value

an object of class 'factor_exposure_constraint'

Author(s)

Ross Bennett

See Also

[add.constraint](#)

fn_map	<i>mapping function to transform or penalize weights that violate constraints</i>
--------	---

Description

The purpose of the mapping function is to transform a weights vector that does not meet all the constraints into a weights vector that does meet the constraints, if one exists, hopefully with a minimum of transformation.

Usage

```
fn_map(weights, portfolio, relax = FALSE, verbose = FALSE, ...)
```

Arguments

weights	vector of weights
portfolio	object of class portfolio
relax	TRUE/FALSE, default FALSE. Enable constraints to be relaxed.
verbose	print error messages for debuggin purposes
...	any other passthru parameters

Details

The first step is to test for violation of the constraint. If the constraint is violated, we will apply a transformation such that the weights vector satisfies the constraints. The following constraint types are tested in the mapping function: leverage, box, group, and position limit. The transformation logic is based on code from the random portfolio sample method.

If relax=TRUE, we will attempt to relax the constraints if a feasible portfolio could not be formed with an initial call to `rp_transform`. We will attempt to relax the constraints up to 5 times. If we do not have a feasible portfolio after attempting to relax the constraints, then we will default to returning the weights vector that violates the constraints.

Value

- weights: vector of transformed weights meeting constraints.
- min: vector of min box constraints that may have been modified if relax=TRUE.
- max: vector of max box constraints that may have been modified if relax=TRUE.
- cLO: vector of lower bound group constraints that may have been modified if relax=TRUE.
- cUP: vector of upper bound group constraints that may have been modified if relax=TRUE.

Author(s)

Ross Bennett

generatesequence	<i>create a sequence of possible weights for random or brute force portfolios</i>
------------------	---

Description

This function creates the sequence of min<->max weights for use by random or brute force optimization engines.

Usage

```
generatesequence(min = 0.01, max = 1, by = min/max, rounding = 3)
```

Arguments

min	minimum value of the sequence
max	maximum value of the sequence
by	number to increment the sequence by
rounding	integer how many decimals should we round to

Details

The sequence created is not constrained by asset.

Author(s)

Peter Carl, Brian G. Peterson

See Also

[constraint](#), [objective](#)

get_constraints	<i>Helper function to get the enabled constraints out of the portfolio object</i>
-----------------	---

Description

When the vl_constraint object is instantiated via constraint, the arguments min_sum, max_sum, min, and max are either specified by the user or default values are assigned. These are required by other functions such as optimize.portfolio and constrained_objective . This function will check that these variables are in the portfolio object in the constraints list. We will default to min_sum=1 and max_sum=1 if leverage constraints are not specified. We will default to min=-Inf and max=Inf if box constraints are not specified. This function is used at the beginning of optimize.portfolio and other functions to extract the constraints from the portfolio object. We Use the same naming as the vl_constraint object.

Usage

```
get_constraints(portfolio)
```

Arguments

portfolio an object of class 'portfolio'

Value

an object of class 'constraint' which is a flattened list of enabled constraints

Author(s)

Ross Bennett

See Also

[portfolio.spec](#)

gmw_opt

GMV/QU QP Optimization

Description

This function is called by optimize.portfolio to solve minimum variance or maximum quadratic utility problems

Usage

```
gmw_opt(R, constraints, moments, lambda, target, lambda_hhi, conc_groups,  
        solver = "quadprog", control = NULL)
```

Arguments

R	xts object of asset returns
constraints	object of constraints in the portfolio object extracted with get_constraints
moments	object of moments computed based on objective functions
lambda	risk_aversion parameter
target	target return value
lambda_hhi	concentration aversion parameter
conc_groups	list of vectors specifying the groups of the assets.
solver	solver to use
control	list of solver control parameters

Author(s)

Ross Bennett

gmw_opt_leverage	<i>GMV/QU QP Optimization with Turnover Constraint</i>
------------------	--

Description

This function is called by `optimize.portfolio` to solve minimum variance or maximum quadratic utility problems with a leverage constraint

Usage

```
gmw_opt_leverage(R, constraints, moments, lambda, target, solver = "quadprog",
  control = NULL)
```

Arguments

R	xts object of asset returns
constraints	object of constraints in the portfolio object extracted with <code>get_constraints</code>
moments	object of moments computed based on objective functions
lambda	risk_aversion parameter
target	target return value
solver	solver to use
control	list of solver control parameters

Author(s)

Ross Bennett

gmw_opt_ptc	<i>GMV/QU QP Optimization with Proportional Transaction Cost Constraint</i>
-------------	---

Description

This function is called by `optimize.portfolio` to solve minimum variance or maximum quadratic utility problems with proportional transaction cost constraint

Usage

```
gmw_opt_ptc(R, constraints, moments, lambda, target, init_weights,
  solver = "quadprog", control = NULL)
```

Arguments

R	xts object of asset returns
constraints	object of constraints in the portfolio object extracted with get_constraints
moments	object of moments computed based on objective functions
lambda	risk_aversion parameter
target	target return value
init_weights	initial weights to compute turnover
solver	solver to use
control	list of solver control parameters

Author(s)

Ross Bennett

gmw_opt_toc

GMV/QU QP Optimization with Turnover Constraint

Description

This function is called by optimize.portfolio to solve minimum variance or maximum quadratic utility problems with turnover constraint

Usage

```
gmw_opt_toc(R, constraints, moments, lambda, target, init_weights,
  solver = "quadprog", control = NULL)
```

Arguments

R	xts object of asset returns
constraints	object of constraints in the portfolio object extracted with get_constraints
moments	object of moments computed based on objective functions
lambda	risk_aversion parameter
target	target return value
init_weights	initial weights to compute turnover
solver	solver to use
control	list of solver control parameters

Author(s)

Ross Bennett

group_constraint	<i>constructor for group_constraint</i>
------------------	---

Description

Group constraints specify the grouping of the assets, weights of the groups, and number of positions (i.e. non-zero weights) of the groups. This function is called by `add.constraint` when `type="group"` is specified. see [add.constraint](#)

Usage

```
group_constraint(type = "group", assets, groups, group_labels = NULL,
  group_min, group_max, group_pos = NULL, enabled = TRUE, message = FALSE,
  ...)
```

Arguments

type	character type of the constraint
assets	number of assets, or optionally a named vector of assets specifying initial weights
groups	list of vectors specifying the groups of the assets
group_labels	character vector to label the groups (e.g. size, asset class, style, etc.)
group_min	numeric or vector specifying minimum weight group constraints
group_max	numeric or vector specifying minimum weight group constraints
group_pos	vector specifying the number of non-zero weights per group
enabled	TRUE/FALSE
message	TRUE/FALSE. The default is message=FALSE. Display messages if TRUE.
...	any other passthru parameters to specify group constraints

Value

an object of class 'group_constraint'

Author(s)

Ross Bennett

See Also

[add.constraint](#)

Examples

```

data(edhec)
ret <- edhec[, 1:4]

pspec <- portfolio.spec(assets=colnames(ret))

# Assets 1 and 3 are groupA
# Assets 2 and 4 are groupB
pspec <- add.constraint(portfolio=pspec,
                        type="group",
                        groups=list(groupA=c(1, 3),
                                   groupB=c(2, 4)),
                        group_min=c(0.15, 0.25),
                        group_max=c(0.65, 0.55))

# 2 levels of grouping (e.g. by sector and geography)
pspec <- portfolio.spec(assets=5)
# Assets 1, 3, and 5 are Tech
# Assets 2 and 4 are Oil
# Assets 2, 4, and 5 are UK
# Assets 1 and are are US
group_list <- list(group1=c(1, 3, 5),
                   group2=c(2, 4),
                   groupA=c(2, 4, 5),
                   groupB=c(1, 3))

pspec <- add.constraint(portfolio=pspec,
                        type="group",
                        groups=group_list,
                        group_min=c(0.15, 0.25, 0.2, 0.1),
                        group_max=c(0.65, 0.55, 0.5, 0.4))

```

group_fail

*Test if group constraints have been violated***Description**

The function loops through each group and tests if cLO or cUP have been violated for the given group. This is a helper function for [rp_transform](#).

Usage

```
group_fail(weights, groups, cLO, cUP, group_pos = NULL)
```

Arguments

weights	weights vector to test
groups	list of vectors specifying the groups of the assets
cLO	numeric or vector specifying minimum weight group constraints

cUP	numeric or vector specifying minimum weight group constraints
group_pos	vector specifying the number of non-zero weights per group

Value

logical vector: TRUE if group constraints are violated for a given group

Author(s)

Ross Bennett

HHI	<i>Concentration of weights</i>
-----	---------------------------------

Description

This function computes the concentration of weights using the Herfindahl Hirschman Index

Usage

```
HHI(weights, groups = NULL)
```

Arguments

weights	set of portfolio weights
groups	list of vectors of grouping

Author(s)

Ross Bennett

indexes	<i>Six Major Economic Indexes</i>
---------	-----------------------------------

Description

Monthly data of five indexes beginning on 2000-01-31 and ending 2009-12-31. The indexes are: US Bonds, US Equities, International Equities, Commodities, US T-Bills, and Inflation

Usage

```
data(indexes)
```

Format

CSV converted into xts object with montly observations

Examples

```
data(indexes)

#preview the data
head(indexes)

#summary period statistics
summary(indexes)
```

insert_constraints	<i>Insert a list of constraints into the constraints slot of a portfolio object</i>
--------------------	---

Description

This is a helper function primarily for backwards compatibility to insert constraints from a 'v1_constraint' object into the v2 'portfolio' object.

Usage

```
insert_constraints(portfolio, constraints)
```

Arguments

portfolio	object of class 'portfolio'
constraints	list of constraint objects

Author(s)

Ross Bennett

insert_objectives	<i>Insert a list of objectives into the objectives slot of a portfolio object</i>
-------------------	---

Description

This is a helper function primarily for backwards compatibility to insert objectives from a 'v1_constraint' object into the v2 'portfolio' object.

Usage

```
insert_objectives(portfolio, objectives)
```

Arguments

portfolio	object of class 'portfolio'
objectives	list of objective objects

Author(s)

Ross Bennett

inverse.volatility.weight

Create an inverse volatility weighted portfolio

Description

This function calculates objective measures for an equal weight portfolio.

Usage

```
inverse.volatility.weight(R, portfolio, ...)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
portfolio	an object of type "portfolio" specifying the constraints and objectives for the optimization
...	any other passthru parameters to constrained_objective

Details

This function is simply a wrapper around [constrained_objective](#) to calculate the objective measures in the given portfolio object of an inverse volatility weight portfolio. The portfolio object should include all objectives to be calculated.

Value

a list containing the returns, weights, objective measures, call, and portfolio object

Author(s)

Peter Carl

is.constraint	<i>check function for constraints</i>
---------------	---------------------------------------

Description

check function for constraints

Usage

```
is.constraint(x)
```

Arguments

x	object to test for type constraint
---	------------------------------------

Author(s)

bpeterson

is.objective	<i>check class of an objective object</i>
--------------	---

Description

check class of an objective object

Usage

```
is.objective(x)
```

Arguments

x	an object potentially of type 'objective' to test
---	---

Author(s)

Brian G. Peterson

is.portfolio	<i>check function for portfolio</i>
--------------	-------------------------------------

Description

check function for portfolio

Usage

```
is.portfolio(x)
```

Arguments

x	object to test for type portfolio
---	-----------------------------------

Author(s)

Ross Bennett

leverage_exposure_constraint	<i>constructor for leverage_exposure_constraint</i>
------------------------------	---

Description

The leverage_exposure constraint specifies a maximum leverage where leverage is defined as the sum of the absolute value of the weights. Leverage exposure is computed as the sum of the absolute value of the weights, `sum(abs(weights))`.

Usage

```
leverage_exposure_constraint(type = "leverage_exposure", leverage = NULL,
  enabled = TRUE, message = FALSE, ...)
```

Arguments

type	character type of the constraint
leverage	maximum leverage value
enabled	TRUE/FALSE
message	TRUE/FALSE. The default is message=FALSE. Display messages if TRUE.
...	any other passthru parameters to specify diversification constraint an object of class 'diversification_constraint'

Details

This should be used for constructing, for example, 130/30 portfolios or dollar neutral portfolios with 2:1 leverage. For the ROI solvers, this is implemented as a MILP problem and is not supported for problems formulated as a quadratic programming problem. This may change in the future if a MIQP solver is added.

This function is called by `add.constraint` when `type="leverage_exposure"` is specified, see [add.constraint](#).

Author(s)

Ross Bennett

See Also

[add.constraint](#)

Examples

```
data(edhec)
ret <- edhec[, 1:4]

pspec <- portfolio.spec(assets=colnames(ret))

pspec <- add.constraint(portfolio=pspec, type="leverage_exposure", leverage=1.6)
```

`maxret_milp_opt`*Maximum Return MILP Optimization*

Description

This function is called by `optimize.portfolio` to solve maximum return problems via mixed integer linear programming.

Usage

```
maxret_milp_opt(R, constraints, moments, target, solver = "glpk",
  control = NULL)
```

Arguments

<code>R</code>	xts object of asset returns
<code>constraints</code>	object of constraints in the portfolio object extracted with <code>get_constraints</code>
<code>moments</code>	object of moments computed based on objective functions
<code>target</code>	target return value
<code>solver</code>	solver to use
<code>control</code>	list of solver control parameters

Author(s)

Ross Bennett

maxret_opt	<i>Maximum Return LP Optimization</i>
------------	---------------------------------------

Description

This function is called by optimize.portfolio to solve maximum return

Usage

```
maxret_opt(R, moments, constraints, target, solver = "glpk", control = NULL)
```

Arguments

R	xts object of asset returns
constraints	object of constraints in the portfolio object extracted with get_constraints
moments	object of moments computed based on objective functions
target	target return value
solver	solver to use
control	list of solver control parameters

Author(s)

Ross Bennett

meanetl.efficient.frontier	<i>Generate the efficient frontier for a mean-etl portfolio</i>
----------------------------	---

Description

This function generates the mean-ETL efficient frontier of a portfolio specifying the constraints and objectives. The portfolio object should have two objectives: 1) mean and 2) ES (or ETL or cVaR). If the portfolio object does not contain these objectives, they will be added using default parameters.

Usage

```
meanetl.efficient.frontier(portfolio, R, n.portfolios = 25, ...)
```


Arguments

portfolio	a portfolio object with constraints and objectives created via portfolio.spec
R	an xts or matrix of asset returns
n.portfolios	number of portfolios to generate the efficient frontier
...	passthru parameters to optimize.portfolio

Value

a matrix of objective measure values and weights along the efficient frontier

Author(s)

Ross Bennett

```
meanvar.efficient.frontier
```

Generate the efficient frontier for a mean-variance portfolio

Description

This function generates the mean-variance efficient frontier of a portfolio specifying the constraints and objectives. The portfolio object should have two objectives: 1) mean and 2) var (or sd or StdDev). If the portfolio object does not contain these objectives, they will be added using default parameters.

Usage

```
meanvar.efficient.frontier(portfolio, R, n.portfolios = 25,
  risk_aversion = NULL, ...)
```

Arguments

portfolio	a portfolio object with constraints created via portfolio.spec
R	an xts or matrix of asset returns
n.portfolios	number of portfolios to plot along the efficient frontier
risk_aversion	vector of risk_aversion values to construct the efficient frontier. n.portfolios is ignored if risk_aversion is specified and the number of points along the efficient frontier is equal to the length of risk_aversion.
...	passthru parameters to optimize.portfolio

Value

a matrix of objective measure values and weights along the efficient frontier

Author(s)

Ross Bennett

meucci.moments	<i>Compute moments</i>
----------------	------------------------

Description

Compute the first and second moments using the Fully Flexible Views framework as described in A. Meucci - "Fully Flexible Views: Theory and Practice".

Usage

```
meucci.moments(R, posterior_p)
```

Arguments

R	xts object of asset returns
posterior_p	vector of posterior probabilities

Value

a list with the first and second moments

- mu: vector of expected returns
- sigma: covariance matrix

Author(s)

Ross Bennett

References

A. Meucci - "Fully Flexible Views: Theory and Practice".

meucci.ranking	<i>Asset Ranking</i>
----------------	----------------------

Description

Express views on the relative expected asset returns as in A. Meucci, "Fully Flexible Views: Theory and Practice" and compute the first and second moments.

Usage

```
meucci.ranking(R, p, order)
```

Arguments

R	xts object of asset returns
p	a vector of the prior probability values
order	a vector of indexes of the relative ranking of expected asset returns in ascending order. For example, order = c(2, 3, 1, 4) means that the expected returns of $R[,2] < R[,3]$, $< R[,1]$ $< R[,4]$.

Value

The estimated moments based on ranking views

Note

This function is based on the ViewRanking function written by Ram Ahluwalia in the Meucci package.

References

A. Meucci, "Fully Flexible Views: Theory and Practice" <http://www.symmys.com/node/158> See Meucci script for "RankingInformation/ViewRanking.m"

See Also

[meucci.moments](#)

Examples

```
data(edhec)
R <- edhec[,1:4]
p <- rep(1 / nrow(R), nrow(R))
meucci.ranking(R, p, c(2, 3, 1, 4))
```

minmax_objective	<i>constructor for class tmp_minmax_objective</i>
------------------	---

Description

This objective allows for min and max targets to be specified.

Usage

```
minmax_objective(name, target = NULL, arguments = NULL, multiplier = 1,
  enabled = TRUE, ..., min, max)
```

Arguments

name	name of the objective, should correspond to a function, though we will try to make allowances
target	univariate target for the objective
min	minimum value
max	maximum value
arguments	default arguments to be passed to an objective function when executed
multiplier	multiplier to apply to the objective, usually 1 or -1
enabled	TRUE/FALSE
...	any other passthru parameters

Details

If target is set, we'll try to meet the metric

If target is NULL and min and max are specified, then do the following:

If max is violated to the upside, penalize the metric. If min is violated to the downside, penalize the metric. The purpose of this objective is to try to meet the range between min and max

Value

object of class 'minmax_objective'

Author(s)

Ross Bennett

mult.portfolio.spec *Multiple Layer Portfolio Specification*

Description

Create and specify a multiple layer portfolio

Usage

```
mult.portfolio.spec(portfolio, levels = 2, ...)
```

Arguments

portfolio	the "top level" portfolio
levels	number of levels of sub-portfolios
...	any additional parameters

Details

The `sub.portfolios` slot is a list where each element contains the portfolio object and rebalancing parameters for the optimization of the sub portfolio. This allows, for example, each sub portfolio to have different rebalancing frequencies (i.e. monthly or quarterly), optimization methods, etc.

Each sub portfolio is optimized with `optimize.portfolio.rebalancing` to create a time series of proxy returns.

The "top level" portfolio is used to specify the constraints and objectives to control the optimization given the proxy returns of each sub portfolio.

Value

a `mult.portfolio.spec` object with the top level portfolio and sub portfolios with optimization parameters for each sub portfolio

Author(s)

Ross Bennett

name.replace	<i>utility function to replace awkward named from unlist</i>
--------------	--

Description

utility function to replace awkward named from unlist

Usage

```
name.replace(rnames)
```

Arguments

rnames	character vector of names to check for cleanup
--------	--

objective	<i>constructor for class 'objective'</i>
-----------	--

Description

Typically called as a sub-function by the user function [add.objective](#). See main documentation there.

Usage

```
objective(name, target = NULL, arguments, enabled = TRUE, ...,
  multiplier = 1, objclass = "objective")
```

Arguments

name	name of the objective which will be used to call a function, like 'ES', 'VaR', 'mean'
target	univariate target for the objective, default NULL
arguments	default arguments to be passed to an objective function when executed
enabled	TRUE/FALSE
...	any other passthrough parameters
multiplier	multiplier to apply to the objective, usually 1 or -1
objclass	string class to apply, default 'objective'

Author(s)

Brian G. Peterson

See Also

[add.objective](#), [portfolio.spec](#)

optimize.portfolio	<i>Constrained optimization of portfolios</i>
--------------------	---

Description

This function aims to provide a wrapper for constrained optimization of portfolios that specify constraints and objectives.

Usage

```
optimize.portfolio_v1(R, constraints, optimize_method = c("DEoptim", "random",
  "ROI", "ROI_old", "pso", "GenSA"), search_size = 20000, trace = FALSE,
  ..., rp = NULL, momentFUN = "set.portfolio.moments_v1")

optimize.portfolio_v2(R, portfolio = NULL, constraints = NULL,
  objectives = NULL, optimize_method = c("DEoptim", "random", "ROI", "pso",
  "GenSA"), search_size = 20000, trace = FALSE, ..., rp = NULL,
  momentFUN = "set.portfolio.moments", message = FALSE)

optimize.portfolio(R, portfolio = NULL, constraints = NULL,
  objectives = NULL, optimize_method = c("DEoptim", "random", "ROI", "pso",
  "GenSA"), search_size = 20000, trace = FALSE, ..., rp = NULL,
  momentFUN = "set.portfolio.moments", message = FALSE)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
portfolio	an object of type "portfolio" specifying the constraints and objectives for the optimization
constraints	default=NULL, a list of constraint objects. An object of class 'v1_constraint' can be passed in here.
objectives	default=NULL, a list of objective objects.
optimize_method	one of "DEoptim", "random", "ROI", "pso", "GenSA". A solver for ROI can also be specified and will be solved using ROI. See Details.
search_size	integer, how many portfolios to test, default 20,000
trace	TRUE/FALSE if TRUE will attempt to return additional information on the path or portfolios searched
...	any other passthru parameters
rp	matrix of random portfolio weights, default NULL, mostly for automated use by rebalancing optimization or repeated tests on same portfolios
momentFUN	the name of a function to call to set portfolio moments, default set.portfolio.moments_v2
message	TRUE/FALSE. The default is message=FALSE. Display messages if TRUE.

Details

This function currently supports DEoptim, random portfolios, pso, GenSA, and ROI as back ends. Additional back end contributions for Rmetrics, ghyp, etc. would be welcome.

When using random portfolios, search_size is precisely that, how many portfolios to test. You need to make sure to set your feasible weights in `generatesequence` to make sure you have search_size unique portfolios to test, typically by manipulating the 'by' parameter to select something smaller than .01 (I often use .002, as .001 seems like overkill)

When using DE, search_size is decomposed into two other parameters which it interacts with, NP and itermax.

NP, the number of members in each population, is set to cap at 2000 in DEoptim, and by default is the number of parameters (assets/weights) * 10.

itermax, if not passed in dots, defaults to the number of parameters (assets/weights) * 50.

When using GenSA and want to set verbose=TRUE, instead use trace.

If optimize_method="ROI" is specified, a default solver will be selected based on the optimization problem. The glpk solver is the default solver for LP and MILP optimization problems. The quadprog solver is the default solver for QP optimization problems. For example, optimize_method = "quadprog" can be specified and the optimization problem will be solved via ROI using the quadprog solver.

The extension to ROI solves a limited type of convex optimization problems:

- Maximize portfolio return subject leverage, box, group, position limit, target mean return, and/or factor exposure constraints on weights.
- Minimize portfolio variance subject to leverage, box, group, turnover, and/or factor exposure constraints (otherwise known as global minimum variance portfolio).

- Minimize portfolio variance subject to leverage, box, group, and/or factor exposure constraints and a desired portfolio return.
- Maximize quadratic utility subject to leverage, box, group, target mean return, turnover, and/or factor exposure constraints and risk aversion parameter. (The risk aversion parameter is passed into `optimize.portfolio` as an added argument to the `portfolio` object).
- Maximize portfolio mean return per unit standard deviation (i.e. the Sharpe Ratio) can be done by specifying `maxSR=TRUE` in `optimize.portfolio`. If both mean and `StdDev` are specified as objective names, the default action is to maximize quadratic utility, therefore `maxSR=TRUE` must be specified to maximize Sharpe Ratio.
- Minimize portfolio ES/ETL/CVaR optimization subject to leverage, box, group, position limit, target mean return, and/or factor exposure constraints and target portfolio return.
- Maximize portfolio mean return per unit ES/ETL/CVaR (i.e. the STARR Ratio) can be done by specifying `maxSTARR=TRUE` in `optimize.portfolio`. If both mean and ES/ETL/CVaR are specified as objective names, the default action is to maximize mean return per unit ES/ETL/CVaR.

These problems also support a `weight_concentration` objective where concentration of weights as measured by HHI is added as a penalty term to the quadratic objective.

Because these convex optimization problem are standardized, there is no need for a penalty term. The multiplier argument in [add.objective](#) passed into the complete constraint object are ignored by the ROI solver.

Value

a list containing the following elements

- `weights`: The optimal set weights.
- `objective_measures`: A list containing the value of each objective corresponding to the optimal weights.
- `opt_values`: A list containing the value of each objective corresponding to the optimal weights.
- `out`: The output of the solver.
- `call`: The function call.
- `portfolio`: The portfolio object.
- `R`: The asset returns.
- `data_summary`: The first row and last row of `R`.
- `elapsed_time`: The amount of time that elapses while the optimization is run.
- `end_t`: The date and time the optimization completed.

When `Trace=TRUE` is specified, the following elements will be returned in addition to the elements above. The output depends on the optimization method and is specific to each solver. Refer to the documentation of the desired solver for more information.

`optimize_method="random"`

- `random_portfolios`: A matrix of the random portfolios.

- random_portfolio_objective_results: A list of the following elements for each random portfolio.
 - out: The output value of the solver corresponding to the random portfolio weights.
 - weights: The weights of the random portfolio.
 - objective_measures: A list of each objective measure corresponding to the random portfolio weights.

optimize_method="DEoptim"

- DEoutput: A list (of length 2) containing the following elements:
 - optim
 - member
- DEoptim_objective_results: A list containing the following elements for each intermediate population.
 - out: The output of the solver.
 - weights: Population weights.
 - init_weights: Initial population weights.
 - objective_measures: A list of each objective measure corresponding to the weights

optimize_method="pso"

- PSOoutput: A list containing the following elements:
 - par
 - value
 - counts
 - convergence
 - message
 - stats

optimize_method="GenSA"

- GenSAoutput: A list containing the following elements:
 - value
 - par
 - trace.mat
 - counts

Note

An object of class `v1_constraint` can be passed in for the `constraints` argument. The `v1_constraint` object was used in the previous 'v1' specification to specify the constraints and objectives for the optimization problem, see [constraint](#). We will attempt to detect if the object passed into the `constraints` argument is a `v1_constraint` object and update to the 'v2' specification by adding the constraints and objectives to the portfolio object.

Author(s)

Kris Boudt, Peter Carl, Brian G. Peterson, Ross Bennett

See Also

[portfolio.spec](#)

optimize.portfolio.parallel

Execute multiple optimize.portfolio calls, presumably in parallel

Description

This function will not speed up optimization!

Usage

```
optimize.portfolio.parallel(R, portfolio, optimize_method = c("DEoptim",
  "random", "ROI", "pso", "GenSA"), search_size = 20000, trace = FALSE, ...,
  rp = NULL, momentFUN = "set.portfolio.moments", message = FALSE,
  nodes = 4)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
portfolio	an object of type "portfolio" specifying the constraints and objectives for the optimization
optimize_method	one of "DEoptim", "random", "pso", "GenSA".
search_size	integer, how many portfolios to test, default 20,000
trace	TRUE/FALSE if TRUE will attempt to return additional information on the path or portfolios searched
...	any other passthru parameters
rp	matrix of random portfolio weights, default NULL, mostly for automated use by rebalancing optimization or repeated tests on same portfolios
momentFUN	the name of a function to call to set portfolio moments, default set.portfolio.moments_v2
message	TRUE/FALSE. The default is message=FALSE. Display messages if TRUE.
nodes	how many processes to run in the foreach loop, default 4

Details

This function exists to run multiple copies of optimize.portfolio, presumably in parallel using foreach.

This is typically done to test your parameter settings, specifically total population size, but also possibly to help tune your convergence settings, number of generations, stopping criteria, etc.

If you want to use all the cores on your multi-core computer, use the parallel version of the appropriate optimization engine, not this function.

Value

a list containing the optimal weights, some summary statistics, the function call, and optionally trace information

Author(s)

Kris Boudt, Peter Carl, Brian G. Peterson

optimize.portfolio.rebalancing

Portfolio Optimization with Rebalancing Periods

Description

Portfolio optimization with support for rebalancing periods for out-of-sample testing (i.e. backtesting)

Usage

```
optimize.portfolio.rebalancing_v1(R, constraints,
  optimize_method = c("DEoptim", "random", "ROI"), search_size = 20000,
  trace = FALSE, ..., rp = NULL, rebalance_on = NULL,
  training_period = NULL, rolling_window = NULL)
```

```
optimize.portfolio.rebalancing(R, portfolio = NULL, constraints = NULL,
  objectives = NULL, optimize_method = c("DEoptim", "random", "ROI"),
  search_size = 20000, trace = FALSE, ..., rp = NULL,
  rebalance_on = NULL, training_period = NULL, rolling_window = NULL)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
portfolio	an object of type "portfolio" specifying the constraints and objectives for the optimization
constraints	default NULL, a list of constraint objects
objectives	default NULL, a list of objective objects
optimize_method	one of "DEoptim", "random", "pso", "GenSA", or "ROI"
search_size	integer, how many portfolios to test, default 20,000
trace	TRUE/FALSE if TRUE will attempt to return additional information on the path or portfolios searched
...	any other passthru parameters to optimize.portfolio
rp	a set of random portfolios passed into the function to prevent recalculation
rebalance_on	character string of period to rebalance on. See endpoints for valid names.

`training_period` an integer of the number of periods to use as a training data in the front of the returns data

`rolling_window` an integer of the width (i.e. number of periods) of the rolling window, the default of NULL will run the optimization using the data from inception.

Details

Run portfolio optimization with periodic rebalancing at specified time periods. Running the portfolio optimization with periodic rebalancing can help refine the constraints and objectives by evaluating the out of sample performance of the portfolio based on historical data

This function is essentially a wrapper around `optimize.portfolio` and thus the discussion in the Details section of the [optimize.portfolio](#) help file is valid here as well.

This function is massively parallel and requires the 'foreach' package. It is suggested to register a parallel backend.

Value

a list containing the following elements

- `portfolio`: The portfolio object.
- `R`: The asset returns.
- `call`: The function call.
- `elapsed_time`: The amount of time that elapses while the optimization is run.
- `opt_rebalancing`: A list of `optimize.portfolio` objects computed at each rebalancing period.

Author(s)

Kris Boudt, Peter Carl, Brian G. Peterson

See Also

[portfolio.spec](#) [optimize.portfolio](#)

Examples

```
## Not run:
data(edhec)
R <- edhec[,1:4]
funds <- colnames(R)

portf <- portfolio.spec(funds)
portf <- add.constraint(portf, type="full_investment")
portf <- add.constraint(portf, type="long_only")
portf <- add.objective(portf, type="risk", name="StdDev")

# Quarterly rebalancing with 5 year training period
bt.opt1 <- optimize.portfolio.rebalancing(R, portf,
```

```

optimize_method="ROI",
rebalance_on="quarters",
training_period=60)

# Monthly rebalancing with 5 year training period and 4 year rolling window
bt.opt2 <- optimize.portfolio.rebalancing(R, portf,
optimize_method="ROI",
rebalance_on="months",
training_period=60,
rolling_window=48)

## End(Not run)

```

plot.optimize.portfolio.DEoptim

plot method for objects of class optimize.portfolio

Description

Scatter and weights chart for portfolio optimizations run with trace=TRUE

Usage

```

## S3 method for class 'optimize.portfolio.DEoptim'
plot(x, ..., return.col = "mean",
     risk.col = "ES", chart.assets = FALSE, neighbors = NULL,
     main = "optimized portfolio plot", xlim = NULL, ylim = NULL)

## S3 method for class 'optimize.portfolio.GenSA'
plot(x, ..., rp = FALSE,
     return.col = "mean", risk.col = "ES", chart.assets = FALSE,
     cex.axis = 0.8, element.color = "darkgray", neighbors = NULL,
     main = "GenSA.Portfolios", xlim = NULL, ylim = NULL)

## S3 method for class 'optimize.portfolio.pso'
plot(x, ..., return.col = "mean",
     risk.col = "ES", chart.assets = FALSE, cex.axis = 0.8,
     element.color = "darkgray", neighbors = NULL, main = "PSO.Portfolios",
     xlim = NULL, ylim = NULL)

## S3 method for class 'optimize.portfolio.ROI'
plot(x, ..., rp = FALSE, risk.col = "ES",
     return.col = "mean", chart.assets = FALSE, element.color = "darkgray",
     neighbors = NULL, main = "ROI.Portfolios", xlim = NULL, ylim = NULL)

## S3 method for class 'optimize.portfolio.random'
plot(x, ..., return.col = "mean",
     risk.col = "ES", chart.assets = FALSE, neighbors = NULL, xlim = NULL,

```

```

ylim = NULL, main = "optimized portfolio plot")

## S3 method for class 'optimize.portfolio'
plot(x, ..., return.col = "mean",
     risk.col = "ES", chart.assets = FALSE, neighbors = NULL, xlim = NULL,
     ylim = NULL, main = "optimized portfolio plot")

```

Arguments

<code>x</code>	set of portfolios created by optimize.portfolio
<code>...</code>	any other passthru parameters
<code>rp</code>	TRUE/FALSE to plot feasible portfolios generated by random_portfolios
<code>return.col</code>	string name of column to use for returns (vertical axis)
<code>risk.col</code>	string name of column to use for risk (horizontal axis)
<code>chart.assets</code>	TRUE/FALSE to include risk-return scatter of assets
<code>neighbors</code>	set of 'neighbor portfolios to overplot
<code>main</code>	an overall title for the plot: see title
<code>xlim</code>	set the limit on coordinates for the x-axis
<code>ylim</code>	set the limit on coordinates for the y-axis
<code>element.color</code>	provides the color for drawing less-important chart elements, such as the box lines, axis lines, etc.
<code>cex.axis</code>	the magnification to be used for axis annotation relative to the current setting of <code>cex</code> .

Details

`return.col` must be the name of a function used to compute the return metric on the random portfolio weights `risk.col` must be the name of a function used to compute the risk metric on the random portfolio weights

`neighbors` may be specified in three ways. The first is as a single number of neighbors. This will extract the neighbors closest portfolios in terms of the out numerical statistic. The second method consists of a numeric vector for neighbors. This will extract the neighbors with portfolio index numbers that correspond to the vector contents. The third method for specifying neighbors is to pass in a matrix. This matrix should look like the output of [extractStats](#), and should contain `risk.col`, `return.col`, and `weights` columns all properly named.

The ROI and GenSA solvers do not store the portfolio weights like DEoptim or random portfolios, random portfolios can be generated for the scatter plot with the `rp` argument.

portfolio.moments.bl *Portfolio Moments*

Description

Set portfolio moments for use by lower level optimization functions using a basic Black Litterman model.

Usage

```
portfolio.moments.bl(R, portfolio, momentargs = NULL, P, Mu = NULL,
  Sigma = NULL, ...)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
portfolio	an object of type portfolio specifying the constraints and objectives for the optimization, see portfolio.spec
momentargs	list containing arguments to be passed down to lower level functions, default NULL
P	a K x N pick matrix representing views
Mu	vector of length N of the prior expected values. The sample mean is used if Mu=NULL.
Sigma	an N x N matrix of the prior covariance matrix. The sample covariance is used if Sigma=NULL.
...	any other passthru parameters

Note

If any of the objectives in the portfolio object have clean as an argument, the cleaned returns are used to fit the model.

portfolio.moments.boudt

Portfolio Moments

Description

Set portfolio moments for use by lower level optimization functions using a statistical factor model based on the work of Kris Boudt.

Usage

```
portfolio.moments.boudt(R, portfolio, momentargs = NULL, k = 1, ...)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
portfolio	an object of type portfolio specifying the constraints and objectives for the optimization, see portfolio.spec
momentargs	list containing arguments to be passed down to lower level functions, default NULL
k	number of factors used for fitting statistical factor model
...	any other passthru parameters

Note

If any of the objectives in the portfolio object have clean as an argument, the cleaned returns are used to fit the model.

portfolio.spec	<i>constructor for class portfolio</i>
----------------	--

Description

The portfolio object is created with `portfolio.spec`. The portfolio object is an S3 object of class 'portfolio' used to hold the initial asset weights, constraints, objectives, and other information about the portfolio. The only required argument to `portfolio.spec` is `assets`.

Usage

```
portfolio.spec(assets = NULL, category_labels = NULL, weight_seq = NULL,
  message = FALSE)
```

Arguments

assets	number of assets, or optionally a named vector of assets specifying seed weights. If seed weights are not specified, an equal weight portfolio will be assumed.
category_labels	character vector to categorize assets by sector, industry, geography, market-cap, currency, etc. Default NULL
weight_seq	seed sequence of weights, see generatesequence Default NULL
message	TRUE/FALSE. The default is message=FALSE. Display messages if TRUE.

Details

The portfolio object contains the following elements:

- `assets` named vector of the seed weights
- `category_labels` character vector to categorize the assets by sector, geography, etc.
- `weight_seq` sequence of weights used by [random_portfolios](#). See [generatesequence](#)

- constraints a list of constraints added to the portfolio object with [add.constraint](#)
- objectives a list of objectives added to the portfolio object with [add.objective](#)
- call the call to `portfolio.spec` with all of the specified arguments

Value

an object of class `portfolio`

Author(s)

Ross Bennett, Brian G. Peterson

See Also

[add.constraint](#), [add.objective](#), [optimize.portfolio](#)

Examples

```
data(edhec)
pspec <- portfolio.spec(assets=colnames(edhec))
pspec <- portfolio.spec(assets=10, weight_seq=generateSequence())
```

`portfolio_risk_objective`

constructor for class `portfolio_risk_objective`

Description

if target is null, we'll try to minimize the risk metric

Usage

```
portfolio_risk_objective(name, target = NULL, arguments = NULL,
  multiplier = 1, enabled = TRUE, ...)
```

Arguments

<code>name</code>	name of the objective, should correspond to a function, though we will try to make allowances
<code>target</code>	univariate target for the objective
<code>arguments</code>	default arguments to be passed to an objective function when executed
<code>multiplier</code>	multiplier to apply to the objective, usually 1 or -1
<code>enabled</code>	TRUE/FALSE
<code>...</code>	any other passthru parameters

Value

object of class 'portfolio_risk_objective'

Author(s)

Brian G. Peterson

position_limit_constraint

constructor for position_limit_constraint

Description

This function is called by `add.constraint` when `type="position_limit"` is specified, [add.constraint](#). Allows the user to specify the maximum number of positions (i.e. number of assets with non-zero weights) as well as the maximum number of long and short positions.

Usage

```
position_limit_constraint(type = "position_limit", assets, max_pos = NULL,
  max_pos_long = NULL, max_pos_short = NULL, enabled = TRUE,
  message = FALSE, ...)
```

Arguments

<code>type</code>	character type of the constraint
<code>assets</code>	named vector of assets specifying initial weights
<code>max_pos</code>	maximum number of assets with non-zero weights
<code>max_pos_long</code>	maximum number of assets with long (i.e. buy) positions
<code>max_pos_short</code>	maximum number of assets with short (i.e. sell) positions
<code>enabled</code>	TRUE/FALSE
<code>message</code>	TRUE/FALSE. The default is <code>message=FALSE</code> . Display messages if TRUE.
<code>...</code>	any other passthru parameters to specify position limit constraints

Value

an object of class 'position_limit_constraint'

Author(s)

Ross Bennett

See Also

[add.constraint](#)

Examples

```
data(edhec)
ret <- edhec[, 1:4]

pspec <- portfolio.spec(assets=colnames(ret))

pspec <- add.constraint(portfolio=pspec, type="position_limit", max_pos=3)
pspec <- add.constraint(portfolio=pspec, type="position_limit", max_pos_long=3, max_pos_short=1)
```

pos_limit_fail	<i>function to check for violation of position limits constraints</i>
----------------	---

Description

This is used as a helper function for `rp_transform` to check for violation of position limit constraints. The position limit constraints checked are `max_pos`, `max_pos_long`, and `max_pos_short`.

Usage

```
pos_limit_fail(weights, max_pos, max_pos_long, max_pos_short)
```

Arguments

<code>weights</code>	vector of weights to test
<code>max_pos</code>	maximum number of assets with non-zero weights
<code>max_pos_long</code>	maximum number of assets with long (i.e. buy) positions
<code>max_pos_short</code>	maximum number of assets with short (i.e. sell) positions

Value

TRUE if any position_limit is violated. FALSE if all position limits are satisfied

print.constraint	<i>print method for constraint objects</i>
------------------	--

Description

print method for constraint objects

Usage

```
## S3 method for class 'constraint'
print(x, ...)
```

Arguments

x	object of class constraint
...	any other passthru parameters

Author(s)

Ross Bennett

`print.efficient.frontier`

Print an efficient frontier object

Description

Print method for efficient frontier objects. Display the call to create or extract the efficient frontier object and the portfolio from which the efficient frontier was created or extracted.

Usage

```
## S3 method for class 'efficient.frontier'  
print(x, ...)
```

Arguments

x	objective of class <code>efficient.frontier</code>
...	any other passthru parameters

Author(s)

Ross Bennett

See Also

[create.EfficientFrontier](#)

```
print.optimize.portfolio.rebalancing
```

Printing output of optimize.portfolio.rebalancing

Description

print method for optimize.portfolio.rebalancing objects

Usage

```
## S3 method for class 'optimize.portfolio.rebalancing'  
print(x, ..., digits = 4)
```

Arguments

x	an object used to select a method
...	any other passthru parameters
digits	the number of significant digits to use when printing.

Author(s)

Ross Bennett

See Also

[optimize.portfolio.rebalancing](#)

```
print.optimize.portfolio.ROI
```

Printing output of optimize.portfolio

Description

print method for optimize.portfolio objects

Usage

```
## S3 method for class 'optimize.portfolio.ROI'  
print(x, ..., digits = 4)  
  
## S3 method for class 'optimize.portfolio.random'  
print(x, ..., digits = 4)  
  
## S3 method for class 'optimize.portfolio.DEoptim'  
print(x, ..., digits = 4)
```

```
## S3 method for class 'optimize.portfolio.GenSA'  
print(x, ..., digits = 4)  
  
## S3 method for class 'optimize.portfolio.pso'  
print(x, ..., digits = 4)
```

Arguments

x	an object used to select a method
...	any other passthru parameters
digits	the number of significant digits to use when printing.

Author(s)

Ross Bennett

See Also

[optimize.portfolio](#)

print.portfolio	<i>Printing Portfolio Specification Objects</i>
-----------------	---

Description

Print method for objects of class portfolio created with [portfolio.spec](#)

Usage

```
## S3 method for class 'portfolio'  
print(x, ...)
```

Arguments

x	an object of class portfolio
...	any other passthru parameters

Author(s)

Ross Bennett

See Also

[portfolio.spec](#)

```
print.summary.optimize.portfolio
```

Printing summary output of optimize.portfolio

Description

print method for objects of class summary.optimize.portfolio

Usage

```
## S3 method for class 'summary.optimize.portfolio'
print(x, ...)
```

Arguments

x	an object of class summary.optimize.portfolio.
...	any other passthru parameters. Currently not used.

Author(s)

Ross Bennett

See Also

[summary.optimize.portfolio](#)

```
print.summary.optimize.portfolio.rebalancing
```

Printing summary output of optimize.portfolio.rebalancing

Description

print method for objects of class summary.optimize.portfolio.rebalancing

Usage

```
## S3 method for class 'summary.optimize.portfolio.rebalancing'
print(x, ..., digits = 4)
```

Arguments

x	an object of class summary.optimize.portfolio.rebalancing.
...	any other passthru parameters
digits	number of digits used for printing

Author(s)

Ross Bennett

See Also

[summary.optimize.portfolio.rebalancing](#)

quadratic_utility_objective
constructor for quadratic utility objective

Description

This function calls [return_objective](#) and [portfolio_risk_objective](#) to create a list of the objectives to be added to the portfolio.

Usage

```
quadratic_utility_objective(risk_aversion = 1, target = NULL,  
                           enabled = TRUE)
```

Arguments

risk_aversion	risk_aversion (i.e. lambda) parameter to penalize variance
target	target mean return value
enabled	TRUE/FALSE, default enabled=TRUE

Value

a list of two elements

- [return_objective](#)
- [portfolio_risk_objective](#)

Author(s)

Ross Bennett

randomize_portfolio_v1

Random portfolio sample method

Description

This function generates random permutations of a portfolio seed meeting leverage and box constraints. The final step is to run [fn_map](#) on the random portfolio weights to transform the weights so they satisfy other constraints such as group or position limit constraints. This is the 'sample' method for random portfolios and is based on an idea by Pat Burns.

Usage

```
randomize_portfolio_v1(rpconstraints, max_permutations = 200, rounding = 3)
```

Arguments

rpconstraints an object of type "constraints" specifying the constraints for the optimization, see [constraint](#)

max_permutations integer: maximum number of iterations to try for a valid portfolio, default 200

rounding integer how many decimals should we round to

Value

named weights vector

Author(s)

Peter Carl, Brian G. Peterson, (based on an idea by Pat Burns)

randomize_portfolio_v2

version 2 generate random permutations of a portfolio seed meeting your constraints on the weights of each asset

Description

version 2 generate random permutations of a portfolio seed meeting your constraints on the weights of each asset

Usage

```
randomize_portfolio_v2(portfolio, max_permutations = 200)
```

Arguments

`portfolio` an object of type "portfolio" specifying the constraints for the optimization, see [portfolio.spec](#)

`max_permutations` integer: maximum number of iterations to try for a valid portfolio, default 200

Value

named weighting vector

Author(s)

Peter Carl, Brian G. Peterson, (based on an idea by Pat Burns)

`random_portfolios_v1` *generate an arbitrary number of constrained random portfolios*

Description

repeatedly calls [randomize_portfolio](#) to generate an arbitrary number of constrained random portfolios.

Usage

```
random_portfolios_v1(rpconstraints, permutations = 100, ...)
```

Arguments

`rpconstraints` an object of type "constraints" specifying the constraints for the optimization, see [constraint](#)

`permutations` integer: number of unique constrained random portfolios to generate

`...` any other passthru parameters

Value

matrix of random portfolio weights

Author(s)

Peter Carl, Brian G. Peterson, (based on an idea by Pat Burns)

See Also

[constraint](#), [objective](#), [randomize_portfolio](#)

Examples

```
rpconstraint<-constraint(assets=10, min_mult=-Inf, max_mult=Inf, min_sum=.99,
max_sum=1.01, min=.01, max=.4, weight_seq=generateSequence())
rp<- random_portfolios_v1(rpconstraints=rpconstraint,permutations=1000)
head(rp)
```

random_portfolios_v2 *version 2 generate an arbitrary number of constrained random portfolios*

Description

Generate random portfolios using the 'sample', 'simplex', or 'grid' method. See details.

Usage

```
random_portfolios_v2(portfolio, permutations = 100, rp_method = "sample",
  eliminate = TRUE, ...)
```

Arguments

portfolio	an object of class 'portfolio' specifying the constraints for the optimization, see portfolio.spec
permutations	integer: number of unique constrained random portfolios to generate
...	any other passthru parameters
rp_method	method to generate random portfolios. Currently "sample", "simplex", or "grid". See Details.
eliminate	TRUE/FALSE, eliminate portfolios that do not satisfy constraints

Details

Random portfolios can be generate using one of three methods.

- sample: The 'sample' method to generate random portfolios is based on an idea pioneered by Pat Burns. This is the most flexible method, but also the slowest, and can generate portfolios to satisfy leverage, box, group, position limit, and leverage exposure constraints.
- simplex: The 'simplex' method to generate random portfolios is based on a paper by W. T. Shaw. The simplex method is useful to generate random portfolios with the full investment constraint, where the sum of the weights is equal to 1, and min box constraints. Values for min_sum and max_sum of the leverage constraint will be ignored, the sum of weights will equal 1. All other constraints such as group and position limit constraints will be handled by elimination. If the constraints are very restrictive, this may result in very few feasible portfolios remaining.

- `grid`: The 'grid' method to generate random portfolios is based on the `gridSearch` function in package 'NMOF'. The grid search method only satisfies the min and max box constraints. The `min_sum` and `max_sum` leverage constraints will likely be violated and the weights in the random portfolios should be normalized. Normalization may cause the box constraints to be violated and will be penalized in `constrained_objective`.

The constraint types checked are leverage, box, group, position limit, and leverage exposure. Any portfolio that does not satisfy all these constraints will be eliminated. This function is particularly sensitive to `min_sum` and `max_sum` leverage constraints. For the sample method, there should be some "wiggle room" between `min_sum` and `max_sum` in order to generate a sufficient number of feasible portfolios. For example, `min_sum=0.99` and `max_sum=1.01` is recommended instead of `min_sum=1` and `max_sum=1`. If `min_sum=1` and `max_sum=1`, the number of feasible portfolios may be 1/3 or less depending on the other constraints.

Value

matrix of random portfolio weights

Author(s)

Peter Carl, Brian G. Peterson, Ross Bennett

See Also

[portfolio.spec](#), [objective](#), [rp_sample](#), [rp_simplex](#), [rp_grid](#)

`random_walk_portfolios`

deprecated random portfolios wrapper until we write a random trades function

Description

deprecated random portfolios wrapper until we write a random trades function

Usage

```
random_walk_portfolios(...)
```

Arguments

... any other passthru parameters

Author(s)

bpeterson

regime.portfolios	<i>Regime Portfolios</i>
-------------------	--------------------------

Description

Construct a regime.portfolios object that contains a time series of regimes and portfolios corresponding to the regimes.

Usage

```
regime.portfolios(regime, portfolios)
```

Arguments

regime	xts or zoo object specifying the regime
portfolios	list of portfolios created by combine.portfolios with corresponding regimes

Details

Create a regime.portfolios object to support regime switching optimization. This object is then passed in as the portfolio argument in optimize.portfolio. The regime is detected and the corresponding portfolio is selected. For example, if the current regime is 1, then portfolio 1 will be selected and used in the optimization.

Value

a regime.portfolios object with the following elements

- regime: An xts object of the regime
- portfolio: List of portfolios corresponding to the regime

Author(s)

Ross Bennett

return_constraint	<i>constructor for return_constraint</i>
-------------------	--

Description

The return constraint specifies a target mean return value. This function is called by add.constraint when type="return" is specified, [add.constraint](#)

Usage

```
return_constraint(type = "return", return_target, enabled = TRUE,
  message = FALSE, ...)
```

Arguments

type	character type of the constraint
return_target	return target value
enabled	TRUE/FALSE
message	TRUE/FALSE. The default is message=FALSE. Display messages if TRUE.
...	any other passthru parameters

Value

an object of class 'return_constraint'

Author(s)

Ross Bennett

See Also

[add.constraint](#)

Examples

```
data(edhec)
ret <- edhec[, 1:4]

pspec <- portfolio.spec(assets=colnames(ret))

pspec <- add.constraint(portfolio=pspec, type="return", return_target=mean(colMeans(ret)))
```

return_objective	<i>constructor for class return_objective</i>
------------------	---

Description

if target is null, we'll try to maximize the return metric

Usage

```
return_objective(name, target = NULL, arguments = NULL, multiplier = -1,
  enabled = TRUE, ...)
```

Arguments

name	name of the objective, should correspond to a function, though we will try to make allowances
target	univariate target for the objective
arguments	default arguments to be passed to an objective function when executed
multiplier	multiplier to apply to the objective, usually 1 or -1
enabled	TRUE/FALSE
...	any other passthru parameters

Details

if target is set, we'll try to meet or exceed the metric, penalizing a shortfall

Value

object of class 'return_objective'

Author(s)

Brian G. Peterson

`risk_budget_objective` *constructor for class risk_budget_objective*

Description

constructor for class risk_budget_objective

Usage

```
risk_budget_objective(assets, name, target = NULL, arguments = NULL,
  multiplier = 1, enabled = TRUE, ..., min_prisk, max_prisk,
  min_concentration = FALSE, min_difference = FALSE)
```

Arguments

assets	vector of assets to use, should come from constraints object
name	name of the objective, should correspond to a function, though we will try to make allowances
target	univariate target for the objective
arguments	default arguments to be passed to an objective function when executed
multiplier	multiplier to apply to the objective, usually 1 or -1
enabled	TRUE/FALSE
...	any other passthru parameters

min_prisk	minimum percentage contribution to risk
max_prisk	maximum percentage contribution to risk
min_concentration	TRUE/FALSE whether to minimize concentration, default FALSE, always TRUE if min_prisk and max_prisk are NULL
min_difference	TRUE/FALSE whether to minimize difference between concentration, default FALSE

Value

object of class 'risk_budget_objective'

Author(s)

Brian G. Peterson

rp_grid

Generate random portfolios based on grid search method

Description

This function generates random portfolios based on the gridSearch function from the 'NMOF' package.

Usage

```
rp_grid(portfolio, permutations = 2000, normalize = TRUE)
```

Arguments

portfolio	an object of class 'portfolio' specifying the constraints for the optimization, see portfolio.spec
permutations	integer: number of unique constrained random portfolios to generate
normalize	TRUE/FALSE to normalize the weights to satisfy min_sum or max_sum

Details

The number of levels is calculated based on permutations and number of assets. The number of levels must be an integer and may not result in the exact number of permutations. We round up to the nearest integer for the levels so the number of portfolios generated will be greater than or equal to permutations.

The grid search method only satisfies the min and max box constraints. The min_sum and max_sum leverage constraints will likely be violated and the weights in the random portfolios should be normalized. Normalization may cause the box constraints to be violated and will be penalized in constrained_objective.

Value

matrix of random portfolio weights

rp_sample	<i>Generate random portfolios using the sample method</i>
-----------	---

Description

This function generates random portfolios based on an idea by Pat Burns.

Usage

```
rp_sample(portfolio, permutations, max_permutations = 200)
```

Arguments

portfolio	an object of type "portfolio" specifying the constraints for the optimization, see portfolio.spec
permutations	integer: number of unique constrained random portfolios to generate
max_permutations	integer: maximum number of iterations to try for a valid portfolio, default 200

Details

The 'sample' method to generate random portfolios is based on an idea pioneered by Pat Burns. This is the most flexible method, but also the slowest, and can generate portfolios to satisfy leverage, box, group, and position limit constraints.

Value

a matrix of random portfolio weights

rp_simplex	<i>Generate random portfolios using the simplex method</i>
------------	--

Description

This function generates random portfolios based on the method outlined in the Shaw paper. Need to add reference.

Usage

```
rp_simplex(portfolio, permutations, fev = 0:5)
```

Arguments

portfolio	an object of class 'portfolio' specifying the constraints for the optimization, see portfolio.spec
permutations	integer: number of unique constrained random portfolios to generate
fev	scalar or vector for FEV biasing

Details

The simplex method is useful to generate random portfolios with the full investment constraint where the sum of the weights is equal to 1 and min box constraints with no upper bound on max constraints. Values for min_sum and max_sum will be ignored, the sum of weights will equal 1. All other constraints such as group and position limit constraints will be handled by elimination. If the constraints are very restrictive, this may result in very few feasible portfolios remaining.

The random portfolios are created by first generating a set of uniform random numbers.

$$U \sim [0, 1]$$

The portfolio weights are then transformed to satisfy the min of the box constraints.

$$w_i = \min_i + (1 - \sum_{j=1}^N \min_j) \frac{\log(U_i^q)}{\sum_{k=1}^N \log(U_k^q)}$$

fev controls the Face-Edge-Vertex (FEV) biasing where

$$q = 2^{fev}$$

As q approaches infinity, the set of weights will be concentrated in a single asset. To sample the interior and exterior, fev can be passed in as a vector. The number of portfolios, permutations, and the length of fev affect how the random portfolios are generated. For example, if permutations=10000 and fev=0:4, 2000 portfolios will be generated for each value of fev.

Value

a matrix of random portfolio weights

rp_transform	<i>Transform a weights vector to satisfy constraints</i>
--------------	--

Description

This function uses a block of code from [randomize_portfolio](#) to transform the weight vector if either the weight_sum (leverage) constraints, box constraints, group constraints, position_limit constraints, or leverage exposure constraints are violated. The logic from randomize_portfolio is heavily utilized here with extensions to handle more complex constraints. The resulting weights vector might be quite different from the original weights vector.

Usage

```
rp_transform(w, min_sum, max_sum, min_box, max_box, groups = NULL,
             cLO = NULL, cUP = NULL, max_pos = NULL, group_pos = NULL,
             max_pos_long = NULL, max_pos_short = NULL, leverage = NULL,
             weight_seq = NULL, max_permutations = 200)
```

Arguments

w	weights vector to be transformed
min_sum	minimum sum of all asset weights, default 0.99
max_sum	maximum sum of all asset weights, default 1.01
min_box	numeric or named vector specifying minimum weight box constraints
max_box	numeric or named vector specifying maximum weight box constraints
groups	vector specifying the groups of the assets
cLO	numeric or vector specifying minimum weight group constraints
cUP	numeric or vector specifying minimum weight group constraints
max_pos	maximum assets with non-zero weights
group_pos	vector specifying maximum number assets with non-zero weights per group
max_pos_long	maximum number of assets with long (i.e. buy) positions
max_pos_short	maximum number of assets with short (i.e. sell) positions
leverage	maximum leverage exposure where leverage is defined as $\text{sum}(\text{abs}(\text{weights}))$
max_permutations	integer: maximum number of iterations to try for a valid portfolio, default 200
weight_seq	vector of seed sequence of weights

Value

named weighting vector

Author(s)

Peter Carl, Brian G. Peterson, Ross Bennett (based on an idea by Pat Burns)

scatterFUN

Apply a risk or return function to asset returns

Description

This function is used to calculate risk or return metrics given a matrix of asset returns and will be used for a risk-reward scatter plot of the assets

Usage

```
scatterFUN(R, FUN, arguments = NULL)
```

Arguments

R	xts object of asset returns
FUN	name of function
arguments	named list of arguments to FUN

Author(s)

Ross Bennett

```
set.portfolio.moments_v1
```

set portfolio moments for use by lower level optimization functions

Description

set portfolio moments for use by lower level optimization functions

Usage

```
set.portfolio.moments_v1(R, constraints, momentargs = NULL, ...)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
constraints	an object of type "constraints" specifying the constraints for the optimization, see constraint
momentargs	list containing arguments to be passed down to lower level functions, default NULL
...	any other passthru parameters

set.portfolio.moments_v2

Portfolio Moments

Description

Set portfolio moments for use by lower level optimization functions. Currently three methods for setting the moments are available

Usage

```
set.portfolio.moments_v2(R, portfolio, momentargs = NULL,
  method = c("sample", "boudt", "black_litterman", "meucci"), ...)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
portfolio	an object of type "portfolio" specifying the constraints and objectives for the optimization, see portfolio.spec
momentargs	list containing arguments to be passed down to lower level functions, default NULL
method	the method used to estimate portfolio moments. Valid choices include "sample", "boudt", and "black_litterman".
...	any other passthru parameters

Details

- sample: sample estimates are used for the moments
- boudt: estimate the second, third, and fourth moments using a statistical factor model based on the work of Kris Boudt. See [statistical.factor.model](#)
- black_litterman: estimate the first and second moments using the Black Litterman Formula. See [black.litterman](#).

statistical.factor.model

Statistical Factor Model

Description

Fit a statistical factor model using Principal Component Analysis (PCA)

Usage

```
statistical.factor.model(R, k = 1, ...)
```

Arguments

R	xts of asset returns
k	number of factors to use
...	additional arguments passed to prcomp

Details

The statistical factor model is fitted using prcomp. The factor loadings, factor realizations, and residuals are computed and returned given the number of factors used for the model.

Value

#'

- factor_loadings N x k matrix of factor loadings (i.e. betas)
- factor_realizations m x k matrix of factor realizations
- residuals m x N matrix of model residuals representing idiosyncratic risk factors

Where N is the number of assets, k is the number of factors, and m is the number of observations.

```
summary.efficient.frontier
```

Summarize an efficient frontier object

Description

Summary method for efficient frontier objects. Display the call to create or extract the efficient frontier object as well as the weights and risk and return metrics along the efficient frontier.

Usage

```
## S3 method for class 'efficient.frontier'
summary(object, ..., digits = 3)
```

Arguments

object	object of class efficient.frontier
...	passthrough parameters
digits	number of digits to round to

Author(s)

Ross Bennett

`summary.optimize.portfolio`*Summarizing output of optimize.portfolio*

Description

summary method for class optimize.portfolio

Usage

```
## S3 method for class 'optimize.portfolio'  
summary(object, ...)
```

Arguments

object	an object of class optimize.portfolio.
...	any other passthru parameters. Currently not used.

Author(s)

Ross Bennett

See Also

[optimize.portfolio](#)

`summary.optimize.portfolio.rebalancing`*summary method for optimize.portfolio.rebalancing*

Description

summary method for optimize.portfolio.rebalancing

Usage

```
## S3 method for class 'optimize.portfolio.rebalancing'  
summary(object, ...)
```

Arguments

object	object of type optimize.portfolio.rebalancing
...	any other passthru parameters

summary.portfolio	<i>Summarize Portfolio Specification Objects</i>
-------------------	--

Description

summary method for class portfolio created with [portfolio.spec](#)

Usage

```
## S3 method for class 'portfolio'
summary(object, ...)
```

Arguments

object	an object of class portfolio
...	any other passthru parameters

Author(s)

Ross Bennett

See Also

[portfolio.spec](#)

trailingFUN	<i>apply a function over a configurable trailing period</i>
-------------	---

Description

this function is primarily designed for use with portfolio functions passing 'x' or 'R' and weights, but may be usable for other things as well, see Example for a vector example.

Usage

```
trailingFUN(R, weights, n = 0, FUN, FUNargs = NULL, ...)
```

Arguments

R	an xts, vector, matrix, data frame, timeSeries or zoo object of asset returns
weights	a vector of weights to test
...	any other passthru parameters
n	numeric number of trailing periods
FUN	string describing the function to be called
FUNargs	list describing any additional arguments

Details

called with e.g.

```
trailingFUN(seq(1:100), weights=NULL, n=12, FUN='mean', FUNargs=list())
```

transaction_cost_constraint

constructor for transaction_cost_constraint

Description

The transaction cost constraint specifies a proportional cost value. This function is called by `add.constraint` when `type="transaction_cost"` is specified, see [add.constraint](#).

Usage

```
transaction_cost_constraint(type = "transaction_cost", assets, ptc,  
  enabled = TRUE, message = FALSE, ...)
```

Arguments

<code>type</code>	character type of the constraint
<code>assets</code>	number of assets, or optionally a named vector of assets specifying initial weights
<code>ptc</code>	proportional transaction cost value
<code>enabled</code>	TRUE/FALSE
<code>message</code>	TRUE/FALSE. The default is <code>message=FALSE</code> . Display messages if TRUE.
<code>...</code>	any other passthru parameters to specify box and/or group constraints

Details

Note that with the ROI solvers, proportional transaction cost constraint is currently only supported for the global minimum variance and quadratic utility problems with ROI quadprog plugin.

Value

an object of class 'transaction_cost_constraint'

Author(s)

Ross Bennett

See Also

[add.constraint](#)

Examples

```
data(edhec)
ret <- edhec[, 1:4]

pspec <- portfolio.spec(assets=colnames(ret))

pspec <- add.constraint(portfolio=pspec, type="transaction_cost", ptc=0.01)
```

turnover	<i>Calculates turnover given two vectors of weights. This is used as an objective function and is called when the user adds an objective of type turnover with add.objective</i>
----------	--

Description

Calculates turnover given two vectors of weights. This is used as an objective function and is called when the user adds an objective of type turnover with [add.objective](#)

Usage

```
turnover(weights, wts.init = NULL)
```

Arguments

weights	vector of weights from optimization
wts.init	vector of initial weights used to calculate turnover from

Author(s)

Ross Bennett

turnover_constraint	<i>constructor for turnover_constraint</i>
---------------------	--

Description

The turnover constraint specifies a target turnover value. This function is called by `add.constraint` when `type="turnover"` is specified, see [add.constraint](#). Turnover is calculated from a set of initial weights. Turnover is computed as $\text{sum}(\text{abs}(\text{initial_weights} - \text{weights})) / N$ where N is the number of assets.

Usage

```
turnover_constraint(type = "turnover", turnover_target, enabled = TRUE,
  message = FALSE, ...)
```

Arguments

type	character type of the constraint
turnover_target	target turnover value
enabled	TRUE/FALSE
message	TRUE/FALSE. The default is message=FALSE. Display messages if TRUE.
...	any other passthru parameters to specify box and/or group constraints

Details

Note that with the ROI solvers, turnover constraint is currently only supported for the global minimum variance and quadratic utility problems with ROI quadprog plugin.

Value

an object of class 'turnover_constraint'

Author(s)

Ross Bennett

See Also

[add.constraint](#)

Examples

```
data(edhec)
ret <- edhec[, 1:4]

pspec <- portfolio.spec(assets=colnames(ret))

pspec <- add.constraint(portfolio=pspec, type="turnover", turnover_target=0.6)
```

turnover_objective	<i>constructor for class turnover_objective</i>
--------------------	---

Description

if target is null, we'll try to minimize the turnover metric

Usage

```
turnover_objective(name, target = NULL, arguments = NULL, multiplier = 1,
  enabled = TRUE, ...)
```

Arguments

name	name of the objective, should correspond to a function, though we will try to make allowances
target	univariate target for the objective
arguments	default arguments to be passed to an objective function when executed
multiplier	multiplier to apply to the objective, usually 1 or -1
enabled	TRUE/FALSE
...	any other passthru parameters

Details

if target is set, we'll try to meet the metric

Value

an objective of class 'turnover_objective'

Author(s)

Ross Bennett

update.constraint	<i>function for updating constraints, not well tested, may be broken</i>
-------------------	--

Description

can we use the generic update.default function?

Usage

```
## S3 method for class 'constraint'
update(object, ...)
```

Arguments

object	object of type <code>constraint</code> to update
...	any other passthru parameters, used to call <code>constraint</code>

Author(s)

bpeterson

update_constraint_v1tov2

Helper function to update v1_constraint objects to v2 specification in the portfolio object

Description

The function takes the constraints and objectives specified in the v1_constraint object and updates the portfolio object with those constraints and objectives. This function is used inside optimize.portfolio to maintain backwards compatibility if the user passes in a v1_constraint object for the constraint arg in optimize.portfolio.

Usage

```
update_constraint_v1tov2(portfolio, v1_constraint)
```

Arguments

portfolio portfolio object passed into optimize.portfolio
v1_constraint object of type v1_constraint passed into optimize.portfolio

Value

portfolio object containing constraints and objectives from v1_constraint

Author(s)

Ross Bennett

See Also

[portfolio.spec, add.constraint](#)

var.portfolio

Calculate portfolio variance

Description

This function is used to calculate the portfolio variance via a call to constrained_objective when var is an object for mean variance or quadratic utility optimization.

Usage

```
var.portfolio(R, weights)
```

Arguments

R	xts object of asset returns
weights	vector of asset weights

Value

numeric value of the portfolio variance

Author(s)

Ross Bennett

weight_concentration_objective

Constructor for weight concentration objective

Description

This function penalizes weight concentration using the Herfindahl-Hirschman Index as a measure of concentration.

Usage

```
weight_concentration_objective(name, conc_aversion, conc_groups = NULL,
  arguments = NULL, enabled = TRUE, ...)
```

Arguments

name	name of concentration measure, currently only "HHI" is supported.
conc_aversion	concentration aversion value(s)
conc_groups	list of vectors specifying the groups of the assets. Similar to groups in group_constraint
arguments	default arguments to be passed to an objective function when executed
enabled	TRUE/FALSE
...	any other passthru parameters

Details

The conc_aversion argument can be a scalar or vector of concentration aversion values. If conc_aversion is a scalar and conc_groups is NULL, then the concentration aversion value will be applied to the overall weights.

If conc_groups is specified as an argument, then the concentration aversion value(s) will be applied to each group.

Value

an object of class 'weight_concentration_objective'

Author(s)

Ross Bennett

weight_sum_constraint *constructor for weight_sum_constraint*

Description

The constraint specifies the upper and lower bound on the sum of the weights. This function is called by `add.constraint` when "weight_sum", "leverage", "full_investment", "dollar_neutral", or "active" is specified as the type. see [add.constraint](#)

Usage

```
weight_sum_constraint(type = "weight_sum", min_sum = 0.99, max_sum = 1.01,
  enabled = TRUE, ...)
```

Arguments

type	character type of the constraint
min_sum	minimum sum of all asset weights, default 0.99
max_sum	maximum sum of all asset weights, default 1.01
enabled	TRUE/FALSE
...	any other passthru parameters to specify weight_sum constraints

Details

Special cases for the weight_sum constraint are "full_investment" and "dollar_nuetral" or "active"

If type="full_investment", min_sum=1 and max_sum=1

If type="dollar_neutral" or type="active", min_sum=0, and max_sum=0

Value

an object of class 'weight_sum_constraint'

Author(s)

Ross Bennett

See Also

[add.constraint](#)

Examples

```
data(edhec)
ret <- edhec[, 1:4]

pspec <- portfolio.spec(assets=colnames(ret))

# min_sum and max_sum can be specified with type="weight_sum" or type="leverage"
pspec <- add.constraint(pspec, type="weight_sum", min_sum=1, max_sum=1)

# Specify type="full_investment" to set min_sum=1 and max_sum=1
pspec <- add.constraint(pspec, type="full_investment")

# Specify type="dollar_neutral" or type="active" to set min_sum=0 and max_sum=0
pspec <- add.constraint(pspec, type="dollar_neutral")
pspec <- add.constraint(pspec, type="active")
```


Index

*Topic **datasets**

indexes, [66](#)

ac.ranking, [10](#)

add.constraint, [6](#), [11](#), [20](#), [42](#), [43](#), [47](#), [48](#), [57](#),
[58](#), [64](#), [71](#), [89](#), [90](#), [101](#), [102](#),
[113–115](#), [117](#), [119](#)

add.objective, [6](#), [13](#), [77](#), [78](#), [80](#), [89](#), [114](#)

add.objective_v1 (add.objective), [13](#)

add.objective_v2 (add.objective), [13](#)

add.sub.portfolio, [15](#)

applyFUN, [16](#)

barplotGroupWeights, [17](#)

black.litterman, [18](#), [109](#)

BlackLittermanFormula, [18](#), [19](#)

box_constraint, [11](#), [12](#), [20](#)

CCCGarch.MM, [21](#)

center, [21](#)

centroid.buckets, [10](#), [22](#)

centroid.complete.mc, [10](#), [23](#)

centroid.sectors, [10](#), [23](#)

centroid.sign, [10](#), [24](#)

chart.Concentration, [25](#)

chart.EF.Weights, [8](#), [26](#)

chart.EfficientFrontier, [8](#), [27](#)

chart.EfficientFrontierOverlay, [29](#)

chart.GroupWeights, [30](#)

chart.RiskBudget, [8](#), [31](#)

chart.RiskReward, [7](#), [8](#), [33](#)

chart.StackedBar, [31](#), [32](#), [35](#), [36](#)

chart.Weights, [7](#), [8](#), [35](#)

check_constraints, [37](#)

cokurtosisMF, [37](#)

cokurtosisSF, [38](#)

combine.optimizations, [8](#), [39](#)

combine.portfolios, [29](#), [39](#)

constrained_objective, [40](#), [50](#), [68](#)

constrained_objective_v1

(constrained_objective), [40](#)

constrained_objective_v2

(constrained_objective), [40](#)

constraint, [14](#), [41](#), [41](#), [60](#), [81](#), [97](#), [98](#), [108](#),
[116](#)

constraint_ROI, [42](#)

constraint_v2, [43](#)

coskewnessMF, [43](#)

coskewnessSF, [44](#)

covarianceMF, [44](#)

covarianceSF, [45](#)

create.EfficientFrontier, [8](#), [29](#), [46](#), [92](#)

DEoptim.control, [41](#)

diversification, [47](#)

diversification_constraint, [11](#), [12](#), [47](#)

endpoints, [16](#), [83](#)

EntropyProg, [48](#)

equal.weight, [50](#)

ES, [8](#)

etl_milp_opt, [51](#)

etl_opt, [51](#)

extractCokurtosis, [52](#)

extractCoskewness, [53](#)

extractCovariance, [53](#)

extractEfficientFrontier, [54](#)

extractGroups, [55](#)

extractObjectiveMeasures, [55](#)

extractStats, [32](#), [34](#), [56](#), [86](#)

extractWeights, [57](#)

factor_exposure_constraint, [11](#), [12](#), [57](#)

fn_map, [59](#), [97](#)

generatesequences, [42](#), [60](#), [88](#)

get_constraints, [60](#)

gmv_opt, [61](#)

gmv_opt_leverage, [62](#)

- gmw_opt_ptc, 62
- gmw_opt_toc, 63
- group_constraint, 11, 12, 64, 118
- group_fail, 65
- HHI, 66
- indexes, 66
- insert_constraints, 67
- insert_objectives, 67
- inverse.volatility.weight, 68
- is.constraint, 69
- is.objective, 69
- is.portfolio, 70
- leverage_exposure_constraint, 11, 12, 70
- maxret_milp_opt, 71
- maxret_opt, 72
- meanetl.efficient.frontier, 46, 47, 72
- meanvar.efficient.frontier, 46, 47, 73
- meucci.moments, 74, 75
- meucci.ranking, 74
- minmax_objective, 75
- mult.portfolio.spec, 16, 76
- name.replace, 77
- objective, 14, 41, 60, 77, 98, 100
- optimize.portfolio, 7, 8, 16, 25, 27, 28, 31, 32, 34–36, 39, 41, 46, 47, 54, 56, 57, 73, 78, 83, 84, 86, 89, 94, 111
- optimize.portfolio.parallel, 82
- optimize.portfolio.rebalancing, 7, 8, 16, 31, 32, 35, 36, 57, 83, 93
- optimize.portfolio.rebalancing_v1
 - (optimize.portfolio.rebalancing), 83
- optimize.portfolio_v1
 - (optimize.portfolio), 78
- optimize.portfolio_v2
 - (optimize.portfolio), 78
- plot, 17, 25–32, 34
- plot.optimize.portfolio
 - (plot.optimize.portfolio.DEoptim), 85
- plot.optimize.portfolio.DEoptim, 85
- portfolio, 13, 40
- portfolio(portfolio.spec), 88
- portfolio.moments.bl, 87
- portfolio.moments.boudt, 87
- portfolio.spec, 6, 11–14, 16, 29, 39, 46, 47, 61, 73, 78, 82, 84, 87, 88, 88, 94, 98–100, 104–106, 109, 112, 117
- portfolio_risk_objective, 89, 96
- PortfolioAnalytics
 - (PortfolioAnalytics-package), 4
- PortfolioAnalytics-package, 4
- pos_limit_fail, 91
- position_limit_constraint, 11, 12, 90
- print.constraint, 91
- print.efficient.frontier, 92
- print.optimize.portfolio.DEoptim
 - (print.optimize.portfolio.ROI), 93
- print.optimize.portfolio.GenSA
 - (print.optimize.portfolio.ROI), 93
- print.optimize.portfolio.pso
 - (print.optimize.portfolio.ROI), 93
- print.optimize.portfolio.random
 - (print.optimize.portfolio.ROI), 93
- print.optimize.portfolio.rebalancing, 93
- print.optimize.portfolio.ROI, 93
- print.portfolio, 94
- print.summary.optimize.portfolio, 95
- print.summary.optimize.portfolio.rebalancing, 95
- quadratic_utility_objective, 96
- random_portfolios, 86, 88
- random_portfolios
 - (random_portfolios_v2), 99
- random_portfolios_v1, 98
- random_portfolios_v2, 99
- random_walk_portfolios, 100
- randomize_portfolio, 98, 106
- randomize_portfolio
 - (randomize_portfolio_v2), 97
- randomize_portfolio_v1, 97
- randomize_portfolio_v2, 97
- regime.portfolios, 101
- return_constraint, 11, 12, 101
- return_objective, 96, 102

risk_budget_objective, 103
rp_grid, 100, 104
rp_sample, 100, 105
rp_simplex, 100, 105
rp_transform, 65, 91, 106

scatterFUN, 107
set.portfolio.moments
 (set.portfolio.moments_v2), 109
set.portfolio.moments_v1, 108
set.portfolio.moments_v2, 79, 82, 109
statistical.factor.model, 52–54, 109,
 109
StdDev, 8
summary.efficient.frontier, 110
summary.optimize.portfolio, 95, 111
summary.optimize.portfolio.rebalancing,
 96, 111
summary.portfolio, 112

title, 17, 30, 36, 86
trailingFUN, 112
transaction_cost_constraint, 113
turnover, 114
turnover_constraint, 11, 12, 114
turnover_objective, 115

update.constraint, 116
update_constraint_v1tov2, 117

VaR, 8
var.portfolio, 117

weight_concentration_objective, 118
weight_sum_constraint, 11, 12, 119

xts, 8