

Package ‘castor’

August 27, 2020

Type Package

Title Efficient Phylogenetics on Large Trees

Version 1.6.3

Date 2020-08-24

Author Stilianos Louca

Maintainer Stilianos Louca <louca@zoology.ubc.ca>

Description Efficient phylogenetic analyses on massive phylogenies comprising up to millions of tips. Functions include pruning, rerooting, calculation of most-recent common ancestors, calculating distances from the tree root and calculating pairwise distances. Calculation of phylogenetic signal and mean trait depth (trait conservatism), ancestral state reconstruction and hidden character prediction of discrete characters, simulating and fitting models of trait evolution, fitting and simulating diversification models, dating trees, comparing trees, and reading/writing trees in Newick format. Citation: Louca, Stilianos and Doebeli, Michael (2017) <doi:10.1093/bioinformatics/btx701>.

License GPL (>= 2)

Depends Rcpp (>= 0.12.10)

Imports parallel, naturalSort, stats, nloptr

SystemRequirements C++11

LinkingTo Rcpp

RoxygenNote 7.1.0

NeedsCompilation yes

Repository CRAN

Date/Publication 2020-08-27 13:50:10 UTC

R topics documented:

castor-package	4
asr_empirical_probabilities	5
asr_independent_contrasts	6
asr_max_parsimony	9
asr_mk_model	12

asr_squared_change_parsimony	16
asr_subtree_averaging	18
collapse_monofurcations	20
collapse_tree_at_resolution	21
congruent_divergence_times	23
count_lineages_through_time	25
count_tips_per_node	27
date_tree_red	28
evaluate_spline	30
exponentiate_matrix	31
extend_tree_to_height	33
extract_fasttree_constraints	34
find_farthest_tips	35
find_nearest_tips	37
find_root	40
find_root_of_monophyletic_tips	41
fit_and_compare_bm_models	42
fit_and_compare_sbm_const	45
fit_bm_model	50
fit_hbds_model_on_grid	53
fit_hbds_model_parametric	64
fit_hbd_model_on_grid	72
fit_hbd_model_parametric	78
fit_hbd_pdr_on_grid	84
fit_hbd_pdr_parametric	91
fit_hbd_psr_on_grid	97
fit_mk	102
fit_musse	106
fit_sbm_const	118
fit_sbm_linear	123
fit_sbm_parametric	128
fit_tree_model	135
gamma_statistic	140
generate_gene_tree_msc	141
generate_gene_tree_msc_hgt_dl	144
generate_random_tree	150
generate_tree_hbds	154
generate_tree_hbd_reverse	159
generate_tree_with_evolving_rates	164
geographic_acf	169
get_all_distances_to_root	171
get_all_node_depths	172
get_all_pairwise_distances	173
get_clade_list	175
get_independent_contrasts	177
get_mrca_of_set	179
get_pairwise_distances	181
get_pairwise_mrcas	182

get_random_diffusivity_matrix	184
get_random_mk_transition_matrix	185
get_reds	186
get_stationary_distribution	187
get_subtrees_at_nodes	188
get_subtree_at_node	190
get_subtree_with_tips	191
get_tips_for_mrcas	193
get_trait_acf	194
get_trait_depth	197
get_trait_stats_over_time	199
get_transition_index_matrix	201
get_tree_span	202
get_tree_traversal_root_to_tips	203
hsp_binomial	205
hsp_empirical_probabilities	208
hsp_independent_contrasts	210
hsp_max_parsimony	213
hsp_mk_model	215
hsp_nearest_neighbor	220
hsp_squared_change_parsimony	222
hsp_subtree_averaging	224
is_monophyletic	226
loglikelihood_hbd	227
map_to_state_space	231
merge_short_edges	232
multifurcations_to_bifurcations	234
pick_random_tips	236
read_tree	237
reconstruct_past_diversification	239
reorder_tree_edges	245
root_at_midpoint	246
root_at_node	248
root_in_edge	249
root_via_outgroup	250
simulate_bm_model	252
simulate_deterministic_hbd	254
simulate_deterministic_hbds	258
simulate_diversification_model	263
simulate_dsse	266
simulate_mk_model	273
simulate_ou_model	275
simulate_rou_model	277
simulate_sbm	279
simulate_tdsse	281
split_tree_at_height	288
tree_distance	290
tree_from_branching_ages	292

tree_from_sampling_branching_ages	293
tree_imbalance	294
trim_tree_at_height	295
write_tree	297

Index	299
--------------	------------

castor-package	<i>Efficient computations on large phylogenetic trees.</i>
----------------	--

Description

This package provides efficient tree manipulation functions including pruning, rerooting, calculation of most-recent common ancestors, calculating distances from the tree root and calculating pair-wise distance matrices. Calculation of phylogenetic signal and mean trait depth (trait conservatism). Efficient ancestral state reconstruction and hidden character prediction of discrete characters on phylogenetic trees, using Maximum Likelihood and Maximum Parsimony methods. Simulating models of trait evolution, and generating random trees.

Details

The most important data unit is a phylogenetic tree of class "phylo", with the tree topology encoded in the member variable `tree.edge`. See the ape package manual for details on the "phylo" format. The castor package was designed to be efficient for large phylogenetic trees (>10,000 tips), and scales well to trees with millions of tips. Most functions have asymptotically linear time complexity $O(N)$ in the number of edges N . This efficiency is achieved via temporary auxiliary data structures, use of dynamic programming, heavy use of C++, and integer-based indexing instead of name-based indexing of arrays. All functions support trees that include monofurcations (nodes with a single child) as well as multifurcations (nodes with more than 2 children). See the associated paper by Louca et al. for a comparison with other packages.

Throughout this manual, "Ntips" refers to the number of tips, "Nnodes" to the number of nodes and "Nedges" to the number of edges in a tree. In the context of discrete trait evolution/reconstruction, "Nstates" refers to the number of possible states of the trait. In the context of multivariate trait evolution, "Ntraits" refers to the number of traits.

Author(s)

Stilianos Louca

Maintainer: Stilianos Louca <louca@zoology.ubc.ca>

References

S. Louca and M. Doebeli (2017). Efficient comparative phylogenetics on large trees. *Bioinformatics*. DOI:10.1093/bioinformatics/btx701

`asr_empirical_probabilities`*Empirical ancestral state probabilities.*

Description

Given a rooted phylogenetic tree and the states of a discrete trait for each tip, calculate the empirical state frequencies/probabilities for each node in the tree, i.e. the frequencies/probabilities of states across all tips descending from that node. This may be used as a very crude estimate of ancestral state probabilities.

Usage

```
asr_empirical_probabilities(tree, tip_states, Nstates=NULL,  
                           probabilities=TRUE, check_input=TRUE)
```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>tip_states</code>	An integer vector of size <code>Ntips</code> , specifying the state of each tip in the tree as an integer from 1 to <code>Nstates</code> , where <code>Nstates</code> is the possible number of states (see below).
<code>Nstates</code>	Either <code>NULL</code> , or an integer specifying the number of possible states of the trait. If <code>NULL</code> , then it will be computed based on the maximum value encountered in <code>tip_states</code> .
<code>probabilities</code>	Logical, specifying whether empirical frequencies should be normalized to represent probabilities. If <code>FALSE</code> , then the raw occurrence counts are returned.
<code>check_input</code>	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to <code>FALSE</code> to reduce computation.

Details

For this function, the trait's states must be represented by integers within 1,...,`Nstates`, where `Nstates` is the total number of possible states. If the states are originally in some other format (e.g., characters or factors), you should map them to a set of integers 1,...,`Nstates`. You can easily map any set of discrete states to integers using the function [map_to_state_space](#).

The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). The function has asymptotic time complexity $O(N_{\text{edges}} \times N_{\text{states}})$.

Tips must be represented in `tip_states` in the same order as in `tree$tip.label`. The vector `tip_states` need not include names; if it does, however, they are checked for consistency (if `check_input==TRUE`).

Value

A list with the following elements:

ancestral_likelihoods

A 2D integer (if probabilities==FALSE) or numeric (if probabilities==TRUE) matrix, listing the frequency or probability of each state for each node. This matrix will have size Nnodes x Nstates, where Nstates was either explicitly provided as an argument or inferred from tip_states. The rows in this matrix will be in the order in which nodes are indexed in the tree, i.e. the [n,s]-th entry will be the frequency or probability of the s-th state for the n-th node. Note that the name was chosen for compatibility with other ASR functions.

Author(s)

Stilianos Louca

See Also

[asr_max_parsimony](#), [asr_squared_change_parsimony](#) [asr_mk_model](#), [map_to_state_space](#)

Examples

```
## Not run:
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# create a random transition matrix
Nstates = 3
Q = get_random_mk_transition_matrix(Nstates, rate_model="ER", max_rate=0.01)
cat(sprintf("Simulated ER transition rate=%g\n",Q[1,2]))

# simulate the trait's evolution
simulation = simulate_mk_model(tree, Q)
tip_states = simulation$tip_states

# calculate empirical probabilities of tip states
asr_empirical_probabilities(tree, tip_states=tip_states, Nstates=Nstates)

## End(Not run)
```

asr_independent_contrasts

Ancestral state reconstruction via phylogenetic independent contrasts.

Description

Reconstruct ancestral states for a continuous (numeric) trait using phylogenetic independent contrasts (PIC; Felsenstein, 1985).

Usage

```
asr_independent_contrasts(tree,
                          tip_states,
                          weighted = TRUE,
                          include_CI = FALSE,
                          check_input = TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
tip_states	A numeric vector of size Ntips, specifying the known state of each tip in the tree.
weighted	Logical, specifying whether to weight tips and nodes by the inverse length of their incoming edge, as in the original method by Felsenstein (1985). If FALSE, edge lengths are treated as if they were 1.
include_CI	Logical, specifying whether to also calculate standard errors and confidence intervals for the reconstructed states under a Brownian motion model, as described by Garland et al (1999).
check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

The function traverses the tree in postorder (tips→root) and estimates the state of each node as a convex combination of the estimated states of its children. These estimates are the intermediate "X" variables introduced by Felsenstein (1985) in his phylogenetic independent contrasts method. For the root, this yields the same globally parsimonious state as the squared-changes parsimony algorithm implemented in `asr_squared_change_parsimony` (Maddison 1991). For any other node, PIC only yields locally parsimonious reconstructions, i.e. reconstructed states only depend on the subtree descending from the node (see discussion by Maddison 1991).

If `weighted==TRUE`, then this function yields the same ancestral state reconstructions as

```
ape::ace(phy=tree,x=tip_states,type="continuous",method="pic",model="BM",CI=FALSE)
```

in the `ape` package (v. 0.5-64). Note that in contrast to the `CI95` returned by `ape::ace`, the confidence intervals calculated here have the same units as the trait and depend both on the tree topology as well as the tip states.

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. This is the same as setting `weighted=FALSE`. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). Edges with length 0 will be adjusted internally to some tiny length if needed (if `weighted==TRUE`).

Tips must be represented in `tip_states` in the same order as in `tree$tip.label`. The vector `tip_states` need not include item names; if it does, however, they are checked for consistency (if `check_input==TRUE`). All tip states must be non-NA; otherwise, consider using one of the functions for hidden-state-prediction (e.g., [hsp_independent_contrasts](#)).

The function has asymptotic time complexity $O(Nedges)$.

Value

A list with the following elements:

`ancestral_states`

A numeric vector of size `Nnodes`, listing the reconstructed state of each node. The entries in this vector will be in the order in which nodes are indexed in the tree.

`standard_errors`

Numeric vector of size `Nnodes`, listing the phylogenetically estimated standard error for the state in each node, under a Brownian motion model. The standard errors have the same units as the trait and depend both on the tree topology as well as the tip states. Calculated as described by Garland et al. (1999, page 377). Only included if `include_CI==TRUE`.

`CI95`

Numeric vector of size `Nnodes`, listing the radius (half width) of the 95% confidence interval of the state in each node. Confidence intervals have same units as the trait and depend both on the tree topology as well as the tip states. For each node, the confidence interval is calculated according to the Student's t-distribution with `Npics` degrees of freedom, where `Npics` is the number of internally calculated independent contrasts descending from the node [Garland et al, 1999]. Only included if `include_CI==TRUE`.

Author(s)

Stilianos Louca

References

- J. Felsenstein (1985). Phylogenies and the Comparative Method. *The American Naturalist*. 125:1-15.
- W. P. Maddison (1991). Squared-change parsimony reconstructions of ancestral states for continuous-valued characters on a phylogenetic tree. *Systematic Zoology*. 40:304-314.
- T. Garland Jr., P. E. Midford, A. R. Ives (1999). An introduction to phylogenetically based statistical methods, with a new method for confidence intervals on ancestral values. *American Zoologist*. 39:374-388.

See Also

[asr_squared_change_parsimony](#), [asr_max_parsimony](#), [asr_mk_model](#)

Examples

```
# generate random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a continuous trait
tip_states = simulate_ou_model(tree, stationary_mean=0, spread=1, decay_rate=0.001)$tip_states

# reconstruct node states via weighted PIC
```



```

asr = asr_independent_contrasts(tree, tip_states, weighted=TRUE, include_CI=TRUE)
node_states = asr$ancestral_states

# get lower bounds of 95% CIs
lower_bounds = node_states - asr$CI95

```

asr_max_parsimony	<i>Maximum-parsimony ancestral state reconstruction.</i>
-------------------	--

Description

Reconstruct ancestral states for a discrete trait using maximum parsimony. Transition costs can vary between transitions, and can optionally be weighted by edge length.

Usage

```

asr_max_parsimony(tree, tip_states, Nstates=NULL,
                  transition_costs="all_equal",
                  edge_exponent=0, weight_by_scenarios=TRUE,
                  check_input=TRUE)

```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
tip_states	An integer vector of size Ntips, specifying the state of each tip in the tree as an integer from 1 to Nstates, where Nstates is the possible number of states (see below).
Nstates	Either NULL, or an integer specifying the number of possible states of the trait. If NULL, then Nstates will be computed based on the maximum value encountered in tip_states
transition_costs	Either "all_equal", "sequential", "proportional", "exponential", or a quadratic non-negatively valued matrix of size Nstates x Nstates, specifying the transition costs between all possible states (which can include 0 as well as Inf). The [r,c]-th entry of the matrix is the cost of transitioning from state r to state c. The option "all_equal" specifies that all transitions are permitted and are equally costly. "sequential" means that only transitions between adjacent states are permitted and are all equally costly. "proportional" means that all transitions are permitted, but the cost increases proportional to the distance between states. "exponential" means that all transitions are permitted, but the cost increases exponentially with the distance between states. The options "sequential" and "proportional" only make sense if states exhibit an order relation (as reflected in their integer representation).

edge_exponent	Non-negative real-valued number. Optional exponent for weighting transition costs by the inverse length of edge lengths. If 0, edge lengths do not influence the ancestral state reconstruction (this is the conventional max-parsimony). If >0, then at each edge the transition costs are multiplied by $1/L^e$, where L is the edge length and e is the edge exponent. This parameter is mostly experimental; modify at your own discretion.
weight_by_scenarios	Logical, indicating whether to weight each optimal state of a node by the number of optimal maximum-parsimony scenarios in which the node is in that state. If FALSE, then all optimal states of a node are weighted equally (i.e. are assigned equal probabilities).
check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

For this function, the trait's states must be represented by integers within 1,...,Nstates, where Nstates is the total number of possible states. If the states are originally in some other format (e.g. characters or factors), you should map them to a set of integers 1,...,Nstates. The order of states (if relevant) should be reflected in their integer representation. For example, if your original states are "small", "medium" and "large" and `transition_costs=="sequential"`, it is advised to represent these states as integers 1,2,3. You can easily map any set of discrete states to integers using the function [map_to_state_space](#).

This function utilizes Sankoff's (1975) dynamic programming algorithm for determining the smallest number (or least costly if transition costs are uneven) of state changes along edges needed to reproduce the observed tip states. The function has asymptotic time complexity $O(N_{\text{tips}} + N_{\text{nodes}} \times N_{\text{states}})$.

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. If `edge_exponent` is 0, then edge lengths do not influence the result. If `edge_exponent != 0`, then all edges must have non-zero length. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child).

Tips must be represented in `tip_states` in the same order as in `tree$tip.label`. None of the input vectors or matrixes need include row or column names; if they do, however, they are checked for consistency (if `check_input==TRUE`).

This function is meant for reconstructing ancestral states in all nodes of a tree, when the state of each tip is known. If some of the tips have unknown state, consider either pruning the tree to keep only tips with known states, or using the function [hsp_max_parsimony](#).

Value

A list with the following elements:

success	Boolean, indicating whether ASR was successful. If FALSE, the remaining returned elements may be undefined.
ancestral_likelihoods	A 2D numeric matrix, listing the probability of each node being in each state. This matrix will have size $N_{\text{nodes}} \times N_{\text{states}}$, where Nstates was either explicitly

provided as an argument or inferred from `tip_states`. The rows in this matrix will be in the order in which nodes are indexed in the tree, i.e. the `[n,s]`-th entry will be the probability of the `s`-th state for the `n`-th node. These probabilities are calculated based on `scenario_counts` (see below), assuming that every maximum parsimony scenario is equally likely. Note that the name was chosen for compatibility with other ASR functions.

`scenario_counts`

A 2D numeric matrix of size `Nnodes` x `Nstates`, listing for each node and each state the number of maximum parsimony scenarios in which the node was in the specific state. If only a single maximum parsimony scenario exists for the whole tree, then the sum of entries in each row will be one.

`total_cost`

Real number, specifying the total transition cost across the tree for the most parsimonious scenario. In the classical case where `transition_costs="all_equal"`, the `total_cost` equals the total number of state changes in the tree under the most parsimonious scenario.

Author(s)

Stilianos Louca

References

D. Sankoff (1975). Minimal mutation trees of sequences. *SIAM Journal of Applied Mathematics*. 28:35-42.

J. Felsenstein (2004). *Inferring Phylogenies*. Sinauer Associates, Sunderland, Massachusetts.

See Also

[hsp_max_parsimony](#), [asr_squared_change_parsimony](#) [asr_mk_model](#), [hsp_mk_model](#), [map_to_state_space](#)

Examples

```
## Not run:
# generate random tree
Ntips = 10
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a discrete trait
Nstates = 5
Q = get_random_mk_transition_matrix(Nstates, rate_model="ER")
tip_states = simulate_mk_model(tree, Q)$tip_states

# reconstruct node states via MPR
results = asr_max_parsimony(tree, tip_states, Nstates)
node_states = max.col(results$ancestral_likelihooods)

# print reconstructed node states
print(node_states)

## End(Not run)
```

asr_mk_model

*Ancestral state reconstruction with Mk models and rerooting***Description**

Ancestral state reconstruction of a discrete trait using a fixed-rates continuous-time Markov model (a.k.a. "Mk model"). This function can estimate the (instantaneous) transition matrix using maximum likelihood, or take a specified transition matrix. The function can optionally calculate marginal ancestral state likelihoods for each node in the tree, using the rerooting method by Yang et al. (1995).

Usage

```
asr_mk_model( tree,
              tip_states,
              Nstates = NULL,
              tip_priors = NULL,
              rate_model = "ER",
              transition_matrix = NULL,
              include_ancestral_likelihoods = TRUE,
              reroot = TRUE,
              root_prior = "empirical",
              Ntrials = 1,
              optim_algorithm = "nlnmb",
              optim_max_iterations = 200,
              optim_rel_tol = 1e-8,
              store_exponentials = TRUE,
              check_input = TRUE,
              Nthreads = 1)
```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>tip_states</code>	An integer vector of size Ntips, specifying the state of each tip in the tree in terms of an integer from 1 to Nstates, where Ntips is the number of tips and Nstates is the number of possible states (see below). Can also be NULL. If <code>tip_states==NULL</code> , then <code>tip_priors</code> must not be NULL (see below).
<code>Nstates</code>	Either NULL, or an integer specifying the number of possible states of the trait. If <code>Nstates==NULL</code> , then it will be computed based on the maximum value encountered in <code>tip_states</code> or based on the number of columns in <code>tip_priors</code> (whichever is non-NULL).
<code>tip_priors</code>	A 2D numeric matrix of size Ntips x Nstates, where Nstates is the possible number of states for the character modelled. Hence, <code>tip_priors[i,s]</code> is the likelihood of the observed state of tip i, if the tip's true state was in state s. For example, if you know for certain that a tip is in state k, then set <code>tip_priors[i,s]=1</code> for <code>s=k</code> and <code>tip_priors[i,s]=0</code> for all other s.

rate_model	Rate model to be used for fitting the transition rate matrix. Can be "ER" (all rates equal), "SYM" (transition rate $i \rightarrow j$ is equal to transition rate $j \rightarrow i$), "ARD" (all rates can be different), "SUEDE" (only stepwise transitions $i \rightarrow i+1$ and $i \rightarrow i-1$ allowed, all 'up' transitions are equal, all 'down' transitions are equal) or "SRD" (only stepwise transitions $i \rightarrow i+1$ and $i \rightarrow i-1$ allowed, and each rate can be different). Can also be an index matrix that maps entries of the transition matrix to the corresponding independent rate parameter to be fitted. Diagonal entries should map to 0, since diagonal entries are not treated as independent rate parameters but are calculated from the remaining entries in the transition matrix. All other entries that map to 0 represent a transition rate of zero. The format of this index matrix is similar to the format used by the ace function in the ape package. rate_model is only relevant if transition_matrix==NULL.
transition_matrix	Either a numeric quadratic matrix of size Nstates x Nstates containing fixed transition rates, or NULL. The [r,c]-th entry in this matrix should store the transition rate from state r to state c. Each row in this matrix must have sum zero. If NULL, then the transition rates will be estimated using maximum likelihood, based on the rate_model specified.
root_prior	Prior probability distribution of the root's states, used to calculate the model's overall likelihood from the root's marginal ancestral state likelihoods. Can be "flat" (all states equal), "empirical" (empirical probability distribution of states across the tree's tips), "stationary" (stationary probability distribution of the transition matrix), "likelihoods" (use the root's state likelihoods as prior) or "max_likelihood" (put all weight onto the state with maximum likelihood). If "stationary" and transition_matrix==NULL, then a transition matrix is first fitted using a flat root prior, and then used to calculate the stationary distribution. root_prior can also be a non-negative numeric vector of size Nstates and with total sum equal to 1.
include_ancestral_likelihoods	Include the marginal ancestral likelihoods for each node (conditional scaled state likelihoods) in the return values. Note that this may increase the computation time and memory needed, so you may set this to FALSE if you don't need marginal ancestral states.
reroot	Reroot tree at each node when computing marginal ancestral likelihoods, according to Yang et al. (1995). This is the default and recommended behavior, but leads to increased computation time. If FALSE, ancestral likelihoods at each node are computed solely based on the subtree descending from that node, without rerooting.
Ntrials	Number of trials (starting points) for fitting the transition matrix. Only relevant if transition_matrix=NULL. A higher number may reduce the risk of landing in a local non-global optimum of the likelihood function, but will increase computation time during fitting.
optim_algorithm	Either "optim" or "nlopt", specifying which optimization algorithm to use for maximum-likelihood estimation of the transition matrix. Only relevant if transition_matrix==NULL.

<code>optim_max_iterations</code>	Maximum number of iterations (per fitting trial) allowed for optimizing the likelihood function.
<code>optim_rel_tol</code>	Relative tolerance (stop criterion) for optimizing the likelihood function.
<code>store_exponentials</code>	<p>Logical, specifying whether to pre-calculate and store exponentials of the transition matrix during calculation of ancestral likelihoods. This may reduce computation time because each exponential is only calculated once, but requires more memory since all exponentials are stored.</p> <p>Only relevant if <code>include_ancestral_likelihoods==TRUE</code>, otherwise exponentials are never stored.</p>
<code>check_input</code>	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to <code>FALSE</code> to reduce computation.
<code>Nthreads</code>	Number of parallel threads to use for running multiple fitting trials simultaneously. This only makes sense if your computer has multiple cores/CPU's and if <code>Ntrials>1</code> , and is only relevant if <code>transition_matrix=NULL</code> . This option is ignored on Windows, because Windows does not support forking.

Details

For this function, the trait's states must be represented by integers within 1,...,Nstates, where Nstates is the total number of possible states. If the states are originally in some other format (e.g. characters or factors), you should map them to a set of integers 1,...,Nstates. The order of states (if relevant) should be reflected in their integer representation. For example, if your original states are "small", "medium" and "large" and `rate_model="SUEDE"`, it is advised to represent these states as integers 1,2,3. You can easily map any set of discrete states to integers using the function [map_to_state_space](#).

This function allows the specification of the precise tip states (if these are known) using the vector `tip_states`. Alternatively, if some tip states are only known in terms of a probability distribution, you can pass these probability distributions using the matrix `tip_priors`. Note that exactly one of the two arguments, `tip_states` or `tip_priors`, must be non-NULL.

Tips must be represented in `tip_states` or `tip_priors` in the same order as in `tree$tip.label`. None of the input vectors or matrixes need include row or column names; if they do, however, they are checked for consistency (if `check_input==TRUE`).

The tree is either assumed to be complete (i.e. include all possible species), or to represent a random subset of species chosen independently of their states. The rerooting method by Yang et al (1995) is used to calculate the marginal ancestral state likelihoods for each node by treating the node as a root and calculating its conditional scaled likelihoods. Note that the re-rooting algorithm is strictly speaking only valid for reversible Mk models, that is, satisfying the criterion

$$\pi_i Q_{ij} = \pi_j Q_{ji}, \quad \forall i, j,$$

where Q is the transition rate matrix and π is the stationary distribution of the model. The rate models "ER", "SYM", "SUEDE" and "SRD" are reversible. For example, for "SUEDE" or "SRD" choose $\pi_{i+1} = \pi_i Q_{i,i+1} / Q_{i+1,i}$. In contrast, "ARD" models are generally not reversible.

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). This function is similar to `rerootingMethod` in the `phytools` package (v0.5-64) and similar to `ape::ace` (v4.1) with options `method="ML"`, `type="discrete"` and `marginal=FALSE`, but tends to be much faster than `rerootingMethod` and `ace` for large trees.

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether ASR was successful. If <code>FALSE</code> , all other return values may be <code>NULL</code> .
<code>Nstates</code>	Integer, specifying the number of modeled trait states.
<code>transition_matrix</code>	A numeric quadratic matrix of size <code>Nstates</code> x <code>Nstates</code> , containing the transition rates of the Markov model. The <code>[r,c]</code> -th entry is the transition rate from state <code>r</code> to state <code>c</code> . Will be the same as the input <code>transition_matrix</code> , if the latter was not <code>NULL</code> .
<code>loglikelihood</code>	Log-likelihood of the observed tip states under the fitted (or provided) Mk model. If <code>transition_matrix</code> was <code>NULL</code> in the input, then this will be the log-likelihood maximized during fitting.
<code>ancestral_likelihoods</code>	Optional, only returned if <code>include_ancestral_likelihoods</code> was <code>TRUE</code> . A 2D numeric matrix, listing the likelihood of each state at each node (marginal ancestral likelihoods). This matrix will have size <code>Nnodes</code> x <code>Nstates</code> , where <code>Nstates</code> was either explicitly provided as an argument, or inferred from <code>tip_states</code> or <code>tip_priors</code> (whichever was non- <code>NULL</code>). The rows in this matrix will be in the order in which nodes are indexed in the tree, i.e. the <code>[n,s]</code> -th entry will be the likelihood of the <code>s</code> -th state at the <code>n</code> -th node. For example, <code>likelihoods[1,3]</code> will store the likelihood of observing the tree's tip states (if <code>reroot=TRUE</code>) or the descending subtree's tip states (if <code>reroot=FALSE</code>), if the first node was in state 3. Note that likelihoods are rescaled (normalized) to sum to 1 for convenience and numerical stability. The marginal likelihoods at a node should not, however, be interpreted as a probability distribution among states.

Author(s)

Stilianos Louca

References

Z. Yang, S. Kumar and M. Nei (1995). A new method for inference of ancestral nucleotide and amino acid sequences. *Genetics*. 141:1641-1650.

See Also

[hsp_mk_model](#), [asr_max_parsimony](#), [asr_squared_change_parsimony](#), [hsp_max_parsimony](#), [map_to_state_space](#)

Examples

```
## Not run:
# generate random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# create random transition matrix
Nstates = 5
Q = get_random_mk_transition_matrix(Nstates, rate_model="ER", max_rate=0.01)
cat(sprintf("Simulated ER transition rate=%g\n",Q[1,2]))

# simulate the trait's evolution
simulation = simulate_mk_model(tree, Q)
tip_states = simulation$tip_states
cat(sprintf("Simulated states for last 20 nodes:\n"))
print(tail(simulation$node_states,20))

# reconstruct node states from simulated tip states
# at each node, pick state with highest marginal likelihood
results = asr_mk_model(tree, tip_states, Nstates, rate_model="ER", Ntrials=2)
node_states = max.col(results$ancestral_likelihoods)

# print Mk model fitting summary
cat(sprintf("Mk model: log-likelihood=%g\n",results$loglikelihood))
cat(sprintf("Fitted ER transition rate=%g\n",results$transition_matrix[1,2]))

# print reconstructed node states for last 20 nodes
print(tail(node_states,20))

## End(Not run)
```

asr_squared_change_parsimony

Squared-change parsimony ancestral state reconstruction.

Description

Reconstruct ancestral states for a continuous (numeric) trait using squared-change maximum parsimony (Maddison, 1991). Transition costs can optionally be weighted by the inverse edge lengths ("weighted squared-change parsimony" by Maddison).

Usage

```
asr_squared_change_parsimony(tree, tip_states, weighted=TRUE, check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
------	--

<code>tip_states</code>	A numeric vector of size <code>Ntips</code> , specifying the known state of each tip in the tree.
<code>weighted</code>	Logical, specifying whether to weight transition costs by the inverted edge lengths. This corresponds to the "weighted squared-change parsimony" reconstruction by Maddison (1991) for a Brownian motion model of trait evolution.
<code>check_input</code>	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to <code>FALSE</code> to reduce computation.

Details

The function traverses the tree in postorder (tips→root) to calculate the quadratic parameters described by Maddison (1991) and obtain the globally parsimonious squared-change parsimony state for the root. The function then reroots at each node, updates all affected quadratic parameters in the tree and calculates the node's globally parsimonious squared-change parsimony state. The function has asymptotic time complexity $O(N_{\text{edges}})$.

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. This is the same as setting `weighted=FALSE`. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). Edges with length 0 will be adjusted internally to some tiny length if needed (if `weighted==TRUE`).

Tips must be represented in `tip_states` in the same order as in `tree$tip.label`. The vector `tip_states` need not include item names; if it does, however, they are checked for consistency (if `check_input==TRUE`).

If `weighted==FALSE`, then this function yields the same ancestral state reconstructions as

```
ape::ace(tip_states, tree, type="continuous", method="ML", model="BM", CI=FALSE)
```

in the `ape` package (v. 0.5-64), assuming the tree as unit edge lengths. If `weighted==TRUE`, then this function yields the same ancestral state reconstructions as the maximum likelihood estimates under a Brownian motion model, as implemented by the `Rphylopars` package (v. 0.2.10):

```
Rphylopars::anc.recon(tip_states, tree, vars=FALSE, CI=FALSE).
```

Value

A list with the following elements:

<code>ancestral_states</code>	A numeric vector of size <code>Nnodes</code> , listing the reconstructed state of each node. The entries in this vector will be in the order in which nodes are indexed in the tree.
<code>total_sum_of_squared_changes</code>	The total sum of squared changes, minimized by the (optionally weighted) squared-change parsimony algorithm. This is equation 7 in (Maddison, 1991).

Author(s)

Stilianos Louca

References

W. P. Maddison (1991). Squared-change parsimony reconstructions of ancestral states for continuous-valued characters on a phylogenetic tree. *Systematic Zoology*. 40:304-314.

See Also

[asr_independent_contrasts](#) [asr_max_parsimony](#), [asr_mk_model](#)

Examples

```
# generate random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a continuous trait
tip_states = simulate_ou_model(tree, stationary_mean=0, spread=1, decay_rate=0.001)$tip_states

# reconstruct node states based on simulated tip states
node_states = asr_squared_change_parsimony(tree, tip_states, weighted=TRUE)$ancestral_states
```

asr_subtree_averaging *Ancestral state reconstruction via subtree averaging.*

Description

Reconstruct ancestral states in a phylogenetic tree for a continuous (numeric) trait by averaging trait values over descending subtrees. That is, for each node the reconstructed state is set to the arithmetic average state of all tips descending from that node.

Usage

```
asr_subtree_averaging(tree, tip_states, check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
tip_states	A numeric vector of size Ntips, specifying the known state of each tip in the tree.
check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

The function returns the estimated ancestral states (=averages) as well as the corresponding standard deviations. Note that reconstructed states are local estimates, i.e. they only take into account the tips descending from the reconstructed node.

The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). Edge lengths and distances between tips and nodes are not taken into account. All tip states are assumed to be known, and NA or NaN are not allowed in tip_states.

Tips must be represented in tip_states in the same order as in tree\$tip.label. The vector tip_states need not include item names; if it does, however, they are checked for consistency (if check_input==TRUE).

Value

A list with the following elements:

success	Logical, indicating whether ASR was successful. If all input data are valid then this will always be TRUE, but it is provided for consistency with other ASR functions.
ancestral_states	A numeric vector of size Nnodes, listing the reconstructed state (=average over descending tips) for each node. The entries in this vector will be in the order in which nodes are indexed in the tree.
ancestral_stds	A numeric vector of size Nnodes, listing the standard deviations corresponding to ancestral_stds.
ancestral_counts	A numeric vector of size Nnodes, listing the number of (descending) tips used to reconstruct the state of each node.

Author(s)

Stilianos Louca

See Also

[asr_independent_contrasts](#), [asr_squared_change_parsimony](#)

Examples

```
# generate random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a continuous trait
tip_states = simulate_ou_model(tree, stationary_mean=0, spread=1, decay_rate=0.001)$tip_states

# reconstruct node states by averaging simulated tip states
node_states = asr_subtree_averaging(tree, tip_states)$ancestral_states
```

collapse_monofurcations

Remove monofurcations from a tree.

Description

Eliminate monofurcations (nodes with only a single child) from a phylogenetic tree, by connecting their incoming and outgoing edge.

Usage

```
collapse_monofurcations(tree, force_keep_root=TRUE, as_edge_counts=FALSE)
```

Arguments

tree	A rooted tree of class "phylo".
force_keep_root	Logical, indicating whether the root node should always be kept (i.e., even if it only has a single child).
as_edge_counts	Logical, indicating whether all edges should be assumed to have length 1. If TRUE, the outcome is the same as if the tree had no edges.

Details

All tips in the input tree retain their original indices, however the returned tree may include fewer nodes and edges. Edge and node indices may change.

If `tree$edge.length` is missing, then all edges in the input tree are assumed to have length 1.

Value

A list with the following elements:

tree	A new tree of class "phylo", containing only bifurcations (and multifurcations, if these existed in the input tree). The number of nodes in this tree, <code>Nnodes_new</code> , may be lower than of the input tree.
new2old_node	Integer vector of length <code>Nnodes_new</code> , mapping node indices in the new tree to node indices in the old tree.
Nnodes_removed	Integer. Number of nodes (monofurcations) removed from the tree.

Author(s)

Stilianos Louca

See Also

[multifurcations_to_bifurcations](#)

Examples

```
# generate a random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1), max_tips=Ntips)$tree

# prune the tree to generate random monofurcations
random_tips = sample.int(n=Ntips, size=0.5 * Ntips, replace=FALSE)
tree = get_subtree_with_tips(tree, only_tips=random_tips, collapse_monofurcations=FALSE)$subtree

# collapse monofurcations
new_tree = collapse_monofurcations(tree)$tree

# print summary of old and new tree
cat(sprintf("Old tree has %d nodes\n", tree$Nnode))
cat(sprintf("New tree has %d nodes\n", new_tree$Nnode))
```

collapse_tree_at_resolution

Collapse nodes of a tree at a phylogenetic resolution.

Description

Given a rooted tree and a phylogenetic resolution threshold, collapse all nodes whose distance to all descending tips does not exceed the threshold (or whose sum of descending edge lengths does not exceed the threshold), into new tips. This function can be used to obtain a "coarser" version of the tree, or to cluster closely related tips into a single tip.

Usage

```
collapse_tree_at_resolution(tree,
                           resolution = 0,
                           by_edge_count = FALSE,
                           shorten = TRUE,
                           rename_collapsed_nodes = FALSE,
                           criterion = 'max_tip_depth')
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
resolution	Numeric, specifying the phylogenetic resolution at which to collapse the tree. This is the maximum distance a descending tip can have from a node, such that the node is collapsed into a new tip. If set to 0 (default), then only nodes whose descending tips are identical to the node will be collapsed.
by_edge_count	Logical. Instead of considering edge lengths, consider edge counts as phylogenetic distance between nodes and tips. This is the same as if all edges had length equal to 1.

shorten	Logical, indicating whether collapsed nodes should be turned into tips at the same location (thus potentially shortening the tree). If FALSE, then the incoming edge of each collapsed node is extended by some length L, where L is the distance of the node to its farthest descending tip (thus maintaining the height of the tree).
rename_collapsed_nodes	Logical, indicating whether collapsed nodes should be renamed using a representative tip name (the farthest descending tip). See details below.
criterion	Character, specifying the criterion to use for collapsing (i.e. how to interpret resolution). 'max_tip_depth': Collapse nodes based on their maximum distance to any descending tip. 'sum_tip_paths': Collapse nodes based on the sum of descending edges (each edge counted once). 'max_tip_pair_dist': Collapse nodes based on the maximum distance between any pair of descending tips.

Details

The tree is traversed from root to tips and nodes are collapsed into tips as soon as the criterion equals or falls below the resolution threshold.

The input tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). Tip labels and uncollapsed node labels of the collapsed tree are inherited from the original tree. If `rename_collapsed_nodes==FALSE`, then labels of collapsed nodes will be the node labels from the original tree (in this case the original tree should include node labels). If `rename_collapsed_nodes==TRUE`, each collapsed node is given the label of its farthest descending tip. If `shorten==TRUE`, then edge lengths are the same as in the original tree. If `shorten==FALSE`, then edges leading into collapsed nodes may be longer than before.

Value

A list with the following elements:

tree	A new rooted tree of class "phylo", containing the collapsed tree.
root_shift	Numeric, indicating the phylogenetic distance between the old and the new root. Will always be non-negative.
collapsed_nodes	Integer vector, listing indices of collapsed nodes in the original tree (subset of 1,...,Nnodes).
farthest_tips	Integer vector of the same length as <code>collapsed_nodes</code> , listing indices of the farthest tips for each collapsed node. Hence, <code>farthest_tips[n]</code> will be the index of a tip in the original tree that descended from node <code>collapsed_nodes[n]</code> and had the greatest distance from that node among all descending tips.
new2old_clade	Integer vector of length equal to the number of tips+nodes in the collapsed tree, with values in 1,...,Ntips+Nnodes, mapping tip/node indices of the collapsed tree to tip/node indices in the original tree.
new2old_edge	Integer vector of length equal to the number of edges in the collapsed tree, with values in 1,...,Nedges, mapping edge indices of the collapsed tree to edge indices in the original tree.

Author(s)

Stilianos Louca

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=1000)$tree

# print number of nodes
cat(sprintf("Simulated tree has %d nodes\n",tree$Nnode))

# collapse any nodes with tip-distances < 20
collapsed = collapse_tree_at_resolution(tree, resolution=20)$tree

# print number of nodes
cat(sprintf("Collapsed tree has %d nodes\n",collapsed$Nnode))
```

congruent_divergence_times

Extract dating anchors for a target tree, using a dated reference tree

Description

Given a reference tree and a target tree, this function maps target nodes to concordant reference nodes when possible, and extracts divergence times of the mapped reference nodes from the reference tree. This function can be used to define secondary dating constraints for a larger target tree, based on a time-calibrated smaller reference tree (Eastman et al. 2013). This only makes sense if the reference tree is time-calibrated. A provided mapping specifies which and how tips in the target tree correspond to tips in the reference tree.

Usage

```
congruent_divergence_times(reference_tree, target_tree, mapping)
```

Arguments

reference_tree	A rooted tree object of class "phylo". Usually this tree will be time-calibrated (i.e. edge lengths represent time intervals).
target_tree	A rooted tree object of class "phylo".
mapping	A table mapping a subset of target tips to a subset of reference tips, as described by Eastman et al (2013). Multiple target tips may map to the same reference tip, but not vice versa (i.e. every target tip can appear at most once in the mapping). In general, a tip mapped to in the reference tree is assumed to represent a monophyletic group of tips in the target tree, although this assumption may be violated in practice (Eastman et al. 2013). The mapping must be in one of the following formats:

Option 1: A 2D integer array of size NM x 2 (with NM being the number of mapped target tips), listing target tip indices mapped to reference tip indices (mapping[m,1] (target tip) → mapping[m,2] (reference tip)).

Option 2: A 2D character array of size NM x 2, listing target tip labels mapped to reference tip labels.

Option 3: A data frame of size NM x 1, whose row names are target tip labels and whose entries are either integers (reference tip indices) or characters (reference tip labels). This is the format used by `geiger::congruify.phylo` (v.206).

Option 4: A vector of size NM, whose names are target tip labels and whose entries are either integers (reference tip indices) or characters (reference tip labels).

Details

Both the reference and target tree may include monofurcations and/or multifurcations. In principle, neither of the two trees needs to be ultrametric, although in most applications `reference_tree` will be ultrametric.

In special cases each reference tip may be found in the target tree, i.e. the reference tree is a subtree of the target tree. This may occur e.g. if a smaller subtree of the target tree has been extracted and dated, and subsequently the larger target tree is to be dated using secondary constraints inferred from the dated subtree.

The function returns a table that maps a subset of target nodes to an equally sized subset of concordant reference nodes. Ages (divergence times) of the mapped reference nodes are extracted and associated with the concordant target nodes.

For bifurcating trees the average time complexity of this function is $O(TN_{tips} \times \log(RN_{tips}) \times NM)$, where TN_{tips} and RN_{tips} are the number of tips in the target and reference tree, respectively. This function is similar to `geiger::congruify.phylo` (v.206). For large trees, this function tends to be much faster than `geiger::congruify.phylo`.

Value

A named list with the following elements:

Rnodes	Integer vector of length NC (where NC is the number of concordant node pairs found) and with values in 1,...,RNnodes, listing indices of reference nodes that could be matched with (i.e. were concordant to) a target node. Entries in Rnodes will correspond to entries in Tnodes and ages.
Tnodes	Integer vector of length NC and with values in 1,...,TNnodes, listing indices of target nodes that could be matched with (i.e. were concordant to) a reference node. Entries in Tnodes will correspond to entries in Rnodes and ages.
ages	Numeric vector of length NC, listing divergence times (ages) of the reference nodes listed in Rnodes. These ages can be used as fixed anchors for time-calibrating the target tree using a separate program (such as PATHd8).

Author(s)

Stilianos Louca

References

J. M. Eastman, L. J. Harmon, D. C. Tank (2013). Congruification: support for time scaling large phylogenetic trees. *Methods in Ecology and Evolution*. 4:688-691.

See Also

[extend_tree_to_height](#), [date_tree_red](#), [get_tips_for_mrcas](#), [tree_distance](#)

Examples

```
# generate random tree (target tree)
Ntips = 10000
tree = castor::generate_random_tree(parameters=list(birth_rate_intercept=1), max_tips=Ntips)$tree

# extract random subtree (reference tree)
Nsubtips = 10
subtips = sample.int(n=Ntips, size=Nsubtips, replace=FALSE)
subtreeing = castor::get_subtree_with_tips(tree, only_tips=subtips)
subtree = subtreeing$subtree

# map subset of target tips to reference tips
mapping = matrix(c(subtreeing$new2old_tip, (1:Nsubtips)), ncol=2, byrow=FALSE)

# extract divergence times by congruification
congruification = congruent_divergence_times(subtree, tree, mapping)

cat("Concordant target nodes:\n")
print(congruification$target_nodes)

cat("Ages of concordant nodes:\n")
print(congruification$ages)
```

count_lineages_through_time

Count number of lineages through time (LTT).

Description

Given a rooted timetree (i.e., a tree whose edge lengths represent time intervals), calculate the number of lineages represented in the tree at various time points, otherwise known as "lineages through time" (LTT) curve. The root is interpreted as time 0, and the distance of any node or tip from the root is interpreted as time elapsed since the root. Optionally, the slopes and relative slopes of the LTT curve are also returned.

Usage

```
count_lineages_through_time( tree,
                             Ntimes = NULL,
```

```

min_time      = NULL,
max_time      = NULL,
times         = NULL,
include_slopes= FALSE,
degree        = 1,
regular_grid  = TRUE)

```

Arguments

<code>tree</code>	A rooted tree of class "phylo", where edge lengths represent time intervals (or similar).
<code>Ntimes</code>	Integer, number of equidistant time points at which to count lineages. Can also be NULL, in which case <code>times</code> must be provided.
<code>min_time</code>	Minimum time (distance from root) to consider. If NULL, this will be set to the minimum possible (i.e. 0). Only relevant if <code>times==NULL</code> .
<code>max_time</code>	Maximum time (distance from root) to consider. If NULL, this will be set to the maximum possible. Only relevant if <code>times==NULL</code> .
<code>times</code>	Integer vector, listing time points (in ascending order) at which to count lineages. Can also be NULL, in which case <code>Ntimes</code> must be provided.
<code>include_slopes</code>	Logical, specifying whether the slope and the relative slope of the returned clades-per-time-point curve should also be returned.
<code>degree</code>	Integer, specifying the "degree" of the LTT curve: $LTT(t)$ will be the number of lineages in the tree at time t that have at least n descending tips in the tree. Typically <code>order=1</code> , which corresponds to the classical LTT curve.
<code>regular_grid</code>	Logical, specifying whether the automatically generated time grid should be regular (equal distances between grid points). This option only matters if <code>times==NULL</code> . If <code>regular_grid==FALSE</code> and <code>times==NULL</code> , the time grid will be irregular, with grid point density being roughly proportional to the square root of the number of lineages at any particular time (i.e., the grid becomes finer towards the tips).

Details

Given a sequence of time points between a tree's root and tips, this function essentially counts how many edges "cross" each time point (if `degree==1`). The slopes and relative slopes are calculated from this curve using finite differences.

Note that the classical LTT curve (`degree=1`) is non-decreasing over time, whereas higher-degree LTT's may be decreasing as well as increasing over time.

If `tree$edge.length` is missing, then every edge in the tree is assumed to be of length 1. The tree may include multifurcations as well as monofurcations (i.e. nodes with only one child). The tree need not be ultrametric, although in general this function only makes sense for dated trees (e.g., where edge lengths are time intervals or similar).

Either `Ntimes` or `times` must be non-NULL, but not both. If `times!=NULL`, then `min_time` and `max_time` must be NULL.

Value

A list with the following elements:

Ntimes	Integer, indicating the number of returned time points. Equal to the provided Ntimes if applicable.
times	Numeric vector of size Ntimes, listing the time points at which the LTT was calculated. If times was provided as an argument to the function, then this will be the same as provided.
lineages	Integer vector of size Ntimes, listing the number of lineages represented in the tree at each time point that have at least degree descending tips, i.e. the LTT curve.
slopes	Numeric vector of size Ntimes, listing the slopes (finite-difference approximation of 1st derivative) of the LTT curve.
relative_slopes	Numeric vector of size Ntimes, listing the relative slopes of the LTT curve, i.e. slopes divided by a sliding-window average of lineages.

Author(s)

Stilianos Louca

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1), max_tips=1000)$tree

# calculate classical LTT curve
results = count_lineages_through_time(tree, Ntimes=100)

# plot classical LTT curve
plot(results$times, results$lineages, type="l", xlab="time", ylab="# clades")
```

count_tips_per_node *Count descending tips.*

Description

Given a rooted phylogenetic tree, count the number of tips descending (directly or indirectly) from each node.

Usage

```
count_tips_per_node(tree)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
------	--

Details

The asymptotic time complexity of this function is $O(\text{Nedges})$, where Nedges is the number of edges.

Value

An integer vector of size Nnodes , with the i -th entry being the number of tips descending (directly or indirectly) from the i -th node.

Author(s)

Stilianos Louca

See Also

[get_subtree_at_node](#)

Examples

```
# generate a tree using a simple speciation model
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=1000)$tree

# count number of tips descending from each node
tips_per_node = count_tips_per_node(tree);

# plot histogram of tips-per-node
barplot(table(tips_per_node[tips_per_node<10]), xlab="# tips", ylab="# nodes")
```

date_tree_red

Date a tree based on relative evolutionary divergences.

Description

Given a rooted phylogenetic tree and a single node ('anchor') of known age (distance from the present), rescale all edge lengths so that the tree becomes ultrametric and edge lengths correspond to time intervals. The function is based on relative evolutionary divergences (RED), which measure the relative position of each node between the root and its descending tips (Parks et al. 2018). If no anchor node is provided, the root is simply assumed to have age 1. This function provides a heuristic quick-and-dirty way to date a phylogenetic tree.

Usage

```
date_tree_red(tree, anchor_node = NULL, anchor_age = 1)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
anchor_node	Integer, ranging between 1 and Nnodes. Index of the node to be used as dating anchor. If NULL, the tree's root is used as anchor.
anchor_age	Positive numeric. Age of the anchor node.

Details

The RED of a node measures its relative placement between the root and the node's descending tips (Parks et al. 2018). The root's RED is set to 0. Traversing from root to tips (preorder traversal), for each node the RED is set to $P + (a/(a + b)) \cdot (1 - P)$, where P is the RED of the node's parent, a is the edge length connecting the node to its parent, and b is the average distance from the node to its descending tips. The RED of all tips is set to 1.

For each edge, the RED difference between child & parent is used to set the new length of that edge, multiplied by some common scaling factor to translate RED units into time units. The scaling factor is chosen such that the new distance of the anchor node from its descending tips equals anchor_age. All tips will have age 0. The topology of the dated tree, as well as tip/node/edge indices, remain unchanged.

This function provides a heuristic approach to making a tree ultrametric, and has not been derived from a specific evolutionary model. In particular, its statistical properties are unknown to the author.

The time complexity of this function is $O(N_{\text{edges}})$. The input tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). If `tree$edge.length` is NULL, then all edges in the input tree are assumed to have length 1.

Value

A list with the following elements:

success	Logical, indicating whether the dating was successful. If FALSE, all other return values (except for error) may be undefined.
tree	A new rooted tree of class "phylo", representing the dated tree.
REDs	Numeric vector of size Nnodes, listing the RED of each node in the input tree.
error	Character, listing any error message if success==FALSE.

Author(s)

Stilianos Louca

References

D. H. Parks, M. Chuvpina et al. (2018). A proposal for a standardized bacterial taxonomy based on genome phylogeny. bioRxiv 256800. DOI:10.1101/256800

See Also

[congruent_divergence_times](#)

Examples

```
# generate a random non-ultrametric tree
params = list(birth_rate_intercept=1, death_rate_intercept=0.8)
tree = generate_random_tree(params, max_time=1000, coalescent=FALSE)$tree

# make ultrametric, by setting the root to 2 million years
dated_tree = date_tree_red(tree, anchor_age=2e6)
```

evaluate_spline	<i>Evaluate a scalar spline at arbitrary locations.</i>
-----------------	---

Description

Given a natural spline function $Y : \mathbb{R} \rightarrow \mathbb{R}$, defined as a series of Y values on a discrete X grid, evaluate its values (or derivative) at arbitrary X points. Supported splines degrees are 0 (Y is piecewise constant), 1 (piecewise linear), 2 (piecewise quadratic) and 3 (piecewise cubic).

Usage

```
evaluate_spline(Xgrid,
                Ygrid,
                splines_degree,
                Xtarget,
                extrapolate = "const",
                derivative = 0)
```

Arguments

<code>Xgrid</code>	Numeric vector, listing x-values in ascending order.
<code>Ygrid</code>	Numeric vector of the same length as <code>Xgrid</code> , listing the values of Y on <code>Xgrid</code> .
<code>splines_degree</code>	Integer, either 0, 1, 2 or 3, specifying the polynomial degree of the spline curve Y between grid points. For example, 0 means Y is piecewise constant, 1 means Y is piecewise linear and so on.
<code>Xtarget</code>	Numeric vector, listing arbitrary X values on which to evaluate Y .
<code>extrapolate</code>	Character, specifying how to extrapolate Y beyond <code>Xgrid</code> if needed. Available options are "const" (i.e. use the value of Y on the nearest <code>Xgrid</code> point) or "splines" (i.e. use the polynomial coefficients from the nearest grid point).
<code>derivative</code>	Integer, specifying which derivative to return. To return the spline's value, set <code>derivative=0</code> . Currently only the options 0,1,2 are supported.

Details

Spline functions are returned by some of `castor`'s fitting routines, so `evaluate_spline` is meant to aid with the evaluation and plotting of such functions. A spline function of degree $D \geq 1$ has continuous derivatives up to degree $D - 1$. The function `evaluate_spline` is much more efficient if `Xtarget` is monotonically increasing or decreasing.

Value

A numeric vector of the same length as `Xtarget`, listing the values (or derivatives, if `derivative>0`) of `Y` on `Xtarget`.

Author(s)

Stilianos Louca

Examples

```
# specify Y on a coarse X grid
Xgrid = seq(from=0,to=10,length.out=10)
Ygrid = sin(Xgrid)

# define a fine grid of target X values
Xtarget = seq(from=0,to=10,length.out=1000)

# evaluate Y on Xtarget, either as piecewise linear or piecewise cubic function
Ytarget_lin = evaluate_spline(Xgrid,Ygrid,splines_degree=1,Xtarget=Xtarget)
Ytarget_cub = evaluate_spline(Xgrid,Ygrid,splines_degree=3,Xtarget=Xtarget)

# plot both the piecewise linear and piecewise cubic curves
plot(x=Xtarget, y=Ytarget_cub, type='l', col='red', xlab='X', ylab='Y')
lines(x=Xtarget, y=Ytarget_lin, type='l', col='blue', xlab='X', ylab='Y')
```

<code>exponentiate_matrix</code>	<i>Exponentiate a matrix.</i>
----------------------------------	-------------------------------

Description

Calculate the exponential $\exp(T \cdot A)$ of some quadratic real-valued matrix `A` for one or more scalar scaling factors `T`.

Usage

```
exponentiate_matrix(A, scalings=1, max_absolute_error=1e-3,
                    min_polynomials=1, max_polynomials=1000)
```

Arguments

<code>A</code>	A real-valued quadratic matrix of size <code>N x N</code> .
<code>scalings</code>	Vector of real-valued scalar scaling factors <code>T</code> , for each of which the exponential $\exp(T \cdot A)$ should be calculated.
<code>max_absolute_error</code>	Maximum allowed absolute error for the returned approximations. A smaller allowed error implies a greater computational cost as more matrix polynomials need to be included (see below). The returned approximations may have a greater error if the parameter <code>max_polynomials</code> is set too low.

min_polynomials

Minimum number of polynomials to include in the approximations (see equation below), even if `max_absolute_error` may be satisfied with fewer polynomials. If you don't know how to choose this, in most cases the default is fine. Note that regardless of `min_polynomials` and `max_absolute_error`, the number of polynomials used will not exceed `max_polynomials`.

max_polynomials

Maximum allowed number of polynomials to include in the approximations (see equation below). Meant to provide a safety limit for the amount of memory and the computation time required. For example, a value of 1000 means that up to 1000 matrices (powers of A) of size N x N may be computed and stored temporarily in memory. Note that if `max_polynomials` is too low, the requested accuracy (via `max_absolute_error`) may not be achieved. That said, for large trees more memory may be required to store the actual result rather than the intermediate polynomials, i.e. for purposes of saving RAM it doesn't make much sense to choose `max_polynomials` much smaller than the length of scalings.

Details

Discrete character evolution Markov models often involve repeated exponentiations of the same transition matrix along each edge of the tree (i.e. with the scaling T being the edge length). Matrix exponentiation can become a serious computational bottleneck for larger trees or large matrices (i.e. spanning multiple discrete states). This function pre-calculates polynomials $A^p/p!$ of the matrix, and then uses linear combinations of the same polynomials for each requested T:

$$\exp(T \cdot A) = \sum_{p=0}^P T^p \frac{A^p}{p!} + \dots$$

This function thus becomes very efficient when the number of scaling factors is large (e.g. >10,000). The number of polynomials included is determined based on the specified `max_absolute_error`, and based on the largest (by magnitude) scaling factor requested. The function utilizes the balancing algorithm proposed by James et al (2014, Algorithm 3) and the scaling & squaring method (Moler and Van Loan, 2003) to improve the conditioning of the matrix prior to exponentiation.

Value

A 3D numeric matrix of size N x N x S, where N is the number of rows & column of the input matrix A and S is the length of scalings. The [r,c,s]-th element of this matrix is the entry in the r-th row and c-th column of $\exp(\text{scalings}[s] \cdot A)$.

Author(s)

Stilianos Louca

References

- R. James, J. Langou and B. R. Lowery (2014). On matrix balancing and eigenvector computation. arXiv:1401.5766
- C. Moler and C. Van Loan (2003). Nineteen dubious ways to compute the exponential of a matrix, twenty-five years later. SIAM Review. 45:3-49.

Examples

```
# create a random 5 x 5 matrix
A = get_random_mk_transition_matrix(Nstates=5, rate_model="ER")

# calculate exponentials exp(0.1*A) and exp(10*A)
exponentials = exponentiate_matrix(A, scalings=c(0.1,10))

# print 1st exponential: exp(0.1*A)
print(exponentials[,1])

# print 2nd exponential: exp(10*A)
print(exponentials[,2])
```

extend_tree_to_height *Extend a rooted tree up to a specific height.*

Description

Given a rooted phylogenetic tree and a specific distance from the root (“new height”), elongate terminal edges (i.e. leading into tips) as needed so that all tips have a distance from the root equal to the new height. If a tip already extends beyond the specified new height, its incoming edge remains unchanged.

Usage

```
extend_tree_to_height(tree, new_height=NULL)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
new_height	Numeric, specifying the phylogenetic distance from the root to which tips are to be extended. If NULL or negative, then it is set to the maximum distance of any tip from the root.

Details

The input tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). All tip, edge and node indices remain unchanged. This function provides a quick-and-dirty way to make a tree ultrametric, or to correct small numerical inaccuracies in supposed-to-be ultrametric trees.

Value

A list with the following elements:

tree	A new rooted tree of class "phylo", representing the extended tree.
max_extension	Numeric. The largest elongation added to a terminal edge.

Author(s)

Stilianos Louca

See Also[trim_tree_at_height](#)**Examples**

```
# generate a random non-ultrametric tree
tree = generate_random_tree(list(birth_rate_intercept=1,death_rate_intercept=0.5),
                             max_time=1000,
                             coalescent=FALSE)$tree

# print min & max distance from root
span = get_tree_span(tree)
cat(sprintf("Min & max tip height = %g & %g\n",span$min_distance,span$max_distance))

# make tree ultrametric by extending terminal edges
extended = extend_tree_to_height(tree)$tree

# print new min & max distance from root
span = get_tree_span(extended)
cat(sprintf("Min & max tip height = %g & %g\n",span$min_distance,span$max_distance))
```

extract_fasttree_constraints

Extract tree constraints in FastTree alignment format.

Description

Given a rooted phylogenetic tree, extract binary constraints in FastTree alignment format. Every internal bifurcating node with more than 2 descending tips will constitute an separate constraint.

Usage

```
extract_fasttree_constraints(tree)
```

Arguments

tree	A rooted tree of class "phylo".
------	---------------------------------

Details

This function can be used to define constraints based on a backbone subtree, to be used to generate a larger tree using FastTree (as of v2.1.11). Only bifurcating nodes with at least 3 descending tips are used as constraints.

The constraints are returned as a 2D matrix; the actual fasta file with the constraint alignments can be written easily from this matrix. For more details on FastTree constraints see the original FastTree documentation.

Value

A list with the following elements:

Nconstraints	Integer, specifying the number of constraints extracted.
constraints	2D character matrix of size Ntips x Nconstraints, with values '0', '1' or '-', specifying which side ("left" or "right") of a constraint (node) each tip is found on.
constraint2node	Integer vector of size Nconstraints, with values in 1,...,Nnodes, specifying the original node index used to define each constraint.

Author(s)

Stilianos Louca

Examples

```
# generate a simple rooted tree, with tip names tip.1, tip.2, ...
Ntips = 10
tree = generate_random_tree(list(birth_rate_intercept=1),
                             max_tips=Ntips,
                             tip_basename="tip.")$tree

# extract constraints
constraints = castor::extract_fasttree_constraints(tree)$constraints

# print constraints to screen in fasta format
cat(paste(sapply(1:Ntips,
                FUN=function(tip) sprintf(">%s\n%s\n", tree$tip.label[tip],
                paste(as.character(constraints[tip,]), collapse=""))), collapse=""))
```

find_farthest_tips	<i>Find farthest tip to each tip & node of a tree.</i>
--------------------	--

Description

Given a rooted phylogenetic tree and a subset of potential target tips, for each tip and node in the tree find the farthest target tip. The set of target tips can also be taken as the whole set of tips in the tree.

Usage

```
find_farthest_tips( tree,
                   only_descending_tips = FALSE,
                   target_tips          = NULL,
                   as_edge_counts       = FALSE,
                   check_input          = TRUE)
```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>only_descending_tips</code>	A logical indicating whether the farthest tip to a node or tip should be chosen from its descending tips only. If FALSE, then the whole set of possible target tips is considered.
<code>target_tips</code>	Optional integer vector or character vector listing the subset of target tips to restrict the search to. If an integer vector, this should list tip indices (values in 1,...,Ntips). If a character vector, it should list tip names (in this case <code>tree\$tip.label</code> must exist). If <code>target_tips</code> is NULL, then all tips of the tree are considered as target tips.
<code>as_edge_counts</code>	Logical, specifying whether to count phylogenetic distance in terms of edge counts instead of cumulative edge lengths. This is the same as setting all edge lengths to 1.
<code>check_input</code>	Logical, whether to perform basic validations of the input data. If you know for certain that your input is valid, you can set this to FALSE to reduce computation time.

Details

If `only_descending_tips` is TRUE, then only descending target tips are considered when searching for the farthest target tip of a node/tip. In that case, if a node/tip has no descending target tip, its farthest target tip is set to NA. If `tree$edge.length` is missing or NULL, then each edge is assumed to have length 1. The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child).

The asymptotic time complexity of this function is $O(N_{\text{edges}})$, where N_{edges} is the number of edges in the tree.

Value

A list with the following elements:

`farthest_tip_per_tip`

An integer vector of size Ntips, listing the farthest target tip for each tip in the tree. Hence, `farthest_tip_per_tip[i]` is the index of the farthest tip (from the set of target tips), with respect to tip *i* (where $i=1,\dots,N_{\text{tips}}$). Some values may appear multiple times in this vector, if multiple tips share the same farthest target tip.

`farthest_tip_per_node`

An integer vector of size Nnodes, listing the index of the farthest target tip for each node in the tree. Hence, `farthest_tip_per_node[i]` is the index of the farthest tip (from the set of target tips), with respect to node *i* (where $i=1,\dots,N_{\text{nodes}}$). Some values may appear multiple times in this vector, if multiple nodes share the same farthest target tip.

farthest_distance_per_tip

Integer vector of size Ntips. Phylogenetic ("patristic") distance of each tip in the tree to its farthest target tip. If only_descending_tips was set to TRUE, then farthest_distance_per_tip[i] will be set to infinity for any tip i that is not a target tip.

farthest_distance_per_node

Integer vector of size Nnodes. Phylogenetic ("patristic") distance of each node in the tree to its farthest target tip. If only_descending_tips was set to TRUE, then farthest_distance_per_node[i] will be set to infinity for any node i that has no descending target tips.

Author(s)

Stilianos Louca

References

M. G. I. Langille, J. Zaneveld, J. G. Caporaso et al (2013). Predictive functional profiling of microbial communities using 16S rRNA marker gene sequences. Nature Biotechnology. 31:814-821.

See Also

[find_nearest_tips](#)

Examples

```
# generate a random tree
Ntips = 1000
parameters = list(birth_rate_intercept=1, death_rate_intercept=0.9)
tree = generate_random_tree(parameters, Ntips, coalescent=FALSE)$tree

# pick a random set of "target" tips
target_tips = sample.int(n=Ntips, size=5, replace=FALSE)

# find farthest target tip to each tip & node in the tree
results = find_farthest_tips(tree, target_tips=target_tips)

# plot histogram of distances to target tips (across all tips of the tree)
distances = results$farthest_distance_per_tip
hist(distances, breaks=10, xlab="farthest distance", ylab="number of tips", prob=FALSE);
```

find_nearest_tips

Find nearest tip to each tip & node of a tree.

Description

Given a rooted phylogenetic tree and a subset of potential target tips, for each tip and node in the tree find the nearest target tip. The set of target tips can also be taken as the whole set of tips in the tree.

Usage

```
find_nearest_tips(tree,
                  only_descending_tips = FALSE,
                  target_tips          = NULL,
                  as_edge_counts       = FALSE,
                  check_input          = TRUE)
```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>only_descending_tips</code>	A logical indicating whether the nearest tip to a node or tip should be chosen from its descending tips only. If FALSE, then the whole set of possible target tips is considered.
<code>target_tips</code>	Optional integer vector or character vector listing the subset of target tips to restrict the search to. If an integer vector, this should list tip indices (values in 1,...,Ntips). If a character vector, it should list tip names (in this case <code>tree\$tip.label</code> must exist). If <code>target_tips</code> is NULL, then all tips of the tree are considered as target tips.
<code>as_edge_counts</code>	Logical, specifying whether to count phylogenetic distance in terms of edge counts instead of cumulative edge lengths. This is the same as setting all edge lengths to 1.
<code>check_input</code>	Logical, whether to perform basic validations of the input data. If you know for certain that your input is valid, you can set this to FALSE to reduce computation time.

Details

Langille et al. (2013) introduced the Nearest Sequenced Taxon Index (NSTI) as a measure for how well a set of microbial operational taxonomic units (OTUs) is represented by a set of sequenced genomes of related organisms. Specifically, the NSTI of a microbial community is the average phylogenetic distance of any OTU in the community, to the closest relative with an available sequenced genome ("target tips"). In analogy to the NSTI, the function `find_nearest_tips` provides a means to find the nearest tip (from a subset of target tips) to each tip and node in a phylogenetic tree, together with the corresponding phylogenetic ("patristic") distance.

If `only_descending_tips` is TRUE, then only descending target tips are considered when searching for the nearest target tip of a node/tip. In that case, if a node/tip has no descending target tip, its nearest target tip is set to NA. If `tree$edge.length` is missing or NULL, then each edge is assumed to have length 1. The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child).

The asymptotic time complexity of this function is $O(N_{\text{edges}})$, where N_{edges} is the number of edges in the tree.

Value

A list with the following elements:

nearest_tip_per_tip

An integer vector of size Ntips, listing the nearest target tip for each tip in the tree. Hence, nearest_tip_per_tip[i] is the index of the nearest tip (from the set of target tips), with respect to tip i (where i=1,...,Ntips). Some values may appear multiple times in this vector, if multiple tips share the same nearest target tip.

nearest_tip_per_node

An integer vector of size Nnodes, listing the index of the nearest target tip for each node in the tree. Hence, nearest_tip_per_node[i] is the index of the nearest tip (from the set of target tips), with respect to node i (where i=1,...,Nnodes). Some values may appear multiple times in this vector, if multiple nodes share the same nearest target tip.

nearest_distance_per_tip

Integer vector of size Ntips. Phylogenetic ("patristic") distance of each tip in the tree to its nearest target tip. If only_descending_tips was set to TRUE, then nearest_distance_per_tip[i] will be set to infinity for any tip i that is not a target tip.

nearest_distance_per_node

Integer vector of size Nnodes. Phylogenetic ("patristic") distance of each node in the tree to its nearest target tip. If only_descending_tips was set to TRUE, then nearest_distance_per_node[i] will be set to infinity for any node i that has no descending target tips.

Author(s)

Stilianos Louca

References

M. G. I. Langille, J. Zaneveld, J. G. Caporaso et al (2013). Predictive functional profiling of microbial communities using 16S rRNA marker gene sequences. *Nature Biotechnology*. 31:814-821.

See Also

[find_farthest_tips](#)

Examples

```
# generate a random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# pick a random set of "target" tips
target_tips = sample.int(n=Ntips, size=as.integer(Ntips/10), replace=FALSE)

# find nearest target tip to each tip & node in the tree
results = find_nearest_tips(tree, target_tips=target_tips)

# plot histogram of distances to target tips (across all tips of the tree)
distances = results$nearest_distance_per_tip
```

```
hist(distances, breaks=10, xlab="nearest distance", ylab="number of tips", prob=FALSE);
```

find_root	<i>Find the root of a tree.</i>
-----------	---------------------------------

Description

Find the root of a phylogenetic tree. The root is defined as the unique node with no parent.

Usage

```
find_root(tree)
```

Arguments

tree	A tree of class "phylo". If the tree is not rooted, the function will return NA.
------	--

Details

By convention, the root of a "phylo" tree is typically the first node (i.e. with index Ntips+1), however this is not always guaranteed. This function finds the root of a tree by searching for the node with no parent. If no such node exists, NA is returned. If multiple such nodes exist, NA is returned. If any node has more than 1 parent, NA is returned. Hence, this function can be used to test if a tree is rooted purely based on the edge structure, assuming that the tree is connected (i.e. not a forest).

The asymptotic time complexity of this function is $O(N_{edges})$, where N_{edges} is the number of edges in the tree.

Value

Index of the tree's root, as listed in tree\$edge. An integer ranging from Ntips+1 to Ntips+Nnodes, where Ntips and Nnodes is the number of tips and nodes in the tree, respectively. By convention, the root will typically be Ntips+1 but this is not guaranteed.

Author(s)

Stilianos Louca

See Also

[find_root_of_monophyletic_tips](#), [root_at_node](#), [root_at_midpoint](#)

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# reroot the tree at the 20-th node
new_root_node = 20
tree = root_at_node(tree, new_root_node, update_indices=FALSE)

# find new root index and compare with expectation
cat(sprintf("New root is %d, expected at %d\n",find_root(tree),new_root_node+Ntips))
```

```
find_root_of_monophyletic_tips
```

Find the node or tip that, as root, would make a set of target tips monophyletic.

Description

Given a tree (rooted or unrooted) and a specific set of target tips, this function finds the tip or node that, if turned into root, would make a set of target tips a monophyletic group that either descends from a single child of the new root (if `as_MRCA==FALSE`) or whose MRCA is the new root (if `as_MRCA==TRUE`).

Usage

```
find_root_of_monophyletic_tips(tree, monophyletic_tips, as_MRCA=TRUE, is_rooted=FALSE)
```

Arguments

<code>tree</code>	A tree object of class "phylo". Can be unrooted or rooted.
<code>monophyletic_tips</code>	Character or integer vector, specifying the names or indices, respectively, of the target tips that should be turned monophyletic. If an integer vector, its elements must be between 1 and Ntips. If a character vector, its elements must be elements in <code>tree\$tip.label</code> .
<code>as_MRCA</code>	Logical, specifying whether the new root should become the MRCA of the target tips. If <code>FALSE</code> , the new root is chosen such that the MRCA of the target tips is the child of the new root.
<code>is_rooted</code>	Logical, specifying whether the input tree can be assumed to be rooted. If you are sure that the input tree is rooted, set this to <code>TRUE</code> for computational efficiency, otherwise to be on the safe side set this to <code>FALSE</code> .

Details

The input tree may include an arbitrary number of incoming and outgoing edges per node (but only one edge per tip), and the direction of these edges can be arbitrary. Of course, the undirected graph defined by all edges must still be a valid tree (i.e. a connected acyclic graph). Note that this function does not change the tree, it just determines which tip or node should be made root for the target tips to be a monophyletic group.

The asymptotic time complexity of this function is $O(N_{\text{edges}})$.

Value

A single integer between 1 and $(N_{\text{tips}} + N_{\text{nodes}})$, specifying the index of the tip or node that, if made root, would make the target tips monophyletic. If this was not possible, NA is returned.

Author(s)

Stilianos Louca

See Also

[find_root](#)

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# pick a random node and find all descending tips
MRCA = sample.int(tree$Nnode,size=1)
monophyletic_tips = get_subtree_at_node(tree, MRCA)$new2old_tip

# change root of tree (change edge directions)
tree = root_at_node(tree, new_root_node=10, update_indices=FALSE)

# determine root that would make target tips monophyletic
new_root = find_root_of_monophyletic_tips(tree, monophyletic_tips, as_MRCA=TRUE, is_rooted=FALSE)

# compare expectation with result
cat(sprintf("MRCA = %d, new root node=%d\n",MRCA,new_root-Ntips))
```

fit_and_compare_bm_models

Fit and compare Brownian Motion models for multivariate trait evolution between two data sets.

Description

Given two rooted phylogenetic trees and states of one or more continuous (numeric) traits on the trees' tips, fit a multivariate Brownian motion model of correlated evolution to each data set and compare the fitted models. This function estimates the diffusivity matrix for each data set (i.e., each tree/tip-states set) via maximum-likelihood and assesses whether the log-difference between the two fitted diffusivity matrixes is statistically significant, under the null hypothesis that the two data sets exhibit the same diffusivity. Optionally, multiple trees can be used as input for each data set, under the assumption that the trait evolved on each tree according to the same BM model. For more details on how BM is fitted to each data set see the function [fit_bm_model](#).

Usage

```
fit_and_compare_bm_models( trees1,
                           tip_states1,
                           trees2,
                           tip_states2,
                           Nbootstraps = 0,
                           Nsignificance = 0,
                           check_input = TRUE,
                           verbose = FALSE,
                           verbose_prefix = "")
```

Arguments

<code>trees1</code>	Either a single rooted tree or a list of rooted trees, of class "phylo", corresponding to the first data set on which a BM model is to be fitted. Edge lengths are assumed to represent time intervals or a similarly interpretable phylogenetic distance.
<code>tip_states1</code>	Numeric state of each trait at each tip in each tree in the first data set. If <code>trees1</code> is a single tree, then <code>tip_states1</code> must either be a numeric vector of size <code>Ntips</code> or a 2D numeric matrix of size <code>Ntips</code> x <code>Ntraits</code> , listing the trait states for each tip in the tree. If <code>trees1</code> is a list of <code>Ntrees</code> trees, then <code>tip_states1</code> must be a list of length <code>Ntrees</code> , each element of which lists the trait states for the corresponding tree (as a vector or 2D matrix, similarly to the single-tree case).
<code>trees2</code>	Either a single rooted tree or a list of rooted trees, of class "phylo", corresponding to the second data set on which a BM model is to be fitted. Edge lengths are assumed to represent time intervals or a similarly interpretable phylogenetic distance.
<code>tip_states2</code>	Numeric state of each trait at each tip in each tree in the second data set, similarly to <code>tip_states1</code> .
<code>Nbootstraps</code>	Integer, specifying the number of parametric bootstraps to perform for calculating the confidence intervals of BM diffusivities fitted to each data set. If ≤ 0 , no bootstrapping is performed.
<code>Nsignificance</code>	Integer, specifying the number of simulations to perform for assessing the statistical significance of the log-transformed difference between the diffusivities fitted to the two data sets, i.e. of $ \log(D_1) - \log(D_2) $. Set to 0 to not calculate the statistical significance. See below for additional details.

check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.
verbose	Logical, specifying whether to print progress report messages to the screen.
verbose_prefix	Character, specifying a prefix to include in front of progress report messages on each line. Only relevant if verbose==TRUE.

Details

For details on the Brownian Motion model see [fit_bm_model](#) and [simulate_bm_model](#). This function separately fits a single-variate or multi-variate BM model with constant diffusivity (diffusivity matrix, in the multivariate case) to each data set; internally, this function applies [fit_bm_model](#) to each data set.

If `Nsignificance > 0`, the statistical significance of the log-transformed difference of the two fitted diffusivity matrixes, $|\log(D_1) - \log(D_2)|$, is assessed, under the null hypothesis that both data sets were generated by the same common BM model. The diffusivity of this common BM model is estimated by fitting to both datasets at once, i.e. after merging the two datasets into a single dataset of trees and tip states (see return variable `fit_common` below). For each of the `Nsignificance` random simulations of the common BM model on the two tree sets, the diffusivities are again separately fitted on the two simulated sets and the resulting log-difference is compared to the one of the original data sets. The returned `significance` is the probability that the diffusivities would have a log-difference larger than the observed one, if the two data sets had been generated under the common BM model.

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. The tree may include multifurcations (i.e. nodes with more than 2 children) as well as monofurcations (i.e. nodes with only one child). Note that multifurcations are internally expanded to bifurcations, prior to model fitting.

Value

A list with the following elements:

success	Logical, indicating whether the fitting was successful for both data sets. If FALSE, then an additional return variable, <code>error</code> , will contain a description of the error; in that case all other return variables may be undefined.
fit1	A named list containing the fitting results for the first data set, in the same format as returned by fit_bm_model . In particular, the diffusivity fitted to the first data set will be stored in <code>fit1\$diffusivity</code> .
fit2	A named list containing the fitting results for the second data set, in the same format as returned by fit_bm_model . In particular, the diffusivity fitted to the second data set will be stored in <code>fit2\$diffusivity</code> .
log_difference	The absolute difference between the log-transformed diffusivities, i.e. $ \log(D_1) - \log(D_2) $. In the multivariate case, this will be a matrix of size <code>Ntraits</code> x <code>Ntraits</code> .
significance	Numeric, statistical significance of the observed log-difference under the null hypothesis that the two data sets were generated by a common BM model. Only returned if <code>Nsignificance > 0</code> .

`fit_common` A named list containing the fitting results for the two data sets combined, in the same format as returned by `fit_bm_model`. The common diffusivity, `fit_common$diffusivity` is used for the random simulations when assessing the statistical significance of the log-difference of the separately fitted diffusivities. Only returned if `Nsignificance>0`.

Author(s)

Stilianos Louca

References

J. Felsenstein (1985). Phylogenies and the Comparative Method. The American Naturalist. 125:1-15.

See Also

[simulate_bm_model](#), [fit_bm_model](#), [get_independent_contrasts](#)

Examples

```
# simulate distinct BM models on two random trees
D1 = 1
D2 = 2
tree1 = generate_random_tree(list(birth_rate_factor=1),max_tips=100)$tree
tree2 = generate_random_tree(list(birth_rate_factor=1),max_tips=100)$tree
tip_states1 = simulate_bm_model(tree1, diffusivity = D1)$tip_states
tip_states2 = simulate_bm_model(tree2, diffusivity = D2)$tip_states

# fit and compare BM models between the two data sets
fit = fit_and_compare_bm_models(trees1      = tree1,
                                tip_states1 = tip_states1,
                                trees2      = tree2,
                                tip_states2 = tip_states2,
                                Nbootstraps = 100,
                                Nsignificance = 100)

# print summary of results
cat(sprintf("Fitted D1 = %g, D2 = %g, significance of log-diff. = %g\n",
            fit$fit1$diffusivity, fit$fit2$diffusivity, fit$significance))
```

`fit_and_compare_sbm_const`

Fit and compare Spherical Brownian Motion models for diffusive geographic dispersal between two data sets.

Description

Given two rooted phylogenetic trees and geographic coordinates of the trees' tips, fit a Spherical Brownian Motion (SBM) model of diffusive geographic dispersal with constant diffusivity to each tree and compare the fitted models. This function estimates the diffusivity (D) for each data set (i.e., each set of trees + tip-coordinates) via maximum-likelihood and assesses whether the log-difference between the two fitted diffusivities is statistically significant, under the null hypothesis that the two data sets exhibit the same diffusivity. Optionally, multiple trees can be used as input for each data set, under the assumption that dispersal occurred according to the same diffusivity in each tree of that dataset. For more details on how SBM is fitted to each data set see the function [fit_sbm_const](#).

Usage

```
fit_and_compare_sbm_const( trees1,
                          tip_latitudes1,
                          tip_longitudes1,
                          trees2,
                          tip_latitudes2,
                          tip_longitudes2,
                          radius,
                          planar_approximation = FALSE,
                          only_basal_tip_pairs = FALSE,
                          only_distant_tip_pairs = FALSE,
                          min_MRCA_time = 0,
                          max_MRCA_age = Inf,
                          min_diffusivity = NULL,
                          max_diffusivity = NULL,
                          Nbootstraps = 0,
                          Nsignificance = 0,
                          SBM_PD_functor = NULL,
                          verbose = FALSE,
                          verbose_prefix = "")
```

Arguments

- | | |
|-----------------|---|
| trees1 | Either a single rooted tree or a list of rooted trees, of class "phylo", corresponding to the first data set on which an SBM model is to be fitted. Edge lengths are assumed to represent time intervals or a similarly interpretable phylogenetic distance. |
| tip_latitudes1 | Numeric vector listing the latitude (in decimal degrees) of each tip in each tree in the first data set. If trees1 is a single tree, then tip_latitudes1 must be a numeric vector of size Ntips, listing the latitudes for each tip in the tree. If trees1 is a list of Ntrees trees, then tip_latitudes1 must be a list of length Ntrees, each element of which lists the latitudes for the corresponding tree (as a vector, similarly to the single-tree case). |
| tip_longitudes1 | Similar to tip_latitudes1, but listing longitudes (in decimal degrees) of each tip in each tree in the first data set. |

trees2	Either a single rooted tree or a list of rooted trees, of class "phylo", corresponding to the second data set on which an SBM model is to be fitted. Edge lengths are assumed to represent time intervals or a similarly interpretable phylogenetic distance.
tip_latitudes2	Numeric vector listing the latitude (in decimal degrees) of each tip in each tree in the second data set, similarly to tip_latitudes1.
tip_longitudes2	Numeric vector listing the longitude (in decimal degrees) of each tip in each tree in the second data set, similarly to tip_longitudes1.
radius	Strictly positive numeric, specifying the radius of the sphere. For Earth, the mean radius is 6371 km.
planar_approximation	Logical, specifying whether to estimate the diffusivity based on a planar approximation of the SBM model, i.e. by assuming that geographic distances between tips are as if tips are distributed on a 2D cartesian plane. This approximation is only accurate if geographical distances between tips are small compared to the sphere's radius.
only_basal_tip_pairs	Logical, specifying whether to only compare immediate sister tips, i.e., tips connected through a single parental node.
only_distant_tip_pairs	Logical, specifying whether to only compare tips at distinct geographic locations.
min_MRCA_time	Numeric, specifying the minimum allowed time (distance from root) of the most recent common ancestor (MRCA) of sister tips considered in the fitting. In other words, an independent contrast is only considered if the two sister tips' MRCA has at least this distance from the root. Set min_MRCA_time<=0 to disable this filter.
max_MRCA_age	Numeric, specifying the maximum allowed age (distance from youngest tip) of the MRCA of sister tips considered in the fitting. In other words, an independent contrast is only considered if the two sister tips' MRCA has at most this age (time to present). Set max_MRCA_age=Inf to disable this filter.
min_diffusivity	Non-negative numeric, specifying the minimum possible diffusivity. If NULL, this is automatically chosen.
max_diffusivity	Non-negative numeric, specifying the maximum possible diffusivity. If NULL, this is automatically chosen.
Nbootstraps	Integer, specifying the number of parametric bootstraps to perform for calculating the confidence intervals of SBM diffusivities fitted to each data set. If <=0, no bootstrapping is performed.
Nsignificance	Integer, specifying the number of simulations to perform for assessing the statistical significance of the linear difference and log-transformed difference between the diffusivities fitted to the two data sets, i.e. of $ D_1 - D_2 $ and of $ \log(D_1) - \log(D_2) $. Set to 0 to not calculate statistical significances. See below for additional details.

SBM_PD_func	SBM probability density function object. Used internally and for debugging purposes. Unless you know what you're doing, you should keep this NULL.
verbose	Logical, specifying whether to print progress report messages to the screen.
verbose_prefix	Character, specifying a prefix to include in front of progress report messages on each line. Only relevant if verbose==TRUE.

Details

For details on the Spherical Brownian Motion model see [fit_sbm_const](#) and [simulate_sbm](#). This function separately fits an SBM model with constant diffusivity to each of two data sets; internally, this function applies [fit_sbm_const](#) to each data set.

If `Nsignificance` > 0, the statistical significance of the linear difference ($|D_1 - D_2|$) and log-transformed difference ($|\log(D_1) - \log(D_2)|$) of the two fitted diffusivities is assessed under the null hypothesis that both data sets were generated by the same common SBM model. The diffusivity of this common SBM model is estimated by fitting to both datasets at once, i.e. after merging the two datasets into a single dataset of trees and tip coordinates (see return variable `fit_common` below). For each of the `Nsignificance` random simulations of the common SBM model on the two tree sets, the diffusivities are again separately fitted on the two simulated sets and the resulting difference and log-difference is compared to those of the original data sets. The returned `lin_significance` (or `log_significance`) is the probability that the diffusivities would have a difference (or log-difference) larger than the observed one, if the two data sets had been generated under the common SBM model.

If `edge.length` is missing from one of the input trees, each edge in the tree is assumed to have length 1. Trees may include multifurcations as well as monofurcations, however multifurcations are internally expanded into bifurcations by adding dummy nodes.

Value

A list with the following elements:

success	Logical, indicating whether the fitting was successful for both data sets. If FALSE, then an additional return variable, <code>error</code> , will contain a description of the error; in that case all other return variables may be undefined.
fit1	A named list containing the fitting results for the first data set, in the same format as returned by fit_sbm_const . In particular, the diffusivity fitted to the first data set will be stored in <code>fit1\$diffusivity</code> .
fit2	A named list containing the fitting results for the second data set, in the same format as returned by fit_sbm_const . In particular, the diffusivity fitted to the second data set will be stored in <code>fit2\$diffusivity</code> .
lin_difference	The absolute difference between the two diffusivities, i.e. $ D_1 - D_2 $.
log_difference	The absolute difference between the two log-transformed diffusivities, i.e. $ \log(D_1) - \log(D_2) $.
lin_significance	Numeric, statistical significance of the observed lin-difference under the null hypothesis that the two data sets were generated by a common SBM model. Only returned if <code>Nsignificance</code> > 0.

log_significance	Numeric, statistical significance of the observed log-difference under the null hypothesis that the two data sets were generated by a common SBM model. Only returned if Nsignificance>0.
fit_common	A named list containing the fitting results for the two data sets combined, in the same format as returned by fit_sbm_const . The common diffusivity, fit_common\$diffusivity is used for the random simulations when assessing the statistical significance of the lin-difference and log-difference of the separately fitted diffusivities. Only returned if Nsignificance>0.

Author(s)

Stilianos Louca

References

S. Louca (in review as of 2020). Phylogeographic estimation and simulation of global diffusive dispersal. Systematic Biology.

See Also

[simulate_sbm](#), [fit_sbm_const](#), [fit_sbm_linear](#), [fit_sbm_parametric](#)

Examples

```
## Not run:
# simulate distinct SBM models on two random trees
radius = 6371 # Earth's radius
D1      = 1    # diffusivity on 1st tree
D2      = 3    # diffusivity on 2nd tree
tree1   = generate_random_tree(list(birth_rate_factor=1),max_tips=100)$tree
tree2   = generate_random_tree(list(birth_rate_factor=1),max_tips=100)$tree
sim1    = simulate_sbm(tree=tree1, radius=radius, diffusivity=D1)
sim2    = simulate_sbm(tree=tree2, radius=radius, diffusivity=D2)
tip_latitudes1 = sim1$tip_latitudes
tip_longitudes1 = sim1$tip_longitudes
tip_latitudes2 = sim2$tip_latitudes
tip_longitudes2 = sim2$tip_longitudes

# fit and compare SBM models between the two hypothetical data sets
fit = fit_and_compare_sbm_const(trees1      = tree1,
                                tip_latitudes1 = tip_latitudes1,
                                tip_longitudes1 = tip_longitudes1,
                                trees2       = tree2,
                                tip_latitudes2 = tip_latitudes2,
                                tip_longitudes2 = tip_longitudes2,
                                radius        = radius,
                                Nbootstraps   = 0,
                                Nsignificance = 100)

# print summary of results
```

```
cat(sprintf("Fitted D1 = %g, D2 = %g, significance of log-diff. = %g\n",
           fit$fit1$diffusivity, fit$fit2$diffusivity, fit$log_significance))
```

```
## End(Not run)
```

fit_bm_model

Fit a Brownian Motion model for multivariate trait evolution.

Description

Given a rooted phylogenetic tree and states of one or more continuous (numeric) traits on the tree's tips, fit a multivariate Brownian motion model of correlated co-evolution of these traits. This estimates a single diffusivity matrix, which describes the variance-covariance structure of each trait's random walk. The model assumes a fixed diffusivity matrix on the entire tree. Optionally, multiple trees can be used as input, under the assumption that the trait evolved on each tree according to the same BM model.

Usage

```
fit_bm_model(  trees,
               tip_states,
               isotropic = FALSE,
               Nbootstraps = 0,
               check_input = TRUE)
```

Arguments

trees	Either a single rooted tree or a list of rooted trees, of class "phylo". The root of each tree is assumed to be the unique node with no incoming edge. Edge lengths are assumed to represent time intervals or a similarly interpretable phylogenetic distance.
tip_states	Numeric state of each trait at each tip in each tree. If trees was a single tree, then tip_states must either be a numeric vector of size Ntips or a 2D numeric matrix of size Ntips x Ntraits, listing the trait states for each tip in the tree. If trees is a list of Ntrees trees, then tip_states must be a list of length Ntrees, each element of which lists the trait states for the corresponding tree (as a vector or 2D matrix, similarly to the single-tree case).
isotropic	Logical, specifying whether diffusion should be assumed to be isotropic (i.e., independent of the direction). Hence, if isotropic=TRUE, then the diffusivity matrix is forced to be diagonal, with all entries being equal. If isotropic=FALSE, an arbitrary diffusivity matrix is fitted (i.e., the diffusivity matrix is only constrained to be symmetric and non-negative definite).
Nbootstraps	Integer, specifying the number of parametric bootstraps to perform for calculating the confidence intervals. If <=0, no bootstrapping is performed.
check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

The BM model is defined by the stochastic differential equation

$$dX = \sigma \cdot dW$$

where W is a multidimensional Wiener process with N_{degrees} independent components and σ is a matrix of size $N_{\text{traits}} \times N_{\text{degrees}}$. Alternatively, the same model can be defined as a Fokker-Planck equation for the probability density ρ :

$$\frac{\partial \rho}{\partial t} = \sum_{i,j} D_{ij} \frac{\partial^2 \rho}{\partial x_i \partial x_j}.$$

The matrix D is referred to as the diffusivity matrix (or diffusion tensor), and $2D = \sigma \cdot \sigma^T$. Note that σ can be obtained from D by means of a Cholesky decomposition.

The function uses phylogenetic independent contrasts (Felsenstein, 1985) to retrieve independent increments of the multivariate random walk. The diffusivity matrix D is then fitted using maximum-likelihood on the intrinsic geometry of positive-definite matrices. If multiple trees are provided as input, then independent contrasts are extracted from all trees and combined into a single set of independent contrasts (i.e., as if they had been extracted from a single tree).

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. The tree may include multifurcations (i.e. nodes with more than 2 children) as well as monofurcations (i.e. nodes with only one child). Note that multifurcations are internally expanded to bifurcations, prior to model fitting.

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether the fitting was successful. If FALSE, then an additional return variable, <code>error</code> , will contain a description of the error; in that case all other return variables may be undefined.
<code>diffusivity</code>	Either a single non-negative number (if <code>tip_states</code> was a vector) or a 2D quadratic non-negative-definite matrix (if <code>tip_states</code> was a 2D matrix). The fitted diffusivity matrix of the multivariate Brownian motion model.
<code>loglikelihood</code>	The log-likelihood of the fitted model, given the provided tip states data.
<code>Ncontrasts</code>	Integer, number of independent contrasts used to estimate the diffusivity. This corresponds to the number of independent data points used.
<code>standard_errors</code>	Either a single numeric or a 2D numeric matrix of size $N_{\text{traits}} \times N_{\text{traits}}$, listing the estimated standard errors of the estimated diffusivity, based on parametric bootstrapping. Only returned if <code>Nbootstraps</code> > 0.
<code>CI50lower</code>	Either a single numeric or a 2D numeric matrix of size $N_{\text{traits}} \times N_{\text{traits}}$, listing the lower bounds of the 50% confidence interval for the estimated diffusivity (25-75% percentile), based on parametric bootstrapping. Only returned if <code>Nbootstraps</code> > 0.
<code>CI50upper</code>	Either a single numeric or a 2D numeric matrix of size $N_{\text{traits}} \times N_{\text{traits}}$, listing the upper bound of the 50% confidence interval for the estimated diffusivity, based on parametric bootstrapping. Only returned if <code>Nbootstraps</code> > 0.

CI95lower	Either a single numeric or a 2D numeric matrix of size Ntraits x Ntraits, listing the lower bound of the 95% confidence interval for the estimated diffusivity (2.5-97.5% percentile), based on parametric bootstrapping. Only returned if Nbootstraps>0.
CI95upper	Either a single numeric or a 2D numeric matrix of size Ntraits x Ntraits, listing the upper bound of the 95% confidence interval for the estimated diffusivity, based on parametric bootstrapping. Only returned if Nbootstraps>0.
consistency	Numeric between 0 and 1, estimated consistency of the data with the fitted model. If L denotes the loglikelihood of new data generated by the fitted model (under the same model) and M denotes the expectation of L , then consistency is the probability that $ L - M $ will be greater or equal to $ X - M $, where X is the loglikelihood of the original data under the fitted model. Only returned if Nbootstraps>0. A low consistency (e.g., <0.05) indicates that the fitted model is a poor description of the data. See Lindholm et al. (2019) for background.

Author(s)

Stilianos Louca

References

- J. Felsenstein (1985). Phylogenies and the Comparative Method. *The American Naturalist*. 125:1-15.
- A. Lindholm, D. Zachariah, P. Stoica, T. B. Schoen (2019). Data consistency approach to model validation. *IEEE Access*. 7:59788-59796.

See Also

[simulate_bm_model](#), [get_independent_contrasts](#)

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1), 10000)$tree

# Example 1: Scalar case
# - - - - -
# simulate scalar continuous trait on the tree
D = 1
tip_states = simulate_bm_model(tree, diffusivity=D)$tip_states

# estimate original diffusivity from the generated data
fit = fit_bm_model(tree, tip_states)
cat(sprintf("True D=%g, fitted D=%g\n", D, fit$diffusivity))

# Example 2: Multivariate case
# - - - - -
# simulate vector-valued continuous trait on the tree
```

```

D = get_random_diffusivity_matrix(Ntraits=5)
tip_states = simulate_bm_model(tree, diffusivity=D)$tip_states

# estimate original diffusivity matrix from the generated data
fit = fit_bm_model(tree, tip_states)

# compare true and fitted diffusivity matrices
cat("True D:\n"); print(D)
cat("Fitted D:\n"); print(fit$diffusivity)

```

fit_hbds_model_on_grid

Fit a homogenous birth-death-sampling model on a discrete time grid.

Description

Given a timetree (potentially sampled through time and not necessarily ultrametric), fit a homogenous birth-death-sampling (HBDS) model in which speciation, extinction and lineage sampling occurs at some continuous (Poissonian) rates λ , μ and ψ , which are defined on a fixed grid of discrete time points and assumed to vary polynomially between grid points. Sampled lineages are kept in the pool of extant lineages at some “retention probability” κ , which may also depend on time. In addition, this model can include concentrated sampling attempts (CSAs) at a finite set of discrete time points t_1, \dots, t_m . “Homogenous” refers to the assumption that, at any given moment in time, all lineages exhibit the same speciation/extinction/sampling rates. Every HBDS model is thus defined based on the values that λ , μ , ψ and κ take over time, as well as the sampling probabilities ρ_1, \dots, ρ_m and retention probabilities $\kappa_1, \dots, \kappa_m$ during the concentrated sampling attempts. This function estimates the values of λ , μ , ψ and κ on each grid point, as well as the ρ_1, \dots, ρ_m and $\kappa_1, \dots, \kappa_m$, by maximizing the corresponding likelihood of the timetree. Special cases of this model (when rates are piecewise constant through time) are sometimes known as “birth-death-skyline plots” in the literature (Stadler 2013). In epidemiology, these models are often used to describe the phylogenies of viral strains sampled over the course of the epidemic.

Usage

```

fit_hbds_model_on_grid( tree,
                        root_age           = NULL,
                        oldest_age         = NULL,
                        age_grid           = NULL,
                        CSA_ages           = NULL,
                        min_lambda         = 0,
                        max_lambda         = +Inf,
                        min_mu             = 0,
                        max_mu             = +Inf,
                        min_psi            = 0,
                        max_psi            = +Inf,
                        min_kappa          = 0,
                        max_kappa          = 1,
                        min_CSA_probs      = 0,

```

```

max_CSA_probs           = 1,
min_CSA_kappas          = 0,
max_CSA_kappas          = 1,
guess_lambda            = NULL,
guess_mu                = NULL,
guess_psi               = NULL,
guess_kappa             = NULL,
guess_CSA_probs         = NULL,
guess_CSA_kappas        = NULL,
fixed_lambda            = NULL,
fixed_mu                = NULL,
fixed_psi               = NULL,
fixed_kappa             = NULL,
fixed_CSA_probs         = NULL,
fixed_CSA_kappas        = NULL,
const_lambda            = FALSE,
const_mu                = FALSE,
const_psi               = FALSE,
const_kappa             = FALSE,
const_CSA_probs         = FALSE,
const_CSA_kappas        = FALSE,
splines_degree          = 1,
condition               = "auto",
ODE_relative_dt          = 0.001,
ODE_relative_dy          = 1e-3,
CSA_age_epsilon         = NULL,
Ntrials                 = 1,
max_start_attempts      = 1,
Nthreads                = 1,
max_model_runtime       = NULL,
Nbootstraps             = 0,
Ntrials_per_bootstrap   = NULL,
fit_control              = list(),
focal_param_values      = NULL,
verbose                 = FALSE,
verbose_prefix           = "")

```

Arguments

<code>tree</code>	A timetree of class "phylo", representing the time-calibrated reconstructed phylogeny of a set of extant and/or extinct species. Tips of the tree are interpreted as terminally sampled lineages, while monofurcating nodes are interpreted as non-terminally sampled lineages, i.e., lineages sampled at some past time point and with subsequently sampled descendants.
<code>root_age</code>	Positive numeric, specifying the age of the tree's root. Can be used to define a time offset, e.g. if the last tip was not actually sampled at the present. If NULL, this will be calculated from the tree and it will be assumed that the last tip was sampled at the present.

oldest_age	Strictly positive numeric, specifying the oldest time before present (“age”) to consider when calculating the likelihood. If this is equal to or greater than the root age, then oldest_age is interpreted as the stem age. If oldest_age is less than the root age, the tree is split into multiple subtrees at that age by treating every edge crossing that age as the stem of a subtree, and each subtree is considered an independent realization of the HBDS model stemming at that age. This can be useful for avoiding points in the tree close to the root, where estimation uncertainty is generally higher. If oldest_age==NULL, it is automatically set to the root age.
age_grid	Numeric vector, listing ages in ascending order, on which λ , μ , ψ and κ are fitted and allowed to vary independently. This grid must cover at least the age range from the present (age 0) to oldest_age. If NULL or of length ≤ 1 (regardless of value), then λ , μ , ψ and κ are assumed to be time-independent.
CSA_ages	Optional numeric vector, listing ages (in ascending order) at which concentrated sampling attempts (CSAs) occurred. If NULL, it is assumed that no concentrated sampling attempts took place and that all tips were sampled according to the continuous sampling rate ψ .
min_lambda	Numeric vector of length Ngrid ($=\max(1, \text{length}(\text{age_grid}))$), or a single numeric, specifying lower bounds for the fitted speciation rate λ at each point in the age grid. If a single numeric, the same lower bound applies at all ages.
max_lambda	Numeric vector of length Ngrid, or a single numeric, specifying upper bounds for the fitted speciation rate λ at each point in the age grid. If a single numeric, the same upper bound applies at all ages. Use +Inf to omit upper bounds.
min_mu	Numeric vector of length Ngrid, or a single numeric, specifying lower bounds for the fitted extinction rate μ at each point in the age grid. If a single numeric, the same lower bound applies at all ages.
max_mu	Numeric vector of length Ngrid, or a single numeric, specifying upper bounds for the fitted extinction rate μ at each point in the age grid. If a single numeric, the same upper bound applies at all ages. Use +Inf to omit upper bounds.
min_psi	Numeric vector of length Ngrid, or a single numeric, specifying lower bounds for the fitted Poissonian sampling rate ψ at each point in the age grid. If a single numeric, the same lower bound applies at all ages.
max_psi	Numeric vector of length Ngrid, or a single numeric, specifying upper bounds for the fitted Poissonian sampling rate ψ at each point in the age grid. If a single numeric, the same upper bound applies at all ages. Use +Inf to omit upper bounds.
min_kappa	Numeric vector of length Ngrid, or a single numeric, specifying lower bounds for the fitted retention probability κ at each point in the age grid. If a single numeric, the same lower bound applies at all ages.
max_kappa	Numeric vector of length Ngrid, or a single numeric, specifying upper bounds for the fitted retention probability κ at each point in the age grid. If a single numeric, the same upper bound applies at all ages. Use +Inf to omit upper bounds.
min_CSA_probs	Numeric vector of length NCSA ($=\text{length}(\text{CSA_ages})$), or a single numeric, specifying lower bounds for the fitted sampling probabilities ρ_1, \dots, ρ_m at each

	concentrated sampling attempt. If a single numeric, the same lower bound applies at all CSAs. Note that, since ρ_1, ρ_2, \dots are probabilities, min_CSA_probs should not be negative.
max_CSA_probs	Numeric vector of length NCSA, or a single numeric, specifying upper bounds for the fitted sampling probabilities ρ_1, ρ_2, \dots at each concentrated sampling attempt. If a single numeric, the same upper bound applies at all CSAs. Note that, since ρ_1, ρ_2, \dots are probabilities, max_CSA_probs should not be greater than 1.
min_CSA_kappas	Numeric vector of length NCSA, or a single numeric, specifying lower bounds for the fitted retention probabilities $\kappa_1, \kappa_2, \dots$ at each concentrated sampling attempt. If a single numeric, the same lower bound applies at all CSAs. Note that, since $\kappa_1, \kappa_2, \dots$ are probabilities, min_CSA_kappas should not be negative.
max_CSA_kappas	Numeric vector of length NCSA, or a single numeric, specifying upper bounds for the fitted sampling probabilities $\kappa_1, \kappa_2, \dots$ at each concentrated sampling attempt. If a single numeric, the same upper bound applies at all CSAs. Note that, since $\kappa_1, \kappa_2, \dots$ are probabilities, max_CSA_kappas should not be greater than 1.
guess_lambda	Initial guess for λ at each age-grid point. Either NULL (an initial guess will be computed automatically), or a single numeric (guessing the same λ at all ages) or a numeric vector of size Ngrid specifying a separate guess for λ at each age-grid point. To omit an initial guess for some but not all age-grid points, set their guess values to NA. Guess values are ignored for non-fitted (i.e., fixed) parameters.
guess_mu	Initial guess for μ at each age-grid point. Either NULL (an initial guess will be computed automatically), or a single numeric (guessing the same μ at all ages) or a numeric vector of size Ngrid specifying a separate guess for μ at each age-grid point. To omit an initial guess for some but not all age-grid points, set their guess values to NA. Guess values are ignored for non-fitted (i.e., fixed) parameters.
guess_psi	Initial guess for ψ at each age-grid point. Either NULL (an initial guess will be computed automatically), or a single numeric (guessing the same ψ at all ages) or a numeric vector of size Ngrid specifying a separate guess for ψ at each age-grid point. To omit an initial guess for some but not all age-grid points, set their guess values to NA. Guess values are ignored for non-fitted (i.e., fixed) parameters.
guess_kappa	Initial guess for κ at each age-grid point. Either NULL (an initial guess will be computed automatically), or a single numeric (guessing the same κ at all ages) or a numeric vector of size Ngrid specifying a separate guess for κ at each age-grid point. To omit an initial guess for some but not all age-grid points, set their guess values to NA. Guess values are ignored for non-fitted (i.e., fixed) parameters.
guess_CSA_probs	Initial guess for the ρ_1, ρ_2, \dots at each concentrated sampling attempt. Either NULL (an initial guess will be computed automatically), or a single numeric (guessing the same value at every CSA) or a numeric vector of size NCSA specifying a separate guess at each CSA. To omit an initial guess for some but not all CSAs, set their guess values to NA. Guess values are ignored for non-fitted (i.e., fixed) parameters.

guess_CSA_kappas	Initial guess for the $\kappa_1, \kappa_2, \dots$ at each concentrated sampling attempt. Either NULL (an initial guess will be computed automatically), or a single numeric (guessing the same value at every CSA) or a numeric vector of size NCSA specifying a separate guess at each CSA. To omit an initial guess for some but not all CSAs, set their guess values to NA. Guess values are ignored for non-fitted (i.e., fixed) parameters.
fixed_lambda	Optional fixed (i.e. non-fitted) λ values on one or more age-grid points. Either NULL (λ is not fixed anywhere), or a single numeric (λ fixed to the same value at all grid points) or a numeric vector of size Ngrid (λ fixed on one or more age-grid points, use NA for non-fixed values).
fixed_mu	Optional fixed (i.e. non-fitted) μ values on one or more age-grid points. Either NULL (μ is not fixed anywhere), or a single numeric (μ fixed to the same value at all grid points) or a numeric vector of size Ngrid (μ fixed on one or more age-grid points, use NA for non-fixed values).
fixed_psi	Optional fixed (i.e. non-fitted) ψ values on one or more age-grid points. Either NULL (ψ is not fixed anywhere), or a single numeric (ψ fixed to the same value at all grid points) or a numeric vector of size Ngrid (ψ fixed on one or more age-grid points, use NA for non-fixed values).
fixed_kappa	Optional fixed (i.e. non-fitted) κ values on one or more age-grid points. Either NULL (κ is not fixed anywhere), or a single numeric (κ fixed to the same value at all grid points) or a numeric vector of size Ngrid (κ fixed on one or more age-grid points, use NA for non-fixed values).
fixed_CSA_probs	Optional fixed (i.e. non-fitted) ρ_1, ρ_2, \dots values on one or more age-grid points. Either NULL (none of the ρ_1, ρ_2, \dots are fixed), or a single numeric (ρ_1, ρ_2, \dots are fixed to the same value at all CSAs) or a numeric vector of size NCSA (one or more of the ρ_1, ρ_2, \dots are fixed, use NA for non-fixed values).
fixed_CSA_kappas	Optional fixed (i.e. non-fitted) $\kappa_1, \kappa_2, \dots$ values on one or more age-grid points. Either NULL (none of the $\kappa_1, \kappa_2, \dots$ are fixed), or a single numeric ($\kappa_1, \kappa_2, \dots$ are fixed to the same value at all CSAs) or a numeric vector of size NCSA (one or more of the $\kappa_1, \kappa_2, \dots$ are fixed, use NA for non-fixed values).
const_lambda	Logical, specifying whether λ should be assumed constant across the grid, i.e. time-independent. Setting const_lambda=TRUE reduces the number of free (i.e., independently fitted) parameters. If λ is fixed on some grid points (i.e. via fixed_lambda), then only the non-fixed lambdas are assumed to be identical to one another.
const_mu	Logical, specifying whether μ should be assumed constant across the grid, i.e. time-independent. Setting const_mu=TRUE reduces the number of free (i.e., independently fitted) parameters. If μ is fixed on some grid points (i.e. via fixed_mu), then only the non-fixed mus are assumed to be identical to one another.
const_psi	Logical, specifying whether ψ should be assumed constant across the grid, i.e. time-independent. Setting const_psi=TRUE reduces the number of free (i.e., independently fitted) parameters. If ψ is fixed on some grid points (i.e. via

	fixed_psi), then only the non-fixed psis are assumed to be identical to one another.
const_kappa	Logical, specifying whether κ should be assumed constant across the grid, i.e. time-independent. Setting const_kappa=TRUE reduces the number of free (i.e., independently fitted) parameters. If κ is fixed on some grid points (i.e. via fixed_kappa), then only the non-fixed kappas are assumed to be identical to one another.
const_CSA_probs	Logical, specifying whether the ρ_1, ρ_2, \dots should be the same across all CSAs. Setting const_CSA_probs=TRUE reduces the number of free (i.e., independently fitted) parameters. If some of the ρ_1, ρ_2, \dots are fixed (i.e. via fixed_CSA_probs), then only the non-fixed CSA_probs are assumed to be identical to one another.
const_CSA_kappas	Logical, specifying whether the $\kappa_1, \kappa_2, \dots$ should be the same across all CSAs. Setting const_CSA_kappas=TRUE reduces the number of free (i.e., independently fitted) parameters. If some of the $\kappa_1, \kappa_2, \dots$ are fixed (i.e. via fixed_CSA_kappas), then only the non-fixed CSA_kappas are assumed to be identical to one another.
splines_degree	Integer between 0 and 3 (inclusive), specifying the polynomial degree of λ, μ, ψ and κ between age-grid points. If 0, then λ, μ, ψ and κ are considered piecewise constant, if 1 they are considered piecewise linear, if 2 or 3 they are considered to be splines of degree 2 or 3, respectively. The splines_degree influences the analytical properties of the curve, e.g. splines_degree==1 guarantees a continuous curve, splines_degree==2 guarantees a continuous curve and continuous derivative, and so on. A degree of 0 is generally not recommended.
condition	Character, either "crown", "stem", "none" or "auto", specifying on what to condition the likelihood. If "crown", the likelihood is conditioned on the survival of the two daughter lineages branching off at the root. If "stem", the likelihood is conditioned on the survival of the stem lineage. Note that "crown" really only makes sense when oldest_age is equal to the root age, while "stem" is recommended if oldest_age differs from the root age. "none" is generally not recommended. If "auto", the condition is chosen according to the above recommendations.
ODE_relative_dt	Positive unitless number, specifying the default relative time step for the ordinary differential equation solvers. Typical values are 0.01-0.001.
ODE_relative_dy	Positive unitless number, specifying the relative difference between subsequent simulated and interpolated values, in internally used ODE solvers. Typical values are 1e-2 to 1e-5. A smaller ODE_relative_dy increases interpolation accuracy, but also increases memory requirements and adds runtime (scaling with the tree's age span, not with Ntips).
CSA_age_epsilon	Non-negative numeric, in units of time, specifying the age radius around a concentrated sampling attempt, within which to assume that sampling events were due to that concentrated sampling attempt. If NULL, this is chosen automatically based on the anticipated scale of numerical rounding errors. Only relevant if concentrated sampling attempts are included.

Ntrials	Integer, specifying the number of independent fitting trials to perform, each starting from a random choice of model parameters. Increasing Ntrials reduces the risk of reaching a non-global local maximum in the fitting objective.
max_start_attempts	Integer, specifying the number of times to attempt finding a valid start point (per trial) before giving up on that trial. Randomly chosen extreme start parameters may occasionally result in Inf/undefined likelihoods, so this option allows the algorithm to keep looking for valid starting points.
Nthreads	Integer, specifying the number of parallel threads to use for performing multiple fitting trials simultaneously. This should generally not exceed the number of available CPUs on your machine. Parallel computing is not available on the Windows platform.
max_model_runtime	Optional numeric, specifying the maximum number of seconds to allow for each evaluation of the likelihood function. Use this to abort fitting trials leading to parameter regions where the likelihood takes a long time to evaluate (these are often unlikely parameter regions).
Nbootstraps	Integer, specifying the number of parametric bootstraps to perform for estimating standard errors and confidence intervals of estimated parameters. Set to 0 for no bootstrapping.
Ntrials_per_bootstrap	Integer, specifying the number of fitting trials to perform for each bootstrap sampling. If NULL, this is set equal to $\max(1, \text{Ntrials})$. Decreasing Ntrials_per_bootstrap will reduce computation time, at the expense of potentially inflating the estimated confidence intervals; in some cases (e.g., for very large trees) this may be useful if fitting takes a long time and confidence intervals are very narrow anyway. Only relevant if Nbootstraps>0.
fit_control	Named list containing options for the nlminb optimization routine, such as iter.max, eval.max or rel.tol. For a complete list of options and default values see the documentation of nlminb in the stats package.
focal_param_values	Optional list, listing combinations of parameter values of particular interest and for which the log-likelihoods should be returned. Every element of this list should itself be a named list, containing the elements lambda, mu, psi and kappa (each being a numeric vector of size NG) as well as the elements CSA_probs and CSA_kappas (each being a numeric vector of size NCSA). This may be used e.g. for diagnostic purposes, e.g. to examine the shape of the likelihood function.
verbose	Logical, specifying whether to print progress reports and warnings to the screen. Note that errors always cause a return of the function (see return values success and error).
verbose_prefix	Character, specifying the line prefix for printing progress reports to the screen.

Details

Warning: In the absence of concentrated sampling attempts (NCSA=0), and without well-justified a priori constraints on either λ , μ , ψ and/or κ , it is generally impossible to reliably estimate λ , μ , ψ

and κ from timetrees alone. This routine (and any other software that claims to estimate λ , μ , ψ and κ solely from timetrees) should thus be treated with great suspicion. Many epidemiological models make the (often reasonable assumption) that $\kappa = 0$; note that even in this case, one generally can't co-estimate λ , μ and ψ from the timetree alone.

It is advised to provide as much information to the function `fit_hbds_model_on_grid` as possible, including reasonable lower and upper bounds (`min_lambda`, `max_lambda`, `min_mu`, `max_mu`, `min_psi`, `max_psi`, `min_kappa`, `max_kappa`) and reasonable parameter guesses. It is also important that the `age_grid` is sufficiently fine to capture the expected major variations of λ , μ , ψ and κ over time, but keep in mind the serious risk of overfitting when `age_grid` is too fine and/or the tree is too small. If strong lower and upper bounds are not available and fitting takes a long time to run, consider using the option `max_model_runtime` to limit how much time the fitting allows for each evaluation of the likelihood.

Note that here "age" refers to time before present, i.e., age increases from tips to root and age 0 is present-day. CSAs are enumerated in the order of increasing age, i.e., from the present to the past. Similarly, the age grid specifies time points from the present towards the past.

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether model fitting succeeded. If FALSE, the returned list will include an additional "error" element (character) providing a description of the error; in that case all other return variables may be undefined.
<code>objective_value</code>	The maximized fitting objective. Currently, only maximum-likelihood estimation is implemented, and hence this will always be the maximized log-likelihood.
<code>objective_name</code>	The name of the objective that was maximized during fitting. Currently, only maximum-likelihood estimation is implemented, and hence this will always be "loglikelihood".
<code>loglikelihood</code>	The log-likelihood of the fitted model for the given timetree.
<code>guess_loglikelihood</code>	The log-likelihood of the guessed model for the given timetree.
<code>param_fitted</code>	Named list, specifying the fixed and fitted model parameters. This list will contain the elements <code>lambda</code> , <code>mu</code> , <code>psi</code> and <code>kappa</code> (each being a numeric vector of size NG, listing λ , μ , ψ and κ at each age-grid point) as well as the elements <code>CSA_probs</code> and <code>CSA_kappas</code> (each being a numeric vector of size NCSA).
<code>param_guess</code>	Named list, specifying the guessed model parameters. This list will contain the elements <code>lambda</code> , <code>mu</code> , <code>psi</code> and <code>kappa</code> (each being a numeric vector of size NG) as well as the elements <code>CSA_probs</code> and <code>CSA_kappas</code> (each being a numeric vector of size NCSA). Between grid points λ should be interpreted as a piecewise polynomial function (natural spline) of degree <code>splines_degree</code> ; to evaluate this function at arbitrary ages use the castor routine evaluate_spline . The same also applies to μ , ψ and κ .
<code>age_grid</code>	Numeric vector of size NG, the age-grid on which λ , μ , ψ and κ are defined. This will be the same as the provided <code>age_grid</code> , unless the latter was NULL or of length ≤ 1 .

CSA_ages	Numeric vector of size NCSA, listing the ages at which concentrated sampling attempts occurred. This is the same as provided to the function.
NFP	Integer, number of free (i.e., independently) fitted parameters. If none of the λ , μ and ρ were fixed, and <code>const_lambda=FALSE</code> and <code>const_mu=FALSE</code> , then NFP will be equal to $2 \times \text{Ngrid} + 1$.
Ndata	Integer, the number of data points (sampling and branching events) used for fitting.
AIC	The Akaike Information Criterion for the fitted model, defined as $2k - 2 \log(L)$, where k is the number of fitted parameters and L is the maximized likelihood.
BIC	The Bayesian information criterion for the fitted model, defined as $\log(n)k - 2 \log(L)$, where k is the number of fitted parameters, n is the number of data points (number of branching times), and L is the maximized likelihood.
condition	Character, specifying what conditioning was root for the likelihood (e.g. "crown" or "stem").
converged	Logical, specifying whether the maximum likelihood was reached after convergence of the optimization algorithm. Note that in some cases the maximum likelihood may have been achieved by an optimization path that did not yet converge (in which case it's advisable to increase <code>iter.max</code> and/or <code>eval.max</code>).
Niterations	Integer, specifying the number of iterations performed during the optimization path that yielded the maximum likelihood.
Nevaluations	Integer, specifying the number of likelihood evaluations performed during the optimization path that yielded the maximum likelihood.
standard_errors	Named list specifying the standard errors of the parameters, based on parametric bootstrapping. This list will contain the elements <code>lambda</code> , <code>mu</code> , <code>psi</code> and <code>kappa</code> (each being a numeric vector of size NG) as well as the elements <code>CSA_probs</code> and <code>CSA_kappas</code> (each being a numeric vector of size NCSA). Only included if <code>Nbootstraps > 0</code> . Note that the standard errors of non-fitted (i.e., fixed) parameters will be zero.
CI50lower	Named list specifying the lower end of the 50% confidence interval (i.e. the 25% quantile) for each parameter, based on parametric bootstrapping. This list will contain the elements <code>lambda</code> , <code>mu</code> , <code>psi</code> and <code>kappa</code> (each being a numeric vector of size NG) as well as the elements <code>CSA_probs</code> and <code>CSA_kappas</code> (each being a numeric vector of size NCSA). Only included if <code>Nbootstraps > 0</code> .
CI50upper	Similar to <code>CI50lower</code> , but listing the upper end of the 50% confidence interval (i.e. the 75% quantile) for each parameter. For example, the confidence interval for λ at age <code>age_grid[1]</code> will be between <code>CI50lower\$lambda[1]</code> and <code>CI50upper\$lambda[1]</code> . Only included if <code>Nbootstraps > 0</code> .
CI95lower	Similar to <code>CI50lower</code> , but listing the lower end of the 95% confidence interval (i.e. the 2.5% quantile) for each parameter. Only included if <code>Nbootstraps > 0</code> .
CI95upper	Similar to <code>CI50upper</code> , but listing the upper end of the 95% confidence interval (i.e. the 97.5% quantile) for each parameter. Only included if <code>Nbootstraps > 0</code> .
consistency	Numeric between 0 and 1, estimated consistency of the data with the fitted model. If L denotes the loglikelihood of new data generated by the fitted model

(under the same model) and M denotes the expectation of L , then consistency is the probability that $|L - M|$ will be greater or equal to $|X - M|$, where X is the loglikelihood of the original data under the fitted model. Only returned if $Nbootstraps > 0$. A low consistency (e.g., < 0.05) indicates that the fitted model is a poor description of the data. See Lindholm et al. (2019) for background.

Author(s)

Stilianos Louca

References

T. Stadler, D. Kuehnert, S. Bonhoeffer, A. J. Drummond (2013). Birth-death skyline plot reveals temporal changes of epidemic spread in HIV and hepatitis C virus (HCV). PNAS. 110:228-233.

A. Lindholm, D. Zachariah, P. Stoica, T. B. Schoen (2019). Data consistency approach to model validation. IEEE Access. 7:59788-59796.

See Also

[simulate_deterministic_hbds](#), [fit_hbds_model_parametric](#)

Examples

```
## Not run:
# define lambda & mu & psi as functions of time
# Assuming an exponentially varying lambda & mu, and a constant psi
time2lambda = function(times){ 2*exp(0.1*times) }
time2mu      = function(times){ 0.1*exp(0.09*times) }
time2psi     = function(times){ rep(0.2, times=length(times)) }

# define concentrated sampling attempts
CSA_times    = c(3,4)
CSA_probs    = c(0.1, 0.2)

# generate random tree based on lambda, mu & psi
# assume that all sampled lineages are removed from the pool (i.e. kappa=0)
time_grid = seq(from=0, to=100, by=0.01)
simul = generate_tree_hbds( max_time    = 5,
                           time_grid   = time_grid,
                           lambda      = time2lambda(time_grid),
                           mu          = time2mu(time_grid),
                           psi         = time2psi(time_grid),
                           kappa       = 0,
                           CSA_times   = CSA_times,
                           CSA_probs   = CSA_probs,
                           CSA_kappas  = 0)

tree      = simul$tree
root_age  = simul$root_age
cat(sprintf("Tree has %d tips\n",length(tree$tip.label)))
```

```

# Define an age grid on which lambda_function & mu_function shall be fitted
fit_age_grid = seq(from=0,to=root_age,length.out=3)

# Fit an HBDS model on a grid
# Assume that psi is known and that sampled lineages are removed from the pool
# Hence, we only fit lambda & mu & CSA_probs
cat(sprintf("Fitting model to tree..\n"))
fit = fit_hbds_model_on_grid(tree,
                             root_age      = root_age,
                             age_grid       = fit_age_grid,
                             CSA_ages       = rev(simul$final_time - CSA_times),
                             fixed_psi      = time2psi(simul$final_time-fit_age_grid),
                             fixed_kappa    = 0,
                             fixed_CSA_kappas = 0,
                             Ntrials        = 4,
                             Nthreads       = 4,
                             Nbootstraps    = 0,
                             verbose        = TRUE,
                             verbose_prefix = " ")

if(!fit$success){
  cat(sprintf("ERROR: Fitting failed: %s\n",fit$error))
}else{
  # compare fitted lambda to true lambda
  plot(x=fit$age_grid,
       y=fit$param_fitted$lambda,
       type='l',
       col='#000000',
       xlim=c(root_age,0),
       xlab='age',
       ylab='lambda')
  lines(x=simul$final_time-time_grid,
        y=time2lambda(time_grid),
        type='l',
        col='#0000AA')
}

# compare true and fitted model in terms of their LTTs
LTT = castor::count_lineages_through_time(tree, Ntimes=100, include_slopes=TRUE)
LTT$ages = root_age - LTT$times

cat(sprintf("Simulating deterministic HBDS (true model)..\n"))
age0 = 0.5 # reference age at which to equate LTTs
LTT0 = approx(x=LTT$ages, y=LTT$lineages, xout=age0)$y # tree LTT at age0
fsim = simulate_deterministic_hbds( age_grid = fit$age_grid,
                                     lambda   = fit$param_fitted$lambda,
                                     mu       = fit$param_fitted$mu,
                                     psi      = fit$param_fitted$psi,
                                     kappa    = fit$param_fitted$kappa,
                                     CSA_ages = fit$CSA_ages,
                                     CSA_probs = fit$param_fitted$CSA_probs,
                                     CSA_kappas = fit$param_fitted$CSA_kappas,
                                     requested_ages = seq(0,root_age,length.out=200),

```

```

                                age0          = age0,
                                LTT0          = LTT0,
                                splines_degree = 1)

if(!fsim$success){
  cat(sprintf("ERROR: Could not simulate fitted model: %s\n",fsim$error))
  stop()
}
plot(x=LTT$ages, y=LTT$lineages, type='l', col='#0000AA', lwd=2, xlim=c(root_age,0))
lines(x=fsim$ages, y=fsim$LTT, type='l', col='#000000', lwd=2)

## End(Not run)

```

```
fit_hbds_model_parametric
```

Fit a parametric homogenous birth-death-sampling model to a time-tree.

Description

Given a timetree (potentially sampled through time and not necessarily ultrametric), fit a homogenous birth-death-sampling (HBDS) model in which speciation, extinction and lineage sampling occurs at some continuous (Poissonian) rates λ , μ and ψ , which are given as parameterized functions of time before present. Sampled lineages are kept in the pool of extant lineages at some “retention probability” κ , which may also depend on time. In addition, this model can include concentrated sampling attempts (CSAs) at a finite set of discrete time points t_1, \dots, t_m . “Homogenous” refers to the assumption that, at any given moment in time, all lineages exhibit the same speciation/extinction/sampling rates. Every HBDS model is thus defined based on the values that λ , μ , ψ and κ take over time, as well as the sampling probabilities ρ_1, \dots, ρ_m and retention probabilities $\kappa_1, \dots, \kappa_m$ during the concentrated sampling attempts; each of these parameters, in turn, is assumed to be determined by a finite set of parameters. This function estimates these parameters by maximizing the corresponding likelihood of the timetree. Special cases of this model are sometimes known as “birth-death-skyline plots” in the literature (Stadler 2013). In epidemiology, these models are often used to describe the phylogenies of viral strains sampled over the course of the epidemic.

Usage

```

fit_hbds_model_parametric(tree,
                           param_values,
                           param_guess      = NULL,
                           param_min        = -Inf,
                           param_max        = +Inf,
                           param_scale      = NULL,
                           root_age         = NULL,
                           oldest_age       = NULL,
                           lambda           = 0,
                           mu               = 0,
                           psi              = 0,
                           kappa            = 0,

```



```

age_grid           = NULL,
CSA_ages           = NULL,
CSA_probs          = NULL,
CSA_kappas         = 0,
condition          = "auto",
ODE_relative_dt    = 0.001,
ODE_relative_dy    = 1e-3,
CSA_age_epsilon    = NULL,
Ntrials            = 1,
max_start_attempts = 1,
Nthreads           = 1,
max_model_runtime  = NULL,
Nbootstraps        = 0,
Ntrials_per_bootstrap = NULL,
fit_control        = list(),
focal_param_values = NULL,
verbose            = FALSE,
verbose_prefix     = "")

```

Arguments

tree	A timetree of class "phylo", representing the time-calibrated reconstructed phylogeny of a set of extant and/or extinct species. Tips of the tree are interpreted as terminally sampled lineages, while monofurcating nodes are interpreted as non-terminally sampled lineages, i.e., lineages sampled at some past time point and with subsequently sampled descendants.
param_values	Numeric vector, specifying fixed values for some or all model parameters. For fitted (i.e., non-fixed) parameters, use NaN or NA. For example, the vector <code>c(1.5, NA, 40)</code> specifies that the 1st and 3rd model parameters are fixed at the values 1.5 and 40, respectively, while the 2nd parameter is to be fitted. The length of this vector defines the total number of model parameters. If entries in this vector are named, the names are taken as parameter names. Names should be included if the functions <code>lambda</code> , <code>mu</code> , <code>psi</code> , <code>kappa</code> , <code>CSA_psi</code> and <code>CSA_kappa</code> query parameter values by name (as opposed to numeric index).
param_guess	Numeric vector of size NP, specifying a first guess for the value of each model parameter. For fixed parameters, guess values are ignored. Can be NULL only if all model parameters are fixed.
param_min	Optional numeric vector of size NP, specifying lower bounds for model parameters. If of size 1, the same lower bound is applied to all parameters. Use <code>-Inf</code> to omit a lower bound for a parameter. If NULL, no lower bounds are applied. For fixed parameters, lower bounds are ignored.
param_max	Optional numeric vector of size NP, specifying upper bounds for model parameters. If of size 1, the same upper bound is applied to all parameters. Use <code>+Inf</code> to omit an upper bound for a parameter. If NULL, no upper bounds are applied. For fixed parameters, upper bounds are ignored.
param_scale	Optional numeric vector of size NP, specifying typical scales for model parameters. If of size 1, the same scale is assumed for all parameters. If NULL, scales are

determined automatically. For fixed parameters, scales are ignored. It is strongly advised to provide reasonable scales, as this facilitates the numeric optimization algorithm.

root_age	Positive numeric, specifying the age of the tree's root. Can be used to define a time offset, e.g. if the last tip was not actually sampled at the present. If NULL, this will be calculated from the tree and it will be assumed that the last tip was sampled at the present.
oldest_age	Strictly positive numeric, specifying the oldest time before present ("age") to consider when calculating the likelihood. If this is equal to or greater than the root age, then oldest_age is interpreted as the stem age. If oldest_age is less than the root age, the tree is split into multiple subtrees at that age by treating every edge crossing that age as the stem of a subtree, and each subtree is considered an independent realization of the HBDS model stemming at that age. This can be useful for avoiding points in the tree close to the root, where estimation uncertainty is generally higher. If oldest_age==NULL, it is automatically set to the root age.
lambda	Function specifying the speciation rate at any given age (time before present) and for any given parameter values. This function must take exactly two arguments, the 1st one being a numeric vector (one or more ages) and the 2nd one being a numeric vector of size NP (parameter values), and return a numeric vector of the same size as the 1st argument with strictly positive entries. Can also be a single numeric (i.e., lambda is fixed).
mu	Function specifying the extinction rate at any given age and for any given parameter values. This function must take exactly two arguments, the 1st one being a numeric vector (one or more ages) and the 2nd one being a numeric vector of size NP (parameter values), and return a numeric vector of the same size as the 1st argument with non-negative entries. Can also be a single numeric (i.e., mu is fixed).
psi	Function specifying the continuous (Poissonian) lineage sampling rate at any given age and for any given parameter values. This function must take exactly two arguments, the 1st one being a numeric vector (one or more ages) and the 2nd one being a numeric vector of size NP (parameter values), and return a numeric vector of the same size as the 1st argument with non-negative entries. Can also be a single numeric (i.e., psi is fixed).
kappa	Function specifying the retention probability for continuously sampled lineages, at any given age and for any given parameter values. This function must take exactly two arguments, the 1st one being a numeric vector (one or more ages) and the 2nd one being a numeric vector of size NP (parameter values), and return a numeric vector of the same size as the 1st argument with non-negative entries. The retention probability is the probability of a sampled lineage remaining in the pool of extant lineages. Can also be a single numeric (i.e., kappa is fixed).
age_grid	Numeric vector, specifying ages at which the lambda, mu, psi and kappa functionals should be evaluated. This age grid must be fine enough to capture the possible variation in λ , μ , ψ and κ over time, within the permissible parameter range. Listed ages must be strictly increasing, and must cover at least the full considered age interval (from 0 to oldest_age). Can also be NULL or a vector of size 1, in which case λ , μ , ψ and κ are assumed to be time-independent.

CSA_ages	Optional numeric vector, listing ages (in ascending order) at which concentrated sampling attempts occurred. If NULL, it is assumed that no concentrated sampling attempts took place and that all tips were sampled according to the continuous sampling rate ψ .
CSA_probs	Function specifying the sampling probabilities during the various concentrated sampling attempts, depending on parameter values. Hence, for any choice of parameters, CSA_probs must return a numeric vector of the same size as CSA_ages. Can also be a single numeric (i.e., concentrated sampling probability is fixed).
CSA_kappas	Function specifying the retention probabilities during the various concentrated sampling attempts, depending on parameter values. Hence, for any choice of parameters, CSA_kappas must return a numeric vector of the same size as CSA_ages. Can also be a single numeric (i.e., retention probability during concentrated samplings is fixed).
condition	Character, either "crown", "stem", "none" or "auto", specifying on what to condition the likelihood. If "crown", the likelihood is conditioned on the survival of the two daughter lineages branching off at the root. If "stem", the likelihood is conditioned on the survival of the stem lineage. Note that "crown" really only makes sense when oldest_age is equal to the root age, while "stem" is recommended if oldest_age differs from the root age. "none" is usually not recommended. If "auto", the condition is chosen according to the above recommendations.
ODE_relative_dt	Positive unitless number, specifying the default relative time step for the ordinary differential equation solvers. Typical values are 0.01-0.001.
ODE_relative_dy	Positive unitless number, specifying the relative difference between subsequent simulated and interpolated values, in internally used ODE solvers. Typical values are $1e-2$ to $1e-5$. A smaller ODE_relative_dy increases interpolation accuracy, but also increases memory requirements and adds runtime (scaling with the tree's age span, not with Ntips).
CSA_age_epsilon	Non-negative numeric, in units of time, specifying the age radius around a concentrated sampling attempt, within which to assume that sampling events were due to that concentrated sampling attempt. If NULL, this is chosen automatically based on the anticipated scale of numerical rounding errors. Only relevant if concentrated sampling attempts are included.
Ntrials	Integer, specifying the number of independent fitting trials to perform, each starting from a random choice of model parameters. Increasing Ntrials reduces the risk of reaching a non-global local maximum in the fitting objective.
max_start_attempts	Integer, specifying the number of times to attempt finding a valid start point (per trial) before giving up on that trial. Randomly chosen extreme start parameters may occasionally result in Inf/undefined likelihoods, so this option allows the algorithm to keep looking for valid starting points.
Nthreads	Integer, specifying the number of parallel threads to use for performing multiple fitting trials simultaneously. This should generally not exceed the number of

	available CPUs on your machine. Parallel computing is not available on the Windows platform.
max_model_runtime	Optional numeric, specifying the maximum number of seconds to allow for each evaluation of the likelihood function. Use this to abort fitting trials leading to parameter regions where the likelihood takes a long time to evaluate (these are often unlikely parameter regions).
Nbootstraps	Integer, specifying the number of parametric bootstraps to perform for estimating standard errors and confidence intervals of estimated model parameters. Set to 0 for no bootstrapping.
Ntrials_per_bootstrap	Integer, specifying the number of fitting trials to perform for each bootstrap sampling. If NULL, this is set equal to $\max(1, Ntrials)$. Decreasing Ntrials_per_bootstrap will reduce computation time, at the expense of potentially inflating the estimated confidence intervals; in some cases (e.g., for very large trees) this may be useful if fitting takes a long time and confidence intervals are very narrow anyway. Only relevant if Nbootstraps > 0.
fit_control	Named list containing options for the nlminb optimization routine, such as iter.max, eval.max or rel.tol. For a complete list of options and default values see the documentation of nlminb in the stats package.
focal_param_values	Optional numeric matrix having NP columns and an arbitrary number of rows, listing combinations of parameter values of particular interest and for which the log-likelihoods should be returned. This may be used for diagnostic purposes, e.g., to examine the shape of the likelihood function.
verbose	Logical, specifying whether to print progress reports and warnings to the screen. Note that errors always cause a return of the function (see return values success and error).
verbose_prefix	Character, specifying the line prefix for printing progress reports to the screen.

Details

This function is designed to estimate a finite set of scalar parameters ($p_1, \dots, p_n \in \mathbf{R}$) that determine the speciation rate λ , the extinction rate μ , the sampling rate ψ , the retention rate κ , the concentrated sampling probabilities ρ_1, \dots, ρ_m and the concentrated retention probabilities $\kappa_1, \dots, \kappa_m$, by maximizing the likelihood of observing a given timetree under the HBDS model. Note that the ages (times before present) of the concentrated sampling attempts are assumed to be known and are not fitted.

It is generally advised to provide as much information to the function `fit_hbds_model_parametric` as possible, including reasonable lower and upper bounds (`param_min` and `param_max`), a reasonable parameter guess (`param_guess`) and reasonable parameter scales `param_scale`. If some model parameters can vary over multiple orders of magnitude, it is advised to transform them so that they vary across fewer orders of magnitude (e.g., via log-transformation). It is also important that the `age_grid` is sufficiently fine to capture the variation of λ , μ , ψ and κ over time, since the likelihood is calculated under the assumption that these functions vary linearly between grid points.

Note that in this function age always refers to time before present, i.e., present day age is 0 and age increases from tips to root. The functions `lambda`, `mu`, `psi` and `kappa` should be functions of

age, not forward time. Similarly, concentrated sampling attempts (CSAs) are enumerated in order of increasing age, i.e., starting with the youngest CSA and moving towards older CSAs.

Value

A list with the following elements:

success	Logical, indicating whether model fitting succeeded. If FALSE, the returned list will include an additional “error” element (character) providing a description of the error; in that case all other return variables may be undefined.
objective_value	The maximized fitting objective. Currently, only maximum-likelihood estimation is implemented, and hence this will always be the maximized log-likelihood.
objective_name	The name of the objective that was maximized during fitting. Currently, only maximum-likelihood estimation is implemented, and hence this will always be “loglikelihood”.
loglikelihood	The log-likelihood of the fitted model for the given timetree.
param_fitted	Numeric vector of size NP (number of model parameters), listing all fitted or fixed model parameters in their standard order (see details above). If param_names was provided, elements in fitted_params will be named.
param_guess	Numeric vector of size NP, listing guessed or fixed values for all model parameters in their standard order. If param_names was provided, elements in param_guess will be named.
guess_loglikelihood	The loglikelihood of the data for the initial parameter guess (param_guess).
focal_loglikelihoods	A numeric vector of the same size as nrow(focal_param_values), listing log-likelihoods for each of the focal parameter combinations listed in focal_loglikelihoods.
NFP	Integer, number of fitted (i.e., non-fixed) model parameters.
Ndata	Number of data points used for fitting, i.e., the number of sampling and branching events that occurred between ages 0 and oldest_age.
AIC	The Akaike Information Criterion for the fitted model, defined as $2k - 2\log(L)$, where k is the number of fitted parameters and L is the maximized likelihood.
BIC	The Bayesian information criterion for the fitted model, defined as $\log(n)k - 2\log(L)$, where k is the number of fitted parameters, n is the number of data points (Ndata), and L is the maximized likelihood.
condition	Character, specifying what conditioning was root for the likelihood (e.g. "crown" or "stem").
converged	Logical, specifying whether the maximum likelihood was reached after convergence of the optimization algorithm. Note that in some cases the maximum likelihood may have been achieved by an optimization path that did not yet converge (in which case it's advisable to increase iter.max and/or eval.max).
Niterations	Integer, specifying the number of iterations performed during the optimization path that yielded the maximum likelihood.

Nevaluations	Integer, specifying the number of likelihood evaluations performed during the optimization path that yielded the maximum likelihood.
trial_start_objectives	Numeric vector of size Ntrials, listing the initial objective values (e.g., log-likelihoods) for each fitting trial, i.e. at the start parameter values.
trial_objective_values	Numeric vector of size Ntrials, listing the final maximized objective values (e.g., loglikelihoods) for each fitting trial.
trial_Nstart_attempts	Integer vector of size Ntrials, listing the number of start attempts for each fitting trial, until a starting point with valid likelihood was found.
trial_Niterations	Integer vector of size Ntrials, listing the number of iterations needed for each fitting trial.
trial_Nevaluations	Integer vector of size Ntrials, listing the number of likelihood evaluations needed for each fitting trial.
standard_errors	Numeric vector of size NP, estimated standard error of the parameters, based on parametric bootstrapping. Only returned if Nbootstraps>0.
medians	Numeric vector of size NP, median the estimated parameters across parametric bootstraps. Only returned if Nbootstraps>0.
CI50lower	Numeric vector of size NP, lower bound of the 50% confidence interval (25-75% percentile) for the parameters, based on parametric bootstrapping. Only returned if Nbootstraps>0.
CI50upper	Numeric vector of size NP, upper bound of the 50% confidence interval for the parameters, based on parametric bootstrapping. Only returned if Nbootstraps>0.
CI95lower	Numeric vector of size NP, lower bound of the 95% confidence interval (2.5-97.5% percentile) for the parameters, based on parametric bootstrapping. Only returned if Nbootstraps>0.
CI95upper	Numeric vector of size NP, upper bound of the 95% confidence interval for the parameters, based on parametric bootstrapping. Only returned if Nbootstraps>0.
consistency	Numeric between 0 and 1, estimated consistency of the data with the fitted model. See the documentation of fit_hbds_model_on_grid for an explanation.

Author(s)

Stilianos Louca

References

T. Stadler, D. Kuehnert, S. Bonhoeffer, A. J. Drummond (2013). Birth-death skyline plot reveals temporal changes of epidemic spread in HIV and hepatitis C virus (HCV). PNAS. 110:228-233.


```

if(!fit$success){
  cat(sprintf("ERROR: Fitting failed: %s\n",fit$error))
}else{
  cat(sprintf("Fitting succeeded:\nLoglikelihood=%g\n",fit$loglikelihood))
  # print fitted parameters
  print(fit$param_fitted)
}

## End(Not run)

```

fit_hbd_model_on_grid *Fit a homogenous birth-death model on a discrete time grid.*

Description

Given an ultrametric timetree, fit a homogenous birth-death (HBD) model in which speciation and extinction rates (λ and μ) are defined on a fixed grid of discrete time points and assumed to vary polynomially between grid points. “Homogenous” refers to the assumption that, at any given moment in time, all lineages exhibit the same speciation/extinction rates (in the literature this is sometimes referred to simply as “birth-death model”). Every HBD model is defined based on the values that λ and μ take over time as well as the sampling fraction ρ (fraction of extant species sampled). This function estimates the values of λ and μ at each grid point by maximizing the likelihood (Morlon et al. 2011) of the timetree under the resulting HBD model.

Usage

```

fit_hbd_model_on_grid(tree,
  oldest_age      = NULL,
  age0            = 0,
  age_grid        = NULL,
  min_lambda      = 0,
  max_lambda      = +Inf,
  min_mu          = 0,
  max_mu          = +Inf,
  min_rho0        = 1e-10,
  max_rho0        = 1,
  guess_lambda    = NULL,
  guess_mu        = NULL,
  guess_rho0      = 1,
  fixed_lambda    = NULL,
  fixed_mu        = NULL,
  fixed_rho0      = NULL,
  const_lambda    = FALSE,
  const_mu        = FALSE,
  splines_degree  = 1,
  condition       = "auto",
  relative_dt     = 1e-3,
  Ntrials         = 1,

```



```

Nthreads          = 1,
max_model_runtime = NULL,
fit_control        = list()

```

Arguments

tree	An ultrametric timetree of class "phylo", representing the time-calibrated reconstructed phylogeny of a set of extant species.
oldest_age	Strictly positive numeric, specifying the oldest time before present ("age") to consider when calculating the likelihood. If this is equal to or greater than the root age, then oldest_age is taken as the stem age, and the classical formula by Morlon et al. (2011) is used. If oldest_age is less than the root age, the tree is split into multiple subtrees at that age by treating every edge crossing that age as the stem of a subtree, and each subtree is considered an independent realization of the HBD model stemming at that age. This can be useful for avoiding points in the tree close to the root, where estimation uncertainty is generally higher. If oldest_age==NULL, it is automatically set to the root age.
age0	Non-negative numeric, specifying the youngest age (time before present) to consider for fitting, and with respect to which ρ is defined. If age0>0, then rho0 refers to the sampling fraction at age age0, i.e. the fraction of lineages extant at age0 that are included in the tree. See below for more details.
age_grid	Numeric vector, listing ages in ascending order, on which λ and μ are allowed to vary independently. This grid must cover at least the age range from age0 to oldest_age. If NULL or of length <=1 (regardless of value), then λ and μ are assumed to be time-independent.
min_lambda	Numeric vector of length Ngrid (=max(1, length(age_grid))), or a single numeric, specifying lower bounds for the fitted λ at each point in the age grid. If a single numeric, the same lower bound applies at all ages.
max_lambda	Numeric vector of length Ngrid, or a single numeric, specifying upper bounds for the fitted λ at each point in the age grid. If a single numeric, the same upper bound applies at all ages. Use +Inf to omit upper bounds.
min_mu	Numeric vector of length Ngrid, or a single numeric, specifying lower bounds for the fitted μ at each point in the age grid. If a single numeric, the same lower bound applies at all ages.
max_mu	Numeric vector of length Ngrid, or a single numeric, specifying upper bounds for the fitted μ at each point in the age grid. If a single numeric, the same upper bound applies at all ages. Use +Inf to omit upper bounds.
min_rho0	Numeric, specifying a lower bound for the fitted sampling fraction ρ (fraction of extant species included in the tree).
max_rho0	Numeric, specifying an upper bound for the fitted sampling fraction ρ .
guess_lambda	Initial guess for λ at each age-grid point. Either NULL (an initial guess will be computed automatically), or a single numeric (guessing the same λ at all ages) or a numeric vector of size Ngrid specifying a separate guess for λ at each age-grid point. To omit an initial guess for some but not all age-grid points, set their guess values to NA. Guess values are ignored for non-fitted (i.e., fixed) parameters.

guess_mu	Initial guess for μ at each age-grid point. Either NULL (an initial guess will be computed automatically), or a single numeric (guessing the same μ at all ages) or a numeric vector of size Ngrid specifying a separate guess for μ at each age-grid point. To omit an initial guess for some but not all age-grid points, set their guess values to NA. Guess values are ignored for non-fitted (i.e., fixed) parameters.
guess_rho0	Numeric, specifying an initial guess for the sampling fraction ρ at age0. Setting this to NULL or NA is the same as setting it to 1.
fixed_lambda	Optional fixed (i.e. non-fitted) λ values on one or more age-grid points. Either NULL (λ is not fixed anywhere), or a single numeric (λ fixed to the same value at all grid points) or a numeric vector of size Ngrid (λ fixed on one or more age-grid points, use NA for non-fixed values).
fixed_mu	Optional fixed (i.e. non-fitted) μ values on one or more age-grid points. Either NULL (μ is not fixed anywhere), or a single numeric (μ fixed to the same value at all grid points) or a numeric vector of size Ngrid (μ fixed on one or more age-grid points, use NA for non-fixed values).
fixed_rho0	Numeric between 0 and 1, optionally specifying a fixed value for the sampling fraction ρ . If NULL or NA, the sampling fraction ρ is estimated, however note that this may not always be meaningful (Stadler 2009, Stadler 2013).
const_lambda	Logical, specifying whether λ should be assumed constant across the grid, i.e. time-independent. Setting const_lambda=TRUE reduces the number of free (i.e., independently fitted) parameters. If λ is fixed on some grid points (i.e. via fixed_lambda), then only the non-fixed lambdas are assumed to be identical to one another.
const_mu	Logical, specifying whether μ should be assumed constant across the grid, i.e. time-independent. Setting const_mu=TRUE reduces the number of free (i.e., independently fitted) parameters. If μ is fixed on some grid points (i.e. via fixed_mu), then only the non-fixed mus are assumed to be identical to one another.
splines_degree	Integer between 0 and 3 (inclusive), specifying the polynomial degree of λ and μ between age-grid points. If 0, then λ and μ are considered piecewise constant, if 1 then λ and μ are considered piecewise linear, if 2 or 3 then λ and μ are considered to be splines of degree 2 or 3, respectively. The splines_degree influences the analytical properties of the curve, e.g. splines_degree==1 guarantees a continuous curve, splines_degree==2 guarantees a continuous curve and continuous derivative, and so on. A degree of 0 is generally not recommended.
condition	Character, either "crown", "stem", "none" or "auto", specifying on what to condition the likelihood. If "crown", the likelihood is conditioned on the survival of the two daughter lineages branching off at the root. If "stem", the likelihood is conditioned on the survival of the stem lineage. Note that "crown" really only makes sense when oldest_age is equal to the root age, while "stem" is recommended if oldest_age differs from the root age. "none" is generally not recommended. If "auto", the condition is chosen according to the recommendations mentioned earlier.

relative_dt	Strictly positive numeric (unitless), specifying the maximum relative time step allowed for integration over time, when calculating the likelihood. Smaller values increase integration accuracy but increase computation time. Typical values are 0.0001-0.001. The default is usually sufficient.
Ntrials	Integer, specifying the number of independent fitting trials to perform, each starting from a random choice of model parameters. Increasing Ntrials reduces the risk of reaching a non-global local maximum in the fitting objective.
Nthreads	Integer, specifying the number of parallel threads to use for performing multiple fitting trials simultaneously. This should generally not exceed the number of available CPUs on your machine. Parallel computing is not available on the Windows platform.
max_model_runtime	Optional numeric, specifying the maximum number of seconds to allow for each evaluation of the likelihood function. Use this to abort fitting trials leading to parameter regions where the likelihood takes a long time to evaluate (these are often unlikely parameter regions).
fit_control	Named list containing options for the nlminb optimization routine, such as iter.max, eval.max or rel.tol. For a complete list of options and default values see the documentation of nlminb in the stats package.

Details

Warning: Unless well-justified constraints are imposed on either λ and/or μ and ρ , it is generally impossible to reliably estimate λ and μ from extant timetrees alone (Louca and Pennell, 2019). This routine (and any other software that claims to estimate λ and μ solely from extant timetrees) should thus be used with great suspicion. If your only source of information is an extant timetree, and you have no a priori information on how λ or μ might have looked like, you should consider using the more appropriate routines [fit_hbd_pdr_on_grid](#) and [fit_hbd_psr_on_grid](#) instead.

If $\text{age0} > 0$, the input tree is essentially trimmed at age0 (omitting anything younger than age0), and the various variables are fitted to this new (shorter) tree, with time shifted appropriately. For example, the fitted $\rho0$ is thus the sampling fraction at age0 , i.e. the fraction of lineages extant at age0 that are represented in the timetree.

It is generally advised to provide as much information to the function `fit_hbd_model_on_grid` as possible, including reasonable lower and upper bounds (`min_lambda`, `max_lambda`, `min_mu`, `max_mu`, `min_rho0` and `max_rho0`) and a reasonable parameter guess (`guess_lambda`, `guess_mu` and `guess_rho0`). It is also important that the `age_grid` is sufficiently fine to capture the expected major variations of λ and μ over time, but keep in mind the serious risk of overfitting when `age_grid` is too fine and/or the tree is too small.

Value

A list with the following elements:

success	Logical, indicating whether model fitting succeeded. If FALSE, the returned list will include an additional “error” element (character) providing a description of the error; in that case all other return variables may be undefined.
---------	---

objective_value	The maximized fitting objective. Currently, only maximum-likelihood estimation is implemented, and hence this will always be the maximized log-likelihood.
objective_name	The name of the objective that was maximized during fitting. Currently, only maximum-likelihood estimation is implemented, and hence this will always be "loglikelihood".
loglikelihood	The log-likelihood of the fitted model for the given timetree.
fitted_lambda	Numeric vector of size Ngrid, listing fitted or fixed speciation rates λ at each age-grid point. Between grid points λ should be interpreted as a piecewise polynomial function (natural spline) of degree splines_degree; to evaluate this function at arbitrary ages use the castor routine evaluate_spline .
fitted_mu	Numeric vector of size Ngrid, listing fitted or fixed extinction rates μ at each age-grid point. Between grid points μ should be interpreted as a piecewise polynomial function (natural spline) of degree splines_degree; to evaluate this function at arbitrary ages use the castor routine evaluate_spline .
fitted_rho	Numeric, specifying the fitted or fixed sampling fraction ρ .
guess_lambda	Numeric vector of size Ngrid, specifying the initial guess for λ at each age-grid point.
guess_mu	Numeric vector of size Ngrid, specifying the initial guess for μ at each age-grid point.
guess_rho0	Numeric, specifying the initial guess for ρ .
age_grid	The age-grid on which λ and μ are defined. This will be the same as the provided age_grid, unless the latter was NULL or of length ≤ 1 .
NFP	Integer, number of free (i.e., independently) fitted parameters. If none of the λ , μ and ρ were fixed, and const_lambda=FALSE and const_mu=FALSE, then NFP will be equal to $2 \times \text{Ngrid} + 1$.
AIC	The Akaike Information Criterion for the fitted model, defined as $2k - 2 \log(L)$, where k is the number of fitted parameters and L is the maximized likelihood.
BIC	The Bayesian information criterion for the fitted model, defined as $\log(n)k - 2 \log(L)$, where k is the number of fitted parameters, n is the number of data points (number of branching times), and L is the maximized likelihood.
condition	Character, specifying what conditioning was root for the likelihood (e.g. "crown" or "stem").
converged	Logical, specifying whether the maximum likelihood was reached after convergence of the optimization algorithm. Note that in some cases the maximum likelihood may have been achieved by an optimization path that did not yet converge (in which case it's advisable to increase iter.max and/or eval.max).
Niterations	Integer, specifying the number of iterations performed during the optimization path that yielded the maximum likelihood.
Nevaluations	Integer, specifying the number of likelihood evaluations performed during the optimization path that yielded the maximum likelihood.

Author(s)

Stilianos Louca

References

- T. Stadler (2009). On incomplete sampling under birth-death models and connections to the sampling-based coalescent. *Journal of Theoretical Biology*. 261:58-66.
- T. Stadler (2013). How can we improve accuracy of macroevolutionary rate estimates? *Systematic Biology*. 62:321-329.
- H. Morlon, T. L. Parsons, J. B. Plotkin (2011). Reconciling molecular phylogenies with the fossil record. *Proceedings of the National Academy of Sciences*. 108:16327-16332.
- S. Louca et al. (2018). Bacterial diversification through geological time. *Nature Ecology & Evolution*. 2:1458-1467.

See Also

[simulate_deterministic_hbd](#)
[loglikelihood_hbd](#)
[fit_hbd_model_parametric](#)
[fit_hbd_pdr_on_grid](#)
[fit_hbd_pdr_parametric](#)
[fit_hbd_psr_on_grid](#)

Examples

```
## Not run:
# Generate a random tree with exponentially varying lambda & mu
Ntips      = 10000
rho         = 0.5 # sampling fraction
time_grid  = seq(from=0, to=100, by=0.01)
lambdas    = 2*exp(0.1*time_grid)
mus        = 1.5*exp(0.09*time_grid)
sim         = generate_random_tree( parameters = list(rarefaction=rho),
                                     max_tips   = Ntips/rho,
                                     coalescent  = TRUE,
                                     added_rates_times    = time_grid,
                                     added_birth_rates_pc  = lambdas,
                                     added_death_rates_pc  = mus)

tree = sim$tree
root_age = castor::get_tree_span(tree)$max_distance
cat(sprintf("Tree has %d tips, spans %g Myr\n",length(tree$tip.label),root_age))

# Fit mu on grid
# Assume that lambda & rho are known
Ngrid      = 5
age_grid   = seq(from=0,to=root_age,length.out=Ngrid)
fit = fit_hbd_model_on_grid(tree,
                             age_grid    = age_grid,
                             max_mu      = 100,
                             fixed_lambda= approx(x=time_grid,y=lambdas,xout=sim$final_time-age_grid)$y,
                             fixed_rho0   = rho,
```

```

        condition = "crown",
        Ntrials    = 10, # perform 10 fitting trials
        Nthreads   = 2, # use two CPUs
        max_model_runtime = 1) # limit model evaluation to 1 second
if(!fit$success){
  cat(sprintf("ERROR: Fitting failed: %s\n", fit$error))
}else{
  cat(sprintf("Fitting succeeded:\nLoglikelihood=%g\n", fit$loglikelihood))

  # plot fitted & true mu
  plot( x      = fit$age_grid,
        y      = fit$fitted_mu,
        main   = 'Fitted & true mu',
        xlab   = 'age',
        ylab   = 'mu',
        type   = 'b',
        col    = 'red',
        xlim   = c(root_age, 0))
  lines(x      = sim$final_time-time_grid,
        y      = mus,
        type   = 'l',
        col    = 'blue');

  # get fitted mu as a function of age
  mu_fun = approxfun(x=fit$age_grid, y=fit$fitted_mu)
}

## End(Not run)

```

fit_hbd_model_parametric

Fit a parametric homogenous birth-death model to a timetree.

Description

Given an ultrametric timetree, fit a homogenous birth-death (HBD) model in which speciation and extinction rates (λ and μ) are given as parameterized functions of time before present. “Homogenous” refers to the assumption that, at any given moment in time, all lineages exhibit the same speciation/extinction rates (in the literature this is sometimes referred to simply as “birth-death model”). Every HBD model is defined based on the values that λ and μ take over time as well as the sampling fraction ρ (fraction of extant species sampled); in turn, λ , μ and ρ can be parameterized by a finite set of parameters. This function estimates these parameters by maximizing the likelihood (Morlon et al. 2011) of the timetree under the resulting HBD model.

Usage

```

fit_hbd_model_parametric( tree,
                          param_values,
                          param_guess = NULL,

```

```

param_min      = -Inf,
param_max      = +Inf,
param_scale    = NULL,
oldest_age     = NULL,
age0           = 0,
lambda,
mu             = 0,
rho0           = 1,
age_grid       = NULL,
condition      = "auto",
relative_dt    = 1e-3,
Ntrials        = 1,
max_start_attempts = 1,
Nthreads       = 1,
max_model_runtime = NULL,
fit_control    = list()

```

Arguments

tree	An ultrametric timetree of class "phylo", representing the time-calibrated reconstructed phylogeny of a set of extant species.
param_values	Numeric vector, specifying fixed values for some or all model parameters. For fitted (i.e., non-fixed) parameters, use NaN or NA. For example, the vector <code>c(1.5, NA, 40)</code> specifies that the 1st and 3rd model parameters are fixed at the values 1.5 and 40, respectively, while the 2nd parameter is to be fitted. The length of this vector defines the total number of model parameters. If entries in this vector are named, the names are taken as parameter names. Names should be included if you'd like returned parameter vectors to have named entries, or if the functions <code>lambda</code> , <code>mu</code> or <code>rho</code> query parameter values by name (as opposed to numeric index).
param_guess	Numeric vector of size NP, specifying a first guess for the value of each model parameter. For fixed parameters, guess values are ignored. Can be NULL only if all model parameters are fixed.
param_min	Optional numeric vector of size NP, specifying lower bounds for model parameters. If of size 1, the same lower bound is applied to all parameters. Use <code>-Inf</code> to omit a lower bound for a parameter. If NULL, no lower bounds are applied. For fixed parameters, lower bounds are ignored.
param_max	Optional numeric vector of size NP, specifying upper bounds for model parameters. If of size 1, the same upper bound is applied to all parameters. Use <code>+Inf</code> to omit an upper bound for a parameter. If NULL, no upper bounds are applied. For fixed parameters, upper bounds are ignored.
param_scale	Optional numeric vector of size NP, specifying typical scales for model parameters. If of size 1, the same scale is assumed for all parameters. If NULL, scales are determined automatically. For fixed parameters, scales are ignored. It is strongly advised to provide reasonable scales, as this facilitates the numeric optimization algorithm.

oldest_age	Strictly positive numeric, specifying the oldest time before present (“age”) to consider when calculating the likelihood. If this is equal to or greater than the root age, then oldest_age is taken as the stem age, and the classical formula by Morlon et al. (2011) is used. If oldest_age is less than the root age, the tree is split into multiple subtrees at that age by treating every edge crossing that age as the stem of a subtree, and each subtree is considered an independent realization of the HBD model stemming at that age. This can be useful for avoiding points in the tree close to the root, where estimation uncertainty is generally higher. If oldest_age==NULL, it is automatically set to the root age.
age0	Non-negative numeric, specifying the youngest age (time before present) to consider for fitting, and with respect to which rho is defined. If age0>0, then rho0 refers to the sampling fraction at age age0, i.e. the fraction of lineages extant at age0 that are included in the tree. See below for more details.
lambda	Function specifying the speciation rate at any given age (time before present) and for any given parameter values. This function must take exactly two arguments, the 1st one being a numeric vector (one or more ages) and the 2nd one being a numeric vector of size NP (parameter values), and return a numeric vector of the same size as the 1st argument with strictly positive entries. Can also be a single number (i.e., lambda is fixed).
mu	Function specifying the extinction rate at any given age and for any given parameter values. This function must take exactly two arguments, the 1st one being a numeric vector (one or more ages) and the 2nd one being a numeric vector of size NP (parameter values), and return a numeric vector of the same size as the 1st argument with non-negative entries. Can also be a single number (i.e., mu is fixed).
rho0	Function specifying the sampling fraction (fraction of extant species sampled at age0) for any given parameter values. This function must take exactly one argument, a numeric vector of size NP (parameter values), and return a numeric between 0 (exclusive) and 1 (inclusive). Can also be a single number (i.e., rho0 is fixed).
age_grid	Numeric vector, specifying ages at which the lambda and mu functionals should be evaluated. This age grid must be fine enough to capture the possible variation in λ and μ over time, within the permissible parameter range. If of size 1, then lambda & mu are assumed to be time-independent. Listed ages must be strictly increasing, and must cover at least the full considered age interval (from 0 to oldest_age). Can also be NULL or a vector of size 1, in which case the speciation rate and extinction rate is assumed to be time-independent.
condition	Character, either "crown", "stem", "none" or "auto", specifying on what to condition the likelihood. If "crown", the likelihood is conditioned on the survival of the two daughter lineages branching off at the root. If "stem", the likelihood is conditioned on the survival of the stem lineage. Note that "crown" really only makes sense when oldest_age is equal to the root age, while "stem" is recommended if oldest_age differs from the root age. "none" is usually not recommended. If "auto", the condition is chosen according to the recommendations mentioned earlier.
relative_dt	Strictly positive numeric (unitless), specifying the maximum relative time step allowed for integration over time, when calculating the likelihood. Smaller val-

	ues increase integration accuracy but increase computation time. Typical values are 0.0001-0.001. The default is usually sufficient.
Ntrials	Integer, specifying the number of independent fitting trials to perform, each starting from a random choice of model parameters. Increasing Ntrials reduces the risk of reaching a non-global local maximum in the fitting objective.
max_start_attempts	Integer, specifying the number of times to attempt finding a valid start point (per trial) before giving up on that trial. Randomly chosen extreme start parameters may occasionally result in Inf/undefined likelihoods, so this option allows the algorithm to keep looking for valid starting points.
Nthreads	Integer, specifying the number of parallel threads to use for performing multiple fitting trials simultaneously. This should generally not exceed the number of available CPUs on your machine. Parallel computing is not available on the Windows platform.
max_model_runtime	Optional numeric, specifying the maximum number of seconds to allow for each evaluation of the likelihood function. Use this to abort fitting trials leading to parameter regions where the likelihood takes a long time to evaluate (these are often unlikely parameter regions).
fit_control	Named list containing options for the nlminb optimization routine, such as iter.max, eval.max or rel.tol. For a complete list of options and default values see the documentation of nlminb in the stats package.

Details

This function is designed to estimate a finite set of scalar parameters ($p_1, \dots, p_n \in \mathbf{R}$) that determine the speciation rate λ , the extinction rate μ and the sampling fraction ρ , by maximizing the likelihood of observing a given timetree under the HBD model. For example, the investigator may assume that both λ and μ vary exponentially over time, i.e. they can be described by $\lambda(t) = \lambda_o \cdot e^{-\alpha t}$ and $\mu(t) = \mu_o \cdot e^{-\beta t}$ (where λ_o, μ_o are unknown present-day rates and α, β are unknown factors, and t is time before present), and that the sampling fraction ρ is known. In this case the model has 4 free parameters, $p_1 = \lambda_o, p_2 = \mu_o, p_3 = \alpha$ and $p_4 = \beta$, each of which may be fitted to the tree.

It is generally advised to provide as much information to the function `fit_hbd_model_parametric` as possible, including reasonable lower and upper bounds (`param_min` and `param_max`), a reasonable parameter guess (`param_guess`) and reasonable parameter scales `param_scale`. If some model parameters can vary over multiple orders of magnitude, it is advised to transform them so that they vary across fewer orders of magnitude (e.g., via log-transformation). It is also important that the `age_grid` is sufficiently fine to capture the variation of `lambda` and `mu` over time, since the likelihood is calculated under the assumption that both vary linearly between grid points.

Value

A list with the following elements:

success	Logical, indicating whether model fitting succeeded. If FALSE, the returned list will include an additional “error” element (character) providing a description of the error; in that case all other return variables may be undefined.
---------	---

objective_value	The maximized fitting objective. Currently, only maximum-likelihood estimation is implemented, and hence this will always be the maximized log-likelihood.
objective_name	The name of the objective that was maximized during fitting. Currently, only maximum-likelihood estimation is implemented, and hence this will always be "loglikelihood".
param_fitted	Numeric vector of size NP (number of model parameters), listing all fitted or fixed model parameters in their standard order (see details above). If param_names was provided, elements in fitted_params will be named.
param_guess	Numeric vector of size NP, listing guessed or fixed values for all model parameters in their standard order. If param_names was provided, elements in param_guess will be named.
loglikelihood	The log-likelihood of the fitted model for the given timetree.
NFP	Integer, number of fitted (i.e., non-fixed) model parameters.
AIC	The Akaike Information Criterion for the fitted model, defined as $2k - 2 \log(L)$, where k is the number of fitted parameters and L is the maximized likelihood.
BIC	The Bayesian information criterion for the fitted model, defined as $\log(n)k - 2 \log(L)$, where k is the number of fitted parameters, n is the number of data points (number of branching times), and L is the maximized likelihood.
condition	Character, specifying what conditioning was root for the likelihood (e.g. "crown" or "stem").
converged	Logical, specifying whether the maximum likelihood was reached after convergence of the optimization algorithm. Note that in some cases the maximum likelihood may have been achieved by an optimization path that did not yet converge (in which case it's advisable to increase iter.max and/or eval.max).
Niterations	Integer, specifying the number of iterations performed during the optimization path that yielded the maximum likelihood.
Nevaluations	Integer, specifying the number of likelihood evaluations performed during the optimization path that yielded the maximum likelihood.
trial_start_objectives	Numeric vector of size Ntrials, listing the initial objective values (e.g., log-likelihoods) for each fitting trial, i.e. at the start parameter values.
trial_objective_values	Numeric vector of size Ntrials, listing the final maximized objective values (e.g., loglikelihoods) for each fitting trial.
trial_Nstart_attempts	Integer vector of size Ntrials, listing the number of start attempts for each fitting trial, until a starting point with valid likelihood was found.
trial_Niterations	Integer vector of size Ntrials, listing the number of iterations needed for each fitting trial.
trial_Nevaluations	Integer vector of size Ntrials, listing the number of likelihood evaluations needed for each fitting trial.

Author(s)

Stilianos Louca

References

- H. Morlon, T. L. Parsons, J. B. Plotkin (2011). Reconciling molecular phylogenies with the fossil record. *Proceedings of the National Academy of Sciences*. 108:16327-16332.
- S. Louca et al. (2018). Bacterial diversification through geological time. *Nature Ecology & Evolution*. 2:1458-1467.

See Also

[simulate_deterministic_hbd](#)
[loglikelihood_hbd](#)
[fit_hbd_model_on_grid](#)
[fit_hbd_pdr_on_grid](#)
[fit_hbd_pdr_parametric](#)

Examples

```
## Not run:
# Generate a random tree with exponentially varying lambda & mu
Ntips      = 10000
rho        = 0.5 # sampling fraction
time_grid  = seq(from=0, to=100, by=0.01)
lambdas    = 2*exp(0.1*time_grid)
mus        = 1.5*exp(0.09*time_grid)
tree       = generate_random_tree( parameters = list(rarefaction=rho),
                                   max_tips    = Ntips/rho,
                                   coalescent  = TRUE,
                                   added_rates_times = time_grid,
                                   added_birth_rates_pc = lambdas,
                                   added_death_rates_pc = mus)$tree

root_age = castor::get_tree_span(tree)$max_distance
cat(sprintf("Tree has %d tips, spans %g Myr\n",length(tree$tip.label),root_age))

# Define a parametric HBD model, with exponentially varying lambda & mu
# Assume that the sampling fraction is known
# The model thus has 4 parameters: lambda0, mu0, alpha, beta
lambda_function = function(ages,params){
  return(params['lambda0']*exp(-params['alpha']*ages));
}
mu_function = function(ages,params){
  return(params['mu0']*exp(-params['beta']*ages));
}
rho_function = function(params){
  return(rho) # rho does not depend on any of the parameters
}
```

```

# Define an age grid on which lambda_function & mu_function shall be evaluated
# Should be sufficiently fine to capture the variation in lambda & mu
age_grid = seq(from=0,to=100,by=0.01)

# Perform fitting
# Lets suppose extinction rates are already known
cat(sprintf("Fitting model to tree..\n"))
fit = fit_hbd_model_parametric( tree,
                                param_values = c(lambda0=NA, mu0=3, alpha=NA, beta=-0.09),
                                param_guess  = c(1,1,0,0),
                                param_min    = c(0,0,-1,-1),
                                param_max    = c(10,10,1,1),
                                param_scale  = 1, # all params are in the order of 1
                                lambda       = lambda_function,
                                mu           = mu_function,
                                rho0        = rho_function,
                                age_grid    = age_grid,
                                Ntrials     = 10, # perform 10 fitting trials
                                Nthreads    = 2,  # use 2 CPUs
                                max_model_runtime = 1, # limit model evaluation to 1 second
                                fit_control  = list(rel.tol=1e-6))

if(!fit$success){
  cat(sprintf("ERROR: Fitting failed: %s\n",fit$error))
}else{
  cat(sprintf("Fitting succeeded:\nLoglikelihood=%g\n",fit$loglikelihood))
  print(fit)
}

## End(Not run)

```

fit_hbd_pdr_on_grid *Fit pulled diversification rates of birth-death models on a time grid.*

Description

Given an ultrametric timetree, estimate the pulled diversification rate of homogenous birth-death (HBD) models that best explains the tree via maximum likelihood. Every HBD model is defined by some speciation and extinction rates (λ and μ) over time, as well as the sampling fraction ρ (fraction of extant species sampled). “Homogenous” refers to the assumption that, at any given moment in time, all lineages exhibit the same speciation/extinction rates. For any given HBD model there exists an infinite number of alternative HBD models that predict the same deterministic lineages-through-time curve and yield the same likelihood for any given reconstructed timetree; these “congruent” models cannot be distinguished from one another solely based on the tree.

Each congruence class is uniquely described by the “pulled diversification rate” (PDR; Louca et al 2018), defined as $PDR = \lambda - \mu + \lambda^{-1} d\lambda/d\tau$ (where τ is time before present) as well as the product $\rho\lambda_o$ (where λ_o is the present-day speciation rate). That is, two HBD models are congruent if and only if they have the same PDR and the same product $\rho\lambda_o$. This function is designed to estimate the generating congruence class for the tree, by fitting the PDR on a grid of discrete times as well as the product $\rho\lambda_o$.

Usage

```
fit_hbd_pdr_on_grid( tree,
                     oldest_age      = NULL,
                     age0            = 0,
                     age_grid        = NULL,
                     min_PDR         = -Inf,
                     max_PDR         = +Inf,
                     min_rholambda0  = 1e-10,
                     max_rholambda0  = +Inf,
                     guess_PDR       = NULL,
                     guess_rholambda0 = NULL,
                     fixed_PDR       = NULL,
                     fixed_rholambda0 = NULL,
                     splines_degree  = 1,
                     condition       = "auto",
                     relative_dt     = 1e-3,
                     Ntrials         = 1,
                     Nbootstraps     = 0,
                     Ntrials_per_bootstrap = NULL,
                     Nthreads        = 1,
                     max_model_runtime = NULL,
                     fit_control     = list(),
                     verbose         = FALSE,
                     verbose_prefix   = "")
```

Arguments

- | | |
|------------|--|
| tree | An ultrametric timetree of class "phylo", representing the time-calibrated phylogeny of a set of extant species. |
| oldest_age | Strictly positive numeric, specifying the oldest time before present ("age") to consider when calculating the likelihood. If this is equal to or greater than the root age, then oldest_age is taken as the stem age, and the classical formula by Morlon et al. (2011) is used. If oldest_age is less than the root age, the tree is split into multiple subtrees at that age by treating every edge crossing that age as the stem of a subtree, and each subtree is considered an independent realization of the HBD model stemming at that age. This can be useful for avoiding points in the tree close to the root, where estimation uncertainty is generally higher. If oldest_age==NULL, it is automatically set to the root age. |
| age0 | Non-negative numeric, specifying the youngest age (time before present) to consider for fitting, and with respect to which rholambda0 is defined. If age0>0, then rholambda0 refers to the product of the sampling fraction at age age0 and the speciation rate at age age0. See below for more details. |
| age_grid | Numeric vector, listing ages in ascending order at which the PDR is allowed to vary independently. This grid must cover at least the age range from age0 to oldest_age. If NULL or of length <=1 (regardless of value), then the PDR is assumed to be time-independent. |

<code>min_PDR</code>	Numeric vector of length <code>Ngrid</code> ($=\max(1, \text{length}(\text{age_grid}))$), or a single numeric, specifying lower bounds for the fitted PDR at each point in the age grid. If a single numeric, the same lower bound applies at all ages. Use $-\text{Inf}$ to omit lower bounds.
<code>max_PDR</code>	Numeric vector of length <code>Ngrid</code> , or a single numeric, specifying upper bounds for the fitted PDR at each point in the age grid. If a single numeric, the same upper bound applies at all ages. Use $+\text{Inf}$ to omit upper bounds.
<code>min_rholambda0</code>	Strictly positive numeric, specifying the lower bound for the fitted $\rho\lambda_o$ (sampling fraction times present-day extinction rate).
<code>max_rholambda0</code>	Strictly positive numeric, specifying the upper bound for the fitted $\rho\lambda_o$. Set to $+\text{Inf}$ to omit this upper bound.
<code>guess_PDR</code>	Initial guess for the PDR at each age-grid point. Either NULL (an initial guess will be computed automatically), or a single numeric (guessing the same PDR at all ages) or a numeric vector of size <code>Ngrid</code> specifying a separate guess at each age-grid point. To omit an initial guess for some but not all age-grid points, set their guess values to NA. Guess values are ignored for non-fitted (i.e., fixed) parameters.
<code>guess_rholambda0</code>	Numeric, specifying an initial guess for the product $\rho\lambda_o$. If NULL, a guess will be computed automatically.
<code>fixed_PDR</code>	Optional fixed (i.e. non-fitted) PDR values on one or more age-grid points. Either NULL (PDR is not fixed anywhere), or a single numeric (PDR fixed to the same value at all grid points) or a numeric vector of size <code>Ngrid</code> (PDR fixed at one or more age-grid points, use NA for non-fixed values).
<code>fixed_rholambda0</code>	Numeric, optionally specifying a fixed value for the product $\rho\lambda_o$. If NULL or NA, the product $\rho\lambda_o$ is estimated.
<code>splines_degree</code>	Integer between 0 and 3 (inclusive), specifying the polynomial degree of the PDR between age-grid points. If 0, then the PDR is considered piecewise constant, if 1 then the PDR is considered piecewise linear, if 2 or 3 then the PDR is considered to be a spline of degree 2 or 3, respectively. The <code>splines_degree</code> influences the analytical properties of the curve, e.g. <code>splines_degree==1</code> guarantees a continuous curve, <code>splines_degree==2</code> guarantees a continuous curve and continuous derivative, and so on. A degree of 0 is generally not recommended.
<code>condition</code>	Character, either "crown", "stem" or "auto", specifying on what to condition the likelihood. If "crown", the likelihood is conditioned on the survival of the two daughter lineages branching off at the root. If "stem", the likelihood is conditioned on the survival of the stem lineage. Note that "crown" really only makes sense when <code>oldest_age</code> is equal to the root age, while "stem" is recommended if <code>oldest_age</code> differs from the root age. If "auto", the condition is chosen according to the recommendations mentioned earlier.
<code>relative_dt</code>	Strictly positive numeric (unitless), specifying the maximum relative time step allowed for integration over time, when calculating the likelihood. Smaller values increase integration accuracy but increase computation time. Typical values are 0.0001-0.001. The default is usually sufficient.

Ntrials	Integer, specifying the number of independent fitting trials to perform, each starting from a random choice of model parameters. Increasing Ntrials reduces the risk of reaching a non-global local maximum in the fitting objective.
Nbootstraps	Integer, specifying an optional number of bootstrap samplings to perform, for estimating standard errors and confidence intervals of maximum-likelihood fitted parameters. If 0, no bootstrapping is performed. Typical values are 10-100. At each bootstrap sampling, a random timetree is generated under the birth-death model according to the fitted PDR and $\rho\lambda_0$, the parameters are estimated anew based on the generated tree, and subsequently compared to the original fitted parameters. Each bootstrap sampling will use roughly the same information and similar computational resources as the original maximum-likelihood fit (e.g., same number of trials, same optimization parameters, same initial guess, etc).
Ntrials_per_bootstrap	Integer, specifying the number of fitting trials to perform for each bootstrap sampling. If NULL, this is set equal to $\max(1, \text{Ntrials})$. Decreasing Ntrials_per_bootstrap will reduce computation time, at the expense of potentially inflating the estimated confidence intervals; in some cases (e.g., for very large trees) this may be useful if fitting takes a long time and confidence intervals are very narrow anyway. Only relevant if Nbootstraps>0.
Nthreads	Integer, specifying the number of parallel threads to use for performing multiple fitting trials simultaneously. This should generally not exceed the number of available CPUs on your machine. Parallel computing is not available on the Windows platform.
max_model_runtime	Optional numeric, specifying the maximum number of seconds to allow for each evaluation of the likelihood function. Use this to abort fitting trials leading to parameter regions where the likelihood takes a long time to evaluate (these are often unlikely parameter regions).
fit_control	Named list containing options for the nlminb optimization routine, such as iter.max, eval.max or rel.tol. For a complete list of options and default values see the documentation of nlminb in the stats package.
verbose	Logical, specifying whether to print progress reports and warnings to the screen. Note that errors always cause a return of the function (see return values success and error).
verbose_prefix	Character, specifying the line prefix for printing progress reports to the screen.

Details

If $\text{age0} > 0$, the input tree is essentially trimmed at age0 (omitting anything younger than age0), and the PDR and $\rho\lambda_0$ are fitted to this new (shorter) tree, with time shifted appropriately. The fitted $\rho\lambda_0$ is thus the product of the sampling fraction at age0 and the speciation rate at age0 . Note that the sampling fraction at age0 is simply the fraction of lineages extant at age0 that are represented in the timetree.

It is generally advised to provide as much information to the function `fit_hbd_pdr_on_grid` as possible, including reasonable lower and upper bounds (`min_PDR`, `max_PDR`, `min_rho_lambda0` and `max_rho_lambda0`) and a reasonable parameter guess (`guess_PDR` and `guess_rho_lambda0`). It is

also important that the `age_grid` is sufficiently fine to capture the expected major variations of the PDR over time, but keep in mind the serious risk of overfitting when `age_grid` is too fine and/or the tree is too small.

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether model fitting succeeded. If FALSE, the returned list will include an additional “error” element (character) providing a description of the error; in that case all other return variables may be undefined.
<code>objective_value</code>	The maximized fitting objective. Currently, only maximum-likelihood estimation is implemented, and hence this will always be the maximized log-likelihood.
<code>objective_name</code>	The name of the objective that was maximized during fitting. Currently, only maximum-likelihood estimation is implemented, and hence this will always be “loglikelihood”.
<code>loglikelihood</code>	The log-likelihood of the fitted model for the given timetree.
<code>fitted_PDR</code>	Numeric vector of size <code>Ngrid</code> , listing fitted or fixed pulled diversification rates (PDR) at each age-grid point. Between grid points the fitted PDR should be interpreted as a piecewise polynomial function (natural spline) of degree <code>splines_degree</code> ; to evaluate this function at arbitrary ages use the <code>castor</code> routine evaluate_spline .
<code>fitted_rholambda0</code>	Numeric, specifying the fitted or fixed product $\rho\lambda(0)$.
<code>guess_PDR</code>	Numeric vector of size <code>Ngrid</code> , specifying the initial guess for the PDR at each age-grid point.
<code>guess_rholambda0</code>	Numeric, specifying the initial guess for $\rho\lambda(0)$.
<code>age_grid</code>	The age-grid on which the PDR is defined. This will be the same as the provided <code>age_grid</code> , unless the latter was NULL or of length ≤ 1 .
<code>NFP</code>	Integer, number of fitted (i.e., non-fixed) parameters. If none of the PDRs or $\rho\lambda(0)$ were fixed, this will be equal to <code>Ngrid+1</code> .
<code>AIC</code>	The Akaike Information Criterion for the fitted model, defined as $2k - 2\log(L)$, where k is the number of fitted parameters and L is the maximized likelihood.
<code>BIC</code>	The Bayesian information criterion for the fitted model, defined as $\log(n)k - 2\log(L)$, where k is the number of fitted parameters, n is the number of data points (number of branching times), and L is the maximized likelihood.
<code>converged</code>	Logical, specifying whether the maximum likelihood was reached after convergence of the optimization algorithm. Note that in some cases the maximum likelihood may have been achieved by an optimization path that did not yet converge (in which case it’s advisable to increase <code>iter.max</code> and/or <code>eval.max</code>).
<code>Niterations</code>	Integer, specifying the number of iterations performed during the optimization path that yielded the maximum likelihood.
<code>Nevaluations</code>	Integer, specifying the number of likelihood evaluations performed during the optimization path that yielded the maximum likelihood.

bootstrap_estimates

If Nbootstraps>0, this will be a named list containing the elements PDR (numeric matrix of size Nbootstraps x Ngrid, listing the fitted PDR at each grid point and for each bootstrap) and rholambda0 (a numeric vector of size Nbootstraps, listing the fitted $\rho\lambda_o$ for each bootstrap).

standard_errors

If Nbootstraps>0, this will be a named list containing the elements PDR (numeric vector of size Ngrid, listing bootstrap-estimated standard errors for the fitted PDRs) and rholambda0 (a single numeric, bootstrap-estimated standard error for the fitted $\rho\lambda_o$).

medians

If Nbootstraps>0, this will be a named list containing the elements PDR (numeric vector of size Ngrid, listing median fitted PDRs across bootstraps) and rholambda0 (a single numeric, median fitted $\rho\lambda_o$ across bootstraps).

CI50lower

If Nbootstraps>0, this will be a named list containing the elements PDR (numeric vector of size Ngrid, listing bootstrap-estimated lower bounds of the 50-percent confidence intervals for the fitted PDRs) and rholambda0 (a single numeric, bootstrap-estimated lower bound of the 50-percent confidence intervals for the fitted $\rho\lambda_o$).

CI50upper

Similar to CI50lower, listing upper bounds of 50-percentile confidence intervals.

CI95lower

Similar to CI50lower, listing lower bounds of 95-percentile confidence intervals.

CI95upper

Similar to CI95lower, listing upper bounds of 95-percentile confidence intervals.

Author(s)

Stilianos Louca

References

S. Louca et al. (2018). Bacterial diversification through geological time. *Nature Ecology & Evolution*. 2:1458-1467.

See Also

[simulate_deterministic_hbd](#)
[loglikelihood_hbd](#)
[fit_hbd_model_parametric](#)
[fit_hbd_model_on_grid](#)
[fit_hbd_pdr_parametric](#)

Examples

```
## Not run:
# Generate a random tree with exponentially varying lambda & mu
Ntips      = 10000
```

```

rho      = 0.5 # sampling fraction
time_grid = seq(from=0, to=100, by=0.01)
lambdas  = 2*exp(0.1*time_grid)
mus      = 1.5*exp(0.09*time_grid)
sim      = generate_random_tree( parameters = list(rarefaction=rho),
                                max_tips   = Ntips/rho,
                                coalescent = TRUE,
                                added_rates_times = time_grid,
                                added_birth_rates_pc = lambdas,
                                added_death_rates_pc = mus)

tree = sim$tree
root_age = castor::get_tree_span(tree)$max_distance
cat(sprintf("Tree has %d tips, spans %g Myr\n",length(tree$tip.label),root_age))

# calculate true PDR
lambda_slopes = diff(lambdas)/diff(time_grid);
lambda_slopes = c(lambda_slopes[1],lambda_slopes)
PDRs = lambdas - mus - (lambda_slopes/lambdas)

# Fit PDR on grid
Ngrid    = 10
age_grid = seq(from=0,to=root_age,length.out=Ngrid)
fit = fit_hbd_pdr_on_grid(tree,
                          age_grid = age_grid,
                          min_PDR  = -100,
                          max_PDR  = +100,
                          condition = "crown",
                          Ntrials   = 10,# perform 10 fitting trials
                          Nthreads  = 2,# use two CPUs
                          max_model_runtime = 1) # limit model evaluation to 1 second
if(!fit$success){
  cat(sprintf("ERROR: Fitting failed: %s\n",fit$error))
}else{
  cat(sprintf("Fitting succeeded:\nLoglikelihood=%g\n",fit$loglikelihood))

  # plot fitted & true PDR
  plot( x      = fit$age_grid,
        y      = fit$fitted_PDR,
        main   = 'Fitted & true PDR',
        xlab   = 'age',
        ylab   = 'PDR',
        type   = 'b',
        col    = 'red',
        xlim   = c(root_age,0))
  lines(x      = sim$final_time-time_grid,
        y      = PDRs,
        type   = 'l',
        col    = 'blue');

  # get fitted PDR as a function of age
  PDR_fun = approxfun(x=fit$age_grid, y=fit$fitted_PDR)
}

```

```
## End(Not run)
```

```
fit_hbd_pdr_parametric
```

Fit parameterized pulled diversification rates of birth-death models.

Description

Given an ultrametric timetree, estimate the pulled diversification rate (PDR) of homogenous birth-death (HBD) models that best explains the tree via maximum likelihood, assuming that the PDR is given as a parameterized function of time before present. Every HBD model is defined by some speciation and extinction rates (λ and μ) over time, as well as the sampling fraction ρ (fraction of extant species sampled). “Homogenous” refers to the assumption that, at any given moment in time, all lineages exhibit the same speciation/extinction rates. For any given HBD model there exists an infinite number of alternative HBD models that predict the same deterministic lineages-through-time curve and yield the same likelihood for any given reconstructed timetree; these “congruent” models cannot be distinguished from one another solely based on the tree.

Each congruence class is uniquely described by its PDR, defined as $PDR = \lambda - \mu + \lambda^{-1}d\lambda/d\tau$ (where τ is time before present) as well as the product $\rho\lambda_o$ (where λ_o is the present-day speciation rate). That is, two HBD models are congruent if and only if they have the same PDR and the same product $\rho\lambda_o$. This function is designed to estimate the generating congruence class for the tree, by fitting a finite number of parameters defining the PDR and $\rho\lambda_o$.

Usage

```
fit_hbd_pdr_parametric( tree,
                        param_values,
                        param_guess      = NULL,
                        param_min        = -Inf,
                        param_max        = +Inf,
                        param_scale      = NULL,
                        oldest_age       = NULL,
                        age0             = 0,
                        PDR,
                        rholambda0,
                        age_grid         = NULL,
                        condition        = "auto",
                        relative_dt      = 1e-3,
                        Ntrials          = 1,
                        max_start_attempts = 1,
                        Nthreads         = 1,
                        max_model_runtime = NULL,
                        fit_control      = list())
```

Arguments

tree	An ultrametric timetree of class "phylo", representing the time-calibrated phylogeny of a set of extant species.
param_values	Numeric vector, specifying fixed values for a some or all model parameters. For fitted (i.e., non-fixed) parameters, use NaN or NA. For example, the vector <code>c(1.5, NA, 40)</code> specifies that the 1st and 3rd model parameters are fixed at the values 1.5 and 40, respectively, while the 2nd parameter is to be fitted. The length of this vector defines the total number of model parameters. If entries in this vector are named, the names are taken as parameter names. Names should be included if you'd like returned parameter vectors to have named entries, or if the functions PDR or rho query parameter values by name (as opposed to numeric index).
param_guess	Numeric vector of size NP, specifying a first guess for the value of each model parameter. For fixed parameters, guess values are ignored. Can be NULL only if all model parameters are fixed.
param_min	Optional numeric vector of size NP, specifying lower bounds for model parameters. If of size 1, the same lower bound is applied to all parameters. Use <code>-Inf</code> to omit a lower bound for a parameter. If NULL, no lower bounds are applied. For fixed parameters, lower bounds are ignored.
param_max	Optional numeric vector of size NP, specifying upper bounds for model parameters. If of size 1, the same upper bound is applied to all parameters. Use <code>+Inf</code> to omit an upper bound for a parameter. If NULL, no upper bounds are applied. For fixed parameters, upper bounds are ignored.
param_scale	Optional numeric vector of size NP, specifying typical scales for model parameters. If of size 1, the same scale is assumed for all parameters. If NULL, scales are determined automatically. For fixed parameters, scales are ignored. It is strongly advised to provide reasonable scales, as this facilitates the numeric optimization algorithm.
oldest_age	Strictly positive numeric, specifying the oldest time before present ("age") to consider when calculating the likelihood. If this is equal to or greater than the root age, then <code>oldest_age</code> is taken as the stem age, and the classical formula by Morlon et al. (2011) is used. If <code>oldest_age</code> is less than the root age, the tree is split into multiple subtrees at that age by treating every edge crossing that age as the stem of a subtree, and each subtree is considered an independent realization of the HBD model stemming at that age. This can be useful for avoiding points in the tree close to the root, where estimation uncertainty is generally higher. If <code>oldest_age==NULL</code> , it is automatically set to the root age.
age0	Non-negative numeric, specifying the youngest age (time before present) to consider for fitting, and with respect to which <code>rho_lambda0</code> is defined. If <code>age0>0</code> , then <code>rho_lambda0</code> refers to the product of the sampling fraction at age <code>age0</code> and the speciation rate at age <code>age0</code> . See below for more details.
PDR	Function specifying the pulled diversification rate at any given age (time before present) and for any given parameter values. This function must take exactly two arguments, the 1st one being a numeric vector (one or more ages) and the 2nd one being a numeric vector of size NP (parameter values), and return a numeric

	vector of the same size as the 1st argument. Can also be a single number (i.e., PDR is fixed).
rholambda0	Function specifying the product $\rho\lambda_o$ (sampling fraction times speciation rate at age0) for any given parameter values. This function must take exactly one argument, a numeric vector of size NP (parameter values), and return a strictly positive numeric. Can also be a single number (i.e., rholambda0 is fixed).
age_grid	Numeric vector, specifying ages at which the PDR function should be evaluated. This age grid must be fine enough to capture the possible variation in the PDR over time, within the permissible parameter range. If of size 1, then the PDR is assumed to be time-independent. Listed ages must be strictly increasing, and must cover at least the full considered age interval (from age0 to oldest_age). Can also be NULL or a vector of size 1, in which case the PDR is assumed to be time-independent.
condition	Character, either "crown", "stem" or "auto", specifying on what to condition the likelihood. If "crown", the likelihood is conditioned on the survival of the two daughter lineages branching off at the root. If "stem", the likelihood is conditioned on the survival of the stem lineage. Note that "crown" really only makes sense when oldest_age is equal to the root age, while "stem" is recommended if oldest_age differs from the root age. If "auto", the condition is chosen according to the recommendations mentioned earlier.
relative_dt	Strictly positive numeric (unitless), specifying the maximum relative time step allowed for integration over time, when calculating the likelihood. Smaller values increase integration accuracy but increase computation time. Typical values are 0.0001-0.001. The default is usually sufficient.
Ntrials	Integer, specifying the number of independent fitting trials to perform, each starting from a random choice of model parameters. Increasing Ntrials reduces the risk of reaching a non-global local maximum in the fitting objective.
max_start_attempts	Integer, specifying the number of times to attempt finding a valid start point (per trial) before giving up on that trial. Randomly chosen extreme start parameters may occasionally result in Inf/undefined likelihoods, so this option allows the algorithm to keep looking for valid starting points.
Nthreads	Integer, specifying the number of parallel threads to use for performing multiple fitting trials simultaneously. This should generally not exceed the number of available CPUs on your machine. Parallel computing is not available on the Windows platform.
max_model_runtime	Optional numeric, specifying the maximum number of seconds to allow for each evaluation of the likelihood function. Use this to abort fitting trials leading to parameter regions where the likelihood takes a long time to evaluate (these are often unlikely parameter regions).
fit_control	Named list containing options for the nlminb optimization routine, such as iter.max, eval.max or rel.tol. For a complete list of options and default values see the documentation of nlminb in the stats package.

Details

This function is designed to estimate a finite set of scalar parameters ($p_1, \dots, p_n \in \mathbf{R}$) that determine the PDR and the product $\rho\lambda_o$ (sampling fraction times present-day extinction rate), by maximizing the likelihood of observing a given timetree under the HBD model. For example, the investigator may assume that the PDR varies exponentially over time, i.e. can be described by $PDR(t) = A \cdot e^{-Bt}$ (where A and B are unknown coefficients and t is time before present), and that the product $\rho\lambda_o$ is unknown. In this case the model has 3 free parameters, $p_1 = A$, $p_2 = B$ and $p_3 = \rho\lambda_o$, each of which may be fitted to the tree.

If $\text{age0} > 0$, the input tree is essentially trimmed at age0 (omitting anything younger than age0), and the PDR and $\text{rho}\lambda_o$ are fitted to this new (shorter) tree, with time shifted appropriately. The fitted $\text{rho}\lambda_o$ is thus the product of the sampling fraction at age0 and the speciation rate at age0 . Note that the sampling fraction at age0 is simply the fraction of lineages extant at age0 that are represented in the timetree.

It is generally advised to provide as much information to the function `fit_hbd_pdr_parametric` as possible, including reasonable lower and upper bounds (`param_min` and `param_max`), a reasonable parameter guess (`param_guess`) and reasonable parameter scales `param_scale`. If some model parameters can vary over multiple orders of magnitude, it is advised to transform them so that they vary across fewer orders of magnitude (e.g., via log-transformation). It is also important that the `age_grid` is sufficiently fine to capture the variation of the PDR over time, since the likelihood is calculated under the assumption that both vary linearly between grid points.

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether model fitting succeeded. If FALSE, the returned list will include an additional “error” element (character) providing a description of the error; in that case all other return variables may be undefined.
<code>objective_value</code>	The maximized fitting objective. Currently, only maximum-likelihood estimation is implemented, and hence this will always be the maximized log-likelihood.
<code>objective_name</code>	The name of the objective that was maximized during fitting. Currently, only maximum-likelihood estimation is implemented, and hence this will always be “loglikelihood”.
<code>param_fitted</code>	Numeric vector of size NP (number of model parameters), listing all fitted or fixed model parameters in their standard order (see details above). If <code>param_names</code> was provided, elements in <code>fitted_params</code> will be named.
<code>param_guess</code>	Numeric vector of size NP, listing guessed or fixed values for all model parameters in their standard order.
<code>loglikelihood</code>	The log-likelihood of the fitted model for the given timetree.
<code>NFP</code>	Integer, number of fitted (i.e., non-fixed) model parameters.
<code>AIC</code>	The Akaike Information Criterion for the fitted model, defined as $2k - 2\log(L)$, where k is the number of fitted parameters and L is the maximized likelihood.
<code>BIC</code>	The Bayesian information criterion for the fitted model, defined as $\log(n)k - 2\log(L)$, where k is the number of fitted parameters, n is the number of data points (number of branching times), and L is the maximized likelihood.

converged	Logical, specifying whether the maximum likelihood was reached after convergence of the optimization algorithm. Note that in some cases the maximum likelihood may have been achieved by an optimization path that did not yet converge (in which case it's advisable to increase <code>iter.max</code> and/or <code>eval.max</code>).
Niterations	Integer, specifying the number of iterations performed during the optimization path that yielded the maximum likelihood.
Nevaluations	Integer, specifying the number of likelihood evaluations performed during the optimization path that yielded the maximum likelihood.
trial_start_objectives	Numeric vector of size <code>Ntrials</code> , listing the initial objective values (e.g., log-likelihoods) for each fitting trial, i.e. at the start parameter values.
trial_objective_values	Numeric vector of size <code>Ntrials</code> , listing the final maximized objective values (e.g., loglikelihoods) for each fitting trial.
trial_Nstart_attempts	Integer vector of size <code>Ntrials</code> , listing the number of start attempts for each fitting trial, until a starting point with valid likelihood was found.
trial_Niterations	Integer vector of size <code>Ntrials</code> , listing the number of iterations needed for each fitting trial.
trial_Nevaluations	Integer vector of size <code>Ntrials</code> , listing the number of likelihood evaluations needed for each fitting trial.

Author(s)

Stilianos Louca

References

- H. Morlon, T. L. Parsons, J. B. Plotkin (2011). Reconciling molecular phylogenies with the fossil record. *Proceedings of the National Academy of Sciences*. 108:16327-16332.
- S. Louca et al. (2018). Bacterial diversification through geological time. *Nature Ecology & Evolution*. 2:1458-1467.

See Also

[simulate_deterministic_hbd](#)
[loglikelihood_hbd](#)
[fit_hbd_model_on_grid](#)
[fit_hbd_model_parametric](#)
[fit_hbd_pdr_on_grid](#)

Examples

```
## Not run:
# Generate a random tree with exponentially varying lambda & mu
Ntips      = 10000
rho        = 0.5 # sampling fraction
time_grid  = seq(from=0, to=100, by=0.01)
lambdas    = 2*exp(0.1*time_grid)
mus        = 1.5*exp(0.09*time_grid)
tree       = generate_random_tree( parameters = list(rarefaction=rho),
                                   max_tips    = Ntips/rho,
                                   coalescent   = TRUE,
                                   added_rates_times = time_grid,
                                   added_birth_rates_pc = lambdas,
                                   added_death_rates_pc = mus)$tree

root_age = castor::get_tree_span(tree)$max_distance
cat(sprintf("Tree has %d tips, spans %g Myr\n",length(tree$tip.label),root_age))

# Define a parametric HBD congruence class, with exponentially varying PDR
# The model thus has 3 parameters
PDR_function = function(ages,params){
  return(params['A']*exp(-params['B']*ages));
}
rholambda0_function = function(params){
  return(params['rholambda0'])
}

# Define an age grid on which lambda_function & mu_function shall be evaluated
# Should be sufficiently fine to capture the variation in the PDR
age_grid = seq(from=0,to=100,by=0.01)

# Perform fitting
# Lets suppose extinction rates are already known
cat(sprintf("Fitting class to tree..\n"))
fit = fit_hbd_pdr_parametric( tree,
                              param_values = c(A=NA, B=NA, rholambda0=NA),
                              param_guess  = c(1,0,1),
                              param_min    = c(-10,-10,0),
                              param_max    = c(10,10,10),
                              param_scale  = 1, # all params are in the order of 1
                              PDR          = PDR_function,
                              rholambda0    = rholambda0_function,
                              age_grid      = age_grid,
                              Ntrials       = 10,    # perform 10 fitting trials
                              Nthreads      = 2,     # use 2 CPUs
                              max_model_runtime = 1, # limit model evaluation to 1 second
                              fit_control   = list(rel.tol=1e-6))

if(!fit$success){
  cat(sprintf("ERROR: Fitting failed: %s\n",fit$error))
}else{
  cat(sprintf("Fitting succeeded:\nLoglikelihood=%g\n",fit$loglikelihood))
  print(fit)
}
```



```
## End(Not run)
```

fit_hbd_psr_on_grid	<i>Fit pulled speciation rates of birth-death models on a time grid.</i>
---------------------	--

Description

Given an ultrametric timetree, estimate the pulled speciation rate of homogenous birth-death (HBD) models that best explains the tree via maximum likelihood. Every HBD model is defined by some speciation and extinction rates (λ and μ) over time, as well as the sampling fraction ρ (fraction of extant species sampled). “Homogenous” refers to the assumption that, at any given moment in time, all lineages exhibit the same speciation/extinction rates. For any given HBD model there exists an infinite number of alternative HBD models that predict the same deterministic lineages-through-time curve and yield the same likelihood for any given reconstructed timetree; these “congruent” models cannot be distinguished from one another solely based on the tree.

Each congruence class is uniquely described by the “pulled speciation rate” (PSR), defined as the relative slope of the deterministic LTT over time, $PSR = -M^{-1}dM/d\tau$ (where τ is time before present). In other words, two HBD models are congruent if and only if they have the same PSR. This function is designed to estimate the generating congruence class for the tree, by fitting the PSR on a discrete time grid.

Usage

```
fit_hbd_psr_on_grid( tree,
                     oldest_age      = NULL,
                     age0            = 0,
                     age_grid       = NULL,
                     min_PSR        = 0,
                     max_PSR        = +Inf,
                     guess_PSR      = NULL,
                     fixed_PSR      = NULL,
                     splines_degree = 1,
                     condition      = "auto",
                     relative_dt    = 1e-3,
                     Ntrials        = 1,
                     Nbootstraps    = 0,
                     Ntrials_per_bootstrap = NULL,
                     Nthreads       = 1,
                     max_model_runtime = NULL,
                     fit_control    = list(),
                     verbose        = FALSE,
                     verbose_prefix = "")
```

Arguments

<code>tree</code>	An ultrametric timetree of class "phylo", representing the time-calibrated phylogeny of a set of extant species.
<code>oldest_age</code>	Strictly positive numeric, specifying the oldest time before present ("age") to consider when calculating the likelihood. If this is equal to or greater than the root age, then <code>oldest_age</code> is taken as the stem age, and the classical formula by Morlon et al. (2011) is used. If <code>oldest_age</code> is less than the root age, the tree is split into multiple subtrees at that age by treating every edge crossing that age as the stem of a subtree, and each subtree is considered an independent realization of the HBD model stemming at that age. This can be useful for avoiding points in the tree close to the root, where estimation uncertainty is generally higher. If <code>oldest_age==NULL</code> , it is automatically set to the root age.
<code>age0</code>	Non-negative numeric, specifying the youngest age (time before present) to consider for fitting. If <code>age0>0</code> , the tree essentially is trimmed at <code>age0</code> , omitting anything younger than <code>age0</code> , and the PSR is fitted to the trimmed tree while shifting time appropriately.
<code>age_grid</code>	Numeric vector, listing ages in ascending order at which the PSR is allowed to vary independently. This grid must cover at least the age range from <code>age0</code> to <code>oldest_age</code> . If <code>NULL</code> or of length ≤ 1 (regardless of value), then the PSR is assumed to be time-independent.
<code>min_PSR</code>	Numeric vector of length <code>Ngrid</code> ($=\max(1, \text{length}(\text{age_grid}))$), or a single numeric, specifying lower bounds for the fitted PSR at each point in the age grid. If a single numeric, the same lower bound applies at all ages. Note that the PSR is never negative.
<code>max_PSR</code>	Numeric vector of length <code>Ngrid</code> , or a single numeric, specifying upper bounds for the fitted PSR at each point in the age grid. If a single numeric, the same upper bound applies at all ages. Use <code>+Inf</code> to omit upper bounds.
<code>guess_PSR</code>	Initial guess for the PSR at each age-grid point. Either <code>NULL</code> (an initial guess will be computed automatically), or a single numeric (guessing the same PSR at all ages) or a numeric vector of size <code>Ngrid</code> specifying a separate guess at each age-grid point. To omit an initial guess for some but not all age-grid points, set their guess values to <code>NA</code> . Guess values are ignored for non-fitted (i.e., fixed) parameters.
<code>fixed_PSR</code>	Optional fixed (i.e. non-fitted) PSR values on one or more age-grid points. Either <code>NULL</code> (PSR is not fixed anywhere), or a single numeric (PSR fixed to the same value at all grid points) or a numeric vector of size <code>Ngrid</code> (PSR fixed at one or more age-grid points, use <code>NA</code> for non-fixed values).
<code>splines_degree</code>	Integer between 0 and 3 (inclusive), specifying the polynomial degree of the PSR between age-grid points. If 0, then the PSR is considered piecewise constant, if 1 then the PSR is considered piecewise linear, if 2 or 3 then the PSR is considered to be a spline of degree 2 or 3, respectively. The <code>splines_degree</code> influences the analytical properties of the curve, e.g. <code>splines_degree==1</code> guarantees a continuous curve, <code>splines_degree==2</code> guarantees a continuous curve and continuous derivative, and so on. A degree of 0 is generally not recommended.

condition	Character, either "crown", "stem" or "auto", specifying on what to condition the likelihood. If "crown", the likelihood is conditioned on the survival of the two daughter lineages branching off at the root. If "stem", the likelihood is conditioned on the survival of the stem lineage. Note that "crown" really only makes sense when oldest_age is equal to the root age, while "stem" is recommended if oldest_age differs from the root age. If "auto", the condition is chosen according to the recommendations mentioned earlier.
relative_dt	Strictly positive numeric (unitless), specifying the maximum relative time step allowed for integration over time, when calculating the likelihood. Smaller values increase integration accuracy but increase computation time. Typical values are 0.0001-0.001. The default is usually sufficient.
Ntrials	Integer, specifying the number of independent fitting trials to perform, each starting from a random choice of model parameters. Increasing Ntrials reduces the risk of reaching a non-global local maximum in the fitting objective.
Nbootstraps	Integer, specifying an optional number of bootstrap samplings to perform, for estimating standard errors and confidence intervals of maximum-likelihood fitted parameters. If 0, no bootstrapping is performed. Typical values are 10-100. At each bootstrap sampling, a random timetree is generated under the birth-death model according to the fitted PSR, the parameters are estimated anew based on the generated tree, and subsequently compared to the original fitted parameters. Each bootstrap sampling will use roughly the same information and similar computational resources as the original maximum-likelihood fit (e.g., same number of trials, same optimization parameters, same initial guess, etc).
Ntrials_per_bootstrap	Integer, specifying the number of fitting trials to perform for each bootstrap sampling. If NULL, this is set equal to $\max(1, Ntrials)$. Decreasing Ntrials_per_bootstrap will reduce computation time, at the expense of potentially inflating the estimated confidence intervals; in some cases (e.g., for very large trees) this may be useful if fitting takes a long time and confidence intervals are very narrow anyway. Only relevant if Nbootstraps>0.
Nthreads	Integer, specifying the number of parallel threads to use for performing multiple fitting trials simultaneously. This should generally not exceed the number of available CPUs on your machine. Parallel computing is not available on the Windows platform.
max_model_runtime	Optional numeric, specifying the maximum number of seconds to allow for each evaluation of the likelihood function. Use this to abort fitting trials leading to parameter regions where the likelihood takes a long time to evaluate (these are often unlikely parameter regions).
fit_control	Named list containing options for the nlminb optimization routine, such as iter.max, eval.max or rel.tol. For a complete list of options and default values see the documentation of nlminb in the stats package.
verbose	Logical, specifying whether to print progress reports and warnings to the screen. Note that errors always cause a return of the function (see return values success and error).
verbose_prefix	Character, specifying the line prefix for printing progress reports to the screen.

Details

It is generally advised to provide as much information to the function `fit_hbd_psr_on_grid` as possible, including reasonable lower and upper bounds (`min_PSR` and `max_PSR`) and a reasonable parameter guess (`guess_PSR`). It is also important that the `age_grid` is sufficiently fine to capture the expected major variations of the PSR over time, but keep in mind the serious risk of overfitting when `age_grid` is too fine and/or the tree is too small.

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether model fitting succeeded. If <code>FALSE</code> , the returned list will include an additional “error” element (character) providing a description of the error; in that case all other return variables may be undefined.
<code>objective_value</code>	The maximized fitting objective. Currently, only maximum-likelihood estimation is implemented, and hence this will always be the maximized log-likelihood.
<code>objective_name</code>	The name of the objective that was maximized during fitting. Currently, only maximum-likelihood estimation is implemented, and hence this will always be “loglikelihood”.
<code>loglikelihood</code>	The log-likelihood of the fitted model for the given timetree.
<code>fitted_PSR</code>	Numeric vector of size <code>Ngrid</code> , listing fitted or fixed pulled speciation rates (PSR) at each age-grid point. Between grid points the fitted PSR should be interpreted as a piecewise polynomial function (natural spline) of degree <code>splines_degree</code> ; to evaluate this function at arbitrary ages use the castor routine evaluate_spline .
<code>guess_PSR</code>	Numeric vector of size <code>Ngrid</code> , specifying the initial guess for the PSR at each age-grid point.
<code>age_grid</code>	The age-grid on which the PSR is defined. This will be the same as the provided <code>age_grid</code> , unless the latter was <code>NULL</code> or of length ≤ 1 .
<code>NFP</code>	Integer, number of fitted (i.e., non-fixed) parameters. If none of the PSRs were fixed, this will be equal to <code>Ngrid</code> .
<code>AIC</code>	The Akaike Information Criterion for the fitted model, defined as $2k - 2 \log(L)$, where k is the number of fitted parameters, and L is the maximized likelihood.
<code>BIC</code>	The Bayesian information criterion for the fitted model, defined as $\log(n)k - 2 \log(L)$, where k is the number of fitted parameters, n is the number of data points (number of branching times), and L is the maximized likelihood.
<code>converged</code>	Logical, specifying whether the maximum likelihood was reached after convergence of the optimization algorithm. Note that in some cases the maximum likelihood may have been achieved by an optimization path that did not yet converge (in which case it’s advisable to increase <code>iter.max</code> and/or <code>eval.max</code>).
<code>Niterations</code>	Integer, specifying the number of iterations performed during the optimization path that yielded the maximum likelihood.
<code>Nevaluations</code>	Integer, specifying the number of likelihood evaluations performed during the optimization path that yielded the maximum likelihood.


```

                                added_birth_rates_pc = lambdas,
                                added_death_rates_pc  = mus)

tree = sim$tree
root_age = castor::get_tree_span(tree)$max_distance
cat(sprintf("Tree has %d tips, spans %g Myr\n",length(tree$tip.label),root_age))

# Fit PSR on grid
oldest_age=root_age/2 # only consider recent times when fitting
Ngrid      = 10
age_grid   = seq(from=0,to=oldest_age,length.out=Ngrid)
fit = fit_hbd_psr_on_grid(tree,
                           oldest_age = oldest_age,
                           age_grid   = age_grid,
                           min_PSR    = 0,
                           max_PSR    = +100,
                           condition   = "crown",
                           Ntrials     = 10,# perform 10 fitting trials
                           Nthreads    = 10,# use two CPUs
                           max_model_runtime = 1) # limit model evaluation to 1 second
if(!fit$success){
  cat(sprintf("ERROR: Fitting failed: %s\n",fit$error))
}else{
  cat(sprintf("Fitting succeeded:\nLoglikelihood=%g\n",fit$loglikelihood))
  # plot fitted PSR
  plot( x      = fit$age_grid,
        y      = fit$fitted_PSR,
        main   = 'Fitted PSR',
        xlab   = 'age',
        ylab   = 'PSR',
        type   = 'b',
        xlim   = c(root_age,0))

  # plot deterministic LTT of fitted model
  plot( x      = fit$age_grid,
        y      = fit$fitted_LTT,
        main   = 'Fitted dLTT',
        xlab   = 'age',
        ylab   = 'lineages',
        type   = 'b',
        log    = 'y',
        xlim   = c(root_age,0))

  # get fitted PSR as a function of age
  PSR_fun = approxfun(x=fit$age_grid, y=fit$fitted_PSR)
}

## End(Not run)

```

Description

Estimate the transition rate matrix of a continuous-time Markov model for discrete trait evolution ("Mk model") via maximum-likelihood, based on one or more phylogenetic trees and its tips' states.

Usage

```
fit_mk( trees,
        Nstates,
        tip_states      = NULL,
        tip_priors      = NULL,
        rate_model       = "ER",
        root_prior      = "auto",
        Ntrials          = 1,
        max_model_runtime = NULL,
        optim_algorithm  = "nllminb",
        optim_max_iterations = 200,
        optim_rel_tol    = 1e-8,
        check_input      = TRUE,
        Nthreads         = 1)
```

Arguments

trees	Either a single phylogenetic tree of class "phylo", or a list of phylogenetic trees. Edge lengths should correspond to (or be interpretable analogous) to time.
Nstates	Integer, specifying the number of possible discrete states that the trait can have.
tip_states	Either an integer vector of size Ntips (only permitted if trees[] is a single tree) or a list containing Ntrees such integer vectors (if trees[] is a list of trees), listing the state of each tip in each tree. Note that tip_states cannot include NAs or NaNs; if the states of some tips are uncertain, you should use the option tip_priors instead. Can also be NULL, in which case tip_priors must be provided.
tip_priors	Either a numeric matrix of size Ntips x Nstates (only permitted if trees[] is a single tree), or a list containing Ntrees such matrixes (if trees[] is a list of trees), listing the likelihood of each state at each tip in each tree. Can also be NULL, in which case tip_states must be provided. Hence, tip_priors[t][i,s] is the likelihood of the observed state of tip i in tree t, if the tip's true state was in state s. For example, if you know for certain that a tip is in state k, then set tip_priors[t][i,s]=1 for s=k and tip_priors[t][i,s]=0 for all other s.
rate_model	Rate model to be used for the transition rate matrix. Can be "ER" (all rates equal), "SYM" (transition rate i→j is equal to transition rate j→i), "ARD" (all rates can be different), "SUEDE" (only stepwise transitions i→i+1 and i→i-1 allowed, all 'up' transitions are equal, all 'down' transitions are equal) or "SRD" (only stepwise transitions i→i+1 and i→i-1 allowed, and each rate can be different). Can also be an index matrix that maps entries of the transition matrix to the corresponding independent rate parameter to be fitted. Diagonal entries should map to 0, since diagonal entries are not treated as independent rate parameters but are calculated from the remaining entries in the transition rate matrix. All other entries that map to 0 represent a transition rate of zero. The format of

	this index matrix is similar to the format used by the <code>ace</code> function in the <code>ape</code> package. <code>rate_model</code> is only relevant if <code>transition_matrix==NULL</code> .
<code>root_prior</code>	Prior probability distribution of the root's states, used to calculate the model's overall likelihood from the root's marginal ancestral state likelihoods. Can be "flat" (all states equal), "empirical" (empirical probability distribution of states across the tree's tips), "stationary" (stationary probability distribution of the transition matrix), "likelihoods" (use the root's state likelihoods as prior), "max_likelihood" (put all weight onto the state with maximum likelihood) or "auto" (will be chosen automatically based on some internal logic). If "stationary" and <code>transition_matrix==NULL</code> , then a transition matrix is first fitted using a flat root prior, and then used to calculate the stationary distribution. <code>root_prior</code> can also be a non-negative numeric vector of size <code>Nstates</code> and with total sum equal to 1.
<code>max_model_runtime</code>	Optional positive numeric, specifying the maximum time (in seconds) allowed for a single evaluation of the likelihood function. If a specific Mk model takes longer than this threshold to evaluate, then its likelihood is set to -Inf. This option can be used to avoid badly parameterized models during fitting and can thus reduce fitting time. If <code>NULL</code> or <code><=0</code> , this option is ignored.
<code>Ntrials</code>	Number of trials (starting points) for fitting the transition rate matrix. A higher number may reduce the risk of landing in a local non-global optimum of the likelihood function, but will increase computation time during fitting.
<code>optim_algorithm</code>	Either "optim" or "nlminb", specifying which optimization algorithm to use for maximum-likelihood estimation of the transition matrix.
<code>optim_max_iterations</code>	Maximum number of iterations (per fitting trial) allowed for optimizing the likelihood function.
<code>optim_rel_tol</code>	Relative tolerance (stop criterion) for optimizing the likelihood function.
<code>check_input</code>	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to <code>FALSE</code> to reduce computation.
<code>Nthreads</code>	Number of parallel threads to use for running multiple fitting trials simultaneously. This only makes sense if your computer has multiple cores/CPU's and if <code>Ntrials>1</code> . This option is ignored on Windows, because Windows does not support forking.

Details

The trait's states must be represented by integers within 1,...,`Nstates`, where `Nstates` is the total number of possible states. If the states are originally in some other format (e.g. characters or factors), you should map them to a set of integers 1,...,`Nstates`. The order of states (if relevant) should be reflected in their integer representation. For example, if your original states are "small", "medium" and "large" and `rate_model=="SUEDE"`, it is advised to represent these states as integers 1,2,3. You can easily map any set of discrete states to integers using the function [map_to_state_space](#).

This function allows the specification of the precise tip states (if these are known) using the vector `tip_states`. Alternatively, if some tip states are not fully known, you can pass the state likelihoods using the matrix `tip_priors`. Note that exactly one of the two arguments, `tip_states` or `tip_priors`, must be non-NULL.

Tips must be represented in `tip_states` or `tip_priors` in the same order as in `tree$tip.label`. None of the input vectors or matrixes need include row or column names; if they do, however, they are checked for consistency (if `check_input==TRUE`).

The tree is either assumed to be complete (i.e. include all possible species), or to represent a random subset of species chosen independently of their states. If the tree is not complete and tips are not chosen independently of their states, then this method will not be valid.

`fit_Mk` uses maximum-likelihood to estimate each free parameter of the transition rate matrix. The number of free parameters depends on the `rate_model` considered; for example, ER implies a single free parameter, while ARD implies $N_{states} \times (N_{states}-1)$ free parameters. If multiple trees are provided as input, the likelihood is the product of likelihoods for each tree, i.e. as if each tree was an independent realization of the same Markov process.

This function is similar to [asr_mk_model](#), but focused solely on fitting the transition rate matrix (i.e., without estimating ancestral states) and with the ability to utilize multiple trees at once.

Value

A named list with the following elements:

<code>success</code>	Logical, indicating whether the fitting was successful. If FALSE, an additional element <code>error</code> (of type character) is included containing an explanation of the error; in that case the value of any of the other elements is undetermined.
<code>Nstates</code>	Integer, the number of states assumed for the model.
<code>transition_matrix</code>	A matrix of size $N_{states} \times N_{states}$, the fitted transition rate matrix of the model. The $[r,c]$ -th entry is the transition rate from state r to state c .
<code>loglikelihood</code>	Numeric, the log-likelihood of the observed tip states under the fitted model.
<code>Niterations</code>	Integer, the number of iterations required to reach the maximum log-likelihood. Depending on the optimization algorithm used (see <code>optim_algorithm</code>), this may be NA.
<code>Nevaluations</code>	Integer, the number of evaluations of the likelihood function required to reach the maximum log-likelihood. Depending on the optimization algorithm used (see <code>optim_algorithm</code>), this may be NA.
<code>converged</code>	Logical, indicating whether the fitting algorithm converged. Note that <code>fit_Mk</code> may return successfully even if convergence was not achieved; if this happens, the fitted transition matrix may not be reasonable. In that case it is recommended to change the optimization options, for example increasing <code>optim_max_iterations</code> .

Author(s)

Stilianos Louca

References

Z. Yang, S. Kumar and M. Nei (1995). A new method for inference of ancestral nucleotide and amino acid sequences. *Genetics*. 141:1641-1650.

M. Pagel (1994). Detecting correlated evolution on phylogenies: a general method for the comparative analysis of discrete characters. *Proceedings of the Royal Society of London B: Biological Sciences*. 255:37-45.

See Also

[asr_mk_model](#), [simulate_mk_model](#), [fit_musse](#)

Examples

```
## Not run:
# generate random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# create random transition matrix
Nstates = 5
Q = get_random_mk_transition_matrix(Nstates, rate_model="ER", max_rate=0.01)
cat(sprintf("Simulated ER transition rate=%g\n",Q[1,2]))

# simulate the trait's evolution
simulation = simulate_mk_model(tree, Q)
tip_states = simulation$tip_states

# fit Mk transition matrix
results = fit_mk(tree, Nstates, tip_states, rate_model="ER", Ntrials=2)

# print Mk model fitting summary
cat(sprintf("Mk model: log-likelihood=%g\n",results$loglikelihood))
cat(sprintf("Fitted ER transition rate=%g\n",results$transition_matrix[1,2]))

## End(Not run)
```

fit_musse

Fit a discrete-state-dependent diversification model via maximum-likelihood.

Description

The Binary State Speciation and Extinction (BiSSE) model (Maddison et al. 2007) and its extension to Multiple State Speciation Extinction (MuSSE) models (FitzJohn et al. 2009, 2012), Hidden State Speciation Extinction (HiSSE) models (Beaulieu and O'meara, 2016) or Several Examined and Concealed States-dependent Speciation and Extinction (SecSSE) models (van Els et al. 2018), describe a Poissonian cladogenic process whose birth/death (speciation/extinction) rates depend on the states of an evolving discrete trait. Specifically, extant tips either go extinct or split continuously

in time at Poissonian rates, and birth/death rates at each extant tip depend on the current state of the tip; lineages transition stochastically between states according to a continuous-time Markov process with fixed transition rates.

This function takes as main input an ultrametric tree and a list of tip proxy states, and fits the parameters of a BiSSE/MuSSE/HiSSE/SecSSE model to the data via maximum-likelihood. Tips can have missing (unknown) proxy states, and the function can account for biases in species sampling and biases in the identification of proxy states. The likelihood is calculated using a mathematically equivalent, but computationally more efficient variant, of the classical postorder-traversal BiSSE/MuSSE/HiSSE/SecSSE algorithm, as described by Louca (2019). This function has been optimized for large phylogenetic trees, with a relatively small number of states (i.e. $N_{\text{states}} \ll N_{\text{tips}}$); its time complexity scales roughly linearly with N_{tips} .

Usage

```
fit_musse(tree,
           Nstates,
           NPstates          = NULL,
           proxy_map         = NULL,
           state_names       = NULL,
           tip_pstates       = NULL,
           tip_priors        = NULL,
           sampling_fractions = 1,
           reveal_fractions  = 1,
           transition_rate_model = "ARD",
           birth_rate_model   = "ARD",
           death_rate_model   = "ARD",
           transition_matrix  = NULL,
           birth_rates        = NULL,
           death_rates        = NULL,
           first_guess        = NULL,
           lower              = NULL,
           upper              = NULL,
           root_prior         = "auto",
           root_conditioning  = "auto",
           oldest_age         = NULL,
           Ntrials            = 1,
           optim_algorithm    = "subplex",
           optim_max_iterations = 10000,
           optim_max_evaluations = NULL,
           optim_rel_tol      = 1e-6,
           check_input        = TRUE,
           include_ancestral_likelihooods = FALSE,
           Nthreads           = 1,
           Nbootstraps        = 0,
           Ntrials_per_bootstrap = NULL,
           max_condition_number = 1e4,
           relative_ODE_step  = 0.1,
           E_value_step       = 1e-4,
```

```

D_temporal_resolution = 100,
max_model_runtime      = NULL,
verbose                = TRUE,
verbose_prefix         = "")

```

Arguments

tree	Ultrametric phylogenetic tree of class "phylo", representing all or a subset of extant species.
Nstates	Integer, specifying the number of possible discrete states a tip can have, influencing speciation/extinction rates. For example, if Nstates==2 then this corresponds to the common Binary State Speciation and Extinction (BiSSE) model (Maddison et al., 2007). In the case of a HiSSE/SecSSE model, Nstates refers to the total number of diversification rate categories. For example, in the case of the HiSSE model described by Beaulieu and O'meara (2016), Nstates=4.
NPstates	Integer, optionally specifying a number of "proxy-states" that are observed instead of the underlying speciation/extinction-modulating states. To fit a HiSSE/SecSSE model, NPstates should be smaller than Nstates. Each state corresponds to a different proxy-state, as defined using the variable proxy_map (see below). For BiSSE/MuSSE with no hidden states, NPstates can be set to either NULL or equal to Nstates; in either case, NPstates will be considered equal to Nstates. For example, in the case of the HiSSE model described by Beaulieu and O'meara (2016), NPstates=2.
proxy_map	Integer vector of size Nstates and with values in 1,..NPstates, specifying the correspondence between states (i.e. diversification-rate categories) and proxy-states, in a HiSSE/SecSSE model. Specifically, proxy_map[s] indicates which proxy-state the state s is represented by. Each proxy-state can represent multiple states (i.e. proxies are ambiguous), but each state must be represented by exactly one proxy-state. For example, to setup the HiSSE model described by Beaulieu and O'meara (2016), use proxy_map=c(1,2,1,2). For non-HiSSE models, set this to NULL or to c(1:Nstates). See below for more details.
state_names	Optional character vector of size Nstates, specifying a name/description for each state. This does not influence any of the calculations. It is merely used to add human-readable row/column names (rather than integers) to the returned vectors/matrices. If NULL, no row/column names are added.
tip_pstates	Integer vector of size Ntips, listing the proxy state at each tip, in the same order as tips are indexed in the tree. The vector may (but need not) include names; if it does, these are checked for consistency with the tree (if check_input==TRUE). Values must range from 1 to NPstates (which is assumed equal to Nstates in the case of BiSSE/MuSSE). States may also be NA, corresponding to unknown tip proxy states (no information available).
tip_priors	Numeric matrix of size Ntips x Nstates (or of size Ntips x NPstates), listing prior likelihoods of each state (or each proxy-state) at each tip. Can be provided as an alternative to tip_pstates. Thus, tip_priors[i,s] is the likelihood of observing the data if the tip i was at state s (or proxy-state s). Either tip_pstates or tip_priors must be non-NULL, but not both.

sampling_fractions

Integer vector of size NPstates, with values between 0 and 1, listing the sampling fractions of species depending on proxy-state. That is, `sampling_fractions[p]` is the probability that an extant species, having proxy state `p`, is included in the phylogeny. If all species are included in the tree with the same probability (i.e., independent of state), this can also be a single number. If NULL (default), all species are assumed to be included in the tree.

reveal_fractions

Integer vector of size NPstates, with values between 0 and 1, listing the probabilities of proxy-state identification depending on proxy-state. That is, `reveal_fractions[p]` is the probability that a species with proxy-state `p` will have a known ("revealed") state, conditional upon being included in the tree. This can be used to incorporate reveal biases for tips, depending on their proxy state. Can also be NULL or a single number (in which case reveal fractions are assumed to be independent of proxy-state). Note that only the relative values in `reveal_fractions` matter, for example `c(1,2,1)` has the same effect as `c(0.5,1,0.5)`, because `reveal_fractions` is normalized internally anyway.

transition_rate_model

Either a character or a 2D integer matrix of size Nstates x Nstates, specifying the model for the transition rates between states. This option controls the parametric complexity of the state transition model, i.e. the number of independent rates and the correspondence between independent and dependent rates. If a character, then it must be one of "ER", "SYM", "ARD", "SUEDE" or "SRD", as used for Mk models (see the function `asr_mk_model` for details). For example, "ARD" (all rates different) specifies that all transition rates should be considered as independent parameters with potentially different values.

If an integer matrix, then it defines a custom parametric structure for the transition rates, by mapping entries of the transition matrix to a set of independent transition-rate parameters (numbered 1,2, and so on), similarly to the option `rate_model` in the function `asr_mk_model`, and as returned for example by the function `get_transition_index_matrix`. Entries must be between 1 and Nstates, however 0 may also be used to denote a fixed value of zero. For example, if `transition_rate_model[1,2]=transition_rate_model[2,1]`, then the transition rates 1->2 and 2->1 are assumed to be equal. Entries on the diagonal are ignored, since the diagonal elements are always adjusted to ensure a valid Markov transition matrix. To construct a custom matrix with the proper structure, it may be convenient to first generate an "ARD" matrix using `get_transition_index_matrix`, and then modify individual entries to reduce the number of independent rates.

birth_rate_model

Either a character or an integer vector of length Nstates, specifying the model for the various birth (speciation) rates. This option controls the parametric complexity of the possible birth rates, i.e. the number of independent birth rates and the correspondence between independent and dependent birth rates. If a character, then it must be either "ER" (equal rates) or "ARD" (all rates different). If an integer vector, it must map each state to an independent birth-rate parameter (indexed 1,2,...). For example, the vector `c(1,2,1)` specifies that the birth-rates λ_1 and λ_3 must be the same, but λ_2 is independent.

death_rate_model	Either a character or an integer vector of length Nstates, specifying the model for the various death (extinction) rates. Similar to birth_rate_model.
transition_matrix	Either NULL or a 2D matrix of size Nstates x Nstates, specifying known (and thus fixed) transition rates between states. For example, setting some elements to 0 specifies that these transitions cannot occur directly. May also contain NA, indicating rates that are to be fitted. If NULL or empty, all rates are considered unknown and are therefore fitted. Note that, unless transition_rate_model=="ARD", values in transition_matrix are assumed to be consistent with the rate model, that is, rates specified to be equal under the transition rate model are expected to also have equal values in transition_matrix.
birth_rates	Either NULL, or a single number, or a numeric vector of length Nstates, specifying known (and thus fixed) birth rates for each state. May contain NA, indicating rates that are to be fitted. For example, the vector c(5,0,NA) specifies that $\lambda_1 = 5$, $\lambda_2 = 0$ and that λ_3 is to be fitted. If NULL or empty, all birth rates are considered unknown and are therefore fitted. If a single number, all birth rates are considered fixed at that given value.
death_rates	Either NULL, or a single number, or a numeric vector of length Nstates, specifying known (and thus fixed) death rates for each state. Similar to birth_rates.
first_guess	<p>Either NULL, or a named list containing optional initial suggestions for various model parameters, i.e. start values for fitting. The list can contain any or all of the following elements:</p> <ul style="list-style-type: none"> • transition_matrix: A single number or a 2D numeric matrix of size Nstates x Nstates, specifying suggested start values for the transition rates. May contain NA, indicating rates that should be guessed automatically by the function. If a single number, then that value is used as a start value for all transition rates. • birth_rates: A single number or a numeric vector of size Nstates, specifying suggested start values for the birth rates. May contain NA, indicating rates that should be guessed automatically by the function (by fitting a simple birth-death model, see fit_tree_model). • death_rates: A single number or a numeric vector of size Nstates, specifying suggested start values for the death rates. May contain NA, indicating rates that should be guessed automatically by the function (by fitting a simple birth-death model, see fit_tree_model). <p>Start values are only relevant for fitted (i.e., non-fixed) parameters.</p>
lower	Either NULL or a named list containing optional lower bounds for various model parameters. The list can contain any or all of the elements transition_matrix, birth_rates and death_rates, structured similarly to first_guess. For example, list(transition_matrix=0.1,birth_rates=c(5,NA,NA)) specifies that all transition rates between states must be 0.1 or greater, that the birth rate λ_1 must be 5 or greater, and that all other model parameters have unspecified lower bound. For parameters with unspecified lower bounds, zero is used as a lower bound. Lower bounds only apply to fitted (i.e., non-fixed) parameters.
upper	Either NULL or a named list containing optional upper bounds for various model parameters. The list can contain any or all of the elements transition_matrix,

	<p>birth_rates and death_rates, structured similarly to upper. For example, <code>list(transition_matrix=2,birth_rates=c(10,NA,NA))</code> specifies that all transition rates between states must be 2 or less, that the birth rate λ_1 must be 10 or less, and that all other model parameters have unspecified upper bound. For parameters with unspecified upper bounds, infinity is used as an upper bound. Upper bounds only apply to fitted (i.e., non-fixed) parameters.</p>
root_prior	<p>Either a character or a numeric vector of size Nstates, specifying the prior probabilities of states for the root, i.e. the weights for obtaining a single model likelihood by averaging the root's state likelihoods. If a character, then it must be one of "flat", "empirical", "likelihoods", "max_likelihood" or "auto". "empirical" means the root's prior is set to the proportions of (estimated) extant species in each state (correcting for sampling fractions and reveal fractions, if applicable). "likelihoods" means that the computed state-likelihoods of the root are used, after normalizing to obtain a probability distribution; this is the approach used in the package <code>hisse::hisse</code> v1.8.9 under the option <code>root.p=NULL</code>, and the approach in the package <code>diversitree::find.mle</code> v0.9-10 under the option <code>root=ROOT.OBS</code>. If "max_likelihood", then the root's prior is set to a Dirac distribution, with full weight given to the maximum-likelihood state at the root (after applying the conditioning). If a numeric vector, root_prior specifies custom probabilities (weights) for each state. Note that if root_conditioning is "madfitz" or "herr_als" (see below), then the prior is set before the conditioning and not updated afterwards for consistency with other R packages.</p>
root_conditioning	<p>Character, specifying an optional modification to be applied to the root's state likelihoods prior to averaging. Can be "none" (no modification), "madfitz", "herr_als", "crown" or "stem". "madfitz" and "herr_als" (after van Els, Etienne and Herrera-Alsina 2018) are the options implemented in the package <code>hisse</code> v1.8.9, conditioning the root's state-likelihoods based on the birth-rates and the computed extinction probability (after or before averaging, respectively). See van Els (2018) for a comparison between "madfitz" and "herr_als". The option "stem" conditions the state likelihoods on the probability that the stem lineage would survive until the present. The option "crown" conditions the state likelihoods on the probability that a split occurred at oldest_age and that the two child lineages survived until the present; this option is only recommended if oldest_age is equal to the root age.</p>
oldest_age	<p>Strictly positive numeric, specifying the oldest age (time before present) to consider for fitting. If this is smaller than the tree's root age, then the tree is split into multiple subtrees at oldest_age, and each subtree is considered as an independent realization of the same diversification/evolution process whose parameters are to be estimated. The root_conditioning and root_prior are applied separately to each subtree, prior to calculating the joint (product) likelihood of all subtrees. This option can be used to restrict the fitting to a small (recent) time interval, during which the MuSSE/BiSSE assumptions (e.g., time-independent speciation/extinction/transition rates) are more likely to hold. If oldest_age is NULL, it is automatically set to the root age. In principle oldest_age may also be older than the root age.</p>
Ntrials	<p>Non-negative integer, specifying the number of trials for fitting the model, using alternative (randomized) starting parameters at each trial. A larger Ntrials</p>

reduces the risk of landing on a local non-global optimum of the likelihood function, and thus increases the chances of finding the truly best fit. If 0, then no fitting is performed, and only the first-guess (i.e., provided or guessed start params) is evaluated and returned. Hence, setting `Ntrials=0` can be used to obtain a reasonable set of start parameters for subsequent fitting or for Markov Chain Monte Carlo.

<code>optim_algorithm</code>	Character, specifying the optimization algorithm for fitting. Must be one of either "optim", "nlminb" or "subplex".
<code>optim_max_iterations</code>	Integer, maximum number of iterations allowed for fitting. Only relevant for "optim" and "nlminb".
<code>optim_max_evaluations</code>	Integer, maximum number of function evaluations allowed for fitting. Only relevant for "nlminb" and "subplex".
<code>optim_rel_tol</code>	Numeric, relative tolerance for the fitted log-likelihood.
<code>check_input</code>	Logical, specifying whether to check the validity of input variables. If you are certain that all input variables are valid, you can set this to FALSE to reduce computation.
<code>include_ancestral_likelihooods</code>	Logical, specifying whether to include the state likelihoods for each node, in the returned variables. These are the "D" variables calculated as part of the likelihood based on the subtree descending from each node, and may be used for "local" ancestral state reconstructions.
<code>Nthreads</code>	Integer, specifying the number of threads for running multiple fitting trials in parallel. Only relevant if <code>Ntrials>1</code> . Should generally not exceed the number of CPU cores on a machine. Must be a least 1.
<code>Nbootstraps</code>	Integer, specifying an optional number of bootstrap samplings to perform, for estimating standard errors and confidence intervals of maximum-likelihood fitted parameters. If 0, no bootstrapping is performed. Typical values are 10-100. At each bootstrap sampling, a simulation of the fitted MuSSE/HiSSE model is performed, the parameters are estimated anew based on the simulation, and subsequently compared to the original fitted parameters. Each bootstrap sampling will thus use roughly as many computational resources as the original maximum-likelihood fit (e.g., same number of trials, same optimization parameters etc).
<code>Ntrials_per_bootstrap</code>	Integer, specifying the number of fitting trials to perform for each bootstrap sampling. If NULL, this is set equal to <code>max(1, Ntrials)</code> . Decreasing <code>Ntrials_per_bootstrap</code> will reduce computation time, at the expense of potentially inflating the estimated confidence intervals; in some cases (e.g., for very large trees) this may be useful if fitting takes a long time and confidence intervals are very narrow anyway. Only relevant if <code>Nbootstraps>0</code> .
<code>max_condition_number</code>	Positive unitless number, specifying the maximum permissible condition number for the "G" matrix computed for the log-likelihood. A higher condition

	number leads to faster computation (roughly on a log-scale) especially for large trees, at the potential expense of lower accuracy. Typical values are 1e2-1e5. See Louca (2019) for further details on the condition number of the G matrix.
relative_ODE_step	Positive unitless number, specifying the default relative time step for the ordinary differential equation solvers.
E_value_step	Positive unitless number, specifying the relative difference between subsequent recorded and interpolated E-values, in the ODE solver for the extinction probabilities E (Louca 2019). Typical values are 1e-2 to 1e-5. A smaller E_value_step increases interpolation accuracy, but also increases memory requirements and adds runtime (scaling with the tree's age span, not Ntips).
D_temporal_resolution	Positive unitless number, specifying the relative resolution for interpolating G-map over time (Louca 2019). This is relative to the typical time scales at which G-map varies. For example, a resolution of 10 means that within a typical time scale there will be 10 interpolation points. Typical values are 1-1000. A greater resolution increases interpolation accuracy, but also increases memory requirements and adds runtime (scaling with the tree's age span, not Ntips).
max_model_runtime	Numeric, optional maximum number of seconds for evaluating the likelihood of a model, prior to cancelling the calculation and returning Inf. This may be useful if extreme model parameters (e.g., reached transiently during fitting) require excessive calculation time. Parameters for which the calculation of the likelihood exceed this threshold, will be considered invalid and thus avoided during fitting. For example, for trees with 1000 tips a time limit of 10 seconds may be reasonable. If 0, no time limit is imposed.
verbose	Logical, specifying whether to print progress reports and warnings to the screen. In any case, fatal errors are always reported.
verbose_prefix	Character, specifying the line prefix for printing progress reports, warnings and errors to the screen.

Details

HiSSE/SecSSE models include two discrete traits, one trait that defines the rate categories of diversification rates (as in BiSSE/MuSSE), and one trait that does not itself influence diversification but whose states (here called "proxy states") each represent one or more of the diversity-modulating states. HiSSE models (Beaulieu and O'meara, 2016) and SecSSE models (van Els et al., 2018) are closely related to BiSSE/MuSSE models, the main difference being the fact that the actual diversification-modulating states are not directly observed. In essence, a HiSSE/SecSSE model is a BiSSE/MuSSE model, where the final tip states are replaced by their proxy states, thus "masking" the underlying diversity-modulating trait. This function is able to fit HiSSE/SecSSE models with appropriate choice of the input variables Nstates, NPstates and proxy_map. Note that the terminology and setup of HiSSE/SecSSE models followed here differs from their description in the original papers by Beaulieu and O'meara (2016) and van Els et al. (2018), in order to achieve what we think is a more intuitive unification of BiSSE/MuSSE/HiSSE/SecSSE. For ease of terminology, when considering a BiSSE/MuSSE model, here we use the terms "states" and "proxy-states" interchangeably, since under BiSSE/MuSSE the proxy trait can be considered identical to the

diversification-modulating trait. A distinction between "states" and "proxy-states" is only relevant for HiSSE/SecSSE models.

As an example of a HiSSE model, `Nstates=4`, `NPstates=2` and `proxy_map=c(1, 2, 1, 2)` specifies that states 1 and 3 are represented by proxy-state 1, and states 2 and 4 are represented by proxy-state 2. This is the original case described by Beaulieu and O'Meara (2016); in their terminology, there would be 2 "hidden" states ("0" and "1") and 2 "observed" states ("A" and "B"), and the 4 diversification rate categories (`Nstates=4`) would be called "0A", "1A", "0B" and "1B". The somewhat different terminology used here allows for easier generalization to an arbitrary number of diversification-modulating states and an arbitrary number of proxy states. For example, if there are 6 diversification modulating states, represented by 3 proxy-states as 1->A, 2->A, 3->B, 4->C, 5->C, 6->C, then one would set `Nstates=6`, `NPstates=3` and `proxy_map=c(1, 1, 2, 3, 3, 3)`.

The run time of this function scales asymptotically linearly with tree size (`Ntips`), although run times can vary substantially depending on model parameters. As a rule of thumb, the higher the birth/death/transition rates are compared to the tree's overall time span, the slower the calculation becomes.

The following arguments control the tradeoff between accuracy and computational efficiency:

- `max_condition_number`: A smaller value means greater accuracy, at longer runtime and more memory.
- `relative_ODE_step`: A smaller value means greater accuracy, at longer runtime.
- `E_value_step`: A smaller value means greater accuracy, at longer runtime and more memory.
- `D_temporal_resolution`: A greater value means greater accuracy, at longer runtime and more memory.

Typically, the default values for these arguments should be fine. For smaller trees, where cladogenic and sampling stochasticity is the main source of uncertainty, these parameters can probably be made less stringent (i.e., leading to lower accuracy and faster computation), but then again for small trees computational efficiency may not be an issue anyway.

Value

A named list with the following elements:

<code>success</code>	Logical, indicating whether the fitting was successful. If FALSE, an additional element <code>error</code> (of type character) is included containing an explanation of the error; in that case the value of any of the other elements is undetermined.
<code>Nstates</code>	Integer, the number of states assumed for the model.
<code>NPstates</code>	Integer, the number of proxy states assumed for the model. Note that in the case of a BiSSE/MuSSE model, this will be the same as <code>Nstates</code> .
<code>root_prior</code>	Character, or numeric vector of length <code>Nstates</code> , specifying the root prior used.
<code>parameters</code>	Named list containing the final maximum-likelihood fitted model parameters. If <code>Ntrials>1</code> , then this contains the fitted parameters yielding the highest likelihood. Will contain the following elements: <ul style="list-style-type: none"> • <code>transition_matrix</code>: 2D numeric matrix of size <code>Nstates</code> x <code>Nstates</code>, listing the fitted transition rates between states. • <code>birth_rates</code>: Numeric vector of length <code>Nstates</code>, listing the fitted state-dependent birth rates.

	<ul style="list-style-type: none"> • <code>death_rates</code>: Numeric vector of length <code>Nstates</code>, listing the fitted state-dependent death rates.
<code>start_parameters</code>	Named list containing the default start parameter values for the fitting. Structured similarly to <code>parameters</code> . Note that if <code>Ntrials</code> >1, only the first trial will have used these start values, all other trials will have used randomized start values. Will be defined even if <code>Ntrials</code> ==0, and can thus be used to obtain a reasonable guess for the start parameters without actually fitting the model.
<code>loglikelihood</code>	The maximized log-likelihood of the model, if fitting succeeded.
<code>AIC</code>	The Akaike Information Criterion for the fitted model, defined as $2k - 2 \log(L)$, where k is the number of fitted parameters and L is the maximized likelihood.
<code>Niterations</code>	The number of iterations needed for the best fit. Only relevant if the optimization method was "optim" or "nlminb".
<code>Nevaluations</code>	The number of function evaluations needed for the best fit. Only relevant if the optimization method was "nlminb" or "subplex".
<code>converged</code>	Logical, indicating whether convergence was successful during fitting. If convergence was not achieved, and the fitting was stopped due to one of the stopping criteria <code>optim_max_iterations</code> or <code>optim_max_evaluations</code> , the final likelihood will still be returned, but the fitted parameters may not be reasonable.
<code>warnings</code>	Character vector, listing any warnings encountered during evaluation of the likelihood function at the fitted parameter values. For example, this vector may contain warnings regarding the differential equation solvers or regarding the rank of the G-matrix (Louca, 2019).
<code>ML_root_state</code>	Integer between 1 and <code>Nstates</code> , an estimate of the root's state based on the computed state likelihoods.
<code>standard_errors</code>	Named list containing the elements "transition_matrix" (numeric matrix of size <code>Nstates</code> x <code>Nstates</code>), "birth_rates" (numeric vector of size <code>Nstates</code>) and "death_rates" (numeric vector of size <code>Nstates</code>), listing standard errors of all model parameters estimated using parametric bootstrapping. Only included if <code>Nbootstraps</code> >0. Note that the standard errors of non-fitted (i.e., fixed) parameters will be zero.
<code>CI50lower</code>	Named list containing the elements "transition_matrix" (numeric matrix of size <code>Nstates</code> x <code>Nstates</code>), "birth_rates" (numeric vector of size <code>Nstates</code>) and "death_rates" (numeric vector of size <code>Nstates</code>), listing the lower end of the 50% confidence interval (i.e. the 25% quantile) for each model parameter, estimated using parametric bootstrapping. Only included if <code>Nbootstraps</code> >0.
<code>CI50upper</code>	Similar to <code>CI50lower</code> , but listing the upper end of the 50% confidence interval (i.e. the 75% quantile) for each model parameter. For example, the confidence interval for the birth-rate λ_1 will be between <code>CI50lower\$birth_rates[1]</code> and <code>CI50upper\$birth_rates[1]</code> . Only included if <code>Nbootstraps</code> >0.
<code>CI95lower</code>	Similar to <code>CI50lower</code> , but listing the lower end of the 95% confidence interval (i.e. the 2.5% quantile) for each model parameter. Only included if <code>Nbootstraps</code> >0.
<code>CI95upper</code>	Similar to <code>CI50upper</code> , but listing the upper end of the 95% confidence interval (i.e. the 97.5% quantile) for each model parameter. Only included if <code>Nbootstraps</code> >0.

CI 2D numeric matrix, listing maximum-likelihood estimates, standard errors and confidence intervals for all model parameters (one row per parameter, one column for ML-estimates, one column for standard errors, two columns per confidence interval). Standard errors and confidence intervals are as estimated using parametric bootstrapping. This matrix contains the same information as parameters, standard_errors, CI50lower, CI50upper, CI95lower and CI95upper, but in a more compact format. Only included if Nbootstraps>0.

ancestral_likelihoods 2D matrix of size Nnodes x Nstates, listing the computed state-likelihoods for each node in the tree. These may be used for "local" ancestral state reconstructions, based on the information contained in the subtree descending from each node. Note that for each node the ancestral likelihoods have been normalized for numerical reasons, however they should not be interpreted as actual probabilities. For each node n and state s, ancestral_likelihoods[n,s] is proportional to the likelihood of observing the descending subtree and associated tip proxy states, if node n was at state s. Only included if include_ancestral_likelihoods==TRUE.

Author(s)

Stilianos Louca

References

- W. P. Maddison, P. E. Midford, S. P. Otto (2007). Estimating a binary character's effect on speciation and extinction. *Systematic Biology*. 56:701-710.
- R. G. FitzJohn, W. P. Maddison, S. P. Otto (2009). Estimating trait-dependent speciation and extinction rates from incompletely resolved phylogenies. *Systematic Biology*. 58:595-611
- R. G. FitzJohn (2012). Diversitree: comparative phylogenetic analyses of diversification in R. *Methods in Ecology and Evolution*. 3:1084-1092
- J. M. Beaulieu and B. C. O'Meara (2016). Detecting hidden diversification shifts in models of trait-dependent speciation and extinction. *Systematic Biology*. 65:583-601.
- P. van Els, R. S. Etienne, L. Herrera-Alsina (2018). Detecting the dependence of diversification on multiple traits from phylogenetic trees and trait data. *Systematic Biology*. syy057.
- S. L. Louca (2019). Modeling state-dependent diversification on large phylogenies. In review.

See Also

[simulate_dsse](#), [asr_mk_model](#), [fit_tree_model](#)

Examples

```
# EXAMPLE 1: BiSSE model
# - - - - -
# Choose random BiSSE model parameters
Nstates = 2
Q = get_random_mk_transition_matrix(Nstates, rate_model="ARD", max_rate=0.1)
parameters = list(birth_rates = runif(Nstates,5,10),
                  death_rates = runif(Nstates,0,5),
```

```

        transition_matrix = Q)
rarefaction = 0.5 # randomly omit half of the tips

# Simulate a tree under the BiSSE model
simulation = simulate_musse(Nstates,
                           parameters = parameters,
                           max_tips   = 1000,
                           sampling_fractions = rarefaction)
tree       = simulation$tree
tip_states = simulation$tip_states

## Not run:
# fit BiSSE model to tree & tip data
fit = fit_musse(tree,
                Nstates      = Nstates,
                tip_pstates  = tip_states,
                sampling_fractions = rarefaction)
if(!fit$success){
  cat(sprintf("ERROR: Fitting failed"))
}else{
  # compare fitted birth rates to true values
  errors = (fit$parameters$birth_rates - parameters$birth_rates)
  relative_errors = errors/parameters$birth_rates
  cat(sprintf("BiSSE relative birth-rate errors:\n"))
  print(relative_errors)
}

## End(Not run)

# EXAMPLE 2: HiSSE model, with bootstrapping
# - - - - -
# Choose random HiSSE model parameters
Nstates = 4
NPstates = 2
Q = get_random_mk_transition_matrix(Nstates, rate_model="ARD", max_rate=0.1)
rarefaction = 0.5 # randomly omit half of the tips
parameters = list(birth_rates = runif(Nstates,5,10),
                  death_rates  = runif(Nstates,0,5),
                  transition_matrix = Q)

# reveal the state of 30% & 60% of tips (in state 1 & 2, respectively)
reveal_fractions = c(0.3,0.6)

# use proxy map corresponding to Beaulieu and O'Meara (2016)
proxy_map = c(1,2,1,2)

# Simulate a tree under the HiSSE model
simulation = simulate_musse(Nstates,
                           NPstates      = NPstates,
                           proxy_map     = proxy_map,
                           parameters    = parameters,
                           max_tips      = 1000,

```

```

                                sampling_fractions = rarefaction,
                                reveal_fractions   = reveal_fractions)
tree      = simulation$tree
tip_states = simulation$tip_proxy_states

## Not run:
# fit HiSSE model to tree & tip data
# run multiple trials to ensure global optimum
# also estimate confidence intervals via bootstrapping
fit = fit_musse(tree,
                Nstates      = Nstates,
                NPstates     = NPstates,
                proxy_map     = proxy_map,
                tip_pstates   = tip_states,
                sampling_fractions = rarefaction,
                reveal_fractions = reveal_fractions,
                Ntrials       = 5,
                Nbootstraps   = 10,
                max_model_runtime = 0.1)
if(!fit$success){
  cat(sprintf("ERROR: Fitting failed"))
}else{
  # compare fitted birth rates to true values
  errors = (fit$parameters$birth_rates - parameters$birth_rates)
  relative_errors = errors/parameters$birth_rates
  cat(sprintf("HiSSE relative birth-rate errors:\n"))
  print(relative_errors)

  # print 95%-confidence interval for first birth rate
  cat(sprintf("CI95 for lambda1: %g-%g",
              fit$CI95lower$birth_rates[1],
              fit$CI95upper$birth_rates[1]))
}

## End(Not run)

```

fit_sbm_const

Fit a Spherical Brownian Motion model on a tree.

Description

Given one or more rooted phylogenetic trees and geographic coordinates (latitudes & longitudes) for the tips of each tree, this function estimates the diffusivity of a Spherical Brownian Motion (SBM) model for the evolution of geographic location along lineages (Perrin 1928; Brillinger 2012). Estimation is done via maximum-likelihood and using independent contrasts between sister lineages.

Usage

```

fit_sbm_const(trees,
              tip_latitudes,

```

```

tip_longitudes,
radius,
phylodistance_matrixes = NULL,
planar_approximation   = FALSE,
only_basal_tip_pairs   = FALSE,
only_distant_tip_pairs = FALSE,
min_MRCA_time          = 0,
max_MRCA_age           = Inf,
min_diffusivity        = NULL,
max_diffusivity        = NULL,
Nbootstraps            = 0,
NQQ                    = 0,
SBM_PD_functor         = NULL,
focal_diffusivities    = NULL)

```

Arguments

- | | |
|------------------------|---|
| trees | Either a single rooted tree or a list of rooted trees, of class "phylo". The root of each tree is assumed to be the unique node with no incoming edge. Edge lengths are assumed to represent time intervals or a similarly interpretable phylogenetic distance. When multiple trees are provided, it is either assumed that their roots coincide in time (if align_trees_at_root=TRUE) or that each tree's youngest tip was sampled at present day (if align_trees_at_root=FALSE). |
| tip_latitudes | Numeric vector of length Ntips, or a list of vectors, listing latitudes of tips in decimal degrees (from -90 to 90). If trees is a list of trees, then tip_latitudes should be a list of vectors of the same length as trees, listing tip latitudes for each of the input trees. |
| tip_longitudes | Numeric vector of length Ntips, or a list of vectors, listing longitudes of tips in decimal degrees (from -180 to 180). If trees is a list of trees, then tip_longitudes should be a list of vectors of the same length as trees, listing tip longitudes for each of the input trees. |
| radius | Strictly positive numeric, specifying the radius of the sphere. For Earth, the mean radius is 6371 km. |
| phylodistance_matrixes | Numeric matrix, or a list of numeric matrixes, listing phylogenetic distances between tips for each tree. If trees is a list of trees, then phylodistance_matrixes should be a list of the same length as trees, whose n-th element should be a numeric matrix comprising as many rows and columns as there are tips in the n-th tree; the entry phylodistance_matrixes[[n]][i,j] is the phylogenetic distance between tips i and j in tree n. If trees is a single tree, then phylodistance_matrixes can be a single numeric matrix. If NULL (default), phylogenetic distances between tips are calculated based on the provided trees, otherwise phylogenetic distances are taken from phylodistance_matrixes; in the latter case the trees are only used for the topology (determining tip pairs for independent contrasts), but not for calculating phylogenetic distances. |
| planar_approximation | Logical, specifying whether to estimate the diffusivity based on a planar approximation of the SBM model, i.e. by assuming that geographic distances between |

	tips are as if tips are distributed on a 2D cartesian plane. This approximation is only accurate if geographical distances between tips are small compared to the sphere's radius.
only_basal_tip_pairs	Logical, specifying whether to only compare immediate sister tips, i.e., tips connected through a single parental node.
only_distant_tip_pairs	Logical, specifying whether to only compare tips at distinct geographic locations.
min_MRCA_time	Numeric, specifying the minimum allowed time (distance from root) of the most recent common ancestor (MRCA) of sister tips considered in the fitting. In other words, an independent contrast is only considered if the two sister tips' MRCA has at least this distance from the root. Set min_MRCA_time<=0 to disable this filter.
max_MRCA_age	Numeric, specifying the maximum allowed age (distance from youngest tip) of the MRCA of sister tips considered in the fitting. In other words, an independent contrast is only considered if the two sister tips' MRCA has at most this age (time to present). Set max_MRCA_age=Inf to disable this filter.
min_diffusivity	Non-negative numeric, specifying the minimum possible diffusivity. If NULL, this is automatically chosen.
max_diffusivity	Non-negative numeric, specifying the maximum possible diffusivity. If NULL, this is automatically chosen.
Nbootstraps	Non-negative integer, specifying an optional number of parametric bootstraps to performs for estimating standard errors and confidence intervals.
NQQ	Integer, optional number of simulations to perform for creating QQ plots of the theoretically expected distribution of geodistances vs. the empirical distribution of geodistances (across independent contrasts). The resolution of the returned QQ plot will be equal to the number of independent contrasts used for fitting. If <=0, no QQ plots will be calculated.
SBM_PD_func	SBM probability density functor object. Used internally and for debugging purposes. Unless you know what you're doing, you should keep this NULL.
focal_diffusivities	Optional numeric vector, listing diffusivities of particular interest and for which the log-likelihoods should be returned. This may be used e.g. for diagnostic purposes, e.g. to see how "sharp" the likelihood peak is at the maximum-likelihood estimate.

Details

For short expected transition distances this function uses the approximation formula by Ghosh et al. (2012). For longer expected transition distances the function uses a truncated approximation of the series representation of SBM transition densities (Perrin 1928).

This function can use multiple trees to fit the diffusivity under the assumption that each tree is an independent realization of the same SBM process, i.e. all lineages in all trees dispersed with the same diffusivity.

If `edge.length` is missing from one of the input trees, each edge in the tree is assumed to have length 1. The tree may include multifurcations as well as monofurcations, however multifurcations are internally expanded into bifurcations by adding dummy nodes.

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether the fitting was successful. If FALSE, then an additional return variable, <code>error</code> , will contain a description of the error; in that case all other return variables may be undefined.
<code>diffusivity</code>	Numeric, the estimated diffusivity, in units $\text{distance}^2/\text{time}$. Distance units are the same as used for the radius, and time units are the same as the tree's edge lengths. For example, if the radius was specified in km and edge lengths are in Myr, then the estimated diffusivity will be in km^2/Myr .
<code>loglikelihood</code>	Numeric, the log-likelihood of the data at the estimated diffusivity.
<code>Ncontrasts</code>	Integer, number of independent contrasts (i.e., tip pairs) used to estimate the diffusivity. This is the number of independent data points used.
<code>phylodistances</code>	Numeric vector of length <code>Ncontrasts</code> , listing the phylogenetic distances of the independent contrasts used in the fitting.
<code>geodistances</code>	Numeric vector of length <code>Ncontrasts</code> , listing the geographical distances of the independent contrasts used in the fitting.
<code>focal_loglikelihoods</code>	Numeric vector of the same length as <code>focal_diffusivities</code> , listing the log-likelihoods for the diffusivities provided in <code>focal_diffusivities</code> .
<code>standard_error</code>	Numeric, estimated standard error of the estimated diffusivity, based on parametric bootstrapping. Only returned if <code>Nbootstraps</code> > 0.
<code>CI50lower</code>	Numeric, lower bound of the 50% confidence interval for the estimated diffusivity (25-75% percentile), based on parametric bootstrapping. Only returned if <code>Nbootstraps</code> > 0.
<code>CI50upper</code>	Numeric, upper bound of the 50% confidence interval for the estimated diffusivity, based on parametric bootstrapping. Only returned if <code>Nbootstraps</code> > 0.
<code>CI95lower</code>	Numeric, lower bound of the 95% confidence interval for the estimated diffusivity (2.5-97.5% percentile), based on parametric bootstrapping. Only returned if <code>Nbootstraps</code> > 0.
<code>CI95upper</code>	Numeric, upper bound of the 95% confidence interval for the estimated diffusivity, based on parametric bootstrapping. Only returned if <code>Nbootstraps</code> > 0.
<code>consistency</code>	Numeric between 0 and 1, estimated consistency of the data with the fitted model. If L denotes the loglikelihood of new data generated by the fitted model (under the same model) and M denotes the expectation of L , then consistency is the probability that $ L - M $ will be greater or equal to $ X - M $, where X is the loglikelihood of the original data under the fitted model. Only returned if <code>Nbootstraps</code> > 0. A low consistency (e.g., <0.05) indicates that the fitted model is a poor description of the data. See Lindholm et al. (2019) for background.

QQplot	Numeric matrix of size Ncontrasts x 2, listing the computed QQ-plot. The first column lists quantiles of geodistances in the original dataset, the 2nd column lists quantiles of hypothetical geodistances simulated based on the fitted model.
SBM_PD_func	SBM probability density function object. Used internally and for debugging purposes.

Author(s)

Stilianos Louca

References

- F. Perrin (1928). Etude mathématique du mouvement Brownien de rotation. 45:1-51.
- D. R. Brillinger (2012). A particle migrating randomly on a sphere. in Selected Works of David Brillinger. Springer.
- A. Ghosh, J. Samuel, S. Sinha (2012). A Gaussian for diffusion on the sphere. Europhysics Letters. 98:30003.
- A. Lindholm, D. Zachariah, P. Stoica, T. B. Schoen (2019). Data consistency approach to model validation. IEEE Access. 7:59788-59796.
- S. Louca (in review as of 2020). Phylogeographic estimation and simulation of global diffusive dispersal. Systematic Biology.

See Also

[simulate_sbm](#), [fit_sbm_parametric](#), [fit_sbm_linear](#)

Examples

```
## Not run:
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=500)$tree

# simulate SBM on the tree
D = 1e4
simulation = simulate_sbm(tree, radius=6371, diffusivity=D)

# fit SBM on the tree
fit = fit_sbm_const(tree,simulation$tip_latitudes,simulation$tip_longitudes,radius=6371)
cat(sprintf('True D=%g, fitted D=%g\n',D,fit$diffusivity))

## End(Not run)
```

fit_sbm_linear	<i>Fit a Spherical Brownian Motion model with linearly varying diffusivity on a tree.</i>
----------------	---

Description

Given a rooted phylogenetic tree and geographic coordinates (latitudes & longitudes) for its tips, this function estimates the diffusivity of a Spherical Brownian Motion (SBM) model for the evolution of geographic location along lineages (Perrin 1928; Brillinger 2012), assuming that the diffusivity varies linearly over time. Estimation is done via maximum-likelihood and using independent contrasts between sister lineages. This function is designed to estimate the diffusivity over time, by fitting two parameters defining the diffusivity as a linear function of time. For fitting more general functional forms see [fit_sbm_parametric](#).

Usage

```
fit_sbm_linear(tree,
               tip_latitudes,
               tip_longitudes,
               radius,
               planar_approximation = FALSE,
               only_basal_tip_pairs = FALSE,
               only_distant_tip_pairs = FALSE,
               min_MRCA_time        = 0,
               max_MRCA_age         = Inf,
               time1                 = 0,
               time2                 = NULL,
               Ntrials               = 1,
               Nthreads              = 1,
               Nbootstraps           = 0,
               Ntrials_per_bootstrap = NULL,
               Nsignificance          = 0,
               NQQ                   = 0,
               fit_control            = list(),
               verbose               = FALSE,
               verbose_prefix        = "")
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge. Edge lengths are assumed to represent time intervals or a similarly interpretable phylogenetic distance.
tip_latitudes	Numeric vector of length Ntips, listing latitudes of tips in decimal degrees (from -90 to 90). The order of entries must correspond to the order of tips in the tree (i.e., as listed in tree\$tip.label).

<code>tip_longitudes</code>	Numeric vector of length <code>Ntips</code> , listing longitudes of tips in decimal degrees (from -180 to 180). The order of entries must correspond to the order of tips in the tree (i.e., as listed in <code>tree\$tip.label</code>).
<code>radius</code>	Strictly positive numeric, specifying the radius of the sphere. For Earth, the mean radius is 6371 km.
<code>planar_approximation</code>	Logical, specifying whether to estimate the diffusivity based on a planar approximation of the SBM model, i.e. by assuming that geographic distances between tips are as if tips are distributed on a 2D cartesian plane. This approximation is only accurate if geographical distances between tips are small compared to the sphere's radius.
<code>only_basal_tip_pairs</code>	Logical, specifying whether to only compare immediate sister tips, i.e., tips connected through a single parental node.
<code>only_distant_tip_pairs</code>	Logical, specifying whether to only compare tips at distinct geographic locations.
<code>min_MRCA_time</code>	Numeric, specifying the minimum allowed time (distance from root) of the most recent common ancestor (MRCA) of sister tips considered in the fitting. In other words, an independent contrast is only considered if the two sister tips' MRCA has at least this distance from the root. Set <code>min_MRCA_time=0</code> to disable this filter.
<code>max_MRCA_age</code>	Numeric, specifying the maximum allowed age (distance from youngest tip) of the MRCA of sister tips considered in the fitting. In other words, an independent contrast is only considered if the two sister tips' MRCA has at most this age (time to present). Set <code>max_MRCA_age=Inf</code> to disable this filter.
<code>time1</code>	Optional numeric, specifying the first time point at which to estimate the diffusivity. By default this is set to root (i.e., time 0).
<code>time2</code>	Optional numeric, specifying the first time point at which to estimate the diffusivity. By default this is set to the present day (i.e., the maximum distance of any tip from the root).
<code>Ntrials</code>	Integer, specifying the number of independent fitting trials to perform, each starting from a random choice of model parameters. Increasing <code>Ntrials</code> reduces the risk of reaching a non-global local maximum in the fitting objective.
<code>Nthreads</code>	Integer, specifying the number of parallel threads to use for performing multiple fitting trials simultaneously. This should generally not exceed the number of available CPUs on your machine. Parallel computing is not available on the Windows platform.
<code>Nbootstraps</code>	Integer, specifying the number of parametric bootstraps to perform for estimating standard errors and confidence intervals of estimated model parameters. Set to 0 for no bootstrapping.
<code>Ntrials_per_bootstrap</code>	Integer, specifying the number of fitting trials to perform for each bootstrap sampling. If NULL, this is set equal to <code>max(1, Ntrials)</code> . Decreasing <code>Ntrials_per_bootstrap</code> will reduce computation time, at the expense of potentially inflating the estimated confidence intervals; in some cases (e.g., for very large trees) this may

	be useful if fitting takes a long time and confidence intervals are very narrow anyway. Only relevant if <code>Nbootstraps>0</code> .
<code>Nsignificance</code>	Integer, specifying the number of simulations to perform under a const-diffusivity model for assessing the statistical significance of the fitted slope. Set to 0 to not calculate the significance of the slope.
<code>NQQ</code>	Integer, optional number of simulations to perform for creating QQ plots of the theoretically expected distribution of geodistances vs. the empirical distribution of geodistances (across independent contrasts). The resolution of the returned QQ plot will be equal to the number of independent contrasts used for fitting. If <code><=0</code> , no QQ plots will be calculated.
<code>fit_control</code>	Named list containing options for the <code>nlminb</code> optimization routine, such as <code>iter.max</code> , <code>eval.max</code> or <code>rel.tol</code> . For a complete list of options and default values see the documentation of <code>nlminb</code> in the <code>stats</code> package.
<code>verbose</code>	Logical, specifying whether to print progress reports and warnings to the screen. Note that errors always cause a return of the function (see return values <code>success</code> and <code>error</code>).
<code>verbose_prefix</code>	Character, specifying the line prefix for printing progress reports to the screen.

Details

This function is essentially a wrapper for the more general function `fit_sbm_parametric`, with the addition that it can estimate the statistical significance of the fitted linear slope.

The statistical significance of the slope is the probability that a constant-diffusivity SBM model would generate data that would yield a fitted linear slope equal to or greater than the one fitted to the original data; the significance is estimated by simulating `Nsignificance` constant-diffusivity models and then fitting a linear-diffusivity model. The constant diffusivity assumed in these simulations is the maximum-likelihood diffusivity fitted internally using `fit_sbm_const`.

Note that estimation of diffusivity at older times is only possible if the `timetree` includes extinct tips or tips sampled at older times (e.g., as is often the case in viral phylogenies). If tips are only sampled once at present-day, i.e. the `timetree` is ultrametric, reliable diffusivity estimates can only be achieved near present times.

For short expected transition distances this function uses the approximation formula by Ghosh et al. (2012) to calculate the probability density of geographical transitions along edges. For longer expected transition distances the function uses a truncated approximation of the series representation of SBM transition densities (Perrin 1928).

If `edge.length` is missing from one of the input trees, each edge in the tree is assumed to have length 1. The tree may include multifurcations as well as monofurcations, however multifurcations are internally expanded into bifurcations by adding dummy nodes.

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether the fitting was successful. If <code>FALSE</code> , then an additional return variable, <code>error</code> , will contain a description of the error; in that case all other return variables may be undefined.
----------------------	---

objective_value	The maximized fitting objective. Currently, only maximum-likelihood estimation is implemented, and hence this will always be the maximized log-likelihood.
objective_name	The name of the objective that was maximized during fitting. Currently, only maximum-likelihood estimation is implemented, and hence this will always be “loglikelihood”.
times	Numeric vector of size 2, listing the two time points at which the diffusivity was estimated (time1 and time2).
diffusivities	Numeric vector of size 2, listing the fitted diffusivity at time1 and time2. The fitted model assumes that the diffusivity varied linearly between those two time points.
loglikelihood	The log-likelihood of the fitted linear model for the given data.
NFP	Integer, number of fitted (i.e., non-fixed) model parameters. Will always be 2.
Ncontrasts	Integer, number of independent contrasts used for fitting.
AIC	The Akaike Information Criterion for the fitted model, defined as $2k - 2 \log(L)$, where k is the number of fitted parameters and L is the maximized likelihood.
BIC	The Bayesian information criterion for the fitted model, defined as $\log(n)k - 2 \log(L)$, where k is the number of fitted parameters, n is the number of data points (number of independent contrasts), and L is the maximized likelihood.
converged	Logical, specifying whether the maximum likelihood was reached after convergence of the optimization algorithm. Note that in some cases the maximum likelihood may have been achieved by an optimization path that did not yet converge (in which case it’s advisable to increase <code>iter.max</code> and/or <code>eval.max</code>).
Niterations	Integer, specifying the number of iterations performed during the optimization path that yielded the maximum likelihood.
Nevaluations	Integer, specifying the number of likelihood evaluations performed during the optimization path that yielded the maximum likelihood.
trial_start_objectives	Numeric vector of size Ntrials, listing the initial objective values (e.g., log-likelihoods) for each fitting trial, i.e. at the start parameter values.
trial_objective_values	Numeric vector of size Ntrials, listing the final maximized objective values (e.g., loglikelihoods) for each fitting trial.
trial_Nstart_attempts	Integer vector of size Ntrials, listing the number of start attempts for each fitting trial, until a starting point with valid likelihood was found.
trial_Niterations	Integer vector of size Ntrials, listing the number of iterations needed for each fitting trial.
trial_Nevaluations	Integer vector of size Ntrials, listing the number of likelihood evaluations needed for each fitting trial.
standard_errors	Numeric vector of size NP, estimated standard error of the parameters, based on parametric bootstrapping. Only returned if Nbootstraps>0.

CI50lower	Numeric vector of size 2, lower bound of the 50% confidence interval (25-75% percentile) for the fitted diffusivity at the root and present, based on parametric bootstrapping. Only returned if Nbootstraps>0.
CI50upper	Numeric vector of size 2, upper bound of the 50% confidence interval for the fitted diffusivity at the root and present, based on parametric bootstrapping. Only returned if Nbootstraps>0.
CI95lower	Numeric vector of size 2, lower bound of the 95% confidence interval (2.5-97.5% percentile) for the fitted diffusivity at the root and present, based on parametric bootstrapping. Only returned if Nbootstraps>0.
CI95upper	Numeric vector of size 2, upper bound of the 95% confidence interval for the fitted diffusivity at the root and present, based on parametric bootstrapping. Only returned if Nbootstraps>0.
consistency	Numeric between 0 and 1, estimated consistency of the data with the fitted model. See the documentation of fit_sbm_const for an explanation. Only returned if Nbootstraps>0.
significance	Numeric between 0 and 1, estimate statistical significance of the fitted linear slope. Only returned if Nsignificance>0.
QQplot	Numeric matrix of size Ncontrasts x 2, listing the computed QQ-plot. The first column lists quantiles of geodistances in the original dataset, the 2nd column lists quantiles of hypothetical geodistances simulated based on the fitted model.

Author(s)

Stilianos Louca

References

- F. Perrin (1928). Etude mathématique du mouvement Brownien de rotation. 45:1-51.
- D. R. Brillinger (2012). A particle migrating randomly on a sphere. in Selected Works of David Brillinger. Springer.
- A. Ghosh, J. Samuel, S. Sinha (2012). A Gaussian for diffusion on the sphere. Europhysics Letters. 98:30003.

See Also

[simulate_sbm](#), [fit_sbm_const](#), [fit_sbm_parametric](#)

Examples

```
## Not run:
# generate a random tree, keeping extinct lineages
tree_params = list(birth_rate_factor=1, death_rate_factor=0.95)
tree = generate_random_tree(tree_params,max_tips=1000,coalescent=FALSE)$tree

# calculate max distance of any tip from the root
max_time = get_tree_span(tree)$max_distance

# simulate time-dependent SBM on the tree
```

```

# we assume that diffusivity varies linearly with time
# in this example we measure distances in Earth radii
radius = 1
diffusivity_func = function(times, params){
  return(params[1] + (times/max_time)*(params[2]-params[1]))
}
true_params = c(1, 2)
time_grid = seq(0,max_time,length.out=2)
simulation = simulate_sbm(tree,
  radius = radius,
  diffusivity = diffusivity_func(time_grid,true_params),
  time_grid = time_grid)

# fit time-independent SBM to get a rough estimate
fit_const = fit_sbm_const(tree,simulation$tip_latitudes,simulation$tip_longitudes,radius=radius)

# fit SBM model with linearly varying diffusivity
fit = fit_sbm_linear(tree,
  simulation$tip_latitudes,
  simulation$tip_longitudes,
  radius = radius,
  Ntrials = 10)

# compare fitted & true params
print(true_params)
print(fit$diffusivities)

## End(Not run)

```

fit_sbm_parametric	<i>Fit a time-dependent Spherical Brownian Motion model on a tree.</i>
--------------------	--

Description

Given a rooted phylogenetic tree and geographic coordinates (latitudes & longitudes) for its tips, this function estimates the diffusivity of a Spherical Brownian Motion (SBM) model with time-dependent diffusivity for the evolution of geographic location along lineages (Perrin 1928; Brilinger 2012). Estimation is done via maximum-likelihood and using independent contrasts between sister lineages. This function is designed to estimate the diffusivity over time, by fitting a finite number of parameters defining the diffusivity as a function of time. The user thus provides the general functional form of the diffusivity that depends on time and NP parameters, and `fit_sbm_parametric` estimates each of the free parameters.

Usage

```

fit_sbm_parametric(tree,
  tip_latitudes,
  tip_longitudes,
  radius,

```



```

param_values,
param_guess,
diffusivity,
time_grid          = NULL,
planar_approximation = FALSE,
only_basal_tip_pairs = FALSE,
only_distant_tip_pairs = FALSE,
min_MRCA_time      = 0,
max_MRCA_age        = Inf,
param_min           = -Inf,
param_max           = +Inf,
param_scale         = NULL,
Ntrials             = 1,
max_start_attempts  = 1,
Nthreads            = 1,
Nbootstraps         = 0,
Ntrials_per_bootstrap = NULL,
NQQ                 = 0,
fit_control         = list(),
SBM_PD_functor      = NULL,
focal_param_values  = NULL,
verbose             = FALSE,
verbose_prefix      = "")

```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge. Edge lengths are assumed to represent time intervals or a similarly interpretable phylogenetic distance.
tip_latitudes	Numeric vector of length Ntips, listing latitudes of tips in decimal degrees (from -90 to 90). The order of entries must correspond to the order of tips in the tree (i.e., as listed in tree\$tip.label).
tip_longitudes	Numeric vector of length Ntips, listing longitudes of tips in decimal degrees (from -180 to 180). The order of entries must correspond to the order of tips in the tree (i.e., as listed in tree\$tip.label).
radius	Strictly positive numeric, specifying the radius of the sphere. For Earth, the mean radius is 6371 km.
param_values	Numeric vector of length NP, specifying fixed values for a some or all model parameters. For fitted (i.e., non-fixed) parameters, use NaN or NA. For example, the vector c(1.5, NA, 40) specifies that the 1st and 3rd model parameters are fixed at the values 1.5 and 40, respectively, while the 2nd parameter is to be fitted. The length of this vector defines the total number of model parameters. If entries in this vector are named, the names are taken as parameter names. Names should be included if you'd like returned parameter vectors to have named entries, or if the diffusivity function queries parameter values by name (as opposed to numeric index).
param_guess	Numeric vector of size NP, specifying a first guess for the value of each model

	parameter. For fixed parameters, guess values are ignored. Can be NULL only if all model parameters are fixed.
<code>diffusivity</code>	Function specifying the diffusivity at any given time (time since the root) and for any given parameter values. This function must take exactly two arguments, the 1st one being a numeric vector (one or more times) and the 2nd one being a numeric vector of size NP (parameter values), and return a numeric vector of the same size as the 1st argument.
<code>time_grid</code>	Numeric vector, specifying times (counted since the root) at which the <code>diffusivity</code> function should be evaluated. This time grid must be fine enough to capture the possible variation in the diffusivity over time, within the permissible parameter range. If of size 1, then the diffusivity is assumed to be time-independent. Listed times must be strictly increasing, and should cover at least the full considered time interval (from 0 to the maximum distance of any tip from the root); otherwise, constant extrapolation is used to cover missing times. Can also be NULL or a vector of size 1, in which case the diffusivity is assumed to be time-independent. Note that time is measured in the same units as the tree's edge lengths.
<code>planar_approximation</code>	Logical, specifying whether to estimate the diffusivity based on a planar approximation of the SBM model, i.e. by assuming that geographic distances between tips are as if tips are distributed on a 2D cartesian plane. This approximation is only accurate if geographical distances between tips are small compared to the sphere's radius.
<code>only_basal_tip_pairs</code>	Logical, specifying whether to only compare immediate sister tips, i.e., tips connected through a single parental node.
<code>only_distant_tip_pairs</code>	Logical, specifying whether to only compare tips at distinct geographic locations.
<code>min_MRCA_time</code>	Numeric, specifying the minimum allowed time (distance from root) of the most recent common ancestor (MRCA) of sister tips considered in the fitting. In other words, an independent contrast is only considered if the two sister tips' MRCA has at least this distance from the root. Set <code>min_MRCA_time=0</code> to disable this filter.
<code>max_MRCA_age</code>	Numeric, specifying the maximum allowed age (distance from youngest tip) of the MRCA of sister tips considered in the fitting. In other words, an independent contrast is only considered if the two sister tips' MRCA has at most this age (time to present). Set <code>max_MRCA_age=Inf</code> to disable this filter.
<code>param_min</code>	Optional numeric vector of size NP, specifying lower bounds for model parameters. If of size 1, the same lower bound is applied to all parameters. Use <code>-Inf</code> to omit a lower bound for a parameter. If NULL, no lower bounds are applied. For fixed parameters, lower bounds are ignored.
<code>param_max</code>	Optional numeric vector of size NP, specifying upper bounds for model parameters. If of size 1, the same upper bound is applied to all parameters. Use <code>+Inf</code> to omit an upper bound for a parameter. If NULL, no upper bounds are applied. For fixed parameters, upper bounds are ignored.

param_scale	Optional numeric vector of size NP, specifying typical scales for model parameters. If of size 1, the same scale is assumed for all parameters. If NULL, scales are determined automatically. For fixed parameters, scales are ignored. It is strongly advised to provide reasonable scales, as this facilitates the numeric optimization algorithm.
Ntrials	Integer, specifying the number of independent fitting trials to perform, each starting from a random choice of model parameters. Increasing Ntrials reduces the risk of reaching a non-global local maximum in the fitting objective.
max_start_attempts	Integer, specifying the number of times to attempt finding a valid start point (per trial) before giving up on that trial. Randomly chosen extreme start parameters may occasionally result in Inf/undefined likelihoods, so this option allows the algorithm to keep looking for valid starting points.
Nthreads	Integer, specifying the number of parallel threads to use for performing multiple fitting trials simultaneously. This should generally not exceed the number of available CPUs on your machine. Parallel computing is not available on the Windows platform.
Nbootstraps	Integer, specifying the number of parametric bootstraps to perform for estimating standard errors and confidence intervals of estimated model parameters. Set to 0 for no bootstrapping.
Ntrials_per_bootstrap	Integer, specifying the number of fitting trials to perform for each bootstrap sampling. If NULL, this is set equal to $\max(1, Ntrials)$. Decreasing Ntrials_per_bootstrap will reduce computation time, at the expense of potentially inflating the estimated confidence intervals; in some cases (e.g., for very large trees) this may be useful if fitting takes a long time and confidence intervals are very narrow anyway. Only relevant if Nbootstraps > 0.
NQQ	Integer, optional number of simulations to perform for creating QQ plots of the theoretically expected distribution of geodistances vs. the empirical distribution of geodistances (across independent contrasts). The resolution of the returned QQ plot will be equal to the number of independent contrasts used for fitting. If ≤ 0 , no QQ plots will be calculated.
fit_control	Named list containing options for the nlminb optimization routine, such as iter.max, eval.max or rel.tol. For a complete list of options and default values see the documentation of nlminb in the stats package.
SBM_PD_functor	SBM probability density functor object. Used internally and for debugging purposes, and should be kept at its default value NULL.
focal_param_values	Optional numeric matrix having NP columns and an arbitrary number of rows, listing combinations of parameter values of particular interest and for which the log-likelihoods should be returned. This may be used e.g. for diagnostic purposes, e.g. to examine the shape of the likelihood function.
verbose	Logical, specifying whether to print progress reports and warnings to the screen. Note that errors always cause a return of the function (see return values success and error).
verbose_prefix	Character, specifying the line prefix for printing progress reports to the screen.

Details

This function is designed to estimate a finite set of scalar parameters ($p_1, \dots, p_n \in \mathbb{R}$) that determine the diffusivity over time, by maximizing the likelihood of observing the given tip coordinates under the SBM model. For example, the investigator may assume that the diffusivity exponentially over time, i.e. can be described by $D(t) = A \cdot e^{-Bt}$ (where A and B are unknown coefficients and t is time since the root). In this case the model has 2 free parameters, $p_1 = A$ and $p_2 = B$, each of which may be fitted to the tree.

It is generally advised to provide as much information to the function `fit_sbm_parametric` as possible, including reasonable lower and upper bounds (`param_min` and `param_max`), a reasonable parameter guess (`param_guess`) and reasonable parameter scales `param_scale`. If some model parameters can vary over multiple orders of magnitude, it is advised to transform them so that they vary across fewer orders of magnitude (e.g., via log-transformation). It is also important that the `time_grid` is sufficiently fine to capture the variation of the diffusivity over time, since the likelihood is calculated under the assumption that the diffusivity varies linearly between grid points.

Estimation of diffusivity at older times is only possible if the `timetree` includes extinct tips or tips sampled at older times (e.g., as is often the case in viral phylogenies). If tips are only sampled once at present-day, i.e. the `timetree` is ultrametric, reliable diffusivity estimates can only be achieved near present times. If the tree is ultrametric, you should consider using `fit_sbm_const` instead.

For short expected transition distances this function uses the approximation formula by Ghosh et al. (2012) to calculate the probability density of geographical transitions along edges. For longer expected transition distances the function uses a truncated approximation of the series representation of SBM transition densities (Perrin 1928).

If `edge.length` is missing from one of the input trees, each edge in the tree is assumed to have length 1. The tree may include multifurcations as well as monofurcations, however multifurcations are internally expanded into bifurcations by adding dummy nodes.

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether the fitting was successful. If FALSE, then an additional return variable, <code>error</code> , will contain a description of the error; in that case all other return variables may be undefined.
<code>objective_value</code>	The maximized fitting objective. Currently, only maximum-likelihood estimation is implemented, and hence this will always be the maximized log-likelihood.
<code>objective_name</code>	The name of the objective that was maximized during fitting. Currently, only maximum-likelihood estimation is implemented, and hence this will always be “loglikelihood”.
<code>param_fitted</code>	Numeric vector of size NP (number of model parameters), listing all fitted or fixed model parameters in their standard order (see details above).
<code>loglikelihood</code>	The log-likelihood of the fitted model for the given data.
<code>NFP</code>	Integer, number of fitted (i.e., non-fixed) model parameters.
<code>Ncontrasts</code>	Integer, number of independent contrasts used for fitting.
<code>AIC</code>	The Akaike Information Criterion for the fitted model, defined as $2k - 2 \log(L)$, where k is the number of fitted parameters and L is the maximized likelihood.

BIC	The Bayesian information criterion for the fitted model, defined as $\log(n)k - 2\log(L)$, where k is the number of fitted parameters, n is the number of data points (number of independent contrasts), and L is the maximized likelihood.
converged	Logical, specifying whether the maximum likelihood was reached after convergence of the optimization algorithm. Note that in some cases the maximum likelihood may have been achieved by an optimization path that did not yet converge (in which case it's advisable to increase <code>iter.max</code> and/or <code>eval.max</code>).
Niterations	Integer, specifying the number of iterations performed during the optimization path that yielded the maximum likelihood.
Nevaluations	Integer, specifying the number of likelihood evaluations performed during the optimization path that yielded the maximum likelihood.
guess_loglikelihood	The loglikelihood of the data for the initial parameter guess (<code>param_guess</code>).
focal_loglikelihoods	A numeric vector of the same size as <code>nrow(focal_param_values)</code> , listing log-likelihoods for each of the focal parameter combinations listed in <code>focal_loglikelihoods</code> .
trial_start_objectives	Numeric vector of size <code>Ntrials</code> , listing the initial objective values (e.g., log-likelihoods) for each fitting trial, i.e. at the start parameter values.
trial_objective_values	Numeric vector of size <code>Ntrials</code> , listing the final maximized objective values (e.g., loglikelihoods) for each fitting trial.
trial_Nstart_attempts	Integer vector of size <code>Ntrials</code> , listing the number of start attempts for each fitting trial, until a starting point with valid likelihood was found.
trial_Niterations	Integer vector of size <code>Ntrials</code> , listing the number of iterations needed for each fitting trial.
trial_Nevaluations	Integer vector of size <code>Ntrials</code> , listing the number of likelihood evaluations needed for each fitting trial.
standard_errors	Numeric vector of size <code>NP</code> , estimated standard error of the parameters, based on parametric bootstrapping. Only returned if <code>Nbootstraps>0</code> .
medians	Numeric vector of size <code>NP</code> , median the estimated parameters across parametric bootstraps. Only returned if <code>Nbootstraps>0</code> .
CI50lower	Numeric vector of size <code>NP</code> , lower bound of the 50% confidence interval (25-75% percentile) for the parameters, based on parametric bootstrapping. Only returned if <code>Nbootstraps>0</code> .
CI50upper	Numeric vector of size <code>NP</code> , upper bound of the 50% confidence interval for the parameters, based on parametric bootstrapping. Only returned if <code>Nbootstraps>0</code> .
CI95lower	Numeric vector of size <code>NP</code> , lower bound of the 95% confidence interval (2.5-97.5% percentile) for the parameters, based on parametric bootstrapping. Only returned if <code>Nbootstraps>0</code> .

CI95upper	Numeric vector of size NP, upper bound of the 95% confidence interval for the parameters, based on parametric bootstrapping. Only returned if Nbootstraps>0.
consistency	Numeric between 0 and 1, estimated consistency of the data with the fitted model. See the documentation of fit_sbm_const for an explanation.
QQplot	Numeric matrix of size Ncontrasts x 2, listing the computed QQ-plot. The first column lists quantiles of geodistances in the original dataset, the 2nd column lists quantiles of hypothetical geodistances simulated based on the fitted model.

Author(s)

Stilianos Louca

References

- F. Perrin (1928). Etude mathématique du mouvement Brownien de rotation. 45:1-51.
- D. R. Brillinger (2012). A particle migrating randomly on a sphere. in Selected Works of David Brillinger. Springer.
- A. Ghosh, J. Samuel, S. Sinha (2012). A Gaussian for diffusion on the sphere. Europhysics Letters. 98:30003.

See Also

[simulate_sbm](#), [fit_sbm_const](#), [fit_sbm_linear](#)

Examples

```
## Not run:
# generate a random tree, keeping extinct lineages
tree_params = list(birth_rate_factor=1, death_rate_factor=0.95)
tree = generate_random_tree(tree_params,max_tips=1000,coalescent=FALSE)$tree

# calculate max distance of any tip from the root
max_time = get_tree_span(tree)$max_distance

# simulate time-dependent SBM on the tree
# we assume that diffusivity varies linearly with time
# in this example we measure distances in Earth radii
radius = 1
diffusivity_funtor = function(times, params){
  return(params[1] + (times/max_time)*(params[2]-params[1]))
}
true_params = c(1, 2)
time_grid = seq(0,max_time,length.out=2)
simulation = simulate_sbm(tree,
                          radius = radius,
                          diffusivity = diffusivity_funtor(time_grid,true_params),
                          time_grid = time_grid)

# fit time-independent SBM to get a rough estimate
fit_const = fit_sbm_const(tree,simulation$tip_latitudes,simulation$tip_longitudes,radius=radius)
```

```

# fit time-dependent SBM, i.e. fit the 2 parameters of the linear form
fit = fit_sbm_parametric(tree,
    simulation$tip_latitudes,
    simulation$tip_longitudes,
    radius = radius,
    param_values = c(NA,NA),
    param_guess = c(fit_const$diffusivity,fit_const$diffusivity),
    diffusivity = diffusivity_functor,
    time_grid = time_grid,
    Ntrials = 10)

# compare fitted & true params
print(true_params)
print(fit$param_fitted)

## End(Not run)

```

fit_tree_model

Fit a cladogenic model to an existing tree.

Description

Fit the parameters of a tree generation model to an existing phylogenetic tree; branch lengths are assumed to be in time units. The fitted model is a stochastic cladogenic process in which speciations (births) and extinctions (deaths) are Poisson processes, as simulated by the function [generate_random_tree](#). The birth and death rates of tips can each be constant or power-law functions of the number of extant tips. For example,

$$B = I + F \cdot N^E,$$

where B is the birth rate, I is the intercept, F is the power-law factor, N is the current number of extant tips and E is the power-law exponent. Each of the parameters I , F , E can be fixed or fitted.

Fitting can be performed via maximum-likelihood estimation, based on the waiting times between subsequent speciation and/or extinction events represented in the tree. Alternatively, fitting can be performed using least-squares estimation, based on the number of lineages represented in the tree over time ("diversity-vs-time" curve, a.k.a. "lineages-through-time" curve). Note that the birth and death rates are NOT per-capita rates, they are absolute rates of species appearance and disappearance per time.

Usage

```

fit_tree_model( tree,
    parameters      = list(),
    first_guess     = list(),
    min_age         = 0,
    max_age         = 0,
    age_centile     = NULL,

```

```

Ntrials          = 1,
Nthreads         = 1,
coalescent       = FALSE,
discovery_fraction = NULL,
fit_control      = list(),
min_R2           = -Inf,
min_wR2          = -Inf,
grid_size        = 100,
max_model_runtime = NULL,
objective        = 'LL')

```

Arguments

- | | |
|------------|--|
| tree | A phylogenetic tree, in which branch lengths are assumed to be in time units. The tree may be a coalescent tree (i.e. only include extant clades) or a tree including extinct clades; the tree type influences what type of models can be fitted with each method. |
| parameters | <p>A named list specifying fixed and/or unknown birth-death model parameters, with one or more of the following elements:</p> <ul style="list-style-type: none"> • <code>birth_rate_intercept</code>: Non-negative number. The intercept of the Poissonian rate at which new species (tips) are added. In units 1/time. • <code>birth_rate_factor</code>: Non-negative number. The power-law factor of the Poissonian rate at which new species (tips) are added. In units 1/time. • <code>birth_rate_exponent</code>: Numeric. The power-law exponent of the Poissonian rate at which new species (tips) are added. Unitless. • <code>death_rate_intercept</code>: Non-negative number. The intercept of the Poissonian rate at which extant species (tips) go extinct. In units 1/time. • <code>death_rate_factor</code>: Non-negative number. The power-law factor of the Poissonian rate at which extant species (tips) go extinct. In units 1/time. • <code>death_rate_exponent</code>: Numeric. The power-law exponent of the Poissonian rate at which extant species (tips) go extinct. Unitless. • <code>resolution</code>: Numeric. Resolution at which the tree was collapsed (i.e. every node of age smaller than this resolution replaced by a single tip). In units time. A resolution of 0 means the tree was not collapsed. • <code>rarefaction</code>: Numeric. Species sampling fraction, i.e. fraction of extant species represented (as tips) in the tree. A rarefaction of 1, for example, implies that the tree is complete, i.e. includes all extant species. Rarefaction is assumed to have occurred after collapsing. • <code>extant_diversity</code>: The current total extant diversity, regardless of the rarefaction and resolution of the tree at hand. For example, if <code>resolution==0</code> and <code>rarefaction==0.5</code> and the tree has 1000 tips, then <code>extant_diversity</code> should be 2000. If <code>resolution</code> is fixed at 0 and <code>rarefaction</code> is also fixed, this can be left NULL and will be inferred automatically by the function. |

Each of the above elements can also be NULL, in which case the parameter is fitted. Elements can also be vectors of size 2 (specifying constraint intervals), in

which case the parameters are fitted and constrained within the intervals specified. For example, to fit `death_rate_factor` while constraining it to the interval `[1,2]`, set its value to `c(1, 2)`.

<code>first_guess</code>	A named list (with entries named as in parameters) specifying starting values for any of the fitted model parameters. Note that if <code>Ntrials</code> >1, then start values may be randomly modified in all but the first trial. For any parameters missing from <code>first_guess</code> , initial values are always randomly chosen. <code>first_guess</code> can also be NULL.
<code>min_age</code>	Numeric. Minimum distance from the tree crown, for a node/tip to be considered in the fitting. If <code><=0</code> or NULL, this constraint is ignored. Use this option to omit most recent nodes.
<code>max_age</code>	Numeric. Maximum distance from the tree crown, for a node/tip to be considered in the fitting. If <code><=0</code> or NULL, this constraint is ignored. Use this option to omit old nodes, e.g. with highly uncertain placements.
<code>age_centile</code>	Numeric within 0 and 1. Fraction of youngest nodes/tips to consider for the fitting. This can be used as an alternative to <code>max_age</code> . E.g. if set to 0.6, then the 60% youngest nodes/tips are considered. Either <code>age_centile</code> or <code>max_age</code> must be non-NULL, but not both.
<code>Ntrials</code>	Integer. Number of fitting attempts to perform, each time using randomly varied start values for fitted parameters. The returned fitted parameter values will be taken from the trial with greatest achieved fit objective. A larger number of trials will decrease the chance of hitting a local non-global optimum during fitting.
<code>Nthreads</code>	Number of threads to use for parallel execution of multiple fitting trials. On Windows, this option has no effect because Windows does not support forks.
<code>coalescent</code>	Logical, specifying whether the input tree is a coalescent tree (and thus the coalescent version of the model should be fitted). Only available if <code>objective=='R2'</code> .
<code>discovery_fraction</code>	Function handle, mapping age to the fraction of discovered lineages in a tree. That is, <code>discovery_fraction(tau)</code> is the probability that a lineage at age <code>tau</code> , that has an extant descendant today, will be represented (discovered) in the coalescent tree. In particular, <code>discovery_fraction(0)</code> equals the fraction of extant lineages represented in the tree. If this is provided, then <code>parameters\$rarefaction</code> is fixed to 1, and <code>discovery_fraction</code> is applied after simulation. Only relevant if <code>coalescent==TRUE</code> . Experimental, so leave this NULL if you don't know what it means.
<code>fit_control</code>	Named list containing options for the <code>stats::nlminb</code> optimization routine, such as <code>eval.max</code> (max number of evaluations), <code>iter.max</code> (max number of iterations) and <code>rel.tol</code> (relative tolerance for convergence).
<code>min_R2</code>	Minimum coefficient of determination of the diversity curve (clade counts vs time) of the model when compared to the input tree, for a fitted model to be accepted. For example, if set to 0.5 then only fit trials achieving an <code>R2</code> of at least 0.5 will be considered. Set this to <code>-Inf</code> to not filter fitted models based on the <code>R2</code> .
<code>min_wR2</code>	Similar to <code>min_R2</code> , but applying to the weighted <code>R2</code> , where squared-error weights are proportional to the inverse squared diversities.

grid_size	Integer. Number of equidistant time points to consider when calculating the R2 of a model's diversity-vs-time curve.
max_model_runtime	Numeric. Maximum runtime (in seconds) allowed for each model evaluation during fitting. Use this to escape from badly parameterized models during fitting (this will likely cause the affected fitting trial to fail). If NULL or <=0, this option is ignored.
objective	Character. Objective function to optimize during fitting. Can be either "LL" (log-likelihood of waiting times between speciation events and between extinction events), "R2" (coefficient of determination of diversity-vs-time curve), "wR2" (weighted R2, where weights of squared errors are proportional to the inverse diversities observed in the tree) or "lR2" (logarithmic R2, i.e. R2 calculated for the logarithm of the diversity-vs-time curve). Note that "wR2" will weight errors at lower diversities more strongly than "R2".

Value

A named list with the following elements:

success	Logical, indicating whether the fitting was successful.
objective_value	Numeric. The achieved maximum value of the objective function (log-likelihood, R2 or weighted R2).
parameters	A named list listing all model parameters (fixed and fitted).
start_parameters	A named list listing the start values of all model parameters. In the case of multiple fitting trials, this will list the initial (non-randomized) guess.
R2	Numeric. The achieved coefficient of determination of the fitted model, based on the diversity-vs-time curve.
wR2	Numeric. The achieved weighted coefficient of determination of the fitted model, based on the diversity-vs-time curve. Weights of squared errors are proportional to the inverse squared diversities observed in the tree.
lR2	Numeric. The achieved coefficient of determination of the fitted model on a log axis, i.e. based on the logarithm of the diversity-vs-time curve.
Nspeciations	Integer. Number of speciation events (=nodes) considered during fitting. This only includes speciations visible in the tree.
Nextinctions	Integer. Number of extinction events (=non-crown tips) considered during fitting. This only includes extinctions visible in the tree, i.e. tips whose distance from the root is lower than the maximum.
grid_times	Numeric vector. Time points considered for the diversity-vs-time curve. Times will be constrained between min_age and max_age if these were specified.
tree_diversities	Number of lineages represented in the tree through time, calculated for each of grid_times.

model_diversities	Number of lineages through time as predicted by the model (in the deterministic limit), calculated for each of <code>grid_times</code> . If <code>coalescent==TRUE</code> then these are the number of lineages expected to be represented in the coalescent tree (this may be lower than the actual number of extant clades at any given time point, if the model includes extinctions).
fitted_parameter_names	Character vector, listing the names of fitted (i.e. non-fixed) parameters.
locally_fitted_parameters	Named list of numeric vectors, listing the fitted values for each parameter and for each fitting trial. For example, if <code>birth_rate_factor</code> was fitted, then <code>locally_fitted_parameters\$birth_rate_factor</code> will be a numeric vector of size <code>Ntrials</code> (or less, if some trials failed or omitted), listing the locally-optimized values of the parameter for each considered fitting trial. Mainly useful for diagnostic purposes.
objective	Character. The name of the objective function used for fitting ("LL", "R2" or "wR2").
Ntips	The number of tips in the input tree.
Nnodes	The number of nodes in the input tree.
min_age	The minimum age of nodes/tips considered during fitting.
max_age	The maximum age of nodes/tips considered during fitting.
age_centile	Numeric or NULL, equal to the <code>age_centile</code> specified as input to the function.

Author(s)

Stilianos Louca

See Also

[generate_random_tree](#), [simulate_diversification_model](#) [reconstruct_past_diversification](#)

Examples

```
# Generate a tree using a simple speciation model
parameters = list(birth_rate_intercept = 1,
                  birth_rate_factor    = 0,
                  birth_rate_exponent  = 0,
                  death_rate_intercept = 0,
                  death_rate_factor    = 0,
                  death_rate_exponent  = 0,
                  resolution            = 0,
                  rarefaction          = 1)
tree = generate_random_tree(parameters, max_tips=100)

# Fit model to the tree
fitting_parameters = parameters
fitting_parameters$birth_rate_intercept = NULL # fit only this parameter
fitting = fit_tree_model(tree, fitting_parameters)
```

```
# compare fitted to true value
T = parameters$birth_rate_intercept
F = fitting$parameters$birth_rate_intercept
cat(sprintf("birth_rate_intercept: true=%g, fitted=%g\n",T,F))
```

gamma_statistic	<i>Calculate the gamma-statistic of a tree.</i>
-----------------	---

Description

Given a rooted ultrametric phylogenetic tree, calculate the gamma-statistic (Pybus and Harevy, 2000).

Usage

```
gamma_statistic(tree)
```

Arguments

tree	A rooted tree of class "phylo". The tree is assumed to be ultrametric; any deviations from ultrametricity are ignored.
------	--

Details

The tree may include multifurcations and monofurcations. If edge lengths are missing (i.e. `edge.length=NULL`), then each edge is assumed to have length 1.

This function is similar to the function `gammaStat` in the R package `ape` v5.3.

Value

Numeric, the gamma-statistic of the tree.

Author(s)

Stilianos Louca

References

O. G. Pybus and P. H. Harvey (2000). Testing macro-evolutionary models using incomplete molecular phylogenies. *Proceedings of the Royal Society of London. Series B: Biological Sciences.* 267:2267-2272.

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# calculate & print gamma statistic
gammastat = gamma_statistic(tree)
cat(sprintf("Tree has gamma-statistic %g\n",gammastat))
```

```
generate_gene_tree_msc
```

Generate a gene tree based on the multi-species coalescent model.

Description

Generate a random gene tree within a given species timetree, based on the multi-species coalescent (MSC) model. In this implementation of the MSC, every branch of the species tree has a specific effective population size (N_e) and a specific generation time (T), and gene alleles coalesce backward in time according to the Wright-Fisher model. This model does not account for gene duplication/loss, nor for hybridization or horizontal gene transfer. It is only meant to model "incomplete lineage sorting", otherwise known as "deep coalescence", which is one of the many mechanisms that can cause discordance between gene trees and species trees.

Usage

```
generate_gene_tree_msc( species_tree,
                        allele_counts      = 1,
                        population_sizes    = 1,
                        generation_times    = 1,
                        mutation_rates      = 1,
                        gene_edge_unit      = "time",
                        Nsites              = 1,
                        bottleneck_at_speciation = FALSE,
                        force_coalescence_at_root = FALSE,
                        ploidy              = 1,
                        gene_tip_labels     = NULL)
```

Arguments

<code>species_tree</code>	Rooted timetree of class "phylo". The tree can include multifurcations and monofurcations. The tree need not necessarily be ultrametric, i.e. it may include extinct species. Edge lengths are assumed to be in time units.
<code>allele_counts</code>	Integer vector, listing the number of alleles sampled per species. Either NULL (1 allele per species), or a single integer (same number of alleles per species), or a vector of length Ntips listing the numbers of alleles sampled per species. In the latter case, the total number of tips in the returned gene tree will be equal to the sum of entries in <code>allele_counts</code> . Some entries in <code>allele_counts</code> may be zero (no alleles sampled from those species).

population_sizes	Integer vector, listing the effective population size on the edge leading into each tip/node in the species tree. Either NULL (all population sizes are 1), or a single integer (same population sizes for all edges), or a vector of length Ntips+Nnodes, listing population sizes for each clade's incoming edge (including the root). The population size for the root's incoming edge corresponds to the population size at the tree's stem (only relevant if force_coalescence_at_root=FALSE).
generation_times	Numeric vector, listing the generation time along the edge leading into each clade. Either NULL (all generation times are 1), or a single integer (same generation time for all edges) or a vector of length Ntips+Nnodes, listing generation times for each clade's incoming edge (including the root). The generation time for the root's incoming edge corresponds to the generation time at the tree's stem (only relevant if force_coalescence_at_root=FALSE).
mutation_rates	Numeric vector, listing the mutation rate (per site and per generation) along the edge leading into each clade. Either NULL (all mutation rates are 1), or a single integer (same mutation rate for all edges) or a vector of length Ntips+Nnodes, listing mutation rates for each clade's incoming edge (including the root). The mutation rate for the root's incoming edge corresponds to the mutation rate at the tree's stem (only relevant if force_coalescence_at_root=FALSE). The value of mutation_rates is only relevant if gene_edge_unit is "mutations_expected" or "mutations_random". Mutation rates represent probabilities, and so they must be between 0 and 1.
gene_edge_unit	Character, either "time", "generations", "mutations_expected" (expected mean number of mutations per site), or "mutations_random" (randomly generated mean number of mutations per site), specifying how edge lengths in the gene tree should be measured. By default, gene-tree edges are measured in time, as is the case for the input species tree.
Nsites	Integer, specifying the number of sites (nucleotides) in the gene. Only relevant when generating edge lengths in terms of random mutation counts, i.e. if gene_edge_unit=="mutations_random".
bottleneck_at_speciation	Logical. If TRUE, then all but one children at each node are assumed to have emerged from a single mutant individual, and thus all gene lineages within these bottlenecked species lineages must coalesce at a younger or equal age as the speciation event. Only the first child at each node is excluded from this assumption, corresponding to the "resident population" during the speciation event. This option deviates from the classical MSC model, and is experimental.
force_coalescence_at_root	Logical. If TRUE, all remaining orphan gene lineages that haven't coalesced before reaching the species-tree's root, will be combined at the root (via multiple adjacent bifurcations). If FALSE, coalescence events may extend beyond the species-tree's root into the stem lineage, as long as it takes until all gene lineages have coalesced.
ploidy	Integer, specifying the assumed genetic ploidy, i.e. number of gene copies per individual. Typically 1 for haploids, or 2 for diploids.

gene_tip_labels

Character vector specifying tip labels for the gene tree (i.e., for each of the sampled alleles) in the order of the corresponding species tips. Can also be NULL, in which case gene tips will be set to <species_tip_label>.<allele index>.

Details

This function assumes that Kingman's coalescent assumption is met, i.e. that the effective population size is much larger than the number of allele lineages coalescing within any given branch.

The function assumes that the species tree is a time tree, i.e. with edge lengths given in actual time units. To simulate gene trees in coalescence time units, choose `population_sizes` and `generation_times` accordingly (this only makes sense if the product of `population_sizes` \times `generation_times` is the same everywhere). If `species_tree` is ultrametric and `gene_edge_unit=="time"`, then the gene tree will be ultrametric as well.

If `gene_edge_unit` is "mutations_random", then the number of generations elapsed along each time segment is translated into a randomly distributed number of accumulated mutations, according to a binomial distribution where the probability of success is equal to the mutation rate and the number of trials is equal to the number of generations multiplied by `Nsites`; this number of mutations is averaged across all sites, i.e. the edge lengths in the returned gene tree always refer to the mean number of mutations per site. In cases where the mutation rate varies across the species tree and a single gene edge spans multiple species edges, the gene edge length will be a sum of multiple binomially distributed mutation counts (again, divided by the number of sites), corresponding to the times spent in each species edge.

Value

A named list with the following elements:

<code>success</code>	Logical, indicating whether the gene tree was successfully generated. If FALSE, the only other value returned is <code>error</code> .
<code>tree</code>	The generated gene tree, of class "phylo". This tree will be rooted and bifurcating. It is only guaranteed to be ultrametric if <code>species_tree</code> was ultrametric.
<code>gene_tip2species_tip</code>	Integer vector of length <code>NGtips</code> (where <code>NGtips</code> is the number of tips in the gene tree), mapping gene-tree tips to species-tree tips.
<code>gene_node2species_edge</code>	Integer vector of length <code>NGnodes</code> (where <code>NGnodes</code> is the number of internal nodes in the gene tree), mapping gene-tree nodes (=coalescence events) to the species-tree edges where the coalescences took place.
<code>gene_clade_times</code>	Numeric vector of size <code>NGtips+NGnodes</code> , listing the time (total temporal distance from species root) of each tip and node in the gene tree. The units will be the same as the time units assumed for the species tree. Note that this may include negative values, if some gene lineages coalesce at a greater age than the root.
<code>error</code>	Character, containing an explanation of the error that occurred. Only included if <code>success==FALSE</code> .

Author(s)

Stilianos Louca

References

J. H. Degnan, N. A. Rosenberg (2009). Gene tree discordance, phylogenetic inference and the multispecies coalescent. *Trends in Ecology & Evolution*. 24:332-340.

B. Rannala, Z. Yang (2003). Bayes estimation of species divergence times and ancestral population sizes using DNA sequences from multiple loci. *Genetics*. 164:1645-1656.

See Also

[generate_random_tree](#), [generate_gene_tree_msc_hgt_dl](#)

Examples

```
# Simulate a simple species tree
parameters = list(birth_rate_factor=1)
Nspecies   = 10
species_tree = generate_random_tree(parameters,max_tips=Nspecies)$tree

# Simulate a haploid gene tree within the species tree
# Assume the same population size and generation time everywhere
# Assume the number of alleles samples per species is poisson-distributed
results = generate_gene_tree_msc(species_tree,
                                allele_counts      = rpois(Nspecies,3),
                                population_sizes    = 1000,
                                generation_times    = 1,
                                ploidy              = 1);

if(!results$success){
  # simulation failed
  cat(sprintf(" ERROR: %s\n",results$error))
}else{
  # simulation succeeded
  gene_tree = results$tree
  cat(sprintf(" Gene tree has %d tips\n",length(gene_tree$tip.label)))
}
```

generate_gene_tree_msc_hgt_dl

Generate gene trees based on the multi-species coalescent, horizontal gene transfers and duplications/losses.

Description

Generate a random gene tree within a given species timetree, based on an extension of the multi-species coalescent (MSC) model that includes horizontal gene transfers (HGT, incorporation of non-homologous genes as new loci), gene duplication and gene loss. The simulation consists of

two phases. In the first phase a random "locus tree" is generated in forward time, according to random HGT, duplication and loss events. In the 2nd phase, alleles picked randomly from each locus are coalesced in backward time according to the multispecies coalescent, an extension of the Wright-Fisher model to multiple species. This function does not account for hybridization.

Usage

```
generate_gene_tree_msc_hgt_dl( species_tree,
                               allele_counts      = 1,
                               population_sizes    = 1,
                               generation_times    = 1,
                               mutation_rates      = 1,
                               HGT_rates           = 0,
                               duplication_rates    = 0,
                               loss_rates          = 0,
                               gene_edge_unit      = "time",
                               Nsites              = 1,
                               bottleneck_at_speciation = FALSE,
                               force_coalescence_at_root = FALSE,
                               ploidy              = 1,
                               HGT_source_by_locus  = FALSE,
                               HGT_only_to_empty_clades = FALSE,
                               no_loss_before_time  = 0,
                               include_event_times = TRUE)
```

Arguments

- | | |
|------------------|--|
| species_tree | Rooted timetree of class "phylo". The tree can include multifurcations and monofurcations. The tree need not necessarily be ultrametric, i.e. it may include extinct species. Edge lengths are assumed to be in time units. |
| allele_counts | Integer vector, listing the number of alleles sampled per species and per locus. This can be interpreted as the number of individual organisms surveyed from each species, assuming that all loci are included once from each individual. The number of tips in the generated gene tree will be equal to the sum of allele counts across all species. allele_counts can either be NULL (1 allele per species), or a single integer (same number of alleles per species), or a vector of length Ntips listing the numbers of alleles sampled per species. In the latter case, the total number of tips in the returned gene tree will be equal to the sum of entries in allele_counts. Some entries in allele_counts may be zero (no alleles sampled from those species). |
| population_sizes | Integer vector, listing the effective population size on the edge leading into each tip/node in the species tree. Either NULL (all population sizes are 1), or a single integer (same population sizes for all edges), or a vector of length Ntips+Nnodes, listing population sizes for each clade's incoming edge (including the root). The population size for the root's incoming edge corresponds to the population size at the tree's stem (only relevant if force_coalescence_at_root=FALSE). |

<code>generation_times</code>	Numeric vector, listing the generation time along the edge leading into each clade. Either NULL (all generation times are 1), or a single integer (same generation time for all edges) or a vector of length <code>Ntips+Nnodes</code> , listing generation times for each clade's incoming edge (including the root). The generation time for the root's incoming edge corresponds to the generation time at the tree's stem (only relevant if <code>force_coalescence_at_root=FALSE</code>).
<code>mutation_rates</code>	Numeric vector, listing the probability of mutation per site and per generation along the edge leading into each clade. Either NULL (all mutation rates are 1), or a single integer (same mutation rate for all edges) or a vector of length <code>Ntips+Nnodes</code> , listing mutation rates for each clade's incoming edge (including the root). The mutation rate for the root's incoming edge corresponds to the mutation rate at the tree's stem (only relevant if <code>force_coalescence_at_root=FALSE</code>). The value of <code>mutation_rates</code> is only relevant if <code>gene_edge_unit</code> is "mutations_expected" or "mutations_random". Mutation rates represent probabilities, and so they must be between 0 and 1.
<code>HGT_rates</code>	Numeric vector, listing horizontal gene transfer rates per lineage per time, along the edge leading into each clade. Either NULL (all HGT rates are 0) or a single integer (same HGT rate for all edges) or a vector of length <code>Ntips+Nnodes</code> , listing HGT rates for each clade's incoming edge (including the root).
<code>duplication_rates</code>	Numeric vector, listing gene duplication rates per locus per lineage per time, along the edge leading into each clade. Either NULL (all duplication rates are 0) or a single integer (same duplication rate for all edges) or a vector of length <code>Ntips+Nnodes</code> listing duplication rates for each clade's incoming edge (including the root).
<code>loss_rates</code>	Numeric vector, listing gene loss rates per locus per lineage per time, along the edge leading into each clade. Either NULL (all loss rates are 0) or a single integer (same loss rate for all edges) or a vector of length <code>Ntips+Nnodes</code> listing loss rates for each clade's incoming edge (including the root).
<code>gene_edge_unit</code>	Character, either "time", "generations", "mutations_expected" (expected mean number of mutations per site), or "mutations_random" (randomly generated mean number of mutations per site), specifying how edge lengths in the gene tree should be measured. By default, gene-tree edges are measured in time, as is the case for the input species tree.
<code>Nsites</code>	Integer, specifying the number of sites (nucleotides) in the gene. Only relevant when generating edge lengths in terms of random mutation counts, i.e. if <code>gene_edge_unit=="mutations_random"</code> .
<code>bottleneck_at_speciation</code>	Logical. If TRUE, then all but one children at each node are assumed to have emerged from a single mutant individual, and thus all gene lineages within these bottlenecked species lineages must coalesce at a younger or equal age as the speciation event. Only the first child at each node is excluded from this assumption, corresponding to the "resident population" during the speciation event. This option deviates from the classical MSC model, and is experimental.
<code>force_coalescence_at_root</code>	Logical. If TRUE, all remaining orphan gene lineages that haven't coalesced before reaching the species-tree's root, will be combined at the root (via multiple

	adjacent bifurcations). If FALSE, coalescence events may extend beyond the species-tree's root into the stem lineage, as long as it takes until all gene lineages have coalesced.
ploidy	Integer, specifying the assumed genetic ploidy, i.e. number of gene copies per individual. Typically 1 for haploids, or 2 for diploids.
HGT_source_by_locus	Logical. If TRUE, then at any HGT event, every extant locus is chosen as source locus with the same probability (hence the probability of a lineage to be a source is proportional to the number of current loci in it). If FALSE, source lineages are chosen with the same probability (regardless of the number of current loci in them) and the source locus within the source lineage is chosen randomly.
HGT_only_to_empty_clades	Logical, specifying whether HGT transfers only occur into clades with no current loci.
no_loss_before_time	Numeric, optional time since the root during which no gene losses shall occur (even if loss_rate>0). This option can be used to reduce the probability of an early extinction of the entire gene tree, by giving the gene tree some "startup time" to spread into various species lineages. If zero, gene losses are possible right from the start of the simulation.
include_event_times	Logical, specifying whether the times of HGT, duplication and loss events should be returned as well. If these are not needed, then set include_event_times=FALSE for efficiency.

Details

This function assumes that the species tree is a time tree, i.e. with edge lengths given in actual time units. If species_tree is ultrametric and gene_edge_unit=="time", then the gene tree (but not necessarily the locus tree) will be ultrametric as well. The root of the locus and gene tree coincides with the root of the species tree.

The meaning of gene_edge_unit is the same as for the function [generate_gene_tree_msc](#).

Value

A named list with the following elements:

success	Logical, indicating whether the gene tree was successfully generated. If FALSE, the only other value returned is error.
locus_tree	The generated locus timetree, of class "phylo". The locus tree describes the genealogy of loci due to HGT, duplication and loss events. Each tip and node of the locus tree is embedded within a specific species edge. For example, tips of the locus tree either coincide with tips of the species tree (if the locus persisted until the species went extinct or until the present) or they correspond to gene loss events. In the absence of any HGT, duplication and loss events, the locus tree will resemble the species tree.

locus_type	Character vector of length NLtips + NLnodes (where NLtips and NLnodes are the number of tips and nodes in the locus tree, respectively), specifying the type/origin of each tip and node in the locus tree. For nodes, type 'h' corresponds to an HGT event, type 'd' to a duplication event, and type 's' to a speciation event. For tips, type 'l' represents a loss event, and type 't' a terminal locus (i.e., coinciding with a species tip). For example, if the input species tree was an ultrametric tree representing only extant species, then the locus tree tips of type 't' are the loci that could potentially be sampled from those extant species.
HGT_times	Numeric vector, listing HGT event times (counted since the root) in ascending order. Only included if include_event_times==TRUE.
HGT_source_clades	Integer vector of the same length as HGT_times and with values in 1,...,Ntips+Nnodes, listing the "source" species tip/node of each HGT event (in order of occurrence). The source tip/node is the tip/node from whose incoming edge a locus originated at the time of the transfer. Only included if include_event_times==TRUE.
HGT_target_clades	Integer vector of the same length as HGT_times and with values in 1,...,Ntips+Nnodes, listing the "target" species tip/node of each HGT event (in order of occurrence). The target (aka. recipient) tip/node is the tip/node within whose incoming edge a locus was created by the transfer. Only included if include_event_times==TRUE.
duplication_times	Numeric vector, listing gene duplication event times (counted since the root) in ascending order. Only included if include_event_times==TRUE.
duplication_clades	Integer vector of the same length as duplication_times and with values in 1,...,Ntips+Nnodes, listing the species tip/node in whose incoming edge each duplication event occurred (in order of occurrence). Only included if include_event_times==TRUE.
loss_times	Numeric vector, listing gene loss event times (counted since the root) in ascending order. Only included if include_event_times==TRUE.
loss_clades	Integer vector of the same length as loss_times and with values in 1,...,Ntips+Nnodes, listing the species tip/node in whose incoming edge each loss event occurred (in order of occurrence). Only included if include_event_times==TRUE.
gene_tree	The generated gene tree, of type "phylo".
gene_tip2species_tip	Integer vector of length NGtips (where NGtips is the number of tips in the gene tree) with values in 1,...,Ntips+Nnodes, mapping gene-tree tips to species-tree tips.
gene_tip2locus_tip	Integer vector of length NGtips with values in 1,...,NLtips, mapping gene-tree tips to locus-tree tips.
gene_node2locus_edge	Integer vector of length NGnodes with values in 1,...,NLedges, mapping gene-tree nodes to locus-tree edges.
gene_clade_times	Numeric vector of size NGtips+NGnodes, listing the time (temporal distance from species root) of each tip and node in the gene tree. The units will be the

same as the time units of the species tree. Note that this may include negative values, if some gene lineages coalesce at a greater age than the root.

error Character, containing an explanation of the error that occurred. Only included if success==FALSE.

Author(s)

Stilianos Louca

References

J. H. Degnan, N. A. Rosenberg (2009). Gene tree discordance, phylogenetic inference and the multispecies coalescent. *Trends in Ecology & Evolution*. 24:332-340.

B. Rannala, Z. Yang (2003). Bayes estimation of species divergence times and ancestral population sizes using DNA sequences from multiple loci. *Genetics*. 164:1645-1656.

See Also

[generate_random_tree](#), [generate_gene_tree_msc](#)

Examples

```
# Simulate a simple species tree
parameters = list(birth_rate_factor=1)
Nspecies   = 10
species_tree = generate_random_tree(parameters,max_tips=Nspecies)$tree

# Simulate a haploid gene tree within the species tree, including HGTs and gene loss
# Assume the same population size and generation time everywhere
# Assume the number of alleles samples per species is poisson-distributed
results = generate_gene_tree_msc_hgt_dl(species_tree,
                                         allele_counts   = rpois(Nspecies,3),
                                         population_sizes = 1000,
                                         generation_times = 1,
                                         ploidy            = 1,
                                         HGT_rates        = 0.1,
                                         loss_rates        = 0.05);

if(!results$success){
  # simulation failed
  cat(sprintf(" ERROR: %s\n",results$error))
}else{
  # simulation succeeded
  gene_tree = results$gene_tree
  cat(sprintf(" Gene tree has %d tips\n",length(gene_tree$tip.label)))
}
```

generate_random_tree *Generate a tree using a Poissonian speciation/extinction model.*

Description

Generate a random timetree via simulation of a Poissonian speciation/extinction (birth/death) process. New species are added (born) by splitting of a randomly chosen extant tip. The tree-wide birth and death rates of tips can each be constant or power-law functions of the number of extant tips. For example,

$$B = I + F \cdot N^E,$$

where B is the tree-wide birth rate (species generation rate), I is the intercept, F is the power-law factor, N is the current number of extant tips and E is the power-law exponent. Optionally, the per-capita (tip-specific) birth and death rates can be extended by adding a custom time series provided by the user.

Usage

```
generate_random_tree(parameters = list(),
                      max_tips   = NULL,
                      max_time   = NULL,
                      max_time_eq = NULL,
                      coalescent = TRUE,
                      as_generations = FALSE,
                      Nsplits     = 2,
                      added_rates_times = NULL,
                      added_birth_rates_pc = NULL,
                      added_death_rates_pc = NULL,
                      added_periodic = FALSE,
                      tip_basename = "",
                      node_basename = NULL,
                      edge_basename = NULL,
                      include_birth_times = FALSE,
                      include_death_times = FALSE)
```

Arguments

parameters A named list specifying the birth-death model parameters, with one or more of the following entries:

birth_rate_intercept: Non-negative number. The intercept of the Poissonian rate at which new species (tips) are added. In units 1/time. By default this is 0.

birth_rate_factor: Non-negative number. The power-law factor of the Poissonian rate at which new species (tips) are added. In units 1/time. By default this is 0.

	<p>birth_rate_exponent: Numeric. The power-law exponent of the Poissonian rate at which new species (tips) are added. Unitless. By default this is 1.</p> <p>death_rate_intercept: Non-negative number. The intercept of the Poissonian rate at which extant species (tips) go extinct. In units 1/time. By default this is 0.</p> <p>death_rate_factor: Non-negative number. The power-law factor of the Poissonian rate at which extant species (tips) go extinct. In units 1/time. By default this is 0.</p> <p>death_rate_exponent: Numeric. The power-law exponent of the Poissonian rate at which extant species (tips) go extinct. Unitless. By default this is 1.</p> <p>resolution: Non-negative numeric, specifying the resolution (in time units) at which to collapse the final tree by combining closely related tips. Any node whose age is smaller than this threshold, will be represented by a single tip. Set resolution=0 to not collapse tips (default).</p> <p>rarefaction: Numeric between 0 and 1. Rarefaction to be applied to the final tree (fraction of random tips kept in the tree). Note that if coalescent==FALSE, rarefaction may remove both extant as well as extinct clades. Set rarefaction=1 to not perform any rarefaction (default).</p>
max_tips	Maximum number of tips of the tree to be generated. If coalescent=TRUE, this refers to the number of extant tips. Otherwise, it refers to the number of extinct + extant tips. If NULL or <=0, the number of tips is unlimited (so be careful).
max_time	Maximum duration of the simulation. If NULL or <=0, this constraint is ignored.
max_time_eq	Maximum duration of the simulation, counting from the first point at which speciation/extinction equilibrium is reached, i.e. when (birth rate - death rate) changed sign for the first time. If NULL or <0, this constraint is ignored.
coalescent	Logical, specifying whether only the coalescent tree (i.e. the tree spanning the extant tips) should be returned. If coalescent==FALSE and the death rate is non-zero, then the tree may include non-extant tips (i.e. tips whose distance from the root is less than the total time of evolution). In that case, the tree will not be ultrametric.
as_generations	Logical, specifying whether edge lengths should correspond to generations. If FALSE, then edge lengths correspond to time.
Nsplits	Integer greater than 1. Number of child-tips to generate at each diversification event. If set to 2, the generated tree will be bifurcating. If >2, the tree will be multifurcating.
added_rates_times	Numeric vector, listing time points (in ascending order) for the custom per-capita birth and/or death rates time series (see added_birth_rates_pc and added_death_rates_pc below). Can also be NULL, in which case the custom time series are ignored.
added_birth_rates_pc	Numeric vector of the same size as added_rates_times, listing per-capita birth rates to be added to the power law part. Can also be NULL, in which case this option is ignored and birth rates are purely described by the power law.

added_death_rates_pc	Numeric vector of the same size as added_rates_times, listing per-capita death rates to be added to the power law part. Can also be NULL, in which case this option is ignored and death rates are purely described by the power law.
added_periodic	Logical, indicating whether added_birth_rates_pc and added_death_rates_pc should be extended periodically if needed (i.e. if not defined for the entire simulation time). If FALSE, added birth & death rates are extended with zeros.
tip_basename	Character. Prefix to be used for tip labels (e.g. "tip."). If empty (""), then tip labels will be integers "1", "2" and so on.
node_basename	Character. Prefix to be used for node labels (e.g. "node."). If NULL, no node labels will be included in the tree.
edge_basename	Character. Prefix to be used for edge labels (e.g. "edge."). Edge labels (if included) are stored in the character vector edge.label. If NULL, no edge labels will be included in the tree.
include_birth_times	Logical. If TRUE, then the times of speciation events (in order of occurrence) will also be returned.
include_death_times	Logical. If TRUE, then the times of extinction events (in order of occurrence) will also be returned.

Details

If `max_time`==NULL, then the returned tree will always contain `max_tips` tips. In particular, if at any moment during the simulation the tree only includes a single extant tip, the death rate is temporarily set to zero to prevent the complete extinction of the tree. If `max_tips`==NULL, then the simulation is ran as long as specified by `max_time`. If neither `max_time` nor `max_tips` is NULL, then the simulation halts as soon as the time exceeds `max_time` or the number of tips (extant tips if `coalescent` is TRUE) exceeds `max_tips`. If `max_tips`!=NULL and `Nsplits`>2, then the last diversification even may generate fewer than `Nsplits` children, in order to keep the total number of tips within the specified limit.

If `rarefaction`<1 and `resolution`>0, collapsing of closely related tips (at the resolution specified) takes place prior to rarefaction (i.e., subsampling applies to the already collapsed tips).

Both the per-capita birth and death rates can be made into completely arbitrary functions of time, by setting all power-law coefficients to zero and providing custom time series `added_birth_rates_pc` and `added_death_rates_pc`.

Value

A named list with the following elements:

success	Logical, indicating whether the tree was successfully generated. If FALSE, the only other value returned is error.
tree	A rooted bifurcating (if <code>Nsplits</code> ==2) or multifurcating (if <code>Nsplits</code> >2) tree of class "phylo", generated according to the specified birth/death model. If <code>coalescent</code> ==TRUE or if all death rates are zero, and only if <code>as_generations</code> ==FALSE, then the tree will be ultrametric. If <code>as_generations</code> ==TRUE and <code>coalescent</code> ==FALSE, all edges will have unit length.

root_time	Numeric, giving the time at which the tree's root was first split during the simulation. Note that if <code>coalescent==TRUE</code> , this may be later than the first speciation event during the simulation.
final_time	Numeric, giving the final time at the end of the simulation. Note that if <code>coalescent==TRUE</code> , then this may be greater than the total time span of the tree (since the root of the coalescent tree need not correspond to the first speciation event).
root_age	Numeric, giving the age (time before present) at the tree's root. This is equal to <code>final_time-root_time</code> .
equilibrium_time	Numeric, giving the first time where the sign of (death rate - birth rate) changed from the beginning of the simulation, i.e. when speciation/extinction equilibrium was reached. May be infinite if the simulation stopped before reaching this point.
extant_tips	Integer vector, listing indices of extant tips in the tree. If <code>coalescent==TRUE</code> , all tips will be extant.
Nbirths	Total number of birth events (speciations) that occurred during tree growth. This may be lower than the total number of tips in the tree if death rates were non-zero and <code>coalescent==TRUE</code> , or if <code>Nsplits>2</code> .
Ndeaths	Total number of deaths (extinctions) that occurred during tree growth.
Ncollapsed	Number of tips removed from the tree while collapsing at the resolution specified.
Nrarefied	Number of tips removed from the tree due to rarefaction.
birth_times	Numeric vector, listing the times of speciation events during tree growth, in order of occurrence. Note that if <code>coalescent==TRUE</code> , then <code>speciation_times</code> may be greater than the phylogenetic distance to the coalescent root.
death_times	Numeric vector, listing the times of extinction events during tree growth, in order of occurrence. Note that if <code>coalescent==TRUE</code> , then <code>speciation_times</code> may be greater than the phylogenetic distance to the coalescent root.
error	Character, containing an explanation of the error that occurred. Only included if <code>success==FALSE</code> .

Author(s)

Stilianos Louca

References

- D. J. Aldous (2001). Stochastic models and descriptive statistics for phylogenetic trees, from Yule to today. *Statistical Science*. 16:23-34.
- M. Steel and A. McKenzie (2001). Properties of phylogenetic trees generated by Yule-type speciation models. *Mathematical Biosciences*. 170:91-112.

Examples

```
# Simple speciation model
parameters = list(birth_rate_intercept=1)
tree = generate_random_tree(parameters,max_tips=100)$tree

# Exponential growth rate model
parameters = list(birth_rate_factor=1)
tree = generate_random_tree(parameters,max_tips=100)$tree
```

generate_tree_hbds	<i>Generate a tree from a birth-death-sampling model in forward time.</i>
--------------------	---

Description

Generate a random timetree according to a homogenous birth-death-sampling model with arbitrary time-varying speciation/extinction/sampling rates. Lineages split (speciate) or die (go extinct) at Poissonian rates and independently of each other. Lineages are sampled continuously (i.e., at Poissonian rates) in time and/or during concentrated sampling attempts (i.e., at specific time points). Sampled lineages are assumed to continue in the pool of extant lineages at some given "retention probability". The final tree can be restricted to sampled lineages only, but may optionally include extant (non-sampled) as well as extinct lineages. Speciation, extinction and sampling rates as well as retention probabilities may depend on time. This function may be used to simulate trees commonly encountered in viral epidemiology, where sampled patients are assumed to exit the pool of infectious individuals.

Usage

```
generate_tree_hbds( max_sampled_tips      = NULL,
                    max_sampled_nodes     = NULL,
                    max_extant_tips        = NULL,
                    max_extinct_tips       = NULL,
                    max_tips               = NULL,
                    max_time               = NULL,
                    include_extant         = FALSE,
                    include_extinct        = FALSE,
                    as_generations          = FALSE,
                    time_grid              = NULL,
                    lambda                  = NULL,
                    mu                      = NULL,
                    psi                     = NULL,
                    kappa                   = NULL,
                    splines_degree         = 1,
                    CSA_times               = NULL,
                    CSA_probs               = NULL,
                    CSA_kappas              = NULL,
                    no_full_extinction      = FALSE,
                    tip_basename           = "",
```

```

node_basename      = NULL,
edge_basename      = NULL,
include_birth_times = FALSE,
include_death_times = FALSE)

```

Arguments

max_sampled_tips	Integer, maximum number of sampled tips. The simulation is halted once this number is reached. If NULL or ≤ 0 , this halting criterion is ignored.
max_sampled_nodes	Integer, maximum number of sampled nodes, i.e., of lineages that were sampled but kept in the pool of extant lineages. The simulation is halted once this number is reached. If NULL or ≤ 0 , this halting criterion is ignored.
max_extant_tips	Integer, maximum number of extant tips. The simulation is halted once the number of concurrently extant tips reaches this threshold. If NULL or ≤ 0 , this halting criterion is ignored.
max_extinct_tips	Integer, maximum number of extinct tips. The simulation is halted once this number is reached. If NULL or ≤ 0 , this halting criterion is ignored.
max_tips	Integer, maximum number of tips (extant+extinct+sampled). The simulation is halted once this number is reached. If NULL or ≤ 0 , this halting criterion is ignored.
max_time	Numeric, maximum duration of the simulation. If NULL or ≤ 0 , this halting criterion is ignored.
include_extant	Logical, specifying whether to include extant tips (i.e., neither extinct nor sampled) in the final tree.
include_extinct	Logical, specifying whether to include extinct tips (i.e., neither extant nor sampled) in the final tree.
as_generations	Logical, specifying whether edge lengths should correspond to generations. If FALSE, then edge lengths correspond to time. If TRUE, then the time between two subsequent events (speciation, extinction, sampling) is counted as "one generation".
time_grid	Numeric vector, specifying time points (in ascending order) on which the rates λ , μ and ψ are provided. Rates are interpolated polynomially between time grid points as needed (according to <code>splines_degree</code>). The time grid should generally cover the maximum possible simulation time, otherwise it will be polynomially extrapolated as needed.
lambda	Numeric vector, of the same size as <code>time_grid</code> (or size 1 if <code>time_grid==NULL</code>), listing per-lineage speciation (birth) rates (λ , in units 1/time) at the times listed in <code>time_grid</code> . Speciation rates must be non-negative, and are assumed to vary as a spline between grid points (see argument <code>splines_degree</code>). Can also be a single numeric, in which case λ is assumed to be constant over time.

<code>mu</code>	Numeric vector, of the same size as <code>time_grid</code> (or size 1 if <code>time_grid==NULL</code>), listing per-lineage extinction (death) rates (μ , in units 1/time) at the times listed in <code>time_grid</code> . Extinction rates must be non-negative, and are assumed to vary as a spline between grid points (see argument <code>splines_degree</code>). Can also be a single numeric, in which case μ is assumed to be constant over time. If omitted, the extinction rate is assumed to be zero.
<code>psi</code>	Numeric vector, of the same size as <code>time_grid</code> (or size 1 if <code>time_grid==NULL</code>), listing per-lineage sampling rates (ψ , in units 1/time) at the times listed in <code>time_grid</code> . Sampling rates must be non-negative, and are assumed to vary as a spline between grid points (see argument <code>splines_degree</code>). Can also be a single numeric, in which case ψ is assumed to be constant over time. If omitted, the continuous sampling rate is assumed to be zero.
<code>kappa</code>	Numeric vector, of the same size as <code>time_grid</code> (or size 1 if <code>time_grid==NULL</code>), listing retention probabilities (κ , unitless) of continuously (Poissonian) sampled lineages at the times listed in <code>time_grid</code> . Retention probabilities must be true probabilities (i.e., between 0 and 1), and are assumed to vary as a spline between grid points (see argument <code>splines_degree</code>). Can also be a single numeric, in which case κ is assumed to be constant over time. If omitted, the retention probability is assumed to be zero (a common assumption in epidemiology).
<code>splines_degree</code>	Integer, either 0,1,2 or 3, specifying the polynomial degree of the provided <code>lambda</code> , <code>mu</code> and <code>psi</code> between grid points in <code>age_grid</code> . For example, if <code>splines_degree==1</code> , then the provided <code>lambda</code> , <code>mu</code> and <code>psi</code> are interpreted as piecewise-linear curves; if <code>splines_degree==2</code> the <code>lambda</code> , <code>mu</code> and <code>psi</code> are interpreted as quadratic splines; if <code>splines_degree==3</code> the <code>lambda</code> , <code>mu</code> and <code>psi</code> is interpreted as cubic splines. If your <code>age_grid</code> is fine enough, then <code>splines_degree=1</code> is usually sufficient.
<code>CSA_times</code>	Optional numeric vector, listing times of concentrated sampling attempts, in ascending order. Concentrated sampling is performed in addition to any continuous (Poissonian) sampling specified by <code>psi</code> .
<code>CSA_probs</code>	Optional numeric vector of the same size as <code>CSA_times</code> , listing sampling probabilities at each concentrated sampling time. Note that in contrast to the sampling rates <code>psi</code> , the <code>CSA_probs</code> are interpreted as probabilities and must thus be between 0 and 1. <code>CSA_probs</code> must be provided if and only if <code>CSA_times</code> is provided.
<code>CSA_kappas</code>	Optional numeric vector of the same size as <code>CSA_times</code> , listing sampling retention probabilities at each concentrated sampling time, i.e. the probability at which a sampled lineage is kept in the pool of extant lineages. Note that the <code>CSA_kappas</code> are probabilities and must thus be between 0 and 1. <code>CSA_kappas</code> must be provided if and only if <code>CSA_times</code> is provided.
<code>no_full_extinction</code>	Logical, specifying whether to prevent complete extinction of the tree. Full extinction is prevented by temporarily disabling extinctions whenever the number of extant tips is 1. Note that, strictly speaking, the trees generated do not exactly follow the proper probability distribution when <code>no_full_extinction</code> is TRUE.
<code>tip_basename</code>	Character. Prefix to be used for tip labels (e.g. "tip."). If empty (""), then tip labels will be integers "1", "2" and so on.

node_basename	Character. Prefix to be used for node labels (e.g. "node."). If NULL, no node labels will be included in the tree.
edge_basename	Character. Prefix to be used for edge labels (e.g. "edge."). Edge labels (if included) are stored in the character vector <code>edge.label</code> . If NULL, no edge labels will be included in the tree.
include_birth_times	Logical. If TRUE, then the times of speciation events (in order of occurrence) will also be returned.
include_death_times	Logical. If TRUE, then the times of extinction events (in order of occurrence) will also be returned.

Details

The simulation proceeds in forward time, starting with a single root. Speciation/extinction and continuous (Poissonian) sampling events are drawn at exponentially distributed time steps, according to the rates specified by `lambda`, `mu` and `psi`. Sampling also occurs at the optional `CSA.times`. Only extant lineages are sampled at any time point, and sampled lineages are removed from the pool of extant lineages at probability $1 - \kappa$.

The simulation halts as soon as one of the halting criteria are met, as specified by the options `max_sampled_tips`, `max_sampled_nodes`, `max_extant_tips`, `max_extinct_tips`, `max_tips` and `max_time`, or if no extant tips remain, whichever occurs first. Note that in some scenarios (e.g., if extinction rates are very high) the simulation may halt too early and the generated tree may only contain a single tip (i.e., the root lineage); in that case, the simulation will return an error (see return value `success`).

The function returns a single generated tree, as well as supporting information such as which tips are extant, extinct or sampled.

Value

A named list with the following elements:

success	Logical, indicating whether the simulation was successful. If FALSE, then the returned list includes an additional 'error' element (character) providing a description of the error; all other return variables may be undefined.
tree	The generated timetree, of class "phylo". Note that this tree need not be ultrametric, for example if sampling occurs at multiple time points.
root_time	Numeric, giving the time at which the tree's root was first split during the simulation. Note that this may be greater than 0, i.e., if the tips of the final tree do not coalesce all the way back to the simulation's start.
final_time	Numeric, giving the final time at the end of the simulation.
root_age	Numeric, giving the age (time before present) at the tree's root. This is equal to <code>final_time - root_time</code> .
Nbirths	Integer, the total number of speciation (birth) events that occurred during the simulation.
Ndeaths	Integer, the total number of extinction (death) events that occurred during the simulation.

Nsamplings	Integer, the total number of sampling events that occurred during the simulation.
Nretentions	Integer, the total number of sampling events that occurred during the simulation and for which lineages were kept in the pool of extant lineages.
sampled_clades	Integer vector, specifying indices (from 1 to Ntips+Nnodes) of sampled tips and nodes in the final tree (regardless of whether their lineages were subsequently retained or removed from the pool).
retained_clades	Integer vector, specifying indices (from 1 to Ntips+Nnodes) of sampled tips and nodes in the final tree that were retained, i.e., not removed from the pool following sampling.
extant_tips	Integer vector, specifying indices (from 1 to Ntips) of extant (non-sampled and non-extinct) tips in the final tree. Will be empty if include_extant==FALSE.
extinct_tips	Integer vector, specifying indices (from 1 to Ntips) of extinct (non-sampled and non-extant) tips in the final tree. Will be empty if include_extinct==FALSE.

Author(s)

Stilianos Louca

References

- T. Stadler (2010). Sampling-through-time in birth–death trees. *Journal of Theoretical Biology*. 267:396-404.
- T. Stadler et al. (2013). Birth–death skyline plot reveals temporal changes of epidemic spread in HIV and hepatitis C virus (HCV). *PNAS*. 110:228-233.

See Also

[generate_tree_hbd_reverse](#), [generate_gene_tree_msc](#), [generate_random_tree](#), [fit_hbds_model_parametric](#), [simulate_deterministic_hbds](#)

Examples

```
# define time grid on which lambda, mu and psi will be specified
time_grid = seq(0,100,length.out=1000)

# specify the time-dependent extinction rate mu on the time-grid
mu_grid = 0.5*time_grid/(10+time_grid)

# define additional concentrated sampling attempts
CSA_times = c(5,7,9)
CSA_probs = c(0.5, 0.5, 0.5)
CSA_kappas = c(0.2, 0.1, 0.1)

# generate tree with a constant speciation & sampling rate,
# time-variable extinction rate and additional discrete sampling points
# assuming that all continuously sampled lineages are removed from the pool
simul = generate_tree_hbds( max_time      = 10,
                           include_extant = FALSE,
```

```

                                include_extinct = FALSE,
                                time_grid      = time_grid,
                                lambda         = 1,
                                mu             = mu_grid,
                                psi            = 0.1,
                                kappa         = 0,
                                CSA_times     = CSA_times,
                                CSA_probs     = CSA_probs,
                                CSA_kappas    = CSA_kappas);
if(!simul$success){
  cat(sprintf("ERROR: Could not simulate tree: %s\n",simul$error))
}else{
  # simulation succeeded. print some basic info about the generated tree
  tree = simul$tree
  cat(sprintf("Generated tree has %d tips\n",length(tree$tip.label)))
}

```

generate_tree_hbd_reverse

Generate a tree from a birth-death model in reverse time.

Description

Generate an ultrametric timetree (comprising only extant lineages) in reverse time (from present back to the root) based on the homogenous birth-death (HBD; Morlon et al., 2011) model, conditional on a specific number of extant species sampled and (optionally) conditional on the crown age or stem age.

The probability distribution of such trees only depends on the congruence class of birth-death models (e.g., as specified by the pulled speciation rate) but not on the precise model within a congruence class (Louca and Pennell, 2019). Hence, in addition to allowing specification of speciation and extinction rates, this function can alternatively simulate trees simply based on some pulled speciation rate (PSR), or based on some pulled diversification rate (PDR) and the product $\rho\lambda_o$ (present-day sampling fraction times present-day speciation rate).

This function can be used to generate bootstrap samples after fitting an HBD model or HBD congruence class to a real timetree.

Usage

```

generate_tree_hbd_reverse( Ntips,
                           stem_age      = NULL,
                           crown_age     = NULL,
                           age_grid      = NULL,
                           lambda        = NULL,
                           mu            = NULL,
                           rho           = NULL,
                           PSR           = NULL,
                           PDR           = NULL,
                           rho*lambda0   = NULL,

```

```

force_max_age    = Inf,
splines_degree   = 1,
relative_dt      = 1e-3,
Ntrees           = 1,
tip_basename     = "",
node_basename    = NULL,
edge_basename    = NULL)

```

Arguments

Ntips	Number of tips in the tree, i.e. number of extant species sampled at present day.
stem_age	Numeric, optional stem age on which to condition the tree. If NULL or ≤ 0 , the tree is not conditioned on the stem age.
crown_age	Numeric, optional crown age (aka. root age or MRCA age) on which to condition the tree. If NULL or ≤ 0 , the tree is not conditioned on the crown age. If both stem_age and crown_age are specified, only the crown age is used; in that case for consistency crown_age must not be greater than stem_age.
age_grid	Numeric vector, listing discrete ages (time before present) on which the PSR is specified. Listed ages must be strictly increasing, and should cover at least the present day (age 0) as well as a sufficient duration into the past. If conditioning on the stem or crown age, that age must also be covered by age_grid. When not conditioning on crown nor stem age, and the generated tree ends up extending beyond the last time point in age_grid, the PSR will be extrapolated as a constant (with value equal to the last value in PSR) as necessary. age_grid also be NULL or a vector of size 1, in which case the PSR is assumed to be time-independent.
lambda	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing speciation rates (λ , in units 1/time) at the ages listed in age_grid. Speciation rates must be non-negative, and are assumed to vary as a spline between grid points (see argument splines_degree). Can also be NULL, in which case either PSR, or PDR and rho.lambda0, must be provided.
mu	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing extinction rates (μ , in units 1/time) at the ages listed in age_grid. Extinction rates must be non-negative, and are assumed to vary as a spline between grid points (see argument splines_degree). Can also be NULL, in which case either PSR, or PDR and rho.lambda0, must be provided.
rho	Numeric, sampling fraction at present day (fraction of extant species included in the tree). Can also be NULL, in which case either PSR, or PDR and rho.lambda0, must be provided.
PSR	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing pulled speciation rates (λ_p , in units 1/time) at the ages listed in age_grid. The PSR must be non-negative (and strictly positive almost everywhere), and is assumed to vary as a spline between grid points (see argument splines_degree). Can also be NULL, in which case either lambda and mu and rho, or PDR and rho.lambda0, must be provided.
PDR	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing pulled diversification rates (r_p , in units 1/time) at the ages listed in age_grid.

	The PDR is assumed to vary polynomially between grid points (see argument <code>splines_degree</code>). Can also be NULL, in which case either <code>lambda</code> and <code>mu</code> and <code>rho</code> , or <code>PSR</code> , must be provided.
<code>rho*lambda0</code>	Strictly positive numeric, specifying the product $\rho\lambda_0$ (present-day species sampling fraction times present-day speciation rate). Can also be NULL, in which case <code>PSR</code> must be provided.
<code>force_max_age</code>	Numeric, specifying an optional maximum allowed age for the tree's root. If the tree ends up expanding past that age, all remaining lineages are forced to coalesce at that age. This is not statistically consistent with the provided HBD model (in fact it corresponds to a modified HBD model with a spike in the <code>PSR</code> at that time). This argument merely provides a way to prevent excessively large trees if the <code>PSR</code> is close to zero at older ages and when not conditioning on the stem nor crown age, while still keeping the original statistical properties at younger ages. To disable this feature set <code>force_max_age</code> to <code>Inf</code> .
<code>splines_degree</code>	Integer, either 0,1,2 or 3, specifying the polynomial degree of the provided rates <code>PSR</code> , <code>PDR</code> , <code>lambda</code> , <code>mu</code> and <code>rho</code> between grid points in <code>age_grid</code> . For example, if <code>splines_degree==1</code> , then the provided rates are interpreted as piecewise-linear curves; if <code>splines_degree==2</code> the rates are interpreted as quadratic splines; if <code>splines_degree==3</code> the rates are interpreted as cubic splines. The <code>splines_degree</code> influences the analytical properties of the curve, e.g. <code>splines_degree==1</code> guarantees a continuous curve, <code>splines_degree==2</code> guarantees a continuous curve and continuous derivative, and so on. If your <code>age_grid</code> is fine enough, then <code>splines_degree=1</code> is usually sufficient.
<code>relative_dt</code>	Strictly positive numeric (unitless), specifying the maximum relative time step allowed for integration over time. Smaller values increase integration accuracy but increase computation time. Typical values are 0.0001-0.001. The default is usually sufficient.
<code>Ntrees</code>	Integer, number of trees to generate. The computation time per tree is lower if you generate multiple trees at once.
<code>tip_basename</code>	Character. Prefix to be used for tip labels (e.g. "tip."). If empty (""), then tip labels will be integers "1", "2" and so on.
<code>node_basename</code>	Character. Prefix to be used for node labels (e.g. "node."). If NULL, no node labels will be included in the tree.
<code>edge_basename</code>	Character. Prefix to be used for edge labels (e.g. "edge."). Edge labels (if included) are stored in the character vector <code>edge_label</code> . If NULL, no edge labels will be included in the tree.

Details

This function requires that the BD model, or the BD congruence class (Louca and Pennell, 2019), is specified using one of the following sets of arguments:

- Using the speciation rate λ , the extinction rate μ , and the present-day sampling fraction ρ .
- Using the pulled diversification rate (PDR) and the product $\rho\lambda(0)$. The PDR is defined as $r_p = \lambda - \mu + \frac{1}{\lambda} \frac{d\lambda}{d\tau}$, where τ is age (time before present), $\lambda(\tau)$ is the speciation rate at age τ and $\mu(\tau)$ is the extinction rate.

- Using the pulled speciation rate (PSR). The PSR (λ_p) is defined as $\lambda_p(\tau) = \lambda(\tau) \cdot \Phi(\tau)$, where $\Phi(\tau)$ is the probability that a lineage extant at age τ will survive until the present and be represented in the tree.

Concurrently using/combining more than one the above parameterization methods is not supported.

Either the PSR, or the PDR and `rho.lambda0`, provide sufficient information to fully describe the probability distribution of the tree (Louca and Pennell, 2019). For example, the probability distribution of generated trees only depends on the PSR, and not on the specific speciation rate λ or extinction rate μ (various combinations of λ and μ can yield the same PSR; Louca and Pennell, 2019). To calculate the PSR and PDR for any arbitrary λ , μ and ρ you can use the function [simulate_deterministic_hbd](#).

When not conditioning on the crown age, the age of the root of the generated tree will be stochastic (i.e., non-fixed). This function then assumes a uniform prior distribution (in a sufficiently large time interval) for the origin of the forward HBD process that would have generated the tree, based on a generalization of the EBDP algorithm provided by (Stadler, 2011). When conditioning on stem or crown age, this function is based on the algorithm proposed by Hoehna (2013, Eq. 8).

Note that HBD trees can also be generated using the function [generate_random_tree](#). That function, however, generates trees in forward time, and hence when conditioning on the final number of tips the total duration of the simulation is unpredictable; consequently, speciation and extinction rates cannot be specified as functions of "age" (time before present). The function presented here provides a means to generate trees with a fixed number of tips, while specifying λ , μ , λ_p or r_p as functions of age (time before present).

Value

A named list with the following elements:

success	Logical, indicating whether the simulation was successful. If FALSE, then the returned list includes an additional 'error' element (character) providing a description of the error; all other return variables may be undefined.
trees	A list of length <code>Ntrees</code> , listing the generated trees. Each tree will be an ultrametric timetree of class "phylo".

Author(s)

Stilianos Louca

References

- H. Morlon, T. L. Parsons, J. B. Plotkin (2011). Reconciling molecular phylogenies with the fossil record. *Proceedings of the National Academy of Sciences*. 108:16327-16332.
- T. Stadler (2011). Simulating trees with a fixed number of extant species. *Systematic Biology*. 60:676-684.
- S. Hoehna (2013). Fast simulation of reconstructed phylogenies under global time-dependent birth-death processes. *Bioinformatics*. 29:1367-1374.
- S. Louca and M. W. Pennell (in review as of 2019). Phylogenies of extant species are consistent with an infinite array of diversification histories.

See Also

[loglikelihood_hbd](#), [simulate_deterministic_hbd](#), [generate_random_tree](#)

Examples

```
# EXAMPLE 1: Generate trees based on some speciation and extinction rate
# In this example we assume an exponentially decreasing speciation rate
# and a temporary mass extinction event

# define parameters
age_grid = seq(0,100,length.out=1000)
lambda   = 0.1 + exp(-0.5*age_grid)
mu       = 0.05 + exp(-(age_grid-5)^2)
rho      = 0.5 # species sampling fraction at present-day

# generate a tree with 100 tips and no specific crown or stem age
sim = generate_tree_hbd_reverse(Ntips      = 100,
                               age_grid    = age_grid,
                               lambda      = lambda,
                               mu          = mu,
                               rho         = rho)

if(!sim$success){
  cat(sprintf("Tree generation failed: %s\n",sim$error))
}else{
  cat(sprintf("Tree generation succeeded\n"))
  tree = sim$trees[[1]]
}

#####
# EXAMPLE 2: Generate trees based on the pulled speciation rate
# Here we condition the tree on some fixed crown (MRCA) age

# specify the PSR on a sufficiently fine and wide age grid
age_grid = seq(0,1000,length.out=10000)
PSR      = 0.1+exp(-0.1*age_grid) # exponentially decreasing PSR

# generate a tree with 100 tips and MRCA age 10
sim = generate_tree_hbd_reverse(Ntips      = 100,
                               age_grid    = age_grid,
                               PSR         = PSR,
                               crown_age   = 10)

if(!sim$success){
  cat(sprintf("Tree generation failed: %s\n",sim$error))
}else{
  cat(sprintf("Tree generation succeeded\n"))
  tree = sim$trees[[1]]
}
```

generate_tree_with_evolving_rates

Generate a random tree with evolving speciation/extinction rates.

Description

Generate a random phylogenetic tree via simulation of a Poissonian speciation/extinction (birth/death) process. New species are added (born) by splitting of a randomly chosen extant tip. Per-capita birth and death rates (aka. speciation and extinction rates) evolve under some stochastic process (e.g. Brownian motion) along each edge. Thus, the probability rate of a tip splitting or going extinct depends on the tip, with closely related tips having more similar per-capita birth and death rates.

Usage

```
generate_tree_with_evolving_rates(parameters = list(),
                                rate_model = 'BM',
                                max_tips = NULL,
                                max_time = NULL,
                                max_time_eq = NULL,
                                coalescent = TRUE,
                                as_generations = FALSE,
                                Nsplits = 2,
                                tip_basename = "",
                                node_basename = NULL,
                                include_birth_times = FALSE,
                                include_death_times = FALSE,
                                include_rates = FALSE)
```

Arguments

parameters	A named list specifying the model parameters for the evolving birth/death rates. The precise entries expected depend on the chosen rate_model (see details below).
rate_model	Character, specifying the model for the evolving per-capita birth/death rates. Must be one of the following: 'BM' (Brownian motion constrained to a finite interval via reflection), 'Mk' (discrete-state continuous-time Markov chain with fixed transition rates).
max_tips	Maximum number of tips of the tree to be generated. If coalescent=TRUE, this refers to the number of extant tips. Otherwise, it refers to the number of extinct + extant tips. If NULL or <=0, the number of tips is unlimited (so be careful).
max_time	Maximum duration of the simulation. If NULL or <=0, this constraint is ignored.
max_time_eq	Maximum duration of the simulation, counting from the first point at which speciation/extinction equilibrium is reached, i.e. when (birth rate - death rate) changed sign for the first time. If NULL or <0, this constraint is ignored.

<code>coalescent</code>	Logical, specifying whether only the coalescent tree (i.e. the tree spanning the extant tips) should be returned. If <code>coalescent==FALSE</code> and the death rate is non-zero, then the tree may include non-extant tips (i.e. tips whose distance from the root is less than the total time of evolution). In that case, the tree will not be ultrametric.
<code>as_generations</code>	Logical, specifying whether edge lengths should correspond to generations. If <code>FALSE</code> , then edge lengths correspond to time.
<code>Nsplits</code>	Integer greater than 1. Number of child-tips to generate at each diversification event. If set to 2, the generated tree will be bifurcating. If >2 , the tree will be multifurcating.
<code>tip_basename</code>	Character. Prefix to be used for tip labels (e.g. "tip."). If empty (""), then tip labels will be integers "1", "2" and so on.
<code>node_basename</code>	Character. Prefix to be used for node labels (e.g. "node."). If <code>NULL</code> , no node labels will be included in the tree.
<code>include_birth_times</code>	Logical. If <code>TRUE</code> , then the times of speciation events (in order of occurrence) will also be returned.
<code>include_death_times</code>	Logical. If <code>TRUE</code> , then the times of extinction events (in order of occurrence) will also be returned.
<code>include_rates</code>	Logical. If <code>TRUE</code> , then the per-capita birth & death rates of all tips and nodes will also be returned.

Details

If `max_time==NULL`, then the returned tree will always contain `max_tips` tips. In particular, if at any moment during the simulation the tree only includes a single extant tip, the death rate is temporarily set to zero to prevent the complete extinction of the tree. If `max_tips==NULL`, then the simulation is ran as long as specified by `max_time`. If neither `max_time` nor `max_tips` is `NULL`, then the simulation halts as soon as the time exceeds `max_time` or the number of tips (extant tips if `coalescent` is `TRUE`) exceeds `max_tips`. If `max_tips!=NULL` and `Nsplits` >2 , then the last diversification event may generate fewer than `Nsplits` children, in order to keep the total number of tips within the specified limit.

If `rate_model=='BM'`, then per-capita birth rates (speciation rates) and per-capita death rates (extinction rates) evolve according to Brownian Motion, constrained to a finite interval via reflection. Note that speciation and extinction rates are only updated at branching points, i.e. during speciation events, while waiting times until speciation/extinction are based on rates at the previous branching point. The argument parameters should be a named list including one or more of the following elements:

- `birth_rate_diffusivity`: Non-negative number. Diffusivity constant for the Brownian motion model of the evolving per-capita birth rate. In units $1/\text{time}^3$. See [simulate_bm_model](#) for an explanation of the diffusivity parameter.
- `min_birth_rate_pc`: Non-negative number. The minimum allowed per-capita birth rate of a clade. In units $1/\text{time}$. By default this is 0.
- `max_birth_rate_pc`: Non-negative number. The maximum allowed per-capita birth rate of a clade. In units $1/\text{time}$. By default this is 1.

- `death_rate_diffusivity`: Non-negative number. Diffusivity constant for the Brownian motion model of the evolving per-capita death rate. In units $1/\text{time}^3$. See [simulate_bm_model](#) for an explanation of the diffusivity parameter.
- `min_death_rate_pc`: Non-negative number. The minimum allowed per-capita death rate of a clade. In units $1/\text{time}$. By default this is 0.
- `max_death_rate_pc`: Non-negative number. The maximum allowed per-capita death rate of a clade. In units $1/\text{time}$. By default this is 1.
- `root_birth_rate_pc`: Non-negative number, between `min_birth_rate_pc` and `max_birth_rate_pc`, specifying the initial per-capita birth rate of the root. If left unspecified, this will be chosen randomly and uniformly within the allowed interval.
- `root_death_rate_pc`: Non-negative number, between `min_death_rate_pc` and `max_death_rate_pc`, specifying the initial per-capita death rate of the root. If left unspecified, this will be chosen randomly and uniformly within the allowed interval.
- `rarefaction`: Numeric between 0 and 1. Rarefaction to be applied at the end of the simulation (fraction of random tips kept in the tree). Note that if `coalescent==FALSE`, rarefaction may remove both extant as well as extinct clades. Set `rarefaction=1` to not perform any rarefaction.

If `rate_model=='Mk'`, then speciation/extinction rates are determined by a tip's current "state", which evolves according to a continuous-time discrete-state Markov chain (Mk model) with constant transition rates. The argument parameters should be a named list including one or more of the following elements:

- `Nstates`: Number of possible discrete states a tip can have. For example, if `Nstates` then this corresponds to the common Binary State Speciation and Extinction (BiSSE) model (Maddison et al., 2007). By default this is 1.
- `state_birth_rates`: Numeric vector of size `Nstates`, listing the per-capita birth rate (speciation rate) at each state. Can also be a single number (all states have the same birth rate).
- `state_death_rates`: Numeric vector of size `Nstates`, listing the per-capita death rate (extinction rate) at each state. Can also be a single number (all states have the same death rate).
- `transition_matrix`: 2D numeric matrix of size `Nstates x Nstates`. Transition rate matrix for the Markov chain model of birth/death rate evolution.
- `start_state`: Integer within $1, \dots, Nstates$, specifying the initial state of the first created lineage. If left unspecified, this is chosen randomly and uniformly among all possible states.
- `rarefaction`: Same as when `rate_model=='BM'`.

Note: The option `rate_model=='Mk'` is deprecated and included for backward compatibility purposes only. To generate a tree with Markov transitions between states (known as Multiple State Speciation and Extinction model), use the command `simulate_dsse` instead.

Value

A named list with the following elements:

- | | |
|----------------------|--|
| <code>success</code> | Logical, indicating whether the simulation was successful. If <code>FALSE</code> , an additional element <code>error</code> (of type character) is included containing an explanation of the error; in that case the value of any of the other elements is undetermined. |
|----------------------|--|

tree	A rooted bifurcating (if Nsplits==2) or multifurcating (if Nsplits>2) tree of class "phylo", generated according to the specified birth/death model. If coalescent==TRUE or if all death rates are zero, and only if as_generations==FALSE, then the tree will be ultrametric. If as_generations==TRUE and coalescent==FALSE, all edges will have unit length.
root_time	Numeric, giving the time at which the tree's root was first split during the simulation. Note that if coalescent==TRUE, this may be later than the first speciation event during the simulation.
final_time	Numeric, giving the final time at the end of the simulation. If coalescent==TRUE, then this may be greater than the total time span of the tree (since the root of the coalescent tree need not correspond to the first speciation event).
equilibrium_time	Numeric, giving the first time where the sign of (death rate - birth rate) changed from the beginning of the simulation, i.e. when speciation/extinction equilibrium was reached. May be infinite if the simulation stopped before reaching this point.
Nbirths	Total number of birth events (speciations) that occurred during tree growth. This may be lower than the total number of tips in the tree if death rates were non-zero and coalescent==TRUE, or if Nsplits>2.
Ndeaths	Total number of deaths (extinctions) that occurred during tree growth.
birth_times	Numeric vector, listing the times of speciation events during tree growth, in order of occurrence. Note that if coalescent==TRUE, then speciation_times may be greater than the phylogenetic distance to the coalescent root.
death_times	Numeric vector, listing the times of extinction events during tree growth, in order of occurrence. Note that if coalescent==TRUE, then speciation_times may be greater than the phylogenetic distance to the coalescent root.
birth_rates_pc	Numeric vector, listing the per-capita birth rate of each tip and node in the tree. The length of an edge in the tree was thus drawn from an exponential distribution with rate equal to the per-capita birth rate of the child tip or node.
death_rates_pc	Numeric vector, listing the per-capita death rate of each tip and node in the tree.
states	Integer vector of size Ntips+Nnodes, listing the discrete state of each tip and node in the tree. Only included if rate_model=="Mk".
start_state	Integer, specifying the initial state of the first created lineage (either provided during the function call, or generated randomly). Only included if rate_model=="Mk".
root_birth_rate_pc	Numeric, specifying the initial per-capita birth rate of the root (either provided during the function call, or generated randomly). Only included if rate_model=="BM".
root_death_rate_pc	Numeric, specifying the initial per-capita death rate of the root (either provided during the function call, or generated randomly). Only included if rate_model=="BM".

Author(s)

Stilianos Louca

References

- D. J. Aldous (2001). Stochastic models and descriptive statistics for phylogenetic trees, from Yule to today. *Statistical Science*. 16:23-34.
- W. P. Maddison, P. E. Midford, S. P. Otto (2007). Estimating a binary character's effect on speciation and extinction. *Systematic Biology*. 56:701-710.

See Also

[simulate_dsse](#)

Examples

```
# Example 1
# Generate tree, with rates evolving under Brownian motion
parameters = list(birth_rate_diffusivity = 1,
                  min_birth_rate_pc      = 1,
                  max_birth_rate_pc      = 2,
                  death_rate_diffusivity = 0.5,
                  min_death_rate_pc      = 0,
                  max_death_rate_pc      = 1)
simulation = generate_tree_with_evolution_rates(parameters,
                                                rate_model='BM',
                                                max_tips=1000,
                                                include_rates=TRUE)

tree = simulation$tree
Ntips = length(tree$tip.label)

# plot per-capita birth & death rates of tips
plot( x=simulation$birth_rates_pc[1:Ntips],
      y=simulation$death_rates_pc[1:Ntips],
      type='p',
      xlab="pc birth rate",
      ylab="pc death rate",
      main="Per-capita birth & death rates across tips (BM model)",
      las=1)

#####
# Example 2
# Generate tree, with rates evolving under a binary-state model
Q = get_random_mk_transition_matrix(Nstates=2, rate_model="ER", max_rate=0.1)
parameters = list(Nstates = 2,
                  state_birth_rates = c(1,1.5),
                  state_death_rates = 0.5,
                  transition_matrix = Q)
simulation = generate_tree_with_evolution_rates(parameters,
                                                rate_model='Mk',
                                                max_tips=1000,
                                                include_rates=TRUE)

tree = simulation$tree
Ntips = length(tree$tip.label)
```



```
# plot distribution of per-capita birth rates of tips
rates = simulation$birth_rates_pc[1:Ntips]
barplot(table(rates)/length(rates),
        xlab="rate",
        main="Distribution of pc birth rates across tips (Mk model)")
```

geographic_acf

*Phylogenetic autocorrelation function of geographic locations.***Description**

Given a rooted phylogenetic tree and geographic coordinates (latitudes & longitudes) of each tip, calculate the phylogenetic autocorrelation function (ACF) of the geographic locations. The ACF is a function of phylogenetic distance x , i.e., $ACF(x)$ is the autocorrelation between two tip locations conditioned on the tips having phylogenetic ("patristic") distance x .

Usage

```
geographic_acf(tree, tip_latitudes, tip_longitudes, Npairs=10000, Nbins=10)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
tip_latitudes	A numeric vector of size Ntips, specifying the latitudes (decimal degrees) of the tips. Note that <code>tip_latitudes[i]</code> (where i is an integer index) must correspond to the i -th tip in the tree, i.e. as listed in <code>tree\$tip.label</code> .
tip_longitudes	A numeric vector of size Ntips, specifying the longitudes (decimal degrees) of the tips. Note that <code>tip_longitudes[i]</code> (where i is an integer index) must correspond to the i -th tip in the tree, i.e. as listed in <code>tree\$tip.label</code> .
Npairs	Total number of random tip pairs to draw. A greater number of tip pairs will improve the accuracy of the estimated ACF within each distance bin. Tip pairs are drawn randomly with replacement. If $Npairs \leq 0$, then every tip pair is included exactly once.
Nbins	Number of distance bins to consider within the range of phylogenetic distances encountered between tip pairs in the tree. A greater number of bins will increase the resolution of the ACF as a function of phylogenetic distance, but will decrease the number of tip pairs falling within each bin (which reduces the accuracy of the estimated ACF).

Details

The autocorrelation between random geographic locations is defined as the expectation of $\langle X, Y \rangle$, where $\langle \rangle$ is the scalar product and X and Y are the unit vectors pointing towards the two random locations on the sphere. For comparison, for a spherical Brownian Motion model with constant

diffusivity D and radius r the autocorrelation function is given by $ACF(t) = e^{-2Dt/r^2}$ (see e.g. [simulate_sbm](#)).

The phylogenetic autocorrelation function (ACF) of the geographic distribution of species can give insight into the dispersal processes shaping species distributions over global scales. An ACF that decays slowly with increasing phylogenetic distance indicates a strong phylogenetic conservatism of the location and thus slow dispersal, whereas a rapidly decaying ACF indicates weak phylogenetic conservatism and thus fast dispersal. Similarly, if the mean distance between two random tips increases with phylogenetic distance, this indicates a phylogenetic autocorrelation of species locations. Here, phylogenetic distance between tips refers to their patristic distance, i.e. the minimum cumulative edge length required to connect the two tips.

Since the phylogenetic distances between all possible tip pairs do not cover a continuum (as there is only a finite number of tips), this function randomly draws tip pairs from the tree, maps them onto a finite set of equally-sized distance bins and then estimates the ACF for the centroid of each distance bin based on tip pairs in that bin. In practice, as a next step one would usually plot the estimated ACF (returned vector autocorrelations) over the centroids of the distance bins (returned vector distances).

The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). If `tree$edge.length` is missing, then every edge is assumed to have length 1. The input tree must be rooted at some node for technical reasons (see function [root_at_node](#)), but the choice of the root node does not influence the result.

Value

A list with the following elements:

success	Logical, indicating whether the calculation was successful. If FALSE, an additional element error (character) is returned that provides a brief description of the error that occurred; in that case all other return values may be undefined.
distances	Numeric vector of size Nbins, storing the centroid phylogenetic distance of each distance bin in increasing order. The first and last distance bin approximately span the full range of phylogenetic distances encountered between any two random tips in the tree.
autocorrelations	Numeric vector of size Nbins, storing the estimated Pearson autocorrelation of the trait for each distance bin.
mean_geodistances	Numeric vector of size Nbins, storing the mean geographic distance between tip pairs in each distance bin.
Npairs_per_distance	Integer vector of size Nbins, storing the number of random tip pairs associated with each distance bin.

Author(s)

Stilianos Louca

See Also

[get_trait_depth](#), [get_trait_acf](#)

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=1000)$tree

# simulate spherical Brownian Motion on the tree
simul = simulate_sbm(tree, radius=1, diffusivity=0.1)
tip_latitudes = simul$tip_latitudes
tip_longitudes = simul$tip_longitudes

# calculate geographical autocorrelation function
ACF = geographic_acf(tree, tip_latitudes, tip_longitudes, Nbins=10)

# plot ACF (autocorrelation vs phylogenetic distance)
plot(ACF$distances, ACF$autocorrelations, type="l", xlab="distance", ylab="ACF")
```

```
get_all_distances_to_root
```

Get distances of all tips and nodes to the root.

Description

Given a rooted phylogenetic tree, calculate the phylogenetic distance (cumulative branch length) of the root to each tip and node.

Usage

```
get_all_distances_to_root(tree, as_edge_count=FALSE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
as_edge_count	Logical, specifying whether distances should be counted in number of edges, rather than cumulative edge length. This is the same as if all edges had length 1.

Details

If `tree$edge.length` is missing, then every edge in the tree is assumed to be of length 1. The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child). The asymptotic average time complexity of this function is $O(N_{\text{edges}})$, where N_{edges} is the number of edges in the tree.

Value

A numeric vector of size $N_{\text{tips}} + N_{\text{nodes}}$, with the i -th element being the distance (cumulative branch length) of the i -th tip or node to the root. Tips are indexed 1,..., N_{tips} and nodes are indexed $(N_{\text{tips}} + 1)$,..., $(N_{\text{tips}} + N_{\text{nodes}})$.

Author(s)

Stilianos Louca

See Also

[get_pairwise_distances](#)

Examples

```
# generate a random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1,
                                death_rate_intercept=0.5),
                             max_tips=Ntips)$tree

# calculate distances to root
all_distances = get_all_distances_to_root(tree)

# extract distances of nodes to root
node_distances = all_distances[(Ntips+1):(Ntips+tree$Nnode)]

# plot histogram of distances (across all nodes)
hist(node_distances, xlab="distance to root", ylab="# nodes", prob=FALSE);
```

get_all_node_depths *Get the phylogenetic depth of each node in a tree.*

Description

Given a rooted phylogenetic tree, calculate the phylogenetic depth of each node (mean distance to its descending tips).

Usage

```
get_all_node_depths(tree, as_edge_count=FALSE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
as_edge_count	Logical, specifying whether distances should be counted in number of edges, rather than cumulative edge length. This is the same as if all edges had length 1.

Details

If `tree$edge.length` is missing, then every edge in the tree is assumed to be of length 1. The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child). The asymptotic average time complexity of this function is $O(\text{Nedges})$, where `Nedges` is the number of edges in the tree.

Value

A numeric vector of size Nnodes, with the i-th element being the mean distance of the i-th node to all of its tips.

Author(s)

Stilianos Louca

See Also

[get_all_distances_to_root](#)

Examples

```
# generate a random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1,
                                death_rate_intercept=0.5),
                             max_tips=Ntips)$tree

# calculate node phylogenetic depths
node_depths = get_all_node_depths(tree)

# plot histogram of node depths
hist(node_depths, xlab="phylogenetic depth", ylab="# nodes", prob=FALSE);
```

get_all_pairwise_distances

Get distances between all pairs of tips and/or nodes.

Description

Calculate phylogenetic ("patristic") distances between all pairs of tips or nodes in the tree, or among a subset of tips/nodes requested.

Usage

```
get_all_pairwise_distances( tree,
                           only_clades      = NULL,
                           as_edge_counts  = FALSE,
                           check_input     = TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
------	--

<code>only_clades</code>	Optional integer vector or character vector, listing tips and/or nodes to which to restrict pairwise distance calculations. If an integer vector, it must list indices of tips (from 1 to <code>Ntips</code>) and/or nodes (from <code>Ntips+1</code> to <code>Ntips+Nnodes</code>). If a character vector, it must list tip and/or node names. For example, if <code>only_clades=c('apple','lemon','pear')</code> , then only the distance between 'apple' and 'lemon', between 'apple' and 'pear', and between 'lemon' and 'pear' are calculated. If <code>only_clades==NULL</code> , then this is equivalent to <code>only_clades=c(1:(Ntips+Nnodes))</code> .
<code>check_input</code>	Logical, whether to perform basic validations of the input data. If you know for certain that your input is valid, you can set this to <code>FALSE</code> to reduce computation time.
<code>as_edge_counts</code>	Logical, specifying whether distances should be calculated in terms of edge counts, rather than cumulative edge lengths. This is the same as if all edges had length 1.

Details

The "patristic distance" between two tips and/or nodes is the shortest cumulative branch length that must be traversed along the tree in order to reach one tip/node from the other. This function returns a square distance matrix, containing the patristic distance between all possible pairs of tips/nodes in the tree (or among the ones provided in `only_clades`).

If `tree$edge.length` is missing, then each edge is assumed to be of length 1; this is the same as setting `as_edge_counts=TRUE`. The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child). The input tree must be rooted at some node for technical reasons (see function [root_at_node](#)), but the choice of the root node does not influence the result. If `only_clades` is a character vector, then `tree$tip.label` must exist. If node names are included in `only_clades`, then `tree$node.label` must also exist.

The asymptotic average time complexity of this function for a balanced binary tree is $O(NC*NC*Nanc + Ntips)$, where `NC` is the number of tips/nodes considered (e.g., the length of `only_clades`) and `Nanc` is the average number of ancestors per tip.

Value

A 2D numeric matrix of size `NC x NC`, where `NC` is the number of tips/nodes considered, and with the entry in row `r` and column `c` listing the distance between the `r`-th and the `c`-th clade considered (e.g., between clades `only_clades[r]` and `only_clades[c]`). Note that if `only_clades` was specified, then the rows and columns in the returned distance matrix correspond to the entries in `only_clades` (i.e., in the same order). If `only_clades` was `NULL`, then the rows and columns in the returned distance matrix correspond to tips (1,...,`Ntips`) and nodes (`Ntips+1`,...,`Ntips+Nnodes`)

Author(s)

Stilianos Louca

See Also

[get_all_distances_to_root](#), [get_pairwise_distances](#)

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# calculate distances between all internal nodes
only_clades = c((Ntips+1):(Ntips+tree$Nnode))
distances = get_all_pairwise_distances(tree, only_clades)

# reroot at some other node
tree = root_at_node(tree, new_root_node=20, update_indices=FALSE)
new_distances = get_all_pairwise_distances(tree, only_clades)

# verify that distances remained unchanged
plot(distances,new_distances,type='p')
```

get_clade_list

*Get a representation of a tree as a table listing tips/nodes.***Description**

Given a tree in standard "phylo" format, calculate an alternative representation of the tree structure as a list of tips/nodes with basic information on parents, children and incoming edge lengths. This function is analogous to the function `read.tree.nodes` in the R package `phybase`.

Usage

```
get_clade_list(tree, postorder=FALSE, missing_value=NA)
```

Arguments

tree	A tree of class "phylo". If <code>postorder==TRUE</code> , then the tree must be rooted.
postorder	Logical, specifying whether nodes should be ordered and indexed in postorder traversal, i.e. with the root node listed last. Note that regardless of the value of <code>postorder</code> , tips will always be listed first and indexed in the order in which they are listed in the input tree.
missing_value	Value to be used to denote missing information in the returned arrays, for example to denote the (non-existing) parent of the root node.

Details

This function is analogous to the function `read.tree.nodes` in the R package `phybase` v1.4, but becomes multiple orders of magnitude faster than the latter for large trees (i.e. with 1000-1000,000 tips). Specifically, calling `get_clade_list` with `postorder=TRUE` and `missing_value=-9` on a bifurcating tree yields a similar behavior as calling `read.tree.nodes` with the argument "name" set to the tree's tip labels.

The input tree can include monofurcations, bifurcations and multifurcations. The asymptotic average time complexity of this function is $O(\text{Nedges})$, where `Nedges` is the number of edges in the tree.

Value

A named list with the following elements:

success	Logical, indicating whether model fitting succeeded. If FALSE, the returned list will include an additional “error” element (character) providing a description of the error; in that case all other return variables may be undefined.
Nsplits	The maximum number of children of any node in the tree. For strictly bifurcating trees this will be 2.
clades	2D integer matrix of size Nclades x (Nsplits+1), with every row representing a specific tip/node in the tree. If postorder==FALSE, then rows are in the same order as tips/nodes in the original tree, otherwise nodes (but not tips) will be re-ordered and re-indexed in postorder fashion, with the root being the last row. The first column lists the parent node index, the remaining columns list the child tip/node indices. For the root, the parent index will be set to missing_value; for the tips, the child indices will be set to missing_value. For nodes with fewer than Nsplits children, superfluous column entries will also be missing_value.
lengths	Numeric vector of size Nclades, listing the lengths of the incoming edges at each tip/node in clades. For the root, the value will be missing_value. If the tree’s edge_length was NULL, then lengths will be NULL as well.
old2new_clade	Integer vector of size Nclades, mapping old tip/node indices to tip/node indices in the returned clades and lengths arrays. If postorder==FALSE, this will simply be c(1:Nclades).

Author(s)

Stilianos Louca

Examples

```
# generate a random bifurcating tree
tree = generate_random_tree(list(birth_rate_intercept=1),
                             max_tips=100)$tree

# get tree structure as clade list
# then convert into a similar format as would be
# returned by phybase::read.tree.nodes v1.4
results = get_clade_list(tree, postorder=TRUE, missing_value=-9)
nodematrix = cbind( results$clades,
                    results$lengths,
                    matrix(-9, nrow=nrow(results$clades), ncol=3))
phybaseformat = list(  nodes = nodematrix,
                      names = tree$tip.label,
                      root = TRUE)
```

get_independent_contrasts

Phylogenetic independent contrasts for continuous traits.

Description

Calculate phylogenetic independent contrasts (PICs) for one or more continuous traits on a phylogenetic tree, as described by Felsenstein (1985). The trait states are assumed to be known for all tips of the tree. PICs are commonly used to calculate correlations between multiple traits, while accounting for shared evolutionary history at the tips. This function also returns an estimate for the state of the root or, equivalently, the phylogenetically weighted mean of the tip states (Garland et al., 1999).

Usage

```
get_independent_contrasts(tree,
                          tip_states,
                          scaled = TRUE,
                          only_bifurcations = FALSE,
                          check_input = TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
tip_states	A numeric vector of size Ntips, or a 2D numeric matrix of size Ntips x Ntraits, specifying the numeric state of each trait at each tip in the tree.
scaled	Logical, specifying whether to divide (standardize) PICs by the square root of their expected variance, as recommended by Felsenstein (1985).
only_bifurcations	Logical, specifying whether to only calculate PICs for bifurcating nodes. If FALSE, then multifurcations are temporarily expanded to bifurcations, and an additional PIC is calculated for each created bifurcation. If TRUE, then multifurcations are not expanded and PICs will not be calculated for them.
check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

If the tree is bifurcating, then one PIC is returned for each node. If multifurcations are present and `only_bifurcations==FALSE`, these are internally expanded to bifurcations and an additional PIC is returned for each such bifurcation. PICs are never returned for monofurcating nodes. Hence, in general the number of returned PICs is the number of bifurcations in the tree, potentially after multifurcations have been expanded to bifurcations (if `only_bifurcations==FALSE`).

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. The tree may include multifurcations (i.e. nodes with more than 2 children) as well as monofurcations (i.e. nodes with only one child). Edges with length 0 will be adjusted internally to some tiny length (chosen to be much smaller than the smallest non-zero length).

Tips must be represented in `tip_states` in the same order as in `tree$tip.label`. The vector `tip_states` need not include item names; if it does, however, they are checked for consistency (if `check_input==TRUE`).

The function has asymptotic time complexity $O(N_{edges} \times N_{traits})$. It is more efficient to calculate PICs of multiple traits with the same function call, than to calculate PICs for each trait separately. For a single trait, this function is equivalent to the function `ape::pic`, with the difference that it can handle multifurcating trees.

Value

A list with the following elements:

PICs	A numeric vector (if <code>tip_states</code> is a vector) or a numeric matrix (if <code>tip_states</code> is a matrix), listing the phylogenetic independent contrasts for each trait and for each bifurcating node (potentially after multifurcations have been expanded). If a matrix, then <code>PICs[, T]</code> will list the PICs for the T-th trait. Note that the order of elements in this vector (or rows, if PICs is a matrix) is not necessarily the order of nodes in the tree, and that PICs may contain fewer or more elements (or rows) than there were nodes in the input tree.
distances	Numeric vector of the same size as PICs. The “evolutionary distances” (or time) corresponding to the PICs under a Brownian motion model of trait evolution. These roughly correspond to the cumulative edge lengths between sister nodes from which PICs were calculated; hence their units are the same as those of edge lengths. They do not take into account the actual trait values. See Felsenstein (1985) for details.
nodes	Integer vector of the same size as PICs, listing the node indices for which PICs are returned. If <code>only_bifurcations==FALSE</code> , then this vector may contain NAs, corresponding to temporary nodes created during expansion of multifurcations. If <code>only_bifurcations==TRUE</code> , then this vector will only list nodes that were bifurcating in the input tree. In that case, <code>PICs[1]</code> will correspond to the node with name <code>tree\$node.label[nodes[1]]</code> , whereas <code>PICs[2]</code> will correspond to the node with name <code>tree\$node.label[nodes[2]]</code> , and so on.
root_state	Numeric vector of size <code>Ntraits</code> , listing the globally estimated state for the root or, equivalently, the phylogenetically weighted mean of the tip states.
root_standard_error	Numeric vector of size <code>Ntraits</code> , listing the phylogenetically estimated standard errors of the root state under a Brownian motion model. The standard errors have the same units as the traits and depend both on the tree topology as well as the tip states. Calculated according to the procedure described by Garland et al. (1999, page 377).
root_CI95	Numeric vector of size <code>Ntraits</code> , listing the radius (half width) of the 95% confidence interval of the root state. Calculated according to the procedure described by Garland et al. (1999, page 377). Note that in contrast to the CI95 returned by

the ace function in the ape package (v. 0.5-64), root_CI95 has the same units as the traits and depends both on the tree topology as well as the tip states.

Author(s)

Stilianos Louca

References

- J. Felsenstein (1985). Phylogenies and the Comparative Method. The American Naturalist. 125:1-15.
- T. Garland Jr., P. E. Midford, A. R. Ives (1999). An introduction to phylogenetically based statistical methods, with a new method for confidence intervals on ancestral values. American Zoologist. 39:374-388.

See Also

[asr_independent_contrasts](#)

Examples

```
# generate random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# simulate a continuous trait
tip_states = simulate_bm_model(tree, diffusivity=0.1, include_nodes=FALSE)$tip_states;

# calculate PICs
results = get_independent_contrasts(tree, tip_states, scaled=TRUE, only_bifurcations=TRUE)

# assign PICs to the bifurcating nodes in the input tree
PIC_per_node = rep(NA, tree$Nnode)
valids = which(!is.na(results$nodes))
PIC_per_node[results$nodes[valids]] = results$PICs[valids]
```

get_mrca_of_set	<i>Most recent common ancestor of a set of tips/nodes.</i>
-----------------	--

Description

Given a rooted phylogenetic tree and a set of tips and/or nodes ("descendants"), calculate the most recent common ancestor (MRCA) of those descendants.

Usage

```
get_mrca_of_set(tree, descendants)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
descendants	An integer vector or character vector, specifying the tips/nodes for which to find the MRCA. If an integer vector, it must list indices of tips (from 1 to Ntips) and/or nodes (from Ntips+1 to Ntips+Nnodes), where Ntips and Nnodes is the number of tips and nodes in the tree, respectively. If a character vector, it must list tip and/or node names. In this case tree must include tip.label, as well as node.label if nodes are included in descendants.

Details

The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). Duplicate entries in descendants are ignored.

Value

An integer in 1,...,(Ntips+Nnodes), representing the MRCA using the same index as in tree\$edge. If the MRCA is a tip, then this index will be in 1,...,Ntips. If the MRCA is a node, then this index will be in (Ntips+1),...,(Ntips+Nnodes).

Author(s)

Stilianos Louca

See Also

[get_pairwise_mrcas](#), [get_tips_for_mrcas](#)

Examples

```
# generate a random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# pick 3 random tips or nodes
descendants = sample.int(n=(Ntips+tree$Nnode), size=3, replace=FALSE)

# calculate MRCA of picked descendants
mrca = get_mrca_of_set(tree, descendants)
```

get_pairwise_distances

Get distances between pairs of tips or nodes.

Description

Calculate phylogenetic ("patristic") distances between tips or nodes in some list A and tips or nodes in a second list B of the same size.

Usage

```
get_pairwise_distances(tree, A, B, as_edge_counts=FALSE, check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
A	An integer vector or character vector of size Npairs, specifying the first of the two members of each pair for which to calculate the distance. If an integer vector, it must list indices of tips (from 1 to Ntips) and/or nodes (from Ntips+1 to Ntips+Nnodes). If a character vector, it must list tip and/or node names.
B	An integer vector or character vector of size Npairs, specifying the second of the two members of each pair for which to calculate the distance. If an integer vector, it must list indices of tips (from 1 to Ntips) and/or nodes (from Ntips+1 to Ntips+Nnodes). If a character vector, it must list tip and/or node names.
check_input	Logical, whether to perform basic validations of the input data. If you know for certain that your input is valid, you can set this to FALSE to reduce computation time.
as_edge_counts	Logical, specifying whether distances should be calculated in terms of edge counts, rather than cumulative edge lengths. This is the same as if all edges had length 1.

Details

The "patristic distance" between two tips and/or nodes is the shortest cumulative branch length that must be traversed along the tree in order to reach one tip/node from the other. Given a list of tips and/or nodes A, and a 2nd list of tips and/or nodes B of the same size, this function will calculate patristic distance between each pair (A[i], B[i]), where $i=1,2,\dots,Npairs$.

If `tree$edge.length` is missing, then each edge is assumed to be of length 1; this is the same as setting `as_edge_counts=TRUE`. The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child). The input tree must be rooted at some node for technical reasons (see function [root_at_node](#)), but the choice of the root node does not influence the result. If A and/or B is a character vector, then `tree$tip.label` must exist. If node names are included in A and/or B, then `tree$node.label` must also exist.

The asymptotic average time complexity of this function for a balanced binary tree is $O(Ntips+Npairs*\log_2(Ntips))$.

Value

A numeric vector of size Npairs, with the i-th element being the patristic distance between the tips/nodes A[i] and B[i].

Author(s)

Stilianos Louca

See Also

[get_all_distances_to_root](#), [get_all_pairwise_distances](#)

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1), Ntips)$tree

# pick 3 random pairs of tips or nodes
Npairs = 3
A = sample.int(n=(Ntips+tree$Nnode), size=Npairs, replace=FALSE)
B = sample.int(n=(Ntips+tree$Nnode), size=Npairs, replace=FALSE)

# calculate distances
distances = get_pairwise_distances(tree, A, B)

# reroot at some other node
tree = root_at_node(tree, new_root_node=20, update_indices=FALSE)
new_distances = get_pairwise_distances(tree, A, B)

# verify that distances remained unchanged
print(distances)
print(new_distances)
```

get_pairwise_mrcas	<i>Get most recent common ancestors of tip/node pairs.</i>
--------------------	--

Description

Given a rooted phylogenetic tree and one or more pairs of tips and/or nodes, for each pair of tips/nodes find the most recent common ancestor (MRCA). If one clade is descendant of the other clade, the latter will be returned as MRCA.

Usage

```
get_pairwise_mrcas(tree, A, B, check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
A	An integer vector or character vector of size Npairs, specifying the first of the two members of each pair of tips/nodes for which to find the MRCA. If an integer vector, it must list indices of tips (from 1 to Ntips) and/or nodes (from Ntips+1 to Ntips+Nnodes). If a character vector, it must list tip and/or node names.
B	An integer vector or character vector of size Npairs, specifying the second of the two members of each pair of tips/nodes for which to find the MRCA. If an integer vector, it must list indices of tips (from 1 to Ntips) and/or nodes (from Ntips+1 to Ntips+Nnodes). If a character vector, it must list tip and/or node names.
check_input	Logical, whether to perform basic validations of the input data. If you know for certain that your input is valid, you can set this to FALSE to reduce computation time.

Details

The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child). If `tree$edge.length` is missing, then each edge is assumed to be of length 1. Note that in some cases the MRCA of two tips may be a tip, namely when both tips are the same.

If A and/or B is a character vector, then `tree$tip.label` must exist. If node names are included in A and/or B, then `tree$node.label` must also exist.

The asymptotic average time complexity of this function is $O(N_{edges})$, where N_{edges} is the number of edges in the tree.

Value

An integer vector of size Npairs with values in 1,...,Ntips (tips) and/or in (Ntips+1),...,(Ntips+Nnodes) (nodes), with the i-th element being the index of the MRCA of tips/nodes `A[i]` and `B[i]`.

Author(s)

Stilianos Louca

See Also

[get_mrca_of_set](#), [get_tips_for_mrcas](#)

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# pick 3 random pairs of tips or nodes
Npairs = 3
```

```

A = sample.int(n=(Ntips+tree$Nnode), size=Npairs, replace=FALSE)
B = sample.int(n=(Ntips+tree$Nnode), size=Npairs, replace=FALSE)

# calculate MRCAs
MRCAs = get_pairwise_mrcas(tree, A, B)

```

```
get_random_diffusivity_matrix
```

Create a random diffusivity matrix for a Brownian motion model.

Description

Create a random diffusivity matrix for a Brownian motion model of multi-trait evolution. This may be useful for testing purposes. The diffusivity matrix is drawn from the Wishart distribution of symmetric, nonnegative-definite matrixes:

$$D = X^T \cdot X, \quad X[i, j] \sim N(0, V), \quad i = 1, \dots, n, j = 1, \dots, p,$$

where n is the degrees of freedom, p is the number of traits and V is a scalar scaling.

Usage

```
get_random_diffusivity_matrix(Ntraits, degrees=NULL, V=1)
```

Arguments

Ntraits	The number of traits modelled. Equal to the number of rows and the number of columns of the returned matrix.
degrees	Degrees of freedom for the Wishart distribution. Must be equal to or greater than Ntraits. Can also be NULL, which is the same as setting it equal to Ntraits.
V	Positive number. A scalar scaling for the Wishart distribution.

Value

A real-valued quadratic symmetric non-negative definite matrix of size Ntraits x Ntraits. Almost surely (in the probabilistic sense), this matrix will be positive definite.

Author(s)

Stilianos Louca

See Also

[get_random_mk_transition_matrix](#), [simulate_bm_model](#)

Examples

```
# generate a 5x5 diffusivity matrix
D = get_random_diffusivity_matrix(Ntraits=5)

# check that it is indeed positive definite
if(all(eigen(D)$values>0)){
  cat("Indeed positive definite\n");
}else{
  cat("Not positive definite\n");
}
```

```
get_random_mk_transition_matrix
```

Create a random transition matrix for an Mk model.

Description

Create a random transition matrix for a fixed-rates continuous-time Markov model of discrete trait evolution ("Mk model"). This may be useful for testing purposes.

Usage

```
get_random_mk_transition_matrix(Nstates, rate_model, min_rate=0, max_rate=1)
```

Arguments

Nstates	The number of distinct states represented in the transition matrix (number of rows & columns).
rate_model	Rate model that the transition matrix must satisfy. Can be "ER" (all rates equal), "SYM" (transition rate $i \rightarrow j$ is equal to transition rate $j \rightarrow i$), "ARD" (all rates can be different) or "SUEDE" (only stepwise transitions $i \rightarrow i+1$ and $i \rightarrow i-1$ allowed, all 'up' transitions are equal, all 'down' transitions are equal).
min_rate	A non-negative number, specifying the minimum rate in off-diagonal entries of the transition matrix.
max_rate	A non-negative number, specifying the maximum rate in off-diagonal entries of the transition matrix. Must not be smaller than min_rate.

Value

A real-valued quadratic matrix of size Nstates x Nstates, representing a transition matrix for an Mk model. Each row will sum to 0. The [r,c]-th entry represents the transition rate $r \rightarrow c$. The number of unique off-diagonal rates will depend on the rate_model chosen.

Author(s)

Stilianos Louca

See Also

[exponentiate_matrix](#), [get_stationary_distribution](#)

Examples

```
# generate a 5x5 Markov transition rate matrix
Q = get_random_mk_transition_matrix(Nstates=5, rate_model="ARD")
```

get_reds

Calculate relative evolutionary divergences in a tree.

Description

Calculate the relative evolutionary divergence (RED) of each node in a rooted phylogenetic tree. The RED of a node is a measure of its relative placement between the root and the node's descending tips (Parks et al. 2018). The root's RED is always 0, the RED of each tip is 1, and the RED of each node is between 0 and 1.

Usage

```
get_reds(tree)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
------	--

Details

The RED of a node measures its relative placement between the root and the node's descending tips (Parks et al. 2018). The root's RED is set to 0. Traversing from root to tips (preorder traversal), for each node the RED is set to $P + (a/(a + b)) \cdot (1 - P)$, where P is the RED of the node's parent, a is the edge length connecting the node to its parent, and b is the average distance from the node to its descending tips. The RED of a tip would always be 1.

The RED may be useful for defining taxonomic ranks based on a molecular phylogeny (e.g. see Parks et al. 2018). This function is similar to the PhyloRank v0.0.27 script published by Parks et al. (2018).

The time complexity of this function is $O(N_{\text{edges}})$. The input tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). If `tree$edge.length` is NULL, then all edges in the input tree are assumed to have length 1.

Value

A numeric vector of length `Nnodes`, listing the RED of each node in the tree. The REDs of tips are not included, since these would always be equal to 1.

Author(s)

Stilianos Louca

References

D. H. Parks, M. Chuvochina et al. (2018). A proposal for a standardized bacterial taxonomy based on genome phylogeny. bioRxiv 256800. DOI:10.1101/256800

Examples

```
# generate a random tree
params = list(birth_rate_intercept=1, death_rate_intercept=0.8)
tree = generate_random_tree(params, max_time=100, coalescent=FALSE)$tree

# calculate and print REDs
REDs = get_reds(tree)
print(REDs)
```

get_stationary_distribution

Stationary distribution of Markov transition matrix.

Description

Calculate the stationary probability distribution vector p for a transition matrix Q of a continuous-time Markov chain. That is, calculate $p \in [0, 1]^n$ such that $\text{sum}(p) == 0$ and $p^T Q = 0$.

Usage

```
get_stationary_distribution(Q)
```

Arguments

Q A valid transition rate matrix of size $N_{\text{states}} \times N_{\text{states}}$, i.e. a quadratic matrix in which every row sums up to zero.

Details

A stationary distribution of a discrete-state continuous-time Markov chain is a probability distribution across states that remains constant over time, i.e. $p^T Q = 0$. Note that in some cases (i.e. if Q is not irreducible), there may be multiple distinct stationary distributions. In that case, which one is returned by this function is unpredictable. Internally, p is estimated by stepwise minimization of the norm of $p^T Q$, starting with the vector p in which every entry equals $1/N_{\text{states}}$.

Value

A numeric vector of size N_{states} and with non-negative entries, satisfying the conditions $p \% \% Q == 0$ and $\text{sum}(p) == 1$.

Author(s)

Stilianos Louca

See Also

[exponentiate_matrix](#)

Examples

```
# generate a random 5x5 Markov transition matrix
Q = get_random_mk_transition_matrix(Nstates=5, rate_model="ARD")

# calculate stationary probability distribution
p = get_stationary_distribution(Q)
print(p)

# test correctness (p*Q should be 0, apart from rounding errors)
cat(sprintf("max(abs(p*Q)) = %g\n", max(abs(p %*% Q))))
```

get_subtrees_at_nodes *Extract subtrees descending from specific nodes.*

Description

Given a tree and a list of focal nodes, extract the subtrees descending from those focal nodes, with the focal nodes becoming the roots of the extracted subtrees.

Usage

```
get_subtrees_at_nodes(tree, nodes)
```

Arguments

tree	A tree of class "phylo".
nodes	Character vector or integer vector specifying the names or indices, respectively, of the focal nodes at which to extract the subtrees. If an integer vector, entries must be between 1 and tree\$Nnode. If a character vector, each entry must be a valid entry in tree\$node.label.

Details

The input tree need not be rooted, however "descendance" from a focal node is inferred based on the direction of edges in tree\$edge. The input tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child).

Value

A list with the following elements:

subtrees	List of the same length as nodes, with each element being a new tree of class "phylo", containing the subtrees descending from the focal nodes. Each subtree will be rooted at the corresponding focal node.
new2old_tip	List of the same length as nodes, with the n-th element being an integer vector with values in 1,...,Ntips, mapping tip indices of the n-th subtree to tip indices in the original tree. In particular, <code>tree\$tip.label[new2old_tip[[n]]]</code> will be equal to <code>subtrees[[n]]\$tip.label</code> .
new2old_node	List of the same length as nodes, with the n-th element being an integer vector with values in 1,...,Nnodes, mapping node indices of the n-th subtree to node indices in the original tree. For example, <code>new2old_node[[2]][1]</code> is the index that the 1st node of the 2nd subtree had within the original tree. In particular, <code>tree\$node.label[new2old_node[[n]]]</code> will be equal to <code>subtrees[[n]]\$node.label</code> (if node labels are available).
new2old_edge	List of the same length as nodes, with the n-th element being an integer vector with values in 1,...,Nedges, mapping edge indices of the n-th subtree to edge indices in the original tree. In particular, <code>tree\$edge.length[new2old_edge[[n]]]</code> will be equal to <code>subtrees[[n]]\$edge.length</code> (if edge lengths are available).

Author(s)

Stilianos Louca

See Also

[get_subtree_at_node](#),
[get_subtree_with_tips](#)

Examples

```
# generate a random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# extract subtrees descending from random nodes
nodes = sample.int(tree$Nnode,size=10)
subtrees = get_subtrees_at_nodes(tree, nodes)$subtrees

# print summaries of extracted subtrees
for(n in length(nodes)){
  cat(sprintf("Subtree at %d-th node has %d tips\n",nodes[n],length(subtrees[[n]]$tip.label)))
}
```

get_subtree_at_node	<i>Extract a subtree descending from a specific node.</i>
---------------------	---

Description

Given a tree and a focal node, extract the subtree descending from the focal node and place the focal node as the root of the extracted subtree.

Usage

```
get_subtree_at_node(tree, node)
```

Arguments

tree	A tree of class "phylo".
node	Character or integer specifying the name or index, respectively, of the focal node at which to extract the subtree. If an integer, it must be between 1 and tree\$Nnode. If a character, it must be a valid entry in tree\$node.label.

Details

The input tree need not be rooted, however "descendance" from the focal node is inferred based on the direction of edges in tree\$edge. The input tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child).

Value

A list with the following elements:

subtree	A new tree of class "phylo", containing the subtree descending from the focal node. This tree will be rooted, with the new root being the focal node.
new2old_tip	Integer vector of length Ntips_kept (=number of tips in the extracted subtree) with values in 1,...,Ntips, mapping tip indices of the subtree to tip indices in the original tree. In particular, tree\$tip.label[new2old_tip] will be equal to subtree\$tip.label.
new2old_node	Integer vector of length Nnodes_kept (=number of nodes in the extracted subtree) with values in 1,...,Nnodes, mapping node indices of the subtree to node indices in the original tree. For example, new2old_node[1] is the index that the first node of the subtree had within the original tree. In particular, tree\$node.label[new2old_node] will be equal to subtree\$node.label (if node labels are available).
new2old_edge	Integer vector of length Nedges_kept (=number of edges in the extracted subtree), with values in 1,...,Nedges, mapping edge indices of the subtree to edge indices in the original tree. In particular, tree\$edge.length[new2old_edge] will be equal to subtree\$edge.length (if edge lengths are available).

Author(s)

Stilianos Louca

See Also[get_subtree_with_tips](#)**Examples**

```
# generate a random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# extract subtree descending from a random node
node = sample.int(tree$Nnode,size=1)
subtree = get_subtree_at_node(tree, node)$subtree

# print summary of subtree
cat(sprintf("Subtree at %d-th node has %d tips\n",node,length(subtree$tip.label)))
```

`get_subtree_with_tips` *Extract a subtree spanning a specific subset of tips.*

Description

Given a rooted tree and a subset of tips, extract the subtree containing only those tips. The root of the tree is kept.

Usage

```
get_subtree_with_tips(tree,
                      only_tips          = NULL,
                      omit_tips          = NULL,
                      collapse_monofurcations = TRUE,
                      force_keep_root     = FALSE)
```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>only_tips</code>	Either a character vector listing tip names to keep, or an integer vector listing tip indices to keep (between 1 and Ntips). Can also be NULL. Tips listed in <code>only_tips</code> not found in the tree will be silently ignored.
<code>omit_tips</code>	Either a character vector listing tip names to omit, or an integer vector listing tip indices to omit (between 1 and Ntips). Can also be NULL. Tips listed in <code>omit_tips</code> not found in the tree will be silently ignored.

collapse_monofurcations

A logical specifying whether nodes with a single outgoing edge remaining should be collapsed (removed). Incoming and outgoing edge of such nodes will be concatenated into a single edge, connecting the parent (or earlier) and child (or later) of the node. In that case, the returned tree will have edge lengths that reflect the concatenated edges.

force_keep_root

Logical, specifying whether to keep the root even if collapse_monofurcations==TRUE and the root of the subtree is left with a single child. If FALSE, and collapse_monofurcations==TRUE, the root may be removed and one of its descendants may become root.

Details

If both only_tips and omit_tips are NULL, then all tips are kept and the tree remains unchanged. If both only_tips and omit_tips are non-NULL, then only tips listed in only_tips and not listed in omit_tips will be kept. If only_tips and/or omit_tips is a character vector listing tip names, then tree\$tip.label must exist.

If the input tree does not include edge.length, each edge in the input tree is assumed to have length 1. The root of the tree (which is always kept) is assumed to be the unique node with no incoming edge. The input tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child).

The asymptotic time complexity of this function is $O(N_{\text{nodes}} + N_{\text{tips}})$, where N_{tips} is the number of tips and N_{nodes} the number of nodes in the input tree.

When only_tips==NULL, omit_tips!=NULL, collapse_monofurcations==TRUE and force_keep_root==FALSE, this function is analogous to the function drop.tip in the ape package with option trim.internal=TRUE (v. 0.5-64).

Value

A list with the following elements:

subtree	A new tree of class "phylo", containing only the tips specified by tips_to_keep and the nodes & edges connecting those tips to the root. The returned tree will include edge.length as a member variable, listing the lengths of the remaining (possibly concatenated) edges.
root_shift	Numeric, indicating the phylogenetic distance between the old and the new root. Will always be non-negative.
new2old_tip	Integer vector of length Ntips_kept (=number of tips in the extracted subtree) with values in 1,...,Ntips, mapping tip indices of the subtree to tip indices in the original tree. In particular, tree\$tip.label[new2old_tip] will be equal to subtree\$tip.label.
new2old_node	Integer vector of length Nnodes_kept (=number of nodes in the extracted subtree) with values in 1,...,Nnodes, mapping node indices of the subtree to node indices in the original tree. For example, new2old_node[1] is the index that the first node of the subtree had within the original tree. In particular, tree\$node.label[new2old_node] will be equal to subtree\$node.label (if node labels are available).

Author(s)

Stilianos Louca

See Also[get_subtree_at_node](#)**Examples**

```
# generate a random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# choose a random subset of tips
tip_subset = sample.int(Ntips, size=as.integer(Ntips/10), replace=FALSE)

# extract subtree spanning the chosen tip subset
subtree = get_subtree_with_tips(tree, only_tips=tip_subset)$subtree

# print summary of subtree
cat(sprintf("Subtree has %d tips and %d nodes\n",length(subtree$tip.label),subtree$Nnode))
```

get_tips_for_mrcas	<i>Find tips with specific most recent common ancestors.</i>
--------------------	--

Description

Given a rooted phylogenetic tree and a list of nodes ("MRCA nodes"), for each MRCA node find a set of descending tips ("MRCA-defining tips") such that their most recent common ancestor (MRCA) is that node. This may be useful for cases where nodes need to be described as MRCAs of tip pairs for input to certain phylogenetics algorithms (e.g., for tree dating).

Usage

```
get_tips_for_mrcas(tree, mrca_nodes, check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
mrca_nodes	Either an integer vector or a character vector, listing the nodes for each of which an MRCA-defining set of tips is to be found. If an integer vector, it should list node indices (i.e. from 1 to Nnodes). If a character vector, it should list node names; in that case tree\$node.label must exist.
check_input	Logical, whether to perform basic validations of the input data. If you know for certain that your input is valid, you can set this to FALSE to reduce computation time.

Details

At most 2 MRCA-defining tips are assigned to each MRCA node. This function assumes that each of the `mrca_nodes` has at least two children or has a child that is a tip (otherwise the problem is not well-defined). The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child).

The asymptotic time complexity of this function is $O(N_{\text{tips}} + N_{\text{nodes}}) + O(N_{\text{mrcas}})$, where N_{tips} is the number of tips, N_{nodes} is the number of nodes in the tree and N_{mrcas} is equal to `length(mrca_nodes)`.

Value

A list of the same size as `mrca_nodes`, whose n -th element is an integer vector of tip indices (i.e. with values in $1, \dots, N_{\text{tips}}$) whose MRCA is the n -th node listed in `mrca_nodes`.

Author(s)

Stilianos Louca

See Also

[get_pairwise_mrcas](#), [get_mrca_of_set](#)

Examples

```
# generate a random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1), Ntips)$tree

# pick random nodes
focal_nodes = sample.int(n=tree$Nnode, size=3, replace=FALSE)

# get tips for mrcas
tips_per_focal_node = get_tips_for_mrcas(tree, focal_nodes);

# check correctness (i.e. calculate actual MRCAs of tips)
for(n in 1:length(focal_nodes)){
  mrca = get_mrca_of_set(tree, tips_per_focal_node[[n]])
  cat(sprintf("Focal node = %d, should match mrca of tips = %d\n", focal_nodes[n], mrca-Ntips))
}
```

Description

Given a rooted phylogenetic tree and a numeric (typically continuous) trait with known value (state) on each tip, calculate the phylogenetic autocorrelation function (ACF) of the trait. The ACF is a function of phylogenetic distance x , where $ACF(x)$ is the Pearson autocorrelation of the trait between two tips, provided that the tips have phylogenetic ("patristic") distance x . The function `get_trait_acf` also calculates the mean absolute difference and the mean relative difference of the trait between any two random tips at phylogenetic distance x (see details below).

Usage

```
get_trait_acf(tree, tip_states, Npairs=10000, Nbins=10)
```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>tip_states</code>	A numeric vector of size <code>Ntips</code> , specifying the value of the trait at each tip in the tree. Note that <code>tip_states[i]</code> (where i is an integer index) must correspond to the i -th tip in the tree.
<code>Npairs</code>	Total number of random tip pairs to draw. A greater number of tip pairs will improve the accuracy of the estimated ACF within each distance bin. Tip pairs are drawn randomly with replacement. If <code>Npairs</code> ≤ 0, then every tip pair is included exactly once.
<code>Nbins</code>	Number of distance bins to consider within the range of phylogenetic distances encountered between tip pairs in the tree. A greater number of bins will increase the resolution of the ACF as a function of phylogenetic distance, but will decrease the number of tip pairs falling within each bin (which reduces the accuracy of the estimated ACF).

Details

The phylogenetic autocorrelation function (ACF) of a trait can give insight into the evolutionary processes shaping its distribution across clades. An ACF that decays slowly with increasing phylogenetic distance indicates a strong phylogenetic conservatism of the trait, whereas a rapidly decaying ACF indicates weak phylogenetic conservatism. Similarly, if the mean absolute difference in trait value between two random tips increases with phylogenetic distance, this indicates a phylogenetic autocorrelation of the trait (Zaneveld et al. 2014). Here, phylogenetic distance between tips refers to their patristic distance, i.e. the minimum cumulative edge length required to connect the two tips.

Since the phylogenetic distances between all possible tip pairs do not cover a continuum (as there is only a finite number of tips), this function randomly draws tip pairs from the tree, maps them onto a finite set of equally-sized distance bins and then estimates the ACF for the centroid of each distance bin based on tip pairs in that bin. In practice, as a next step one would usually plot the estimated ACF (returned vector autocorrelations) over the centroids of the distance bins (returned vector distances).

The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as monofurcations (i.e. nodes with only one child). If `tree$edge.length` is missing, then every edge is

assumed to have length 1. The input tree must be rooted at some node for technical reasons (see function [root_at_node](#)), but the choice of the root node does not influence the result.

Value

A list with the following elements:

distances	Numeric vector of size Nbins, storing the centroid phylogenetic distance of each distance bin in increasing order. The first and last distance bin approximately span the full range of phylogenetic distances encountered between any two random tips in the tree.
autocorrelations	Numeric vector of size Nbins, storing the estimated Pearson autocorrelation of the trait for each distance bin.
mean_abs_differences	Numeric vector of size Nbins, storing the mean absolute difference of the trait between tip pairs in each distance bin.
mean_rel_differences	Numeric vector of size Nbins, storing the mean relative difference of the trait between tip pairs in each distance bin. The relative difference between two values X and Y is 0 if $X == Y$, and equal to $\frac{ X - Y }{0.5 \cdot (X + Y)}$ otherwise.
Npairs_per_distance	Integer vector of size Nbins, storing the number of random tip pairs associated with each distance bin.

Author(s)

Stilianos Louca

References

J. R. Zaneveld and R. L. V. Thurber (2014). Hidden state prediction: A modification of classic ancestral state reconstruction algorithms helps unravel complex symbioses. *Frontiers in Microbiology*. 5:431.

See Also

[get_trait_depth](#), [geographic_acf](#)

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=1000)$tree

# simulate continuous trait evolution on the tree
```

```

tip_states = simulate_bm_model(tree, diffusivity=1)$tip_states

# calculate autocorrelation function
ACF = get_trait_acf(tree, tip_states, Npairs=1e7, Nbins=10)

# plot ACF (autocorrelation vs phylogenetic distance)
plot(ACF$distances, ACF$autocorrelations, type="l", xlab="distance", ylab="ACF")

```

get_trait_depth

Calculate depth of phylogenetic conservatism for a binary trait.

Description

Given a rooted phylogenetic tree and presences/absences of a binary trait for each tip, calculate the mean phylogenetic depth at which the trait is conserved across clades, in terms of the `consenTRAIT` metric introduced by Martiny et al (2013). This is the mean depth of clades that are positive in the trait (i.e. in which a sufficient fraction of tips exhibits the trait).

Usage

```

get_trait_depth(tree,
                 tip_states,
                 min_fraction      = 0.9,
                 count_singletons  = TRUE,
                 singleton_resolution= 0,
                 weighted          = FALSE,
                 Npermutations     = 0)

```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>tip_states</code>	A numeric vector of size <code>Ntips</code> indicating absence (value ≤ 0) or presence (value > 0) of a particular trait at each tip of the tree. Note that <code>tip_states[i]</code> (where <code>i</code> is an integer index) must correspond to the <code>i</code> -th tip in the tree.
<code>min_fraction</code>	Minimum fraction of tips in a clade exhibiting the trait, for the clade to be considered "positive" in the trait. In the original paper by Martiny et al (2013), this was 0.9.
<code>count_singletons</code>	Logical, specifying whether to include singletons in the statistics (tips positive in the trait, but not part of a larger positive clade). The phylogenetic depth of singletons is taken to be half the length of their incoming edge, as proposed by Martiny et al (2013). If <code>FALSE</code> , singletons are ignored.
<code>singleton_resolution</code>	Numeric, specifying the phylogenetic resolution at which to resolve singletons. Any clade found to be positive in a trait will be considered a singleton if the distance of the clade's root to all descending tips is below this threshold.

<code>weighted</code>	Whether to weight positive clades by their number of positive tips. If FALSE, each positive clades is weighted equally, as proposed by Martiny et al (2013).
<code>Npermutations</code>	Number of random permutations for estimating the statistical significance of the mean trait depth. If zero (default), the statistical significance is not calculated.

Details

This function calculates the "consenTRAIT" metric (or variants thereof) proposed by Martiny et al. (2013) for measuring the mean phylogenetic depth at which a binary trait (e.g. presence/absence of a particular metabolic function) is conserved across clades. A greater mean depth means that the trait tends to be conserved in deeper-rooting clades. In their original paper, Martiny et al. proposed to consider a trait as conserved in a clade (i.e. marking a clade as "positive" in the trait) if at least 90% of the clade's tips exhibit the trait (i.e. are "positive" in the trait). This fraction can be controlled using the `min_fraction` parameter. The depth of a clade is taken as the average distance of its tips to the clade's root.

The default parameters of this function reflect the original choices made by Martiny et al. (2013), however in some cases it may be sensible to adjust them. For example, if you suspect a high risk of false positives in the detection of a trait, it may be worth setting `count_singletons` to FALSE to avoid skewing the distribution of conservation depths towards shallower depths due to false positives.

The statistical significance of the calculated mean depth, i.e. the probability of encountering such a mean dept or higher by chance, can be estimated based on a null model in which each tip is randomly and independently re-assigned a presence or absence of the trait. In the null model, the probability that a tip exhibits the trait is set to the fraction of positive entries in `tip_states`.

The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child). If `tree$edge.length` is missing, then every edge is assumed to have length 1.

Value

A list with the following elements:

<code>mean_depth</code>	Mean phylogenetic depth of clades that are positive in the trait.
<code>var_depth</code>	Variance of phylogenetic depths of clades that are positive in the trait.
<code>min_depth</code>	Minimum phylogenetic depth of clades that are positive in the trait.
<code>max_depth</code>	Maximum phylogenetic depth of clades that are positive in the trait.
<code>Npositives</code>	Number of clades that are positive in the trait.
<code>P</code>	Statistical significance (P-values) of <code>mean_depth</code> , under a null model of random trait presences/absences (see details above). This is the probability that under the null model, the <code>mean_depth</code> would be at least as high as observed in the data.
<code>mean_random_depth</code>	Mean random <code>mean_depth</code> , under a null model of random trait presences/absences (see details above).
<code>positive_clades</code>	Integer vector, listing indices of tips and nodes (from 1 to <code>Ntips+Nnodes</code>) that were found to be positive in the trait and counted towards the statistic.

positives_per_clade

Integer vector of size Ntips+Nnodes, listing the number of descending tips per clade (tip or node) that were positive in the trait.

mean_depth_per_clade

Numeric vector of size Ntips+Nnodes, listing the mean phylogenetic depth of each clade (tip or node), i.e. the average distance to all its descending tips.

Author(s)

Stilianos Louca

References

A. C. Martiny, K. Treseder and G. Pusch (2013). Phylogenetic trait conservatism of functional traits in microorganisms. ISME Journal. 7:830-838.

See Also

[get_trait_acf](#)

Examples

```
## Not run:
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=1000)$tree

# simulate binary trait evolution on the tree
Q = get_random_mk_transition_matrix(Nstates=2, rate_model="ARD", max_rate=0.1)
tip_states = simulate_mk_model(tree, Q)$tip_states

# change states from 1/2 to 0/1 (presence/absence)
tip_states = tip_states - 1

# calculate phylogenetic conservatism of trait
results = get_trait_depth(tree, tip_states, count_singletons=FALSE, weighted=TRUE)
cat(sprintf("Mean depth = %g, std = %g\n",results$mean_depth,sqrt(results$var_depth)))

## End(Not run)
```

get_trait_stats_over_time

Calculate mean & standard deviation of a numeric trait on a dated tree over time.

Description

Given a rooted and dated phylogenetic tree, and a scalar numeric trait with known value on each node and tip of the tree, calculate the mean and the variance of the trait's states across the tree at discrete time points. For example, if the trait represents "body size", then this function calculates the mean body size of extant clades over time.

Usage

```
get_trait_stats_over_time(tree, states, Ntimes=NULL, times=NULL, check_input=TRUE)
```

Arguments

<code>tree</code>	A rooted tree of class "phylo", where edge lengths represent time intervals (or similar).
<code>states</code>	Numeric vector, specifying the trait's state at each tip and each node of the tree (in the order in which tips & nodes are indexed). May include NA or NaN if values are missing for some tips/nodes.
<code>Ntimes</code>	Integer, number of equidistant time points for which to calculate clade counts. Can also be NULL, in which case <code>times</code> must be provided.
<code>times</code>	Integer vector, listing time points (in ascending order) for which to calculate clade counts. Can also be NULL, in which case <code>Ntimes</code> must be provided.
<code>check_input</code>	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

If `tree$edge.length` is missing, then every edge in the tree is assumed to be of length 1. The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child). The tree need not be ultrametric (e.g. may include extinct tips), although in general this function only makes sense if edge lengths correspond to time (or similar).

Either `Ntimes` or `times` must be non-NULL, but not both. `states` need not include names; if it does, then these are checked to be in the same order as in the tree (if `check_input==TRUE`).

Value

A list with the following elements:

<code>Ntimes</code>	Integer, indicating the number of returned time points. Equal to the provided <code>Ntimes</code> if applicable.
<code>times</code>	Numeric vector of size <code>Ntimes</code> , listing the considered time points in increasing order. If <code>times</code> was provided as an argument to the function, then this will be the same as provided.
<code>clade_counts</code>	Integer vector of size <code>Ntimes</code> , listing the number of tips or nodes considered at each time point.
<code>means</code>	Numeric vector of size <code>Ntimes</code> , listing the arithmetic mean of trait states at each time point.
<code>stds</code>	Numeric vector of size <code>Ntimes</code> , listing the population standard deviation of trait states at each time point.

Author(s)

Stilianos Louca

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1), max_tips=1000)$tree

# simulate a numeric trait under Brownian-motion
trait = simulate_bm_model(tree, diffusivity=1)
states = c(trait$tip_states, trait$node_states)

# calculate trait stats over time
results = get_trait_stats_over_time(tree, states, Ntimes=100)

# plot trait stats over time (mean +/- std)
M = results$means
S = results$stds
matplot(x=results$times,
        y=matrix(c(M-S, M+S), ncol=2, byrow=FALSE),
        main = "Simulated BM trait over time",
        lty = 1, col="black",
        type="l", xlab="time", ylab="mean +/- std")
```

get_transition_index_matrix

Create an index matrix for a Markov transition model.

Description

Create an index matrix encoding the parametric structure of the transition rates in a discrete-state continuous-time Markov model (e.g., Mk model of trait evolution). Such an index matrix is required by certain functions for mapping independent rate parameters to transition rates. For example, an index matrix may encode the information that each rate $i \rightarrow j$ is equal to its reversed counterpart $j \rightarrow i$.

Usage

```
get_transition_index_matrix(Nstates, rate_model)
```

Arguments

Nstates	Integer, the number of distinct states represented in the transition matrix (number of rows & columns).
rate_model	Rate model that the transition matrix must satisfy. Can be "ER" (all rates equal), "SYM" (transition rate $i \rightarrow j$ is equal to transition rate $j \rightarrow i$), "ARD" (all rates can be different) or "SUEDE" (only stepwise transitions $i \rightarrow i+1$ and $i \rightarrow i-1$ allowed, all 'up' transitions are equal, all 'down' transitions are equal).

Details

The returned index matrix will include as many different positive integers as there are independent rate parameters in the requested rate model, plus potentially the value 0 (which has a special meaning, see below).

Value

A named list with the following elements:

index_matrix	Integer matrix of size Nstates x Nstates, with values between 0 and Nstates, assigning each entry in the transition matrix to an independent transition rate parameter. A value of 0 means that the corresponding rate is fixed to zero (if off-diagonal) or will be adjusted to ensure a valid Markov transition rate matrix (if on the diagonal).
Nrates	Integer, the number of independent rate parameters in the model.

Author(s)

Stilianos Louca

See Also

[get_random_mk_transition_matrix](#)

get_tree_span

Get min and max distance of any tip to the root.

Description

Given a rooted phylogenetic tree, calculate the minimum and maximum phylogenetic distance (cumulative branch length) of any tip from the root.

Usage

```
get_tree_span(tree, as_edge_count=FALSE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
as_edge_count	Logical, specifying whether distances should be counted in number of edges, rather than cumulative edge length. This is the same as if all edges had length 1.

Details

If `tree$edge.length` is missing, then every edge in the tree is assumed to be of length 1. The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child). The asymptotic average time complexity of this function is $O(N_{edges})$, where N_{edges} is the number of edges in the tree.

Value

A named list with the following elements:

min_distance	Minimum phylogenetic distance that any of the tips has to the root.
max_distance	Maximum phylogenetic distance that any of the tips has to the root.

Author(s)

Stilianos Louca

See Also

[get_pairwise_distances](#)

Examples

```
# generate a random tree
Ntips = 1000
params = list(birth_rate_intercept=1, death_rate_intercept=0.5)
tree = generate_random_tree(params, max_tips=Ntips, coalescent=FALSE)$tree

# calculate min & max tip distances from root
tree_span = get_tree_span(tree)
cat(sprintf("Tip min dist = %g, max dist = %g\n",
            tree_span$min_distance,
            tree_span$max_distance))
```

get_tree_traversal_root_to_tips

Traverse tree from root to tips.

Description

Create data structures for traversing a tree from root to tips, and for efficient retrieval of a node's outgoing edges and children.

Usage

```
get_tree_traversal_root_to_tips(tree, include_tips)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
include_tips	Include tips in the traversal queue. If FALSE, then only nodes are included in the queue.

Details

Many dynamic programming algorithms for phylogenetics involve traversing the tree in a certain direction (root to tips or tips to root), and efficient ($O(1)$ complexity) access to a node's direct children can significantly speed up those algorithms. This function is meant to provide data structures that allow traversing the tree's nodes (and optionally tips) in such an order that each node is traversed prior to its descendants (root→tips) or such that each node is traversed after its descendants (tips→root). This function is mainly meant for use in other algorithms, and is probably of little relevance to the average user.

The tree may include multi-furcations as well as mono-furcations (i.e. nodes with only one child).

The asymptotic time and memory complexity of this function is $O(N_{\text{tips}})$, where N_{tips} is the number of tips in the tree.

Value

A list with the following elements:

queue	An integer vector of size Nnodes (if include_tips was FALSE) or of size Nnodes+Ntips (if include_tips was TRUE), listing indices of nodes (and optionally tips) in the order root→tips described above. In particular, queue[1] will be the index of the tree's root (typically Ntips+1).
edges	An integer vector of size Nedges (=nrow(tree\$edge)), listing indices of edges (corresponding to tree\$edge) such that outgoing edges of the same node are listed in consecutive order.
node2first_edge	An integer vector of size Nnodes listing the location of the first outgoing edge of each node in edges. That is, edges[node2first_edge[n]] points to the first outgoing edge of node n in tree\$edge.
node2last_edge	An integer vector of size Nnodes listing the location of the last outgoing edge of each node in edges. That is, edges[node2last_edge[n]] points to the last outgoing edge of node n in tree\$edge. The total number of outgoing edges of a node is thus given by 1+node2last_edge[n]-node2first_edge[n].

Author(s)

Stilianos Louca

See Also

[reorder_tree_edges](#)

Examples

```
## Not run:
# generate a random tree
tree = generate_random_tree(list(birth_rate_factor=1), max_tips=100)$tree

# get tree traversal
traversal = get_tree_traversal_root_to_tips(tree, include_tips=TRUE)
```

```
## End(Not run)
```

hsp_binomial	<i>Hidden state prediction for a binary trait based on the binomial distribution.</i>
--------------	---

Description

Estimate the state probabilities for a binary trait at ancestral nodes and tips with unknown (hidden) state, by fitting the probability parameter of a binomial distribution to empirical state frequencies. For each node, the states of its descending tips are assumed to be drawn randomly and independently according to some a prior unknown probability distribution. The probability P1 (probability of any random descending tip being in state 1) is estimated separately for each node based on the observed states in the descending tips via maximum likelihood.

This function can account for potential state-measurement errors, hidden states and reveal biases (i.e., tips in one particular state being more likely to be measured than in the other state). Only nodes with a number of non-hidden tips above a certain threshold are included in the ML-estimation phase. All other nodes and hidden tips are then assigned the probabilities estimated for the most closely related ancestral node with estimated probabilities. This function is a generalization of [hsp_empirical_probabilities](#) that can account for potential state-measurement errors and reveal biases.

Usage

```
hsp_binomial( tree,
              tip_states,
              reveal_probs = NULL,
              state1_probs = NULL,
              min_revealed = 1,
              max_STE      = Inf,
              check_input  = TRUE)
```

Arguments

tree	A rooted tree of class "phylo".
tip_states	Integer vector of length Ntips, specifying the state of each tip in the tree (either 1 or 2). tip_states can include NA to indicate a hidden (non-measured) tip state.
reveal_probs	2D numeric matrix of size Ntips x 2, listing tip-specific reveal probabilities at each tip conditional on the tip's true state. Hence reveal_probs[n,s] is the probability that tip n would have a measured (non-hidden) state if its true state was s. May also be a vector of length 2 (same reveal_probs for all tips) or NULL (unbiased reveal probs).
state1_probs	2D numeric matrix of size Ntips x 2, listing the probability of measuring state 1 (potentially erroneously) at each tip conditional upon its true state and conditional upon its state having been measured (i.e., being non-hidden). For example, for an incompletely sequenced genome with completion level C_n and state

	1 indicating presence and state 2 indicating absence of a gene, and assuming error-free detection of genes within the covered regions, one has <code>state1_probs[n,1] = C_n</code> and <code>state1_probs[n,2]=0</code> . <code>state1_probs</code> may also be a vector of length 2 (same probabilities for all tips) or <code>NULL</code> . If <code>NULL</code> , state measurements are assumed error-free, and hence this is the same as <code>c(1,0)</code> .
<code>min_revealed</code>	Non-negative integer, specifying the minimum number of tips with non-hidden state that must descend from a node for estimating its P1 via maximum likelihood. For nodes with too few descending tips with non-hidden state, the probability P1 will not be estimated via maximum likelihood, and instead will be set to the P1 estimated for the nearest possible ancestral node. It is advised to set this threshold greater than zero (typical values are 2–10).
<code>max_STE</code>	Non-negative numeric, specifying the maximum acceptable estimated standard error (STE) for the estimated probability P1 for a node. If the STE for a node exceeds this threshold, the P1 for that node is set to the P1 of the nearest ancestor with STE below that threshold. Setting this to <code>Inf</code> disables this functionality. The STE is estimated based on the Observed Fisher Information Criterion (which, strictly speaking, only provides a lower bound for the STE).
<code>check_input</code>	Logical, specifying whether to perform some additional time-consuming checks on the validity of the input data. If you are certain that your input data are valid, you can set this to <code>FALSE</code> to reduce computation.

Details

This function currently only supports binary traits, and states must be represented by integers 1 or 2. Any NA entries in `tip_states` are interpreted as hidden (non-revealed) states.

The algorithm proceeds in two phases ("ASR" phase and "HSP" phase). In the ASR phase the state probability P1 is estimated separately for every node and tip satisfying the thresholds `min_revealed` and `max_STE`, via maximum-likelihood. In the HSP phase, the P1 of nodes and tips not included in the ASR phase is set to the P1 of the nearest ancestral node with estimated P1, as described by Zaneveld and Thurber (2014).

This function yields estimates for the state probabilities P1 (note that $P_2=1-P_1$). In order to obtain point estimates for tip states one needs to interpret these probabilities in a meaningful way, for example by choosing as point estimate for each tip the state with highest probability P1 or P2; the closest that probability is to 1, the more reliable the point estimate will be.

The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). This function has asymptotic time complexity $O(N_{\text{edges}} \times N_{\text{states}})$. Tips must be represented in `tip_states` in the same order as in `tree$tip.label`. The vector `tip_states` need not include names; if it does, however, they are checked for consistency (if `check_input==TRUE`).

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether HSP was successful. If <code>FALSE</code> , an additional element <code>error</code> (character) will be returned describing the error, while all other return values may be <code>NULL</code> .
----------------------	--

P1	Numeric vector of length Ntips+Nnodes, listing the estimated probability of being in state 1 for each tip and node. A value of P1[n]=0 or P1[n]=1 means that the n-th tip/node is in state 2 or state 1 with absolute certainty, respectively. Note that even tips with non-hidden state may have a P1 that is neither 0 or 1, if state measurements are erroneous (i.e., if state1_probs[n,] differs from (1,0)).
STE	Numeric vector of length Ntips+Nnodes, listing the standard error of the estimated P1 at each tip and node, according to the Observed Fisher Information Criterion. Note that the latter strictly speaking only provides a lower bound on the standard error.
reveal_counts	Integer vector of length Ntips+Nnodes, listing the number of tips with non-hidden state descending from each tip and node.
inherited	Logical vector of length Ntips+Nnodes, specifying for each tip or node whether its returned P1 was directly maximum-likelihood estimated during the ASR phase (inherited[n]==FALSE) or set to the P1 estimated for an ancestral node during the HSP phase (inherited[n]==TRUE).

Author(s)

Stilianos Louca

References

J. R. Zaneveld and R. L. V. Thurber (2014). Hidden state prediction: A modification of classic ancestral state reconstruction algorithms helps unravel complex symbioses. *Frontiers in Microbiology*. 5:431.

See Also

[hsp_max_parsimony](#), [hsp_mk_model](#), [hsp_empirical_probabilities](#)

Examples

```
## Not run:
# generate random tree
Ntips = 50
tree = generate_random_tree(list(birth_rate_factor=1), max_tips=Ntips)$tree

# simulate a binary trait on the tips
Q = get_random_mk_transition_matrix(Nstates=2, rate_model="ER", min_rate=0.1, max_rate=0.5)
tip_states = simulate_mk_model(tree, Q)$tip_states

# print tip states
cat(sprintf("True tip states:\n"))
print(tip_states)

# hide some of the tip states
# include a reveal bias
reveal_probs = c(0.8, 0.3)
revealed = apply(1:Ntips, FUN=function(n) rbinom(n=1, size=1, prob=reveal_probs[tip_states[n]]))
```

```

input_tip_states = tip_states
input_tip_states[!revealed] = NA

# predict state probabilities P1 and P2
hsp = hsp_binomial(tree, input_tip_states, reveal_probs=reveal_probs, max_STE=0.2)
probs = cbind(hsp$P1,1-hsp$P1)

# pick most likely state as a point estimate
# only accept point estimate if probability is sufficiently high
estimated_tip_states = max.col(probs[1:Ntips,])
estimated_tip_states[probs[cbind(1:Ntips,estimated_tip_states)]<0.8] = NA
cat(sprintf("ML-predicted tip states:\n"))
print(estimated_tip_states)

# calculate fraction of correct predictions
predicted = which((!revealed) & (!is.na(estimated_tip_states)))
if(length(predicted)>0){
  Ncorrect = sum(tip_states[predicted]==estimated_tip_states[predicted])
  cat(sprintf("%.2g%% of predictions are correct\n", (100.0*Ncorrect)/length(predicted)))
}else{
  cat(sprintf("None of the tip states could be reliably predicted\n"))
}

## End(Not run)

```

hsp_empirical_probabilities

Hidden state prediction via empirical probabilities.

Description

Reconstruct ancestral discrete states of nodes and predict unknown (hidden) states of tips on a tree based on empirical state probabilities across tips. This is a very crude HSP method, and other more sophisticated methods should be preferred (e.g. [hsp_mk_model](#)).

Usage

```
hsp_empirical_probabilities(tree, tip_states,
                           Nstates=NULL, check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
tip_states	An integer vector of size Ntips, specifying the state of each tip in the tree as an integer from 1 to Nstates, where Nstates is the possible number of states (see below). tip_states can include NA to indicate an unknown tip state that is to be predicted.

Nstates	Either NULL, or an integer specifying the number of possible states of the trait. If NULL, then it will be computed based on the maximum non-NA value encountered in tip_states
check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

For this function, the trait's states must be represented by integers within 1,...,Nstates, where Nstates is the total number of possible states. If the states are originally in some other format (e.g. characters or factors), you should map them to a set of integers 1,...,Nstates. You can easily map any set of discrete states to integers using the function [map_to_state_space](#).

Any NA entries in tip_states are interpreted as unknown states. Prior to ancestral state reconstruction, the tree is temporarily pruned, keeping only tips with known state. The function then calculates the empirical state probabilities for each node in the pruned tree, based on the states across tips descending from each node. The state probabilities of tips with unknown state are set to those of the most recent ancestor with reconstructed states, as described by Zaneveld and Thurber (2014).

The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as monofurcations (i.e. nodes with only one child). This function has asymptotic time complexity $O(N_{\text{edges}} \times N_{\text{states}})$.

Tips must be represented in tip_states in the same order as in tree\$tip.label. The vector tip_states need not include names; if it does, however, they are checked for consistency (if check_input==TRUE).

This function is meant for reconstructing ancestral states in all nodes of a tree as well as predicting the states of tips with an a priori unknown state. If the state of all tips is known and only ancestral state reconstruction is needed, consider using functions such as [asr_empirical_probabilities](#) for improved efficiency.

Value

A list with the following elements:

success	Logical, indicating whether HSP was successful. If FALSE, some return values may be NULL.
likelihoods	A 2D numeric matrix, listing the probability of each tip and node being in each state. This matrix will have (Ntips+Nnodes) rows and Nstates columns, where Nstates was either explicitly provided as an argument or inferred based on the number of unique values in tip_states (if Nstates was passed as NULL). In the latter case, the column names of this matrix will be the unique values found in tip_states. The rows in this matrix will be in the order in which tips and nodes are indexed in the tree, i.e. the rows 1,...,Ntips store the probabilities for tips, while rows (Ntips+1),...,(Ntips+Nnodes) store the probabilities for nodes. Each row in this matrix will sum up to 1. Note that the return value is named this way for compatibility with other HSP functions.

Author(s)

Stilianos Louca

References

J. R. Zaneveld and R. L. V. Thurber (2014). Hidden state prediction: A modification of classic ancestral state reconstruction algorithms helps unravel complex symbioses. *Frontiers in Microbiology*. 5:431.

See Also

[hsp_max_parsimony](#), [hsp_mk_model](#), [map_to_state_space](#)

Examples

```
## Not run:
# generate random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a discrete trait
Nstates = 5
Q = get_random_mk_transition_matrix(Nstates, rate_model="ER", max_rate=0.1)
tip_states = simulate_mk_model(tree, Q)$tip_states

# print states of first 20 tips
print(tip_states[1:20])

# set half of the tips to unknown state
tip_states[sample.int(Ntips,size=as.integer(Ntips/2),replace=FALSE)] = NA

# reconstruct all tip states via MPR
likelihoods = hsp_empirical_probabilities(tree, tip_states, Nstates)$likelihoods
estimated_tip_states = max.col(likelihoods[1:Ntips,])

# print estimated states of first 20 tips
print(estimated_tip_states[1:20])

## End(Not run)
```

hsp_independent_contrasts

Hidden state prediction via phylogenetic independent contrasts.

Description

Reconstruct ancestral states of a continuous (numeric) trait for nodes and predict unknown (hidden) states for tips on a tree using phylogenetic independent contrasts.

Usage

```
hsp_independent_contrasts(tree, tip_states, weighted=TRUE, check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
tip_states	A numeric vector of size Ntips, specifying the state of each tip in the tree. tip_states can include NA to indicate an unknown tip state that is to be predicted.
weighted	Logical, specifying whether to weight transition costs by the inverted edge lengths during ancestral state reconstruction. This corresponds to the "weighted squared-change parsimony" reconstruction by Maddison (1991) for a Brownian motion model of trait evolution.
check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

Any NA entries in tip_states are interpreted as unknown (hidden) states to be estimated. Prior to ancestral state reconstruction, the tree is temporarily pruned, keeping only tips with known state. The function then uses a postorder traversal algorithm to calculate the intermediate "X" variables (a state estimate for each node) introduced by Felsenstein (1985) in his phylogenetic independent contrasts method. Note that these are only local estimates, i.e. for each node the estimate is only based on the tip states in the subtree descending from that node (see discussion in Garland and Ives, 2000). The states of tips with hidden state are set to those of the most recent ancestor with reconstructed state, as described by Zaneveld and Thurber (2014).

This function has asymptotic time complexity $O(N_{\text{edges}})$. If tree\$edge.length is missing, each edge in the tree is assumed to have length 1. This is the same as setting weighted=FALSE. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child).

Tips must be represented in tip_states in the same order as in tree\$tip.label. The vector tip_states need not include item names; if it does, however, they are checked for consistency (if check_input==TRUE).

This function is meant for reconstructing ancestral states in all nodes of a tree as well as predicting the states of tips with an a priori unknown state. If the state of all tips is known and only ancestral state reconstruction is needed, consider using the function [asr_independent_contrasts](#) for improved efficiency.

Value

A list with the following elements:

success	Logical, indicating whether HSP was successful. If FALSE, some return values may be NULL.
---------	---

states A numeric vector of size Ntips+Nnodes, listing the reconstructed state of each tip and node. The entries in this vector will be in the order in which tips and nodes are indexed in tree\$edge.

total_sum_of_squared_changes The total sum of squared changes in tree, minimized by the (optionally weighted) squared-change parsimony algorithm. This is equation 7 in (Maddison, 1991). Note that for the root, phylogenetic independent contrasts is equivalent to Maddison's squared-change parsimony.

Author(s)

Stilianos Louca

References

- J. Felsenstein (1985). Phylogenies and the comparative method. *The American Naturalist*. 125:1-15.
- T. Jr. Garland and A. R. Ives (2000). Using the past to predict the present: Confidence intervals for regression equations in phylogenetic comparative methods. *The American Naturalist*. 155:346-364.
- W. P. Maddison (1991). Squared-change parsimony reconstructions of ancestral states for continuous-valued characters on a phylogenetic tree. *Systematic Zoology*. 40:304-314.
- J. R. Zaneveld and R. L. V. Thurber (2014). Hidden state prediction: A modification of classic ancestral state reconstruction algorithms helps unravel complex symbioses. *Frontiers in Microbiology*. 5:431.

See Also

[asr_squared_change_parsimony](#) [hsp_max_parsimony](#), [hsp_mk_model](#),

Examples

```
# generate random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a continuous trait
tip_states = simulate_ou_model(tree, stationary_mean=0, spread=1, decay_rate=0.001)$tip_states

# print tip states
print(as.vector(tip_states))

# set half of the tips to unknown state
tip_states[sample.int(Ntips,size=as.integer(Ntips/2),replace=FALSE)] = NA

# reconstruct all tip states via weighted PIC
estimated_states = hsp_independent_contrasts(tree, tip_states, weighted=TRUE)$states

# print estimated tip states
print(estimated_states[1:Ntips])
```

hsp_max_parsimony	<i>Hidden state prediction via maximum parsimony.</i>
-------------------	---

Description

Reconstruct ancestral discrete states of nodes and predict unknown (hidden) states of tips on a tree using maximum parsimony. Transition costs can vary between transitions, and can optionally be weighted by edge length.

Usage

```
hsp_max_parsimony(tree, tip_states, Nstates=NULL,
                  transition_costs="all_equal",
                  edge_exponent=0.0, weight_by_scenarios=TRUE,
                  check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
tip_states	An integer vector of size Ntips, specifying the state of each tip in the tree as an integer from 1 to Nstates, where Nstates is the possible number of states (see below). tip_states can include NA to indicate an unknown tip state that is to be predicted.
Nstates	Either NULL, or an integer specifying the number of possible states of the trait. If NULL, then it will be computed based on the maximum non-NA value encountered in tip_states
transition_costs	Same as for the function asr_max_parsimony .
edge_exponent	Same as for the function asr_max_parsimony .
weight_by_scenarios	Logical, indicating whether to weight each optimal state of a node by the number of optimal maximum-parsimony scenarios in which the node is in that state. If FALSE, then all possible states of a node are weighted equally (i.e. are assigned equal probabilities).
check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

For this function, the trait's states must be represented by integers within 1,...,Nstates, where Nstates is the total number of possible states. If the states are originally in some other format (e.g. characters or factors), you should map them to a set of integers 1,...,Nstates. The order of states (if relevant) should be reflected in their integer representation. For example, if your original states are "small",

"medium" and "large" and `transition_costs=="sequential"`, it is advised to represent these states as integers 1,2,3. You can easily map any set of discrete states to integers using the function [map_to_state_space](#).

Any NA entries in `tip_states` are interpreted as unknown states. Prior to ancestral state reconstruction, the tree is temporarily pruned, keeping only tips with known state. The function then applies Sankoff's (1975) dynamic programming algorithm for ancestral state reconstruction, which determines the smallest number (or least costly if transition costs are uneven) of state changes along edges needed to reproduce the known tip states. The state probabilities of tips with unknown state are set to those of the most recent ancestor with reconstructed states, as described by Zaneveld and Thurber (2014). This function has asymptotic time complexity $O(N_{\text{tips}} + N_{\text{nodes}} \times N_{\text{states}})$.

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. If `edge_exponent` is 0, then edge lengths do not influence the result. If `edge_exponent != 0`, then all edges must have non-zero length. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child).

Tips must be represented in `tip_states` in the same order as in `tree$tip.label`. None of the input vectors or matrixes need include row or column names; if they do, however, they are checked for consistency (if `check_input==TRUE`).

This function is meant for reconstructing ancestral states in all nodes of a tree as well as predicting the states of tips with an a priori unknown state. If the state of all tips is known and only ancestral state reconstruction is needed, consider using the function [asr_max_parsimony](#) for improved efficiency.

Value

A list with the following elements:

success	Logical, indicating whether HSP was successful. If FALSE, some return values may be NULL.
likelihoods	A 2D numeric matrix, listing the probability of each tip and node being in each state. This matrix will have $(N_{\text{tips}} + N_{\text{nodes}})$ rows and N_{states} columns, where N_{states} was either explicitly provided as an argument or inferred based on the number of unique values in <code>tip_states</code> (if N_{states} was passed as NULL). In the latter case, the column names of this matrix will be the unique values found in <code>tip_states</code> . The rows in this matrix will be in the order in which tips and nodes are indexed in the tree, i.e. the rows 1,..., N_{tips} store the probabilities for tips, while rows $(N_{\text{tips}}+1)$,... $(N_{\text{tips}}+N_{\text{nodes}})$ store the probabilities for nodes. Each row in this matrix will sum up to 1. Note that the return value is named this way for compatibility with other HSP functions.

Author(s)

Stilianos Louca

References

- D. Sankoff (1975). Minimal mutation trees of sequences. *SIAM Journal of Applied Mathematics*. 28:35-42.
- J. Felsenstein (2004). *Inferring Phylogenies*. Sinauer Associates, Sunderland, Massachusetts.

J. R. Zaneveld and R. L. V. Thurber (2014). Hidden state prediction: A modification of classic ancestral state reconstruction algorithms helps unravel complex symbioses. *Frontiers in Microbiology*. 5:431.

See Also

[asr_max_parsimony](#), [asr_mk_model](#), [hsp_mk_model](#), [map_to_state_space](#)

Examples

```
## Not run:
# generate random tree
Ntips = 10
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a discrete trait
Nstates = 5
Q = get_random_mk_transition_matrix(Nstates, rate_model="ER")
tip_states = simulate_mk_model(tree, Q)$tip_states

# print tip states
print(tip_states)

# set half of the tips to unknown state
tip_states[sample.int(Ntips,size=as.integer(Ntips/2),replace=FALSE)] = NA

# reconstruct all tip states via MPR
likelihoods = hsp_max_parsimony(tree, tip_states, Nstates)$likelihoods
estimated_tip_states = max.col(likelihoods[1:Ntips,])

# print estimated tip states
print(estimated_tip_states)

## End(Not run)
```

hsp_mk_model

Hidden state prediction with Mk models and rerooting

Description

Reconstruct ancestral states of a discrete trait and predict unknown (hidden) states of tips using a fixed-rates continuous-time Markov model (a.k.a. "Mk model"). This function can fit the model (i.e. estimate the transition matrix) using maximum likelihood, or use a specified transition matrix. The function can optionally calculate marginal ancestral state likelihoods for each node in the tree, using the rerooting method by Yang et al. (1995). A subset of the tips may have completely unknown states; in this case the fitted Markov model is used to predict their state likelihoods based on their most recent reconstructed ancestor, as described by Zaneveld and Thurber (2014). The function can account for biases in which tips have known state ("reveal bias").

Usage

```
hsp_mk_model( tree,
              tip_states,
              Nstates = NULL,
              reveal_fractions = NULL,
              tip_priors = NULL,
              rate_model = "ER",
              transition_matrix = NULL,
              include_likelihooods = TRUE,
              root_prior = "empirical",
              Ntrials = 1,
              optim_algorithm = "nllminb",
              optim_max_iterations = 200,
              optim_rel_tol = 1e-8,
              store_exponentials = TRUE,
              check_input = TRUE,
              Nthreads = 1)
```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>tip_states</code>	An integer vector of size Ntips, specifying the state of each tip in the tree in terms of an integer from 1 to Nstates, where Nstates is the possible number of states (see below). Can also be NULL, in which case <code>tip_priors</code> must not be NULL (see below). <code>tip_states</code> can include NA to indicate an unknown (hidden) tip state that is to be predicted.
<code>Nstates</code>	Either NULL, or an integer specifying the number of possible states of the trait. If <code>Nstates==NULL</code> , then it will be computed based on the maximum non-NA value encountered in <code>tip_states</code> or based on the number of columns in <code>tip_priors</code> (whichever is non-NULL).
<code>reveal_fractions</code>	Either NULL, or a numeric vector of size Nstates, specifying the fraction of tips with revealed (i.e., non-hidden) state, depending on the tip state. That is, <code>reveal_fractions[s]</code> is the probability that a given tip at state <code>s</code> will have known (i.e., non-hidden) state, conditional upon being included in the tree. If the tree only contains a random subset of species (sampled independently of each species' state), then <code>reveal_fractions[s]</code> is the probability of knowing the state of a species (regardless of whether it is included in the tree), if its state is <code>s</code> . This variable can be used to account for biases in which tips have known state, depending on their state. Only the relative ratios among reveal fractions matter, i.e. multiplying <code>reveal_fractions</code> with a constant factor has no effect.
<code>tip_priors</code>	A 2D numeric matrix of size Ntips x Nstates, where Nstates is the possible number of states for the character modelled. Can also be NULL. Each row of this matrix must be a probability vector, i.e. it must only contain non-negative entries and must sum up to 1. The <code>[i,s]</code> -th entry should be the prior probability of tip <code>i</code> being in state <code>s</code> . If you know for certain that tip <code>i</code> is in some state <code>s</code> ,

you can set the corresponding entry to 1 and all other entries in that row to 0. A row can include NA to indicate that neither the state nor the probability distribution of a state are known for that tip. If for all tips you either know the exact state or have no information at all, you can also use `tip_states` instead. If `tip_priors==NULL`, then `tip_states` must not be NULL (see above).

<code>rate_model</code>	Rate model to be used for fitting the transition rate matrix. Similar to the <code>rate_model</code> option in the function asr_mk_model . See the details of asr_mk_model on the assumptions of each <code>rate_model</code> .
<code>transition_matrix</code>	Either a numeric quadratic matrix of size <code>Nstates x Nstates</code> containing fixed transition rates, or NULL. The <code>[r,c]</code> -th entry in this matrix should store the transition (probability) rate from the state <code>r</code> to state <code>c</code> . Each row in this matrix must have sum zero. If NULL, then the transition rates will be estimated using maximum likelihood, based on the <code>rate_model</code> specified.
<code>include_likelihooods</code>	Boolean, specifying whether to include the marginal state likelihoods for all tips and nodes, as returned variables. Setting this to TRUE can substantially increase computation time. If FALSE, the Mk model is merely fitted, but ancestral states and hidden tip states are not reconstructed.
<code>root_prior</code>	Prior probability distribution of the root's states. Similar to the <code>root_prior</code> option in the function asr_mk_model .
<code>Ntrials</code>	Number of trials (starting points) for fitting the transition matrix. Only relevant if <code>transition_matrix=NULL</code> . A higher number may reduce the risk of landing in a local non-global optimum of the likelihood function, but will increase computation time during fitting.
<code>optim_algorithm</code>	Either "optim" or "nlminb", specifying which optimization algorithm to use for maximum-likelihood estimation of the transition matrix. Only relevant if <code>transition_matrix==NULL</code> .
<code>optim_max_iterations</code>	Maximum number of iterations (per fitting trial) allowed for optimizing the likelihood function.
<code>optim_rel_tol</code>	Relative tolerance (stop criterion) for optimizing the likelihood function.
<code>store_exponentials</code>	Logical, specifying whether to pre-calculate and store exponentials of the transition matrix during calculation of ancestral likelihoods. This may reduce computation time because each exponential is only calculated once, but will use up more memory since all exponentials are stored. Only relevant if <code>include_ancestral_likelihooods</code> is TRUE, otherwise exponentials are never stored.
<code>check_input</code>	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.
<code>Nthreads</code>	Number of parallel threads to use for running multiple fitting trials simultaneously. This only makes sense if your computer has multiple cores/CPU's and <code>Ntrials>1</code> , and is only relevant if <code>transition_matrix==NULL</code> .

Details

For this function, the trait's states must be represented by integers within 1,...,Nstates, where Nstates is the total number of possible states. Note that Nstates can be chosen to be larger than the number of states observed in the tips of the present tree, to account for potential states not yet observed. If the trait's states are originally in some other format (e.g. characters or factors), you should map them to a set of integers 1,...,Nstates. The order of states (if applicable) should be reflected in their integer representation. For example, if your original states are "small", "medium" and "large" and `rate_model=="SUEDE"`, it is advised to represent these states as integers 1,2,3. You can easily map any set of discrete states to integers using the function [map_to_state_space](#).

This function allows the specification of the precise tip states (if these are known) using the vector `tip_states`. Alternatively, if some tip states are only known in terms of a probability distribution, you can pass these probability distributions using the matrix `tip_priors`. Note that exactly one of the two arguments, `tip_states` or `tip_priors`, must be non-NULL. In either case, the presence of NA in `tip_states` or in a row of `tip_priors` is interpreted as an absence of information about the tip's state (i.e. the tip has "hidden state").

Tips must be represented in `tip_states` or `tip_priors` in the same order as in `tree$tip.label`. None of the input vectors or matrixes need include row or column names; if they do, however, they are checked for consistency (if `check_input==TRUE`).

This method assumes that the tree is either complete (i.e. includes all species), or that the tree's tips represent a random subset of species that have been sampled independent of their state. The function does not require that tip state knowledge is independent of tip state, provided that the associated biases are known (provided via `reveal_fractions`). The rerooting method by Yang et al (2015) is used to reconstruct the marginal ancestral state likelihoods for each node by treating the node as a root and calculating its conditional scaled likelihoods. The state likelihoods of tips with hidden states are calculated from those of the most recent ancestor with previously calculated state likelihoods, using the exponentiated transition matrix along the connecting edges (essentially using the rerooting method). Attention: The state likelihoods for tips with known states or with provided priors are not modified, i.e. they are as provided in the input. In other words, for those tips the returned state likelihoods should not be considered as posteriors in a Bayesian sense.

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child).

Value

A list with the following elements:

<code>success</code>	Logical, indicating whether HSP was successful. If FALSE, some return values may be NULL.
<code>Nstates</code>	Integer, specifying the number of modeled trait states.
<code>transition_matrix</code>	A numeric quadratic matrix of size Nstates x Nstates, containing the transition rates of the Markov model. The [r,c]-th entry is the transition rate from state r to state c. Will be the same as the input <code>transition_matrix</code> , if the latter was not NULL.
<code>loglikelihood</code>	Log-likelihood of the Markov model. If <code>transition_matrix</code> was NULL in the input, then this will be the log-likelihood maximized during fitting.

likelihoods A 2D numeric matrix, listing the probability of each tip and node being in each state. Only included if `include_likelihoods` was TRUE. This matrix will have $(N_{\text{tips}} + N_{\text{nodes}})$ rows and N_{states} columns, where N_{states} was either explicitly provided as an argument, or inferred from `tip_states` or `tip_priors` (whichever was non-NULL). The rows in this matrix will be in the order in which tips and nodes are indexed in the tree, i.e. rows 1,..., N_{tips} store the probabilities for tips, while rows $(N_{\text{tips}} + 1)$,..., $(N_{\text{tips}} + N_{\text{nodes}})$ store the probabilities for nodes. For example, `likelihoods[1,3]` will store the probability that tip 1 is in state 3. Each row in this matrix will sum up to 1. Note that for tips with known state or fully provided prior, the likelihoods will be unchanged, i.e. these are not the posteriors in a Bayesian sense.

Author(s)

Stilianos Louca

References

Z. Yang, S. Kumar and M. Nei (1995). A new method for inference of ancestral nucleotide and amino acid sequences. *Genetics*. 141:1641-1650.

J. R. Zaneveld and R. L. V. Thurber (2014). Hidden state prediction: A modification of classic ancestral state reconstruction algorithms helps unravel complex symbioses. *Frontiers in Microbiology*. 5:431.

See Also

[hsp_max_parsimony](#), [hsp_squared_change_parsimony](#), [asr_mk_model](#), [map_to_state_space](#)

Examples

```
## Not run:
# generate random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a discrete trait
Nstates = 5
Q = get_random_mk_transition_matrix(Nstates, rate_model="ER", max_rate=0.01)
tip_states = simulate_mk_model(tree, Q)$tip_states
cat(sprintf("Simulated ER transition rate=%g\n",Q[1,2]))

# print states for first 20 tips
print(tip_states[1:20])

# set half of the tips to unknown state
# chose tips randomly, regardless of their state (no biases)
tip_states[sample.int(Ntips,size=as.integer(Ntips/2),replace=FALSE)] = NA

# reconstruct all tip states via Mk model max-likelihood
results = hsp_mk_model(tree, tip_states, Nstates, rate_model="ER", Ntrials=2, Nthreads=2)
estimated_tip_states = max.col(results$likelihoods[1:Ntips,])
```

```
# print Mk model fitting summary
cat(sprintf("Mk model: log-likelihood=%g\n",results$loglikelihood))
cat(sprintf("Universal (ER) transition rate=%g\n",results$transition_matrix[1,2]))

# print estimated states for first 20 tips
print(estimated_tip_states[1:20])

## End(Not run)
```

hsp_nearest_neighbor *Hidden state prediction based on nearest neighbor.*

Description

Predict unknown (hidden) character states of tips on a tree using nearest neighbor matching.

Usage

```
hsp_nearest_neighbor(tree, tip_states, check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo".
tip_states	A vector of length Ntips, specifying the state of each tip in the tree. Tip states can be any valid data type (e.g., characters, integers, continuous numbers, and so on). NA values denote unknown (hidden) tip states to be predicted.
check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

For each tip with unknown state, this function seeks the closest tip with known state, in terms of patristic distance. The state of the closest tip is then used as a prediction of the unknown state. In the case of multiple equal matches, the precise outcome is unpredictable (this is unlikely to occur if edge lengths are continuous numbers, but may happen frequently if e.g. edge lengths are all of unit length). This algorithm is arguably one of the crudest methods for predicting character states, so use at your own discretion.

Any NA entries in `tip_states` are interpreted as unknown states. If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. The tree may include multifurcations (i.e. nodes with more than 2 children) as well as monofurcations (i.e. nodes with only one child). Tips must be represented in `tip_states` in the same order as in `tree$tip.label`. `tip_states` need not include names; if names are included, however, they are checked for consistency with the tree's tip labels (if `check_input==TRUE`).

Value

A list with the following elements:

success	Logical, indicating whether HSP was successful. If FALSE, some return values may be NULL.
states	Vector of length Ntips, listing the known and predicted state for each tip.
nearest_neighbors	Integer vector of length Ntips, listing for each tip the index of the nearest tip with known state. Hence, nearest_neighbors[n] specifies the tip from which the unknown state of tip n was inferred. If tip n had known state, nearest_neighbors[n] will be n.
nearest_distances	Numeric vector of length Ntips, listing for each tip the patristic distance to the nearest tip with known state. For tips with known state, distances will be zero.

Author(s)

Stilianos Louca

References

J. R. Zaneveld and R. L. V. Thurber (2014). Hidden state prediction: A modification of classic ancestral state reconstruction algorithms helps unravel complex symbioses. *Frontiers in Microbiology*. 5:431.

See Also

[hsp_max_parsimony](#), [hsp_mk_model](#),

Examples

```
## Not run:
# generate random tree
Ntips = 20
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a binary trait
Q = get_random_mk_transition_matrix(2, rate_model="ER")
tip_states = simulate_mk_model(tree, Q)$tip_states

# print tip states
print(tip_states)

# set half of the tips to unknown state
tip_states[sample.int(Ntips,size=as.integer(Ntips/2),replace=FALSE)] = NA

# reconstruct all tip states via nearest neighbor
predicted_states = hsp_nearest_neighbor(tree, tip_states)$states

# print predicted tip states
```

```
print(predicted_states)

## End(Not run)
```

```
hsp_squared_change_parsimony
```

Hidden state prediction via squared-change parsimony.

Description

Reconstruct ancestral states of a continuous (numeric) trait for nodes and predict unknown (hidden) states for tips on a tree using squared-change (or weighted squared-change) parsimony (Maddison 1991).

Usage

```
hsp_squared_change_parsimony(tree, tip_states, weighted=TRUE, check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
tip_states	A numeric vector of size Ntips, specifying the state of each tip in the tree. tip_states can include NA to indicate an unknown tip state that is to be predicted.
weighted	Logical, specifying whether to weight transition costs by the inverted edge lengths during ancestral state reconstruction. This corresponds to the "weighted squared-change parsimony" reconstruction by Maddison (1991) for a Brownian motion model of trait evolution.
check_input	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

Any NA entries in tip_states are interpreted as unknown (hidden) states to be estimated. Prior to ancestral state reconstruction, the tree is temporarily pruned, keeping only tips with known state. The function then uses Maddison's squared-change parsimony algorithm to reconstruct the globally parsimonious state at each node (Maddison 1991). The states of tips with hidden state are set to those of the most recent ancestor with reconstructed state, as described by Zaneveld and Thurber (2014). This function has asymptotic time complexity $O(Nedges)$. If tree\$edge.length is missing, each edge in the tree is assumed to have length 1. This is the same as setting weighted=FALSE. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child).

Tips must be represented in tip_states in the same order as in tree\$tip.label. The vector tip_states need not include item names; if it does, however, they are checked for consistency (if check_input==TRUE).

This function is meant for reconstructing ancestral states in all nodes of a tree as well as predicting the states of tips with an a priori unknown state. If the state of all tips is known and only ancestral state reconstruction is needed, consider using the function [asr_squared_change_parsimony](#) for improved efficiency.

Value

A list with the following elements:

states	A numeric vector of size Ntips+Nnodes, listing the reconstructed state of each tip and node. The entries in this vector will be in the order in which tips and nodes are indexed in tree\$edge.
total_sum_of_squared_changes	The total sum of squared changes, minimized by the (optionally weighted) squared-change parsimony algorithm. This is equation 7 in (Maddison, 1991).

Author(s)

Stilianos Louca

References

- W. P. Maddison (1991). Squared-change parsimony reconstructions of ancestral states for continuous-valued characters on a phylogenetic tree. *Systematic Zoology*. 40:304-314.
- J. R. Zaneveld and R. L. V. Thurber (2014). Hidden state prediction: A modification of classic ancestral state reconstruction algorithms helps unravel complex symbioses. *Frontiers in Microbiology*. 5:431.

See Also

[asr_squared_change_parsimony](#) [hsp_max_parsimony](#), [hsp_mk_model](#), [map_to_state_space](#)

Examples

```
# generate random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a continuous trait
tip_states = simulate_ou_model(tree, stationary_mean=0, spread=1, decay_rate=0.001)$tip_states

# print tip states
print(tip_states)

# set half of the tips to unknown state
tip_states[sample.int(Ntips,size=as.integer(Ntips/2),replace=FALSE)] = NA

# reconstruct all tip states via weighted SCP
estimated_states = hsp_squared_change_parsimony(tree, tip_states, weighted=TRUE)$states

# print estimated tip states
```

```
print(estimated_states[1:Ntips])
```

`hsp_subtree_averaging` *Hidden state prediction via subtree averaging.*

Description

Reconstruct ancestral states of a continuous (numeric) trait for nodes and predict unknown (hidden) states for tips on a tree using subtree averaging.

Usage

```
hsp_subtree_averaging(tree, tip_states, check_input=TRUE)
```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>tip_states</code>	A numeric vector of size Ntips, specifying the state of each tip in the tree. <code>tip_states</code> can include NA to indicate an unknown tip state that is to be predicted.
<code>check_input</code>	Logical, specifying whether to perform some basic checks on the validity of the input data. If you are certain that your input data are valid, you can set this to FALSE to reduce computation.

Details

Any NA entries in `tip_states` are interpreted as unknown (hidden) states to be estimated. For each node the reconstructed state is set to the arithmetic average state of all tips with known state and descending from that node. For each tip with hidden state and each node whose descending tips all have hidden states, the state is set to the state of the closest ancestral node with known or reconstructed state, while traversing from root to tips (Zaneveld and Thurber 2014). Note that reconstructed node states are only local estimates, i.e. for each node the estimate is only based on the tip states in the subtree descending from that node.

Tips must be represented in `tip_states` in the same order as in `tree$tip.label`. The vector `tip_states` need not include item names; if it does, however, they are checked for consistency (if `check_input==TRUE`). This function has asymptotic time complexity $O(N_{\text{edges}})$.

This function is meant for reconstructing ancestral states in all nodes of a tree as well as predicting the states of tips with an a priori unknown state. If the state of all tips is known and only ancestral state reconstruction is needed, consider using the function [asr_subtree_averaging](#) for improved efficiency.

Value

A list with the following elements:

success	Logical, indicating whether HSP was successful.
states	A numeric vector of size Ntips+Nnodes, listing the reconstructed state of each tip and node. The entries in this vector will be in the order in which tips and nodes are indexed in tree\$edge.

Author(s)

Stilianos Louca

References

J. R. Zaneveld and R. L. V. Thurber (2014). Hidden state prediction: A modification of classic ancestral state reconstruction algorithms helps unravel complex symbioses. *Frontiers in Microbiology*. 5:431.

See Also

[asr_subtree_averaging](#), [hsp_squared_change_parsimony](#)

Examples

```
# generate random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# simulate a continuous trait
tip_states = simulate_ou_model(tree, stationary_mean=0, spread=1, decay_rate=0.001)$tip_states

# print tip states
print(as.vector(tip_states))

# set half of the tips to unknown state
tip_states[sample.int(Ntips,size=as.integer(Ntips/2),replace=FALSE)] = NA

# reconstruct all tip states via subtree averaging
estimated_states = hsp_subtree_averaging(tree, tip_states)$states

# print estimated tip states
print(estimated_states[1:Ntips])
```

is_monophyletic	<i>Determine if a set of tips is monophyletic.</i>
-----------------	--

Description

Given a rooted phylogenetic tree and a set of focal tips, this function determines whether the tips form a monophyletic group.

Usage

```
is_monophyletic(tree, focal_tips, check_input=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
focal_tips	Either an integer vector or a character vector, listing the tips to be checked for monophyly. If an integer vector, it should list tip indices (i.e. from 1 to Ntips). If a character vector, it should list tip names; in that case <code>tree\$tip.label</code> must exist.
check_input	Logical, whether to perform basic validations of the input data. If you know for certain that your input is valid, you can set this to FALSE to reduce computation time.

Details

This function first finds the most recent common ancestor (MRCA) of the focal tips, and then checks if all tips descending from that MRCA fall within the focal tip set.

Value

A logical, indicating whether the focal tips form a monophyletic set.

Author(s)

Stilianos Louca

See Also

[get_mrca_of_set](#)

Examples

```
# generate random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# pick a random subset of focal tips
focal_tips = which(sample.int(2,size=Ntips,replace=TRUE)==1)

# check if focal tips form a monophyletic group
is_monophyletic(tree, focal_tips)
```

loglikelihood_hbd	<i>Calculate the log-likelihood of a homogenous birth-death model.</i>
-------------------	--

Description

Given a rooted ultrametric timetree, and a homogenous birth-death (HBD) model, i.e., with speciation rate λ , extinction rate μ and sampling fraction ρ , calculate the likelihood of the tree under the model. The speciation and extinction rates may be time-dependent. “Homogenous” refers to the assumption that, at any given moment in time, all lineages exhibit the same speciation/extinction rates (in the literature this is sometimes referred to simply as “birth-death model”). Alternatively to λ and μ , the likelihood may also be calculated based on the pulled diversification rate (PDR; Louca et al. 2018) and the product $\rho(0) \cdot \lambda(0)$, or based on the pulled speciation rate (PSR). In either case, the time-profiles of λ , μ , the PDR or the PSR are specified as piecewise polynomially functions (splines), defined on a discrete grid of ages.

Usage

```
loglikelihood_hbd(tree,
                  oldest_age = NULL,
                  age0        = 0,
                  rho0        = NULL,
                  rho0lambda0 = NULL,
                  age_grid    = NULL,
                  lambda       = NULL,
                  mu          = NULL,
                  PDR          = NULL,
                  PSR         = NULL,
                  splines_degree = 1,
                  condition     = "auto",
                  relative_dt   = 1e-3)
```

Arguments

tree	A rooted ultrametric tree of class "phylo".
------	---

oldest_age	Strictly positive numeric, specifying the oldest time before present (“age”) to consider when calculating the likelihood. If this is equal to or greater than the root age, then oldest_age is taken as the stem age, and the classical formula by Morlon et al. (2011) is used. If oldest_age is less than the root age, the tree is split into multiple subtrees at that age by treating every edge crossing that age as the stem of a subtree, and each subtree is considered an independent realization of the HBD model stemming at that age. This can be useful for avoiding points in the tree close to the root, where estimation uncertainty is generally higher. If oldest_age==NULL, it is automatically set to the root age.
age0	Non-negative numeric, specifying the youngest age (time before present) to consider for fitting, and with respect to which rho and rholambda0 are defined. If age0>0, then rho refers to the sampling fraction at age age0, and rholambda0 to the product between rho and the speciation rate at age age0. See below for more details.
rho0	Numeric between 0 (exclusive) and 1 (inclusive), specifying the sampling fraction of the tree at age0, i.e. the fraction of lineages extant at age0 that are included in the tree. Note that if $\rho_0 < 1$, lineages extant at age0 are assumed to have been sampled randomly at equal probabilities. Can also be NULL, in which case rholambda0 and PDR (see below) must be provided.
rholambda0	Strictly positive numeric, specifying the product of the sampling fraction and the speciation rate at age0, units 1/time. Can be NULL, in which case rarefaction, lambda and mu must be provided.
age_grid	Numeric vector, listing discrete ages (time before present) on which either λ and μ , or the PDR, are specified. Listed ages must be strictly increasing, and must cover at least the full considered age interval (from age0 to oldest_age). Can also be NULL or a vector of size 1, in which case the speciation rate, extinction rate and PDR are assumed to be time-independent.
lambda	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing speciation rates (in units 1/time) at the ages listed in age_grid. Speciation rates should be non-negative, and are assumed to vary polynomially between grid points (see argument splines_degree). If NULL, then either PDR and rholambda0, or PSR alone, must be provided.
mu	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing extinction rates (in units 1/time) at the ages listed in age_grid. Extinction rates should be non-negative, and are assumed to vary polynomially between grid points (see argument splines_degree). If NULL, then PDR and rholambda0, or PSR alone, must be provided.
PDR	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing pulled diversification rates (in units 1/time) at the ages listed in age_grid. PDRs can be negative or positive, and are assumed to vary polynomially between grid points (see argument splines_degree). If NULL, then either lambda and mu, or PSR alone, must be provided.
PSR	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing pulled speciation rates (in units 1/time) at the ages listed in age_grid. PSRs should be non-negative, and are assumed to vary polynomially between grid points (see argument splines_degree). If NULL, then either lambda and mu, or PDR and rholambda0, must be provided.

splines_degree	Integer, either 0,1,2 or 3, specifying the polynomial degree of the provided lambda, mu, PDR and PSR (whichever applicable) between grid points in age_grid. For example, if splines_degree==1, then the provided lambda, mu, PDR and PSR are interpreted as piecewise-linear curves; if splines_degree==2 they are interpreted as quadratic splines; if splines_degree==3 they are interpreted as cubic splines. The splines_degree influences the analytical properties of the curve, e.g. splines_degree==1 guarantees a continuous curve, splines_degree==2 guarantees a continuous curve and continuous derivative, and so on.
condition	Character, either "crown", "stem", "auto" or "none" (the last one is only available if lambda and mu are given), specifying on what to condition the likelihood. If "crown", the likelihood is conditioned on the survival of the two daughter lineages branching off at the root. If "stem", the likelihood is conditioned on the survival of the stem lineage. Note that "crown" really only makes sense when oldest_age is equal to the root age, while "stem" is recommended if oldest_age differs from the root age. "none" is usually not recommended and is only available when lambda and mu are provided. If "auto", the condition is chosen according to the recommendations mentioned earlier.
relative_dt	Strictly positive numeric (unitless), specifying the maximum relative time step allowed for integration over time. Smaller values increase integration accuracy but increase computation time. Typical values are 0.0001-0.001. The default is usually sufficient.

Details

If $\text{age0} > 0$, the input tree is essentially trimmed at age0 (omitting anything younger than age0), and the likelihood is calculated for the trimmed tree while shifting time appropriately. In that case, rho0 is interpreted as the sampling fraction at age0 , i.e. the fraction of lineages extant at age0 that are represented in the tree. Similarly, rho0lambda0 is the product of the sampling fraction and λ at age0 .

This function supports three alternative parameterizations of HBD models, either using the speciation and extinction rates and sampling fraction (λ , μ and $\rho(\tau_o)$ (for some arbitrary age τ_o), or using the pulled diversification rate (PDR) and the product $\rho(\tau_o) \cdot \lambda(\tau_o)$ (sampling fraction times speciation rate at τ_o), or using the pulled speciation rate (PSR). The latter two options should be interpreted as a parameterization of congruence classes, i.e. sets of models that have the same likelihood, rather than specific models, since multiple combinations of λ , μ and $\rho(\tau_o)$ can have identical PDRs, $\rho(\tau_o) \cdot \lambda(\tau_o)$ and PSRs (Louca and Pennell, in review).

For large trees the asymptotic time complexity of this function is $O(\text{Nips})$. The tree may include monofurcations as well as multifurcations, and the likelihood formula accounts for those (i.e., as if monofurcations were omitted and multifurcations were expanded into bifurcations).

Value

A named list with the following elements:

success	Logical, indicating whether the calculation was successful. If FALSE, then the returned list includes an additional 'error' element (character) containing a description of the error; all other return variables may be undefined.
loglikelihood	Numeric. If success==TRUE, this will be the natural logarithm of the likelihood of the tree under the given model.

Author(s)

Stilianos Louca

References

H. Morlon, T. L. Parsons, J. B. Plotkin (2011). Reconciling molecular phylogenies with the fossil record. *Proceedings of the National Academy of Sciences*. 108:16327-16332.

S. Louca et al. (2018). Bacterial diversification through geological time. *Nature Ecology & Evolution*. 2:1458-1467.

S. Louca and M. W. Pennell (in review as of 2019)

See Also

[simulate_deterministic_hbd](#)

[fit_hbd_model_parametric](#)

[fit_hbd_model_on_grid](#)

[fit_hbd_pdr_on_grid](#)

[fit_hbd_pdr_parametric](#)

Examples

```
# generate a random tree with constant rates
Ntips = 100
params = list(birth_rate_factor=1, death_rate_factor=0.2, rarefaction=0.5)
tree = generate_random_tree(params, max_tips=Ntips, coalescent=TRUE)$tree

# get the loglikelihood for an HBD model with the same parameters that generated the tree
# in particular, assuming time-independent speciation & extinction rates
LL = loglikelihood_hbd( tree,
                        rho0 = params$rarefaction,
                        age_grid = NULL, # assume time-independent rates
                        lambda = params$birth_rate_factor,
                        mu = params$death_rate_factor)

if(LL$success){
  cat(sprintf("Loglikelihood for constant-rates model = %g\n",LL$loglikelihood))
}

# get the likelihood for a model with exponentially decreasing (in forward time) lambda & mu
beta = 0.01 # exponential decay rate of lambda over time
age_grid = seq(from=0, to=100, by=0.1) # choose a sufficiently fine age grid
lambda = 1*exp(beta*age_grid) # define lambda on the age grid
mu = 0.2*lambda # assume similarly shaped but smaller mu
LL = loglikelihood_hbd( tree,
                        rho0 = params$rarefaction,
                        age_grid = age_grid,
                        lambda = lambda,
                        mu = mu)

if(LL$success){
  cat(sprintf("Loglikelihood for exponential-rates model = %g\n",LL$loglikelihood))
}
```

```
}
```

map_to_state_space	<i>Map states of a discrete trait to integers.</i>
--------------------	--

Description

Given a list of states (e.g., for each tip in a tree), map the unique states to integers 1,...,Nstates, where Nstates is the number of possible states. This function can be used to translate states that are originally represented by characters or factors, into integer states as required by ancestral state reconstruction and hidden state prediction functions in this package.

Usage

```
map_to_state_space(raw_states, fill_gaps=FALSE,
                  sort_order="natural", include_state_values=FALSE)
```

Arguments

raw_states	A vector of values (states), each of which can be converted to a different character. This list can include the same value multiple times, for example if values represent the trait's states for tips in a tree.
fill_gaps	Logical. If TRUE, then states are converted to integers using <code>as.integer(as.character())</code> , and then all missing intermediate integer values are included as additional possible states. For example, if raw_states contained the values 2,4,6, then 3 and 5 are assumed to also be possible states.
sort_order	Character, specifying the order in which raw_states should be mapped to ascending integers. Either "natural" or "alphabetical". If "natural", numerical parts of characters are sorted numerically, e.g. as in "3"<"a2"<"a12"<"b1".
include_state_values	Logical, specifying whether to also return a numerical version of the unique states. For example, the states "3","a2","4.5" will be mapped to the numeric values 3, NA, 4.5.

Details

Several ancestral state reconstruction and hidden state prediction algorithms in the `castor` package (e.g., `asr_max_parsimony`) require that the focal trait's states are represented by integer indices within 1,...,Nstates. These indices are then associated, for example, with column and row indices in the transition cost matrix (in the case of maximum parsimony reconstruction) or with column indices in the returned matrix containing marginal ancestral state probabilities (e.g., in [asr_mk_model](#)). The function `map_to_state_space` can be used to conveniently convert a set of discrete states into integers, for use with the aforementioned algorithms.

Value

A list with the following elements:

Nstates	Integer. Number of possible states for the trait, based on the unique values encountered in <code>raw_states</code> (after conversion to characters). This may be larger than the number of unique values in <code>raw_states</code> , if <code>fill_gaps</code> was set to <code>TRUE</code> .
state_names	Character vector of size <code>Nstates</code> , storing the original name (character version) of each state. For example, if <code>raw_states</code> was <code>c("b1", "3", "a12", "a2", "b1", "a2")</code> and <code>sort_order=="natural"</code> , then <code>Nstates</code> will be 4 and <code>state_names</code> will be <code>c("3", "a2", "a12", "b1")</code> .
state_values	Optional, only included if <code>include_state_values==TRUE</code> . A numeric vector of size <code>Nstates</code> , providing the numerical value for each unique state.
mapped_states	Integer vector of size equal to <code>length(raw_states)</code> , listing the integer representation of each value in <code>raw_states</code> .
name2index	An integer vector of size <code>Nstates</code> , with <code>names(name2index)</code> set to <code>state_names</code> . This vector can be used to map any new list of states (in character format) to their integer representation. In particular, <code>name2index[as.character(raw_states)]</code> is equal to <code>mapped_states</code> .

Author(s)

Stilianos Louca

Examples

```
# generate a sequence of random states
unique_states = c("b", "c", "a")
raw_states = unique_states[sample.int(3, size=10, replace=TRUE)]

# map to integer state space
mapping = map_to_state_space(raw_states)

cat(sprintf("Checking that original unique states is the same as the one inferred:\n"))
print(unique_states)
print(mapping$state_names)

cat(sprintf("Checking reversibility of mapping:\n"))
print(raw_states)
print(mapping$state_names[mapping$mapped_states])
```

merge_short_edges	<i>Eliminate short edges in a tree by merging nodes into multifurcations.</i>
-------------------	---

Description

Given a rooted phylogenetic tree and an edge length threshold, merge nodes/tips into multifurcations when their incoming edges are shorter than the threshold.

Usage

```
merge_short_edges(tree,
                  edge_length_epsilon = 0,
                  force_keep_tips     = TRUE,
                  new_tip_prefix      = "ex.node.tip.")
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
edge_length_epsilon	Non-negative numeric, specifying the maximum edge length for an edge to be considered "short" and thus to be eliminated. Typically 0 or some small positive number.
force_keep_tips	Logical. If TRUE, then tips are always kept, even if their incoming edges are shorter than edge_length_epsilon. If FALSE, then tips with short incoming edges are removed from the tree; in that case some nodes may become tips.
new_tip_prefix	Character or NULL, specifying the prefix to use for new tip labels stemming from nodes. Only relevant if force_keep_tips==FALSE. If NULL, then labels of tips stemming from nodes will be the node labels from the original tree (in this case the original tree should include node labels).

Details

The input tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). Whenever a short edge is eliminated, the edges originating from its child are elongated according to the short edge's length. The corresponding grand-children become children of the short edge's parent. Short edges are eliminated in a depth-first-search manner, i.e. traversing from the root to the tips.

Note that existing monofurcations are retained. If force_keep_tips==FALSE, then new monofurcations may also be introduced due to tips being removed.

This function is conceptually similar to the function `ape::di2multi`.

Value

A list with the following elements:

tree	A new rooted tree of class "phylo", containing the (potentially multifurcating) tree.
new2old_clade	Integer vector of length equal to the number of tips+nodes in the new tree, with values in 1,...,Ntips+Nnodes, mapping tip/node indices of the new tree to tip/node indices in the original tree.
new2old_edge	Integer vector of length equal to the number of edges in the new tree, with values in 1,...,Nedges, mapping edge indices of the new tree to edge indices in the original tree.
Nedges_removed	Integer. Number of edges that have been eliminated.

Author(s)

Stilianos Louca

See Also[multifurcations_to_bifurcations](#)**Examples**

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_factor=1),max_tips=Ntips)$tree

# set some edge lengths to zero
tree$edge.length[sample.int(n=Ntips, size=10, replace=FALSE)] = 0

# print number of edges
cat(sprintf("Original tree has %d edges\n",nrow(tree$edge)))

# eliminate any edges of length zero
merged = merge_short_edges(tree, edge_length_epsilon=0)$tree

# print number of edges
cat(sprintf("New tree has %d edges\n",nrow(merged$edge)))
```

multifurcations_to_bifurcations

Expand multifurcations to bifurcations.

Description

Eliminate multifurcations from a phylogenetic tree, by replacing each multifurcation with multiple bifurcations.

Usage

```
multifurcations_to_bifurcations(tree, dummy_edge_length=0,
                                new_node_basename="node.",
                                new_node_start_index=NULL)
```

Arguments

tree	A tree of class "phylo".
dummy_edge_length	Non-negative numeric. Length to be used for new (dummy) edges when breaking multifurcations into bifurcations. Typically this will be 0, but can also be a positive number if zero edge lengths are not desired in the returned tree.

new_node_basename
 Character. Name prefix to be used for added nodes (e.g. "node." or "new.node.").
 Only relevant if the input tree included node labels.

new_node_start_index
 Integer. First index for naming added nodes. Can also be NULL, in which case this is set to Nnodes+1, where Nnodes is the number of nodes in the input tree.

Details

For each multifurcating node (i.e. with more than 2 children), all children but one will be placed on new bifurcating nodes, connected to the original node through one or more dummy edges.

The input tree need not be rooted, however descendance from each node is inferred based on the direction of edges in `tree$edge`. The input tree may include multifurcations (i.e. nodes with more than 2 children) as well as monofurcations (i.e. nodes with only one child). Monofurcations are kept in the returned tree.

All tips and nodes in the input tree retain their original indices, however the returned tree may include additional nodes and edges. Edge indices may change.

If `tree$edge.length` is missing, then all edges in the input tree are assumed to have length 1. The returned tree will include `edge.length`, with all new edges having length equal to `dummy_edge.length`.

Value

A list with the following elements:

tree	A new tree of class "phylo", containing only bifurcations (and monofurcations, if these existed in the input tree).
old2new_edge	Integer vector of length <code>Nedges</code> , mapping edge indices in the old tree to edge indices in the new tree.
Nnodes_added	Integer. Number of nodes added to the new tree.

Author(s)

Stilianos Louca

See Also

[collapse_monofurcations](#)

Examples

```
# generate a random multifurcating tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1), Ntips, Nsplits=5)$tree

# expand multifurcations to bifurcations
new_tree = multifurcations_to_bifurcations(tree)$tree

# print summary of old and new tree
cat(sprintf("Old tree has %d nodes\n", tree$Nnode))
cat(sprintf("New tree has %d nodes\n", new_tree$Nnode))
```

pick_random_tips	<i>Pick random subsets of tips on a tree.</i>
------------------	---

Description

Given a rooted phylogenetic tree, this function picks random subsets of tips by traversing the tree from root to tips, choosing a random child at each node until reaching a tip. Multiple random independent subsets can be generated if needed.

Usage

```
pick_random_tips( tree,
                  size           = 1,
                  Nsubsets       = 1,
                  with_replacement = TRUE,
                  drop_dims      = TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
size	Integer. The size of each random subset of tips.
Nsubsets	Integer. Number of independent subsets to pick.
with_replacement	Logical. If TRUE, each tip can be picked multiple times within a subset (i.e. are "replaced" in the urn). If FALSE, tips are picked without replacement in each subset. In that case, size must not be greater than the number of tips in the tree.
drop_dims	Logical, specifying whether to return a vector (instead of a matrix) if Nsubsets==1.

Details

If with_replacement==TRUE, then each child of a node is equally probable to be traversed and each tip can be included multiple times in a subset. If with_replacement==FALSE, then only children with at least one descending tip not included in the subset remain available for traversal; each available child of a node has equal probability to be traversed. In any case, it is always possible for separate subsets to include the same tips.

This random sampling algorithm differs from a uniform sampling of tips at equal probabilities; instead, this algorithm ensures that sister clades have equal probabilities to be picked (if with_replacement==TRUE or if size<Ntips).

The time required by this function per random subset decreases with the number of subsets requested.

Value

A 2D integer matrix of size Nsubsets x size, with each row containing indices of randomly picked tips (i.e. in 1,...,Ntips) within a specific subset. If drop_dims==TRUE and Nsubsets==1, then a vector is returned instead of a matrix.

Author(s)

Stilianos Louca

Examples

```
# generate random tree
Ntips = 1000
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# pick random tip subsets
Nsubsets = 100
size      = 50
subsets = pick_random_tips(tree, size, Nsubsets, with_replacement=FALSE)

# count the number of times each tip was picked in a subset ("popularity")
popularities = table(subsets)

# plot histogram of tip popularities
hist(popularities,breaks=20,xlab="popularity",ylab="# tips",main="tip popularities")
```

read_tree

*Load a tree from a string or file in Newick (parenthetic) format.***Description**

Load a phylogenetic tree from a file or a string, in Newick (parenthetic) format. Any valid Newick format is acceptable. Extended variants including edge labels and edge numbers are also supported.

Usage

```
read_tree( string = "",
           file   = "",
           edge_order      = "cladewise",
           include_edge_lengths = TRUE,
           look_for_edge_labels = FALSE,
           look_for_edge_numbers = FALSE,
           include_node_labels = TRUE,
           underscores_as_blanks = FALSE,
           check_label_uniqueness = FALSE,
           interpret_quotes = FALSE,
           trim_white = TRUE)
```

Arguments

string	A character containing a single tree in Newick format. Can be used alternatively to file.
file	Character, a path to an input text file containing a single tree in Newick format. Can be used alternatively to string.

edge_order	Character, one of “cladewise” or “pruningwise”, specifying the order in which edges should be listed in the returned tree. This does not influence the topology of the tree or the tip/node labeling, it only affects the way edges are numbered internally.
include_edge_lengths	Logical, specifying whether edge lengths (if available) should be included in the returned tree.
look_for_edge_labels	Logical, specifying whether edge labels may be present in the input tree. If edge labels are found, they are included in the returned tree as a character vector <code>edge.label</code> . Edge labels are sought inside square brackets, which are not part of the standard Newick format but used by some tree creation software (Matsen 2012). If <code>look_for_edge_labels==FALSE</code> , square brackets are read verbatim just like any other character.
look_for_edge_numbers	Logical, specifying whether edge numbers (non-negative integers) may be present in the input tree. If edge numbers are found, they are included in the returned tree as an integer vector <code>edge.number</code> . Edge numbers are sought inside curly braces, which are not part of the standard Newick format but used by some tree creation software (Matsen 2012). If <code>look_for_edge_numbers==FALSE</code> , curly braces are read verbatim just like any other character.
include_node_labels	Logical, specifying whether node labels (if available) should be included in the returned tree.
underscores_as_blanks	Logical, specifying whether underscores (“_”) in tip and node labels should be replaced by spaces (“ ”). This is common behavior in other tree parsers. In any case, tip, node and edge labels (if available) are also allowed to contain explicit whitespace (except for newline characters).
check_label_uniqueness	Logical, specifying whether to check if all tip labels are unique.
interpret_quotes	Logical, specifying whether to interpret quotes as delimiters of tip/node/edge labels. If <code>FALSE</code> , then quotes are read verbatim just like any other character.
trim_white	Logical, specifying whether to trim flanking whitespace from tip, node and edge labels.

Details

This function is comparable to (but typically much faster than) the ape function `read.tree`. The function supports trees with monofurcations and multifurcations, trees with or without tip/node labels, and trees with or without edge lengths. The time complexity is linear in the number of edges in the tree.

Either `file` or `string` must be specified, but not both. The tree may be arbitrarily split across multiple lines, but no other non-whitespace text is permitted in `string` or in the input file. Flanking whitespace (space, tab, newlines) is ignored.

Value

A single rooted phylogenetic tree in “phylo” format.

Author(s)

Stilianos Louca

References

Frederick A. Matsen et al. (2012). A format for phylogenetic placements. PLOS One. 7:e31009

See Also

[write_tree](#)

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=100)$tree

# obtain a string representation of the tree in Newick format
Newick_string = write_tree(tree)

# re-parse tree from string
parsed_tree = read_tree(Newick_string)
```

reconstruct_past_diversification

Reconstruct past diversification dynamics from a diversity time series.

Description

Given a time series of past diversities (coalescent or not), this function estimates instantaneous birth (speciation) and death (extinction) rates that would lead to the observed diversity time series. The function is based on a deterministic model (or the continuum limit of a stochastic cladogenic model), in which instantaneous birth and death rates lead to a predictable growth of a tree (one new species per birth event). The reconstruction is non-parametric, i.e. does not rely on fitting a parameterized model. The reconstruction is only accurate in the deterministic limit, i.e. for high diversities where the stochastic nature of the cladogenic process diminishes. Of particular importance is the case where the time series is coalescent, i.e. represents the diversity (lineages-through-time) that would be represented in a coalescent tree with extinctions.

Note: This function is included for legacy reasons mainly. In most cases users should instead use the functions [fit_hbd_model_on_grid](#) and [fit_hbd_model_parametric](#) to fit birth-death models, or the functions [fit_hbd_pdr_on_grid](#), [fit_hbd_pdr_parametric](#) and [fit_hbd_psr_on_grid](#) to fit BD model congruence classes (aka. “pulled variables”) to a tree.

Usage

```
reconstruct_past_diversification( times,
                                diversities,
                                birth_rates_pc      = NULL,
                                rarefaction          = NULL,
                                discovery_fractions   = NULL,
                                discovery_fraction_slopes = NULL,
                                max_age              = NULL,
                                coalescent            = FALSE,
                                smoothing_span       = 0,
                                smoothing_order      = 1)
```

Arguments

- | | |
|---------------------------|--|
| times | Numeric vector, listing the times at which diversities are given. Values must be in ascending order. |
| diversities | Numeric vector of the same size as times, listing diversities (coalescent or not) at each time point. |
| birth_rates_pc | Numeric vector of the same size as times, listing known or assumed per-capita birth rates (speciation rates). Can also be of size 1, in which case the same per-capita birth rate is assumed throughout. Alternatively if coalescent==TRUE, then this vector can also be empty, in which case a constant per-capita birth rate is assumed and estimated from the slope of the coalescent diversities at the last time point. The last alternative is not available when coalescent==FALSE. |
| rarefaction | Numeric between 0 and 1. Optional rarefaction fraction assumed for the diversities at the very end. Set to 1 to assume no rarefaction was performed. |
| discovery_fractions | Numeric array of size Ntimes, listing the fractions of extant lineages represented in the tree over time. Hence, discovery_fraction[t] is the probability that a lineage at time times[t] with extant representatives will be represented in the tree. Can be used as an alternative to rarefaction, for example if discovery of extant species is non-random or phylogenetically biased. Experimental, so leave this NULL if you don't know what it means. |
| discovery_fraction_slopes | Numeric array of size Ntimes, listing the 1st derivative of discovery_fractions (w.r.t. time) over time. If NULL, this will be estimated from discovery_fractions via basic finite differences if needed. Experimental, so leave this NULL if you don't know what it means. |
| max_age | Numeric. Optional maximum distance from the end time to be considered. If NULL or <=0 or Inf, all provided time points are considered. |
| coalescent | Logical, indicating whether the provided diversities are from a coalescent tree (only including clades with extant representatives) or total diversities (extant species at each time point). |
| smoothing_span | Non-negative integer. Optional sliding window size (number of time points) for smoothening the diversities time series via Savitzky-Golay-filter. If <=2, no smoothing is done. Smoothening the time series can reduce the effects of noise on the reconstructed diversity dynamics. |

smoothing_order

Integer between 1 and 4. Polynomial order of the Savitzky-Golay smoothing filter to be applied. Only relevant if smoothing_span>2. A value of 1 or 2 is typically recommended.

Details

This function can be used to fit a birth-death model to a coalescent diversity time series $N_c(\tau)$ at various ages τ , also known as “lineages-through-time” curve. The reconstruction of the total diversity $N(\tau)$ is based on the following formulas:

$$E(\tau) = 1 + \frac{\nu(\tau)}{\beta(\tau)},$$

$$N(\tau) = \frac{N_c}{1 - E(\tau)},$$

$$\nu(\tau) = \frac{1}{N_c(\tau)} \frac{dN_c(\tau)}{d\tau}$$

where $E(\tau)$ is the probability that a clade of size 1 at age τ went extinct by the end of the time series and β is the per-capita birth rate. If the per-capita birth rate is not explicitly provided for each time point (see argument birth_rate_pc), the function assumes that the per-capita birth rate (speciation rate) is constant at all times. If birth_rates_pc==NULL and coalescent==TRUE, the constant speciation rate is estimated as

$$\beta = -\frac{\nu(0)}{\rho},$$

where ρ is the fraction of species kept after rarefaction (see argument rarefaction).

Assuming a constant speciation rate may or may not result in accurate estimates of past total diversities and other quantities. If a time-varying speciation rate is suspected but not known, additional information on past diversification dynamics may be obtained using modified (“pulled”) quantities that partly resemble the classical extinction rate, diversification rate and total diversity. Such quantities are the “pulled diversification rate”:

$$\eta(\tau) = \delta(\tau) - \beta(\tau) + \frac{1}{\beta(\tau)} \frac{d\beta}{d\tau},$$

the “pulled extinction rate”:

$$\delta_p(\tau) = \delta(\tau) + (\beta_o - \beta(\tau)) - \frac{1}{\beta(\tau)} \frac{d\beta}{d\tau},$$

and the “pulled total diversity”:

$$N_p(\tau) = N(\tau) \cdot \frac{\beta_o}{\beta(\tau)},$$

where β_o is the provided or estimated (if not provided) speciation rate at the last time point. The advantage of these quantities is that they can be estimated from the coalescent diversities (lineages-through-time) without any assumptions on how β and δ varied over time. The disadvantage is that they differ from their “non-pulled” quantities ($\beta - \delta$, δ and N), in cases where β varied over time.

Value

A named list with the following elements:

<code>success</code>	Logical, specifying whether the reconstruction was successful. If FALSE, the remaining elements may not be defined.
<code>Ntimes</code>	Integer. Number of time points for which reconstruction is returned.
<code>total_diversities</code>	Numeric vector of the same size as <code>times</code> , listing the total diversity at each time point (number of extant lineages at each time point). If <code>coalescent==FALSE</code> , then these are the same as the <code>diversities</code> passed to the function.
<code>coalescent_diversities</code>	Numeric vector of the same size as <code>times</code> , listing the coalescent diversities at each time point (number of species with at least one extant descendant at the last time point). If <code>coalescent==TRUE</code> , then these are the same as the <code>diversities</code> passed to the function.
<code>birth_rates</code>	Numeric vector of the same size as <code>times</code> , listing the estimated birth rates (speciation events per time unit).
<code>death_rates</code>	Numeric vector of the same size as <code>times</code> , listing the estimated death rates (extinction events per time unit).
<code>Psurvival</code>	Numeric vector of the same size as <code>times</code> , listing the estimated fraction of lineages at each time point that eventually survive. <code>Psurvival[i]</code> is the probability that a clade of size 1 at time <code>times[i]</code> will be extant by the end of the time series. May be NULL in some cases.
<code>Pdiscovery</code>	Numeric vector of the same size as <code>times</code> , listing the estimated fraction of lineages at each time point that are eventually discovered, provided that they survive. <code>Pdiscovery[i]</code> is the probability that a clade of size 1 at time <code>times[i]</code> that is extant by the end of the time series, will be discovered. May be NULL in some cases.
<code>Prepresentation</code>	Numeric vector of the same size as <code>times</code> , listing the estimated fraction of lineages at each time point that eventually survive and are discovered. <code>Prepresentation[i]</code> is the probability that a clade of size 1 at time <code>times[i]</code> will be extant by the end of the time series and visible in the coalescent tree after rarefaction. Note that <code>Prepresentation = Psurvival * Pdiscovery</code> . May be NULL in some cases.
<code>total_births</code>	Numeric, giving the estimated total number of birth events that occurred between times <code>T-max_age</code> and <code>T</code> , where <code>T</code> is the last time point of the time series.
<code>total_deaths</code>	Numeric, giving the estimated total number of death events that occurred between times <code>T-max_age</code> and <code>T</code> , where <code>T</code> is the last time point of the time series.
<code>last_birth_rate_pc</code>	The provided or estimated (if not provided) speciation rate at the last time point. This corresponds to the birth rate divided by the estimated true diversity (prior to rarefaction) at the last time point.
<code>last_death_rate_pc</code>	The estimated extinction rate at the last time point. This corresponds to the death rate divided by the estimated true diversity (prior to rarefaction) at the last time point.


```

smoothing_span = 3,
smoothing_order = 1)

# print reconstructed total diversities
print(results$total_diversities)

# plot coalescent and reconstructed true diversities
matplot(x = counter$times,
        y = matrix(c(counter$lineages, results$total_diversities), ncol=2, byrow=FALSE),
        type = "b",
        xlab = "time",
        ylab = "# clades",
        lty = c(1,2), pch = c(1,0), col = c("red", "blue"))
legend("topleft",
      legend = c("coalescent (simulated)", "true (reconstructed)"),
      col = c("red", "blue"), lty = c(1,2), pch = c(1,0));

#####
# EXAMPLE 2

# Generate a non-coalescent tree
params = list(birth_rate_intercept = 0,
              birth_rate_factor = 1,
              birth_rate_exponent = 1,
              death_rate_intercept = 0,
              death_rate_factor = 0.05,
              death_rate_exponent = 1.3,
              rarefaction = 1)
simulation = generate_random_tree(params, max_time_eq=1, coalescent=FALSE)
tree = simulation$tree
time_span = simulation$final_time - simulation$root_time
cat(sprintf("Generated tree has %d tips, spans %g time units\n", length(tree$tip.label), time_span))

# Calculate diversity time series from the tree
counter = count_lineages_through_time(tree, times=seq(0, 0.99*time_span, length.out=100))

# print true diversities
print(counter$lineages)

# reconstruct diversification dynamics based on diversity time series
results = reconstruct_past_diversification( counter$times,
                                           counter$lineages,
                                           birth_rates_pc = params$birth_rate_factor,
                                           coalescent = FALSE,
                                           smoothing_span = 3,
                                           smoothing_order = 1)

# print coalescent diversities
print(results$coalescent_diversities)

# plot coalescent and reconstructed true diversities

```

```

matplot(x      = counter$times,
        y      = matrix(c(results$coalescent_diversities, counter$lineages), ncol=2, byrow=FALSE),
        type   = "b",
        xlab   = "time",
        ylab   = "# clades",
        lty    = c(1,2), pch = c(1,0), col = c("red", "blue"))
legend("topleft",
      legend = c("coalescent (reconstructed)", "true (simulated)"),
      col    = c("red", "blue"), lty = c(1,2), pch = c(1,0));

```

reorder_tree_edges	<i>Reorder tree edges in preorder or postorder.</i>
--------------------	---

Description

Given a rooted tree, this function reorders the rows in `tree$edge` so that they are listed in preorder (root→tips) or postorder (tips→root) traversal.

Usage

```

reorder_tree_edges(tree, root_to_tips=TRUE,
                  depth_first_search=TRUE,
                  index_only=FALSE)

```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>root_to_tips</code>	Logical, specifying whether to sort edges in preorder traversal (root→tips), rather than in postorder traversal (tips→roots).
<code>depth_first_search</code>	Logical, specifying whether the traversal (or the reversed traversal, if <code>root_to_tips</code> is FALSE) should be in depth-first-search format rather than breadth-first-search format.
<code>index_only</code>	Whether the function should only return a vector listing the reordered row indices of the edge matrix, rather than a modified tree.

Details

This function does not change the tree structure, nor does it affect tip/node indices and names. It merely changes the order in which edges are listed in the matrix `tree$edge`, so that edges are listed in preorder or postorder traversal. Preorder traversal guarantees that each edge is listed before any of its descending edges. Likewise, postorder guarantees that each edge is listed after any of its descending edges.

With options `root_to_tips=TRUE` and `depth_first_search=TRUE`, this function is analogous to the function `reorder` in the `ape` package with option `order="cladewise"`.

The tree can include multifurcations (nodes with more than 2 children) as well as monofurcations (nodes with 1 child). This function has asymptotic time complexity $O(N_{edges})$.

Value

If `index_only==FALSE`, a tree object of class "phylo", with the rows in edge reordered such that they are listed in direction root→tips (if `root_to_tips==TRUE`) or tips→root. The vector `tree$edge.length` will also be updated in correspondence. Tip and node indices and names remain unchanged.

If `index_only=TRUE`, an integer vector (X) of size `Nedges`, listing the reordered row indices of `tree$edge`, i.e. such that `tree$edge[X,]` would be the reordered edge matrix.

Author(s)

Stilianos Louca

See Also

[get_tree_traversal_root_to_tips](#)

Examples

```
## Not run:
# generate a random tree
tree = generate_random_tree(list(birth_rate_factor=1), max_tips=100)$tree

# get new tree with reordered edges
postorder_tree = reorder_tree_edges(tree, root_to_tips=FALSE)

## End(Not run)
```

root_at_midpoint

Root or re-root a tree at the midpoint node.

Description

Given a tree (rooted or unrooted), this function changes the direction of edges (`tree$edge`) such that the midpoint node becomes the new root (i.e. has no incoming edges and all other tips and nodes descend from it). The number of tips and the number of nodes remain unchanged. The midpoint node is the node whose maximum distance to any tip is smallest.

Usage

```
root_at_midpoint( tree,
                  update_indices = TRUE,
                  as_edge_counts = FALSE,
                  is_rooted      = FALSE)
```

Arguments

tree	A tree object of class "phylo". Can be unrooted or rooted (but see option <code>is_rooted</code>).
update_indices	Logical, specifying whether to update the node indices such that the new root is the first node in the list (as is common convention). This will modify <code>tree\$node.label</code> (if it exists) and also the node indices listed in <code>tree\$edge</code> .
as_edge_counts	Logical, specifying whether phylogenetic distances should be measured as cumulative edge counts. This is the same if all edges had length 1.
is_rooted	Logical, specifying whether the input tree can be assumed to be rooted. If you are not certain that the tree is rooted, set this to <code>FALSE</code> .

Details

The input tree may include an arbitrary number of incoming and outgoing edges per node (but only one edge per tip), and the direction of these edges can be arbitrary. Of course, the undirected graph defined by all edges must still be a valid tree. Only set `is_rooted=TRUE` if you are sure that the input tree is rooted.

If `update_indices==FALSE`, then node indices remain unchanged. If `update_indices==TRUE` (default), then node indices are modified such that the new root is the first node (i.e. with index `Ntips+1` in `edge` and with index 1 in `node.label`), as is common convention. Setting `update_indices=FALSE` reduces the computation required for rerooting. Tip indices always remain unchanged.

The asymptotic time complexity of this function is $O(N_{\text{edges}})$.

Value

A tree object of class "phylo", with the edge element modified such that the maximum distance of the root to any tip is minimized. The elements `tip.label`, `edge.length` and `root.edge` (if they exist) are the same as for the input tree. If `update_indices==FALSE`, then the element `node.label` will also remain the same.

Author(s)

Stilianos Louca

See Also

[root_via_outgroup](#), [root_at_node](#), [root_in_edge](#)

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# reroot the tree at its midpoint node
tree = root_at_midpoint(tree)
```

root_at_node	<i>Root or re-root a tree at a specific node.</i>
--------------	---

Description

Given a tree (rooted or unrooted) and a specific node, this function changes the direction of edges (tree\$edge) such that the designated node becomes the root (i.e. has no incoming edges and all other tips and nodes descend from it). The number of tips and the number of nodes remain unchanged.

Usage

```
root_at_node(tree, new_root_node, update_indices=TRUE)
```

Arguments

tree	A tree object of class "phylo". Can be unrooted or rooted.
new_root_node	Character or integer specifying the name or index, respectively, of the node to be turned into root. If an integer, it must be between 1 and tree\$Nnode. If a character, it must be a valid entry in tree\$node.label.
update_indices	Logical, specifying whether to update the node indices such that the new root is the first node in the list (as is common convention). This will modify tree\$node.label (if it exists) and also the node indices listed in tree\$edge.

Details

The input tree may include an arbitrary number of incoming and outgoing edges per node (but only one edge per tip), and the direction of these edges can be arbitrary. Of course, the undirected graph defined by all edges must still be a valid tree. The asymptotic time complexity of this function is $O(N_{\text{edges}})$.

If update_indices==FALSE, then node indices remain unchanged. If update_indices==TRUE (default), then node indices are modified such that the new root is the first node (i.e. with index Ntips+1 in edge and with index 1 in node.label). This is common convention, but it may be undesirable if, for example, you are looping through all nodes in the tree and are only temporarily designating them as root. Setting update_indices=FALSE also reduces the computation required for rerooting. Tip indices always remain unchanged.

Value

A tree object of class "phylo", with the edge element modified such that the node new_root_node is root. The elements tip.label, edge.length and root.edge (if they exist) are the same as for the input tree. If update_indices==FALSE, then the element node.label will also remain the same.

Author(s)

Stilianos Louca

See Also

[root_via_outgroup](#), [root_at_midpoint](#), [root_in_edge](#)

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# reroot the tree at the 20-th node
new_root_node = 20
tree = root_at_node(tree, new_root_node, update_indices=FALSE)

# find new root index and compare with expectation
cat(sprintf("New root is %d, expected at %d\n",find_root(tree),new_root_node+Ntips))
```

root_in_edge

Root or re-root a tree in the middle of an edge.

Description

Given a tree (rooted or unrooted), this function places the new root in the middle of a specified edge, effectively adding one more node, one more edge and changing the direction of edges as required.

Usage

```
root_in_edge( tree,
              root_edge,
              new_root_name = NULL,
              collapse_monofurcations = TRUE)
```

Arguments

tree	A tree object of class "phylo". Can be unrooted or rooted.
root_edge	Integer, index of the edge into which the new root is to be placed. Must be between 1 and Nedges.
new_root_name	Character, optional, specifying the node name to use for the new root. Only used if tree\$node.label is not NULL.
collapse_monofurcations	Logical, specifying whether monofurcations in the rerooted tree (e.g. stemming from the old root) should be collapsed by connecting incoming edges with outgoing edges.

Details

The input tree may include an arbitrary number of incoming and outgoing edges per node (but only one edge per tip), and the direction of these edges can be arbitrary. Of course, the undirected graph defined by all edges must still be a valid tree.

The number of tips in the rerooted tree remains unchanged, the number of nodes is increased by 1. Node indices may be modified. Tip indices always remain unchanged.

The asymptotic time complexity of this function is $O(N_{\text{edges}})$.

Value

A tree object of class "phylo", representing the (re-)rooted phylogenetic tree. The element `tip.label` is the same as for the input tree, but all other elements may have changed.

Author(s)

Stilianos Louca

See Also

[root_via_outgroup](#), [root_at_node](#), [root_at_midpoint](#)

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1), max_tips=Ntips)$tree

# reroot the tree inside some arbitrary edge
focal_edge = 120
tree = root_in_edge(tree, focal_edge)
```

root_via_outgroup	<i>Root or re-root a tree based on an outgroup tip.</i>
-------------------	---

Description

Given a tree (rooted or unrooted) and a specific tip ("outgroup"), this function changes the direction of edges (`tree$edge`) such that the outgroup's parent node becomes the root. The number of tips and the number of nodes remain unchanged.

Usage

```
root_via_outgroup(tree, outgroup, update_indices=TRUE)
```

Arguments

tree	A tree object of class "phylo". Can be unrooted or rooted.
outgroup	Character or integer specifying the name or index, respectively, of the outgroup tip. If an integer, it must be between 1 and Ntips. If a character, it must be a valid entry in <code>tree\$tip.label</code> .
update_indices	Logical, specifying whether to update the node indices such that the new root is the first node in the list (as is common convention). This will modify <code>tree\$node.label</code> (if it exists) and also the node indices listed in <code>tree\$edge</code> .

Details

The input tree may include an arbitrary number of incoming and outgoing edges per node (but only one edge per tip), and the direction of these edges can be arbitrary. Of course, the undirected graph defined by all edges must still be a valid tree. The asymptotic time complexity of this function is $O(N_{\text{edges}})$.

If `update_indices==FALSE`, then node indices remain unchanged. If `update_indices==TRUE` (default), then node indices are modified such that the new root is the first node (i.e. with index `Ntips+1` in `edge` and with index 1 in `node.label`). This is common convention, but it may be undesirable in some cases. Setting `update_indices=FALSE` also reduces the computation required for rerooting. Tip indices always remain unchanged.

Value

A tree object of class "phylo", with the edge element modified such that the outgroup tip's parent node is root. The elements `tip.label`, `edge.length` and `root.edge` (if they exist) are the same as for the input tree. If `update_indices==FALSE`, then the element `node.label` will also remain the same.

Author(s)

Stilianos Louca

See Also

[root_at_node](#), [root_at_midpoint](#), [root_in_edge](#)

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=Ntips)$tree

# reroot the tree using the 1st tip as outgroup
outgroup = 1
tree = root_via_outgroup(tree, outgroup, update_indices=FALSE)

# find new root index
cat(sprintf("New root is %d\n",find_root(tree)))
```

simulate_bm_model	<i>Simulate a Brownian motion model for multivariate trait co-evolution.</i>
-------------------	--

Description

Given a rooted phylogenetic tree and a Brownian motion (BM) model for the co-evolution of one or more continuous (numeric) unbounded traits, simulate random outcomes of the model on all nodes and/or tips of the tree. The function traverses nodes from root to tips and randomly assigns a multivariate state to each node or tip based on its parent's previously assigned state and the specified model parameters. The generated states have joint distributions consistent with the multivariate BM model. Optionally, multiple independent simulations can be performed using the same model.

Usage

```
simulate_bm_model(tree, diffusivity=NULL, sigma=NULL,
                  include_tips=TRUE, include_nodes=TRUE,
                  root_states=NULL, Nsimulations=1, drop_dims=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
diffusivity	Either NULL, or a single number, or a 2D quadratic positive definite symmetric matrix of size Ntraits x Ntraits. Diffusivity matrix (" D ") of the multivariate Brownian motion model (in units $\text{trait}^2/\text{edge_length}$). The convention is that if the root's state is fixed, then the covariance matrix of a node's state at distance L from the root will be $2LD$ (see mathematical details below).
sigma	Either NULL, or a single number, or a 2D matrix of size Ntraits x Ndegrees, where Ndegrees refers to the degrees of freedom of the model. Noise-amplitude coefficients of the multivariate Brownian motion model (in units $\text{trait}/\sqrt{\text{edge_length}}$). This can be used as an alternative way to specify the Brownian motion model instead of through the diffusivity D . Note that $\sigma \cdot \sigma^T = 2D$ (see mathematical details below).
include_tips	Include random states for the tips. If FALSE, no states will be returned for tips.
include_nodes	Include random states for the nodes. If FALSE, no states will be returned for nodes.
root_states	Numeric matrix of size NR x Ntraits (where NR can be arbitrary), specifying the state of the root for each simulation. If NR is smaller than Nsimulations, values in root_states are recycled in rotation. If root_states is NULL or empty, then the root state is set to 0 for all traits in all simulations.
Nsimulations	Number of random independent simulations to perform. For each node and/or tip, there will be Nsimulations random states generated.
drop_dims	Logical, specifying whether singleton dimensions should be dropped from tip_states and node_states, if Nsimulations==1 and/or Ntraits==1. If drop_dims==FALSE, then tip_states and tip_nodes will always be 3D matrices.

Details

The BM model for Ntraits co-evolving traits is defined by the stochastic differential equation

$$dX = \sigma \cdot dW$$

where W is a multidimensional Wiener process with Ndegrees independent components and σ is a matrix of size Ntraits x Ndegrees. Alternatively, the same model can be defined as a Fokker-Planck equation for the probability density ρ :

$$\frac{\partial \rho}{\partial t} = \sum_{i,j} D_{ij} \frac{\partial^2 \rho}{\partial x_i \partial x_j}.$$

The matrix D is referred to as the diffusivity matrix (or diffusion tensor), and $2D = \sigma \cdot \sigma^T$. Either diffusivity (D) or sigma (σ) may be used to specify the BM model, but not both.

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). The asymptotic time complexity of this function is $O(\text{Nedges} * \text{Nsimulations} * \text{Ntraits})$.

Value

A list with the following elements:

<code>tip_states</code>	Either NULL (if <code>include_tips==FALSE</code>), or a 3D numeric matrix of size Nsimulations x Ntips x Ntraits. The <code>[r,c,i]</code> -th entry of this matrix will be the state of trait <code>i</code> at tip <code>c</code> generated by the <code>r</code> -th simulation. If <code>drop_dims==TRUE</code> and <code>Nsimulations==1</code> and <code>Ntraits==1</code> , then <code>tip_states</code> will be a vector.
<code>node_states</code>	Either NULL (if <code>include_nodes==FALSE</code>), or a 3D numeric matrix of size Nsimulations x Nnodes x Ntraits. The <code>[r,c,i]</code> -th entry of this matrix will be the state of trait <code>i</code> at node <code>c</code> generated by the <code>r</code> -th simulation. If <code>drop_dims==TRUE</code> and <code>Nsimulations==1</code> and <code>Ntraits==1</code> , then <code>node_states</code> will be a vector.

Author(s)

Stilianos Louca

See Also

[simulate_ou_model](#), [simulate_rou_model](#), [simulate_mk_model](#), [fit_bm_model](#)

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=10000)$tree

# Example 1: Scalar case
# - - - - -
# simulate scalar continuous trait evolution on the tree
tip_states = simulate_bm_model(tree, diffusivity=1)$tip_states

# plot histogram of simulated tip states
```

```

hist(tip_states, breaks=20, xlab="state", main="Trait probability distribution", prob=TRUE)

# Example 2: Multivariate case
# - - - - -
# simulate co-evolution of 2 traits with 3 degrees of freedom
Ntraits = 2
Ndegrees = 3
sigma = matrix(stats::rnorm(n=Ntraits*Ndegrees, mean=0, sd=1), ncol=Ndegrees)
tip_states = simulate_bm_model(tree, sigma=sigma, drop_dims=TRUE)$tip_states

# generate scatterplot of traits across tips
plot(tip_states[,1], tip_states[,2], xlab="trait 1", ylab="trait 2", cex=0.5)

```

```
simulate_deterministic_hbd
```

Simulate a deterministic homogenous birth-death model.

Description

Given a homogenous birth-death (HBD) model, i.e., with speciation rate λ , extinction rate μ and sampling fraction ρ , calculate various deterministic features of the model backwards in time, such as the total diversity over time. The speciation and extinction rates may be time-dependent. “Homogenous” refers to the assumption that, at any given moment in time, all lineages exhibit the same speciation/extinction rates (in the literature this is sometimes referred to simply as “birth-death model”; Morlon et al. 2011). “Deterministic” refers to the fact that all calculated properties are completely determined by the model’s parameters (i.e. non-random), as if an infinitely large tree was generated (aka. “continuum limit”).

Alternatively to λ , one may provide the pulled diversification rate (PDR; Louca et al. 2018) and the speciation rate at some fixed age, $\lambda(\tau_o)$. Similarly, alternatively to μ , one may provide the ratio of extinction over speciation rate, μ/λ . In either case, the time-profiles of λ , μ , μ/λ or the PDR are specified as piecewise polynomial functions (splines), defined on a discrete grid of ages.

Usage

```

simulate_deterministic_hbd(LTT0,
                           oldest_age,
                           age0      = 0,
                           rho0      = 1,
                           age_grid  = NULL,
                           lambda     = NULL,
                           mu         = NULL,
                           mu_over_lambda = NULL,
                           PDR        = NULL,
                           lambda0    = NULL,
                           splines_degree = 1,
                           relative_dt = 1e-3,
                           allow_unreal = FALSE)

```

Arguments

LTT0	The assumed number of sampled extant lineages at age0, defining the necessary initial condition for the simulation. If the HBD model is supposed to describe a specific timetree, then LTT0 should correspond to the number of lineages in the tree ("lineages through time") at age age0.
oldest_age	Strictly positive numeric, specifying the oldest time before present ("age") to include in the simulation.
age0	Non-negative numeric, specifying the age at which LTT0, lambda0 and rho are given. Typically this will be 0, i.e., corresponding to the present.
rho0	Numeric between 0 (exclusive) and 1 (inclusive), specifying the sampling fraction of the tree at age0, i.e. the fraction of lineages extant at age0 that are included in the tree (aka. "rarefaction"). Note that if rho0<1, lineages extant at age0 are assumed to have been sampled randomly at equal probabilities. Can also be NULL, in which case rho0=1 is assumed.
age_grid	Numeric vector, listing discrete ages (time before present) on which either λ and μ , or the PDR and μ , are specified. Listed ages must be strictly increasing, and must cover at least the full considered age interval (from age0 to oldest_age). Can also be NULL or a vector of size 1, in which case the speciation rate, extinction rate and PDR are assumed to be time-independent.
lambda	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing speciation rates (λ , in units 1/time) at the ages listed in age_grid. Speciation rates should be non-negative, and are assumed to vary polynomially between grid points (see argument splines_degree). If NULL, then PDR and lambda0 must be provided.
mu	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing extinction rates (μ , in units 1/time) at the ages listed in age_grid. Extinction rates should be non-negative, and are assumed to vary polynomially between grid points (see argument splines_degree). Either mu or mu_over_lambda must be provided, but not both.
mu_over_lambda	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing the ratio of extinction rates over speciation rates (μ/λ) at the ages listed in age_grid. These ratios should be non-negative, and are assumed to vary polynomially between grid points (see argument splines_degree). Either mu or mu_over_lambda must be provided, but not both.
PDR	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing pulled diversification rates (in units 1/time) at the ages listed in age_grid. PDRs can be negative or positive, and are assumed to vary polynomially between grid points (see argument splines_degree). If NULL, then lambda must be provided.
lambda0	Non-negative numeric, specifying the speciation rate (in units 1/time) at age0. Either lambda0 or lambda must be provided, but not both.
splines_degree	Integer, either 0,1,2 or 3, specifying the polynomial degree of the provided lambda, mu and PDR between grid points in age_grid. For example, if splines_degree==1, then the provided lambda, mu and PDR are interpreted as piecewise-linear curves; if splines_degree==2 they are interpreted as quadratic splines; if splines_degree==3

	they are interpreted as cubic splines. The <code>splines_degree</code> influences the analytical properties of the curve, e.g. <code>splines_degree==1</code> guarantees a continuous curve, <code>splines_degree==2</code> guarantees a continuous curve and continuous derivative, and so on.
<code>relative_dt</code>	Strictly positive numeric (unitless), specifying the maximum relative time step allowed for integration over time. Smaller values increase integration accuracy but increase computation time. Typical values are 0.0001-0.001. The default is usually sufficient.
<code>allow_unreal</code>	Logical, specifying whether HBD models with unrealistic parameters (e.g., negative μ) should be supported. This may be desired for example when examining model congruence classes with negative μ .

Details

This function supports the following alternative parameterizations of HBD models:

- Using the speciation rate λ and extinction rate μ .
- Using the speciation rate λ and the ratio μ/λ .
- Using the pulled diversification rate (PDR), the extinction rate and the speciation rate given at some fixed age0 (i.e. `lambda0`).
- Using the PDR, the ratio μ/λ and the speciation rate at some fixed age0.

The PDR is defined as $PDR = \lambda - \mu + \lambda^{-1} d\lambda/d\tau$, where τ is age (time before present). To avoid ambiguities, only one of the above parameterizations is accepted at a time. The sampling fraction at age0 (i.e., `rho0`) should always be provided; setting it to NULL is equivalent to setting it to 1.

Note that in the literature the sampling fraction usually refers to the fraction of lineages extant at present-day that have been sampled (included in the tree); this present-day sampling fraction is then used to parameterize birth-death cladogenic models. The sampling fraction can however be generalized to past times, by defining it as the probability that a lineage extant at any given time is included in the tree. The simulation function presented here allows for specifying this generalized sampling fraction at any age of choice, not just present-day.

The simulated LTT refers to a hypothetical tree sampled at age `age_grid[1]`, i.e. $LTT(t)$ will be the number of lineages extant at age t that survived until age `age_grid[1]` and have been sampled, given that the fraction of sampled extant lineages at age0 is `rho0`. Similarly, the returned $P_{extinct}(t)$ (see below) is the probability that a lineage extant at age t would not survive until `age_grid[1]`. The same convention is used for the returned variables `Pmissing`, `shadow_diversity`, `PER`, `PSR`, `SER` and `PND`.

Value

A named list with the following elements:

<code>success</code>	Logical, indicating whether the calculation was successful. If FALSE, then the returned list includes an additional 'error' element (character) providing a description of the error; all other return variables may be undefined.
<code>ages</code>	Numerical vector of size NG, listing discrete ages (time before present) on which all returned time-curves are specified. Listed ages will be in ascending

order, will cover exactly the range `age_grid[1]` - `oldest_age`, may be irregularly spaced, and may be finer than the original provided `age_grid`. Note that `ages[1]` corresponds to the latest time point (closer to the tips), while `ages[NG]` corresponds to the oldest time point (`oldest_age`).

<code>total_diversity</code>	Numerical vector of size NG, listing the predicted (deterministic) total diversity (number of extant species, denoted N) at the ages given in <code>ages[]</code> .
<code>shadow_diversity</code>	Numerical vector of size NG, listing the predicted (deterministic) “shadow diversity” at the ages given in <code>ages[]</code> . The shadow diversity is defined as $N_s = N \cdot \rho(\tau_o)\lambda(\tau_o)/\lambda$, where τ_o is <code>age0</code> .
<code>Pmissing</code>	Numeric vector of size NG, listing the probability that a lineage, extant at a given age, will be absent from the tree either due to extinction or due to incomplete sampling.
<code>Pextinct</code>	Numeric vector of size NG, listing the probability that a lineage, extant at a given age, will be fully extinct at present. Note that always <code>Pextinct</code> ≤ <code>Pmissing</code> .
<code>LTT</code>	Numeric vector of size NG, listing the number of lineages represented in the tree at any given age, also known as “lineages-through-time” (LTT) curve. Note that LTT at <code>age0</code> will be equal to LTT, and that values in LTT will be non-increasing with age.
<code>lambda</code>	Numeric vector of size NG, listing the speciation rate (in units 1/time) at the ages given in <code>ages[]</code> .
<code>mu</code>	Numeric vector of size NG, listing the extinction rate (in units 1/time) at the ages given in <code>ages[]</code> .
<code>diversification_rate</code>	Numeric vector of size NG, listing the net diversification rate ($\lambda - \mu$) at the ages given in <code>ages[]</code> .
<code>PDR</code>	Numeric vector of size NG, listing the pulled diversification rate (PDR, in units 1/time) at the ages given in <code>ages[]</code> .
<code>PND</code>	Numeric vector of size NG, listing the pulled normalized diversity (PND, in units 1/time) at the ages given in <code>ages[]</code> . The PND is defined as $PND = (N/N(\tau_o)) \cdot \lambda(\tau_o)/\lambda$.
<code>SER</code>	Numeric vector of size NG, listing the “shadow extinction rate” (SER, in units 1/time) at the ages given in <code>ages[]</code> . The SER is defined as $SER = \rho(\tau_o)\lambda(\tau_o) - PDR$.
<code>PER</code>	Numeric vector of size NG, listing the “pulled extinction rate” (PER, in units 1/time) at the ages given in <code>ages[]</code> . The PER is defined as $SER = \lambda(\tau_o) - PDR$ (Louca et al. 2018).
<code>PSR</code>	Numeric vector of size NG, listing the “pulled speciation rate” (PSR, in units 1/time) at the ages given in <code>ages[]</code> . The PSR is defined as $PSR = \lambda \cdot (1 - Pmissing)$.
<code>rho*lambda0</code>	Non-negative numeric, specifying the product of the sampling fraction and the speciation rate at <code>age0</code> , $\rho \cdot \lambda(\tau_o)$.

Author(s)

Stilianos Louca

References

H. Morlon, T. L. Parsons, J. B. Plotkin (2011). Reconciling molecular phylogenies with the fossil record. *Proceedings of the National Academy of Sciences*. 108:16327-16332.

S. Louca et al. (2018). Bacterial diversification through geological time. *Nature Ecology & Evolution*. 2:1458-1467.

See Also

[loglikelihood_hbd](#)

Examples

```
# define an HBD model with exponentially decreasing speciation/extinction rates
Ntips      = 1000
beta       = 0.01 # exponential decay rate of lambda over time
oldest_age = 10
age_grid   = seq(from=0,to=oldest_age,by=0.1) # choose a sufficiently fine age grid
lambda     = 1*exp(beta*age_grid) # define lambda on the age grid
mu         = 0.2*lambda # assume similarly shaped but smaller mu

# simulate deterministic HBD model
simulation = simulate_deterministic_hbd(LTT0      = Ntips,
                                       oldest_age = oldest_age,
                                       rho0       = 0.5,
                                       age_grid   = age_grid,
                                       lambda     = lambda,
                                       mu         = mu)

# plot deterministic LTT
plot( x = simulation$ages, y = simulation$LTT, type='l',
      main='dLTT', xlab='age', ylab='lineages')
```

simulate_deterministic_hbds

Simulate a deterministic homogenous birth-death-sampling model.

Description

Given a homogenous birth-death-sampling (HBDS) model, i.e., with speciation rate λ , extinction rate μ , continuous (Poissonian) sampling rate ψ and retention probability κ , calculate various deterministic features of the model backwards in time, such as the total population size and the LTT over time. Continuously sampled lineages are kept in the pool of extant lineages at probability κ . The variables λ , μ , ψ and κ may depend on time. In addition, the model can include concentrated sampling attempts at a finite set of discrete time points t_1, \dots, t_m . “Homogenous” refers to the assumption that, at any given moment in time, all lineages exhibit the same speciation/extinction/sampling

rates and retention probability. Every HBDS model is thus defined based on the values that λ , μ , ψ and κ take over time, as well as the sampling probabilities ψ_1, \dots, ψ_m and retention probabilities $\kappa_1, \dots, \kappa_m$ during the concentrated sampling attempts. Special cases of this model are sometimes known as “birth-death-skyline plots” in the literature (Stadler 2013). In epidemiology, these models are often used to describe the phylogenies of viral strains sampled over the course of the epidemic. A “concentrated sampling attempt” is a brief but intensified sampling period that lasted much less than the typical timescales of speciation/extinction. “Deterministic” refers to the fact that all calculated properties are completely determined by the model’s parameters (i.e. non-random), as if an infinitely large tree was generated (aka. “continuum limit”). The time-profiles of λ , μ , ψ and κ are specified as piecewise polynomial curves (splines), defined on a discrete grid of ages.

Usage

```
simulate_deterministic_hbds(age_grid          = NULL,
                             lambda           = NULL,
                             mu               = NULL,
                             psi              = NULL,
                             kappa            = NULL,
                             splines_degree   = 1,
                             CSA_ages         = NULL,
                             CSA_probs        = NULL,
                             CSA_kappas       = NULL,
                             requested_ages    = NULL,
                             age0              = 0,
                             N0                = NULL,
                             LTT0             = NULL,
                             ODE_relative_dt  = 0.001,
                             ODE_relative_dy  = 1e-4)
```

Arguments

age_grid	Numeric vector, listing discrete ages (time before present) on which either λ and μ , or the PDR and μ , are specified. Listed ages must be strictly increasing, and must cover at least the full considered age interval (from age0 to oldest_age). Can also be NULL or a vector of size 1, in which case the speciation rate, extinction rate and PDR are assumed to be time-independent.
lambda	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing speciation rates (λ , in units 1/time) at the ages listed in age_grid. Speciation rates should be non-negative, and are assumed to vary polynomially between grid points (see argument splines_degree).
mu	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing extinction rates (μ , in units 1/time) at the ages listed in age_grid. Extinction rates should be non-negative, and are assumed to vary polynomially between grid points (see argument splines_degree).
psi	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing the continuous (Poissonian) sampling rate at the ages listed in age_grid. Sampling rates should be non-negative, and are assumed to vary polynomially between grid points (see argument splines_degree).

kappa	Numeric vector, of the same size as age_grid (or size 1 if age_grid==NULL), listing the retention probabilities following Poissonian sampling events, at the ages listed in age_grid. The listed values must be true probabilities, i.e. between 0 and 1, and are assumed to vary polynomially between grid points (see argument splines_degree). The retention probability is the probability that a continuously sampled lineage remains in the pool of extant lineages. Note that many epidemiological models assume kappa to be zero.
splines_degree	Integer, either 0,1,2 or 3, specifying the polynomial degree of the provided lambda, mu, psi and kappa between grid points in age_grid. For example, if splines_degree==1, then the provided lambda, mu, psi and kappa are interpreted as piecewise-linear curves; if splines_degree==2 they are interpreted as quadratic splines; if splines_degree==3 they are interpreted as cubic splines. The splines_degree influences the analytical properties of the curve, e.g. splines_degree==1 guarantees a continuous curve, splines_degree==2 guarantees a continuous curve and continuous derivative, and so on.
CSA_ages	Optional numeric vector, listing the ages of concentrated sampling attempts, in ascending order. Concentrated sampling is performed in addition to any continuous (Poissonian) sampling specified by psi.
CSA_probs	Optional numeric vector of the same size as CSA_ages, listing sampling probabilities at each concentrated sampling attempt. Note that in contrast to the sampling rates psi, the CSA_probs are interpreted as probabilities and must thus be between 0 and 1. CSA_probs must be provided if and only if CSA_ages is provided.
CSA_kappas	Optional numeric vector of the same size as CSA_ages, listing retention probabilities at each concentrated sampling event, i.e. the probability at which a sampled lineage is kept in the pool of extant lineages. Note that the CSA_kappas are probabilities and must thus be between 0 and 1. CSA_kappas must be provided if and only if CSA_ages is provided.
requested_ages	Optional numeric vector, listing ages (in ascending order) at which the various model variables are requested. If NULL, it will be set to age_grid.
age0	Non-negative numeric, specifying the age at which LTT0 and pop_size0 are specified. Typically this will be 0, i.e., corresponding to the present.
N0	Positive numeric, specifying the number of extant species (sampled or not) at age0. Used to determine the "scaling factor" for the returned population sizes and LTT. Either pop_size0 or LTT0 must be provided, but not both.
LTT0	Positive numeric, specifying the number of lineages present in the tree at age0. Used to determine the "scaling factor" for the returned population sizes and LTT. Either pop_size0 or LTT0 must be provided, but not both.
ODE_relative_dt	Positive unitless number, specifying the default relative time step for internally used ordinary differential equation solvers. Typical values are 0.01-0.001.
ODE_relative_dy	Positive unitless number, specifying the relative difference between subsequent simulated and interpolated values, in internally used ODE solvers. Typical values are 1e-2 to 1e-5. A smaller ODE_relative_dy increases interpolation accuracy, but also increases memory requirements and adds runtime (scaling with the tree's age span, not with Ntips).

Details

The simulated LTT refers to a hypothetical tree sampled at age 0, i.e. $LTT(t)$ will be the number of lineages extant at age t that survived and were sampled until by the present day. Note that if a concentrated sampling attempt occurs at age τ , then $LTT(\tau)$ is the number of lineages in the tree right before the occurrence of the sampling attempt, i.e., in the limit where τ is approached from above.

Note that in this function age always refers to time before present, i.e., present day age is 0, and age increases towards the root.

Value

A named list with the following elements:

success	Logical, indicating whether the calculation was successful. If FALSE, then the returned list includes an additional 'error' element (character) providing a description of the error; all other return variables may be undefined.
ages	Numerical vector of size NG, listing discrete ages (time before present) on which all returned time-curves are specified. Will be equal to requested_ages, if the latter was provided.
total_diversity	Numerical vector of size NG, listing the predicted (deterministic) total diversity (number of extant species, denoted N) at the ages given in ages[.].
LTT	Numeric vector of size NG, listing the number of lineages represented in the tree at any given age, also known as "lineages-through-time" (LTT) curve. Note that LTT at age0 will be equal to LTT0 (if the latter was provided), and that values in LTT will be non-increasing with age.
Pmissing	Numeric vector of size NG, listing the probability that a lineage, extant at a given age, will not be represented in the tree.
lambda	Numeric vector of size NG, listing the speciation rates at the ages given in ages[.].
mu	Numeric vector of size NG, listing the extinctions rates at the ages given in ages[.].
psi	Numeric vector of size NG, listing the Poissonian sampling rates at the ages given in ages[.].
kappa	Numeric vector of size NG, listing the retention probabilities (for continuously sampled lineages) at the ages given in ages[.].
PDR	Numeric vector of size NG, listing the pulled diversification rate (PDR, in units 1/time) at the ages given in ages[.].
PSR	Numeric vector of size NG, listing the "pulled speciation rate" (PSR, in units 1/time) at the ages given in ages[.]. The PSR is defined as $PSR = \lambda \cdot (1 - P_{missing})$.
diversification_rate	Numeric vector of size NG, listing the net diversification rate (in units 1/time) at the ages given in ages[.].

lambda_psi	Numeric vector of size NG, listing the product of the speciation rate and Poissonian sampling rate (in units $1/\text{time}^2$) at the ages given in ages[<i>i</i>].
psi_kappa	Numeric vector of size NG, listing the product of the continuous sampling rate and the continuous retention probability (in units $1/\text{time}$) at the ages given in ages[<i>i</i>].
Reff	Numeric vector of size NG, listing the effective reproduction ratio ($R_e = \lambda/(\mu + \psi(1 - \kappa))$) at the ages given in ages[<i>i</i>].
CSA_pulled_probs	Numeric vector of size NG, listing the pulled concentrated sampling probabilities, $\tilde{\rho}_k = \rho_k/(1 - E)$.
CSA_psis	Numeric vector of size NG, listing the continuous (Poissonian) sampling rates during the concentrated sampling attempts, $\psi(t_1), \dots, \psi(t_m)$.
CSA_PSRs	Numeric vector of size NG, listing the pulled speciation rates during the concentrated sampling attempts.

Author(s)

Stilianos Louca

References

T. Stadler, D. Kuehnert, S. Bonhoeffer, A. J. Drummond (2013). Birth-death skyline plot reveals temporal changes of epidemic spread in HIV and hepatitis C virus (HCV). PNAS. 110:228-233.

See Also

[generate_tree_hbds](#), [fit_hbds_model_parametric](#), [simulate_deterministic_hbd](#)

Examples

```
# define an HBDS model with exponentially decreasing speciation/extinction rates
# and constant Poissonian sampling rate psi
oldest_age= 10
age_grid = seq(from=0,to=oldest_age,by=0.1) # choose a sufficiently fine age grid
lambda    = 1*exp(0.01*age_grid) # define lambda on the age grid
mu        = 0.2*lambda # assume similarly shaped but smaller mu

# simulate deterministic HBD model
# scale LTT such that it is 100 at age 1
simulation = simulate_deterministic_hbds(age_grid = age_grid,
                                         lambda   = lambda,
                                         mu       = mu,
                                         psi      = 0.1,
                                         age0     = 1,
                                         LTT0     = 100)

# plot deterministic LTT
plot( x = simulation$ages, y = simulation$LTT, type='l',
      main='dLTT', xlab='age', ylab='lineages', xlim=c(oldest_age,0))
```

simulate_diversification_model

Simulate a deterministic uniform speciation/extinction model.

Description

Simulate a speciation/extinction cladogenic model for diversity over time, in the deterministic limit. Speciation (birth) and extinction (death) rates can each be constant or power-law functions of the number of extant species. For example,

$$B = I + F \cdot N^E,$$

where B is the birth rate, I is the intercept, F is the power-law factor, N is the current number of extant species and E is the power-law exponent. Optionally, the model can account for incomplete taxon sampling (rarefaction of tips) and for the effects of collapsing a tree at a non-zero resolution (i.e. clustering closely related tips into a single tip).

Usage

```
simulate_diversification_model( times,
                               parameters          = list(),
                               added_rates_times    = NULL,
                               added_birth_rates_pc = NULL,
                               added_death_rates_pc = NULL,
                               added_periodic       = FALSE,
                               start_time          = NULL,
                               final_time         = NULL,
                               start_diversity     = 1,
                               final_diversity    = NULL,
                               reverse            = FALSE,
                               include_coalescent  = FALSE,
                               include_event_rates = FALSE,
                               include_Nevents     = FALSE,
                               max_runtime        = NULL)
```

Arguments

- | | |
|------------|---|
| times | Numeric vector, listing the times for which to calculate diversities, as predicted by the model. Values must be in ascending order. |
| parameters | <p>A named list specifying the birth-death model parameters, with one or more of the following entries:</p> <ul style="list-style-type: none"> • <code>birth_rate_intercept</code>: Non-negative number. The intercept of the Poissonian rate at which new species (tips) are added. In units 1/time. • <code>birth_rate_factor</code>: Non-negative number. The power-law factor of the Poissonian rate at which new species (tips) are added. In units 1/time. • <code>birth_rate_exponent</code>: Numeric. The power-law exponent of the Poissonian rate at which new species (tips) are added. Unitless. |

- `death_rate_intercept`: Non-negative number. The intercept of the Poissonian rate at which extant species (tips) go extinct. In units 1/time.
- `death_rate_factor`: Non-negative number. The power-law factor of the Poissonian rate at which extant species (tips) go extinct. In units 1/time.
- `death_rate_exponent`: Numeric. The power-law exponent of the Poissonian rate at which extant species (tips) go extinct. Unitless.
- `resolution`: Non-negative number. Time resolution at which the final tree is assumed to be collapsed. Units are time units. E.g. if this is 10, then all nodes of age 10 or less, are assumed to be collapsed into (represented by) a single tip. This can be used to model OTU trees, obtained after clustering strains by some similarity (=age) threshold. Set to 0 to disable collapsing. If left unspecified, this is set to 0.
- `rarefaction`: Numeric between 0 and 1, specifying the fraction of tips kept in the final tree after random subsampling. Rarefaction is assumed to occur after collapsing at the specified resolution (if applicable). This can be used to model incomplete taxon sampling. If left unspecified, this is set to 1.

`added_rates_times`

Numeric vector, listing time points (in ascending order) for a custom per-capita birth and/or death rates time series (see `added_birth_rates_pc` and `added_death_rates_pc` below). Can also be NULL, in which case the custom time series are ignored.

`added_birth_rates_pc`

Numeric vector of the same size as `added_rates_times`, listing per-capita birth rates to be added to the power law part. Added rates are interpolated linearly between time points in `added_rates_times`. Can also be NULL, in which case this option is ignored and birth rates are purely described by the power law.

`added_death_rates_pc`

Numeric vector of the same size as `added_rates_times`, listing per-capita death rates to be added to the power law part. Added rates are interpolated linearly between time points in `added_rates_times`. Can also be NULL, in which case this option is ignored and death rates are purely described by the power law.

`added_periodic` Logical, indicating whether `added_birth_rates_pc` and `added_death_rates_pc` should be extended periodically if needed (i.e. if not defined for the entire simulation time). If FALSE, added birth & death rates are extended with zeros.

`start_time` Numeric. Start time of the tree ($\leq \text{times}[1]$). Can also be NULL, in which case it is set to the first value in `times`.

`final_time` Numeric. Final (ending) time of the tree ($\geq \max(\text{times})$). Can also be NULL, in which case it is set to the last value in `times`.

`start_diversity`

Numeric. Total diversity at `start_time`. Only relevant if `reverse==FALSE`.

`final_diversity`

Numeric. Total diversity at `final_time`, i.e. the final diversity of the tree (total extant species at age 0). Only relevant if `reverse==TRUE`.

`reverse`

Logical. If TRUE, then the tree model is simulated in backward time direction. In that case, `final_diversity` is interpreted as the known diversity at the last time point, and all diversities at previous time points are calculated based on

	the model. If FALSE, then the model is simulated in forward-time, with initial diversity given by <code>start_diversity</code> .
<code>include_coalescent</code>	Logical, specifying whether the diversity corresponding to a coalescent tree (i.e. the tree spanning only extant tips) should also be calculated. If <code>coalescent==TRUE</code> and the death rate is non-zero, then the coalescent diversities will generally be lower than the total diversities.
<code>include_event_rates</code>	Logical. If TRUE, then the birth (speciation) and death (extinction) rates (for each time point) are included as returned values. This comes at a moderate computational overhead.
<code>include_Nevents</code>	Logical. If TRUE, then the cumulative birth (speciation) and death (extinction) events (for each time point) are included as returned values. This comes at a moderate computational overhead.
<code>max_runtime</code>	Numeric. Maximum runtime (in seconds) allowed for the simulation. If this time is surpassed, the simulation aborts.

Details

The simulation is deterministic, meaning that diversification is modeled using ordinary differential equations, not as a stochastic process. The simulation essentially computes the deterministic diversity over time, not an actual tree. For stochastic cladogenic simulations yielding a random tree, see [generate_random_tree](#) and [simulate_dsse](#).

In the special case where per-capita birth and death rates are constant (i.e. $I = 0$ and $E = 1$ for birth and death rates), this function uses an explicit analytical solution to the underlying differential equations, and is thus much faster than in the general case.

If `rarefaction<1` and `resolution>0`, collapsing of closely related tips (at the resolution specified) is assumed to take place prior to rarefaction (i.e., subsampling applies to the already collapsed tips).

Value

A named list with the following elements:

<code>success</code>	Logical, indicating whether the simulation was successful. If the simulation aborted due to runtime constraints (option <code>max_runtime</code>), <code>success</code> will be FALSE.
<code>total_diversities</code>	Numeric vector of the same size as <code>times</code> , listing the total diversity (extant at each the time) for each time point in <code>times</code> .
<code>coalescent_diversities</code>	Numeric vector of the same size as <code>times</code> , listing the coalescent diversity (i.e. as seen in the coalescent tree spanning only extant species) for each time point in <code>times</code> . Only included if <code>include_coalescent==TRUE</code> .
<code>birth_rates</code>	Numeric vector of the same size as <code>times</code> , listing the speciation (birth) rate at each time point. Only included if <code>include_event_rates==TRUE</code> .
<code>death_rates</code>	Numeric vector of the same size as <code>times</code> , listing the extinction (death) rate at each time point. Only included if <code>include_event_rates==TRUE</code> .

Nbirths	Numeric vector of the same size as times, listing the cumulative number of speciation (birth) events up to each time point. Only included if include_Nevents==TRUE.
Ndeaths	Numeric vector of the same size as times, listing the cumulative number of extinction (death) events up to each time point. Only included if include_Nevents==TRUE.

Author(s)

Stilianos Louca

See Also

[generate_random_tree](#), [count_lineages_through_time](#)

Examples

```
# Generate a tree
max_time = 100
parameters = list(birth_rate_intercept = 10,
                  birth_rate_factor   = 0,
                  birth_rate_exponent = 0,
                  death_rate_intercept = 0,
                  death_rate_factor   = 0,
                  death_rate_exponent = 0,
                  resolution          = 20,
                  rarefaction         = 0.5)
generator = generate_random_tree(parameters,max_time=max_time)
tree = generator$tree
final_total_diversity = length(tree$tip.label)+generator$Nrarefied+generator$Ncollapsed

# Calculate diversity-vs-time curve for the tree
times = seq(from=0,to=0.99*max_time,length.out=50)
tree_diversities = count_lineages_through_time(tree, times=times)$lineages

# simulate diversity curve based on deterministic model
simulation = simulate_diversification_model(times,
                                           parameters,
                                           reverse=TRUE,
                                           final_diversity=final_total_diversity,
                                           include_coalescent=TRUE)
model_diversities = simulation$coalescent_diversities

# compare diversities in the tree to the simulated ones
plot(tree_diversities,model_diversities,xlab="tree diversities",ylab="simulated diversities")
abline(a=0,b=1,col="#A0A0A0") # show diagonal for reference
```

Description

Simulate a random phylogenetic tree in forward time based on a Poissonian speciation/extinction (birth/death) process, whereby birth and death rates are determined by a co-evolving discrete trait. New species are added (born) by splitting of a randomly chosen extant tip. The discrete trait, whose values determine birth/death rates, can evolve in two modes: (A) Anagenetically, i.e. according to a discrete-space continuous-time Markov process along each edge, with fixed transition rates between states, and/or (B) cladogenetically, i.e. according to fixed transition probabilities between states at each speciation event. This model class includes the Multiple State Speciation and Extinction (MuSSE) model described by FitzJohn et al. (2009), as well as the Cladogenetic SSE (ClaSSE) model described by Goldberg and Igis (2012). Optionally, the model can be turned into a Hidden State Speciation and Extinction model (Beaulieu and O’meara, 2016), by replacing the simulated tip/node states with "proxy" states, thus hiding the original states actually influencing speciation/extinction rates.

Usage

```
simulate_dsse( Nstates,
               NPstates      = NULL,
               proxy_map     = NULL,
               parameters    = list(),
               start_state   = NULL,
               max_tips      = NULL,
               max_time      = NULL,
               max_time_eq   = NULL,
               max_events    = NULL,
               sampling_fractions = NULL,
               reveal_fractions = NULL,
               coalescent    = TRUE,
               as_generations = FALSE,
               no_full_extinction = TRUE,
               Nsplits       = 2,
               tip_basename  = "",
               node_basename = NULL,
               include_birth_times = FALSE,
               include_death_times = FALSE,
               include_rates  = FALSE,
               include_labels = TRUE)

simulate_musse(Nstates, NPstates = NULL, proxy_map = NULL,
               parameters = list(), start_state = NULL,
               max_tips = NULL, max_time = NULL, max_time_eq = NULL, max_events = NULL,
               sampling_fractions = NULL, reveal_fractions = NULL, coalescent = TRUE,
               as_generations = FALSE, no_full_extinction = TRUE, Nsplits = 2,
               tip_basename = "", node_basename = NULL, include_birth_times = FALSE,
               include_death_times = FALSE, include_rates = FALSE, include_labels = TRUE)
```

Arguments

<code>Nstates</code>	Integer, specifying the number of possible discrete states a tip can have, influencing speciation/extinction rates. For example, if <code>Nstates==2</code> then this corresponds to the common Binary State Speciation and Extinction (BiSSE) model (Maddison et al., 2007). In the case of a HiSSE model, <code>Nstates</code> refers to the total number of diversification rate categories, as described by Beaulieu and O'meara (2016).
<code>NPstates</code>	Integer, optionally specifying a number of "proxy-states" that are observed instead of the underlying speciation/extinction-modulating states. To simulate a HiSSE model, this should be smaller than <code>Nstates</code> . Each state corresponds to a different proxy-state, as defined using the variable <code>proxy_map</code> (see below). For BiSSE/MuSSE with no hidden states, <code>NPstates</code> can be set to either <code>NULL</code> or equal to <code>Nstates</code> , and proxy-states are equivalent to states.
<code>proxy_map</code>	Integer vector of size <code>Nstates</code> and with values in <code>1,..NPstates</code> , specifying the correspondence between states (i.e. diversification-rate categories) and (observed) proxy-states, in a HiSSE model. Specifically, <code>proxy_map[s]</code> indicates which proxy-state the state <code>s</code> is represented by. Each proxy-state can represent multiple states (i.e. proxies are ambiguous), but each state must be represented by exactly one proxy-state. For non-HiSSE models, set this to <code>NULL</code> . See below for more details.
<code>parameters</code>	A named list specifying the dSSE model parameters, such as the anagenetic and/or cladogenetic transition rates between states and the state-dependent birth/death rates (see details below).
<code>start_state</code>	Integer within <code>1,..Nstates</code> , specifying the initial state, i.e. of the first lineage created. If left unspecified, this is chosen randomly and uniformly among all possible states.
<code>max_tips</code>	Maximum number of tips in the generated tree, prior to any subsampling. If <code>coalescent=TRUE</code> , this refers to the number of extant tips, prior to subsampling. Otherwise, it refers to the number of extinct + extant tips, prior to subsampling. If <code>NULL</code> or <code><=0</code> , the number of tips is not limited, so you should use <code>max_time</code> and/or <code>max_time_eq</code> and/or <code>max_events</code> to stop the simulation.
<code>max_time</code>	Numeric, maximum duration of the simulation. If <code>NULL</code> or <code><=0</code> , this constraint is ignored.
<code>max_time_eq</code>	Numeric, maximum duration of the simulation, counting from the first point at which speciation/extinction equilibrium is reached, i.e. when (birth rate - death rate) changed sign for the first time. If <code>NULL</code> or <code><0</code> , this constraint is ignored.
<code>max_events</code>	Integer, maximum number of speciation/extinction/transition events before halting the simulation. If <code>NULL</code> , this constraint is ignored.
<code>sampling_fractions</code>	A single number, or a numeric vector of size <code>NPstates</code> , listing tip sub-sampling fractions, depending on proxy-state. <code>sampling_fractions[p]</code> is the probability of including a tip in the final tree, if its proxy-state is <code>p</code> . If <code>NULL</code> , all tips (or all extant tips, if <code>coalescent==TRUE</code>) are included in the tree. If a single number, all tips are included with the same probability, i.e. regardless of their proxy-state.

reveal_fractions	Numeric vector of size NPstates, listing reveal fractions of tip proxy-states, depending on proxy state. reveal_fractions[p] is the probability of knowing a tip's proxy-state, if its proxy state is p. Can also be NULL, in which case all tip proxy states will be known.
coalescent	Logical, specifying whether only the coalescent tree (i.e. the tree spanning the extant tips) should be returned. If coalescent==FALSE and the death rate is non-zero, then the tree may include non-extant tips (i.e. tips whose distance from the root is less than the total time of evolution). In that case, the tree will not be ultrametric.
as_generations	Logical, specifying whether edge lengths should correspond to generations. If FALSE, then edge lengths correspond to time.
no_full_extinction	Logical, specifying whether to prevent complete extinction of the tree. Full extinction is prevented by temporarily disabling extinctions whenever the number of extant tips is 1. if no_full_extinction==FALSE and death rates are non-zero, the tree may go extinct during the simulation; if coalescent==TRUE, then the returned tree would be empty, hence the function will return unsuccessfully (i.e. success will be FALSE). By default no_full_extinction is TRUE, however in some special cases it may be desirable to allow full extinctions to ensure that the generated trees are statistically distributed exactly according to the underlying cladogenetic model.
Nsplits	Integer greater than 1. Number of child-tips to generate at each diversification event. If set to 2, the generated tree will be bifurcating. If >2, the tree will be multifurcating.
tip_basename	Character. Prefix to be used for tip labels (e.g. "tip."). If empty (""), then tip labels will be integers "1", "2" and so on.
node_basename	Character. Prefix to be used for node labels (e.g. "node."). If NULL, no node labels will be included in the tree.
include_birth_times	Logical. If TRUE, then the times of speciation events (in order of occurrence) will also be returned.
include_death_times	Logical. If TRUE, then the times of extinction events (in order of occurrence) will also be returned.
include_rates	Logical. If TRUE, then the per-capita birth & death rates of all tips and nodes will also be returned.
include_labels	Logical, specifying whether to include tip-labels and node-labels (if available) as names in the returned state vectors (e.g. tip_states and node_states). In any case, returned states are always listed in the same order as tips and nodes in the tree. Setting this to FALSE may increase computational efficiency for situations where labels are not required.

Details

The function `simulate_dsse` can be used to simulate a diversification + discrete-trait evolutionary process, in which birth/death (speciation/extinction) rates at each tip are determined by a tip's current "state". Lineages can transition between states anagenetically along each edge (according to

fixed Markov transition rates) and/or cladogenetically at each speciation event (according to fixed transition probabilities).

The function `simulate_musse` is a simplified variant meant to simulate MuSSE/HiSSE models in the absence of cladogenetic state transitions, and is included mainly for backward-compatibility reasons. The input arguments for `simulate_musse` are identical to `simulate_dsse`, with the exception that the `parameters` argument must include slightly different elements (explained below).

For `simulate_dsse`, the argument `parameters` should be a named list including one or more of the following elements:

- `birth_rates`: Numeric vector of size `Nstates`, listing the per-capita birth rate (speciation rate) at each state. Can also be a single number (all states have the same birth rate).
- `death_rates`: Numeric vector of size `Nstates`, listing the per-capita death rate (extinction rate) at each state. Can also be a single number (all states have the same death rate).
- `transition_matrix_A`: 2D numeric matrix of size `Nstates` x `Nstates`, listing anagenetic transition rates between states along an edge. Hence, `transition_matrix_A[r,c]` is the probability rate for transitioning from state `r` to state `c`. Non-diagonal entries must be non-negative, diagonal entries must be non-positive, and the sum of each row must be zero.
- `transition_matrix_C`: 2D numeric matrix of size `Nstates` x `Nstates`, listing cladogenetic transition probabilities between states during a speciation event, separately for each child. Hence, `transition_matrix_C[r,c]` is the probability that a child will have state `c`, conditional upon the occurrence of a speciation event, given that the parent had state `r`, and independently of all other children. Entries must be non-negative, and the sum of each row must be one.

For `simulate_musse`, the argument `parameters` should be a named list including one or more of the following elements:

- `birth_rates`: Same as for `simulate_dsse`.
- `death_rates`: Same as for `simulate_dsse`.
- `transition_matrix`: 2D numeric matrix of size `Nstates` x `Nstates`, listing anagenetic transition rates between states. This is equivalent to `transition_matrix_A` in `simulate_dsse`.

If `max_time==NULL` and `max_time_eq==NULL` and `max_events==NULL`, then the returned tree will always contain `max_tips` tips. If at any moment during the simulation the tree only includes a single extant tip, and if `no_full_extinction=TRUE`, the death rate is temporarily set to zero to prevent the complete extinction of the tree. If `max_tips==NULL`, then the simulation is ran as long as specified by `max_time` and/or `max_time_eq` and/or `max_events`. If neither `max_time`, `max_time_eq`, `max_tips` nor `max_events` is `NULL`, then the simulation halts as soon as the time reaches `max_time`, or the time since equilibration reaches `max_time_eq`, or the number of tips (extant tips if `coalescent` is `TRUE`) reaches `max_tips`, or the number of speciation/extinction/transition events reaches `max_events` whichever occurs first. If `max_tips!=NULL` and `Nsplits>2`, then the last diversification even may generate fewer than `Nsplits` children, in order to keep the total number of tips within the specified limit. Note that this code generates trees in forward time, and halts as soon as one of the halting conditions is met; the halting condition chosen affects the precise distribution from which the generated trees are drawn (Stadler 2011).

HiSSE models (Beaulieu and O’meara, 2016) are closely related to BiSSE/MuSSE models, the main difference being the fact that the actual diversification-modulating states are not directly observed. Hence, this function is also able to simulate HiSSE models, with appropriate choice of the

input variables `Nstates`, `NPstates` and `proxy_map`. For example, `Nstates=4`, `NPstates=2` and `proxy_map=c(1,2,1,2)` specifies that states 1 and 3 are represented by proxy-state 1, and states 2 and 4 are represented by proxy-state 2. This is the original case described by Beaulieu and O'meara (2016); in their terminology, there would be 2 "hidden" states ("0" and "1") and 2 "observed" (proxy) states ("A" and "B"), and the 4 diversification rate categories (`Nstates=4`) would be called "0A", "1A", "0B" and "1B", respectively. The somewhat different terminology used here allows for easier generalization to an arbitrary number of diversification-modulating states and an arbitrary number of proxy states. For example, if there are 6 diversification modulating states, represented by 3 proxy-states as 1->A, 2->A, 3->B, 4->C, 5->C, 6->C, then one would set `Nstates=6`, `NPstates=3` and `proxy_map=c(1,1,2,3,3,3)`.

The parameter `transition_matrix_C` can be used to define ClaSSE models (Goldberg and Iqic, 2012) or BiSSE-ness models (Magnuson-Ford and Otto, 2012), although care must be taken to properly define the transition probabilities. Here, cladogenetic transitions occur at probabilities that are defined conditionally upon a speciation event, whereas in other software they may be defined as probability rates.

Value

A named list with the following elements:

<code>success</code>	Logical, indicating whether the simulation was successful. If FALSE, an additional element <code>error</code> (of type character) is included containing an explanation of the error; in that case the value of any of the other elements is undetermined.
<code>tree</code>	A rooted bifurcating (if <code>Nsplits==2</code>) or multifurcating (if <code>Nsplits>2</code>) tree of class "phylo", generated according to the specified birth/death model. If <code>coalescent==TRUE</code> or if all death rates are zero, and only if <code>as_generations==FALSE</code> , then the tree will be ultrametric. If <code>as_generations==TRUE</code> and <code>coalescent==FALSE</code> , all edges will have unit length.
<code>root_time</code>	Numeric, giving the time at which the tree's root was first split during the simulation. Note that if <code>coalescent==TRUE</code> , this may be later than the first speciation event during the simulation.
<code>final_time</code>	Numeric, giving the final time at the end of the simulation. If <code>coalescent==TRUE</code> , then this may be greater than the total time span of the tree (since the root of the coalescent tree need not correspond to the first speciation event).
<code>equilibrium_time</code>	Numeric, giving the first time where the sign of (death rate - birth rate) changed from the beginning of the simulation, i.e. when speciation/extinction equilibrium was reached. May be infinite if the simulation stopped before reaching this point.
<code>Nbirths</code>	Numeric vector of size <code>Nstates</code> , listing the total number of birth events (speciations) that occurred at each state. The sum of all entries in <code>Nbirths</code> may be lower than the total number of tips in the tree if death rates were non-zero and <code>coalescent==TRUE</code> , or if <code>Nsplits>2</code> .
<code>Ndeaths</code>	Numeric vector of size <code>Nstates</code> , listing the total number of death events (extinctions) that occurred at each state.
<code>Ntransitions_A</code>	2D numeric matrix of size <code>Nstates</code> x <code>Nstates</code> , listing the total number of anagenetic transition events that occurred between each pair of states. For example,

	Ntransitions_A[1,2] is the number of anagenetic transitions (i.e., within a species) that occurred from state 1 to state 2.
Ntransitions_C	2D numeric matrix of size Nstates x Nstates, listing the total number of cladogenetic transition events that occurred between each pair of states. For example, Ntransitions_C[1,2] is the number of cladogenetic transitions (i.e., from a parent to a child) that occurred from state 1 to state 2 during some speciation event. Note that each speciation event will have caused Nsplits transitions, and that the emergence of a child with the same state as the parent is counted as a transition between the same state (diagonal entries in Ntransitions_C).
tip_states	Integer vector of size Ntips and with values in 1,...,Nstates, listing the state of each tip in the tree.
node_states	Integer vector of size Nnodes and with values in 1,...,Nstates, listing the state of each node in the tree.
tip_proxy_states	Integer vector of size Ntips and with values in 1,...,NPstates, listing the proxy state of each tip in the tree. Only included in the case of HiSSE models.
node_proxy_states	Integer vector of size Nnodes and with values in 1,...,NPstates, listing the proxy state of each node in the tree. Only included in the case of HiSSE models.
start_state	Integer, specifying the state of the first lineage (either provided during the function call, or generated randomly).
birth_times	Numeric vector, listing the times of speciation events during tree growth, in order of occurrence. Note that if coalescent==TRUE, then speciation_times may be greater than the phylogenetic distance to the coalescent root.
death_times	Numeric vector, listing the times of extinction events during tree growth, in order of occurrence. Note that if coalescent==TRUE, then speciation_times may be greater than the phylogenetic distance to the coalescent root.
clade_birth_rates	Numeric vector of size Ntips+Nnodes, listing the per-capita birth rate of each tip and node in the tree. Only included if include_rates==TRUE.
clade_death_rates	Numeric vector of size Ntips+Nnodes, listing the per-capita death rate of each tip and node in the tree. Only included if include_rates==TRUE.

Author(s)

Stilianos Louca

References

- W. P. Maddison, P. E. Midford, S. P. Otto (2007). Estimating a binary character's effect on speciation and extinction. *Systematic Biology*. 56:701-710.
- R. G. FitzJohn, W. P. Maddison, S. P. Otto (2009). Estimating trait-dependent speciation and extinction rates from incompletely resolved phylogenies. *Systematic Biology*. 58:595-611
- R. G. FitzJohn (2012). Diversitree: comparative phylogenetic analyses of diversification in R. *Methods in Ecology and Evolution*. 3:1084-1092

E. E. Goldberg, B. Igic (2012). Tempo and mode in plant breeding system evolution. *Evolution*. 66:3701-3709.

K. Magnuson-Ford, S. P. Otto (2012). Linking the investigations of character evolution and species diversification. *The American Naturalist*. 180:225-245.

J. M. Beaulieu and B. C. O'Meara (2016). Detecting hidden diversification shifts in models of trait-dependent speciation and extinction. *Systematic Biology*. 65:583-601.

T. Stadler (2011). Simulating trees with a fixed number of extant species. *Systematic Biology*. 60:676-684.

See Also

[simulate_tdsse](#), [fit_musse](#)

Examples

```
# Simulate a tree under a BiSSE model (i.e., anagenetic transitions between two states)
A = get_random_mk_transition_matrix(Nstates=2, rate_model="ER", max_rate=0.1)
parameters = list(birth_rates      = c(1,1.5),
                  death_rates      = 0.5,
                  transition_matrix_A = A)
simulation = simulate_dsse( Nstates      = 2,
                           parameters    = parameters,
                           max_tips      = 1000,
                           include_rates = TRUE)

tree      = simulation$tree
Ntips     = length(tree$tip.label)

# plot distribution of per-capita birth rates of tips
rates = simulation$clade_birth_rates[1:Ntips]
barplot(table(rates)/length(rates),
        xlab="rate",
        main="Distribution of pc birth rates across tips (BiSSE model)")
```

`simulate_mk_model`

Simulate an Mk model for discrete trait evolution.

Description

Given a rooted phylogenetic tree, a fixed-rates continuous-time Markov model for the evolution of a discrete trait ("Mk model", described by a transition matrix) and a probability vector for the root, simulate random outcomes of the model on all nodes and/or tips of the tree. The function traverses nodes from root to tips and randomly assigns a state to each node or tip based on its parent's previously assigned state and the specified transition rates between states. The generated states have joint distributions consistent with the Markov model. Optionally, multiple independent simulations can be performed using the same model.

Usage

```
simulate_mk_model(tree, Q, root_probabilities="stationary",
                  include_tips=TRUE, include_nodes=TRUE,
                  Nsimulations=1, drop_dims=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
Q	A numeric matrix of size Nstates x Nstates, storing the transition rates between states. In particular, every row must sum up to zero.
root_probabilities	Probabilities of the different states at the root. Either a character vector with value "stationary" or "flat", or a numeric vector of length Nstates, where Nstates is the number of possible states of the trait. In the later case, root_probabilities must be a valid probability vector, i.e. with non-negative values summing up to 1. "stationary" sets the probabilities at the root to the stationary distribution of Q (see get_stationary_distribution), while "flat" means that each state is equally probable at the root.
include_tips	Include random states for the tips. If FALSE, no states will be returned for tips.
include_nodes	Include random states for the nodes. If FALSE, no states will be returned for nodes.
Nsimulations	Number of random independent simulations to perform. For each node and/or tip, there will be Nsimulations random states generated.
drop_dims	Logical, specifying whether the returned tip_states and node_states (see below) should be vectors, if Nsimulations==1. If drop_dims==FALSE, then tip_states and tip_nodes will always be 2D matrices.

Details

For this function, the trait's states must be represented by integers within 1,...,Nstates, where Nstates is the total number of possible states. If the states are originally in some other format (e.g. characters or factors), you should map them to a set of integers 1,...,Nstates. These integers should correspond to row & column indices in the transition matrix Q. You can easily map any set of discrete states to integers using the function [map_to_state_space](#).

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). The time required per simulation decreases with the total number of requested simulations.

Value

A list with the following elements:

tip_states	Either NULL (if include_tips==FALSE), or a 2D integer matrix of size Nsimulations x Ntips with values in 1,...,Nstates, where Ntips is the number of tips in the tree and Nstates is the number of possible states of the trait. The [r,c]-th
------------	---

entry of this matrix will be the state of tip *c* generated by the *r*-th simulation. If `drop_dims==TRUE` and `Nsimulations==1`, then `tip_states` will be a vector.

`node_states` Either NULL (if `include_nodes==FALSE`), or a 2D integer matrix of size `Nsimulations x Nnodes` with values in `1,...,Nstates`, where `Nnodes` is the number of nodes in the tree. The `[r,c]`-th entry of this matrix will be the state of node *c* generated by the *r*-th simulation. If `drop_dims==TRUE` and `Nsimulations==1`, then `node_states` will be a vector.

Author(s)

Stilianos Louca

See Also

[exponentiate_matrix](#), [get_stationary_distribution](#), [simulate_bm_model](#), [simulate_ou_model](#), [simulate_rou_model](#)

Examples

```
## Not run:
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=1000)$tree

# simulate discrete trait evolution on the tree (5 states)
Nstates = 5
Q = get_random_mk_transition_matrix(Nstates, rate_model="ARD", max_rate=0.1)
tip_states = simulate_mk_model(tree, Q)$tip_states

# plot histogram of simulated tip states
barplot(table(tip_states)/length(tip_states), xlab="state")

## End(Not run)
```

`simulate_ou_model`

Simulate an Ornstein-Uhlenbeck model for continuous trait evolution.

Description

Given a rooted phylogenetic tree and an Ornstein-Uhlenbeck (OU) model for the evolution of a continuous (numeric) trait, simulate random outcomes of the model on all nodes and/or tips of the tree. The function traverses nodes from root to tips and randomly assigns a state to each node or tip based on its parent's previously assigned state and the specified model parameters. The generated states have joint distributions consistent with the OU model. Optionally, multiple independent simulations can be performed using the same model.

Usage

```
simulate_ou_model(tree, stationary_mean, spread, decay_rate,
                  include_tips=TRUE, include_nodes=TRUE,
                  Nsimulations=1, drop_dims=TRUE)
```

Arguments

<code>tree</code>	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
<code>stationary_mean</code>	Numeric. The mean (center) of the stationary distribution of the OU model.
<code>spread</code>	Numeric. The standard deviation of the stationary distribution of the OU model.
<code>decay_rate</code>	Numeric. Exponential decay rate (stabilization rate) of the OU model (in units 1/edge_length_units).
<code>include_tips</code>	Include random states for the tips. If FALSE, no states will be returned for tips.
<code>include_nodes</code>	Include random states for the nodes. If FALSE, no states will be returned for nodes.
<code>Nsimulations</code>	Number of random independent simulations to perform. For each node and/or tip, there will be Nsimulations random states generated.
<code>drop_dims</code>	Logical, specifying whether the returned <code>tip_states</code> and <code>node_states</code> (see below) should be vectors, if <code>Nsimulations==1</code> . If <code>drop_dims==FALSE</code> , then <code>tip_states</code> and <code>tip_nodes</code> will always be 2D matrices.

Details

For each simulation, the state of the root is picked randomly from the stationary distribution of the OU model, i.e. from a normal distribution with mean = `stationary_mean` and standard deviation = `spread`.

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). The asymptotic time complexity of this function is $O(\text{Nedges} * \text{Nsimulations})$, where `Nedges` is the number of edges in the tree.

Value

A list with the following elements:

<code>tip_states</code>	Either NULL (if <code>include_tips==FALSE</code>), or a 2D numeric matrix of size <code>Nsimulations</code> x <code>Ntips</code> , where <code>Ntips</code> is the number of tips in the tree. The <code>[r,c]</code> -th entry of this matrix will be the state of tip <code>c</code> generated by the <code>r</code> -th simulation. If <code>drop_dims==TRUE</code> and <code>Nsimulations==1</code> , then <code>tip_states</code> will be a vector.
<code>node_states</code>	Either NULL (if <code>include_nodes==FALSE</code>), or a 2D numeric matrix of size <code>Nsimulations</code> x <code>Nnodes</code> , where <code>Nnodes</code> is the number of nodes in the tree. The <code>[r,c]</code> -th entry of this matrix will be the state of node <code>c</code> generated by the <code>r</code> -th simulation. If <code>drop_dims==TRUE</code> and <code>Nsimulations==1</code> , then <code>node_states</code> will be a vector.

Author(s)

Stilianos Louca

See Also

[simulate_bm_model](#), [simulate_mk_model](#), [simulate_rou_model](#)

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=10000)$tree

# simulate evolution of a continuous trait
tip_states = simulate_ou_model(tree, stationary_mean=10, spread=1, decay_rate=0.1)$tip_states

# plot histogram of simulated tip states
hist(tip_states, breaks=20, xlab="state", main="Trait probability distribution", prob=TRUE)
```

simulate_rou_model	<i>Simulate a reflected Ornstein-Uhlenbeck model for continuous trait evolution.</i>
--------------------	--

Description

Given a rooted phylogenetic tree and a reflected Ornstein-Uhlenbeck (ROU) model for the evolution of a continuous (numeric) trait, simulate random outcomes of the model on all nodes and/or tips of the tree. The ROU process is similar to the Ornstein-Uhlenbeck process (see [simulate_ou_model](#)), with the difference that the ROU process cannot fall below a certain value (its "reflection point"), which (in this implementation) is also its deterministic equilibrium point (Hu et al. 2015). The function traverses nodes from root to tips and randomly assigns a state to each node or tip based on its parent's previously assigned state and the specified model parameters. The generated states have joint distributions consistent with the ROU model. Optionally, multiple independent simulations can be performed using the same model.

Usage

```
simulate_rou_model(tree, reflection_point, spread, decay_rate,
                  include_tips=TRUE, include_nodes=TRUE,
                  Nsimulations=1, drop_dims=TRUE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
reflection_point	Numeric. The reflection point of the ROU model. In castor, this also happens to be the deterministic equilibrium of the ROU process (i.e. if the decay rate were infinite). For example, if a trait can only be positive (but arbitrarily small), then reflection_point may be set to 0.
spread	Numeric. The stationary standard deviation of the corresponding unreflected OU process.
decay_rate	Numeric. Exponential decay rate (stabilization rate) of the ROU process (in units 1/edge_length_units).
include_tips	Include random states for the tips. If FALSE, no states will be returned for tips.

include_nodes	Include random states for the nodes. If FALSE, no states will be returned for nodes.
Nsimulations	Number of random independent simulations to perform. For each node and/or tip, there will be Nsimulations random states generated.
drop_dims	Logical, specifying whether the returned tip_states and node_states (see below) should be vectors, if Nsimulations==1. If drop_dims==FALSE, then tip_states and tip_nodes will always be 2D matrices.

Details

For each simulation, the state of the root is picked randomly from the stationary distribution of the ROU model, i.e. from a one-sided normal distribution with mode = reflection_point and standard deviation = stationary_std.

If tree\$edge.length is missing, each edge in the tree is assumed to have length 1. The tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child). The asymptotic time complexity of this function is $O(\text{Nedges} * \text{Nsimulations})$, where Nedges is the number of edges in the tree.

Value

A list with the following elements:

tip_states	Either NULL (if include_tips==FALSE), or a 2D numeric matrix of size Nsimulations x Ntips, where Ntips is the number of tips in the tree. The [r,c]-th entry of this matrix will be the state of tip c generated by the r-th simulation. If drop_dims==TRUE and Nsimulations==1, then tip_states will be a vector.
node_states	Either NULL (if include_nodes==FALSE), or a 2D numeric matrix of size Nsimulations x Nnodes, where Nnodes is the number of nodes in the tree. The [r,c]-th entry of this matrix will be the state of node c generated by the r-th simulation. If drop_dims==TRUE and Nsimulations==1, then node_states will be a vector.

Author(s)

Stilianos Louca

References

Y. Hu, C. Lee, M. H. Lee, J. Song (2015). Parameter estimation for reflected Ornstein-Uhlenbeck processes with discrete observations. *Statistical Inference for Stochastic Processes*. 18:279-291.

See Also

[simulate_ou_model](#), [simulate_bm_model](#), [simulate_mk_model](#)

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=10000)$tree
```

```
# simulate evolution of a continuous trait whose value is always >=1
tip_states = simulate_rou_model(tree, reflection_point=1, spread=2, decay_rate=0.1)$tip_states

# plot histogram of simulated tip states
hist(tip_states, breaks=20, xlab="state", main="Trait probability distribution", prob=TRUE)
```

simulate_sbm

Simulate Spherical Brownian Motion on a tree.

Description

Given a rooted phylogenetic tree and a Spherical Brownian Motion (SBM) model for the evolution of the geographical location of a lineage on a sphere, simulate random outcomes of the model on all nodes and/or tips of the tree. The function traverses nodes from root to tips and randomly assigns a geographical location to each node or tip based on its parent's previously assigned location and the specified model parameters. The generated states have joint distributions consistent with the SBM model (Perrin 1928; Brillinger 2012). This function generalizes the simple SBM model to support time-dependent diffusivities.

Usage

```
simulate_sbm(tree,
             radius,
             diffusivity,
             time_grid = NULL,
             splines_degree = 1,
             root_latitude = NULL,
             root_longitude = NULL)
```

Arguments

- | | |
|-------------|---|
| tree | A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge. Edge lengths are assumed to represent time intervals or a similarly interpretable phylogenetic distance. |
| radius | Strictly positive numeric, specifying the radius of the sphere. For Earth, the mean radius is 6371 km. |
| diffusivity | <p>Either a single numeric, or a numeric vector of length equal to that of time_grid. Diffusivity ("D") of the SBM model (in units distance²/time). If time_grid is NULL, then diffusivity should be a single number specifying the time-independent diffusivity. Otherwise diffusivity specifies the diffusivity at each time point listed in time_grid.</p> <p>Under a planar approximation the squared geographical distance of a node from the root will have expectation $4LD$, where L is the node's phylogenetic distance from the root. Note that distance is measured in the same units as the radius (e.g., km if the radius is given in km), and time is measured in the same units as the tree's edge lengths (e.g., Myr if edge lengths are given in Myr).</p> |

<code>time_grid</code>	Numeric vector of the same length as <code>diffusivity</code> and listing times since the root in ascending order, or <code>NULL</code> . This can be used to specify a time-variable diffusivity (see details below). If <code>NULL</code> , the diffusivity is assumed to be constant over time and equal to <code>diffusivity</code> (which should be a single numeric). Time is measured in the same units as edge lengths, with root having time 0.
<code>splines_degree</code>	Integer, either 0,1,2 or 3, specifying the polynomial degree of the provided diffusivity between grid points in <code>time_grid</code> . For example, if <code>splines_degree==1</code> , then the provided diffusivity is interpreted as a piecewise-linear curve; if <code>splines_degree==2</code> it is interpreted as a quadratic spline; if <code>splines_degree==3</code> it is interpreted as a cubic spline. The <code>splines_degree</code> influences the analytical properties of the curve, e.g. <code>splines_degree==1</code> guarantees a continuous curve, <code>splines_degree==2</code> guarantees a continuous curve and continuous derivative, and so on.
<code>root_latitude</code>	The latitude of the tree's root, in decimal degrees, between -90 and 90. If <code>NULL</code> , the root latitude is chosen randomly according to the stationary probability distribution of the SBM.
<code>root_longitude</code>	The longitude of the tree's root, in decimal degrees, between -180 and 180. If <code>NULL</code> , the root longitude is chosen randomly according to the stationary probability distribution of the SBM.

Details

For short expected transition distances this function uses the approximation formula by Ghosh et al. (2012). For longer expected transition distances the function uses a truncated approximation of the series representation of SBM transition densities (Perrin 1928).

The pair `time_grid` and `diffusivity` can be used to define a time-dependent diffusivity, with time counted from the root to the tips (i.e. root has time 0) in the same units as edge lengths. For example, to define a diffusivity that varies linearly with time, you only need to specify the diffusivity at two time points (one at 0, and one at the time of the youngest tip), i.e. `time_grid` and `diffusivity` would each have length 2. Note that `time_grid` should cover the full time range of the tree; otherwise, `diffusivity` will be extrapolated as a constant when needed.

If `tree$edge.length` is missing, each edge in the tree is assumed to have length 1. The tree may include multifurcations as well as monofurcations.

Value

A list with the following elements:

<code>success</code>	Logical, specifying whether the simulation was successful. If <code>FALSE</code> , then an additional return variable <code>error</code> will contain a brief description of the error that occurred, and all other return variables may be undefined.
<code>tip_latitudes</code>	Numeric vector of length <code>Ntips</code> , listing simulated decimal latitudes for each tip in the tree.
<code>tip_longitudes</code>	Numeric vector of length <code>Ntips</code> , listing simulated decimal longitudes for each tip in the tree.
<code>node_latitudes</code>	Numeric vector of length <code>Nnodes</code> , listing simulated decimal latitudes for each internal node in the tree.

node_longitudes

Numeric vector of length Nnodes, listing simulated decimal longitudes for each internal node in the tree.

Author(s)

Stilianos Louca

References

- F. Perrin (1928). Etude mathematique du mouvement Brownien de rotation. 45:1-51.
- D. R. Brillinger (2012). A particle migrating randomly on a sphere. in Selected Works of David Brillinger. Springer.
- A. Ghosh, J. Samuel, S. Sinha (2012). A Gaussian for diffusion on the sphere. Europhysics Letters. 98:30003.

See Also

[simulate_ou_model](#), [simulate_rou_model](#), [simulate_bm_model](#), [fit_sbm_const](#)

Examples

```
## Not run:
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=100)$tree

# simulate SBM on the tree
simulation = simulate_sbm(tree, radius=6371, diffusivity=1e4,
                          root_latitude=0, root_longitude=0)

# plot latitudes and longitudes of the tips
plot(simulation$tip_latitudes,simulation$tip_longitudes)

## End(Not run)
```

simulate_tdsse	<i>Simulate a time-dependent Discrete-State Speciation and Extinction (tdSSE) model.</i>
----------------	--

Description

Simulate a random phylogenetic tree in forward time based on a Poissonian speciation/extinction (birth/death) process, whereby birth and death rates are determined by a co-evolving discrete trait. New species are added (born) by splitting of a randomly chosen extant tip. The discrete trait, whose values determine birth/death rates, can evolve in two modes: (A) Anagenetically, i.e. according to a discrete-space continuous-time Markov process along each edge, with fixed or time-dependent transition rates between states, and/or (B) cladogenetically, i.e. according to fixed or time-dependent

transition probabilities between states at each speciation event. This model class includes the Multiple State Speciation and Extinction (MuSSE) model described by FitzJohn et al. (2009), as well as the Cladogenetic SSE (ClaSSE) model described by Goldberg and Igis (2012). Optionally, the model can be turned into a Hidden State Speciation and Extinction model (Beaulieu and O’meara, 2016), by replacing the simulated tip/node states with "proxy" states, thus hiding the original states actually influencing speciation/extinction rates. This function is similar to [simulate_dsse](#), the main difference being that state-specific speciation/extinction rates as well as state transition rates can be time-dependent.

Usage

```
simulate_tdsse(Nstates,
               NPstates      = NULL,
               proxy_map     = NULL,
               time_grid     = NULL,
               parameters    = list(),
               splines_degree = 1,
               start_state   = NULL,
               max_tips      = NULL,
               max_time      = NULL,
               max_events    = NULL,
               sampling_fractions = NULL,
               reveal_fractions = NULL,
               coalescent    = TRUE,
               as_generations = FALSE,
               no_full_extinction = TRUE,
               Nsplits      = 2,
               tip_basename = "",
               node_basename = NULL,
               include_birth_times = FALSE,
               include_death_times = FALSE,
               include_labels = TRUE)
```

Arguments

Nstates	Integer, specifying the number of possible discrete states a tip can have, influencing speciation/extinction rates. For example, if Nstates==2 then this corresponds to the common Binary State Speciation and Extinction (BiSSE) model (Maddison et al., 2007). In the case of a HiSSE model, Nstates refers to the total number of diversification rate categories, as described by Beaulieu and O’meara (2016).
NPstates	Integer, optionally specifying a number of "proxy-states" that are observed instead of the underlying speciation/extinction-modulating states. To simulate a HiSSE model, this should be smaller than Nstates. Each state corresponds to a different proxy-state, as defined using the variable proxy_map (see below). For BiSSE/MuSSE with no hidden states, NPstates can be set to either NULL or equal to Nstates, and proxy-states are equivalent to states.
proxy_map	Integer vector of size Nstates and with values in 1,...,NPstates, specifying the correspondence between states (i.e. diversification-rate categories) and (ob-

	served) proxy-states, in a HiSSE model. Specifically, <code>proxy_map[s]</code> indicates which proxy-state the state <code>s</code> is represented by. Each proxy-state can represent multiple states (i.e. proxies are ambiguous), but each state must be represented by exactly one proxy-state. For non-HiSSE models, set this to NULL. See below for more details.
<code>time_grid</code>	Numeric vector listing discrete times in ascending order, used to define the time-dependent rates of the model. The time grid should generally cover the maximum possible simulation time, otherwise it will be polynomially extrapolated (according to <code>splines_degree</code>).
<code>parameters</code>	A named list specifying the time-dependent model parameters, including optional anagenetic and/or cladogenetic transition rates between states, as well as the mandatory state-dependent birth/death rates (see details below).
<code>splines_degree</code>	Integer, either 0, 1, 2 or 3, specifying the polynomial degree of time-dependent model parameters (<code>birth_rates</code> , <code>death_rates</code> , <code>transition_rates</code>) between time-grid points. For example, <code>splines_degree=1</code> means that rates are to be considered linear between adjacent grid points.
<code>start_state</code>	Integer within 1,...,Nstates, specifying the initial state, i.e. of the first lineage created. If left unspecified, this is chosen randomly and uniformly among all possible states.
<code>max_tips</code>	Maximum number of tips in the generated tree, prior to any subsampling. If <code>coalescent=TRUE</code> , this refers to the number of extant tips, prior to subsampling. Otherwise, it refers to the number of extinct + extant tips, prior to subsampling. If NULL or ≤ 0 , the number of tips is not limited, so you should use <code>max_time</code> and/or <code>max_time_eq</code> and/or <code>max_events</code> to stop the simulation.
<code>max_time</code>	Numeric, maximum duration of the simulation. If NULL or ≤ 0 , this constraint is ignored.
<code>max_events</code>	Integer, maximum number of speciation/extinction/transition events before halting the simulation. If NULL, this constraint is ignored.
<code>sampling_fractions</code>	A single number, or a numeric vector of size NPstates, listing tip sub-sampling fractions, depending on proxy-state. <code>sampling_fractions[p]</code> is the probability of including a tip in the final tree, if its proxy-state is <code>p</code> . If NULL, all tips (or all extant tips, if <code>coalescent==TRUE</code>) are included in the tree. If a single number, all tips are included with the same probability, i.e. regardless of their proxy-state.
<code>reveal_fractions</code>	Numeric vector of size NPstates, listing reveal fractions of tip proxy-states, depending on proxy state. <code>reveal_fractions[p]</code> is the probability of knowing a tip's proxy-state, if its proxy state is <code>p</code> . Can also be NULL, in which case all tip proxy states will be known.
<code>coalescent</code>	Logical, specifying whether only the coalescent tree (i.e. the tree spanning the extant tips) should be returned. If <code>coalescent==FALSE</code> and the death rate is non-zero, then the tree may include non-extant tips (i.e. tips whose distance from the root is less than the total time of evolution). In that case, the tree will not be ultrametric.

as_generations	Logical, specifying whether edge lengths should correspond to generations. If FALSE, then edge lengths correspond to time.
no_full_extinction	Logical, specifying whether to prevent complete extinction of the tree. Full extinction is prevented by temporarily disabling extinctions whenever the number of extant tips is 1. if no_full_extinction==FALSE and death rates are non-zero, the tree may go extinct during the simulation; if coalescent==TRUE, then the returned tree would be empty, hence the function will return unsuccessfully (i.e. success will be FALSE). By default no_full_extinction is TRUE, however in some special cases it may be desirable to allow full extinctions to ensure that the generated trees are statistically distributed exactly according to the underlying cladogenetic model.
Nsplits	Integer greater than 1. Number of child-tips to generate at each diversification event. If set to 2, the generated tree will be bifurcating. If >2, the tree will be multifurcating.
tip_basename	Character. Prefix to be used for tip labels (e.g. "tip."). If empty (""), then tip labels will be integers "1", "2" and so on.
node_basename	Character. Prefix to be used for node labels (e.g. "node."). If NULL, no node labels will be included in the tree.
include_birth_times	Logical. If TRUE, then the times of speciation events (in order of occurrence) will also be returned.
include_death_times	Logical. If TRUE, then the times of extinction events (in order of occurrence) will also be returned.
include_labels	Logical, specifying whether to include tip-labels and node-labels (if available) as names in the returned state vectors (e.g. tip_states and node_states). In any case, returned states are always listed in the same order as tips and nodes in the tree. Setting this to FALSE may increase computational efficiency for situations where labels are not required.

Details

The function `simulate_tdsse` can be used to simulate a diversification + discrete-trait evolutionary process, in which birth/death (speciation/extinction) rates at each tip are determined by a tip's current "state". Lineages can transition between states anagenetically along each edge (according to some Markov transition rates) and/or cladogenetically at each speciation event (according to some transition probabilities). The speciation and extinction rates, as well as the transition rates, may be specified as time-dependent variables, defined as piecewise polynomial functions (natural splines) on a temporal grid.

In the following, `Ngrid` refers to the length of the vector `time_grid`. The argument parameters should be a named list including one or more of the following elements:

- `birth_rates`: Numeric 2D matrix of size `Nstates x Ngrid`, listing the per-capita birth rate (speciation rate) at each state and at each time-grid point. Can also be a single number (same birth rate for all states and at all times).

- **death_rates**: Numeric 2D matrix of size Nstates x Ngrid, listing the per-capita death rate (extinction rate) at each state and at each time-grid point. Can also be a single number (same death rate for all states and at all times) or NULL (no deaths).
- **transition_matrix_A**: Either a 3D numeric array of size Nstates x Nstates x Ngrid, or a 2D numeric matrix of size Nstates x Nstates, listing anagenetic transition rates between states along an edge. If a 3D array, then `transition_matrix_A[r,c,t]` is the infinitesimal rate for transitioning from state *r* to state *c* at time `time_grid[t]`. If a 2D matrix, `transition_matrix_A[r,c]` is the time-independent infinitesimal rate for transitioning from state *r* to state *c*. At each time point (i.e., a fixed *t*), non-diagonal entries in `transition_matrix_A[, ,t]` must be non-negative, diagonal entries must be non-positive, and the sum of each row must be zero.
- **transition_matrix_C**: Either a 3D numeric array of size Nstates x Nstates x Ngrid, or a 2D numeric matrix of size Nstates x Nstates, listing cladogenetic transition probabilities between states during a speciation event, separately for each child. If a 3D array, then `transition_matrix_C[r,c,t]` is the probability that a child emerging at time `time_grid[t]` will have state *c*, conditional upon the occurrence of a speciation event, given that the parent had state *r*, and independently of all other children. If a 2D matrix, then `transition_matrix_C[r,c]` is the (time-independent) probability that a child will have state *c*, conditional upon the occurrence of a speciation event, given that the parent had state *r*, and independently of all other children. Entries must be non-negative, and for any fixed *t* the sum of each row in `transition_matrix[, ,t]` must be one.

If `max_time==NULL` and `max_events==NULL`, then the returned tree will always contain `max_tips` tips. If at any moment during the simulation the tree only includes a single extant tip, and if `no_full_extinction=TRUE` the death rate is temporarily set to zero to prevent the complete extinction of the tree. If `max_tips==NULL`, then the simulation is ran as long as specified by `max_time` and/or `max_events`. If neither `max_time`, `max_tips` nor `max_events` is NULL, then the simulation halts as soon as the time reaches `max_time`, or the number of tips (extant tips if `coalescent` is TRUE) reaches `max_tips`, or the number of speciation/extinction/transition events reaches `max_events` whichever occurs first. If `max_tips!=NULL` and `Nsplits>2`, then the last diversification event may generate fewer than `Nsplits` children, in order to keep the total number of tips within the specified limit. Note that this code generates trees in forward time, and halts as soon as one of the halting conditions is met; the halting condition chosen affects the precise distribution from which the generated trees are drawn (Stadler 2011).

For additional information on simulating HiSSE models see the related function [simulate_dsse](#).

The parameter `transition_matrix_C` can be used to define ClaSSE models (Goldberg and Iqbal, 2012) or BiSSE models (Magnuson-Ford and Otto, 2012), although care must be taken to properly define the transition probabilities. Here, cladogenetic transitions occur at probabilities that are defined conditionally upon a speciation event, whereas in other software they may be defined as probability rates.

Value

A named list with the following elements:

- | | |
|---------|--|
| success | Logical, indicating whether the simulation was successful. If FALSE, an additional element <code>error</code> (of type character) is included containing an explanation of the error; in that case the value of any of the other elements is undetermined. |
|---------|--|

tree	A rooted bifurcating (if Nsplits==2) or multifurcating (if Nsplits>2) tree of class "phylo", generated according to the specified birth/death model. If coalescent==TRUE or if all death rates are zero, and only if as_generations==FALSE, then the tree will be ultrametric. If as_generations==TRUE and coalescent==FALSE, all edges will have unit length.
root_time	Numeric, giving the time at which the tree's root was first split during the simulation. Note that if coalescent==TRUE, this may be later than the first speciation event during the simulation.
final_time	Numeric, giving the final time at the end of the simulation. If coalescent==TRUE, then this may be greater than the total time span of the tree (since the root of the coalescent tree need not correspond to the first speciation event).
Nbirths	Numeric vector of size Nstates, listing the total number of birth events (speciations) that occurred at each state. The sum of all entries in Nbirths may be lower than the total number of tips in the tree if death rates were non-zero and coalescent==TRUE, or if Nsplits>2.
Ndeaths	Numeric vector of size Nstates, listing the total number of death events (extinctions) that occurred at each state.
Ntransitions_A	2D numeric matrix of size Nstates x Nstates, listing the total number of anagenetic transition events that occurred between each pair of states. For example, Ntransitions_A[1,2] is the number of anagenetic transitions (i.e., within a species) that occurred from state 1 to state 2.
Ntransitions_C	2D numeric matrix of size Nstates x Nstates, listing the total number of cladogenetic transition events that occurred between each pair of states. For example, Ntransitions_C[1,2] is the number of cladogenetic transitions (i.e., from a parent to a child) that occurred from state 1 to state 2 during some speciation event. Note that each speciation event will have caused Nsplits transitions, and that the emergence of a child with the same state as the parent is counted as a transition between the same state (diagonal entries in Ntransitions_C).
tip_states	Integer vector of size Ntips and with values in 1,...,Nstates, listing the state of each tip in the tree.
node_states	Integer vector of size Nnodes and with values in 1,...,Nstates, listing the state of each node in the tree.
tip_proxy_states	Integer vector of size Ntips and with values in 1,...,NPstates, listing the proxy state of each tip in the tree. Only included in the case of HiSSE models.
node_proxy_states	Integer vector of size Nnodes and with values in 1,...,NPstates, listing the proxy state of each node in the tree. Only included in the case of HiSSE models.
start_state	Integer, specifying the state of the first lineage (either provided during the function call, or generated randomly).
birth_times	Numeric vector, listing the times of speciation events during tree growth, in order of occurrence. Note that if coalescent==TRUE, then speciation_times may be greater than the phylogenetic distance to the coalescent root.
death_times	Numeric vector, listing the times of extinction events during tree growth, in order of occurrence. Note that if coalescent==TRUE, then speciation_times may be greater than the phylogenetic distance to the coalescent root.

Author(s)

Stilianos Louca

References

- W. P. Maddison, P. E. Midford, S. P. Otto (2007). Estimating a binary character's effect on speciation and extinction. *Systematic Biology*. 56:701-710.
- R. G. FitzJohn, W. P. Maddison, S. P. Otto (2009). Estimating trait-dependent speciation and extinction rates from incompletely resolved phylogenies. *Systematic Biology*. 58:595-611
- R. G. FitzJohn (2012). Diversitree: comparative phylogenetic analyses of diversification in R. *Methods in Ecology and Evolution*. 3:1084-1092
- E. E. Goldberg, B. Igic (2012). Tempo and mode in plant breeding system evolution. *Evolution*. 66:3701-3709.
- K. Magnuson-Ford, S. P. Otto (2012). Linking the investigations of character evolution and species diversification. *The American Naturalist*. 180:225-245.
- J. M. Beaulieu and B. C. O'Meara (2016). Detecting hidden diversification shifts in models of trait-dependent speciation and extinction. *Systematic Biology*. 65:583-601.
- T. Stadler (2011). Simulating trees with a fixed number of extant species. *Systematic Biology*. 60:676-684.

See Also

[simulate_dsse](#), [simulate_musse](#), [fit_musse](#)

Examples

```
## Not run:
# prepare params for time-dependent BiSSE model
# include time-dependent speciation & extinction rates
# as well as time-dependent anagenetic transition rates
Nstates      = 2
reveal_fractions = c(1,0.5)
rarefaction   = 0.5 # species sampling fraction

time2lambda1 = function(times) rep(1,times=length(times))
time2lambda2 = function(times) rep(2,times=length(times))
time2mu1     = function(times) 0.5 + 2.5*exp(-((times-8)**2)/2)
time2mu2     = function(times) 1 + 2*exp(-((times-12)**2)/2)
time_grid    = seq(from=0, to=100, length.out=1000)

time2Q12     = function(times) 1*exp(0.1*times)
time2Q21     = function(times) 2*exp(-0.1*times)
QA           = array(0, dim=c(Nstates,Nstates,length(time_grid)))
QA[1,2,]     = time2Q12(time_grid)
QA[2,1,]     = time2Q21(time_grid)
QA[1,1,]     = -QA[1,2,]
QA[2,2,]     = -QA[2,1,]

parameters = list()
```

```

parameters$birth_rates = rbind(time2lambda1(time_grid), time2lambda2(time_grid))
parameters$death_rates = rbind(time2mu1(time_grid), time2mu2(time_grid))
parameters$transition_matrix_A = QA

# simulate time-dependent BiSSE model
cat(sprintf("Simulating tMuSSE model...\n"))
sim = castor::simulate_tdsse(Nstates           = Nstates,
                             time_grid        = time_grid,
                             parameters       = parameters,
                             splines_degree    = 1,
                             max_tips         = 10000/rarefaction,
                             sampling_fractions = rarefaction,
                             reveal_fractions = reveal_fractions,
                             coalescent       = TRUE,
                             no_full_extinction = TRUE)

if(!sim$success){
  cat(sprintf("ERROR: %s\n",sim$error))
}else{
  # print some summary info about the generated tree
  tree      = sim$tree
  Ntips     = length(tree$tip.label)
  root_age  = get_tree_span(tree)$max_distance
  root_time = sim$final_time - root_age
  tip_states = sim$tip_states
  Nknown_tips = sum(!is.na(tip_states))
  cat(sprintf("Note: Simulated tree has root_age = %g\n",root_age))
  cat(sprintf("Note: %d tips have known state\n", Nknown_tips));
}

## End(Not run)

```

split_tree_at_height *Split a tree into subtrees at a specific height.*

Description

Given a rooted phylogenetic tree and a specific distance from the root (“height”), split the tree into subtrees at the specific height. This corresponds to drawing the tree in rectangular layout and trimming everything below the specified phylogenetic distance from the root: What is obtained is a set of separated subtrees. The tips of the original tree are spread across those subtrees.

Usage

```
split_tree_at_height(tree, height = 0, by_edge_count = FALSE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
------	--

height	Numeric, specifying the phylogenetic distance from the root at which to split the tree. If ≤ 0 , the original tree is returned as the sole subtree.
by_edge_count	Logical. Instead of considering edge lengths, consider edge counts as phylogenetic distance. This is the same as if all edges had length equal to 1.

Details

This function can be used to generate multiple smaller trees from one large tree, with each subtree having a time span equal to or lower than a certain threshold. The input tree may include multifurcations (i.e. nodes with more than 2 children) as well as monofurcations (i.e. nodes with only one child).

Note that while edges are cut exactly at the specified distance from the root, the cut point does not become the root node of the obtained subtree; rather, the first node encountered after the cut will become the subtree's root. The length of the remaining edge segment leading into this node will be used as `root.edge` in the returned subtree.

Value

A list with the following elements:

Nsubtrees	Integer, the number of subtrees obtained.
subtrees	A list of length Nsubtrees, each element of which is a named list containing the following elements: <ul style="list-style-type: none"> • <code>tree</code>: A rooted tree of class "phylo", representing a subtree obtained from the original tree. • <code>new2old_clade</code>: An integer vector of length NSTips+NSnodes (where NSTips is the number of tips and NSnodes the number of nodes of the subtree), mapping subtree tip and node indices (i.e., 1,...,NSTips+NSnodes) to tip and node indices in the original tree. • <code>new2old_edge</code>: Integer vector of length NSedges (=number of edges in the subtree), mapping subtree edge indices (i.e., 1,...,NSedges) to edge indices in the original tree.
clade2subtree	Integer vector of length Ntips+Nnodes and containing values from 1 to Nsubtrees, mapping tip and node indices of the original tree to their assigned subtree.

Author(s)

Stilianos Louca

See Also

[trim_tree_at_height](#)

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),
                             max_tips=100)$tree
```

```
# split tree halfway towards the root
root_age = get_tree_span(tree)$max_distance
splitting = split_tree_at_height(tree, height=0.5*root_age)

# print number of subtrees obtained
cat(sprintf("Obtained %d subtrees\n",splitting$Nsubtrees))
```

tree_distance	<i>Calculate the distance between two trees.</i>
---------------	--

Description

Given two rooted phylogenetic trees with identical tips, calculate their difference using a distance metric.

Usage

```
tree_distance( treeA,
               treeB,
               tipsA2B = NULL,
               metric   = "RFrooted",
               normalized = FALSE)
```

Arguments

treeA	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
treeB	A rooted tree of class "phylo", with the same number of tips as treeA. The root is assumed to be the unique node with no incoming edge.
tipsA2B	Optional integer vector of size Ntips, mapping treeA tip indices to treeB tip indices (i.e. tipsA2B[a] is the tip index in treeB corresponding to tip index a in treeA). The mapping must be one-to-one. If left unspecified, it is determined by matching tip labels between the two trees (this assumes that the same tip labels are used in both trees).
metric	Character, specifying the distance metric to be used. Currently the Robinson-Foulds metric for rooted trees ("RFrooted") and the mean-path-difference metric ("MeanPathLengthDifference") are implemented. "RFrooted" counts the number of clusters (sets of tips descending from a node) in either of the trees but not shared by both trees (Robinson and Foulds, 1981; Day, 1985); this metric does not take into account branch lengths and depends on the position of the root. "MeanPathLengthDifference" is the square root of the mean squared difference of patristic distances (shortest path lengths) between tip pairs, as described by Steel and Penny (1993); this metric takes into account path lengths and does not depend on the position of the root.

normalized Logical, specifying whether the calculated distance should be normalized to be between 0 and 1. For the Robinson-Foulds metric, the distance will be normalized by dividing it by the total number of nodes in the two trees. For MeanPathLengthDifference, normalization is done by dividing each path-length difference by the maximum of the two path-lengths considered.

Details

If the trees differ in their tips, they must be pruned down to their common set of tips. If tips have different labels in the two trees, but are nevertheless equivalent, the mapping between the two trees must be provided using tipsA2B. The trees may include multi-furcations as well as mono-furcations (i.e. nodes with only one child).

Note that under some Robinson-Foulds variants the trees can be unrooted; in this present implementation trees must be rooted and the placement of the root influences the distance, following the definition by Day (1985).

Value

A single non-negative number, representing the distance between the two trees.

Author(s)

Stilianos Louca

References

- Robinson, D. R., Foulds, L. R. (1981). Comparison of phylogenetic trees. *Mathematical Biosciences*. 53: 131-147.
- Day, W. H. E. (1985). Optimal algorithms for comparing trees with labeled leaves. *Journal of Classification*. 2:7-28.
- Steel, M. A., Penny D. (1993). Distributions of tree comparison metrics - Some new results. *Systematic Biology*. 42:126-141.

See Also

[congruent_divergence_times](#)

Examples

```
# generate a random tree
Ntips = 1000
treeA = generate_random_tree(list(birth_rate_intercept=1),
                             max_tips=Ntips)$tree

# create a second tree with slightly different topology
treeB = treeA
shuffled_tips = sample.int(Ntips, size=Ntips/10, replace=FALSE)
treeB$tip.label[shuffled_tips] = treeB$tip.label[sample(shuffled_tips)]

# calculate Robinson-Foulds distance between trees
```

```
distance = tree_distance(treeA, treeB, metric="RFrooted")
```

```
tree_from_branching_ages
```

Generate a random timetree with specific branching ages.

Description

Generate a random timetree based on specific branching ages (time before present), by randomly connecting tips and nodes. The tree's root will have the greatest age provided. The tree thus corresponds to a homogenous birth-death model, i.e. where at any given time point all lineages were equally likely to split or go extinct.

Usage

```
tree_from_branching_ages( branching_ages,
                          tip_basename   = "",
                          node_basename  = NULL,
                          edge_basename  = NULL)
```

Arguments

branching_ages	Numeric vector of size Nnodes, listing branching ages (time before present) in ascending order. The last entry will be the root age.
tip_basename	Character. Prefix to be used for tip labels (e.g. "tip."). If empty (""), then tip labels will be integers "1", "2" and so on.
node_basename	Character. Prefix to be used for node labels (e.g. "node."). If NULL, no node labels will be included in the tree.
edge_basename	Character. Prefix to be used for edge labels (e.g. "edge."). Edge labels (if included) are stored in the character vector <code>edge.label</code> . If NULL, no edge labels will be included in the tree.

Details

Tips in the generated tree are guaranteed to be connected in random order, i.e. this function can also be used to connect a random set of labeled tips into a tree. Nodes will be indexed in chronological order (i.e. in order of decreasing age). In particular, node 0 will be the root.

Value

A named list with the following elements:

success	Logical, indicating whether the tree was successfully generated. If FALSE, the only other value returned is error.
tree	A rooted, ultrametric bifurcating tree of class "phylo", with the requested branching ages.
error	Character, containing an explanation of the error that occurred. Only included if <code>success==FALSE</code> .

Author(s)

Stilianos Louca

See Also[tree_from_sampling_branching_ages](#)**Examples**

```

Nnodes          = 100
branching_intervals = rexp(n=Nnodes, rate=1)
branching_ages    = cumsum(branching_intervals)
tree              = castor::tree_from_branching_ages(branching_ages)$tree

```

```
tree_from_sampling_branching_ages
```

Generate a random timetree with specific tip/sampling and node/branching ages.

Description

Generate a random bifurcating timetree based on specific sampling (tip) ages and branching (node) ages, by randomly connecting tips and nodes. Age refers to time before present, i.e., measured in reverse chronological direction. The tree's root will have the greatest age provided. The tree thus corresponds to a homogenous birth-death-sampling model, i.e. where at any given time point all lineages were equally likely to split, be sampled or go extinct.

Usage

```

tree_from_sampling_branching_ages(sampling_ages,
                                  branching_ages,
                                  tip_basename = "",
                                  node_basename = NULL,
                                  edge_basename = NULL)

```

Arguments

sampling_ages	Numeric vector of size Ntips, listing sampling ages (time before present) in ascending order.
branching_ages	Numeric vector of size Nnodes, listing branching ages (time before present) in ascending order. The last entry will be the root age. Note that Nnodes must be equal to Ntips-1.
tip_basename	Character. Prefix to be used for tip labels (e.g. "tip."). If empty (""), then tip labels will be integers "1", "2" and so on.
node_basename	Character. Prefix to be used for node labels (e.g. "node."). If NULL, no node labels will be included in the tree.

edge_basename Character. Prefix to be used for edge labels (e.g. "edge."). Edge labels (if included) are stored in the character vector `edge.label`. If `NULL`, no edge labels will be included in the tree.

Details

Tips and nodes will be indexed in chronological order (i.e. in order of decreasing age). In particular, node 0 will be the root. Note that not all choices of `sampling_ages` and `branching_ages` are permissible. Specifically, at any given age `T`, the number of sampling events with age equal or smaller than `T` must be greater than the number of branching events with age equal or smaller than `T`. If this requirement is not satisfied, the function will return with an error.

Value

A named list with the following elements:

success	Logical, indicating whether the tree was successfully generated. If <code>FALSE</code> , the only other value returned is <code>error</code> .
tree	A rooted, ultrametric bifurcating tree of class "phylo", with the requested tip and node ages.
error	Character, containing an explanation of the error that occurred. Only included if <code>success==FALSE</code> .

Author(s)

Stilianos Louca

See Also

[tree_from_branching_ages](#)

Examples

```
sampling_ages = c(0, 0.1, 0.15, 0.25, 0.9, 1.9, 3)
branching_ages = c(0.3, 0.35, 0.4, 1.1, 2.5, 3.5)
tree = tree_from_sampling_branching_ages(sampling_ages, branching_ages)$tree
```

tree_imbalance	<i>Calculate various imbalance statistics for a tree.</i>
----------------	---

Description

Given a rooted phylogenetic tree, calculate various "imbalance" statistics of the tree, such as Colless' Index or Sackin's Index.

Usage

```
tree_imbalance(tree, type)
```

Arguments

tree	A rooted tree of class "phylo".
type	Character, specifying the statistic to be calculated. Must be one of "Colless" (Shao 1990), "Colless_normalized" (Colless normalized by the maximum possible value in the case of a bifurcating tree) or "Sackin" (Sackin 1972).

Details

The tree may include multifurcations and monofurcations. Note that the Colless Index is traditionally only defined for bifurcating trees. For non-bifurcating trees this function calculates a generalization of the index, by summing over all children pairs at each node.

Value

Numeric, the requested imbalance statistic of the tree.

Author(s)

Stilianos Louca

References

- M. J. Sackin (1972). "Good" and "Bad" Phenograms. *Systematic Biology*. 21:225-226.
 K.T. Shao, R. R. Sokal (1990). Tree Balance. *Systematic Biology*. 39:266-276.

Examples

```
# generate a random tree
Ntips = 100
tree = generate_random_tree(list(birth_rate_intercept=1),Ntips)$tree

# calculate Colless statistic
colless_index = tree_imbalance(tree, type="Colless")
```

trim_tree_at_height	<i>Trim a rooted tree down to a specific height.</i>
---------------------	--

Description

Given a rooted phylogenetic tree and a maximum allowed distance from the root ("height"), remove tips and nodes and shorten the remaining terminal edges so that the tree's height does not exceed the specified threshold. This corresponds to drawing the tree in rectangular layout and trimming everything beyond a specific phylogenetic distance from the root. Tips or nodes at the end of trimmed edges are kept, and the affected edges are shortened.

Usage

```
trim_tree_at_height(tree, height = Inf, by_edge_count = FALSE)
```

Arguments

tree	A rooted tree of class "phylo". The root is assumed to be the unique node with no incoming edge.
height	Numeric, specifying the phylogenetic distance from the root at which to trim.
by_edge_count	Logical. Instead of considering edge lengths, consider edge counts as phylogenetic distance. This is the same as if all edges had length equal to 1.

Details

The input tree may include multi-furcations (i.e. nodes with more than 2 children) as well as mono-furcations (i.e. nodes with only one child).

Tip labels and uncollapsed node labels of the collapsed tree are inherited from the original tree. Labels of tips that used to be nodes (i.e. of which all descendants have been removed) will be the node labels from the original tree. If the input tree has no node names, it is advised to first add node names to avoid NA in the resulting tip names.

Value

A list with the following elements:

tree	A new rooted tree of class "phylo", representing the trimmed tree.
Nedges_trimmed	Integer. Number of edges trimmed (shortened).
Nedges_removed	Integer. Number of edges removed.
new2old_clade	Integer vector of length equal to the number of tips+nodes in the trimmed tree, with values in 1,...,Ntips+Nnodes, mapping tip/node indices of the trimmed tree to tip/node indices in the original tree. In particular, <code>c(tree\$tip.label, tree\$node.label)[new2old_clade]</code> will be equal to: <code>c(trimmed_tree\$tip.label, trimmed_tree\$node.label)</code> .
new2old_edge	Integer vector of length equal to the number of edges in the trimmed tree, with values in 1,...,Nedges, mapping edge indices of the trimmed tree to edge indices in the original tree. In particular, <code>tree\$edge.length[new2old_edge]</code> will be equal to <code>trimmed_tree\$edge.length</code> (if edge lengths are available).
new_edges_trimmed	Integer vector, listing edge indices in the trimmed tree that were originally longer edges and have been trimmed. In other words, these are the edges that "crossed" the trimming height.

Author(s)

Stilianos Louca

See Also

[split_tree_at_height](#)

Examples

```
# generate a random tree, include node names
tree = generate_random_tree(list(birth_rate_intercept=1),
                             max_time=1000,
                             node_basename="node.")$tree

# print number of tips
cat(sprintf("Simulated tree has %d tips\n",length(tree$tip.label)))

# trim tree at height 500
trimmed = trim_tree_at_height(tree, height=500)$tree

# print number of tips in trimmed tree
cat(sprintf("Trimmed tree has %d tips\n",length(trimmed$tip.label)))
```

write_tree	<i>Write a tree in Newick (parenthetic) format.</i>
------------	---

Description

Write a phylogenetic tree to a file or a string, in Newick (parenthetic) format. If the tree is unrooted, it is first rooted internally at the first node.

Usage

```
write_tree (tree,
            file           = "",
            append         = FALSE,
            digits         = 10,
            quoting        = 0,
            include_edge_labels = FALSE,
            include_edge_numbers = FALSE)
```

Arguments

tree	A tree of class "phylo".
file	An optional path to a file, to which the tree should be written. The file may be overwritten without warning. If left empty (default), then a string is returned representing the tree.
append	Logical, specifying whether the tree should be appended at the end of the file, rather than replacing the entire file (if it exists).
digits	Integer, number of significant digits for writing edge lengths.
quoting	Integer, specifying whether and how to quote tip/node/edge names, as follows: 0:no quoting at all, 1:always use single quotes, 2:always use double quotes, -1:only quote when needed and prefer single quotes if possible, -2:only quote when needed and prefer double quotes if possible.

include_edge_labels

Logical, specifying whether to include edge labels (if available) in the output tree, inside square brackets. Note that this is an extension (Matsen et al. 2012) to the standard Newick format, as, and edge labels in square brackets may not be supported by all Newick readers.

include_edge_numbers

Logical, specifying whether to include edge numbers (if available) in the output tree, inside curly braces. Note that this is an extension (Matsen et al. 2012) to the standard Newick format, and edge numbers in curly braces may not be supported by all Newick readers.

Details

If your tip and/or node and/or edge labels contain special characters (round brackets, commas, colons or quotes) then you should set quoting to non-zero, as appropriate.

If the tree contains edge labels (as a character vector named `edge.label`) and `include_edge_labels==TRUE`, then edge labels are written in square brackets (Matsen et al. 2012). If tree contains edge numbers (as an integer vector named `edge.number`) and `include_edge_numbers==TRUE`, then edge numbers are written in curly braces (Matsen et al. 2012).

This function is comparable to (but typically much faster than) the ape function `write.tree`.

Value

If `file==""`, then a string is returned containing the Newick representation of the tree. Otherwise, the tree is directly written to the file and no value is returned.

Author(s)

Stilianos Louca

References

Frederick A. Matsen et al. (2012). A format for phylogenetic placements. PLOS One. 7:e31009

See Also

[read_tree](#)

Examples

```
# generate a random tree
tree = generate_random_tree(list(birth_rate_intercept=1),max_tips=100)$tree

# obtain a string representation of the tree in Newick format
Newick_string = write_tree(tree)
```

Index

- * **BM model**
 - asr_independent_contrasts, [6](#)
 - asr_squared_change_parsimony, [16](#)
 - fit_and_compare_bm_models, [42](#)
 - fit_bm_model, [50](#)
 - generate_tree_with_evolving_rates, [164](#)
 - get_independent_contrasts, [177](#)
 - get_random_diffusivity_matrix, [184](#)
 - hsp_independent_contrasts, [210](#)
 - hsp_squared_change_parsimony, [222](#)
 - simulate_bm_model, [252](#)
- * **BiSSE**
 - fit_musse, [106](#)
 - get_transition_index_matrix, [201](#)
 - simulate_dsse, [266](#)
 - simulate_tdsse, [281](#)
- * **HiSSE**
 - fit_musse, [106](#)
 - get_transition_index_matrix, [201](#)
- * **MRCA**
 - get_mrca_of_set, [179](#)
 - get_pairwise_mrcas, [182](#)
 - get_tips_for_mrcas, [193](#)
 - is_monophyletic, [226](#)
- * **Mk model**
 - asr_mk_model, [12](#)
 - fit_mk, [102](#)
 - generate_tree_with_evolving_rates, [164](#)
 - get_random_mk_transition_matrix, [185](#)
 - get_stationary_distribution, [187](#)
 - get_transition_index_matrix, [201](#)
 - hsp_mk_model, [215](#)
 - simulate_mk_model, [273](#)
- * **MuSSE**
 - fit_musse, [106](#)
 - get_transition_index_matrix, [201](#)
- simulate_dsse, [266](#)
 - simulate_tdsse, [281](#)
- * **OU model**
 - simulate_ou_model, [275](#)
 - simulate_rou_model, [277](#)
- * **SBM model**
 - fit_and_compare_sbm_const, [45](#)
 - fit_sbm_const, [118](#)
 - fit_sbm_linear, [123](#)
 - fit_sbm_parametric, [128](#)
 - simulate_sbm, [279](#)
- * **Sankoff's algorithm**
 - asr_empirical_probabilities, [5](#)
 - asr_max_parsimony, [9](#)
 - hsp_empirical_probabilities, [208](#)
 - hsp_max_parsimony, [213](#)
- * **algebra**
 - exponentiate_matrix, [31](#)
 - map_to_state_space, [231](#)
- * **ancestral state reconstruction**
 - asr_empirical_probabilities, [5](#)
 - asr_independent_contrasts, [6](#)
 - asr_max_parsimony, [9](#)
 - asr_mk_model, [12](#)
 - asr_squared_change_parsimony, [16](#)
 - asr_subtree_averaging, [18](#)
 - fit_mk, [102](#)
 - hsp_binomial, [205](#)
 - hsp_empirical_probabilities, [208](#)
 - hsp_independent_contrasts, [210](#)
 - hsp_max_parsimony, [213](#)
 - hsp_mk_model, [215](#)
 - hsp_squared_change_parsimony, [222](#)
 - hsp_subtree_averaging, [224](#)
 - map_to_state_space, [231](#)
- * **birth-death model**
 - fit_hbd_model_on_grid, [72](#)
 - fit_hbd_model_parametric, [78](#)
 - fit_hbd_pdr_on_grid, [84](#)

- fit_hbd_pdr_parametric, 91
- fit_hbd_psr_on_grid, 97
- generate_tree_hbd_reverse, 159
- simulate_deterministic_hbd, 254
- simulate_deterministic_hbds, 258
- * **birth-death-sampling model**
 - fit_hbds_model_on_grid, 53
 - fit_hbds_model_parametric, 64
 - generate_tree_hbds, 154
- * **dating**
 - congruent_divergence_times, 23
 - date_tree_red, 28
- * **exponential**
 - exponentiate_matrix, 31
- * **fitting**
 - fit_sbm_const, 118
 - fit_sbm_linear, 123
 - fit_sbm_parametric, 128
 - fit_tree_model, 135
 - reconstruct_past_diversification, 239
- * **gene tree**
 - generate_gene_tree_msc, 141
 - generate_gene_tree_msc_hgt_dl, 144
- * **hidden state prediction**
 - hsp_binomial, 205
 - hsp_empirical_probabilities, 208
 - hsp_independent_contrasts, 210
 - hsp_max_parsimony, 213
 - hsp_mk_model, 215
 - hsp_nearest_neighbor, 220
 - hsp_squared_change_parsimony, 222
 - hsp_subtree_averaging, 224
- * **homogenous birth-death model**
 - loglikelihood_hbd, 227
- * **lineages through time**
 - count_lineages_through_time, 25
- * **maximum likelihood**
 - asr_mk_model, 12
 - fit_mk, 102
 - hsp_mk_model, 215
- * **maximum parsimony**
 - asr_empirical_probabilities, 5
 - asr_independent_contrasts, 6
 - asr_max_parsimony, 9
 - asr_squared_change_parsimony, 16
 - hsp_empirical_probabilities, 208
 - hsp_independent_contrasts, 210
 - hsp_max_parsimony, 213
 - hsp_squared_change_parsimony, 222
- * **multifurcations**
 - collapse_monofurcations, 20
 - merge_short_edges, 232
 - multifurcations_to_bifurcations, 234
- * **phylogenetic distance**
 - get_all_distances_to_root, 171
 - get_all_node_depths, 172
 - get_all_pairwise_distances, 173
 - get_pairwise_distances, 181
 - get_tree_span, 202
- * **pruning**
 - collapse_tree_at_resolution, 21
 - get_subtree_at_node, 190
 - get_subtree_with_tips, 191
 - get_subtrees_at_nodes, 188
 - split_tree_at_height, 288
 - trim_tree_at_height, 295
- * **random**
 - fit_musse, 106
 - fit_sbm_const, 118
 - fit_sbm_linear, 123
 - fit_sbm_parametric, 128
 - generate_gene_tree_msc, 141
 - generate_gene_tree_msc_hgt_dl, 144
 - generate_random_tree, 150
 - generate_tree_with_evolving_rates, 164
 - get_random_diffusivity_matrix, 184
 - get_random_mk_transition_matrix, 185
 - pick_random_tips, 236
 - simulate_bm_model, 252
 - simulate_dsse, 266
 - simulate_mk_model, 273
 - simulate_ou_model, 275
 - simulate_rou_model, 277
 - simulate_sbm, 279
 - simulate_tdsse, 281
 - tree_from_branching_ages, 292
 - tree_from_sampling_branching_ages, 293
- * **relative evolutionary divergence**
 - date_tree_red, 28
 - get_reds, 186
- * **rerooting**

- asr_mk_model, 12
- fit_mk, 102
- hsp_mk_model, 215
- * **simulation**
 - fit_sbm_const, 118
 - fit_sbm_linear, 123
 - fit_sbm_parametric, 128
 - generate_gene_tree_msc, 141
 - generate_gene_tree_msc_hgt_dl, 144
 - generate_random_tree, 150
 - generate_tree_hbd_reverse, 159
 - generate_tree_hbds, 154
 - generate_tree_with_evolving_rates, 164
 - simulate_bm_model, 252
 - simulate_deterministic_hbd, 254
 - simulate_deterministic_hbds, 258
 - simulate_diversification_model, 263
 - simulate_dsse, 266
 - simulate_mk_model, 273
 - simulate_ou_model, 275
 - simulate_rou_model, 277
 - simulate_sbm, 279
 - simulate_tdsse, 281
 - tree_from_branching_ages, 292
 - tree_from_sampling_branching_ages, 293
- * **stationary distribution**
 - get_stationary_distribution, 187
- * **subtree**
 - collapse_tree_at_resolution, 21
 - get_subtree_at_node, 190
 - get_subtree_with_tips, 191
 - get_subtrees_at_nodes, 188
- * **trait evolution**
 - geographic_acf, 169
 - get_trait_acf, 194
 - get_trait_depth, 197
 - get_trait_stats_over_time, 199
- * **traversal**
 - get_tree_traversal_root_to_tips, 203
 - reorder_tree_edges, 245
- * **tree comparison**
 - congruent_divergence_times, 23
 - tree_distance, 290
- * **tree model**
 - fit_hbd_model_on_grid, 72
 - fit_hbd_model_parametric, 78
 - fit_hbd_pdr_on_grid, 84
 - fit_hbd_pdr_parametric, 91
 - fit_hbd_psr_on_grid, 97
 - fit_hbds_model_on_grid, 53
 - fit_hbds_model_parametric, 64
 - fit_musse, 106
 - fit_tree_model, 135
 - generate_gene_tree_msc, 141
 - generate_gene_tree_msc_hgt_dl, 144
 - generate_random_tree, 150
 - generate_tree_hbd_reverse, 159
 - generate_tree_hbds, 154
 - generate_tree_with_evolving_rates, 164
 - loglikelihood_hbd, 227
 - reconstruct_past_diversification, 239
 - simulate_deterministic_hbd, 254
 - simulate_deterministic_hbds, 258
 - simulate_diversification_model, 263
 - simulate_dsse, 266
 - simulate_tdsse, 281
 - tree_from_branching_ages, 292
 - tree_from_sampling_branching_ages, 293
- * **ultrametric**
 - congruent_divergence_times, 23
 - date_tree_red, 28
 - extend_tree_to_height, 33
- asr_empirical_probabilities, 5, 209
- asr_independent_contrasts, 6, 18, 19, 179, 211
- asr_max_parsimony, 6, 8, 9, 15, 18, 213–215
- asr_mk_model, 6, 8, 11, 12, 18, 105, 106, 109, 116, 215, 217, 219, 231
- asr_squared_change_parsimony, 6, 8, 11, 15, 16, 19, 212, 223
- asr_subtree_averaging, 18, 224, 225
- castor (castor-package), 4
- castor-package, 4
- collapse_monofurcations, 20, 235
- collapse_tree_at_resolution, 21
- congruent_divergence_times, 23, 29, 291

- count_lineages_through_time, 25, 243, 266
- count_tips_per_node, 27
- date_tree_red, 25, 28
- evaluate_spline, 30, 60, 76, 88, 100
- exponentiate_matrix, 31, 186, 188, 275
- extend_tree_to_height, 25, 33
- extract_fasttree_constraints, 34
- find_farthest_tips, 35, 39
- find_nearest_tips, 37, 37
- find_root, 40, 42
- find_root_of_monophyletic_tips, 40, 41
- fit_and_compare_bm_models, 42
- fit_and_compare_sbm_const, 45
- fit_bm_model, 43–45, 50, 253
- fit_hbd_model_on_grid, 72, 83, 89, 95, 101, 230, 239, 243
- fit_hbd_model_parametric, 77, 78, 89, 95, 101, 230, 239, 243
- fit_hbd_pdr_on_grid, 75, 77, 83, 84, 95, 101, 230, 239
- fit_hbd_pdr_parametric, 77, 83, 89, 91, 101, 230, 239
- fit_hbd_psr_on_grid, 75, 77, 97, 239
- fit_hbds_model_on_grid, 53, 70
- fit_hbds_model_parametric, 62, 64, 158, 262
- fit_mk, 102
- fit_musse, 106, 106, 273, 287
- fit_sbm_const, 46, 48, 49, 118, 125, 127, 132, 134, 281
- fit_sbm_linear, 49, 122, 123, 134
- fit_sbm_parametric, 49, 122, 123, 125, 127, 128
- fit_tree_model, 110, 116, 135, 243
- gamma_statistic, 140
- generate_gene_tree_msc, 141, 147, 149, 158
- generate_gene_tree_msc_hgt_dl, 144, 144
- generate_random_tree, 135, 139, 144, 149, 150, 158, 162, 163, 243, 265, 266
- generate_tree_hbd_reverse, 158, 159
- generate_tree_hbds, 71, 154, 262
- generate_tree_with_evolution_rates, 164
- geographic_acf, 169, 196
- get_all_distances_to_root, 171, 173, 174, 182
- get_all_node_depths, 172
- get_all_pairwise_distances, 173, 182
- get_clade_list, 175
- get_independent_contrasts, 45, 52, 177
- get_mrca_of_set, 179, 183, 194, 226
- get_pairwise_distances, 172, 174, 181, 203
- get_pairwise_mrcas, 180, 182, 194
- get_random_diffusivity_matrix, 184
- get_random_mk_transition_matrix, 184, 185, 202
- get_reds, 186
- get_stationary_distribution, 186, 187, 274, 275
- get_subtree_at_node, 28, 189, 190, 193
- get_subtree_with_tips, 189, 191, 191
- get_subtrees_at_nodes, 188
- get_tips_for_mrcas, 25, 180, 183, 193
- get_trait_acf, 170, 194, 199
- get_trait_depth, 170, 196, 197
- get_trait_stats_over_time, 199
- get_transition_index_matrix, 109, 201
- get_tree_span, 202
- get_tree_traversal_root_to_tips, 203, 246
- hsp_binomial, 205
- hsp_empirical_probabilities, 205, 207, 208
- hsp_independent_contrasts, 7, 210
- hsp_max_parsimony, 10, 11, 15, 207, 210, 212, 213, 219, 221, 223
- hsp_mk_model, 11, 15, 207, 208, 210, 212, 215, 215, 221, 223
- hsp_nearest_neighbor, 220
- hsp_squared_change_parsimony, 219, 222, 225
- hsp_subtree_averaging, 224
- is_monophyletic, 226
- loglikelihood_hbd, 77, 83, 89, 95, 101, 163, 227, 258
- map_to_state_space, 5, 6, 10, 11, 14, 15, 104, 209, 210, 214, 215, 218, 219, 223, 231, 274

merge_short_edges, 232
multifurcations_to_bifurcations, 20,
234, 234

pick_random_tips, 236

read_tree, 237, 298
reconstruct_past_diversification, 139,
239
reorder_tree_edges, 204, 245
root_at_midpoint, 40, 246, 249–251
root_at_node, 40, 170, 174, 181, 196, 247,
248, 250, 251
root_in_edge, 247, 249, 249, 251
root_via_outgroup, 247, 249, 250, 250

simulate_bm_model, 44, 45, 52, 165, 166,
184, 252, 275, 276, 278, 281
simulate_deterministic_hbd, 77, 83, 89,
95, 101, 162, 163, 230, 254, 262
simulate_deterministic_hbds, 62, 71, 158,
258
simulate_diversification_model, 139,
263
simulate_dsse, 116, 168, 265, 266, 282, 285,
287
simulate_mk_model, 106, 253, 273, 276, 278
simulate_musse, 287
simulate_musse(simulate_dsse), 266
simulate_ou_model, 253, 275, 275, 277, 278,
281
simulate_rou_model, 253, 275, 276, 277,
281
simulate_sbm, 48, 49, 122, 127, 134, 170, 279
simulate_tdsse, 273, 281
split_tree_at_height, 288, 296

tree_distance, 25, 290
tree_from_branching_ages, 292, 294
tree_from_sampling_branching_ages, 293,
293
tree_imbalance, 294
trim_tree_at_height, 34, 289, 295

write_tree, 239, 297