

Package ‘data360r’

October 17, 2017

Type Package

Title Wrapper for TC/Govdata360 API

Version 1.0.1

Author Authors@R: c(
 person("Ma. Regina Paz", "Onglao", email = "monglao@ifc.org", role = ["cre", "aut"]),
 person("Trade and Competitiveness Global Practice",
 "World Bank Group", email = "tcdata360@worldbank.org", role = "cph"))

Maintainer Ma. Regina Paz S. Onglao <monglao@ifc.org>

Description Makes it easy to engage with the Application Program Interface (API) of the TCdata360 and Govdata360 platforms at <<https://tcdata360.worldbank.org/>> and <<https://govdata360.worldbank.org/>>, respectively. These APIs provide access to over 5000 trade, competitiveness, and governance indicator data, metadata, and related information from sources both inside and outside the World Bank Group. Package functions include easier download of data sets, metadata, and related information, as well as searching based on user-inputted query.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

URL <https://github.com/mrpsonglao/data360r>

Date 2017-10-13

Imports data.table, reshape2, jsonlite, utils, curl

RoxygenNote 6.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2017-10-17 09:04:18 UTC

R topics documented:

get_data360 2

get_metadata360	3
get_resources360	4
search_360	5

Index	7
--------------	----------

get_data360	<i>Get TC/Govdata360 data from API</i>
-------------	--

Description

Downloads the requested data by using the TCdata360 API at tcdata360.worldbank.org/docs or Govdata360 API at govdata360.worldbank.org/docs. The function generates a data frame (wide or long, depending on user input).

Usage

```
get_data360(site = "tc", indicator_id = NULL, dataset_id = NULL,
            country_iso3 = NULL, timeframes = NULL, output_type = "wide")
```

Arguments

site	string pertaining to the data360 site to download data from. Possible choices: 'tc' for TCdata360, 'gov' for Govdata360
indicator_id	NULL (optional); Vector of indicators codes. Should be left NULL if dataset_id is not NULL.
dataset_id	NULL (optional); Character vector of Dataset IDs for all indicator data is to be downloaded. Should be left NULL if indicator_id is not NULL.
country_iso3	defaults to c('USA', 'PNG', 'PHL') (optional); Vector of countries (ISO-3 3-letter character codes, e.g. 'PNG', 'USA', 'PHL') for which the data is needed. Leaving this NULL pulls data for every available country.
timeframes	NULL (optional); Vector of years to restrict results data to. Leaving this NULL gets all available timeframes. Important note: timeframes parameter cannot be non-NULL while the other parameters are NULL, since data request is too large.
output_type	string pertaining to the output type. Possible choices include: 'wide' == one row contains multi-year observations 'long' == one row refers to one year only.

Details

Hint: Don't know what codes to write as inputs for this function? Helpful functions include:

- See [search_360](#) to get search TC/Govdata360 indicators, countries, categories, and dataset lists.
- See [get_metadata360](#) to get indicator/dataset/country-level metadata.
- See [get_resources360](#) to get additional resource information.

Value

Data frame containing requested data

Examples

```
##examples that take > 5 sec to run are not run for examples using "dontrun"
#get data for dataset ID 51 in TCdata360
## Not run: df <- get_data360(dataset_id = 51)

#get data for countries USA, PHL in Govdata360
## Not run: df2 <- get_data360(site = 'gov', country_iso3 = c('USA', 'PHL'))

#get data for indicator IDs 944, 972 in TCdata360
## Not run: df3 <- get_data360(indicator_id = c(944, 972))

#get data for indicator IDs 944, 972 in 2011-2013 in long format in TCdata360
## Not run: df4 <- get_data360(indicator_id = c(944, 972), timeframes = c(2011, 2012),
output_type = 'long')
## End(Not run)
```

get_metadata360

Get TC/Govdata360 metadata from API

Description

Downloads the requested metadata by using the TCdata360 API at tcdata360.worldbank.org/docs or Govdata360 API at govdata360.worldbank.org/docs. The function generates a wide dataframe.

Usage

```
get_metadata360(site = "tc", metadata_type = "countries")
```

Arguments

site	string pertaining to the data360 site to download data from. Possible choices: 'tc' for TCdata360, 'gov' for Govdata360
metadata_type	string pertaining to the metadata to be downloaded. Possible choices: 'countries' == Lists metadata for all countries and regions. 'indicators' == Lists metadata for all indicators. Does not return actual data. 'datasets' == Lists metadata for all datasets.

Details

Hint: Want to get other data? Helpful functions include:

- See [search_360](#) to get search TC/Govdata360 indicators, countries, categories, and dataset lists.

- See [get_data360](#) to get actual indicator/dataset/country-level data.
- See [get_resources360](#) to get additional resource information.

Value

Data frame (wide) containing requested metadata

Examples

```
##examples that take > 5 sec to run are not run for examples using "dontrun"
#get all indicator metadata in Govdata360
## Not run: df_indicators <- get_metadata360(site="gov", metadata_type = "indicators")

#get all country metadata in TCdata360
df_countries <- get_metadata360(metadata_type = 'countries')

#get all dataset metadata in TCdata360
## Not run: df_datasets <- get_metadata360(metadata_type = 'datasets')
```

get_resources360

Get TC/Govdata360 resource information from API

Description

Downloads the requested resource information by using the TCdata360 API at tcdata360.worldbank.org/docs or Govdata360 API at govdata360.worldbank.org/docs. The function generates a wide dataframe containing resource information.

Usage

```
get_resources360(site = "tc", resource_type = "nav")
```

Arguments

site	string pertaining to the data360 site to download data from. Possible choices: 'tc' for TCdata360, 'gov' for Govdata360
resource_type	string pertaining to the metadata to be downloaded. Possible choices: 'related' == Find WBG content related to certain topics and countries. Note that this endpoint calls a number of external API so may take around 10s to return on the initial call, however after this the response will be cached. 'toolkits' == Find WBG toolkits related to certain topics and subtopics. 'nav' == List root categories in navigational hierarchy.

Details

Hint: Want to get other data? Helpful functions include:

- See [search_360](#) to get search TC/Govdata360 indicators, countries, categories, and dataset lists.
- See [get_data360](#) to get actual indicator/dataset/country-level data.
- See [get_metadata360](#) to get indicator/dataset/country-level metadata.

Value

Data frame (wide) containing requested resource information

Examples

```
##examples that take > 5 sec to run are not run for examples using "dontrun"
#get all root-level categories in TCdata360
df_nav <- get_resources360()

#get all related resources from TCdata360
df_related <- get_resources360(resource_type = 'related')

#get all toolkits from Govdata360
## Not run: df_toolkits <- get_resources360(site='gov', resource_type = 'toolkits')
```

search_360	<i>Search TC/Govdata360 indicators, countries, categories, and dataset lists</i>
------------	--

Description

Searches using the TCdata360 API at tcdata360.worldbank.org/docs or Govdata360 API at govdata360.worldbank.org/docs. The function generates a wide dataframe containing the top search results related to the query.

Usage

```
search_360(search_string = "World Bank", site = "tc", search_type = NULL,
  limit_results = NULL)
```

Arguments

search_string	string to query in TC/Govdata360
site	string pertaining to the data360 site to download data from. Possible choices: 'tc' for TCdata360, 'gov' for Govdata360
search_type	NULL (optional). Character vector of search types to include. Possible values include: 'indicator', 'category', 'country' Leaving this NULL will return all possible search results.
limit_results	NULL (optional). Number pertaining to the number of top results to be kept.

Details

Hint: Want to use your search results to call data? Helpful functions include:

- See [get_data360](#) to get actual indicator/dataset/country-level data.
- See [get_metadata360](#) to get indicator/dataset/country-level metadata.
- See [get_resources360](#) to get additional resource information.

Value

List containing top search results

Examples

```
##examples that take > 5 sec to run are not run for examples using "dontrun"  
#search a country's code in TCdata360  
## Not run: search_360('Philippines', search_type = 'country')  
  
#search for top 10 relevant indicator codes in TCdata360  
## Not run: search_360('GDP', search_type = 'indicator', limit_results = 10)  
  
#search for top 10 indicators of a database in TCdata360  
## Not run: search_360('World Development Indicators', search_type = 'indicator',  
limit_results = 10)  
## End(Not run)  
  
#search for top 10 indicators of a data provider in TCdata360  
## Not run: search_360('WEF', search_type = 'indicator', limit_results = 10)  
  
#search for top 10 relevant categories in Govdata360  
## Not run: search_360('Governance', site='gov', search_type = 'category', limit_results = 10)
```

Index

[get_data360](#), [2](#), [4–6](#)
[get_metadata360](#), [2](#), [3](#), [5](#), [6](#)
[get_resources360](#), [2](#), [4](#), [4](#), [6](#)
[search_360](#), [2](#), [3](#), [5](#), [5](#)