

# Package ‘demoShiny’

January 16, 2020

**Title** Runs a 'Shiny' App as Demo or Lists All Demo 'Shiny' Apps

**Version** 0.1

**Description** Mimics the demo functionality for 'Shiny' apps in a package. Apps stored to the package subdirectory inst/shiny can be called by demoShiny(topic).

**Depends** shiny

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.0.2

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Sigbert Klinke [aut, cre]

**Maintainer** Sigbert Klinke <sigbert@hu-berlin.de>

**Repository** CRAN

**Date/Publication** 2020-01-16 10:30:07 UTC

## R topics documented:

demoShiny . . . . . 1

**Index** 3

---

demoShiny                      *demoShiny*

---

## Description

Runs a Shiny app as demo or shows an overview of all Shiny demo apps related to a topic. If more than one app relates to topic a list of apps is returned otherwise the app is run. For more details see vignettes('demoShiny').

**Usage**

```
demoShiny(topic)
```

**Arguments**

topic                    character: the topic which should be demonstrated

**Value**

nothing

**Examples**

```
# collect all apps of loaded packages
demoShiny()
# collect all apps of the package demoShiny or with the name demoShiny
demoShiny('demoShiny')
if(interactive()) {
  demoShiny('demoShiny::hist')
  demoShiny('silhouette')
  # use partial matching
  demoShiny('silh')
}
```

# Index

demoShiny, 1