

Package ‘dragracer’

December 11, 2020

Type Package

Title Data Sets for RuPaul's Drag Race

Version 0.1.5

Maintainer Steve Miller <steven.v.miller@gmail.com>

Description These are data sets for the hit TV show, RuPaul's Drag Race. Data right now include episode-level data, contestant-level data, and episode-contestant-level data. This is a work in progress, and a love letter of a kind to RuPaul's Drag Race and the performers that have appeared on the show. This may not be the most productive use of my time, but I have tenure and what are you going to do about it? I think there is at least some value in this package if it allows the show's fandom to learn more about the R programming language around its contents.

License GPL-2

Encoding UTF-8

LazyData true

Depends R (>= 3.5.0)

RoxygenNote 7.1.1

Suggests knitr, tidyr, tibble, dplyr, rmarkdown, testthat

VignetteBuilder knitr

NeedsCompilation no

Author Steve Miller [aut, cre] (<<https://orcid.org/0000-0003-4072-6263>>)

Repository CRAN

Date/Publication 2020-12-11 20:20:02 UTC

R topics documented:

rpdr_contep	2
rpdr_contestants	2
rpdr_ep	3

Index	5
--------------	----------

 rpdr_contep

RuPaul's Drag Race Episode-Contestant Data

Description

These are episode-contestant-level data for RuPaul's Drag Race for all available seasons (currently through Season 12). For a given season, observations mostly decrease with each episode. Data include all sorts of information.

Usage

rpdr_contep

Format

A data frame with 1,888 observations on the following 11 variables.

season a character vector for the season

rank a numeric vector for the final rank of the contestant

contestant a character vector for the contestant's name

missc a dummy variable indicating if the contestant was Miss Congeniality

episode a numeric vector for the episode number

outcome a character vector for the outcome for the queen after the main challenge

eliminated a character vector (0,1) for if the queen was eliminated/removed from the competition after the episode

participant a character vector (0,1) for if the queen was a participant in the show

minichalw a character vector (0,1) if the queen won a mini-challenge that episode. NOTE: this is a work in progress. For now, I encourage getting the mini-challenge data from one of the other data sets.

finale a numeric vector for if the episode was the finale

penultimate a numeric vector for if the episode was the penultimate before the finale. Applicable to seasons 6, 7, and 8.

 rpdr_contestants

RuPaul's Drag Race Contestant Data

Description

These are contestant-level data for RuPaul's Drag Race for all available seasons (currently through Season 12). Data include all sorts of information.

Usage

rpd_r_contestants

Format

A data frame with 157 observations on the following 5 variables.

season a character vector for season

contestant a character vector for contestant's name, by season

age a numeric vector for the respondent's purported age as of filming

dob a date vector for the contestant's purported date of birth

hometown a character vector for hometown.

Details

Note: Cynthia Lee Fontaine, Shangela, Eureka O'Hara, and Vanessa Vanjie Mateo will appear in this data set twice.

rpd_r_ep

RuPaul's Drag Race Episode Data

Description

These are episode-level data for RuPaul's Drag Race for all available seasons (currently through Season 12). Data include all sorts of information.

Usage

rpd_r_ep

Format

A data frame with 159 observations on the following 22 variables.

season a character vector for season

episode a numeric vector for the episode number

airdate a date for the episode air date

special Is the episode a special (e.g. a reunited or clip show)

finale Is the episode the finale

nickname Name of the episode

runwaytheme a character vector for runway theme, where applicable/available

numqueens a numeric vector for number of queens at the start of the episode

minic a character vector describing the mini-challenge

minicw1 a character vector for a mini-challenge winner

minicw2 a character vector for a second mini-challenge winner, where applicable
minicw3 a character vector for a second mini-challenge winner, where applicable
bottom1 a character vector for queen in the bottom 2 of that episode
bottom2 a character vector for queen in the bottom 2 of that episode
bottom3 a character vector for the third queen in the bottom of that episode. Thanks, Season 11.
bottom4 a character vector for the fourth queen in the bottom of that episode. Thanks, Season 11.
bottom5 a character vector for the fifth queen in the bottom of that episode. Thanks, Season 11.
bottom6 a character vector for the sixth queen in the bottom of that episode. Thanks, Season 11.
lipsyncartist a character vector for the lip-sync artist
lipsyncsong a character vector for the lip-sync artist's song
eliminated1 a character vector for the queen eliminated after the lip-sync
eliminated2 a character vector for the queen eliminated after the lip-sync, if there was a double-sashay that episode.

Index

* datasets

rpdr_contep, [2](#)

rpdr_contestants, [2](#)

rpdr_ep, [3](#)

rpdr_contep, [2](#)

rpdr_contestants, [2](#)

rpdr_ep, [3](#)