

# Package ‘fidap’

September 8, 2021

**Title** Access Clean External Data Easily

**Version** 0.0.3

**Description** This Fidap <<https://app.fidap.com>> client connect to our big data warehouses and gives you seamless access to external data.

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.1.1

**Imports** httr, jsonlite, methods

**Suggests** rmarkdown, knitr

**VignetteBuilder** knitr

**URL** <https://app.fidap.com>

**NeedsCompilation** no

**Author** Ashish Singal [aut, cre, cph] (<<https://orcid.org/0000-0002-6409-4304>>)

**Maintainer** Ashish Singal <arслан@fidap.com>

**Repository** CRAN

**Date/Publication** 2021-09-08 13:30:06 UTC

## R topics documented:

fidapClient-class	1
fidap_client	2
<b>Index</b>	<b>3</b>

---

fidapClient-class	<i>fidapClient</i>
-------------------	--------------------

---

## Description

fidapClient

---

fidap_client	<i>fidap_client</i>
--------------	---------------------

---

**Description**

fidap\_client takes two arguments api\_key and source, Api\_key can be get from app.fidap.com, It returns class Object which contains \$sql method, this method allow user to query the data via fidap.

**Usage**

```
fidap_client(api_key, source)
```

**Arguments**

api_key	place your dashboard api_key here.
source	Source is bq(bigquery), sf_aws(Snowflake AWS) or sf_gcp(Snowflake GCP)

**Value**

A object

# Index

`fidap_client`, [2](#)  
`fidapClient` (`fidapClient-class`), [1](#)  
`fidapClient-class`, [1](#)