

Package ‘hts’

August 29, 2016

Type Package

Title Hierarchical and Grouped Time Series

Version 5.0

Depends R (>= 3.0.2), forecast (>= 5.0), SparseM, Matrix, matrixcalc

Imports parallel, utils, methods, graphics, grDevices, stats

Suggests testthat

LinkingTo Rcpp (>= 0.11.0), RcppEigen

LazyLoad yes

LazyData yes

ByteCompile TRUE

Author Rob J Hyndman, Earo Wang, Alan Lee, Shanika Wickramasuriya

Maintainer Rob J Hyndman <Rob.Hyndman@monash.edu>

BugReports <https://github.com/robjhyndman/hts/issues>

Description Methods for analysing and forecasting hierarchical and grouped time series.

License GPL (>= 2)

NeedsCompilation yes

Repository CRAN

Date/Publication 2016-04-06 09:43:10

R topics documented:

hts-package	2
accuracy.gts	3
aggts	4
allts	5
combinef	5
forecast.gts	7
gts	9
hts	11
htseg1	13

infantgts	13
MinT	14
plot.gts	16
smatrix	17
window.gts	18
Index	19

hts-package	<i>Hierarchical and grouped time series</i>
-------------	---

Description

This package presents functions to create, plot and forecast hierarchical and grouped time series. In forecasting hierarchical and grouped time series, the base methods implemented include ETS, ARIMA and the naive (random walk) models. Forecasts for grouped time series are calibrated using bottom-up and optimal combination methods. Forecasts for hierarchical time series are distributed in the hierarchy using bottom-up, top-down, middle-out and optimal combination methods. Three top-down methods are available: the two Gross-Sohl methods and the forecast-proportion approach of Hyndman, Ahmed, and Athanasopoulos (2011).

Author(s)

Rob J Hyndman, Earo Wang and Alan Lee with contributions from Roman A Ahmed and Han Lin Shang to earlier versions of the package

Maintainer: Rob J Hyndman <Rob.Hyndman@monash.edu>

References

G. Athanasopoulos, R. A. Ahmed and R. J. Hyndman (2009) Hierarchical forecasts for Australian domestic tourism, *International Journal of Forecasting*, **25**, 146-166.

R. J. Hyndman, R. A. Ahmed, G. Athanasopoulos and H.L. Shang (2011) Optimal combination forecasts for hierarchical time series. *Computational Statistics and Data Analysis*, **55**(9), 2579–2589. <http://robjhyndman.com/papers/hierarchical/>

Hyndman, R. J., Lee, A., & Wang, E. (2014). Fast computation of reconciled forecasts for hierarchical and grouped time series. *Working paper 17/14, Department of Econometrics & Business Statistics, Monash University*. <http://robjhyndman.com/working-papers/hgts/>

accuracy.gts	<i>In-sample or out-of-sample accuracy measures for forecast grouped and hierarchical model</i>
--------------	---

Description

Returns a range of summary measures of the forecast accuracy. The function measures out-of-sample forecast accuracy based on (holdout data - forecasts) and in-sample accuracy at the bottom level when setting `keep.fitted = TRUE` in the `forecast.gts`. All measures are defined and discussed in Hyndman and Koehler (2006).

Usage

```
accuracy.gts(fcasts, test, levels)
```

Arguments

fcasts	An object of class <code>gts</code> , containing the forecasted hierarchical or grouped time series. In-sample accuracy at the bottom level returns when <code>test</code> is missing.
test	An object of class <code>gts</code> , containing the holdout hierarchical time series
levels	Return the specified level(s), when carrying out out-of-sample accuracy.

Details

MASE calculation is scaled using MAE of in-sample naive forecasts for non-seasonal time series, and in-sample seasonal naive forecasts for seasonal time series.

Value

Matrix giving forecast accuracy measures.

ME	Mean Error
RMSE	Root Mean Square Error
MAE	Mean Absolute Error
MAPE	Mean Absolute Percentage Error
MPE	Mean Percentage Error
MASE	Mean Absolute Scaled Error

Author(s)

Rob J Hyndman and Earo Wang

References

R. J. Hyndman and A. Koehler (2006), Another look at measures of forecast accuracy, *International Journal of Forecasting*, **22**, 679-688.

See Also

[hts](#), [plot.gts](#), [forecast.gts](#), [accuracy](#)

Examples

```
data <- window(htseg2, start = 1992, end = 2002)
test <- window(htseg2, start = 2003)
fcasts <- forecast(data, h = 5, method = "bu")
accuracy.gts(fcasts, test)
accuracy.gts(fcasts, test, levels = 1)
```

aggts

Extract selected time series from a gts object

Description

The time series from selected levels of a hierarchical/grouped time series or a forecasted hierarchical/grouped time series are returned as a multivariate time series.

Usage

```
aggts(y, levels, forecasts = TRUE)
```

Arguments

y	An object of class {gts}.
levels	Integer(s) or string(s) giving the specified level(s).
forecasts	If y contains forecasts and historical data, then forecasts indicates whether to return the forecasts or the historical data. Otherwise it is ignored.

Author(s)

Earo Wang

See Also

[allts](#)

Examples

```
aggts(htseg1, levels = c(0, 2))
aggts(infantgts, levels = "State")
```

allts	<i>Extract all time series from a gts object</i>
-------	--

Description

The time series from all levels of a hierarchical/grouped time series or a forecasted hierarchical/grouped time series are returned as a multivariate time series.

Usage

```
allts(y, forecasts = TRUE)
```

Arguments

y	An object of class gts .
forecasts	If y contains forecasts and historical data, then forecasts indicates whether to return the forecasts or the historical data. Otherwise it is ignored.

Author(s)

Rob J Hyndman

See Also

[aggts](#)

Examples

```
allts(htseg1)
```

combinef	<i>Optimally combine forecasts from a hierarchical or grouped time series</i>
----------	---

Description

Using the method of Hyndman et al. (2011), this function optimally combines the forecasts at all levels of a hierarchical time series. The [forecast.gts](#) calls this function when the comb method is selected.

Usage

```
combinef(fcasts, nodes, groups, weights = NULL,  
         algorithms = c("lu", "cg", "chol", "recursive", "slm"),  
         keep = c("gts", "all", "bottom"))
```

Arguments

fcasts	Matrix of forecasts for all levels of the hierarchical time series. Each row represents one forecast horizon and each column represents one time series from the hierarchy.
nodes	If the object class is hts, a list contains the number of child nodes referring to hts.
groups	If the object class is gts, a gmatrix is required, which is the same as groups in the function gts.
weights	A numeric vector. The default is NULL which means that ordinary least squares is implemented.
algorithms	An algorithm to be used for computing reconciled forecasts. See forecast.gts for details.
keep	Return a gts object or the the reconciled forecasts at the bottom level.

Value

Return the reconciled gts object or forecasts at the bottom level.

Author(s)

Alan Lee, Rob J Hyndman and Earo Wang

References

R. J. Hyndman, R. A. Ahmed, G. Athanasopoulos and H.L. Shang (2011) Optimal combination forecasts for hierarchical time series. *Computational Statistics and Data Analysis*, **55**(9), 2579–2589. <http://robjhyndman.com/papers/hierarchical/>

Hyndman, R. J., Lee, A., & Wang, E. (2014). Fast computation of reconciled forecasts for hierarchical and grouped time series. *Working paper 17/14, Department of Econometrics & Business Statistics, Monash University*. <http://robjhyndman.com/working-papers/hgts/>

See Also

[hts](#), [forecast.gts](#)

Examples

```
# hts example
## Not run: h <- 12
ally <- aggts(htseg1)
allf <- matrix(NA, nrow = h, ncol = ncol(ally))
for(i in 1:ncol(ally))
  allf[,i] <- forecast(auto.arima(ally[,i]), h = h, PI = FALSE)$mean
allf <- ts(allf, start = 51)
y.f <- combinef(allf, htseg1$nodes, weights = NULL, keep = "gts", algorithms = "lu")
plot(y.f)
## End(Not run)
```

```

# gts example
## Not run: abc <- ts(5 + matrix(sort(rnorm(200))), ncol = 4, nrow = 50)
g <- rbind(c(1,1,2,2), c(1,2,1,2))
y <- gts(abc, groups = g)
h <- 12
ally <- aggts(y)
allf <- matrix(NA,nrow = h,ncol = ncol(ally))
for(i in 1:ncol(ally))
  allf[,i] <- forecast(auto.arima(ally[,i]),h = h)$mean
allf <- ts(allf, start = 51)
y.f <- combinef(allf, groups = g, keep = "gts", algorithms = "lu")
plot(y.f)
## End(Not run)

```

forecast.gts

*Forecast a hierarchical or grouped time series***Description**

Methods for forecasting hierarchical or grouped time series.

Usage

```

## S3 method for class 'gts'
forecast(object, h = ifelse(frequency(object$bts) > 1L,
  2L * frequency(object$bts), 10L),
  method = c("comb", "bu", "mo", "tdgsa", "tdgsf", "tdfp"),
  weights = c("wls", "ols", "mint", "nseries"),
  fmethod = c("ets", "arima", "rw"),
  algorithms = c("lu", "cg", "chol", "recursive", "slm"),
  covariance = c("shr", "sam"),
  keep.fitted = FALSE, keep.resid = FALSE,
  positive = FALSE, lambda = NULL, level,
  parallel = FALSE, num.cores = 2, FUN = NULL,
  xreg = NULL, newxreg = NULL, ...)

```

Arguments

object	Hierarchical or grouped time series object of class {gts}
h	Forecast horizon
method	Method for distributing forecasts within the hierarchy. See details
weights	Weights used for "optimal combination" method: weights="ols" uses an un-weighted combination (as described in Hyndman et al 2011); weights="wls" uses weights based on forecast variances (as described in Hyndman et al 2015); weights="mint" uses a full covariance estimate to determine the weights (as described in Hyndman et al 2016); weights="nseries" uses weights based on the number of series aggregated at each node.

fmethod	Forecasting method to use for each series.
algorithms	An algorithm to be used for computing the combination forecasts (when method=="comb"). The combination forecasts are based on an ill-conditioned regression model. "lu" indicates LU decomposition is used; "cg" indicates a conjugate gradient method; "chol" corresponds to a Cholesky decomposition; "recursive" indicates the recursive hierarchical algorithm of Hyndman et al (2015); "slm" uses sparse linear regression. Note that algorithms = "recursive" and algorithms = "slm" cannot be used if weights="mint".
covariance	Type of the covariance matrix to be used with weights="mint": either a shrinkage estimator ("shr") with shrinkage towards the diagonal; or a sample covariance matrix ("sam").
keep.fitted	If TRUE, keep fitted values at the bottom level.
keep.resid	If TRUE, keep residuals at the bottom level.
positive	If TRUE, forecasts are forced to be strictly positive (by setting lambda=0).
lambda	Box-Cox transformation parameter.
level	Level used for "middle-out" method (only used when method = "mo").
parallel	If TRUE, import parallel package to allow parallel processing.
num.cores	If parallel = TRUE, specify how many cores are going to be used.
FUN	A user-defined function that returns an object which can be passed to the forecast function. It is applied to all series in order to generate base forecasts. When FUN is not NULL, fmethod, positive and lambda are all ignored. Suitable values for FUN are tbats and stlf for example.
xreg	When fmethod = "arima", a vector or matrix of external regressors used for modelling, which must have the same number of rows as the original univariate time series
newxreg	When fmethod = "arima", a vector or matrix of external regressors used for forecasting, which must have the same number of rows as the h forecast horizon
...	Other arguments passed to ets , auto.arima or FUN.

Details

Base methods implemented include ETS, ARIMA and the naive (random walk) models. Forecasts are distributed in the hierarchy using bottom-up, top-down, middle-out and optimal combination methods.

Three top-down methods are available: the two Gross-Sohl methods and the forecast-proportion approach of Hyndman, Ahmed, and Athanasopoulos (2011). The "middle-out" method "mo" uses bottom-up ("bu") for levels higher than level and top-down forecast proportions ("tdfp") for levels lower than level.

For non-hierarchical grouped data, only bottom-up and combination methods are possible, as any method involving top-down disaggregation requires a hierarchical ordering of groups.

When xreg and newxreg are passed, the same covariates are applied to every series in the hierarchy.

Value

A forecasted hierarchical/grouped time series of class gts.

Author(s)

Earo Wang, Rob J Hyndman and Shanika L Wickramasuriya

References

G. Athanasopoulos, R. A. Ahmed and R. J. Hyndman (2009) Hierarchical forecasts for Australian domestic tourism, *International Journal of Forecasting*, **25**, 146-166.

R. J. Hyndman, R. A. Ahmed, G. Athanasopoulos and H.L. Shang (2011) Optimal combination forecasts for hierarchical time series. *Computational Statistics and Data Analysis*, **55**(9), 2579–2589. <http://robjhyndman.com/papers/hierarchical/>

Hyndman, R. J., Lee, A., & Wang, E. (2015). Fast computation of reconciled forecasts for hierarchical and grouped time series. *Computational Statistics and Data Analysis*, **97**, 16–32. <http://robjhyndman.com/papers/hgts/>

Wickramasuriya, S. L., Athanasopoulos, G., & Hyndman, R. J. (2015). Forecasting hierarchical and grouped time series through trace minimization. *Working paper 15/15, Department of Econometrics & Business Statistics, Monash University*. <http://robjhyndman.com/working-papers/mint/>

Gross, C. and Sohl, J. (1990) Dissagregation methods to expedite product line forecasting, *Journal of Forecasting*, **9**, 233-254.

See Also

[hts](#), [gts](#), [plot.gts](#), [accuracy.gts](#)

Examples

```
forecast(htseg1, h = 10, method = "bu", fmethod = "arima")

## Not run: forecast(htseg2, h = 10, method = "comb", algorithms = "lu",
                    FUN = function(x) tbats(x, use.parallel = FALSE))
## End(Not run)
```

gts

Create a grouped time series

Description

Method for creating grouped time series.

Usage

```
gts(y, groups, gnames = rownames(groups), characters)
```

Arguments

y	A matrix or multivariate time series contains the bottom level series.
groups	Group matrix indicates the group structure, with one column for each series when completely disaggregated, and one row for each grouping of the time series. It allows either a numerical matrix or a matrix consisting of strings that can be used for labelling. If the argument <code>characters</code> is used, then groups will be automatically generated within the function.
gnames	Specify the group names.
characters	A vector of integers, or a list containing vectors of integers, indicating the segments in which bottom level names can be read in order to construct the corresponding grouping matrix and its labels. A <code>list</code> class is used when a grouped time series includes one or more hierarchies. For example, a grouped time series may involve a geographical grouping and a product grouping, with each of them associated with a 2-level hierarchy. In this situation, a bottom level name such as "VICMelbAB" would indicate the state "VIC" (3 characters) followed by the city "Melb" (4 characters), then the product category "A" (1 character) followed by the sub-product category "B" (1 character). In this example, the specification of characters is <code>list(c(3, 4), c(1, 1))</code> , where the first element <code>c(3, 4)</code> corresponds to the geographical hierarchy and the second element corresponds to the product hierarchy. In the special case where there is a non-hierarchical grouped time series, a vector of integers is also possible. For example, a grouped time series may involve state, age and sex grouping variables. In this situation, a bottom level name such as "VIC1F" would indicate the state "VIC", age group "1" and sex "F". Because none of these is hierarchical, we could specify <code>characters = list(3, 1, 1)</code> , or as a simple numeric vector: <code>characters = c(3, 1, 1)</code> . This implies its non-hierarchical structure and its characters segments. Again, all bottom level names must be of the same length. Currently, the use of characters only supports 2-way cross-products for grouping variables. Specifying groups is more general (but more complicated), as any combination of grouping variables can be used.

Value

bts	Multivariate time series contains the bottom level series
groups	Information about the groups of a grouped time series
labels	Information about the labels that are used for plotting.

Author(s)

Earo Wang and Rob J Hyndman

References

R. J. Hyndman, R. A. Ahmed, G. Athanasopoulos and H.L. Shang (2011) Optimal combination forecasts for hierarchical time series. *Computational Statistics and Data Analysis*, **55**(9), 2579–2589. <http://robjhyndman.com/papers/hierarchical/>

See Also

[hts](#), [accuracy.gts](#), [forecast.gts](#), [plot.gts](#)

Examples

```
# Example 1 illustrating the usage of the "groups" argument
abc <- ts(5 + matrix(sort(rnorm(1600)), ncol = 16, nrow = 100))
sex <- rep(c("female", "male"), each = 8)
state <- rep(c("NSW", "VIC", "QLD", "SA", "WA", "NT", "ACT", "TAS"), 2)
gc <- rbind(sex, state) # a matrix consists of strings.
gn <- rbind(rep(1:2, each = 8), rep(1:8, 2)) # a numerical matrix
rownames(gc) <- rownames(gn) <- c("Sex", "State")
x <- gts(abc, groups = gc)
y <- gts(abc, groups = gn)

# Example 2 with two simple hierarchies (geography and product) to show the argument "characters"
bnames1 <- c("VICMelbAA", "VICMelbAB", "VICGeelAA", "VICGeelAB",
            "VICMelbBA", "VICMelbBB", "VICGeelBA", "VICGeelBB",
            "NSWSyndAA", "NSWSyndAB", "NSWWollAA", "NSWWollAB",
            "NSWSyndBA", "NSWSyndBB", "NSWWollBA", "NSWWollBB")
bts1 <- matrix(ts(rnorm(160)), ncol = 16)
colnames(bts1) <- bnames1
x1 <- gts(bts1, characters = list(c(3, 4), c(1, 1)))

# Example 3 with a non-hierarchical grouped time series of 3 grouping variables (state, age and sex)
bnames2 <- c("VIC1F", "VIC1M", "VIC2F", "VIC2M", "VIC3F", "VIC3M",
            "NSW1F", "NSW1M", "NSW2F", "NSW2M", "NSW3F", "NSW3M")
bts2 <- matrix(ts(rnorm(120)), ncol = 12)
colnames(bts2) <- bnames2
x2 <- gts(bts2, characters = c(3, 1, 1))
```

hts *Create a hierarchical time series*

Description

Method for creating hierarchical time series.

Usage

```
hts(y, nodes, bnames = colnames(y), characters)
```

Arguments

y A matrix or multivariate time series contain the bottom level series.

nodes A list contains the number of child nodes associated with each level, which indicates the hierarchical structure. The default is a simple hierarchy with only 2 levels (i.e. total and bottom). If the argument `characters` is used, nodes will be automatically generated within the function.

bnames	The names of the bottom time series.
characters	Integers indicate the segments in which the bottom level names can be read in order to construct the corresponding node structure and its labels. For instance, suppose one of the bottom series is named "VICMelb" referring to the city of Melbourne within the state of Victoria. Then characters would be specified as <code>c(3, 4)</code> referring to states of 3 characters (e.g., "VIC") and cities of 4 characters (e.g., "Melb") All the bottom names must be of the same length, with number of characters for each segment the same for all series.

Value

bts	Multivariate time series containing the bottom level series
nodes	Information about the nodes of a hierarchical time series
labels	Information about the labels that are used for plotting.

Author(s)

Earo Wang and Rob J Hyndman

References

R. J. Hyndman, R. A. Ahmed, G. Athanasopoulos and H.L. Shang (2011) Optimal combination forecasts for hierarchical time series. *Computational Statistics and Data Analysis*, **55**(9), 2579–2589. <http://robjhyndman.com/papers/hierarchical/>

See Also

[gts](#), [accuracy.gts](#), [forecast.gts](#), [plot.gts](#)

Examples

```
# Example 1
# The hierarchical structure looks like 2 child nodes associated with level 1,
# which are followed by 3 and 2 sub-child nodes respectively at level 2.
nodes <- list(2, c(3, 2))
abc <- ts(5 + matrix(sort(rnorm(500)), ncol = 5, nrow = 100))
x <- hts(abc, nodes)

# Example 2
# Suppose we've got the bottom names that can be useful for constructing the node
# structure and the labels at higher levels. We need to specify how to split them
# in the argument "characters".
library(hts)
abc <- ts(5 + matrix(sort(rnorm(1000)), ncol = 10, nrow = 100))
colnames(abc) <- c("A10A", "A10B", "A10C", "A20A", "A20B",
                  "B30A", "B30B", "B30C", "B40A", "B40B")
y <- hts(abc, characters = c(1, 2, 1))
```

`htseg1`*Simple examples of hierarchical time series.*

Description

These are simulated data. `htseg1` has three levels with a total of 8 series each of length 10. `htseg2` has four levels with a total of 17 series each of length 16.

Usage

```
data(htseg1)
data(htseg2)
```

Format

Objects of class `hts`.

References

R. J. Hyndman, R. A. Ahmed, G. Athanasopoulos and H.L. Shang (2011) Optimal combination forecasts for hierarchical time series. *Computational Statistics and Data Analysis*, **55**(9), 2579–2589. <http://robjhyndman.com/papers/hierarchical/>

Examples

```
plot(htseg1)
```

`infantgts`*Regional infant mortality counts across Australia from 1933 to 2003.*

Description

These are infant mortality counts. This data set is an example of `gts`, where the total infant mortality count in Australia can be first disaggregated by sex then by state, or vice versa.

Usage

```
data(infantgts)
```

Format

Objects of class `gts`.

References

R. J. Hyndman, R. A. Ahmed, G. Athanasopoulos and H.L. Shang (2011) Optimal combination forecasts for hierarchical time series. *Computational Statistics and Data Analysis*, **55**(9), 2579–2589.

Examples

```
plot(infantgts)
```

 MinT

Trace minimization for hierarchical or grouped time series

Description

Using the method of Wickramasuriya et al. (2015), this function combines the forecasts at all levels of a hierarchical or grouped time series. The `forecast.gts` calls this function when the `MinT` method is selected.

Usage

```
MinT(fcasts, nodes, groups, residual, covariance = c("shr", "sam"),
     algorithms = c("lu", "cg", "chol"), keep = c("gts", "all", "bottom"))
```

Arguments

<code>fcasts</code>	Matrix of forecasts for all levels of a hierarchical or grouped time series. Each row represents one forecast horizon and each column represents one time series of aggregated or disaggregated forecasts.
<code>nodes</code>	If the object class is <code>hts</code> , a list contains the number of child nodes referring to <code>hts</code> .
<code>groups</code>	If the object is <code>gts</code> , a <code>gmatrix</code> is required, which is the same as <code>groups</code> in the function <code>gts</code> .
<code>residual</code>	Matrix of insample residuals for all the aggregated and disaggregated time series. The columns must be in the same order as <code>fcasts</code> .
<code>covariance</code>	Type of the covariance matrix to be used. Shrinking towards a diagonal unequal variances ("shr") or sample covariance matrix ("sam").
<code>algorithms</code>	Algorithm used to compute inverse of the matrices.
<code>keep</code>	Return a <code>gts</code> object or the reconciled forecasts at the bottom level.

Value

Return the reconciled `gts` object or forecasts at the bottom level.

Author(s)

Shanika L Wickramasuriya

References

Wickramasuriya, S. L., Athanasopoulos, G., & Hyndman, R. J. (2015). Forecasting hierarchical and grouped time series through trace minimization. *Working paper 15/15, Department of Econometrics & Business Statistics, Monash University*. <http://robjhyndman.com/working-papers/mint/>

Hyndman, R. J., Lee, A., & Wang, E. (2015). Fast computation of reconciled forecasts for hierarchical and grouped time series. *Computational Statistics and Data Analysis*, **97**, 16–32. <http://robjhyndman.com/papers/hgts/>

See Also

[hts](#), [gts](#), [forecast.gts](#), [combinef](#)

Examples

```
# hts example
## Not run: h <- 12
ally <- aggts(htseg1)
n <- nrow(ally)
p <- ncol(ally)
allf <- matrix(NA, nrow = h, ncol = p)
res <- matrix(NA, nrow = n, ncol = p)
for(i in 1:p)
{
  fit <- auto.arima(ally[, i])
  allf[, i] <- forecast(fit, h = h)$mean
  res[, i] <- na.omit(ally[, i] - fitted(fit))
}
allf <- ts(allf, start = 51)
y.f <- MinT(allf, htseg1$nodes, residual = res, covariance = "shr", keep = "gts", algorithms = "lu")
plot(y.f)
## End(Not run)

# gts example
## Not run: abc <- ts(5 + matrix(sort(rnorm(200)), ncol = 4, nrow = 50))
g <- rbind(c(1,1,2,2), c(1,2,1,2))
y <- gts(abc, groups = g)
h <- 12
ally <- aggts(y)
n <- nrow(ally)
p <- ncol(ally)
allf <- matrix(NA, nrow = h, ncol = ncol(ally))
res <- matrix(NA, nrow = n, ncol = p)
for(i in 1:p)
{
  fit <- auto.arima(ally[, i])
  allf[, i] <- forecast(fit, h = h)$mean
  res[, i] <- na.omit(ally[, i] - fitted(fit))
}
allf <- ts(allf, start = 51)
y.f <- MinT(allf, groups = g, residual = res, covariance = "shr", keep = "gts", algorithms = "lu")
plot(y.f)
```

```
## End(Not run)
```

plot.gts *Plot grouped or hierarchical time series*

Description

Method for plotting grouped or hierarchical time series and their forecasts.

Usage

```
## S3 method for class 'gts'  
plot(x, include, levels, labels = TRUE, ...)
```

Arguments

x	An object of class <code>gts</code> .
include	Number of values from historical time series to include in the plot of forecasted group/hierarchical time series.
levels	Integer(s) or string(s) giving the specified levels(s) to be plotted
labels	If TRUE, plot the labels next to each series
...	Other arguments passing to <code>plot.default</code>

Author(s)

Rob J Hyndman and Earo Wang

References

R. J. Hyndman, R. A. Ahmed, G. Athanasopoulos and H.L. Shang (2011) Optimal combination forecasts for hierarchical time series. *Computational Statistics and Data Analysis*, **55**(9), 2579–2589. <http://robjhyndman.com/papers/hierarchical/>

See Also

`aggts`

Examples

```
plot(htseg1, levels = c(0, 2))  
plot(infantgts, include = 10, levels = "State")
```

smatrix	<i>Summing matrix for hierarchical or grouped time series</i>
---------	---

Description

This function returns the summing matrix for a hierarchical or grouped time series, as defined in Hyndman et al. (2011).

Usage

```
smatrix(xts)
```

Arguments

`xts` Hierarchical or grouped time series of class `gts`.

Value

A numerical matrix.

Author(s)

Earo Wang

References

R. J. Hyndman, R. A. Ahmed, G. Athanasopoulos and H.L. Shang (2011) Optimal combination forecasts for hierarchical time series. *Computational Statistics and Data Analysis*, **55**(9), 2579–2589. <http://robjhyndman.com/papers/hierarchical/>

See Also

[hts](#), [gts](#), [combinef](#)

Examples

```
smatrix(htseg1)
```

`window.gts`*Time window of a gts object*

Description

Extracts a subset of the time series from a grouped time series object.

Usage

```
## S3 method for class 'gts'  
window(x, ...)
```

Arguments

`x` An object of class `gts`.
`...` All other arguments are passed to `window.ts`.

Author(s)

Rob J Hyndman

Examples

```
window(htseg2, start = 2000, end = 2001)
```

Index

- *Topic **datasets**
 - htseg1, [13](#)
 - infantgts, [13](#)
 - *Topic **error**
 - accuracy.gts, [3](#)
 - *Topic **hplot**
 - plot.gts, [16](#)
 - *Topic **package**
 - hts-package, [2](#)
 - *Topic **ts**
 - aggts, [4](#)
 - allts, [5](#)
 - combinef, [5](#)
 - forecast.gts, [7](#)
 - gts, [9](#)
 - hts, [11](#)
 - MinT, [14](#)
 - smatrix, [17](#)
 - window.gts, [18](#)
- accuracy, [4](#)
- accuracy.gts, [3](#), [9](#), [11](#), [12](#)
- aggts, [4](#), [5](#), [16](#)
- allts, [4](#), [5](#)
- auto.arima, [8](#)
- combinef, [5](#), [15](#), [17](#)
- ets, [8](#)
- forecast.gts, [3–6](#), [7](#), [11](#), [12](#), [14](#), [15](#)
- forecast.hts (forecast.gts), [7](#)
- gts, [5](#), [9](#), [9](#), [12](#), [13](#), [15–18](#)
- hts, [4](#), [6](#), [9](#), [11](#), [11](#), [13](#), [15](#), [17](#)
- hts-package, [2](#)
- htseg1, [13](#)
- htseg2 (htseg1), [13](#)
- infantgts, [13](#)
- MinT, [14](#)
- plot.default, [16](#)
- plot.gts, [4](#), [9](#), [11](#), [12](#), [16](#)
- print.gts (gts), [9](#)
- smatrix, [17](#)
- stlf, [8](#)
- summary.gts (gts), [9](#)
- tbats, [8](#)
- window.gts, [18](#)
- window.ts, [18](#)