

Package ‘insee’

September 4, 2020

Type Package

Title Tools to Easily Download Data from INSEE BDM Database

Version 0.9.0

Author Hadrien Leclerc [aut, cre],
INSEE [cph]

Maintainer Hadrien Leclerc <hadrien.leclerc@insee.fr>

Description Using embedded sdmx queries, get the data of more than 150 000 insee series from bdm database. Have a look at the detailed sdmx web service page with the following link : <<https://www.insee.fr/en/information/2868055>>.

URL <https://hadrilec.github.io/insee/>

Encoding UTF-8

LazyData true

License GPL-3

VignetteBuilder knitr

BugReports <https://github.com/hadrilec/insee/issues>

Imports httr, xml2, readsdmx, tibble, dplyr, stringr, lubridate,
tidyselect, rlang, crayon, openssl

Suggests tidyverse, prettydoc, htmltools, kableExtra, knitr,
rmarkdown, magrittr, testthat, covr, png

RoxygenNote 7.1.1

NeedsCompilation no

Repository CRAN

Date/Publication 2020-09-04 12:12:19 UTC

R topics documented:

add_insee_title	2
clean_table	3
get_dataset_list	4

get_idbank_list	4
get_insee	5
get_insee_dataset	6
get_insee_idbank	7
get_insee_title	9
get_last_release	10
search_insee	10
split_title	11
Index	13

add_insee_title	<i>Add a title column to the idbank list dataset</i>
-----------------	--

Description

Add a title column to the idbank list dataset

Usage

```
add_insee_title(df, n_split, lang = "en", split = TRUE, clean = TRUE)
```

Arguments

df	a dataframe containing an idbank column called "idbank" or "IDBANK"
n_split	number of new columns, by default the maximum is chosen
lang	returns an English title, by default is "en", any other value returns a French title
split	split the title column in several columns, by default is TRUE
clean	remove the columns filled with NA (missing value), by default is TRUE

Details

this function uses extensively the `get_insee_title` function. Then, it should be used on an already filtered dataset, not on the full idbank dataset (cf. `get_insee_title`). The number of separators in the official INSEE title can vary and is not normalized. Beware all title columns created may not be a cleaned dimension label.

Value

the same dataframe but with one or several title columns

Examples

```
library(tidyverse)

idbank_list = get_idbank_list() #idbank list

idbank_empl = idbank_list %>%
  filter(nomflow == "EMPLOI-SALARIE-TRIM-NATIONAL") %>% #employment
  slice(1:15) %>%
  add_insee_title()
```

clean_table	<i>Remove columns filled only with NA (missing value)</i>
-------------	---

Description

Remove columns filled only with NA (missing value)

Usage

```
clean_table(df)
```

Arguments

df the dataframe to be cleaned

Value

a dataframe without columns containing only NA

Examples

```
library(tidyverse)

idbank_list = get_idbank_list() #idbank list

idbank_empl = idbank_list %>%
  filter(nomflow == "EMPLOI-SALARIE-TRIM-NATIONAL") %>% #employment
  mutate(title = get_insee_title(idbank)) %>%
  separate(title, sep = " - ", into = paste0("title", 1:5), fill = "right") %>%
  clean_table()
```

get_dataset_list *Download a full INSEE's dataset list*

Description

Download a full INSEE's dataset list

Usage

```
get_dataset_list()
```

Details

the datasets returned are the ones available through a SDMX query

Value

a tibble with 5 columns : id, Name.fr, Name.en, url, n_series

Examples

```
insee_dataset = get_dataset_list()
```

get_idbank_list *Download a full INSEE's series key list*

Description

Download a full INSEE's series key list

Usage

```
get_idbank_list(dataset = NULL)
```

Arguments

dataset	if a dataset name is provided, only a subset of the data is delivered, otherwise all the data is returned
---------	---

Details

Download a mapping dataset between INSEE series keys (idbank) and SDMX series names. Under the hood the get_idbank_list uses download.file function from utils, the user can change the mode argument with the following command : Sys.getenv(INSEE_download_option_idbank_list = "wb") If makes an update, the user can also change the zip file downloaded, the data file contained in the zip and data the separator : Sys.setenv(INSEE_idbank_dataset_path = "new_zip_file_link");Sys.setenv(INSEE_idbank_sep = ",");Sys.setenv(INSEE_idbank_dataset_file = "new_data_file_name")

Value

a tibble the idbank dataset

Examples

```
idbank_list = get_idbank_list()
```

get_insee

Get data from INSEE BDM database with a SDMX query link

Description

Get data from INSEE BDM database with a SDMX query link

Usage

```
get_insee(link, step = "1/1")
```

Arguments

link	SDMX query link
step	argument used only for internal package purposes to tweak download display

Details

Get data from INSEE BDM database with a SDMX query link. This function is mainly for package internal use. It is used by the functions `get_insee_dataset`, `get_insee_idbank` and `get_dataset_list`. The data is cached, hence all queries are only run once per R session. The user can disable the download display in the console with the following command : `Sys.setenv(INSEE_download_verbose = "FALSE")` The use of cached data can be disabled with : `Sys.setenv(INSEE_no_cache_use = "TRUE")` All queries are printed in the console with this command: `Sys.setenv(INSEE_print_query = "TRUE")`. By default the RapidXML C++ library is used through the `readsdmx` package. The previous parser can still be used with this command : `Sys.setenv(INSEE_read_sdmx_slow = "TRUE")`

Value

a tibble containing the data

Examples

```
insee_link = "http://www.bdm.insee.fr/series/sdmx/data/SERIES_BDM"
insee_query = file.path(insee_link, paste0("010539365","?", "firstNObservations=1"))
data = get_insee(insee_query)
```

get_insee_dataset *Get dataset from INSEE BDM database*

Description

Get dataset from INSEE BDM database

Usage

```
get_insee_dataset(  
  dataset,  
  startPeriod = NULL,  
  endPeriod = NULL,  
  firstNObservations = NULL,  
  lastNObservations = NULL,  
  includeHistory = NULL,  
  updatedAfter = NULL,  
  filter = NULL  
)
```

Arguments

dataset	dataset name to be downloaded
startPeriod	start date of data
endPeriod	end date of data
firstNObservations	get the first N observations for each key series (idbank)
lastNObservations	get the last N observations for each key series (idbank)
includeHistory	boolean to access the previous releases (not available on all series)
updatedAfter	starting point for querying the previous releases (format yyyy-mm-ddThh:mm:ss)
filter	Use the filter to choose only some values in a dimension. It is recommended to use it for big datasets. A dimension left empty means all values are selected. To select multiple values in one dimension put a "+" between those values (see example)

Details

Get dataset from INSEE BDM database

Value

a tibble with the data

Examples

```

insee_dataset = get_dataset_list()

#example 1
data = get_insee_dataset("IPC-2015", filter = "M+A.....CVS.", startPeriod = "2015-03")

#example 2
data = get_insee_dataset("IPC-2015", filter = "M.....ENSEMBLE...CVS.2015",
  includeHistory = TRUE, updatedAfter = "2017-07-11T08:45:00")

```

get_insee_idbank	<i>Get data from INSEE series idbank</i>
------------------	--

Description

Get data from INSEE series idbank

Usage

```

get_insee_idbank(
  ...,
  limit = TRUE,
  startPeriod = NULL,
  endPeriod = NULL,
  firstNObservations = NULL,
  lastNObservations = NULL,
  includeHistory = NULL,
  updatedAfter = NULL
)

```

Arguments

...	one or several series key (idbank)
limit	by default, the function get_insee_idbank has a 1200-idbank limit. Set limit argument to FALSE to ignore the limit or modify the limit with the following command : <code>Sys.setenv(INSEE_idbank_limit = 1200)</code>
startPeriod	start date of data
endPeriod	end date of data
firstNObservations	get the first N observations for each key series (idbank)
lastNObservations	get the last N observations for each key series (idbank)
includeHistory	boolean to access the previous releases (not available on all series)
updatedAfter	starting point for querying the previous releases (format yyyy-mm-ddThh:mm:ss)

Details

Get data from INSEE series idbanks. The user can disable the download display in the console with the following command : `Sys.setenv(INSEE_download_verbose = "FALSE")`

Value

a tibble with the data

Examples

```
#example 1 : import price index of industrial products and turnover index : manufacture of wood
data = get_insee_idbank("001558315", "010540726")
```

```
#example 2 : unemployment data
```

```
library(tidyverse)
```

```
idbank_list = get_idbank_list()
```

```
df_idbank_list_selected =
  idbank_list %>%
  filter(nomflow == "CHOMAGE-TRIM-NATIONAL") %>% #unemployment dataset
  filter(dim5 == 0) %>% #men and women
  mutate(title = get_insee_title(idbank))
```

```
idbank_list_selected = df_idbank_list_selected %>% pull(idbank)
```

```
unem = get_insee_idbank(idbank_list_selected)
```

```
#example 3 : French GDP growth rate
```

```
library(tidyverse)
```

```
idbank_list = get_idbank_list()
```

```
df_idbank_list_selected =
  idbank_list %>%
  filter(nomflow == "CNT-2014-PIB-EQB-RF") %>% # Gross domestic product balance
  filter(dim1 == "T") %>% #quarter
  filter(dim4 == "PIB") %>% #GDP
  filter(dim6 == "TAUX") %>% #rate
  filter(dim10 == "CVS-CJ0") #SA-WDA, seasonally adjusted, working day adjusted
```

```
idbank = df_idbank_list_selected %>% pull(idbank)
```

```
data = get_insee_idbank(idbank)
```

```
#plot
ggplot(data, aes(x = DATE, y = OBS_VALUE)) +
  geom_col() +
```



```
ggtitle("French GDP growth rate, quarter-on-quarter, sa-wda") +
labs(subtitle = sprintf("Last updated : %s", data$TIME_PERIOD[1]))
```

get_insee_title	<i>Get title from INSEE series idbank</i>
-----------------	---

Description

Get title from INSEE series idbank

Usage

```
get_insee_title(..., lang = "en")
```

Arguments

...	list of series key (idbank)
lang	language of the title, by default it is English, if lang is different from "en" then French will be the title's language

Details

Query INSEE website to get series title from series key (idbank). Any query to INSEE database can handle around 400 idbanks at maximum, if necessary the idbank list will then be splitted in several lists of 400 idbanks each. Consequently, it is not advised to use it on the whole idbank dataset, the user should filter the idbank dataset first.

Value

a character vector with the titles

Examples

```
#example 1 : industrial production index on manufacturing and industrial activities
title = get_insee_title("010537900")
```

```
#example 2 : automotive industry and overall industrial production
library(tidyverse)
```

```
idbank_list = get_idbank_list()
```

```
idbank_list_selected =
  idbank_list %>%
  filter(nomflow == "IPI-2015") %>% #industrial production index dataset
  filter(dim1 == "M") %>% #monthly
  filter(dim6 == "INDICE") %>% #index
```

```
filter(dim9 == "CVS-CJO") %>% #Working day and seasonally adjusted SA-WDA
filter(str_detect(dim5,"^29$|A10-BE")) %>% #automotive industry and overall industrial production
mutate(title = get_insee_title(idbank))
```

get_last_release *Get the datasets released in the last 30 days*

Description

Get the datasets released in the last 30 days

Usage

```
get_last_release()
```

Value

a tibble with the data

Examples

```
last_release = get_last_release()
```

search_insee *Search a pattern among insee dataset names*

Description

Search a pattern among insee dataset names

Usage

```
search_insee(pattern)
```

Arguments

pattern string used to filtern the dataset list

Details

the function ignores accents and cases

Value

the dataset list table filtered with the pattern

Examples

```
# example 1 : search one pattern, the accents do not matter
writeLines("the word 'enqu\U00EAt' (meaning survey in French) will match with 'enquete'")
dataset_enquete = search_insee("enquete")

# example 2 : search multiple patterns
dataset_survey_gdp = search_insee("Survey|gdp")
```

split_title	<i>Split the title column in several columns</i>
-------------	--

Description

Split the title column in several columns

Usage

```
split_title(df, title_col_name, n_split = "max", lang = "en")
```

Arguments

df	a dataframe containing a title column
title_col_name	the column name to be splitted, if missing it will be either TITLE_EN
n_split	number of new columns, by default the maximum is chosen
lang	by default it returns an English title (its default value is "en"), any other value returns a French title

Details

The number of separators in the official INSEE title can vary and is not normalized. Beware all title columns created may not be a cleaned dimension label.

Value

the same dataframe with the title column splitted

Examples

```
library(tidyverse)

# quarterly payroll enrollment in the construction sector
data_raw = get_insee_idbank("001577236")

data = data_raw %>%
  split_title(lang = "fr")
```

Index

`add_insee_title`, 2

`clean_table`, 3

`get_dataset_list`, 4

`get_idbank_list`, 4

`get_insee`, 5

`get_insee_dataset`, 6

`get_insee_idbank`, 7

`get_insee_title`, 9

`get_last_release`, 10

`search_insee`, 10

`split_title`, 11