

Package ‘istacr’

December 4, 2020

Type Package

Title Obtaining Open Data from Instituto Canario De Estadística (ISTAC) API

Version 0.1.3

Date 2020-12-04

Maintainer Alberto Gonzalez <jgonyan@gobiernodecanarias.org>

Description You can access to open data published in Instituto Canario De Estadística (ISTAC) APIs at <<https://datos.canarias.es/api/estadisticas/>>.

License GPL (>= 3)

Encoding UTF-8

LazyData true

Imports jsonlite, curl

RoxygenNote 7.1.1

NeedsCompilation no

Author Alberto Gonzalez [aut, cre]

Repository CRAN

Date/Publication 2020-12-04 13:10:03 UTC

R topics documented:

get_datasets	3
get_datasets_agency	3
get_datasets_agency_resource	4
get_datasets_agency_resource_version	5
get_indicators	6
get_indicators_code	7
get_indicators_code_data	7
get_indicators_geographical_values	8
get_indicators_geographic_granularities	8
get_indicators_subjects	9
get_indicators_systems	9

get_indicators_systems_code	10
get_indicators_systems_code_instances	10
get_indicators_systems_code_instances_code	11
get_indicators_systems_code_instances_code_data	12
get_indicators_time_granularities	13
get_structuralresources_categorisations	13
get_structuralresources_categorisations_agency	14
get_structuralresources_categorisations_agency_resource	14
get_structuralresources_categorisations_agency_resource_version	15
get_structuralresources_category_schemes	16
get_structuralresources_category_schemes_agency	16
get_structuralresources_category_schemes_agency_resource	17
get_structuralresources_category_schemes_agency_resource_version	18
get_structuralresources_category_schemes_agency_resource_version_categories	19
get_structuralresources_category_schemes_agency_resource_version_categories_id	20
get_structuralresources_codelists	20
get_structuralresources_codelists_agency	21
get_structuralresources_codelists_agency_resource	22
get_structuralresources_codelists_agency_resource_version	23
get_structuralresources_codelists_agency_resource_version_codes	23
get_structuralresources_codelists_agency_resource_version_codes_codeid	24
get_structuralresources_codelist_families	25
get_structuralresources_codelist_families_id	25
get_structuralresources_concept_schemes	26
get_structuralresources_concept_schemes_agency	27
get_structuralresources_concept_schemes_agency_resource	27
get_structuralresources_concept_schemes_agency_resource_version	28
get_structuralresources_concept_schemes_agency_resource_version_concepts	29
get_structuralresources_concept_schemes_agency_resource_version_concepts_id	30
get_structuralresources_concept_types	30
get_structuralresources_content_constraints	31
get_structuralresources_content_constraints_agency	31
get_structuralresources_content_constraints_agency_resource	32
get_structuralresources_content_constraints_agency_resource_version	33
get_structuralresources_content_constraints_agency_resource_version_regions	33
get_structuralresources_data_structures	34
get_structuralresources_data_structures_agency	35
get_structuralresources_data_structures_agency_resource	35
get_structuralresources_data_structures_agency_resource_version	36
get_structuralresources_geoinfo	37
get_structuralresources_variableelements	38
get_structuralresources_variableelements_resource	38
get_structuralresources_variables	39
get_structuralresources_variables_id	39
get_structuralresources_variable_families	40
get_structuralresources_variable_families_id	41
get_structuralresources_variable_families_id_variables	41

get_datasets	<i>Get datasets</i>
--------------	---------------------

Description

This function allows consulting all existing statistical data cubes.

Usage

```
get_datasets(lang = "es", limit = 25, offset = 0, orderBy = NULL, query = NULL)
```

Arguments

lang	(string) Language in which you want to get the answer.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
orderBy	(string) Order. Possible values are ID ASC or ID DESC,
query	(string) Metadata query on which the searches can be built.

Examples

```
get_datasets()
```

get_datasets_agency	<i>Get datasets (agencyID)</i>
---------------------	--------------------------------

Description

This function allows to consult all the data sets maintained by a certain organization.

Usage

```
get_datasets_agency(  
  agencyID,  
  lang = "es",  
  limit = 25,  
  offset = 0,  
  orderBy = NULL,  
  query = NULL  
)
```

Arguments

agencyID	(string) Identifier of the maintainer organization of the resource. A possible value is ISTAC.
lang	(string) Language in which you want to get the answer.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
orderBy	(string) Order. Possible values are ID ASC or ID DESC,
query	(string) Metadata query on which the searches can be built.

Examples

```
get_datasets_agency(agencyID = "ISTAC")
```

```
get_datasets_agency_resource
```

Get datasets (agencyID / resourceID)

Description

This function allows to obtain all the versions of a statistical cube with a certain identifier and that also maintains a certain organization.

Usage

```
get_datasets_agency_resource(
  agencyID,
  resourceID,
  lang = "es",
  limit = 25,
  offset = 0,
  orderBy = NULL,
  query = NULL
)
```

Arguments

agencyID	(string) Identifier of the maintainer organization of the resource. A possible value is ISTAC.
resourceID	(string) Resource identifier. A possible value is C00010A_000002.
lang	(string) Language in which you want to get the answer.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
orderBy	(string) Order. Possible values are ID ASC or ID DESC,
query	(string) Metadata query on which the searches can be built.

Examples

```
get_datasets_agency_resource(agencyID = "ISTAC", resourceID = "C00010A_000002")
```

```
get_datasets_agency_resource_version
```

Get datasets (agencyID / resourceID / version)

Description

This function allows to obtain all the versions of a statistical cube with a certain identifier and that also maintains a certain organization.

Usage

```
get_datasets_agency_resource_version(
  agencyID,
  resourceID,
  version,
  dim = NULL,
  fields = NULL,
  lang = "es"
)
```

Arguments

agencyID	(string) Identifier of the maintainer organization of the resource. A possible value is ISTAC.
resourceID	(string) Resource identifier. A possible value is C00010A_000002.
version	(string) Resource version. A possible value is 001.000.
dim	(string) Allows filtering the data obtained in the response. A example is TIME_PERIOD:2009 2010.
fields	(string) Allows you to customize the response by excluding fields from it. The possible values are -metadata and -data.
lang	(string) Language in which you want to get the answer.

Examples

```
get_datasets_agency_resource_version(
  agencyID = "ISTAC", resourceID = "C00010A_000002", version = "001.000",
  fields = "-data,-metadata"
)
```

 get_indicators

Get indicators

Description

This function returns a list of indicators published in the ISTAC-indicators database. An indicator is a measure used to know the intensity of a phenomenon in spacetime. This measure can refer to different spatial or temporal granularities.

Usage

```
get_indicators(
  q = NULL,
  order = NULL,
  limit = 25,
  offset = 0,
  fields = NULL,
  representation = NULL
)
```

Arguments

q	(string) Metadata query on which the searches can be built using: id, subjectCode or geographicValue.
order	(string) Order. Possible values are: update and id and order criteria are ASC and DESC.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
fields	(string) Use of the answer by adding new fields. Possible values are: +metadata, +data and +observationsMetadata.
representation	(string) Allows filtering the observations by their value. Its use only makes sense when +data and/or +observationsMetadata has been included.

Examples

```
indicators <- get_indicators(
  q = 'id IN ("AFILIACIONES", "EMPLEO_REGISTRADO_AGRICULTURA")',
  order = "id ASC", fields = "+data", representation =
  "GEOGRAPHICAL[35003|35005],MEASURE[ABSOLUTE]"
)
```

get_indicators_code *Get indicators code*

Description

This function returns the metadata that describe the characteristics of a specific indicator, allowing the compression of the measured fact; also through the data request the complete data (for all spacetime) of the indicator is provided.

Usage

```
get_indicators_code(indicatorCode)
```

Arguments

indicatorCode (string) an indicator code

Examples

```
get_indicators_code("AFILIACIONES")  
get_indicators_code("PARO_REGISTRADO")
```

get_indicators_code_data
 Get indicators code data

Description

This function returns complete data (for all spacetime) of the indicator. On the other hand, metadata describing the characteristics of a specific indicator are offered through the metadata request, allowing the compression of the measured fact.

Usage

```
get_indicators_code_data(  
  indicatorCode,  
  representation = NULL,  
  granularity = NULL,  
  fields = NULL  
)
```

Arguments

indicatorCode (string) an indicator code
representation (string) Allows filtering the observations by their value.
granularity (string) Allows to filter the observations through the granularities of the same.
fields (string) Allows you to customize the response by excluding fields. The possible values are: -observationsMetadata.

Examples

```
get_indicators_code_data("AFILIACIONES", fields = "-observationsMetadata")
```

```
get_indicators_geographical_values
```

Get geographical values

Description

This function returns values of a geographical granularity that in turn are part of a specific theme or system of indicators.

Usage

```
get_indicators_geographical_values(  
  geographicalGranularityCode,  
  subjectCode = NULL,  
  systemCode = NULL  
)
```

Arguments

geographicalGranularityCode	(string) geographical granularity code
subjectCode	(string) subject code
systemCode	(string) system code

Examples

```
get_indicators_geographical_values("REGIONS")  
get_indicators_geographical_values("REGIONS", subjectCode = "051", systemCode = "C00067A")
```

```
get_indicators_geographic_granularities
```

Get geographic granularities

Description

This function returns a list of geographic granularities treated in the ISTAC-indicators database. For example provincial, insular or municipal granularity.

Usage

```
get_indicators_geographic_granularities()
```

Examples

```
get_indicators_geographic_granularities()
```

get_indicators_subjects
Get subjects

Description

This function returns all subjects which the ISTAC classifies its statistical operations.

Usage

```
get_indicators_subjects()
```

Examples

```
get_indicators_subjects()
```

get_indicators_systems
Get indicators systems

Description

This function returns a list of indicator systems published in the ISTAC-indicators database. The indicators are simple or compound statistics, however a single indicator can rarely provide useful information about complex phenomena such as the economic situation, living conditions, schooling or others. Indicator systems are generally designed to generate more and more accurate information about the conditions of a phenomenon; and for this they are organized in dimensions or areas of analysis, under which the indicators are integrated.

Usage

```
get_indicators_systems(limit = 25, offset = 0)
```

Arguments

`limit` (int) Results limit. By default `limit = 25`.
`offset` (int) Displacement. Result from which it is returned. By default `offset = 0`.

Examples

```
get_indicators_systems()
```

```
get_indicators_systems_code
    Get indicators system code
```

Description

This function returns metadata of a system of indicators published in the ISTAC-indicators database. The indicators are simple or compound statistics, however a single indicator can rarely provide useful information about complex phenomena such as the economic situation, living conditions, schooling or others.

Usage

```
get_indicators_systems_code(indicatorSystemCode)
```

Arguments

```
indicatorSystemCode
    (string) an indicator system code
```

Examples

```
get_indicators_systems_code("C00075H")
```

```
get_indicators_systems_code_instances
    Get indicators system code instances
```

Description

This function returns instances of indicators associated with a specific indicator system. An instance of an indicator is nothing more than a spatio-temporal query of an indicator when it is incorporated into a specific indicator system.

Usage

```
get_indicators_systems_code_instances(  
    indicatorSystemCode,  
    q = NULL,  
    order = NULL,  
    limit = 25,  
    offset = 0,  
    fields = NULL,  
    representation = NULL,  
    granularity = NULL  
)
```

Arguments

indicatorSystemCode	(string) with an indicator system code
q	(string) Query of metadata on which the searches can be built are: id and geographicalValue.
order	(string) Order. Possible values are: update and id and order criteria are ASC and DESC.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
fields	(string) Use of the answer by adding new fields. Possible values are: +metadata, +data and +observationsMetadata.
representation	(string) Allows filtering the observations by their value. Its use only makes sense when +data and/or +observationsMetadata has been included.
granularity	(string) Allows to filter the observations through the granularities of the same. Its use only makes sense when +data and/or +observationsMetadata has been included.

Examples

```
get_indicators_systems_code_instances("C00075H")
get_indicators_systems_code_instances("C00075H", q = 'id EQ "INDICADORES_MUNICIPALES"')
```

```
get_indicators_systems_code_instances_code
    Get indicators system code instances code
```

Description

This function returns metadata of an indicator set associated with a specific indicator system. An instance of an indicator is nothing more than a spatio-temporal query of an indicator when it is incorporated into a specific indicator system.

Usage

```
get_indicators_systems_code_instances_code(
  indicatorSystemCode,
  indicatorInstanceCode
)
```

Arguments

indicatorSystemCode	(string) indicator system code
indicatorInstanceCode	(string) indicator instance code

Examples

```
get_indicators_systems_code_instances_code("C00075H", "21af0477-d63b-493b-ad02-4ab181547223")
```

```
get_indicators_systems_code_instances_code_data
```

Get indicators system code instances code data

Description

This function returns data of an indicator unit associated with a specific indicator system. An instance of an indicator is nothing more than a spatio-temporal query of an indicator when it is incorporated into a specific indicator system.

Usage

```
get_indicators_systems_code_instances_code_data(  
    indicatorSystemCode,  
    indicatorInstanceCode,  
    representation = NULL,  
    granularity = NULL,  
    fields = NULL  
)
```

Arguments

`indicatorSystemCode` (string) Indicator system code

`indicatorInstanceCode` (string) Indicator instance code

`representation` (string) Allows filtering the observations by their value.

`granularity` (string) Allows to filter the observations through the granularities of the same.

`fields` (string) Allows you to customize the response by excluding fields. The possible values are: `-observationsMetadata`.

Examples

```
get_indicators_systems_code_instances_code_data("C00075H", "21af0477-d63b-493b-ad02-4ab181547223")
```

```
get_indicators_time_granularities
    Get time granularities
```

Description

This function returns a list of temporary granularity treated in the ISTAC data bank-indicators ordered from highest to lowest granularity. For example annual, quarterly or monthly granularity.

Usage

```
get_indicators_time_granularities()
```

Examples

```
get_indicators_time_granularities()
```

```
get_structuralresources_categorisations
    Get categorisations
```

Description

This function returns the content from /v1.0/categorisations

Usage

```
get_structuralresources_categorisations(  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_categorisations()  
get_structuralresources_categorisations(query = "ID EQ 2090", orderBy = "ID ASC")
```

`get_structuralresources_categorisations_agency`
Get categorisations agency

Description

This function returns the content from `/v1.0/categorisations/agencyID`

Usage

```
get_structuralresources_categorisations_agency(  
    agencyID,  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

<code>agencyID</code>	(string) Identifier of the agency that publishes.
<code>limit</code>	(int) Results limit. By default <code>limit = 25</code> .
<code>offset</code>	(int) Displacement. Result from which it is returned. By default <code>offset = 0</code> .
<code>query</code>	(string) Query to filter the results.
<code>orderBy</code>	(string) Field by which to sort the results.

Examples

```
get_structuralresources_categorisations_agency("ISTAC")
```

`get_structuralresources_categorisations_agency_resource`
Get categorisations agency resource

Description

This function returns the content from `/v1.0/categorisations/agencyID/resourceID`

Usage

```
get_structuralresources_categorisations_agency_resource(  
    agencyID,  
    resourceID,  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_categorisations_agency_resource("ISTAC", "cat2")
```

get_structuralresources_categorisations_agency_resource_version
Get categorisations agency resource version

Description

This function returns the content from `/v1.0/categorisations/agencyID/resourceID/version`

Usage

```
get_structuralresources_categorisations_agency_resource_version(  
    agencyID,  
    resourceID,  
    version  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
version	(string) Specific version of the resource.

Examples

```
get_structuralresources_categorisations_agency_resource_version("ISTAC", "cat2", "01.000")
```

```
get_structuralresources_category_schemes
    Get category schemes
```

Description

This function returns the content from `/v1.0/categoryschemes`

Usage

```
get_structuralresources_category_schemes(
    limit = 25,
    offset = 0,
    query = NULL,
    orderBy = NULL
)
```

Arguments

<code>limit</code>	(int) Results limit. By default <code>limit = 25</code> .
<code>offset</code>	(int) Displacement. Result from which it is returned. By default <code>offset = 0</code> .
<code>query</code>	(string) Query to filter the results.
<code>orderBy</code>	(string) Field by which to sort the results.

Examples

```
get_structuralresources_category_schemes()
get_structuralresources_category_schemes(query = "ID EQ 2090", orderBy = "ID ASC")
```

```
get_structuralresources_category_schemes_agency
    Get category schemes agency
```

Description

This function returns the content from `/v1.0/categoryschemes/agencyID`

Usage

```
get_structuralresources_category_schemes_agency(  
    agencyID,  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_category_schemes_agency("ISTAC", query = "ID EQ 2090", orderBy = "ID ASC")
```

get_structuralresources_category_schemes_agency_resource
Get category schemes agency resource

Description

This function returns the content from /v1.0/categoryschemes/agencyID/resourceID

Usage

```
get_structuralresources_category_schemes_agency_resource(  
    agencyID,  
    resourceID,  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_category_schemes_agency_resource("ISTAC", "TEMAS_CANARIAS")
```

```
get_structuralresources_category_schemes_agency_resource_version
    Get category schemes agency resource version
```

Description

This function returns the content from `/v1.0/categoryschemes/agencyID/resourceID/version`

Usage

```
get_structuralresources_category_schemes_agency_resource_version(
    agencyID,
    resourceID,
    version
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
version	(string) Specific version of the resource.

Examples

```
get_structuralresources_category_schemes_agency_resource_version(
    "ISTAC", "TEMAS_CANARIAS", "01.000"
)
```

get_structuralresources_category_schemes_agency_resource_version_categories
Get category schemes agency resource version categories

Description

This function returns the content from /v1.0/categoryschemes/agencyID/resourceID/version/categories

Usage

```
get_structuralresources_category_schemes_agency_resource_version_categories(  
    agencyID,  
    resourceID,  
    version,  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
version	(string) Specific version of the resource.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_category_schemes_agency_resource_version_categories(  
    "ISTAC", "TEMAS_CANARIAS", "01.000", limit = 10  
)
```

get_structuralresources_category_schemes_agency_resource_version_categories_id
Get category schemes agency resource version categories (id)

Description

This function returns the content from /v1.0/categoryschemes/agencyID/resourceID/version/categories/categoryID

Usage

```
get_structuralresources_category_schemes_agency_resource_version_categories_id(
    agencyID,
    resourceID,
    version,
    categoryID
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
version	(string) Specific version of the resource.
categoryID	(string)

Examples

```
get_structuralresources_category_schemes_agency_resource_version_categories_id(
    "ISTAC", "TEMAS_CANARIAS", "01.000", "060"
)
get_structuralresources_category_schemes_agency_resource_version_categories_id(
    "ISTAC", "TEMAS_CANARIAS", "01.000", "060.060_010.060_010_010"
)
```

get_structuralresources_codelists
Get codelists

Description

This function allows to obtain the list of classifications.

Usage

```
get_structuralresources_codelists(  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_codelists()
```

```
get_structuralresources_codelists_agency  
    Get codelists agency
```

Description

This function allows obtaining the list of all the classifications maintained by a certain organization.

Usage

```
get_structuralresources_codelists_agency(  
    agencyID,  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

agencyID	(string) Agency identifier.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_codelists_agency("ISTAC")
get_structuralresources_codelists_agency("ESTAT")
```

```
get_structuralresources_codelists_agency_resource
    Get codelists agency resource
```

Description

This function allows to obtain all the versions of a classification with a certain identifier and that is also kept by a certain organization.

Usage

```
get_structuralresources_codelists_agency_resource(
    agencyID,
    resourceID,
    limit = 25,
    offset = 0,
    query = NULL,
    orderBy = NULL
)
```

Arguments

agencyID	(string) Agency identifier.
resourceID	(string) Resource identifier.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_codelists_agency_resource("ISTAC", "CL_AREA_ES")
```

```
get_structuralresources_codelists_agency_resource_version
    Get codelists agency resource version
```

Description

This function allows you to consult a particular version of a classification.

Usage

```
get_structuralresources_codelists_agency_resource_version(  
    agencyID,  
    resourceID,  
    version  
)
```

Arguments

agencyID	(string) Agency identifier.
resourceID	(string) Resource identifier.
version	(string) Specific resource version.

Examples

```
get_structuralresources_codelists_agency_resource_version("ISTAC", "CL_AREA_ES", "01.000")
```

```
get_structuralresources_codelists_agency_resource_version_codes
    Get codelists agency resource version codes
```

Description

This function allows to consult the codes of a version of a classification. Note that if wildcards are used as ~all or one of the limit, offset, query or orderBy parameters, the list will be automatically paginated.

Usage

```
get_structuralresources_codelists_agency_resource_version_codes(  
    agencyID,  
    resourceID,  
    version,  
    limit = 25,  
    offset = 0,  
    query = NULL,
```

```

    orderBy = NULL,
    openness = NULL,
    order = NULL,
    fields = NULL
)

```

Arguments

agencyID	(string) Agency identifier.
resourceID	(string) Resource identifier.
version	(string) Specific resource version.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.
openness	(string) Opening established for viewing.
order	(string) Order established for visualization.
fields	(string) Additional fields that you want to show in the answer.

Examples

```
get_structuralresources_codelists_agency_resource_version_codes("ISTAC", "CL_AREA_ES", "01.000")
```

```

get_structuralresources_codelists_agency_resource_version_codes_codeid
    Get codelists agency resource version codes (codeID)

```

Description

This function allows to consult a specific code of a version of a classification.

Usage

```

get_structuralresources_codelists_agency_resource_version_codes_codeid(
    agencyID,
    resourceID,
    version,
    codeID
)

```

Arguments

agencyID	(string) Agency identifier.
resourceID	(string) Resource identifier.
version	(string) Specific resource version.
codeID	(string) Code identifier.

Examples

```
get_structuralresources_codelists_agency_resource_version_codes_codeid(  
    "ISTAC", "CL_AREA_ES", "01.000", "ES706A01"  
)
```

```
get_structuralresources_codelist_families  
    Get codelist families
```

Description

This function returns the list of families of classifications

Usage

```
get_structuralresources_codelist_families(  
    limit = 25,  
    offset = 0,  
    orderBy = NULL,  
    query = NULL  
)
```

Arguments

limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
orderBy	(string) Field by which to sort the results.
query	(string) Query to filter the results.

Examples

```
get_structuralresources_codelist_families()
```

```
get_structuralresources_codelist_families_id  
    Get codelist families
```

Description

This function allows to obtain a family of classifications in particular.

Usage

```
get_structuralresources_codelist_families_id(id = NULL)
```

Arguments

id (string) codelist family identifier

Examples

```
get_structuralresources_codelist_families_id()
```

```
get_structuralresources_concept_schemes  
    Get concept schemes
```

Description

This function returns the content from /v1.0/concept_schemes

Usage

```
get_structuralresources_concept_schemes(  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

limit (int) Results limit. By default limit = 25.
offset (int) Displacement. Result from which it is returned. By default offset = 0.
query (string) Query to filter the results.
orderBy (string) Field by which to sort the results.

Examples

```
get_structuralresources_concept_schemes()  
get_structuralresources_concept_schemes(query = "ID EQ 2090", orderBy = "ID ASC")
```

get_structuralresources_concept_schemes_agency
Get concept schemes agency

Description

This function returns the content from /v1.0/concept_schemes/agencyID

Usage

```
get_structuralresources_concept_schemes_agency(  
    agencyID,  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_concept_schemes_agency("ISTAC")  
get_structuralresources_concept_schemes_agency("ESTAT", query = "ID EQ 2090", orderBy = "ID ASC")
```

get_structuralresources_concept_schemes_agency_resource
Get concept schemes agency resource

Description

This function returns the content from /v1.0/concept_schemes/agencyID/resourceID

Usage

```

get_structuralresources_concept_schemes_agency_resource(
    agencyID,
    resourceID,
    limit = 25,
    offset = 0,
    query = NULL,
    orderBy = NULL
)

```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```

get_structuralresources_concept_schemes_agency_resource(
    agencyID = "ISTAC", resourceID = "CL_AREA_ES"
)

```

```

get_structuralresources_concept_schemes_agency_resource_version
    Get concept schemes agency resource version

```

Description

This function returns the content from `/v1.0/concept_schemes/agencyID/resourceID/version`

Usage

```

get_structuralresources_concept_schemes_agency_resource_version(
    agencyID,
    resourceID,
    version
)

```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
version	(string) Specific version of the resource.

Examples

```
get_structuralresources_concept_schemes_agency_resource_version(  
    agencyID = "ISTAC", resourceID = "CL_AREA", version = "01.000"  
)
```

get_structuralresources_concept_schemes_agency_resource_version_concepts
Get concept schemes agency resource version concepts

Description

This function returns the content from /v1.0/concept_schemes/agencyID/resourceID/version/concepts

Usage

```
get_structuralresources_concept_schemes_agency_resource_version_concepts(  
    agencyID,  
    resourceID,  
    version,  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
version	(string) Specific version of the resource.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_concept_schemes_agency_resource_version_concepts(  
    agencyID = "ISTAC", resourceID = "CL_AREA_ES", version = "01.000"  
)
```

get_structuralresources_concept_schemes_agency_resource_version_concepts_id
Get concept schemes agency resource version concepts (id)

Description

This function returns the content from /v1.0/concept_schemes/agencyID/resourceID/version/concepts/conceptID

Usage

```
get_structuralresources_concept_schemes_agency_resource_version_concepts_id(  
    agencyID,  
    resourceID,  
    version,  
    conceptID  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
version	(string) Specific version of the resource.
conceptID	(string) Concept identifier.

Examples

```
get_structuralresources_concept_schemes_agency_resource_version_concepts_id(  
    agencyID = "ISTAC", resourceID = "CL_AREA_ES", version = "01.000", conceptID = 0  
)
```

get_structuralresources_concept_types
Get concept types

Description

This function returns the content from /v1.0/conceptTypes

Usage

```
get_structuralresources_concept_types()
```

Examples

```
get_structuralresources_concept_types()
```

get_structuralresources_content_constraints
Get content constraints

Description

This function returns the content from /v1.0/contentConstraints

Usage

```
get_structuralresources_content_constraints(  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_content_constraints()  
get_structuralresources_content_constraints(query = "ID EQ 2090", orderBy = "ID ASC")
```

get_structuralresources_content_constraints_agency
Get content constraints agency

Description

This function returns the content from /v1.0/contentConstraints/agencyID

Usage

```
get_structuralresources_content_constraints_agency(  
    agencyID,  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
limit	(int) Results limit. By default <code>limit = 25</code> .
offset	(int) Displacement. Result from which it is returned. By default <code>offset = 0</code> .
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_content_constraints_agency("ISTAC")
```

```
get_structuralresources_content_constraints_agency_resource
    Get content constraints agency resource
```

Description

This function returns the content from `/v1.0/contentConstraints/agencyID/resourceID`

Usage

```
get_structuralresources_content_constraints_agency_resource(
    agencyID,
    resourceID,
    limit = 25,
    offset = 0,
    query = NULL,
    orderBy = NULL
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
limit	(int) Results limit. By default <code>limit = 25</code> .
offset	(int) Displacement. Result from which it is returned. By default <code>offset = 0</code> .
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_content_constraints_agency_resource("ISTAC", "CL_AREA")
```

get_structuralresources_content_constraints_agency_resource_version
Get content constraints agency resource version

Description

This function returns the content from /v1.0/contentConstraints/agencyID/resourceID/version

Usage

```
get_structuralresources_content_constraints_agency_resource_version(  
    agencyID,  
    resourceID,  
    version  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
version	(string) Specific version of the resource.

Examples

```
get_structuralresources_content_constraints_agency_resource_version("ISTAC", "CL_AREA", "01.000")
```

get_structuralresources_content_constraints_agency_resource_version_regions
Get content constraints agency resource version regions

Description

This function returns the content from /v1.0/contentConstraints/agencyID/resourceID/version/regions/regionCode

Usage

```
get_structuralresources_content_constraints_agency_resource_version_regions(  
    regionCode,  
    agencyID,  
    resourceID,  
    version  
)
```

Arguments

regionCode	(string) Region code.
agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
version	(string) Specific version of the resource.

Examples

```
get_structuralresources_content_constraints_agency_resource_version_regions(  
    "0001", "ISTAC", "CL_AREA", "01.000"  
)
```

```
get_structuralresources_data_structures  
    Get data structures
```

Description

This function returns the content from /v1.0/datastructures

Usage

```
get_structuralresources_data_structures(  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_data_structures()  
get_structuralresources_data_structures(query = "ID EQ 2090", orderBy = "ID ASC")
```

get_structuralresources_data_structures_agency
Get data structures agency

Description

This function returns the content from /v1.0/datastructures/agencyID

Usage

```
get_structuralresources_data_structures_agency(  
    agencyID,  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

agencyID	(string) Identifier of the agency that publishes.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_data_structures_agency("ISTAC")
```

get_structuralresources_data_structures_agency_resource
Get data structures agency resource

Description

This function returns the content from /v1.0/datastructures/agencyID/resourceID

Usage

```

get_structuralresources_data_structures_agency_resource(
    agencyID,
    resourceID,
    limit = 25,
    offset = 0,
    query = NULL,
    orderBy = NULL
)

```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```

get_structuralresources_data_structures_agency_resource("ISTAC", "CL_AREA")

```

```

get_structuralresources_data_structures_agency_resource_version
    Get data structures agency resource version

```

Description

This function returns the content from `/v1.0/datastructures/agencyID/resourceID/version`

Usage

```

get_structuralresources_data_structures_agency_resource_version(
    agencyID,
    resourceID,
    version
)

```

Arguments

agencyID	(string) Identifier of the agency that publishes.
resourceID	(string) Resource identifier.
version	(string) Specific version of the resource.

Examples

```
get_structuralresources_data_structures_agency_resource_version("ISTAC", "CL_AREA", "01.000")
```

```
get_structuralresources_geoinfo  
  Get geoinfo
```

Description

This function returns data from /v1.0/variables/variableID/variableelements/resourceID/geoinfo

Usage

```
get_structuralresources_geoinfo(  
  variableID,  
  resourceID,  
  fields = NULL,  
  limit = 25,  
  offset = 0,  
  query = NULL,  
  orderBy = NULL  
)
```

Arguments

variableID	(string) Variable identifier.
resourceID	(string) Resource identifier.
fields	(string) Additional fields that you want to show in the answer.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
geoinfo <- get_structuralresources_geoinfo("VR_TERRITORIO", "MUN_ICOD_VINOS")
```

```
get_structuralresources_variableelements
    Get variableelements
```

Description

This function returns data from `/v1.0/variables/variableID/variableelements`

Usage

```
get_structuralresources_variableelements(
    variableID,
    limit = 25,
    offset = 0,
    query = NULL,
    orderBy = NULL
)
```

Arguments

<code>variableID</code>	(string) Variable identifier.
<code>limit</code>	(int) Results limit. By default <code>limit = 25</code> .
<code>offset</code>	(int) Displacement. Result from which it is returned. By default <code>offset = 0</code> .
<code>query</code>	(string) Query to filter the results.
<code>orderBy</code>	(string) Field by which to sort the results.

Examples

```
get_structuralresources_variableelements("VR_SEX0")
```

```
get_structuralresources_variableelements_resource
    Get variableelements resource
```

Description

This function returns data from `/v1.0/variables/variableID/variableelements/resourceID`

Usage

```
get_structuralresources_variableelements_resource(variableID, resourceID)
```

Arguments

<code>variableID</code>	(string) Variable identifier.
<code>resourceID</code>	(string) Resource identifier.

Examples

```
get_structuralresources_variableelements_resource("VR_SEXO", "FEMALE")  
get_structuralresources_variableelements_resource("VR_TERRITORIO", "CCAA_CANARIAS")
```

get_structuralresources_variables
Get variables

Description

This function returns data from /v1.0/variables

Usage

```
get_structuralresources_variables(  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderBy	(string) Field by which to sort the results.

Examples

```
get_structuralresources_variables()
```

get_structuralresources_variables_id
Get variables (id)

Description

This function returns data from /v1.0/variables/id

Usage

```
get_structuralresources_variables_id(id)
```

Arguments

id (string) Variable identifier.

Examples

```
get_structuralresources_variables_id("VR_SEX0")
```

get_structuralresources_variable_families
Get variable families

Description

This function returns data from /v1.0/variablefamilies

Usage

```
get_structuralresources_variable_families(  
    limit = 25,  
    offset = 0,  
    query = NULL,  
    orderBy = NULL  
)
```

Arguments

limit (int) Results limit. By default limit = 25.
offset (int) Displacement. Result from which it is returned. By default offset = 0.
query (string) Query to filter the results.
orderBy (string) Field by which to sort the results.

Examples

```
get_structuralresources_variable_families()
```

```
get_structuralresources_variable_families_id
    Get variable families (id)
```

Description

This function returns data from /v1.0/variablefamilies/id

Usage

```
get_structuralresources_variable_families_id(id)
```

Arguments

id (string) Variable family identificator.

Examples

```
get_structuralresources_variable_families_id("VRF_DEMOGRAFICAS")
```

```
get_structuralresources_variable_families_id_variables
    Get variable families (id) variables
```

Description

This function returns data from /v1.0/variablefamilies/id/variables

Usage

```
get_structuralresources_variable_families_id_variables(
    id,
    limit = 25,
    offset = 0,
    query = NULL,
    orderBy = NULL
)
```

Arguments

id (string) Variable family identificator.
limit (int) Results limit. By default limit = 25.
offset (int) Displacement. Result from which it is returned. By default offset = 0.
query (string) Query to filter the results.
orderBy (string) Field by which to sort the results.

Examples

```
get_structuralresources_variable_families_id_variables("VRF_DEMOGRAFICAS")
```

Index

get_datasets, [3](#)
get_datasets_agency, [3](#)
get_datasets_agency_resource, [4](#)
get_datasets_agency_resource_version, [5](#)
get_indicators, [6](#)
get_indicators_code, [7](#)
get_indicators_code_data, [7](#)
get_indicators_geographic_granularities, [8](#)
get_indicators_geographical_values, [8](#)
get_indicators_subjects, [9](#)
get_indicators_systems, [9](#)
get_indicators_systems_code, [10](#)
get_indicators_systems_code_instances, [10](#)
get_indicators_systems_code_instances_code, [11](#)
get_indicators_systems_code_instances_code_data, [12](#)
get_indicators_time_granularities, [13](#)
get_structuralresources_categorisations, [13](#)
get_structuralresources_categorisations_agency, [14](#)
get_structuralresources_categorisations_agency_resource, [14](#)
get_structuralresources_categorisations_agency_resource_version, [15](#)
get_structuralresources_category_schemes, [16](#)
get_structuralresources_category_schemes_agency, [16](#)
get_structuralresources_category_schemes_agency_resource, [17](#)
get_structuralresources_category_schemes_agency_resource_version, [18](#)
get_structuralresources_category_schemes_agency_resource_version_categories, [19](#)
get_structuralresources_category_schemes_agency_resource_version_categories_agency, [20](#)
get_structuralresources_codelist_families, [25](#)
get_structuralresources_codelist_families_id, [25](#)
get_structuralresources_codelists, [20](#)
get_structuralresources_codelists_agency, [21](#)
get_structuralresources_codelists_agency_resource, [22](#)
get_structuralresources_codelists_agency_resource_version, [23](#)
get_structuralresources_codelists_agency_resource_version_agency, [23](#)
get_structuralresources_codelists_agency_resource_version_agency_resource, [24](#)
get_structuralresources_concept_schemes, [26](#)
get_structuralresources_concept_schemes_agency, [27](#)
get_structuralresources_concept_schemes_agency_resource, [27](#)
get_structuralresources_concept_schemes_agency_resource_version, [28](#)
get_structuralresources_concept_schemes_agency_resource_version_agency, [29](#)
get_structuralresources_concept_schemes_agency_resource_version_agency_resource, [30](#)
get_structuralresources_concept_types, [30](#)
get_structuralresources_content_constraints, [31](#)
get_structuralresources_content_constraints_agency, [31](#)
get_structuralresources_content_constraints_agency_resource, [32](#)
get_structuralresources_content_constraints_agency_resource_version, [33](#)

get_structuralresources_content_constraints_agency_resource_version_regions,
33

get_structuralresources_data_structures,
34

get_structuralresources_data_structures_agency,
35

get_structuralresources_data_structures_agency_resource,
35

get_structuralresources_data_structures_agency_resource_version,
36

get_structuralresources_geoinfo, 37

get_structuralresources_variable_families,
40

get_structuralresources_variable_families_id,
41

get_structuralresources_variable_families_id_variables,
41

get_structuralresources_variableelements,
38

get_structuralresources_variableelements_resource,
38

get_structuralresources_variables, 39

get_structuralresources_variables_id,
39