

Package ‘`languageR`’

July 18, 2017

Type Package

Title Access the 'languageR' API

Version 1.1.0

Date 2017-07-10

Maintainer Colin FAY <contact@colinfay.me>

Description Improve your text analysis with languageR
<<https://languageR.com>>, a powerful language detection
API.

URL <https://github.com/ColinFay/languageR>

BugReports <https://github.com/ColinFay/languageR/issues>

License GPL-3

LazyData TRUE

Imports httr, rjson, magrittr

RoxygenNote 6.0.1.9000

Suggests testthat, knitr, rmarkdown

ByteCompile true

VignetteBuilder knitr

NeedsCompilation no

Author Colin FAY [aut, cre]

Repository CRAN

Date/Publication 2017-07-18 12:46:31 UTC

R topics documented:

<code>getLanguage</code>	2
<code>getSupportedLanguage</code>	2
<code>get_lang</code>	3
<code>get_supported_lang</code>	4
<code>languageR</code>	4
<code>setApiKey</code>	5

<code>getLanguage</code>	<i>Deprecated version of <code>get_lang</code></i>
--------------------------	--

Description

This function has been replaced by `get_lang`. Will be removed in the next version of the package.

Usage

```
getLanguage(...)
```

Arguments

... passes args to `get_lang`. Here for backward compatibility

<code>getSupportedLanguage</code>	<i>Deprecated version of <code>get_supported_lang</code></i>
-----------------------------------	--

Description

This function has been replaced by `get_supported_lang`. Will be removed in the next version of the package.

Usage

```
getSupportedLanguage(...)
```

Arguments

... passes args to `get_lang`. Here for backward compatibility

get_lang	<i>Get language</i>
----------	---------------------

Description

Detect language from a character string.

Usage

```
get_lang(query, api_key = NULL)
```

Arguments

query	the character string you want to detect the language from.
api_key	your API key.

Details

Takes a character string, returns a data.frame with the available values.

Value

Returns a data.frame with the detected languages, in descending order of probability. Values are : language_code, language_name, probability (length of the provided query text and how well it is identified as a language), percentage (confidence margin between multiple matches), and reliable_result (whether or not the API is completely confident about the main match).

Note

Before running a function of this package for the first time, you need to set your API key using the [setApiKey](#) function.

Examples

```
get_lang(query = "I really really love R and that's a good thing, right?", api_key = "apikey")
```

get_supported_lang *Get supported languages*

Description

Get all current available languages on the languagelayer API.

Usage

```
get_supported_lang(api_key = NULL)
```

Arguments

api_key Your API key.

Details

Returns a data.frame with the available languages.

Value

Returns a data.frame with language_code and language_name.

Note

Before running a function of this package for the first time, you need to set your API key using the [setApiKey](#) function.

Examples

```
get_supported_lang(api_key = "yourapikey")
```

languagelayeR *languagelayeR*

Description

Access the 'languagelayer' API.

Details

For more info `browseVignettes("languagelayeR")`.

setApiKey

Deprecated function

Description

This function used to set API key for the whole session. Will be removed in the next version of the package.

Usage

setApiKey()

Index

`get_lang`, [3](#)
`get_supported_lang`, [4](#)
`getLanguage`, [2](#)
`getSupportedLanguage`, [2](#)

`languageLayer`, [4](#)

`setApiKey`, [3](#), [4](#), [5](#)