

Package ‘marginaleffects’

January 18, 2022

Title Marginal Effects, Marginal Means, Predictions, and Contrasts

Version 0.3.2

Description Compute, summarize, and plot marginal effects, adjusted predictions, contrasts, and marginal means for a wide variety of models.

License GPL (>= 3)

Copyright inst/COPYRIGHTS

Encoding UTF-8

URL <https://vincentarelbundock.github.io/marginaleffects/>
<https://github.com/vincentarelbundock/marginaleffects>

BugReports <https://github.com/vincentarelbundock/marginaleffects/issues>

RoxygenNote 7.1.2

VignetteBuilder knitr

Config/testthat/edition 3

Config/testthat/parallel true

Depends R (>= 3.5.0)

Imports checkmate, generics, insight (>= 0.14.5), methods

Suggests bench, brms, broom, data.table, dplyr, emmeans, ggdist, ggplot2, ggbeeswarm, gt, haven, kableExtra, knitr, magrittr, margins, modelsummary, patchwork, rlang, rmarkdown, testthat (>= 3.0.0), tidyverse, vdiff, AER, aod, betareg, bife, brglm2, crch, estimatr, fixest (>= 0.10.1), gam, geopack, glmx, ivreg, lme4, MASS, mclogit, mgcv, nlme, nnet, ordinal, plm, pscl, quantreg, rms, robustbase, rstantools, rstanarm, sandwich, scam, speedglm, survey, survival, truncreg, covr, spelling

Collate 'complete_levels.R' 'datagrid.R' 'get_coef.R'
'get_contrasts.R' 'get_dydx.R' 'get_gradient.R'
'get_group_names.R' 'get_hdi.R' 'get_jacobian.R'
'get_predict.R' 'get_vcov.R' 'marginaleffects.R'
'marginalmeans.R' 'mean_or_mode.R' 'set_coef.R'
'methods_MASS.R' 'methods_aod.R' 'methods_betareg.R'

'methods_bife.R' 'sanity_model.R' 'methods_nnet.R'
 'methods_brglm2.R' 'methods_brms.R' 'methods_crch.R'
 'methods_glmx.R' 'methods_lme4.R' 'methods_mclgit.R'
 'methods_mgcv.R' 'methods_ordinal.R' 'methods_plm.R'
 'methods_pscl.R' 'methods_quantreg.R' 'methods_rstanarm.R'
 'methods_scam.R' 'methods_stats.R' 'methods_survival.R'
 'package.R' 'plot.R' 'plot_cap.R' 'plot_cme.R' 'poorman.R'
 'posteriordraws.R' 'predictions.R' 'sanity.R' 'sanity_type.R'
 'standard_errors_delta.R' 'summary.R' 'tidy.R'
 'type_dictionary.R' 'utils.R'

Language en-US

NeedsCompilation no

Author Vincent Arel-Bundock [aut, cre, cph]

(<<https://orcid.org/0000-0003-2042-7063>>)

Maintainer Vincent Arel-Bundock <vincent.arel-bundock@umontreal.ca>

Repository CRAN

Date/Publication 2022-01-18 07:52:48 UTC

R topics documented:

counterfactual	2
datagrid	3
marginaleffects	5
marginalmeans	6
plot.marginaleffects	8
plot_cap	9
plot_cme	10
posteriordraws	11
predictions	11
summary.marginaleffects	13
summary.marginalmeans	14
tidy.marginaleffects	14
tidy.marginalmeans	15
typical	16
Index	17

counterfactual	<i>Superseded by datagrid(..., grid.type = "counterfactual")</i>
----------------	--

Description

Superseded by datagrid(..., grid.type = "counterfactual")

Usage

```
counterfactual(..., model = NULL, newdata = NULL)
```

Arguments

...	named arguments with vectors of values for user-specified variables. The output will include all combinations of these variables (see Examples below.)
model	Model object
newdata	data.frame (one and only one of the model and newdata arguments)

datagrid	<i>Generate a data grid of "typical," "counterfactual," or user-specified values for use in the newdata argument of the marginaffects or predictions functions.</i>
----------	---

Description

Generate a data grid of "typical," "counterfactual," or user-specified values for use in the newdata argument of the marginaffects or predictions functions.

Usage

```
datagrid(
  ...,
  model = NULL,
  newdata = NULL,
  grid.type = "typical",
  FUN.character = Mode,
  FUN.factor = Mode,
  FUN.logical = Mode,
  FUN.numeric = function(x) mean(x, na.rm = TRUE),
  FUN.other = function(x) mean(x, na.rm = TRUE)
)
```

Arguments

...	named arguments with vectors of values for user-specified variables. The output will include all combinations of these variables (see Examples below.)
model	Model object
newdata	data.frame (one and only one of the model and newdata arguments)
grid.type	character <ul style="list-style-type: none"> "typical": variables whose values are not explicitly specified by the user in ... are set to their mean or mode, or to the output of the functions supplied to FUN.type arguments.

- "counterfactual": the entire dataset is duplicated for each combination of the variable values specified in

FUN.character	the function to be applied to character variables.
FUN.factor	the function to be applied to factor variables.
FUN.logical	the function to be applied to factor variables.
FUN.numeric	the function to be applied to numeric variables.
FUN.other	the function to be applied to other variable types.

Details

If `datagrid` is used in a `marginaleffects` or `predictions` call as the `newdata` argument, users do not need to specify the `model` or `newdata` argument. The data is extracted automatically from the model.

If users supply a model, the data used to fit that model is retrieved using the `insight::get_data` function.

Value

A data.frame in which each row corresponds to one combination of the named predictors supplied by the user via the . . . dots. Variables which are not explicitly defined are held at their mean or mode.

Examples

```
# The output only has 2 rows, and all the variables except `hp` are at their
# mean or mode.
datagrid(newdata = mtcars, hp = c(100, 110))

# We get the same result by feeding a model instead of a data.frame
mod <- lm(mpg ~ hp, mtcars)
datagrid(model = mod, hp = c(100, 110))

# Use in `marginaleffects` to compute "Typical Marginal Effects". When used
# in `marginaleffects()` or `predictions()` we do not need to specify the
# `model` or `newdata` arguments.
marginaleffects(mod, newdata = datagrid(hp = c(100, 110)))

# The full dataset is duplicated with each observation given counterfactual
# values of 100 and 110 for the `hp` variable. The original `mtcars` includes
# 32 rows, so the resulting dataset includes 64 rows.
dg <- datagrid(newdata = mtcars, hp = c(100, 110), grid.type = "counterfactual")
nrow(dg)

# We get the same result by feeding a model instead of a data.frame
mod <- lm(mpg ~ hp, mtcars)
dg <- datagrid(model = mod, hp = c(100, 110), grid.type = "counterfactual")
nrow(dg)
```

marginaleffects	<i>Marginal effects using numerical derivatives</i>
-----------------	---

Description

This function calculates marginal effects (slopes) for each row of the dataset. The resulting object can be processed by the `tidy()` or `summary()`, which compute and print Average Marginal Effects (AME). The `datagrid()` function and the `newdata` argument can be used to calculate Marginal Effects at the Mean. See below for details and examples.

Usage

```
marginaleffects(
  model,
  newdata = NULL,
  variables = NULL,
  vcov = TRUE,
  type = "response",
  ...
)
```

Arguments

<code>model</code>	Model object
<code>newdata</code>	A dataset over which to compute marginal effects. NULL uses the original data used to fit the model.
<code>variables</code>	Variables to consider (character vector). NULL calculates marginal effects for all terms in the model object.
<code>vcov</code>	Matrix or boolean <ul style="list-style-type: none"> • FALSE: does not compute unit-level standard errors. • TRUE: computes unit-level standard errors using the default <code>vcov(model)</code> variance-covariance matrix. • Named square matrix: computes standard errors with a user-supplied variance-covariance matrix. This matrix must be square and have dimensions equal to the number of coefficients in <code>get_coef(model)</code>.
<code>type</code>	Type(s) of prediction as string or vector This can differ based on the model type, but will typically be a string such as: "response", "link", "probs", or "zero".
<code>...</code>	Additional arguments are pushed forward to <code>predict()</code> .

Details

A "marginal effect" is the partial derivative of the regression equation with respect to a variable in the model. This function uses automatic differentiation to compute marginal effects for a vast array of models, including non-linear models with transformations (e.g., polynomials).

A detailed vignette on marginal effects and a list of supported models can be found on the package website:

<https://vincentarelbundock.github.io/marginaleffects/>

Value

A data frame with one row per observation (per term/group) and several columns:

- rowid: row number of the newdata data frame
- type: prediction type, as defined by the type argument
- group: (optional) value of the grouped outcome (e.g., categorical outcome models)
- term: the variable whose marginal effect is computed
- dydx: marginal effect of the term on the outcome for a given combination of regressor values
- std.error: standard errors computed by via the delta method.

Examples

```
mod <- glm(am ~ hp * wt, data = mtcars, family = binomial)
mfx <- marginaleffects(mod)
head(mfx)
# Average Marginal Effect (AME)
summary(mfx)
tidy(mfx)
plot(mfx)

# Marginal Effect at the Mean (MEM)
marginaleffects(mod, newdata = datagrid())

# Marginal Effect at User-Specified Values (Counterfactual)
marginaleffects(mod, newdata = datagrid(hp = c(100, 110)))

# Marginal Effects at User-Specified Values (Counterfactual)
mfx <- marginaleffects(mod, newdata = datagrid(hp = c(100, 110), grid.type = "counterfactual"))
head(mfx)

# Heteroskedasticity robust standard errors
marginaleffects(mod, vcov = sandwich::vcovHC(mod))
```

marginalmeans

Marginal Means

Description

Compute estimated marginal means for specified factors.

Usage

```
marginalmeans(
  model,
  variables = NULL,
  variables_grid = NULL,
  vcov = NULL,
  type = "response"
)
```

Arguments

model	Model object
variables	Categorical predictors over which to compute marginal means (character vector). NULL calculates marginal means for all logical, character, or factor variables in the dataset used to fit model.
variables_grid	Categorical predictors used to construct the prediction grid over which adjusted predictions are averaged (character vector). NULL creates a grid with all combinations of all categorical predictors. This grid can be very large when there are many variables and many response levels, so it is advisable to select a limited number of variables in the variables and variables_grid arguments.
vcov	Matrix or boolean <ul style="list-style-type: none"> • FALSE: does not compute unit-level standard errors. • TRUE: computes unit-level standard errors using the default vcov(model) variance-covariance matrix. • Named square matrix: computes standard errors with a user-supplied variance-covariance matrix. This matrix must be square and have dimensions equal to the number of coefficients in get_coef(model).
type	Type(s) of prediction (string or character vector). This can differ based on the model type, but will typically be a string such as: "response", "link", "probs", or "zero".

Details

This function begins by calling the predictions function to obtain a grid of predictors, and adjusted predictions for each cell. The grid includes all combinations of the categorical variables listed in the variables and variables_grid arguments, or all combinations of the categorical variables used to fit the model if variables_grid is NULL. In the prediction grid, numeric variables are held at their means.

After constructing the grid and filling the grid with adjusted predictions, marginalmeans computes marginal means for the variables listed in the variables argument, by average across all categories in the grid.

marginalmeans can only compute standard errors for linear models, or for predictions on the link scale, that is, with the type argument set to "link".

The marginaleffects website compares the output of this function to the popular emmeans package, which provides similar but more advanced functionality: <https://vincentarelbundock.github.io/marginaleffects/>

Value

Data frame of marginal means with one row per variable-value combination.

Examples

```
library(marginaleffects)

# Convert numeric variables to categorical before fitting the model
dat <- mtcars
dat$cyl <- as.factor(dat$cyl)
dat$am <- as.logical(dat$am)
mod <- lm(mpg ~ hp + cyl + am, data = dat)

# Compute and summarize marginal means
mm <- marginalmeans(mod)
summary(mm)
```

plot.marginaleffects *Point-range plot of average marginal effects*

Description

Uses the ggplot2 package to draw a point-range plot of the average marginal effects computed by tidy.

Usage

```
## S3 method for class 'marginaleffects'
plot(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

x	An object produced by the marginaleffects function.
conf.int	Logical indicating whether or not to include a confidence interval.
conf.level	The confidence level to use for the confidence interval if conf.int=TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments are pushed forward to predict().

Details

The tidy function calculates average marginal effects by taking the mean of all the unit-level marginal effects computed by the marginaleffects function.

Value

A ggplot2 object

Examples

```
mod <- glm(am ~ hp + wt, data = mtcars)
mfx <- marginaleffects(mod)
plot(mfx)
```

plot_cap

Plot Conditional Adjusted Predictions

Description

This function plots the adjusted predictions of the outcome (y-axis) against values of one or more predictors.

Usage

```
plot_cap(  
  model,  
  condition,  
  type = "response",  
  conf.int = TRUE,  
  conf.level = 0.95,  
  draw = TRUE  
)
```

Arguments

model	Model object
condition	String or vector of two strings. The first is a variable name to be displayed on the x-axis. The second is a variable whose values will be displayed in different colors.
type	Type(s) of prediction as string or vector This can differ based on the model type, but will typically be a string such as: "response", "link", "probs", or "zero".
conf.int	Logical indicating whether or not to include a confidence interval.
conf.level	The confidence level to use for the confidence interval if conf.int=TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
draw	TRUE returns a ggplot2 plot. FALSE returns a data.frame of the underlying data.

Value

A ggplot2 object

Examples

```
mod <- lm(mpg ~ hp + wt, data = mtcars)
plot_cap(mod, condition = "wt")

mod <- lm(mpg ~ hp * wt * am, data = mtcars)
plot_cap(mod, condition = c("hp", "wt"))
```

plot_cme

Plot Conditional Marginal Effects

Description

In models where two continuous variables are interacted, the marginal effect of one variable is conditional on the value of the other variable. This function draws a plot of the marginal effect of the effect variable for different values of the condition variable.

Usage

```
plot_cme(
  model,
  effect,
  condition,
  type = "response",
  conf.int = TRUE,
  conf.level = 0.95,
  draw = TRUE
)
```

Arguments

model	Model object
effect	Name of the variable whose marginal effect we want to plot on the y-axis
condition	String or vector of two strings. The first is a variable name to be displayed on the x-axis. The second is a variable whose values will be displayed in different colors.
type	Type(s) of prediction as string or vector This can differ based on the model type, but will typically be a string such as: "response", "link", "probs", or "zero".
conf.int	Logical indicating whether or not to include a confidence interval.
conf.level	The confidence level to use for the confidence interval if conf.int=TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
draw	TRUE returns a ggplot2 plot. FALSE returns a data.frame of the underlying data.

Value

A ggplot2 object

Examples

```
mod <- lm(mpg ~ hp * wt, data = mtcars)
plot_cme(mod, effect = "hp", condition = "wt")

mod <- lm(mpg ~ hp * wt * am, data = mtcars)
plot_cme(mod, effect = "hp", condition = c("wt", "am"))
```

posteriordraws	<i>Extract posterior draws from a predictions or marginaleffects object derived from Bayesian brms models</i>
----------------	---

Description

Extract posterior draws from a predictions or marginaleffects object derived from Bayesian brms models

Usage

```
posteriordraws(x)
```

Arguments

x An object produced by the predictions or the marginaleffects functions

Value

A data.frame with drawid and draw columns.

predictions	<i>Adjusted Predictions</i>
-------------	-----------------------------

Description

This function calculates adjusted predictions for each row of the dataset. The datagrid() function and the newdata argument can be used to calculate Average Adjusted Predictions (AAP), Average Prediction at the Mean (APM), or Predictions at User-Specified Values of the regressors. See below for details and examples.

Usage

```
predictions(
  model,
  variables = NULL,
  newdata = NULL,
  conf.level = 0.95,
  type = "response",
  ...
)
```

Arguments

<code>model</code>	Model object
<code>variables</code>	Character vector. Compute Adjusted Predictions for combinations of each of these variables. Factor levels are considered at each of their levels. Numeric variables are considered at Tukey's Five-Number Summaries. NULL uses the original data used to fit the model.
<code>newdata</code>	A dataset over which to compute adjusted predictions. NULL uses the original data used to fit the model.
<code>conf.level</code>	The confidence level to use for the confidence interval. No interval is computed if <code>conf.int=NULL</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>type</code>	Type(s) of prediction as string or vector This can differ based on the model type, but will typically be a string such as: "response", "link", "probs", or "zero".
<code>...</code>	Additional arguments are pushed forward to <code>predict()</code> .

Details

An "adjusted prediction" is the outcome predicted by a model for some combination of the regressors' values, such as their means or factor levels (a.k.a. "reference grid"). When possible, this function uses the delta method to compute the standard error associated with the adjusted predictions.

A detailed vignette on adjusted predictions and a list of supported models are published on the package website:

<https://vincentarelbundock.github.io/marginaleffects/> Compute model-adjusted predictions (fitted values) for a "grid" of regressor values.

Value

A data frame with one row per observation and several columns:

- `rowid`: row number of the `newdata` data frame
- `type`: prediction type, as defined by the `type` argument
- `group`: (optional) value of the grouped outcome (e.g., categorical outcome models)
- `predicted`: predicted outcome
- `std.error`: standard errors computed by the `insight::get_predicted` function or, if unavailable, via `marginaleffects` delta method functionality.

- `conf.low`: lower bound of the confidence or highest density interval (for bayesian models)
- `conf.high`: upper bound of the confidence or highest density interval (for bayesian models)

Examples

```
# Adjusted Prediction for every row of the original dataset
mod <- lm(mpg ~ hp + factor(cyl), data = mtcars)
pred <- predictions(mod)
head(pred)

# Adjusted Predictions at User-Specified Values of the Regressors
predictions(mod, newdata = datagrid(hp = c(100, 120), cyl = 4))

# Average Adjusted Predictions (AAP)
library(dplyr)
mod <- lm(mpg ~ hp * am * vs, mtcars)

pred <- predictions(mod, newdata = datagrid(am = 0, grid.type = "counterfactual")) %>%
  summarize(across(c(predicted, std.error), mean))

predictions(mod, newdata = datagrid(am = 0:1, grid.type = "counterfactual")) %>%
  group_by(am) %>%
  summarize(across(c(predicted, std.error), mean))

# Conditional Adjusted Predictions
plot_cap(mod, condition = "hp")
```

```
summary.marginaleffects
```

Summarize a marginaleffects object

Description

Summarize a marginaleffects object

Usage

```
## S3 method for class 'marginaleffects'
summary(object, conf.level = 0.95, ...)
```

Arguments

<code>object</code>	An object produced by the <code>marginaleffects</code> function
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int=TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>...</code>	Additional arguments are pushed forward to <code>predict()</code> .

Value

Data frame of summary statistics for an object produced by the `marginaleffects` function

`summary.marginalmeans` *Summarize a marginalmeans object*

Description

Summarize a `marginalmeans` object

Usage

```
## S3 method for class 'marginalmeans'
summary(object, conf.level = 0.95, ...)
```

Arguments

<code>object</code>	An object produced by the <code>marginalmeans</code> function
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int=TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>...</code>	Additional arguments are pushed forward to <code>predict()</code> .

Value

Data frame of summary statistics for an object produced by the `marginalmeans` function

`tidy.marginaleffects` *Tidy a marginaleffects object*

Description

Tidy a `marginaleffects` object

Usage

```
## S3 method for class 'marginaleffects'
tidy(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

<code>x</code>	An object produced by the <code>marginaleffects</code> function.
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval.
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int=TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>...</code>	Additional arguments are pushed forward to <code>predict()</code> .

Details

The tidy function calculates average marginal effects by taking the mean of all the unit-level marginal effects computed by the marginaleffects function.

Value

A "tidy" data.frame of summary statistics which conforms to the broom package specification.

Examples

```
mod <- lm(mpg ~ hp * wt + factor(gear), data = mtcars)
mfx <- marginaleffects(mod)
tidy(mfx)
```

tidy.marginalmeans	<i>Tidy a marginalmeans object</i>
--------------------	------------------------------------

Description

Tidy a marginalmeans object

Usage

```
## S3 method for class 'marginalmeans'
tidy(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

x	An object produced by the marginalmeans function.
conf.int	Logical indicating whether or not to include a confidence interval.
conf.level	The confidence level to use for the confidence interval if conf.int=TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments are pushed forward to predict().

Value

A "tidy" data.frame of summary statistics which conforms to the broom package specification.

`typical`*Superseded by datagrid(...)*

Description

Superseded by `datagrid(...)`

Usage

```
typical(  
  ...,  
  model = NULL,  
  newdata = NULL,  
  FUN.character = Mode,  
  FUN.factor = Mode,  
  FUN.logical = Mode,  
  FUN.numeric = function(x) mean(x, na.rm = TRUE),  
  FUN.other = function(x) mean(x, na.rm = TRUE)  
)
```

Arguments

<code>...</code>	named arguments with vectors of values for user-specified variables. The output will include all combinations of these variables (see Examples below.)
<code>model</code>	Model object
<code>newdata</code>	<code>data.frame</code> (one and only one of the <code>model</code> and <code>newdata</code> arguments)
<code>FUN.character</code>	the function to be applied to character variables.
<code>FUN.factor</code>	the function to be applied to factor variables.
<code>FUN.logical</code>	the function to be applied to logical variables.
<code>FUN.numeric</code>	the function to be applied to numeric variables.
<code>FUN.other</code>	the function to be applied to other variable types.

Index

counterfactual, [2](#)
datagrid, [3](#)
marginaleffects, [5](#)
marginalmeans, [6](#)
plot.marginaleffects, [8](#)
plot_cap, [9](#)
plot_cme, [10](#)
posteriordraws, [11](#)
predictions, [11](#)
summary.marginaleffects, [13](#)
summary.marginalmeans, [14](#)
tidy.marginaleffects, [14](#)
tidy.marginalmeans, [15](#)
typical, [16](#)