

Package ‘minimap’

August 29, 2016

Type Package

Title Create Tile Grid Maps

Version 0.1.0

Date 2016-02-17

Description Create tile grid maps, which are like choropleth maps except each region is represented with equal visual space.

Depends R (>= 3.1.0), graphics

Suggests testthat

License MIT + file LICENSE

LazyData TRUE

Encoding UTF-8

URL <http://github.com/seankross/minimap>

RoxygenNote 5.0.1

NeedsCompilation no

Author Sean Kross [aut, cre]

Maintainer Sean Kross <sean@seankross.com>

Repository CRAN

Date/Publication 2016-02-18 06:51:34

R topics documented:

canada_abb	2
maple	2
mexico_abb	3
milk	3
minicanada	4
minimexico	5
miniusa	6
ssm	7
usa_abb	7

Index	9
--------------	----------

canada_abb	<i>Postal Abbreviations for Canada</i>
------------	--

Description

Postal Abbreviations for Canada

Usage

canada_abb

Format

An object of class character of length 13.

Examples

```
## Not run:  
canada_abb  
  
## End(Not run)
```

maple	<i>Production and farm value of maple products in Canada</i>
-------	--

Description

Production and farm value of maple products in Canada

Usage

maple

Format

A data frame with columns:

Year A value between 1924 and 2015.

Syrup Maple products expressed as syrup, total in thousands of gallons.

CAD Gross value of maple products in thousands of Canadian dollars.

Region Postal code abbreviation for territory or province.

Source

Statistics Canada. Table 001-0008 - Production and farm value of maple products, annual. <http://www5.statcan.gc.ca/cansim/>

Examples

```
## Not run:  
maple  
  
## End(Not run)
```

mexico_abb	<i>Postal Abbreviations for Mexico</i>
------------	--

Description

Postal Abbreviations for Mexico

Usage

```
mexico_abb
```

Format

An object of class character of length 32.

Examples

```
## Not run:  
mexico_abb  
  
## End(Not run)
```

milk	<i>Monthly milk production in Canada</i>
------	--

Description

Monthly milk production in Canada

Usage

```
milk
```

Format

A data frame with columns:

Year A value between 1976 and 2015.

Month A value between 1 and 12.

Region Postal code abbreviation for territory or province.

Kiloliters Milk sold off farms in kiloliters.

Source

Statistics Canada. Table 003-0011 - Milk production and utilization, monthly. <http://www5.statcan.gc.ca/cansim/>

Examples

```
## Not run:
milk

## End(Not run)
```

minicanada	<i>Make a tile grid map of Canada</i>
------------	---------------------------------------

Description

Make a tile grid map of Canada

Usage

```
minicanada(pt, pt_colors, border_colors = rep("white", 13), pt_names = TRUE,
  pt_name_colors = rep("white", 13), pt_name_cex = 1, font = NULL)
```

Arguments

pt	A vector of Canadian province and territory postal abbreviations. This vector must be some permutation of <code>canada_abb</code> .
pt_colors	A vector of "colors" in the R sense. For example strings ("blue"), hex codes ("D0C7B9"), etc. The <i>i</i> th color in this vector will be the color of square that represents the <i>i</i> th element of <code>pt</code> .
border_colors	Like <code>pt_colors</code> but specifying the border of the square.
pt_names	Should the postal codes for each province or territory be displayed in the center of the province or territory? The default value is TRUE.
pt_name_colors	Like <code>pt_colors</code> but specifying the color of the text displayed in each province or territory.
pt_name_cex	The size of the text displayed inside of each province or territory.
font	The font of the text displayed inside of each province or territory. The values "serif", "sans", and "mono" are safest to use. Use other fonts at your own risk. If NULL a sans-style font will be used.

Examples

```
## Not run:
minicanada(canada_abb, 1:13)

## End(Not run)
```

`minimexico`*Make a tile grid map of Mexico*

Description

Make a tile grid map of Mexico

Usage

```
minimexico(estados, estados_colors, border_colors = rep("white", 32),
           estados_names = TRUE, estados_name_colors = rep("white", 32),
           estados_name_cex = 1, font = NULL)
```

Arguments

<code>estados</code>	A vector of Mexican state postal abbreviations. This vector must be some permutation of <code>mexico_abb</code> .
<code>estados_colors</code>	A vector of "colors" in the R sense. For example strings ("blue"), hex codes ("D0C7B9"), etc. The <i>i</i> th color in this vector will be the color of square that represents the <i>i</i> th element of <code>estados</code> .
<code>border_colors</code>	Like <code>estados_colors</code> but specifying the border of the square.
<code>estados_names</code>	Should the postal codes for each state be displayed in the center of the state? The default value is TRUE.
<code>estados_name_colors</code>	Like <code>estados_colors</code> but specifying the color of the text displayed in each state.
<code>estados_name_cex</code>	The size of the text displayed inside of each state.
<code>font</code>	The font of the text displayed inside of each state. The values "serif", "sans", and "mono" are safest to use. Use other fonts at your own risk. If NULL a sans-style font will be used.

Examples

```
## Not run:
  minimexico(mexico_abb, 1:32)

## End(Not run)
```

`miniusa`*Make a tile grid map of The United States of America*

Description

Make a tile grid map of The United States of America

Usage

```
miniusa(states, state_colors, border_colors = rep("white", 51),
        state_names = TRUE, state_name_colors = rep("white", 51),
        state_name_cex = 1, font = NULL)
```

Arguments

<code>states</code>	A vector of US state postal abbreviations. This vector must be some permutation of <code>usa_abb</code> .
<code>state_colors</code>	A vector of "colors" in the R sense. For example strings ("blue"), hex codes ("D0C7B9"), etc. The <i>i</i> th color in this vector will be the color of square that represents the <i>i</i> th element of <code>states</code> .
<code>border_colors</code>	Like <code>state_colors</code> but specifying the border of the square.
<code>state_names</code>	Should the postal codes for each state be displayed in the center of the state? The default value is TRUE.
<code>state_name_colors</code>	Like <code>state_colors</code> but specifying the color of the text displayed in each state.
<code>state_name_cex</code>	The size of the text displayed inside of each state.
<code>font</code>	The font of the text displayed inside of each state. The values "serif", "sans", and "mono" are safest to use. Use other fonts at your own risk. If NULL a sans-style font will be used.

Examples

```
## Not run:
  miniusa(state_abb, 1:51)

## End(Not run)
```

ssm

Same sex marriage in the US

Description

Changes in the legality of same sex marriage in the United States over time.

Usage

ssm

Format

A data frame with columns:

State State Abbreviation

Status Legal status. Either bbs meaning banned by statute, nl meaning not legal, legal, bbca meaning banned by constitutional ammendment, or dis meaning disputed.

Year Year status went into effect.

Source

<http://www.nytimes.com/interactive/2015/03/04/us/gay-marriage-state-by-state.html>

Examples

```
## Not run:  
ssm
```

```
## End(Not run)
```

usa_abb

Postal Abbreviations for The United States of America

Description

Postal Abbreviations for The United States of America

Usage

usa_abb

Format

An object of class character of length 51.

Examples

```
## Not run:  
usa_abb
```

```
## End(Not run)
```


Index

*Topic **datasets**

canada_abb, 2

maple, 2

mexico_abb, 3

milk, 3

ssm, 7

usa_abb, 7

canada_abb, 2

maple, 2

mexico_abb, 3

milk, 3

minicanada, 4

minimexico, 5

miniusa, 6

ssm, 7

usa_abb, 7