

Package ‘mmap’

June 27, 2018

Type Package

Title Map Pages of Memory

Version 0.6-17

Date 2018-06-12

Author Jeffrey A. Ryan

LazyLoad yes

Maintainer Jeffrey A. Ryan <jeff.a.ryan@gmail.com>

Description R interface to POSIX mmap and Window's MapViewOfFile.

VignetteBuilder utils

License GPL-3

NeedsCompilation yes

Repository CRAN

Date/Publication 2018-06-27 04:36:35 UTC

R topics documented:

C_types	2
make.fixedwidth	4
mmap	5
mmap.csv	8
mmapFlags	10
mprotect	11
msync	12
sizeof	13
struct	14

Index	19
--------------	-----------

Description

These functions describe the types of raw binary data stored on disk.

Usage

```
char(length = 0, nul = TRUE)
uchar(length = 0)
logi8(length = 0)
logi32(length = 0)
int8(length = 0)
uint8(length = 0)
int16(length = 0)
uint16(length = 0)
int24(length = 0)
uint24(length = 0)
int32(length = 0)
int64(length = 0)
real32(length = 0)
real64(length = 0)
cplx(length = 0)

as.Ctype(x)
is.Ctype(x)
```

Arguments

length	desired length.
x	R object to coerce or test
nul	are characters delimited by a nul byte?

Details

R has very limited storage types. There is one type of integer and one type of float (double). Storage to disk often can be made more efficient by reducing the precision of the data. These functions provide for a sort of virtual mapping from disk to native R type, for use with mmap-ed files.

When a memory mapping is created, a conversion method is declared for both extracting values from disk, as well as replacing elements on disk. The preceding functions are used in the internal compiled code to handle the conversion.

It is the user's responsibility to ensure that data fits within the prescribed types.

Value

An R typed vector of length 'length' with a virtual type and class 'Ctype'. Additional information related to number of bytes and whether the virtual type is signed is also contained.

Warning

There is no attempt to store or read metadata with respect to the extracted or replaced data. This is simply a low level interface to facilitate data reading and writing.

Note

R vectors may be used to create files on disk matching the specified type using the functions `writeBin` with the appropriate size argument. See also.

Author(s)

Jeffrey A. Ryan

References

http://en.wikipedia.org/wiki/C_variable_types_and_declarations <https://cran.r-project.org/doc/manuals/R-exts.html>

See Also

[writeBin](#)

Examples

```
tmp <- tempfile()

# write a 1 byte signed integer -128:127
writeBin(-127:127L, tmp, size=1L)
file.info(tmp)$size
one_byte <- mmap(tmp, int8())
one_byte[]
munmap(one_byte)

# write a 1 byte unsigned integer 0:255
writeBin(0:255L, tmp, size=1L)
file.info(tmp)$size
one_byte <- mmap(tmp, uint8())
one_byte[]
munmap(one_byte)

# write a 2 byte integer -32768:32767
writeBin(c(-32768L,32767L), tmp, size=2L)
file.info(tmp)$size
two_byte <- mmap(tmp, int16())
two_byte[]
munmap(two_byte)
```

```

# write a 2 byte unsigned integer 0:65535
writeBin(c(0L,65535L), tmp, size=2L)
two_byte <- mmap(tmp, uint16())
two_byte[]

# replacement methods automatically (watch precision!!)
two_byte[1] <- 50000
two_byte[]

# values outside of range (above 65535 for uint16 will be wrong)
two_byte[1] <- 65535 + 1
two_byte[]

munmap(two_byte)

# write a 4 byte integer standard R type
writeBin(1:10L, tmp, size=4L)
four_byte <- mmap(tmp, int32())
four_byte[]
munmap(four_byte)

# write 32 bit integers as 64 bit longs (where supported)
int64() # note it is a double in R, but described as int64
writeBin(1:10L, tmp, size=8L)
eight_byte <- mmap(tmp, int64())
storage.mode(eight_byte[]) # using R doubles to preserve most long values
eight_byte[5] <- 2^40 # write as a long, a value in R that is double
eight_byte[5]
munmap(eight_byte)

unlink(tmp)

```

make.fixedwidth

Convert Character Vectors From Variable To Constant Width

Description

Utility function to convert a vector of character strings to one where each element has exactly 'width'-bytes.

Usage

```
make.fixedwidth(x, width = NA, justify = c("left", "right"))
```

Arguments

x A character vector.

width	Maximum width of each element. width=NA (default) will expand each element to the width required to contain the largest element of x without loss of information.
justify	How should the results be padded? 'left' will add spacing to the right of shorter elements in the vector (left-justified), 'right' will do the opposite.

Details

The current implementation of mmap only handles fixed-width strings (nul-terminated). To simplify conversion of (potentially) variable-width strings in a character vector, all elements will be padded to the length of the longest string in the vector or set to length width if specified.

All new elements will be left or right justified based on the justify argument.

Value

A character vector where each element is of fixed-width.

Note

Future implementations will possibly support variable-width character vectors.

Author(s)

Jeffrey A. Ryan

Examples

```
month.name
make.fixedwidth(month.name)
```

mmap

Map And Unmap Pages of Memory

Description

Wrapper to POSIX 'mmap' and Windows MapViewOfFile system calls.

Usage

```
mmap(file, mode = int32(),
      extractFUN=NULL, replaceFUN=NULL,
      prot=mmapFlags("PROT_READ", "PROT_WRITE"),
      flags=mmapFlags("MAP_SHARED"),
      len, off=0L, endian=.Platform$endian,
      ...)

munmap(x)
```

```
as.mmap(x, mode, file, ...)
is.mmap(x)
```

```
extractFUN(x)
replaceFUN(x)
```

```
extractFUN(x) <- value
replaceFUN(x) <- value
```

Arguments

<code>file</code>	name of file holding data to be mapped into memory
<code>mode</code>	mode of data on disk. Use one of ‘char()’ (char <-> R raw), ‘int8()’ (char <-> R integer), ‘uint8()’ (unsigned char <-> R integer), ‘int16()’ (short <-> R integer), ‘uint16()’ (unsigned short <-> R integer), ‘int24()’ (3 byte integer <-> R integer), ‘uint24()’ (unsigned 3 byte integer <-> R integer), ‘int32()’ (R integer), ‘real32()’ (float <-> R double), ‘real64()’ (R double), ‘cplx()’ (R complex), ‘struct()’ (Collection of Ctypes as defined by mmap). See the related functions for details.
<code>extractFUN</code>	A function to convert the raw/integer/double values returned by subsetting into a complex R class. If no change is needed, set to NULL (default).
<code>replaceFUN</code>	A function to convert the R classes to underlying C types for storage.
<code>prot</code>	access permission to data being mapped. Set via bitwise OR with <code>mmapFlags</code> to one or more of ‘PROT_READ’: Data can be read, ‘PROT_WRITE’: Data can be written, ‘PROT_EXEC’: Data can be executed, ‘PROT_NONE’: Data cannot be accessed. Not all will apply within the context of R objects. The default is <code>PROT_READ PROT_WRITE</code> .
<code>flags</code>	additional flags to mmap. Set via bitwise OR with <code>mmapFlags</code> to one or more of ‘MAP_SHARED’: Changes are shared (default), ‘MAP_PRIVATE’: Changes are private, ‘MAP_FIXED’: Interpret <i>addr</i> exactly (Not Applicable). Not all will apply within the context of R objects.
<code>len</code>	length in bytes of mapping from offset. (EXPERT USE ONLY)
<code>off</code>	offset in bytes to start mapping. This <i>must be</i> a multiple of the system pagesize. No checking is currently done, nor is there any mmap provision to find pagesize automatically. (EXPERT USE ONLY)
<code>endian</code>	endianess of data. At present this is <i>only</i> applied to <code>int8</code> , <code>int16</code> , <code>int32</code> , <code>float</code> , <code>real32</code> , <code>double</code> , and <code>real64</code> types for both atomic and struct types. It is applied universally, and not at struct member elements.
<code>...</code>	unused
<code>x</code>	an object of class ‘mmap’
<code>value</code>	a function to apply upon extraction or replacement.

Details

The general semantics of the R function `map` to the underlying operating system C function call. On unix-alikes this is ‘mmap’, on Windows similar functionality is provided by the system call

'MapViewOfFile'. The notable exception is the use of the R argument `file` in place of `void *addr` and `int fildes`. Additionally `len` and `off` arguments are made available to the R level call, though require special care based on the system's `mmap` and are advised for expert use only.

`as.mmap` allows for in-memory objects to be converted to mmapped version on-disk. The files are stored in the location specified by `file`. Passing an object that has an appropriate `as.mmap` method will allow R objects to be automatically created as memory-mapped object. This works for most atomic types in R, including numeric, complex, and character vectors. A special note on character vectors: as the implementation requires a constant number of bytes per element, each element must be of the same width. See `as.mmap.character` for more details.

Complex data types, such as 2 dimensional vectors (`matrix`) and `data.frames` can be supported using appropriate `extractFUN` and `replaceFUN` functions to convert the raw data. Basic object conversion is made available in included `as.mmap` methods for boths types as of version 0.6-3.

All mode types are defined for single-column atomic data, with the exception of `structs`. Multiple column objects are supported by the use of setting `dim`. All data is column major. Row major orientation, as well as supporting multiple types in one object - imitating a `data.frame`, is supported via the `struct` mode.

Using `struct` as the mode will organize the binary data on-disk (or more correctly read data organized on disk) in a row-major orientation. This is similar to how a row database would be oriented, and will provide faster access to data that is typically viewed by row. See `help(struct)` for examples of semantics as well as performance comparisons.

Value

The `mmap` and `as.mmap` call returns an object of class `mmap` containing the fields:

data: pointer to the 'mmap'ped file.

bytes: size of file in bytes. This is not in resident memory.

filedesc: A names integer file descriptor, where the name is path to the file mapped.

storage.mode: R type of raw data on disk. See `types` for details.

pagesize: operating system pagesize.

extractFUN: conversion function on extraction (optional).

replaceFUN: conversion function for replacement (optional).

Author(s)

Jeffrey A. Ryan

References

`mmap`: <http://www.opengroup.org/onlinepubs/000095399/functions/mmap.html>

See Also

See Also as [mmapFlags](#),

Examples

```

# create a binary file and map into 'ints' object
# Note that we are creating a file of 1 byte integers,
# and that the conversion is handled transparently
tmp <- tempfile()
ints <- as.mmap(1:100L, mode=int8(), file=tmp)

ints[1]
ints[]
ints[22]
ints[21:23] <- c(0,0,0)
ints[] # changes are now on disk

# add dimension
dim(ints) <- c(10,10)
ints[]
ints[6,2] # 6th row of 2nd column
ints[,2] # entire 2nd column
munmap(ints)

# store Dates as natural-size 'int' on disk
writeBin(as.integer(Sys.Date()+1:10), tmp)
DATE <- mmap(tmp,extractFUN=function(x) structure(x,class="Date"))
DATE[]
munmap(DATE)

# store 2 decimal numeric as 'int' on disk, and convert on extraction
num <- mmap(tmp,extractFUN=function(x) x/100)
num[]
munmap(num)

unlink(tmp)

# convert via as.mmap munmap
int <- as.mmap(1:10L)
num <- as.mmap(rnorm(10))

```

mmap.csv

Memory Map Text File

Description

Reads a file column by column and creates a memory mapped object.

Usage

```

mmap.csv(file,
         header = TRUE,

```



```

sep = ",",
quote = "\"",
dec = ".",
fill = TRUE,
comment.char = "",
row.names,
...)
```

Arguments

file	the name of the file containing the comma-separated values to be mapped.
header	does the file contain a header line?
sep	field separator character
quote	the set of quoting characters
dec	the character used for decimal points in the file
fill	unimplemented
comment.char	unimplemented
row.names	what it says
...	additional arguments

Details

`mmap.csv` is meant to be the analogue of `read.csv` in R, with the primary difference being that data is read, by column, into memory-mapped structs on disk. The intention is to allow for comma-separated files to be easily mapped into memory without having to load the entire object at once.

Value

An `mmap` object containing the data from the file. All types will be set to the equivalent type from `mmap` as would be in R from a call to `read.csv`.

Warning

At present the memory required to memory-map a csv file will be the memory required to load a single column from the file into R using the traditional `read.table` function. This may not be adequately efficient for extremely large data.

Note

This is currently a very simple implementation to facilitate exploration of the `mmap` package. While the interface will remain consistent with `read.csv` from `utils`, more additions to handle various out-of-core types available in `mmap` as well as performance optimization will be added.

Author(s)

Jeffrey A. Ryan

See Also

[mmap](#), [read.csv](#)

Examples

```
data(cars)
tmp <- tempfile()
write.csv(cars, file=tmp, row.names=FALSE)

m <- mmap.csv(tmp)

colnames(m) <- colnames(cars)

m[]

extractFUN(m) <- as.data.frame # coerce list to data frame upon subset

m[1:3,]

munmap(m)
```

mmapFlags

Create Bitwise Flags for mmap.

Description

Allows for unquoted C constant names to be bitwise OR'd together for passing to mmap related calls.

Usage

```
mmapFlags(...)
```

Arguments

... A comma or vertical bar '|' seperated list of zero or more valid mmap constants. May be quoted or unquoted from the following: PROT_READ, PROT_WRITE, PROT_EXEC, PROT_NONE, MAP_SHARED, MAP_PRIVATE, MAP_FIXED, MS_ASYNC, MS_SYNC, MS_INVALIDATE. See details for more information.

Details

Argument list may contain quoted or unquoted constants as defined in <sys/mman.h>. See individual functions for details on valid flags.

Multiple values passed in will be bitwise OR'd together at the C level, allowing for semantics close to that of native C calls.

Value

An integer vector of length 1.

Note

Read your system's 'mmap' man pages for use details.

Author(s)

Jeffrey A. Ryan

See Also

See Also as [mmap](#), ~~~ See Also as [mprotect](#), ~~~

Examples

```
mmapFlags(PROT_READ)
mmapFlags(PROT_READ | PROT_WRITE)
mmapFlags("PROT_READ" | "PROT_WRITE")
mmapFlags(PROT_READ , PROT_WRITE)
mmapFlags("PROT_READ" , "PROT_WRITE")
```

mprotect

Control Protection of Pages

Description

Wrapper to mprotect system call. Not all implementations will guarantee protection.

Usage

```
mprotect(x, i, prot)
```

Arguments

x	mmap object.
i	location and length of pages to protect.
prot	protection flag set by mmapFlags. Must be one or more of: 'PROT_NONE', 'PROT_READ', 'PROT_WRITE', 'PROT_EXEC'.

Details

This functionality is very experimental, and likely to be of limited use with R, as the result of a page access that is protected is a SIG that isn't likely to be caught by R. This may be of use for other programs sharing resource with R.

Value

0 upon success, otherwise -1.

Author(s)

Jeffrey A. Ryan

References

'mprotect' man page.

msync

Synchronize Memory With Physical Storage

Description

msync calls the underlying system call of the same name. This writes modified whole pages back to the filesystem and updates the file modification time.

Usage

```
msync(x, flags=mmapFlags("MS_ASYNC"))
```

Arguments

x	An mmap object.
flags	One of the following flags: 'MS_ASYNC': return immediately (default). 'MS_SYNC': perform synchronous writes. 'MS_INVALIDATE': invalidate all cached data. Per the man page, 'MS_ASYNC' is not permitted to be combined with the other flags.

Details

See the appropriate OS man page.

Value

0 on success, otherwise -1.

Author(s)

Jeffrey A. Ryan

sizeof	<i>Calculate the Size of Datatypes</i>
--------	--

Description

Calculate the number of bytes in an R data type used by **mmap**.

Usage

```
sizeof(type)
```

Arguments

type A type constructor (function), R atomic, or **mmap** Ctype.

Details

A constructor for the purposes of `sizeof` is a function object used to create an atomic type for R or **mmap**. These include the base atomic type functions such as `integer`, `character`, `double`, `numeric`, `single`, `complex` and similar. In addition, the Ctype constructors in **mmap** such as `int8`, `uint8`, `real32`, etc may be passed in.

More typically a representative object of the above types can be passed in to determine the appropriate data size.

The purpose of this function is for use to help construct a proper `offset` argument value for `mmap` and `mprotect`, though neither use is common or encouraged since alignment to `pagesize` is required from the system call.

Value

Numeric bytes used.

Author(s)

Jeffrey A. Ryan

See Also

[pagesize as.Ctype](#)

Examples

```
# all are equal

sizeof(int32)
sizeof(int32())
sizeof(integer)
sizeof(integer())
sizeof(1L)
```

struct	<i>Construct a Ctype struct</i>
--------	---------------------------------

Description

Construct arbitrarily complex ‘struct’ures in R for use with on-disk C struct’s.

Usage

```
struct(..., bytes, offset)
```

```
is.struct(x)
```

Arguments

...	Field types contained in struct.
bytes	The total number of bytes in the struct. See details.
offset	The byte offset of members of the struct. See details.
x	object to test

Details

struct provides a high level R based description of a C based struct data type on disk.

The types of data that can be contained within a structure (byte array) on disk can be any permutation of the following: int8, uint8, int16, uint16, int32, real32, and real64. ‘struct’s are not recursive, that is all struct’s contained within a struct must be logically flattened (core elements extracted).

All C types are converted to the appropriate R type internally.

It is best to consider a struct a simple byte array, where at specified offsets, a valid C variable type exists. Describing the struct using the R function struct allows mmap extraction to proceed as if the entire structure was one block, (a single ‘i’ value), and each block of bytes can thus be read into R with one operation.

One important distinction between the R struct (and the examples that follow) and a C struct is related to byte-alignment. Note that the R version is effectively serializing the data, without padding to word boundaries. See the following section on ANSIC for more details for reading data generated by an external process such as C/C++.

Value

A list of values, one element for each type of R data.

ANSI_C

ANSI C struct's will typically have padding in cases where required by the language details and/or C programs. In general, if the struct on disk has padding, the use of `bytes` and `offset` are required to maintain alignment with the extraction and replacement code in `mmap` for R.

A simple example of this is where you have an 8-byte double (`real64`) and a 4-byte integer (`int32`). Created by a C/C++ program, the result will be a 16-byte struct - where the final 4-bytes will be padding.

To accomodate this from `mmap`, it is required to specify the corrected bytes (e.g. `bytes=16` in this example). For cases where padding is not at the end of the struct (e.g. if an additional 8-byte double was added as the final member of the previous struct), it would also be necessary to correct the offset to reflect the internal padding. Here, the correct setting would be `offset=c(0,8,16)` - since the 4-byte integer will be padded to 8-bytes to allow for the final double to begin on a word boundary (on a 64 bit platform).

This is a general mechanism to adjust for offset - but requires knowledge of both the struct on disk as well as the generating process. At some point in the near future `struct` will attempt to properly adjust for offset if `mmap` is used on data created from outside of R.

It is important to note that this alignment is also dependent on the underlying hardware word size (`size_t`) and is more complicated than the above example.

Note

'struct's can be thought of as 'rows' in a database. If many different types need always be returned together, it will be more efficient to store them together in a struct on disk. This reduces the number of page hits required to fetch all required data. Conversely, if individual columns are desired it will likely make sense to simply store vectors in separate files on disk and read in with `mmap` individually as needed.

Note that not all behavior of struct extraction and replacement is defined for all virtual and real types yet. This is an ongoing development and will be completed in the near future.

Author(s)

Jeffrey A. Ryan

References

[http://en.wikipedia.org/wiki/Struct_\(C_programming_language\)](http://en.wikipedia.org/wiki/Struct_(C_programming_language)) http://en.wikipedia.org/wiki/Data_structure_alignment

See Also

[types](#)

Examples

```
tmp <- tempfile()

f <- file(tmp, open="ab")
u_int_8 <- c(1L, 255L, 22L) # 1 byte, valid range 0:255
```

```

int_8 <- c(1L, -127L, -22L) # 1 byte, valid range -128:127
u_int_16 <- c(1L, 65000L, 1000L) # 2 byte, valid range 0:65+k
int_16 <- c(1L, 25000L, -1000L) # 2 byte, valid range -32k:32k
int_32 <- c(98743L, -9083299L, 0L) # 4 byte, standard R integer
float_32 <- c(9832.22, 3.14159, 0.00001)
cplx_64 <- c(1+0i, 0+8i, 2+2i)

# not yet supported in struct
char_ <- writeBin(as.raw(1:3), raw())
fixed_width_string <- c("ab", "cd", "ef")

for(i in 1:3) {
  writeBin(u_int_8[i], f, size=1L)
  writeBin(int_8[i], f, size=1L)
  writeBin(u_int_16[i], f, size=2L)
  writeBin(int_16[i], f, size=2L)
  writeBin(int_32[i], f, size=4L)
  writeBin(float_32[i], f, size=4L) # store as 32bit - prec issues
  writeBin(float_32[i], f, size=8L) # store as 64bit
  writeBin(cplx_64[i], f)
  writeBin(char_[i], f)
  writeBin(fixed_width_string[i], f)
}
close(f)

m <- mmap(tmp, struct(uint8(),
                      int8(),
                      uint16(),
                      int16(),
                      int32(),
                      real32(),
                      real64(),
                      cplx(),
                      char(), # also raw()
                      char(2) # character array of n characters each
                      ))
length(m) # only 3 'struct' elements
str(m[])

m[1:2]

# add a post-processing function to convert some elements (rows) to a data.frame
extractFUN(m) <- function(x,i,...) {
  x <- x[i]
  data.frame(u_int_8=x[[1]],
             int_8=x[[2]],
             int_16=x[[3]],
             int_32=x[[4]],
             float_32=x[[5]],
             real_64=x[[6]]
             )
}

m[1:2]

```



```

munmap(m)

# grouping commonly fetched data by row reduces
# disk IO, as values reside together on a page
# in memory (which is paged in by mmap). Here
# we try 3 columns, or one row of 3 values.
# note that with structs we replicate a row-based
# structure.
#
# 13 byte struct
x <- c(writeBin(1L, raw(), size=1),
       writeBin(3.14, raw(), size=4),
       writeBin(100.1, raw(), size=8))
writeBin(rep(x,1e6), tmp)
length(x)
m <- mmap(tmp, struct(int8(),real32(),real64()))
length(m)
m[1]

# create the columns in separate files (like a column
# store)
t1 <- tempfile()
t2 <- tempfile()
t3 <- tempfile()
writeBin(rep(x[1],1e6), t1)
writeBin(rep(x[2:5],1e6), t2)
writeBin(rep(x[6:13],1e6), t3)

m1 <- mmap(t1, int8())
m2 <- mmap(t2, real32())
m3 <- mmap(t3, real64())
list(m1[1],m2[1],m3[1])

i <- 5e5:6e5

# note that times are ~3x faster for the struct
# due to decreased disk IO and CPU cost to process
system.time(for(i in 1:100) m[i])
system.time(for(i in 1:100) m[i])
system.time(for(i in 1:100) list(m1[i],m2[i],m3[i]))
system.time(for(i in 1:100) list(m1[i],m2[i],m3[i]))
system.time(for(i in 1:100) {m1[i];m2[i];m3[i]}) # no cost to list()

# you can skip struct members by specifying offset and bytes
m <- mmap(tmp, struct(int8(),
                     #real32(), here we are skipping the 4 byte float
                     real64(),
                     offset=c(0,5), bytes=13))
# alternatively you can add padding directly
n <- mmap(tmp, struct(int8(), pad(4), real64()))

pad(4)
pad(int32())

```

```
m[1]  
n[1]
```

```
munmap(m)  
munmap(n)  
munmap(m1)  
munmap(m2)  
munmap(m3)  
unlink(t1)  
unlink(t2)  
unlink(t3)  
unlink(tmp)
```

Index

*Topic **IO**

C_types, 2
struct, 14

*Topic **\textasciitildekw1**

mprotect, 11
msync, 12

*Topic **data**

mmap.csv, 8

*Topic **iteration**

struct, 14

*Topic **manip**

mmap.csv, 8

*Topic **programming**

struct, 14

*Topic **utilities**

make.fixedwidth, 4
mmap, 5
mmapFlags, 10
sizeof, 13

as.char (C_types), 2
as.cplx (C_types), 2
as.Ctype, 13
as.Ctype (C_types), 2
as.int16 (C_types), 2
as.int24 (C_types), 2
as.int32 (C_types), 2
as.int8 (C_types), 2
as.list.Ctype (struct), 14
as.mmap (mmap), 5
as.real32 (C_types), 2
as.real64 (C_types), 2
as.struct (struct), 14
as.uchar (C_types), 2
as.uint16 (C_types), 2
as.uint24 (C_types), 2
as.uint8 (C_types), 2

bits (C_types), 2

C_types, 2

char (C_types), 2
cplx (C_types), 2

dim.mmap (mmap), 5
dim<- .mmap (mmap), 5
dimnames.mmap (mmap), 5
dimnames<- .mmap (mmap), 5

extractFUN (mmap), 5
extractFUN<- (mmap), 5

int16 (C_types), 2
int24 (C_types), 2
int32 (C_types), 2
int64 (C_types), 2
int8 (C_types), 2
is.array.mmap (mmap), 5
is.Ctype (C_types), 2
is.mmap (mmap), 5
is.struct (struct), 14

logi32 (C_types), 2
logi8 (C_types), 2

make.fixedwidth, 4
mmap, 5, 10, 11
mmap.csv, 8
mmapFlags, 7, 10
mprotect, 11, 11
msync, 12
munmap (mmap), 5

nbytes (C_types), 2

pad (struct), 14
pagesize, 13
pagesize (mmap), 5

read.csv, 10
real32 (C_types), 2

real64 (C_types), 2
replaceFUN (mmap), 5
replaceFUN<- (mmap), 5

sizeof, 13
struct, 14

tempmmap (mmap), 5
types, 15
types (C_types), 2

uchar (C_types), 2
uint16 (C_types), 2
uint24 (C_types), 2
uint8 (C_types), 2

writeBin, 3