

Package ‘mortyr’

July 19, 2019

Title Wrapper to 'The Rick and Morty' API

Version 0.0.1

Description Returns information about characters, locations, and episodes from 'The Rick and Morty' API: <<https://rickandmortyapi.com>>.

License MIT + file LICENSE

URL <https://github.com/mikejohnpage/mortyr>

BugReports <https://github.com/mikejohnpage/mortyr/issues>

Encoding UTF-8

LazyData true

Imports htr, jsonlite, tibble

Suggests testthat

RoxygenNote 6.1.1

NeedsCompilation no

Author Michael Page [aut, cre]

Maintainer Michael Page <hello@mikejohnpage.com>

Repository CRAN

Date/Publication 2019-07-19 09:30:02 UTC

R topics documented:

| | |
|--------------------------|---|
| get_characters | 2 |
| get_episodes | 3 |
| get_locations | 3 |

get_characters *Get characters*

Description

get_characters returns a tibble of all the characters from the 'character' endpoint of The Rick and Morty API¹. This information includes:

- id
- name
- status
- species
- type
- gender
- image
- episode
- url
- created
- origin.name
- origin.url
- location.name
- location.url

Usage

```
get_characters()
```

Examples

```
get_characters()
```

¹<https://rickandmortyapi.com/documentation/#character>

| | |
|--------------|---------------------|
| get_episodes | <i>Get episodes</i> |
|--------------|---------------------|

Description

get_episodes returns a tibble of all the episodes from the ‘episode‘ endpoint of The Rick and Morty API². This information includes:

- id
- name
- air_date
- episode
- characters
- url
- created

Usage

```
get_episodes ()
```

Examples

```
get_episodes ()
```

| | |
|---------------|----------------------|
| get_locations | <i>Get locations</i> |
|---------------|----------------------|

Description

get_locations returns a tibble of all the locations from the ‘location‘ endpoint of The Rick and Morty API³. This information includes:

- id
- name
- type
- dimension
- residents
- url
- created

²<https://rickandmortyapi.com/documentation/#episode>

³<https://rickandmortyapi.com/documentation/#location>

Usage

```
get_locations()
```

Examples

```
get_locations()
```