

Package ‘mosaic’

July 26, 2017

Type Package

Title Project MOSAIC Statistics and Mathematics Teaching Utilities

Version 1.0.0

Date 2017-07-25

Depends R (>= 3.0.0), dplyr, lattice (>= 0.20-21), ggformula,
mosaicData

Imports mosaicCore, ggplot2, lazyeval (>= 0.2.0), MASS, grid, tidyr,
readr, methods, utils, splines, latticeExtra, ggdendro,
gridExtra, Matrix, glue

Suggests lubridate, fastR, magrittr, NHANES, RCurl, sp, maptools, vcd,
testthat, knitr, tools, parallel, mapproj, rgl, rmarkdown

Enhances manipulate

VignetteBuilder knitr

Author Randall Pruim <rpruim@calvin.edu>, Daniel T. Kaplan
<kaplan@macalester.edu>, Nicholas J. Horton <nhorton@amherst.edu>

Maintainer Randall Pruim <rpruim@calvin.edu>

Description Data sets and utilities from Project MOSAIC (<<http://mosaic-web.org>>) used to teach mathematics, statistics, computation and modeling. Funded by the NSF, Project MOSAIC is a community of educators working to tie together aspects of quantitative work that students in science, technology, engineering and mathematics will need in their professional lives, but which are usually taught in isolation, if at all.

License GPL (>= 2)

LazyLoad yes

LazyData yes

URL <https://github.com/ProjectMOSAIC/mosaic>

BugReports <https://github.com/ProjectMOSAIC/mosaic/issues>

RoxygenNote 6.0.1.9000

NeedsCompilation no

Repository CRAN

Date/Publication 2017-07-26 04:40:09 UTC

R topics documented:

mosaic-package	4
adapt_seq	5
aggregatingFunction1	6
aggregatingFunction1or2	7
aggregatingFunction2	7
as.xtabs	8
ashplot	9
bargraph	11
binom.test	12
Broyden	14
cdist	14
chisq	15
CIAdata	16
CIsim	17
columns	18
compareMean	19
compareProportion	20
confint	21
confint.htest	23
cor_test.formula	24
counts	25
cross	26
cull_for_do	26
deg2rad	27
deltaMethod	28
derivedVariable	28
dfapply	30
diffmean	31
do	31
docFile	33
dotPlot	34
dpqrdist	35
ediff	35
evalFormula	36
evalSubFormula	37
expandFun	38
factorize	38
fav_stats	39
fetchData	40
findZeros	41
findZerosMult	42
fitModel	43
fitSpline	45
fortify.hclust	46
fortify.summary.lm	47
freqpoly	47

freqpolygon	49
FunctionsFromData	50
getVarFormula	52
googleMap	52
gwm	53
inferArgs	54
inspect	55
is.wholenumber	56
joinFrames	57
ladd	57
linear.algebra	58
logical2factor	59
logit	60
MAD	61
MAD_	62
maggregate	62
makeColorscheme	64
makeMap	64
mean_	65
mid	67
mm	68
mosaic.options	68
mPlot	69
mplot	71
mUSMap	73
mWorldMap	73
nice_names	74
ntiles	75
n_missing	76
orrr	76
panel.levelcontourplot	78
panel.lmbands	79
panel.plotFun	80
panel.plotFun1	81
pdist	82
perctable	84
plotCumfreq	84
plotDist	85
plotFun	87
plotModel	90
plotPoints	91
print.msummary.lm	93
project	94
prop	96
prop.test	97
qdata	98
qdata_v	100
qdist	101

r.squared	102
rand	103
read.file	103
relm	105
repeater-class	105
resample	106
rescale	107
rflip	108
rfun	109
rlatlon	110
rspin	111
rsquared	112
rstudio_is_available	112
set.rseed	113
sp2df	113
standardName	114
statTally	115
surround	117
swap	117
tally	118
theme.mosaic	120
theme_map	121
TukeyHSD.lm	121
t_test	122
update_ci	124
value	124
vector2df	125
xchisq.test	126
xhistogram	126
xpnorm	129
xqqmath	130
xyz2latlon	131
zscore	132

Index**133**

mosaic-package

*mosaic: the Project MOSAIC package***Description**

mosaic

Details

Data sets and utilities from Project MOSAIC (mosaic-web.org) used to teach mathematics, statistics, computation and modeling. Funded by the NSF, Project MOSAIC is a community of educators working to tie together aspects of quantitative work that students in science, technology, engineering and mathematics will need in their professional lives, but which are usually taught in isolation, if at all.

Author(s)

Randall Pruim (<rpruim@calvin.edu>), Daniel Kaplan (<kaplan@macalester.edu>), Nicholas Horton (<nhorton@smith.edu>)

References

<http://mosaic-web.org>

adapt_seq	<i>Adaptively generate sequences in an interval</i>
-----------	---

Description

adapt_seq is similar to seq except that instead of selecting points equally spaced along an interval, it selects points such that the values of a function applied at those points are (very) roughly equally spaced. This can be useful for sampling a function in such a way that it can be plotted more smoothly, for example.

Usage

```
adapt_seq(from, to, length.out = 200, f = function(x, ...) { 1 },
  args = list(), quiet = FALSE)
```

Arguments

from	start of interval
to	end of interval
length.out	desired length of sequence
f	a function
args	arguments passed to f
quiet	suppress warnings about NaNs, etc.

Value

a numerical vector

Examples

```
adapt_seq(0, pi, 25, sin)
```

 aggregatingFunction1 *1-ary Aggregating functions*

Description

aggregatingFunction1 creates statistical summaries of one numerical vector that are formula aware.

Usage

```
aggregatingFunction1(fun, output.multiple = FALSE, envir = parent.frame(),
  na.rm = getOption("na.rm", FALSE), style = c("formula1st", "formula",
  "flexible"))
```

Arguments

fun	a function that takes a numeric vector and computes a summary statistic, returning a numeric vector.
output.multiple	a boolean indicating whether fun returns multiple values
envir	an environment in which evaluation takes place.
na.rm	the default value for na.rm in the resulting function.
style	one of "formula1st", "formula2nd" or "flexible". In the first two cases, the first argument must be a formula or evaluate to an object. In the latter case, bare names will be converted into formulas.

Details

The logic of the resulting function is this: 1) If the first argument is a formula, use that formula and data to create the necessary call(s) to fun; (2) Else simply pass everything to fun for evaluation.

Value

a function that generalizes fun to handle a formula/data frame interface.

Note

Earlier versions of this function supported a "bare name + data frame" interface. This functionality has been removed since it was (a) ambiguous in some cases, (b) unnecessary, and (c) difficult to maintain.

Examples

```
if (require(mosaicData)) {
  foo <- aggregatingFunction1(base::mean)
  foo( ~ length, data = KidsFeet)
  base::mean(KidsFeet$length)
  foo(length ~ sex, data = KidsFeet)
}
```

`aggregatingFunction1or2`*1- or 2-ary aggregating functions*

Description

`aggregatingFunction1or2()` creates statistical summaries for functions like `var()` that can have either 1 or 2 numeric vector inputs.

Usage

```
aggregatingFunction1or2(fun, output.multiple = FALSE,  
  na.rm = getOption("na.rm", FALSE))
```

Arguments

<code>fun</code>	a function that takes 1 or 2 numeric vectors and computes a summary statistic, returning a numeric vector of length 1.
<code>output.multiple</code>	a boolean indicating whether <code>fun</code> returns multiple values
<code>na.rm</code>	the default value for <code>na.rm</code> in the resulting function.

Details

This was designed primarily to support `var` which can be used to compute either the variance of one variable or the covariance of two variables. The logic of the resulting function is this: 1) If the first two arguments are both formulas, then those formulas are evaluated (with data) to compute the covariance; 2) If the first argument is a formula, and the second is `NULL`, then the formula and data are used to create the necessary call(s) to `fun`; 3) Else everything is simply passed to `fun` for evaluation.

Note

Earlier versions of this function supported a "bare name + data frame" interface. This functionality has been removed since it was (a) ambiguous in some cases, (b) unnecessary, and (c) difficult to maintain.

`aggregatingFunction2` *2-ary aggregating functions*

Description

`aggregatingFunction2` creates statistical summaries of two numerical vectors that are formula aware.

Usage

```
aggregatingFunction2(fun)
```

Arguments

`fun` a function that takes two numeric vectors and computes a summary statistic, returning a numeric vector of length 1.

Details

This was designed to support functions like `cov()` which can be used to compute numerical summaries from two numeric vectors. The logic of the resulting function is this: 1) If the first two arguments are both formulas, then those formulas are evaluated (with `data`) to compute the covariance; 2) If the first argument is a formula, and the second is `NULL`, then the left and right sides of the formula and `data` are used to create the vectors passed to `fun`; 3) Else everything is simply passed to `fun` for evaluation.

Value

a function that generalizes `fun` to handle a formula/data frame interface.

Note

Earlier versions of this function supported a "bare name + data frame" interface. This functionality has been removed since it was (a) ambiguous in some cases, (b) unnecessary, and (c) difficult to maintain.

Examples

```
if(require(mosaicData)) {  
  foo <- aggregatingFunction2(stats::cor)  
  foo(length ~ width, data = KidsFeet)  
  stats::cor(KidsFeet$length, KidsFeet$width)  
}
```

as.xtabs

Convert objects to xtabs format

Description

Convert a data frame or a matrix into an `xtabs` object.

Usage

```
as.xtabs(x, ...)  
  
## S3 method for class 'data.frame'  
as.xtabs(x, rowvar = NULL, colvar = NULL, labels = 1,  
  ...)  
  
## S3 method for class 'matrix'  
as.xtabs(x, rowvar = NULL, colvar = NULL, ...)
```

Arguments

x	object (typically a data frame) to be converted to xtabs format
...	additional arguments to be passed to or from methods.
rowvar	name of the row variable as character string
colvar	name of the column variable as character string
labels	column of data frame that contains the labels of the row variable.

Details

The intended use is to convert a two-way contingency table stored in a data frame or a matrix into an xtabs object.

Value

An xtabs object.

Examples

```
# example from example(fisher.test)  
df <- data.frame( X=c('Tea', 'Milk'), Tea=c(3,1), Milk=c(1,3) )  
xt <- as.xtabs(df, rowvar="Guess", colvar="Truth"); xt  
if (require(vcd)) { mosaic(xt) }
```

Description

An ASH plot is the average over all histograms of a fixed bin width.

Usage

```
ashplot(x, data = data, ..., width = NULL, adjust = NULL,
        panel = panel.ashplot, prepanel = prepanel.default.ashplot)

prepanel.default.ashplot(x, darg, groups = NULL, subscripts = TRUE, ...)

panel.ashplot(x, darg = list(), plot.points = FALSE, ref = FALSE,
              groups = NULL, jitter.amount = 0.01 * diff(current.panel.limits())$ylim),
              type = "p", ..., identifier = "ash")
```

Arguments

x	A formula or numeric vector.
data	A data frame.
...	Additional arguments passed to panel and prepanel functions or data, a data frame in which to find the variables used for the plot.
width	The histogram bin width.
adjust	A numeric adjustment to width. Primarily useful when width is not specified. Increasing adjust makes the plot smoother.
panel	A panel function.
prepanel	A prepanel function.
darg	a list of arguments for the function computing the ASH.
groups	as in other lattice plots
subscripts	as in other lattice prepanel functions
plot.points	One of TRUE, FALSE, "jitter", or "rug"
ref	a logical indicating whether a reference line should be displayed
jitter.amount	when plot.points="jitter", the value to use as the amount argument to jitter .
type	type argument used to plot points, if requested. This is not expected to be useful, it is available mostly to protect a type argument, if specified, from affecting the display of the ASH.
identifier	A character string that is prepended to the names of i grobs that are created by this panel function.

Examples

```
ashplot( ~age | substance, groups = sex, data = HELPrct)
```

bargraph	<i>Create bar graphs from raw data</i>
----------	--

Description

[barchart](#) from the `lattice` package makes bar graphs from pre-tabulated data. Raw data can be tabulated using [xtabs](#), but the syntax is unusual compared to the other `lattice` plotting functions. `bargraph` provides an interface that is consistent with the other `lattice` functions.

Usage

```
bargraph(x, data = parent.frame(), groups = NULL, horizontal = FALSE,
         origin = 0, ylab = ifelse(horizontal, "", type),
         xlab = ifelse(horizontal, type, ""), type = c("count", "frequency",
         "proportion", "percent"), auto.key = TRUE, scales = list(), ...)
```

Arguments

<code>x</code>	a formula describing the plot
<code>data</code>	a data frame in which the formula <code>x</code> is evaluated
<code>groups</code>	a variable or expression used for grouping. See barchart .
<code>horizontal</code>	a logical indicating whether bars should be horizontal
<code>origin</code>	beginning point for bars. For the default behavior used by barchart set <code>origin</code> to <code>NULL</code> , but 0 is often a better default. If 0 is not good, perhaps you should use a different kind of plot as the results may be misleading.
<code>ylab</code>	a character vector of length one used for the y-axis label
<code>xlab</code>	a character vector of length one used for the x-axis label
<code>type</code>	one of "frequency", "count", "percent", or "proportion" indicating what type of scale to use. Unique prefixes are sufficient.
<code>auto.key</code>	a logical expression indicating whether a legend should be automatically produced
<code>scales</code>	is a list determining how the x- and y-axes are drawn
<code>...</code>	additional arguments passed to barchart

Details

`bargraph(formula, data=data, ...)` works by creating a new data frame from `xtabs(formula, data=data)` and then calling [barchart](#) using modified version of the formula and this new data frame as inputs. This has implications on, for example, conditional plots where one desires to condition on some expression that will be evaluated in `data`. This typically does not work because the required variables do not exist in the output of `xtabs`. One solution is to first add a new variable to `data` first and then to condition using this new variable. See the examples.

Value

a trellis object describing the plot

See Also

[barchart](#)

Examples

```
if (require(mosaicData)) {
  data(HELPrct)
  bargraph( ~ substance, data = HELPrct)
  bargraph( ~ substance, data = HELPrct, horizontal = TRUE)
  bargraph( ~ substance | sex, groups = homeless, auto.key = TRUE, data = HELPrct)
  bargraph( ~ substance, groups = homeless, auto.key=TRUE,
           data = HELPrct %>% filter(sex == "male"))
  HELPrct2 <- mutate(HELPrct, older = age > 40)
  bargraph( ~ substance | older, data = HELPrct2)
}
```

 binom.test

Exact Tests for Proportions

Description

The `binom.test` function performs an exact test of a simple null hypothesis about the probability of success in a Bernoulli experiment from summarized data or from raw data. The mosaic `binom.test` provides wrapper functions around the function of the same name in **stats**. These wrappers provide an extended interface (including formulas).

Usage

```
binom.test(x, n = NULL, p = 0.5, alternative = c("two.sided", "less",
        "greater"), conf.level = 0.95, ci.method = c("Clopper-Pearson",
        "binom.test", "Score", "Wilson", "prop.test", "Wald", "Agresti-Coull",
        "Plus4"), data = NULL, success = NULL, ...)
```

Arguments

<code>x</code>	count of successes, length 2 vector of success and failure counts, a formula, or a character, numeric, or factor vector containing raw data.
<code>n</code>	sample size (successes + failures) or a data frame (for the formula interface)
<code>p</code>	probability for null hypothesis
<code>alternative</code>	type of alternative hypothesis
<code>conf.level</code>	confidence level for confidence interval
<code>ci.method</code>	a method to use for computing the confidence interval (case insensitive and may be abbreviated). See details below.

data	a data frame (if missing, n may be a data frame)
success	level of variable to be considered success. All other levels are considered failure.
...	additional arguments (often ignored)

Details

binom.test is a wrapper around [binom.test](#) from the base package to simplify its use when the raw data are available, in which case an extended syntax for binom.test is provided. See the examples.

Also, five confidence interval methods are provided:

Clopper-Pearson, binom.test This is the interval produced when using [binom.test](#) from the stats package. It guarantees a coverage rate at least as large as the nominal coverage rate, but may produce wider intervals than some of the methods below, which may either under- or over-cover depending on the data.

Score, Wilson, prop.test This is the usual method used by [prop.test](#) and is computed by inverting p-values from score tests. It is often attributed to Edwin Wilson.

Wald This is the interval traditionally taught in entry level statistics courses. It uses the sample proportion to estimate the standard error and uses normal theory to determine how many standard deviations to add and/or subtract from the sample proportion to determine an interval.

Agresti-Coull This is the Wald method after setting $n' = n + z^2$ and $p' = (x + z^2/2)/n'$ and using $x' = n'p'$ and n' in place of x and n .

Plus4 This is Wald after adding in two artificial success and two artificial failures. It is nearly the same as the Agresti-Coull method when the confidence level is 95 z^2 is approximately 4 and $z^2/2$ is approximately 2.

Value

an object of class htest

Note

When x is a 0-1 vector, 0 is treated as failure and 1 as success. Similarly, for a logical vector TRUE is treated as success and FALSE as failure.

See Also

[prop.test](#), [binom.test](#)

Examples

```
# Several ways to get a confidence interval for the proportion of Old Faithful
# eruptions lasting more than 3 minutes.
data(faithful)
binom.test(faithful$eruptions > 3)
binom.test(97, 272)
binom.test(c(97, 272-97))
faithful$long <- faithful$eruptions > 3
```

```

binom.test(faithful$long)
binom.test(resample(1:4, 400), p=.25)
binom.test(~ long, data = faithful)
binom.test(~ long, data = faithful, ci.method = "Wald")
binom.test(~ long, data = faithful, ci.method = "Plus4")
with(faithful, binom.test(~long))
with(faithful, binom.test(long))

```

 Broyden

Multi-Dimensional Root Finding

Description

Implementation of Broyden's root finding function to numerically compute the root of a system of nonlinear equations

Usage

```

Broyden(system, vars, x = 0, tol = .Machine$double.eps^0.4,
        maxiters = 10000)

```

Arguments

system	A list of functions
vars	A character string list of variables that appear in the functions
x	A starting vector
tol	The tolerance for the function specifying how precise it will be
maxiters	maximum number of iterations.

 cdist

Central portion of a distribution

Description

This function determines the critical values for isolating a central portion of a distribution with a specified probability. This is designed to work especially well for symmetric distributions, but it can be used with any distribution.

Usage

```

cdist(dist, p, ..., verbose = FALSE)

```

Arguments

dist	a character string naming a distribution family (e.g., "norm"). This will work for any family for which the usual d/p/q functions exist.
p	the proportion to be in the central region, with equal proportions in either "tail".
...	additional arguments passed to the distribution functions. Typically these specify the parameters of the particular distribution desired. See the examples.
verbose	a logical indicating whether a more verbose output value should be returned.

Value

a pair of numbers indicating the upper and lower bounds, unless verbose is TRUE, in which case a 1-row data frame is returned containing these bounds, the central probability, the tail probabilities, and the name of the distribution.

Note

This function is still experimental and changes the input or output formats are possible in future versions of the package.

Examples

```

cdist( "norm", .95)
cdist( "t", c(.90, .95, .99), df=5)
cdist( "t", c(.90, .95, .99), df=50)
cdist( "t", .95, df=c(3,5,10,20))
cdist( "t", .95, df=c(3,5,10,20), verbose = TRUE )
cdist( "norm", .95, mean=500, sd=100 )
cdist( "chisq", c(.90, .95), df=3 )
# CI
x <- rnorm(23, mean = 10, sd = 2)
cdist("t", p = 0.95, df=22)
mean(x) + cdist("t", p = 0.95, df=22) * sd(x) / sqrt(23)
confint(t.test(x))
cdist("t", p = 0.95, df=22, verbose = TRUE)

```

chisq

Extract Chi-squared statistic

Description

Extract Chi-squared statistic

Usage

```
chisq(x, ...)

## S3 method for class 'htest'
chisq(x, ...)

## S3 method for class 'table'
chisq(x, correct = FALSE, ...)

## Default S3 method:
chisq(x, correct = FALSE, ...)
```

Arguments

x An object of class "htest" a coming from a Chi-squared test, an object of class "table", or the inputs to [tally](#).

... additional arguments passed on to [tally](#) or [chisq.test](#).

correct a logical indicating whether a continuity correction should be applied.

See Also

[stat](#)

Examples

```
if(require(mosaicData)) {
  Mites.table <- tally( ~ outcome + treatment, data=Mites )
  Mites.table
  chisq.test(Mites.table)
  chisq(Mites.table)
  chisq(chisq.test(Mites.table))
  ## Randomization test. Increase replications to decrease Monte Carlo error.
  do(3) * chisq( tally( ~ outcome + shuffle(treatment), data=Mites ) )
  Mites.rand <- do(1000) * chisq( tally( ~ outcome + shuffle(treatment), data=Mites ) )
  tally( ~(X.squared >= chisq(Mites.table)), data=Mites.rand, format="proportion")
}
```

Description

This function can be used in two different ways. Without an argument, it returns a reference table that includes information about all the CIA World Factbook tables that are available through this function. Note the Name column that indicates a unique name for each available dataset. If this name is passed as an argument to the function, the function will return the corresponding dataset.

Usage

```
CIAdata(name = NULL)
```

Arguments

name An optional parameter specifying the name of the desired dataset. If multiple names are given, a merge will be attempted on the individual data sets.

Examples

```
head(CIAdata())
Population <- CIAdata("pop")
nrow(Population)
head(Population)

PopArea <- CIAdata(c("pop","area")) %>% mutate(density = pop / area)
nrow(PopArea)
head(PopArea)
PopArea %>%
  filter(!is.na(density)) %>%
  arrange(density) %>%
  tail
```

 CIsim

Compute confidence intervals from (multiple) simulated data sets

Description

This function automates the calculation of coverage rates for exploring the robustness of confidence interval methods.

Usage

```
CIsim(n, samples = 100, rdist = rnorm, args = list(), plot = if (samples
  <= 200) "draw" else "none", estimand = 0, conf.level = 0.95,
  method = t.test, method.args = list(), interval = function(x) {
  do.call(method, c(list(x, conf.level = conf.level), method.args))$conf.int },
  estimate = function(x) { do.call(method, c(list(x, conf.level =
  conf.level), method.args))$estimate }, verbose = TRUE)
```

Arguments

n size of each sample

samples number of samples to simulate

rdist function used to draw random samples

args arguments required by rdist

plot	one of "print", "return", "horizontal", or "none" describing whether a plot should be printed, returned, printed with horizontal intervals, or not generated at all.
estimand	true value of the parameter being estimated
conf.level	confidence level for intervals
method	function used to compute intervals. Standard functions that produce an object of class htest can be used here.
method.args	arguments required by method
interval	a function that computes a confidence interval from data. Function should return a vector of length 2.
estimate	a function that computes an estimate from data
verbose	print summary to screen?

Value

A data frame with variables lower, upper, estimate, cover ('Yes' or 'No'), and sample is returned invisibly. See the examples for a way to use this to display the intervals graphically.

Examples

```
# 1000 95% intervals using t.test; population is N(0,1)
CIsim(n=10, samples=1000)
# this time population is Exp(1); fewer samples, so we get a plot
CIsim(n=10, samples=100, rdist=rexp, estimand=1)
# Binomial treats 1 like success, 0 like failure
CIsim(n=30, samples=100, rdist=rbinom, args=list(size=1, prob=.7),
      estimand = .7, method = binom.test, method.args=list(ci = "Plus4"))
```

columns	<i>return a vector of row or column indices</i>
---------	---

Description

return a vector of row or column indices

Usage

```
columns(x, default = c())
```

```
rows(x, default = c())
```

Arguments

x	an object that may or may not have any rows or columns
default	what to return if there are no rows or columns

Value

if x has rows or columns, a vector of indices, else default

Examples

```
columns(iris)
dim(HELPrct)
columns(HELPrct)
rows(HELPrct)
columns(NULL)
columns("this doesn't have columns")
```

compareMean

Compare means between 2 groups

Description

A function to calculate the difference between the means of a continuous variable for two groups.

Usage

```
compareMean(formula, data = parent.frame(), ...)
```

Arguments

formula	a formula
data	a data frame in which x is evaluated if x is a formula. Note that the default is <code>data=parent.frame()</code> . This makes it convenient to use this function interactively by treating the working environment as if it were a data frame. But this may not be appropriate for programming uses. When programming, it is best to use an explicit data argument – ideally supplying a data frame that contains the variables mentioned
...	other arguments

Value

the difference in means between the second and first group

Note

This function has been deprecated. Use [diffmean](#) instead.

See Also

[do](#), [compareProportion](#) and [shuffle](#)

Examples

```

if (require(mosaicData)) {
  data(HELPrct)
  # calculate the observed difference
  mean(age ~ sex, data=HELPrct)
  obs <- diffmean(age ~ sex, data=HELPrct); obs
  # calculate the permutation distribution
  nulldist <- do(100) * diffmean(age ~ shuffle(sex),
    data=HELPrct)
  histogram(~ diffmean, groups=(diffmean >= obs), nulldist,
    xlab="difference in means")
}

```

compareProportion	<i>Compare proportions between 2 groups</i>
-------------------	---

Description

A function to facilitate 2 group permutation tests for a categorical outcome variable

Usage

```
compareProportion(formula, data = NULL, ...)
```

Arguments

formula	a formula
data	a data frame in which x is evaluated if x is a formula.
...	other arguments

Value

the difference in proportions between the second and first group

Note

This function has been deprecated. Use [diffprop](#) instead.

Examples

```

if (require(mosaicData)) {
  data(HELPrct)
  # calculate the observed difference
  mean(homeless=="housed" ~ sex, data=HELPrct)
  obs <- diffprop(homeless=="housed" ~ sex, data=HELPrct); obs
  # calculate the permutation distribution
  nulldist <- do(100) * diffprop(homeless=="housed" ~ shuffle(sex), data=HELPrct)
  histogram(~ diffprop, groups=(diffprop>= obs), nulldist,
    xlab="difference in proportions")
}

```

confint *Confidence interval methods for output of resampling*

Description

Methods for confint to compute confidence intervals on numerical vectors and numerical components of data frames.

Usage

```
## S3 method for class 'numeric'
confint(object, parm, level = 0.95, ...,
        method = "percentile", margin.of.error = "stderr" %in% method ==
        "stderr")
```

```
## S3 method for class 'do.tbl_df'
confint(object, parm, level = 0.95, ...,
        method = "percentile", margin.of.error = "stderr" %in% method,
        df = NULL)
```

```
## S3 method for class 'do.data.frame'
confint(object, parm, level = 0.95, ...,
        method = "percentile", margin.of.error = "stderr" %in% method,
        df = NULL)
```

```
## S3 method for class 'data.frame'
confint(object, parm, level = 0.95, ...)
```

```
## S3 method for class 'summary.lm'
confint(object, parm, level = 0.95, ...)
```

Arguments

object	and R object
parm	a vector of parameters
level	a confidence level
...	additional arguments
method	a character vector of methods to use for creating confidence intervals. Choices are "percentile" (or "quantile") which is the default, "stderr" (or "se"), "bootstrap", and "reverse" (or "basic")
margin.of.error	if true, report intervals as a center and margin of error.
df	degrees for freedom. This is required when object was produced using <code>link{do}</code> when using the standard error to compute the confidence interval since typically this information is not recorded in these objects. The default (Inf) uses a normal critical value rather than a one derived from a t-distribution.

Details

The methods of producing confidence intervals from bootstrap distributions are currently quite naive. In particular, when using the standard error, assistance may be required with the degrees of freedom, and it may not be possible to provide a correct value in all situations. None of the methods include explicit bias correction. Let q_a be the a quantile of the bootstrap distribution, let t_a, df be the a quantile of the t distribution with df degrees of freedom, let SE_b be the standard deviation of the bootstrap distribution, and let $\hat{\theta}$ be the estimate computed from the original data. Then the confidence intervals with confidence level $1 - 2a$ are

quantile (q_a, q_{1-a})

reverse ($2\hat{\theta} - q_{1-a}, 2\hat{\theta} - q_a$)

stderr ($\hat{\theta} - t_{1-a, df} SE_b, \hat{\theta} + t_{1-a, df} SE_b$). When df is not provided, an attempt is made to determine an appropriate value, but this should be double checked. In particular, missing data can lead to unreliable results.

The bootstrap-t confidence interval is computed much like the reverse confidence interval but the bootstrap t distribution is used in place of a theoretical t distribution. This interval has much better properties than the reverse (or basic) method, which is here for comparison purposes only and is not recommended.

Value

When applied to a data frame, returns a data frame giving the confidence interval for each variable in the data frame using `t.test` or `binom.test`, unless the data frame was produced using `do`, in which case it is assumed that each variable contains resampled statistics that serve as an estimated sampling distribution from which a confidence interval can be computed using either a central proportion of this distribution or using the standard error as estimated by the standard deviation of the estimated sampling distribution. For the standard error method, the user must supply the correct degrees of freedom for the t distribution since this information is typically not available in the output of `do`.

When applied to a numerical vector, returns a vector.

References

Tim C. Hesterberg (2015): What Teachers Should Know about the Bootstrap: Resampling in the Undergraduate Statistics Curriculum, *The American Statistician*, <http://dx.doi.org/10.1080/00031305.2015.1089789>.

Examples

```
if (require(mosaicData)) {
  bootstrap <- do(500) * diffmean( age ~ sex, data=resample(HELPrct) )
  confint(bootstrap)
  confint(bootstrap, method = "percentile")
  confint(bootstrap, method = "boot")
  confint(bootstrap, method = "se", df=nrow(HELPrct) - 1)
  confint(bootstrap, margin.of.error = FALSE)
  confint(bootstrap, margin.of.error = TRUE, level=0.99, method=c("boot", "se", "perc") )
  bootstrap2 <- do(500)*mean( resample(1:10) )
}
```

```

    confint(bootstrap2)
  }
  confint( summary(lm(width ~ length * sex, data=KidsFeet)) )

```

 confint.htest

Extract summary statistics

Description

Extract confidence intervals, test statistics or p-values from an htest object.

Usage

```

## S3 method for class 'htest'
confint(object, parm, level, ...)

pval(x, ...)

## S3 method for class 'htest'
pval(x, digits = 4, verbose = FALSE, ...)

stat(x, ...)

## S3 method for class 'htest'
stat(x, ...)

```

Arguments

object	a fitted model object or an htest object.
parm	a specification of which parameters are to be given confidence intervals, either a vector of numbers or a vector of names. If missing, all parameters are considered.
level	the confidence level required.
...	Additional arguments.
x	An object of class htest.
digits	number of digits to display in verbose output
verbose	a logical

Value

the extracted p-value, confidence interval, or test statistic

Examples

```

confint(t.test(rnorm(100)))
pval(t.test(rnorm(100)))
stat(t.test(rnorm(100)))
confint(var.test(rnorm(10,sd=1), rnorm(20, sd=2)))
pval(var.test(rnorm(10,sd=1), rnorm(20, sd=2)))
if (require(mosaicData)) {
  data(HELPrct)
  stat(t.test (age ~ shuffle(sex), data=HELPrct))
  # Compare to test statistic computed with permuted values of sex.
  do(10) * stat(t.test (age ~ shuffle(sex), data=HELPrct))
}

```

cor_test.formula	<i>Alternative formula interface for cor.test</i>
------------------	---

Description

`cor.test` in **stats** accepts formulas of the shape $\sim y + x$. The **mosaic** package allows the use of $y \sim x$ as an alternative formula shape.

Usage

```

cor_test.formula(formula, ...)

cor.test(x, ...)

cor_test.default(x, y, ...)

```

Arguments

formula	a formula
...	other arguments passed to <code>cor.test()</code> .
x, y	numeric vectors of data values. x and y must have the same length.

See Also

`cor.test()` in the **stats** package.

Examples

```

# This is an example from example(stats::cor.test) done in old and new style
require(graphics)
cor.test(~ CONT + INTG, data = USJudgeRatings)
cor.test(CONT ~ INTG, data = USJudgeRatings)

```

counts	<i>Compute all proportions or counts</i>
--------	--

Description

Compute vector of counts, proportions, or percents for each unique value (and NA if there is missing data) in a vector.

Usage

```
counts(x, ...)

## Default S3 method:
counts(x, ..., format = c("count", "proportion", "percent"))

## S3 method for class 'formula'
counts(x, data, ..., format = "count")

props(x, ..., format = "proportion")

percs(x, ..., format = "percent")
```

Arguments

x	A vector or a formula.
...	Arguments passed to methods.
format	One of "count", "proportion", or "percent". May be abbreviated.
data	A data frame.

See Also

[prop\(\)](#)
[count\(\)](#)

Examples

```
props(HELPrct$substance)
# Formula version removes missing data (for now, may change this in future versions)
props(HELPMiss$link)
props(~ link, data = HELPMiss)
tally(~ link, data = HELPMiss, format = "prop")
props(~ substance | sex, data = HELPrct)
props(~ substance | sex, data = HELPrct, format = "percent")
counts(~ substance | sex, data = HELPrct)
if (require(ggformula)) {
  df_stats(~ substance | sex, data = HELPrct, props, counts)
}
```

cross	<i>Factor cross products</i>
-------	------------------------------

Description

Construct a product of factors.

Usage

```
cross(..., sep = ":", drop.unused.levels = FALSE)
```

Arguments

...	factors to be crossed.
sep	separator between levels
drop.unused.levels	should levels that do not appear in cross product be dropped?

Value

a factor

Examples

```
x <- letters[1:3]
y <- c(1,2,1,1,3,1,3)
cross(x, y)
cross(x, y, drop.unused.levels=TRUE)
```

cull_for_do	<i>Cull objects used with do()</i>
-------------	------------------------------------

Description

The `do` function facilitates easy replication for randomization tests and bootstrapping (among other things). Part of what makes this particularly useful is the ability to cull from the objects produced those elements that are useful for subsequent analysis. `cull_for_do` does this culling. It is generic, and users can add new methods to either change behaviour or to handle additional classes of objects.

Usage

```
cull_for_do(object, ...)
```

Arguments

object an object to be culled
... additional arguments (currently ignored)

Details

When `do(n) * expression` is evaluated, `expression` is evaluated `n` times to produce a list of `n` result objects. `cull_for_do` is then applied to each element of this list to extract from it the information that should be stored. For example, when applied to a object of class "lm", the default `cull_for_do` extracts the coefficients, coefficient of determinism, an the estimate for the variance, etc.

Examples

```
cull_for_do(lm(length ~ width, data = KidsFeet))  
do(1) * lm(length ~ width, data = KidsFeet)
```

deg2rad

Convert between degrees and radians

Description

Facilitates conversion between degrees and radians.

Usage

```
deg2rad(x)
```

```
rad2deg(x)
```

Arguments

x a numeric vector

Value

a numeric vector

See Also

[latlon2xyz](#), [googleMap](#), and [rgeo](#).

Examples

```
deg2rad(180)  
rad2deg(2*pi)
```

deltaMethod	<i>deltaMethod has moved to a separate package</i>
-------------	--

Description

deltaMethod has moved to its own separate package.

Usage

```
deltaMethod(...)
```

Arguments

... arguments (ignored, since this is defunct)

derivedVariable	<i>Create new variables from logicals</i>
-----------------	---

Description

Utility functions for creating new variables from logicals describing the levels

Usage

```
derivedVariable(..., .ordered = FALSE, .method = c("unique", "first",
  "last"), .debug = c("default", "always", "never"), .sort = c("given",
  "alpha"), .default = NULL, .asFactor = FALSE)
```

```
derivedFactor(..., .asFactor = TRUE)
```

Arguments

...	named logical "rules" defining the levels.
.ordered	a logical indicating whether the resulting factored should be ordered Ignored if .asFactor is FALSE.
.method	one of "unique", "first", and "last". If "unique", exactly one rule must be TRUE for each position. If "first", the first TRUE rule defines the level. If "last", the last TRUE rule defines the level.
.debug	one of "default", "always", and "never", indicating whehter debugging information should be printed. If "default", debugging information is printed only when multiple rules give conflicting definitions for some positions.
.sort	One of "given" (the default) or "alpha" or a vector of integers the same length as the number of levels indicating the order in which the levels should appear in the resulting factor. Ignored if .asFactor is FALSE.
.default	character vector of length 1 giving name of default level or NULL for no default.
.asFactor	A logical indicating whether the returned value should be a factor.

Details

Each logical "rule" corresponds to a level in the resulting variable. If `.default` is defined, an implicit rule is added that is TRUE whenever all other rules are FALSE. When there are multiple TRUE rules for a slot, the first or last such is used or an error is generated, depending on the value of method.

`derivedVariable` is designed to be used with `transform` or `mutate` to add new variables to a data frame. `derivedFactor()` is the same but that the default value for `.asFactor` is TRUE. See the examples.

Examples

```
Kf <- mutate(KidsFeet, biggerfoot2 = derivedFactor(
  dom = biggerfoot == domhand,
  nondom = biggerfoot != domhand
))
tally( ~ biggerfoot + biggerfoot2, data = Kf)
tally( ~ biggerfoot + domhand, data = Kf)

# Three equivalent ways to define a new variable
# Method 1: explicitly define all levels
modHELP <- mutate(HELPrct, drink_status = derivedFactor(
  abstinent = i1 == 0,
  moderate = (i1>0 & i1<=1 & i2<=3 & sex=='female') |
    (i1>0 & i1<=2 & i2<=4 & sex=='male'),
  highrisk = ((i1>1 | i2>3) & sex=='female') |
    ((i1>2 | i2>4) & sex=='male'),
  .ordered = TRUE)
)
tally( ~ drink_status, data = modHELP)

# Method 2: Use .default for last level
modHELP <- mutate(HELPrct, drink_status = derivedFactor(
  abstinent = i1 == 0,
  moderate = (i1<=1 & i2<=3 & sex=='female') |
    (i1<=2 & i2<=4 & sex=='male'),
  .ordered = TRUE,
  .method = "first",
  .default = "highrisk")
)
tally( ~ drink_status, data = modHELP)

# Method 3: use TRUE to catch any fall through slots
modHELP <- mutate(HELPrct, drink_status = derivedFactor(
  abstinent = i1 == 0,
  moderate = (i1<=1 & i2<=3 & sex=='female') |
    (i1<=2 & i2<=4 & sex=='male'),
  highrisk=TRUE,
  .ordered = TRUE,
  .method = "first"
)
)
```

```
tally( ~ drink_status, data = modHELP)
is.factor(modHELP$drink_status)

modHELP <- mutate(HELPrct, drink_status = derivedVariable(
  abstinent = i1 == 0,
  moderate = (i1<=1 & i2<=3 & sex=='female') |
    (i1<=2 & i2<=4 & sex=='male'),
  highrisk=TRUE,
  .ordered = TRUE,
  .method = "first"
)
)
is.factor(modHELP$drink_status)
```

dfapply

apply-type function for data frames

Description

An apply-type function for data frames.

Usage

```
dfapply(data, FUN, select = TRUE, ...)
```

Arguments

data	data frame
FUN	a function to apply to (some) variables in the data frame
select	a logical, character (naming variables), or numeric vector or a function used to select variables to which FUN is applied. If a function, it should take a vector as input and return a single logical. See examples.
...	arguments passed along to FUN

See Also

[apply](#), [sapply](#), [tapply](#), [lapply](#), [inspect](#)

Examples

```
dfapply(iris, favstats, select = is.numeric)
dfapply(iris, favstats, select = c(TRUE, TRUE, FALSE, FALSE, FALSE))
dfapply(iris, favstats, select = c(1,2))
dfapply(iris, favstats, select = c("Sepal.Length", "Petal.Length"))
dfapply(HELPrct, table, select = is.factor)
do.call(rbind, dfapply(HELPrct, favstats, select = is.numeric))
```

diffmean	<i>Difference in means and proportions</i>
----------	--

Description

Wrappers around `diff(mean(...))` and `diff(prop(...))` that facilitate better naming of the result

Usage

```
diffmean(x, ..., data = parent.frame(), only.2 = TRUE)
```

```
diffprop(x, ..., data = parent.frame(), only.2 = TRUE)
```

Arguments

`x`, `data`, ... as in [mean](#) or [prop](#)

`only.2` a logical indicating whether differences should only be computed between two groups.

Examples

```
if (require(mosaicData)) {
  diffprop( homeless ~ sex , data=HELPrct)
  do(3) * diffprop( homeless ~ shuffle(sex) , data=HELPrct)
  diffmean( age ~ substance, data=HELPrct, only.2=FALSE)
  do(3) * diffmean(age ~ shuffle(substance), data=HELPrct, only.2=FALSE)
  diffmean( age ~ sex, data=HELPrct)
  do(3) * diffmean(age ~ shuffle(sex), data=HELPrct)
}
```

do	<i>Do Things Repeatedly</i>
----	-----------------------------

Description

`do()` provides a natural syntax for repetition tuned to assist with replication and resampling methods.

Usage

```
do(object, ...)

## S3 method for class 'numeric'
do(object, ...)

## Default S3 method:
do(object, ...)

Do(n = 1L, cull = NULL, mode = "default", algorithm = 1,
   parallel = TRUE)

## S3 method for class 'repeater'
print(x, ...)

## S4 method for signature 'repeater,ANY'
e1 * e2
```

Arguments

object	an object
...	additional arguments
n	number of times to repeat
cull	function for culling output of objects being repeated. If NULL, a default culling function is used. The default culling function is currently aware of objects of types <code>lme</code> , <code>lm</code> , <code>htest</code> , <code>table</code> , <code>cointoss</code> , and <code>matrix</code> .
mode	target mode for value returned
algorithm	a number used to select the algorithm used. Currently numbers below 1 use an older algorithm and numbers ≥ 1 use a newer algorithm which is faster in some situations.
parallel	a logical indicating whether parallel computation should be attempted using the parallel package (if it is installed and loaded).
x	an object created by <code>do</code> .
e1	an object (in cases documented here, the result of running <code>do</code>)
e2	an object (in cases documented here, an expression to be repeated)

Value

`do` returns an object of class `repeater` which is only useful in the context of the operator `*`. See the examples.

Note

`do` is a thin wrapper around `Do` to avoid collision with `do` from the **dplyr** package.

Author(s)

Daniel Kaplan (<kaplan@macalaster.edu>) and Randall Pruim (<rpruim@calvin.edu>)

See Also

[replicate](#), [set.rseed](#)

Examples

```
do(3) * rnorm(1)
do(3) * "hello"
do(3) * 1:4
do(3) * mean(rnorm(25))
if (require(mosaicData)) {
  do(3) * lm(shuffle(height) ~ sex + mother, Galton)
  do(3) * anova(lm(shuffle(height) ~ sex + mother, Galton))
  do(3) * c(sample.mean = mean(rnorm(25)))
  set.rseed(1234)
  do(3) * tally( ~sex|treat, data=resample(HELPrct))
  set.rseed(1234) # re-using seed gives same results again
  do(3) * tally( ~sex|treat, data=resample(HELPrct))
}
```

docFile

Return the path to a documentation file in a package

Description

Return the path to a documentation file in a package

Usage

```
docFile(file, package = "mosaic", character.only = FALSE)
```

Arguments

file	the name of a file
package	the name of a package
character.only	a logical. If TRUE package names must be specified as character, else names will be converted as a convenience as is library and library .

Value

a character vector specifying the path to the file on the user's system.

Examples

```
MustangPrice <- read.file(docFile("MustangPrice.csv", "mosaic"))
```

dotPlot

*Dotplots***Description**

A high level function and panel function for producing a variant of a histogram called a dotplot.

Usage

```
dotPlot(x, breaks, ..., panel = panel.dotPlot)
```

```
panel.dotPlot(x, breaks, equal.widths = TRUE, groups = NULL, nint = if
  (is.factor(x)) nlevels(x) else round(1.3 * log2(length(x)) + 4), pch, col,
  lty = trellis.par.get("dot.line")$lty,
  lwd = trellis.par.get("dot.line")$lwd,
  col.line = trellis.par.get("dot.line")$col,
  alpha = trellis.par.get("dot.symbol")$alpha, cex = 1, type = "count",
  ...)
```

Arguments

`x` a vector of values or a formula
`breaks`, `equal.widths`, `groups`, `pch`, `col`, `lty`, `lwd`, `col.line`, `type`, `alpha`
 as in [histogram](#)
`...` additional arguments
`panel` a panel function
`nint` the number of intervals to use
`cex` a ratio by which to increase or decrease the dot size

Value

a trellis object

See Also

[histogram](#)

Examples

```
if (require(mosaicData)) {
  dotPlot( ~ age, data = HELPrct)
  dotPlot( ~ age, nint=42, data = HELPrct)
  dotPlot( ~ height | voice.part, data = singer, nint = 17,
    endpoints = c(59.5, 76.5), layout = c(4,2), aspect = 1,
    xlab = "Height (inches)")
}
```

dpqrdist *Distribution wrapper*

Description

Utility function wrapping up the d/p/q/r distribution functions

Usage

```
dpqrdist(dist, type = c("d", "p", "q", "r"), ...)
```

Arguments

dist	a character discription of a distribution, for example "norm", "t", or "chisq"
type	one of "x", "p", "q", or "r"
...	additional arguments passed on to underlying distribution function. Note that one of d, p, q, or n must be a named argument in ...

Examples

```
# 3 random draws from N(1,2)
dpqrdist("norm", "r", n = 3, mean = 1, sd = 2)
# These should all be the same
dpqrdist("norm", "d", x = 0) == dnorm(x = 0)
dpqrdist("norm", "p", q = 0, mean = 1, sd = 2) == pnorm(q = 0, mean = 1, sd = 2)
dpqrdist("norm", "q", p = 0.5, mean = 1, sd = 2) == qnorm(p = 0.5, mean = 1, sd = 2)
```

ediff *Lagged Differences with equal length*

Description

Often when creating lagged differences, it is awkward that the differences vector is shorter than the original. ediff pads with pad.value to make its output the same length as the input.

Usage

```
ediff(x, lag = 1, differences = 1, pad = c("head", "tail", "symmetric"),
      pad.value = NA, frontPad, ...)
```

Arguments

x	a numeric vector or a matrix containing the values to be differenced
lag	an integer indicating which lag to use
differences	an integer indicating the order of the difference
pad	one of "head", "tail", or "symmetric". indicating where the pad.value padding should be added to the result.
pad.value	the value to be used for padding.
frontPad	logical indicating whether padding is on the front (head) or back (tail) end. This exists for backward compatibility. New code should use pad instead.
...	further arguments to be passed to or from methods

See Also

[diff](#) since ediff is a thin wrapper around [diff](#).

Examples

```
ediff(1:10)
ediff(1:10, pad.value = 0)
ediff(1:10, 2)
ediff(1:10, 2, 2)
x <- cumsum(cumsum(1:10))
ediff(x, lag = 2)
ediff(x, differences = 2)
ediff(x, differences = 2, pad="symmetric")
ediff(.leap.seconds)
if (require(mosaicData)) {
  Men <- subset(SwimRecords, sex=="M")
  Men <- mutate(Men, change=ediff(time), interval=ediff(year))
  head(Men)
}
```

 evalFormula

Evaluate a formula

Description

Evaluate a formula

Usage

```
evalFormula(formula, data = parent.frame(), subset, ops = c("+", "&"))
```

Arguments

formula	a formula ($y \sim x \mid z$) to evaluate
data	a data frame or environment in which evaluation occurs
subset	an optional vector describing a subset of the observations to be used. Currently only implemented when data is a data frame.
ops	a vector of operator symbols allowable to separate variables in rhs

Value

a list containing data frames corresponding to the left, right, and condition slots of formula

Examples

```
if (require(mosaicData)) {
  data(CPS85)
  cps <- CPS85[1:6,]
  cps
  evalFormula(wage ~ sex & married & age | sector & race, data=cps)
}
```

evalSubFormula	<i>Evaluate a part of a formula</i>
----------------	-------------------------------------

Description

Evaluate a part of a formula

Usage

```
evalSubFormula(x, data = NULL, ops = c("+", "&"), env = parent.frame())
```

Arguments

x	an object appearing as a subformula (typically a name or a call)
data	a data frame or environment in which things are evaluated
ops	a vector of operators that are not evaluated as operators but instead used to further split x
env	an environment in which to search for objects not in data.

Value

a data frame containing the terms of the evaluated subformula

Examples

```

if (require(mosaicData)) {
  data(CPS85)
  cps <- CPS85[1:6,]
  cps
  evalSubFormula( rhs( ~ married & sector), data=cps )
}

```

expandFun	<i>Expand the left-hand side of a formula</i>
-----------	---

Description

Expands the contents of functions used in a formula.

Usage

```
expandFun(formula, ...)
```

Arguments

formula	A mathematical expression (see examples and plotFun)
...	additional parameters

Value

A list with the new expanded formula and the combined formals

Examples

```

f=makeFun(x^2~x)
expandFun(f(z)~z) #Returns z^2~z

```

factorize	<i>Conditionally convert vectors to factors</i>
-----------	---

Description

A generic function and several instances for creating factors from other sorts of data. The primary use case is for vectors that contain few unique values and might be better considered as factors. When applied to a data frame, this is applied to each variable in the data frame.

Usage

```

factorize(x, ...)

## Default S3 method:
factorize(x, ...)

## S3 method for class 'numeric'
factorize(x, max.levels = 5L, ...)

## S3 method for class 'character'
factorize(x, max.levels = 5L, ...)

## S3 method for class 'data.frame'
factorize(x, max.levels = 5L, ...)

factorise(x, ...)

```

Arguments

x	an object
...	additional arguments (currently ignored)
max.levels	an integer. Only convert if the number of unique values is no more than max.levels.

Examples

```

data(KidsFeet, package="mosaicData")
str(KidsFeet)
factorize(KidsFeet$birthyear)
str(factorize(KidsFeet))
# alternative spelling
str(factorise(KidsFeet))

```

fav_stats

Some favorite statistical summaries

Description

Likely you mean to be using [favstats](#). Each of these computes the mean, standard deviation, quartiles, sample size and number of missing values for a numeric vector, but [favstats](#) can take a formula describing how these summary statistics should be aggregated across various subsets of the data.

Usage

```
fav_stats(x, ..., na.rm = TRUE, type = 7)
```

Arguments

x	numeric vector
...	additional arguments (currently ignored)
na.rm	boolean indicating whether missing data should be ignored
type	an integer between 1 and 9 selecting one of the nine quantile algorithms detailed in the documentation for quantile

Value

A vector of statistical summaries

Examples

```
fav_stats(1:10)
fav_stats(faithful$eruptions)
favstats(Sepal.Length ~ Species, data=iris) # Note: this is favstats() rather than fav_stats()
```

fetchData

Defunct functions now in the fetch package

Description

These functions have been moved to the fetch package.

Usage

```
fetchData(...)
fetchGapminder1(...)
fetchGapminder(...)
fetchGoogle(...)
```

Arguments

... arguments

findZeros	<i>Find zeros of functions</i>
-----------	--------------------------------

Description

Compute numerically zeros of a function or simultaneous zeros of multiple functions.
Solve an equation

Usage

```
findZeros(expr, ..., xlim = c(near - within, near + within), near = 0,
  within = Inf, nearest = 10, npts = 1000, iterate = 1,
  sortBy = c("byx", "byy", "radial"))

## S3 method for class 'formula'
solve(form, ..., near = 0, within = Inf, nearest = 10,
  npts = 1000, iterate = 1, sortBy = c("byx", "byy", "radial"))
```

Arguments

expr	A formula. The right side names the variable with respect to which the zeros should be found. The left side is an expression, e.g. $\sin(x) \sim x$. All free variables (all but the variable on the right side) named in the expression must be assigned a value via ...
...	Formulas corresponding to additional functions to use in simultaneous zero finding and/or specific numerical values for the free variables in the expression.
xlim	The range of the dependent variable to search for zeros. Inf is a legitimate value, but is interpreted in the numerical sense as the non-Inf largest floating point number. This can also be specified replacing x with the name of the variable. See the examples.
near	a value near which zeros are desired
within	only look for zeros at least this close to near. near and within provide an alternative to using xlim to specify the search space.
nearest	the number of nearest zeros to return. Fewer are returned if fewer are found.
npts	How many sub-intervals to divide the xlim into when looking for candidates for zeros. The default is usually good enough. If Inf is involved, the intervals are logarithmically spaced up to the largest finite floating point number. There is no guarantee that all the roots will be found.
iterate	maximum number of times to iterate the search. Subsequent searches take place with the range of previously found zeros. Choosing a large number here is likely to kill performance without improving results, but a value of 1 (the default) or 2 works well when searching in $c(-Inf, Inf)$ for a modest number of zeros near near.
sortBy	specifies how the zeros found will be sorted. Options are 'byx', 'byy', or 'radial'.
form	Expression to be solved

Details

Searches numerically using uniroot.

Uses findZerosMult of findZeros to solve the given expression

Value

A dataframe of zero or more numerical values. Plugging these into the expression on the left side of the formula should result in values near zero.

a dataframe with solutions to the expression.

Author(s)

Daniel Kaplan (<kaplan@macalester.edu>)

Cecylia Bocovich

Examples

```
findZeros( sin(t) ~ t, xlim=c(-10,10) )
# Can use tlim or t.lim instead of xlim if we prefer
findZeros( sin(t) ~ t, tlim=c(-10,10) )
findZeros( sin(theta) ~ theta, near=0, nearest=20)
findZeros( A*sin(2*pi*t/P) ~ t, xlim=c(0,100), P=50, A=2)
# Interval of a normal at half its maximum height.
findZeros( dnorm(x,mean=0,sd=10) - 0.5*dnorm(0,mean=0,sd=10) ~ x )
# A pathological example
# There are no "nearest" zeros for this function. Each iteration finds new zeros.
f <- function(x) { if (x==0) 0 else sin(1/x) }
findZeros( f(x) ~ x, near=0 )
# Better to look nearer to 0
findZeros( f(x) ~ x, near=0, within=100 )
findZeros( f(x) ~ x, near=0, within=100, iterate=0 )
findZeros( f(x) ~ x, near=0, within=100, iterate=3 )
# Zeros in multiple dimensions (not run: these take a long time)
# findZeros(x^2+y^2+z^2-5~x&y&z, nearest=3000, within = 5)
# findZeros(x*y+z^2~z&y&z, z+y~x&y&z, npts=10)
solve(3*x==3~x)

# plot out sphere (not run)
# sphere = solve(x^2+y^2+z^2==5~x&y&z, within=5, nearest=1000)
# cloud(z~x+y, data=sphere)
```

findZerosMult

Find the zeros of a function of two or more variables

Description

Compute numerically zeros of a function of two or more variables. All free variables (all but the variable on the right side) named in the expression must be assigned a value via . . .

Usage

```
findZerosMult(..., npts = 10, rad = 5, near = 0, sortBy = "byx")
```

Arguments

...	arguments for values NOTE: if the system has more than one equation and the rhs variables do not match up, there will be an error.
npts	number of desired zeros to return
rad	radius around near in which to look for zeros
near	center of search for zeros
sortBy	options for sorting zeros for plotting. Options are 'byx', 'byy' and 'radial'. The default value is 'byx'.

Details

sorts points in the domain according to the sign of the function value at respective points. Use continuity and uniroot to find zeros between points of opposite signs. Returns any number of points which may be sorted and plotted according to x, y, or radial values.

Value

A data frame of numerical values which should all result in a value of zero when input into original function

Author(s)

Cecylia Bocovich

Examples

```
findZerosMult(a*x^2-8~a&x, npts = 50)
findZerosMult(a^2+x^2-8~a&x, npts = 100, sortBy='radial')
## Not run: findZerosMult(a^2+x^2-8~a&x, npts = 1000, sortBy='radial')
```

fitModel

Fit a nonlinear least squares model

Description

Allows you to specify a formula with parameters, along with starting guesses for the parameters. Refines those guesses to find the least-squares fit.

Usage

```
fitModel(formula, data = parent.frame(), start = list(), ...)

model(object, ...)

## S3 method for class 'nlsfunction'
model(object, ...)

## S3 method for class 'nlsfunction'
summary(object, ...)

## S3 method for class 'nlsfunction'
coef(object, ...)
```

Arguments

formula	formula specifying the model
data	dataframe containing the data to be used
start	passed as start to <code>nls</code> . If an empty list, a simple starting point is used (thus avoiding the usual warning message).
...	additional arguments passed to <code>nls</code>
object	an R object (typically a the result of <code>fitModel</code>)

Details

Fits a nonlinear least squares model to data. In contrast to linear models, all the parameters (including linear ones) need to be named in the formula. The function returned simply contains the formula together with pre-assigned arguments setting the parameter value. Variables used in the fitting (as opposed to parameters) are unassigned arguments to the returned function.

Value

a function

Note

This doesn't work with categorical explanatory variables. Also, this does not work with synthetic data that fit the model perfectly. See `link{nls}` for details.

See Also

[linearModel](#), [nls](#)

Examples

```
if (require(mosaicData)) {
  f <- fitModel(temp ~ A+B*exp(-k*time), data=CoolingWater, start=list(A=50,B=50,k=1/20))
  f(time=50)
```

```

coef(f)
summary(f)
model(f)
}

```

fitSpline

Fit splines to data

Description

These functions create mathematical functions from data, using splines.

Usage

```

fitSpline(formula, data = parent.frame(), df = NULL, knots = NULL,
  degree = 3, type = c("natural", "linear", "cubic", "polynomial"), ...)

```

Arguments

formula	a formula. Only one quantity is allowed on the left-hand side, the output quantity
data	a data frame in which formula is evaluated.
df	degrees of freedom (used to determine how many knots should be used)
knots	a vector of knots
degree	parameter for splines when type is "polynomial". 1 is locally linear, 2 is locally quadratic, etc.
type	type of splines to use; one of "linear", "cubic", "natural" (cubic with linear tails, the default), or "polynomial".
...	additional arguments passed to spline basis functions (ns and bs).

Value

a function of the explanatory variable

See Also

[bs](#) and [ns](#) for the bases used to generate the splines.

Examples

```

f <- fitSpline( weight ~ height, data=women, df=5 )
xyplot( weight ~ height, data=women )
plotFun(f(height) ~ height, add=TRUE)

g <- fitSpline( length ~ width, data = KidsFeet, type='natural', df=5 )
h <- fitSpline( length ~ width, data = KidsFeet, type='linear', df=5 )
xyplot( length ~ width, data = KidsFeet, col='gray70', pch=16)
plotFun(g, add=TRUE, col='navy')
plotFun(h, add=TRUE, col='red')

```

fortify.hclust *mosaic tools for clustering*

Description

mosaic tools for clustering

Usage

```
## S3 method for class 'hclust'
fortify(model, data, which = c("segments", "heatmap",
  "leaves", "labels", "data"), k = 1, ...)

## S3 method for class 'hclust'
mplot(object, data, colorize = TRUE, k = 1,
  labels = FALSE, heatmap = 0, enumerate = "white", ...)
```

Arguments

model	a model
data	a data-like object
which	which kind of fortification to compute
k	number of clusters
...	additional arguments passed on to <code>link{dendro_data}</code>
object	an object of class "hclust"
colorize	whether to show clusters in different colors
labels	a logical indicating whether labels should be used to identify leaves of the tree.
heatmap	the ratio of size of heatmap to size of dendrogram. Use 0 or FALSE to omit the heatmap.
enumerate	a color used for numbers within heatmap. Use "transparent" to hide.

Examples

```
KidsFeet %>% select(-name, -birthmonth) %>% rescale() -> KidsFeet2
M <- dist(KidsFeet2)
Cl <- hclust(M)
fortify(Cl, k=5) %>% head(3)
fortify(Cl, which="heatmap", data=KidsFeet2) %>% head(3)
fortify(Cl, which="data", data=KidsFeet2) %>% head(3)
fortify(Cl, which="labels") %>% head(3)
mplot(Cl, data=KidsFeet2, k=4, heatmap=2)
mplot(Cl, data=KidsFeet2, k=4, heatmap=0.5, enumerate="transparent")
mplot(Cl, data=KidsFeet2, k=4, heatmap=2, type="triangle")
mplot(Cl, data=KidsFeet2, k=4, heatmap=0, type="triangle")
```

fortify.summary.lm *Extract data from R objects*

Description

Extract data from R objects

Usage

```
## S3 method for class 'summary.lm'  
fortify(model, data = NULL, level = 0.95, ...)  
  
## S3 method for class 'summary.glm'  
fortify(model, data = NULL, level = 0.95, ...)  
  
## S3 method for class 'TukeyHSD'  
fortify(model, data, order = c("asis", "pval",  
  "difference"), ...)
```

Arguments

model	an R object
data	original data set, if needed
level	confidence level
...	additional arguments
order	one of "pval", "diff", or "asis" determining the order of the pair factor, which determines the order in which the differences are displayed on the plot.

Examples

```
fortify(TukeyHSD(lm(age ~ substance, data=HELPrct)))
```

freqpoly *Turn histograms into frequency polygons*

Description

Turn histograms into frequency polygons

Usage

```
freqpoly(x, plot = TRUE, ...)

hist2freqpolygon(hist)

## S3 method for class 'freqpolygon'
plot(x, freq = equidist, col = graphics::par("fg"),
     lty = NULL, lwd = 1, main = paste("Frequency polygon of", paste(x$name,
     collapse = "\n")), sub = NULL, xlab = x$name, ylab, xlim = range(x),
     ylim = NULL, axes = TRUE, labels = FALSE, add = FALSE, ann = TRUE,
     ...)
```

Arguments

<code>x</code>	a vector of values for which a frequency polygon is desired.
<code>plot</code>	a logical indicating if a plot should be generated.
<code>...</code>	additional arguments passed on to <code>hist()</code> .
<code>hist</code>	a histogram object produced by <code>link{hist}()</code> .
<code>freq</code>	A logical indicating whether the vertical scale should be frequency (count).
<code>col</code>	A color for the frequency polygon.
<code>lty</code>	An integer indicating the line type.
<code>lwd</code>	An integer indicating the line width.
<code>main</code>	A title for the plot.
<code>sub</code>	A sub-title for the plot.
<code>xlab</code>	Label for the horizontal axis.
<code>ylab</code>	Label for the vertical axis.
<code>xlim</code>	A numeric vector of length 2.
<code>ylim</code>	A numeric vector of length 2.
<code>axes</code>	A logical indicating whether axes should be drawn.
<code>labels</code>	A logical indicating whether labels should be printed or a character vector of labels to add.
<code>add</code>	A logical indicating whether the plot should be added to the current plot
<code>ann</code>	A logical indicating whether annotations (titles and axis titles) should be plotted.

Value

An object of class "freqpoly" (invisibly). Additionally, if `plot` is `TRUE`, a plot is generated.

Examples

```
freqpoly(faithful$eruptions)
bks <- c(0, 1, 1.5, 2, 3, 3.5, 4, 4.5, 5, 7)
hist(faithful$eruptions, breaks = bks)
freqpoly(faithful$eruptions, col = rgb(0,0,1,.5), lwd = 5, breaks = bks, add = TRUE)
```


freqpolygon

*Frequency Polygons***Description**

Frequency polygons are an alternative to histograms that make it simpler to overlay multiple distributions.

Usage

```
freqpolygon(x, ..., panel = "panel.freqpolygon",
            prepanel = "prepanel.default.freqpolygon")

prepanel.default.freqpolygon(x, darg = list(), plot.points = FALSE,
                             ref = FALSE, groups = NULL, subscripts = TRUE, jitter.amount = 0.01 *
                             diff(current.panel.limits())$ylim), center = NULL, nint = NULL,
                             breaks = NULL, width = darg$width, type = "density", ...)

panel.freqpolygon(x, darg = list(), plot.points = FALSE, ref = FALSE,
                  groups = NULL, weights = NULL, jitter.amount = 0.01 *
                  diff(current.panel.limits())$ylim), type = "density", breaks = NULL,
                  nint = NULL, center = NULL, width = darg$width,
                  gcol = trellis.par.get("reference.line")$col,
                  glwd = trellis.par.get("reference.line")$lwd, h, v, ...,
                  identifier = "freqpoly")
```

Arguments

x	a formula or a numeric vector
...	additional arguments passed on to histogram and panel .
panel	a panel function
prepanel	a prepanel function
darg	a list of arguments for the function computing the frequency polygon. This exists primarily for compatibility with densityplot and is unlikely to be needed by the end user.
plot.points	one of TRUE, FALSE, "jitter", or "rug" indicating how points are to be displayed
ref	a logical indicating whether a horizontal reference line should be added (roughly equivalent to $h=0$)
groups, weights, jitter.amount, identifier	as in densityplot or histogram
subscripts	as in other lattice prepanel functions
center	center of one of the bins
nint	an approximate number of bins for the frequency polygon

breaks	a vector of breaks for the frequency polygon bins
width	width of the bins
type	one of 'density', 'percent', or 'count'
gcol	color of guidelines
glwd	width of guidelines
h, v	a vector of values for additional horizontal and vertical lines

Value

a trellis object

Note

This function make use of histogram to determine overall layout. Often this works reasonably well but sometimes it does not. In particular, when groups is used to overlay multiple frequency polygons, there is often too little head room. In the latter cases, it may be necessary to use ylim to determine an appropriate viewing rectangle for the plot.

Examples

```
freqpolygon(~age | substance, data=HELPrct, v=35)
freqpolygon(~age, data=HELPrct, labels=TRUE, type='count')
freqpolygon(~age | substance, data=HELPrct, groups=sex)
freqpolygon(~age | substance, data=HELPrct, groups=sex, ylim=c(0,0.11))
## comparison of histogram and frequency polygon
histogram(~eruptions, faithful, type='density', width=.5)
ladd( panel.freqpolygon(faithful$eruptions, width=.5 ))
```

FunctionsFromData *Create function from data*

Description

These functions create mathematical functions from data, by smoothing, splining, or linear combination (fitting). Each of them takes a formula and a data frame as an argument

Usage

```
spliner(formula, data = NULL, method = "fmm", monotonic = FALSE)

connector(formula, data = NULL, method = "linear")

smoother(formula, data, span = 0.5, degree = 2, ...)

linearModel(formula, data, ...)
```

Arguments

formula	a formula. Only one quantity is allowed on the left-hand side, the output quantity
data	a data frame
method	a method for splining. See spline .
monotonic	a TRUE/FALSE flag specifying whether the spline should respect monotonicity in the data
span	parameter to smoother. How smooth it should be.
degree	parameter to smoother. 1 is locally linear, 2 is locally quadratic.
...	additional arguments to loess or lm

Details

These functions use data to create a mathematical, single-valued function of the inputs. All return a function whose arguments are the variables used on the right-hand side of the formula. If the formula involves a transformation, e.g. `sqrt(age)` or `log(income)`, only the variable itself, e.g. `age` or `income`, is an argument to the function.

`linearModel` takes a linear combination of the vectors specified on the right-hand side. It differs from `project` in that `linearModel` returns a function whereas `project` returns the coefficients. NOTE: An intercept term is not included unless that is explicitly part of the formula with `+1`. This conflicts with the standard usage of formulas as found in `lm`. Another option for creating such functions is to combine `lm` and `makeFun`.

`spliner` and `connector` currently work for only one input variable.

See Also

[project](#) method for formulas

Examples

```
if (require(mosaicData)) {
  data(CPS85)
  f <- smoother(wage ~ age, span=.9, data=CPS85)
  f(40)
  g <- linearModel(log(wage) ~ age + educ + 1, data=CPS85)
  g(age=40, educ=12)
  # an alternative way to define g (Note: + 1 is the default for lm().)
  g2 <- makeFun(lm(log(wage) ~ age + educ, data=CPS85))
  g2(age=40, educ=12)
  x<-1:5; y=c(1, 2, 4, 8, 8.2)
  f1 <- spliner(y ~ x)
  f1(x=8:10)
  f2 <- connector(x~y)
}
```

getVarFormula	<i>Extract data from a data frame using a formula interface</i>
---------------	---

Description

Uses the full model syntax.

Usage

```
getVarFormula(formula, data = parent.frame(), intercept = FALSE)
```

Arguments

formula	a formula. The right-hand side selects variables; the left-hand side, if present, is used to set row names. A . on the right-hand side indicates to use all variables not in the LHS.
data	a data frame
intercept	a logical indicating whether to include the intercept in the model default: FALSE (no intercept)

Examples

```
getVarFormula(~ wt + mpg, data = mtcars)
```

googleMap	<i>Display a point on earth on a Google Map</i>
-----------	---

Description

Creates a URL for Google Maps for a particular latitude and longitude position.

Usage

```
googleMap(latitude, longitude, position = NULL, zoom = 12,
  maptype = c("roadmap", "satellite", "terrain", "hybrid"), mark = FALSE,
  radius = 0, browse = TRUE, ...)
```

Arguments

latitude, longitude	vectors of latitude and longitude values
position	a data frame containing latitude and longitude positions
zoom	zoom level for initial map (1-20)
maptype	one of 'roadmap', 'satellite', 'terrain', and 'hybrid'

mark	a logical indicating whether the location should be marked with a pin
radius	a vector of radii of circles centered at position that are displayed on the map
browse	a logical indicating whether the URL should be browsed (else only returned as a string)
...	additional arguments passed to browseURL

Value

a string containing a URL. Optionally, as a side-effect, the URL is visited in a browser

See Also

[deg2rad](#), [latlon2xyz](#) and [rgeo](#).

Examples

```
## Not run:
googleMap(40.7566, -73.9863, radius=1) # Times Square
googleMap(position=rgeo(2), radius=1) # 2 random locations

## End(Not run)
```

gwm

Groupwise Models (Defunct)

Description

This has been removed from the package. Watch for improved modeling functions in the ‘mosaic-Model’ package.

Usage

```
gwm(formula, data = parent.frame(), drop = FALSE, ...)
```

Arguments

formula	A formula. The left-hand side specifies the response variable over which the mean or proportion will be taken. The right-hand side gives the explanatory variables, separated by +. Means or proportions are computed for every combination of the levels of the explanatory variables.
data	A data frame in which to evaluate variables in formula. If not specified, variables will be taken from the current environment.
drop	Logical flag indicating whether to drop unoccupied groups. Default FALSE. NOT YET IMPLEMENTED.
...	Additional arguments; currently ignored.

Details

`gwm` (groupwise model) is a sort of training function for `lm`, meant to provide a basis for discussing inference and introducing resampling in a simple, intuitive setting of groupwise means or proportions. `lm` provides a better, more general facility. When using `lm` to recreate the results of `gwm`, include all the interaction terms (i.e., use `*` instead of `+`) and remove the intercept term. See the examples.

Value

`mm` returns an object of class `groupwiseModel`. The functions `fitted.values`, `residuals`, `coefficients`, and `summary` are useful for extracting various features of the value returned by `mm`

See Also

[lm](#), [do](#)

inferArgs

Infer arguments

Description

The primary purpose is for inferring argument settings from names derived from variables occurring in a formula. For example, the default use is to infer limits for variables without having to call them `xlim` and `ylim` when the variables in the formula have other names. Other uses could easily be devised by specifying different variants.

Usage

```
inferArgs(vars, dots, defaults = alist(xlim = , ylim = , zlim = ),
          variants = c(".lim", "lim"))
```

Arguments

<code>vars</code>	a vector of variable names to look for
<code>dots</code>	a named list of argument values
<code>defaults</code>	named list or alist of default values for limits
<code>variants</code>	a vector of optional postfixes for limit-specifying variable names

Value

a named list or alist of limits. The names are determined by the names in `defaults`. If multiple variants are matched, the first is used.

Examples

```
inferArgs(c('x','u','t'), list(t=c(1,3), xlim=c(1,10), u=c(1,3), ylim=c(2,4)))
inferArgs(c('x','u'), list(u=c(1,3)), defaults=list(xlim=c(0,1), ylim=NULL))
```

inspect	<i>Inspect objects</i>
---------	------------------------

Description

Print a short summary of the contents of an object. Most useful as a way to get a quick overview of the variables in data frame.

Usage

```
inspect(object, ...)

## S3 method for class 'list'
inspect(object, max.level = 2, ...)

## S3 method for class 'character'
inspect(object, ...)

## S3 method for class 'logical'
inspect(object, ...)

## S3 method for class 'numeric'
inspect(object, ...)

## S3 method for class 'factor'
inspect(object, ...)

## S3 method for class 'POSIXt'
inspect(object, ...)

## S3 method for class 'data.frame'
inspect(object, select = TRUE,
        digits = getOption("digits", 3), ...)

## S3 method for class 'inspected_data_frame'
print(x, digits = NULL, ...)
```

Arguments

object	a data frame or a vector
...	additional arguments passed along to specific methods
max.level	an integer giving the depth to which lists should be expanded
select	a logical, character (naming variables), or numeric vector or a function used to select variables to which FUN is applied. If a function, it should take a vector as input and return a single logical. See examples here and at link{dfapply} .
digits	and integer giving the number of digits to display
x	an object

Examples

```
inspect(Births78)
inspect(Births78, is.numeric)
```

is.wholenumber	<i>Check for whole number values</i>
----------------	--------------------------------------

Description

Unlike [is.integer](#), which checks the type of argument is integer, this function checks whether the value of the argument is an integer (within a specified tolerance).

Usage

```
is.wholenumber(x, tol = .Machine$double.eps^0.5)
```

Arguments

x	a vector
tol	a numeric tolerance

Details

This function is borrowed from the examples for [is.integer](#)

Value

a logical vector indicating whether x has a whole number value

Examples

```
is.wholenumber(1)
all(is.wholenumber(rbinom(100,10,.5)))
is.wholenumber((1:10)/2)
```

joinFrames	<i>Join data frames</i>
------------	-------------------------

Description

Join data frames

Usage

```
joinFrames(...)
```

```
joinTwoFrames(left, right)
```

Arguments

...	data frames to be joined
left, right	data frames

Value

a data frame containing columns from each of data frames being joined.

ladd	<i>Add to Lattice Plots</i>
------	-----------------------------

Description

Simplified lattice plotting by adding additional elements to existing plots.

Usage

```
ladd(x, data = NULL, ..., plot = trellis.last.object())
```

Arguments

x	callable graphical element to be added to a panel or panels in a lattice plot
data	a list containing objects that can be referred to in x. Panel functions also have access to the data already used in the panel by the underlying lattice plot. See layer for details.
...	additional arguments passed to layer .
plot	a lattice plot to add to. Defaults to previous lattice plot.

Details

`ladd` is a wrapper around `layer` that simplifies certain common plotting additions. The same caveats that apply to that function apply here as well. In particular, `ladd` uses non-standard evaluation. For this reason care must be taken if trying to use `ladd` within other functions and the use of data may be required to pass information into the environment in which `x` will be evaluated.

Value

a trellis object

Author(s)

Randall Pruim (<rpruim@calvin.edu>)

See Also

[layer](#)

Examples

```
p <- xyplot(rnorm(100) ~rnorm(100))
print(p)
ladd(panel.abline(a=0,b=1))
ladd(panel.abline(h=0,col='blue'))
ladd(grid.text('Hello'))
ladd(grid.text(x=.95,y=.05,'text here',just=c('right','bottom'))))
q <- xyplot(rnorm(100) ~rnorm(100)|factor(rbinom(100,4,.5)))
q <- update(q, layout=c(3,2))
ladd(panel.abline(a=0,b=1), plot=q)
ladd(panel.abline(h=0,col='blue'))
ladd( grid.text("(2,1)",gp=gpar(cex=3,alpha=.5)), columns=2, rows=1)
ladd( grid.text("p5",gp=gpar(cex=3,alpha=.5)), packets=5)
q
ladd( grid.text(paste(current.column(), current.row(),sep=' '), gp=gpar(cex=3,alpha=.5)) )
histogram( ~eruptions, data=faithful )
# over would probably be better here, but the demonstrates what under=TRUE does.
ladd(panel.densityplot(faithful$eruptions, lwd=4), under=TRUE)
```

Description

These functions provide a formula based interface to the construction of matrices from data and for fitting. You can use them both for numerical vectors and for functions of variables in data frames. These functions are intended to support teaching basic linear algebra with a particular connection to statistics.

Usage

```
mat(A, data = parent.frame())  
  
singvals(A, data = parent.frame())
```

Arguments

A	a formula. In <code>mat</code> and <code>singvals</code> , only the right-hand side is used.
data	a data frame from which to pull out numerical values for the variables in the formula
...	additional arguments (currently ignored)

`mat` returns a model matrix
To demonstrate singularity, use `singvals`.

Value

`mat` returns a matrix
`singvals` gives singular values for each column in the model matrix

See Also

[project](#)
[linearModel](#), which returns a function.

Examples

```
a <- c(1,0,0); b <- c(1,2,3); c <- c(4,5,6); x <- rnorm(3)  
# Formula interface  
mat(~a+b)  
mat(~a+b+1)  
if (require(mosaicData)) {  
  mat(~length+sex, data=KidsFeet)  
  singvals(~length*sex*width, data=KidsFeet)  
}
```

logical2factor

Turn logicals into factors; leave other things alone

Description

Turn logicals into factors; leave other things alone

Usage

```

logical2factor(x, ...)

## Default S3 method:
logical2factor(x, ...)

## S3 method for class 'data.frame'
logical2factor(x, ...)

```

Arguments

x a vector or data frame
 ... additional arguments (currently ignored)

Value

If x is a vector either x or the result of converting x into a factor with levels TRUE and FALSE (in that order); if x is a data frame, a data frame with all logicals converted to factors in this manner.

logit	<i>Logit and inverse logit functions</i>
-------	--

Description

Logit and inverse logit functions

Usage

```

logit(x)

ilogit(x)

```

Arguments

x a numeric vector

Value

For logit the value is

$$\log(x/(1 - x))$$

For ilogit the value is

$$\exp(x)/(1 + \exp(x))$$

Examples

```
p <- seq(.1, .9, by=.10)
l <- logit(p); l
ilogit(l)
ilogit(l) == p
```

MAD

*All pairs mean and sum of absolute differences***Description**

All pairs mean and sum of absolute differences

Usage

```
MAD(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm", FALSE))
```

```
SAD(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm", FALSE))
```

Arguments

x	a numeric vector or a formula.
...	additional arguments passed through to MAD_ or SAD_. If x is a formula, ... should include an argument named data if the intent is to interpret the formula in a data frame.
data	a data frame in which to evaluate formulas (or bare names). Note that the default is data = parent.frame(). This makes it convenient to use this function interactively by treating the working environment as if it were a data frame. But this may not be appropriate for programming uses. When programming, it is best to use an explicit data argument – ideally supplying a data frame that contains the variables mentioned.
groups	a grouping variable, typically a name of a variable in data
na.rm	a logical indicating whether NAs should be removed before calculating.

Value

the mean or sum of the absolute differences between each pair of values in `c(x, ...)`.

See Also

`link{mad}`, [MAD_](#)

Examples

```
SAD(1:3)
MAD(1:3)
MAD(~eruptions, data = faithful)
```

MAD_	<i>All pairs mean and sum of absolute differences</i>
------	---

Description

All pairs mean and sum of absolute differences

Usage

```
MAD_(x, ..., na.rm = getOption("na.omit", FALSE))
```

```
SAD_(x, ..., na.rm = getOption("na.omit", FALSE))
```

Arguments

x	a numeric vector or a formula.
...	additional arguments appended to x
na.rm	a logical indicating whether NAs should be removed before calculaing.

Value

the mean or sum of the absolute differences between each pair of values in `c(x, ...)`.

See Also

[mad](#)

maggregate	<i>Aggregate for mosaic</i>
------------	-----------------------------

Description

Compute function on subsets of a variable in a data frame.

Usage

```
maggregate(formula, data = parent.frame(), FUN, groups = NULL, subset,
  drop = FALSE, ..., .format = c("default", "table", "flat"),
  .overall = mosaic.par.get("aggregate.overall"), .multiple = FALSE,
  .name = deparse(substitute(FUN)), .envir = parent.frame())
```

Arguments

formula	a formula. Left side provides variable to be summarized. Right side and condition describe subsets. If the left side is empty, right side and condition are shifted over as a convenience.
data	a data frame. Note that the default is <code>data=parent.frame()</code> . This makes it convenient to use this function interactively by treating the working environment as if it were a data frame. But this may not be appropriate for programming uses. When programming, it is best to use an explicit data argument – ideally supplying a data frame that contains the variables mentioned in formula.
FUN	a function to apply to each subset
groups	grouping variable that will be folded into the formula (if there is room for it). This offers some additional flexibility in how formulas can be specified.
subset	a logical indicating a subset of data to be processed.
drop	a logical indicating whether unused levels should be dropped.
...	additional arguments passed to FUN
.format	format used for aggregation. "default" and "flat" are equivalent.
.overall	currently unused
.multiple	a logical indicating whether FUN returns multiple values Ignored if .multiple is not NULL.
.name	a name used for the resulting object
.envir	an environment in which to evaluate expressions

Value

a vector

Examples

```

if (require(mosaicData)) {
maggregate( cesd ~ sex, HELPrct, FUN=mean )
# using groups instead
maggregate( ~ cesd, groups = sex, HELPrct, FUN=sd )
# the next four all do the same thing
maggregate( cesd ~ sex + homeless, HELPrct, FUN=mean )
maggregate( cesd ~ sex | homeless, HELPrct, FUN=sd )
maggregate( ~ cesd | sex , groups= homeless, HELPrct, FUN=sd )
maggregate( cesd ~ sex, groups = homeless, HELPrct, FUN=sd )
# this is unusual, but also works.
maggregate( cesd ~ NULL , groups = sex, HELPrct, FUN=sd )
}

```

makeColorscheme	<i>Create a color generating function from a vector of colors</i>
-----------------	---

Description

Create a color generating function from a vector of colors

Usage

```
makeColorscheme(col)
```

Arguments

col a vector of colors

Value

a function that generates a vector of colors interpolated among the colors in col

Examples

```
cs <- makeColorscheme( c('red','white','blue') )
cs(10)
cs(10, alpha=.5)
```

makeMap	<i>Make a map with ggplot2</i>
---------	--------------------------------

Description

makeMap takes in two sources of data that refer to geographical regions and merges them together. Depending on the arguments passed, it returns this merged data or a ggplot object constructed with the data.

Usage

```
makeMap(data = NULL, map = NULL, key = c(key.data, key.map), key.data,
        key.map, tr.data = identity, tr.map = identity, plot = c("borders",
        "frame", "none"))
```


Arguments

data	A dataframe with regions as cases
map	An object that can be fortified to a dataframe (ex: a dataframe itself, or a SpatialPolygonsDataFrame)
key	The combination of key.data and key.map
key.data	The column name in the data that holds the unique names of each region
key.map	The column name in the map that holds the unique names of each region
tr.data	A function of the transformation to be performed to the key.data column
tr.map	A function of the transformation to be performed to the key.map column
plot	The plot desired for the output. plot = "none" returns the merged data that is the result of merging the data and map together; plot="frame" returns an empty (unplottable) ggplot object; plot = "border" (the default) returns a ggplot object with one geom_polygon layer that shows the borders of the regions.

 mean_

Aggregating functions

Description

The mosaic package makes several summary statistic functions (like mean and sd) formula aware.

Usage

```
mean_(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm",
  FALSE))

mean(x, ...)

median(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm",
  FALSE))

range(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm",
  FALSE))

sd(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm", FALSE))

max(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm", FALSE))

min(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm", FALSE))

sum(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm", FALSE))

IQR(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm", FALSE))
```

```

fivenum(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm",
  FALSE))

iqr(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm", FALSE))

prod(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm",
  FALSE))

sum(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm", FALSE))

favstats(x, ..., data = NULL, groups = NULL, na.rm = TRUE)

quantile(x, ..., data = NULL, groups = NULL, na.rm = getOption("na.rm",
  FALSE))

var(x, y = NULL, na.rm = getOption("na.rm", FALSE), ..., data = NULL)

cor(x, y = NULL, ..., data = NULL)

cov(x, y = NULL, ..., data = NULL)

```

Arguments

x	a numeric vector or a formula
...	additional arguments
data	a data frame in which to evaluate formulas (or bare names). Note that the default is <code>data = parent.frame()</code> . This makes it convenient to use this function interactively by treating the working environment as if it were a data frame. But this may not be appropriate for programming uses. When programming, it is best to use an explicit data argument – ideally supplying a data frame that contains the variables mentioned.
groups	a grouping variable, typically a name of a variable in data
na.rm	a logical indicating whether NAs should be removed before computing
y	a numeric vector or a formula

Details

Many of these functions mask core R functions to provide an additional formula interface. Old behavior should be unchanged. But if the first argument is a formula, that formula, together with data are used to generate the numeric vector(s) to be summarized. Formulas of the shape `x ~ a` or `~ x | a` can be used to produce summaries of x for each subsect defined by a. Two-way aggregation can be achieved using formulas of the form `x ~ a + b` or `x ~ a | b`. See the examples.

Note

Earlier versions of these functions supported a "bare name + data frame" interface. This functionality has been removed since it was (a) ambiguous in some cases, (b) unnecessary, and (c) difficult to maintain.

Examples

```

mean(HELPrct$age)
mean( ~ age, data = HELPrct)
mean( ~ drugrisk, na.rm = TRUE, data = HELPrct)
mean(age ~ shuffle(sex), data = HELPrct)
mean(age ~ shuffle(sex), data = HELPrct, .format = "table")
# wrap in data.frame() to auto-convert awkward variable names
data.frame(mean(age ~ shuffle(sex), data = HELPrct, .format = "table"))
mean(age ~ sex + substance, data = HELPrct)
mean( ~ age | sex + substance, data = HELPrct)
mean( ~ sqrt(age), data = HELPrct)
sum( ~ age, data = HELPrct)
sd(HELPrct$age)
sd( ~ age, data = HELPrct)
sd(age ~ sex + substance, data = HELPrct)
var(HELPrct$age)
var( ~ age, data = HELPrct)
var(age ~ sex + substance, data = HELPrct)
IQR(width ~ sex, data = KidsFeet)
iqr(width ~ sex, data = KidsFeet)
favstats(width ~ sex, data = KidsFeet)

cor(length ~ width, data = KidsFeet)
cov(length ~ width, data = KidsFeet)

```

mid

midpoints along a sequence

Description

Compute a vector of midpoints between values in a numeric vector

Usage

```
mid(x)
```

Arguments

x a numeric vector

Value

a vector of length 1 less than x

Examples

```

mid(1:5)
mid((1:5)^2)

```

mm	<i>Defunct modeling function</i>
----	----------------------------------

Description

The function has been removed from **mosaic**.

Usage

```
mm(formula, data = parent.frame(), fun = mean, drop = TRUE, ...)
```

Arguments

formula	A formula. The left-hand side specifies the variable over which the mean will be taken. The right-hand side gives the grouping variables, separated by &.
data	A data frame to which the formula variables refer. If not specified, variables will be taken from the current environment.
fun	The function used to calculate the means. Default: mean.
drop	Logical flag indicating whether to drop unoccupied groups. Default TRUE. NOT YET IMPLEMENTED.
...	Additional arguments to be passed to the fun doing the calculation.

mosaic.options	<i>Setting options for mosaic package functions</i>
----------------	---

Description

A mechanism for setting options in the mosaic package.

Usage

```
mosaic.options(...)
mosaic.getOption(name)
mosaic.par.set(name, value, ..., theme, warn = TRUE, strict = FALSE)
mosaic.par.get(name = NULL)
restoreLatticeOptions()
mosaicLatticeOptions()
```

Arguments

...	additional arguments that are turned into a list if a list cannot be inferred from theme, name, and value.
name	the name of the option being set
value	the value to which to set the option
theme	a list appropriate for a mosaic theme
warn	a logical. UNUSED at present.
strict	a logical or numeric.

Details

restoreLatticeOptions returns any lattice options that were changed when the mosaic package was loaded back to their pre-mosaic state.

mosaicLatticeOptions sets a number of defaults for lattice graphics.

 mPlot

Interactive plotting

Description

These functions provide a menu selection system (via **manipulate**) so that different aspects of a plot can be selected interactively. The **ggplot2** or **lattice** command for generating the plot currently being displayed can be copied to the console, whence it can be copied to a document for later direct, non-interactive use.

Usage

```
mPlot(data, format, default = format, system = system_choices()[1],
       show = FALSE, title = "", data_text = expr_text(data), ...)
```

```
mMap(data, default = "map", system = "ggplot2", show = FALSE,
      title = title, data_text = expr_text(data), ...)
```

```
mScatter(data, default = c("scatter", "jitter", "boxplot", "violin", "line"),
          system = "ggformula", show = FALSE, title = "",
          data_text = lazyeval::expr_text(data))
```

```
mUniplot(data, default = c("histogram", "density", "frequency polygon",
                           "ASH plot"), system = system_choices()[1], show = FALSE, title = "",
          data_text = expr_text(data))
```

Arguments

data	a data frame containing the variables that might be used in the plot. Note that for maps, the data frame must contain coordinates of the polygons comprising the map and a variable for determining which coordinates are part of the same region. See sp2df for one way to create such a data frame. Typically merge will be used to combine the map data with some auxiliary data to be displayed as fill color on the map, although this is not necessary if all one wants is a map.
format	a synonym for default.
default	default type of plot to create; one of "scatter", "jitter", "boxplot", "violin", "histogram", "density", "frequency polygon", "xyplot", or "map". Unique prefixes suffice.
system	which graphics system to use (initially) for plotting (ggplot2 or lattice). A check box will allow on the fly change of plotting system.
show	a logical, if TRUE, the code will be displayed each time the plot is changed.
title	a title for the plot
data_text	A text string describing the data. It must be possible to recover the data from this string using eval() . Typically users will not need to modify this from the default value.
...	additional arguments

Details

Only mPlot is required by end users. The other plotting functions are dispatched based on the value of default. Furthermore, [mplot](#) will dispatch mPlot when provided a data frame.

Currently maps are only supported in **ggplot2** and not in **lattice**.

Value

Nothing. Just for side effects.

Examples

```
## Not run:
mPlot(HELPrct, format = "scatter")
mPlot(HELPrct, format = "density")

## End(Not run)
```

Description

Generic function plotting for R objects. Currently plots exist for `data.frames`, `lms`, (including `glms`).

Usage

```
mplot(object, ...)

## Default S3 method:
mplot(object, ...)

## S3 method for class 'lm'
mplot(object, which = c(1:3, 7), system = c("lattice",
      "ggplot2", "base"), ask = FALSE, multiplot = "package:gridExtra" %in%
      search(), par.settings = theme.mosaic(), level = 0.95,
      title = paste("model: ", deparse(object$call), "\n"), rows = TRUE, ...)

## S3 method for class 'data.frame'
mplot(object, format, default = format,
      system = c("lattice", "ggplot2"), show = FALSE, title = "", ...)

## S3 method for class 'summary.lm'
mplot(object, system = c("lattice", "ggplot2"),
      level = 0.95, par.settings = trellis.par.get(), rows = TRUE, ...)

## S3 method for class 'TukeyHSD'
mplot(object, system = c("lattice", "ggplot2"),
      ylab = "", xlab = "difference in means", title = paste0(attr(object,
      "conf.level") * 100, "% family-wise confidence level"),
      par.settings = trellis.par.get(), order = c("asis", "pval", "difference"),
      ...)
```

Arguments

<code>object</code>	an R object from which a plot will be constructed.
<code>...</code>	additional arguments. If <code>object</code> is an <code>lm</code> , subsets of these arguments are passed to <code>grid.arrange</code> and to the lattice plotting routines; in particular, <code>nrow</code> and <code>ncol</code> can be used to control the number of rows and columns used.
<code>which</code>	a numeric vector used to select from 7 potential plots
<code>system</code>	which graphics system to use (initially) for plotting (ggplot2 or lattice). A check box will allow on the fly change of plotting system.

ask	if TRUE, each plot will be displayed separately after the user responds to a prompt.
multiplot	if TRUE and ask == FALSE, all plots will be displayed together.
par.settings	lattice theme settings
level	a confidence level
title	title for plot
rows	rows to show. This may be a numeric vector, TRUE (for all rows), or a character vector of row names.
format, default	default type of plot to create; one of "scatter", "jitter", "boxplot", "violin", "histogram", "density", "frequency polygon", or "map". Unique prefixes suffice.
show	a logical, if TRUE, the code will be displayed each time the plot is changed.
ylab	label for y-axis
xlab	label for x-axis
order	one of "pval", "diff", or "asis" determining the order of the pair factor, which determines the order in which the differences are displayed on the plot.
data	a data frame containing the variables that might be used in the plot.

Details

The method for models (lm and glm) is still a work in progress, but should be useable for relatively simple models. When the results for a logistic regression model created with `glm()` are satisfactory will depend on the format and structure of the data used to fit the model.

Value

Nothing. Just for side effects.

Examples

```
mplot( lm( width ~ length * sex, data=KidsFeet) )
mplot( lm( width ~ length * sex, data=KidsFeet), rows=2:3, which=7 )
## Not run:
mplot( HELPrct )
mplot( HELPrct, "histogram" )

## End(Not run)
mplot(summary(lm(width ~ length * sex, data=KidsFeet)), system="ggplot2")
mplot(summary(lm(width ~ length * sex, data=KidsFeet)), rows=c("sex", "length"))
mplot(summary(lm(width ~ length * sex, data=KidsFeet)), rows=TRUE)
mplot(TukeyHSD( lm(age ~ substance, data=HELPrct) ) )
mplot(TukeyHSD( lm(age ~ substance, data=HELPrct) ), system="ggplot2" )
```

mUSMap	<i>Make a US map with ggplot2</i>
--------	-----------------------------------

Description

mUSMap takes in one dataframe that includes information about different US states. It merges this dataframe with a dataframe that includes geographical coordinate information. Depending on the arguments passed, it returns this data or a ggplot object constructed with the data.

Usage

```
mUSMap(data = NULL, key, fill = NULL, plot = c("borders", "frame",
  "none"), style = c("compact", "real"))
```

Arguments

data	A dataframe with US states as cases
key	The column name in the data that holds the unique names of each state
fill	A variable in the data used to specify the fill color of states in the map (note: if fill is not null, then plot cannot be set to "none")
plot	The plot desired for the output. plot = "none" returns the merged data that is the result of merging the data and the dataframe with the geographical coordinate information; plot = "frame" returns an empty (unplottable) ggplot object; plot = "border" (the default) returns a ggplot object with one geom_polygon layer that shows the borders of the states
style	The style in which to display the map. compact gives a polyconic projection with Alaska and Hawaii on the lower left corner; real gives the real size and position of all states without any projection.

Examples

```
USArrests2 <- USArrests %>% mutate(state = row.names(.))
mUSMap(USArrests2, key="state", fill = "UrbanPop")
```

mWorldMap	<i>Make a world map with ggplot2</i>
-----------	--------------------------------------

Description

mWorldMap takes in one dataframe that includes information about different countries. It merges this dataframe with a dataframe that includes geographical coordinate information. Depending on the arguments passed, it returns this data or a ggplot object constructed with the data.

Usage

```
mWorldMap(data = NULL, key = NA, fill = NULL, plot = c("borders",
  "frame", "none"))
```

Arguments

data	A dataframe with countries as cases
key	The column name in the data that holds the unique names of each country
fill	A variable in the data used to specify the fill color of countries in the map (note: if fill is not null, then plot cannot be set to "none")
plot	The plot desired for the output. plot = "none" returns the merged data that is the result of merging the data and the dataframe with the geographical coordinate information; plot = "frame" returns an empty (unplottable) ggplot object; plot = "border" (the default) returns a ggplot object with one geom_polygon layer that shows the borders of the countries

Examples

```
## Not run:
gdpData <- CIAdata("GDP")      # load some world data

mWorldMap(gdpData, key="country", fill="GDP")

gdpData <- gdpData %>% mutate(GDP5 = ntiles(-GDP, 5, format="rank"))
mWorldMap(gdpData, key="country", fill="GDP5")

mWorldMap(gdpData, key="country", plot="frame") +
  geom_point()

mergedData <- mWorldMap(gdpData, key="country", plot="none")

ggplot(mergedData, aes(x=long, y=lat, group=group, order=order)) +
  geom_polygon(aes(fill=GDP5), color="gray70", size=.5) + guides(fill=FALSE)

## End(Not run)
```

 nice_names

Nice names

Description

Convert a character vector into a similar character vector that would work better as names in a data frame by avoiding certain awkward characters

Usage

```
nice_names(x, unique = TRUE)
```

Arguments

x a character vector
 unique a logical indicating whether returned values should be uniquified.

Value

a character vector

Examples

```
nice_names( c("bad name", "name (crazy)", "a:b", "two-way") )
```

ntiles *Create vector based on roughly equally sized groups*

Description

Create vector based on roughly equally sized groups

Usage

```
ntiles(x, n = 3, format = c("rank", "interval", "mean", "median", "center",  

  "left", "right"), digits = 3)
```

Arguments

x a numeric vector
 n (approximate) number of quantiles
 format a specification of desired output format.
 digits desired number of digits for labeling of factors.

Value

a vector. The type of vector will depend on format.

Examples

```
if (require(mosaicData)) {  

  tally( ~ ntiles(age, 4), data=HELPrct)  

  tally( ~ ntiles(age, 4, format="center"), data=HELPrct)  

  tally( ~ ntiles(age, 4, format="interval"), data=HELPrct)  

  tally( ~ ntiles(age, 4, format="left"), data=HELPrct)  

  tally( ~ ntiles(age, 4, format="right"), data=HELPrct)  

  tally( ~ ntiles(age, 4, format="mean"), data=HELPrct)  

  tally( ~ ntiles(age, 4, format="median"), data=HELPrct)  

  bwplot( i2 ~ ntiles(age, n=5, format="interval"), data=HELPrct)  

}
```

n_missing	<i>counting missing elements</i>
-----------	----------------------------------

Description

counting missing elements

Usage

```
n_missing(..., type = c("any", "all"))
```

Arguments

... vectors of equal length to be checked in parallel for missing values.
 type one of "any" (default) or "all".

Examples

```
if (require(NHANES)) {
  tally( ~ is.na(Height) + is.na(Weight), data = NHANES, margins = TRUE)
  NHANES %>%
    summarise(
      mean.wt = mean(Weight, na.rm = TRUE),
      missing.Wt = n_missing(Weight),
      missing.WtAndHt = n_missing(Weight, Height, type = "all"),
      missing.WtOrHt = n_missing(Weight, Height, type = "any")
    )
}
```

orrr	<i>Odds Ratio and Relative Risk for 2 x 2 Contingency Tables</i>
------	--

Description

This function calculates the odds ratio and relative risk for a 2 x 2 contingency table and a confidence interval (default conf.level is 95 percent) for the each estimate. x should be a matrix, data frame or table. "Successes" should be located in column 1 of x, and the treatment of interest should be located in row 2. The odds ratio is calculated as (Odds row 2) / (Odds row 1). The confidence interval is calculated from the log(OR) and backtransformed.

Usage

```
orrr(x, conf.level = 0.95, verbose = !quiet, quiet = TRUE, digits = 3,
     relrisk = FALSE)

oddsRatio(x, conf.level = 0.95, verbose = !quiet, quiet = TRUE,
          digits = 3)

relrisk(x, conf.level = 0.95, verbose = !quiet, quiet = TRUE,
        digits = 3)

## S3 method for class 'oddsRatio'
print(x, digits = 4, ...)

## S3 method for class 'relrisk'
print(x, digits = 4, ...)

## S3 method for class 'oddsRatio'
summary(object, digits = 4, ...)

## S3 method for class 'relrisk'
summary(object, digits = 4, ...)
```

Arguments

x	a 2 X 2 matrix, data frame or table of counts
conf.level	the confidence interval level
verbose	a logical indicating whether verbose output should be displayed
quiet	a logical indicating whether verbose output should be suppressed
digits	number of digits to display
relrisk	a logical indicating whether the relative risk should be returned instead of the odds ratio
...	additional arguments
object	an R object to print or summarise. Here an object of class "oddsRatio" or "relrisk".

Value

an odds ratio or relative risk. If verbose is true, more details and the confidence intervals are displayed.

Author(s)

Kevin Middleton (<kmm@csusb.edu>); modified by R Pruim.

See Also

[chisq.test](#), [fisher.test](#)

Examples

```

M1 <- matrix(c(14, 38, 51, 11), nrow = 2)
M1
oddsRatio(M1)

M2 <- matrix(c(18515, 18496, 1427, 1438), nrow = 2)
rownames(M2) <- c("Placebo", "Aspirin")
colnames(M2) <- c("No", "Yes")
M2
oddsRatio(M2)
oddsRatio(M2, verbose=TRUE)
relrisk(M2, verbose=TRUE)
if (require(mosaicData)) {
  relrisk(tally(~ homeless + sex, data=HELPrct) )
  do(3) * relrisk( tally( ~ homeless + shuffle(sex), data=HELPrct) )
}

```

panel.levelcontourplot

Lattice plot that draws a filled contour plot

Description

Used within plotFun

Usage

```

panel.levelcontourplot(x, y, z, subscripts = 1, at, shrink, labels = TRUE,
  label.style = c("mixed", "flat", "align"), contour = FALSE,
  region = TRUE, col = add.line$col, lty = add.line$lty,
  lwd = add.line$lwd, border = "transparent", ...,
  col.regions = regions$col, filled = TRUE, alpha.regions = regions$alpha)

```

Arguments

x	x on a grid
y	y on a grid
z	zvalues for the x and y
subscripts	which points to plot
at	cuts for the contours
shrink	what does this do?
labels	draw the contour labels
label.style	where to put the labels
contour	logical draw the contours
region	logical color the regions

col	color for contours
lty	type for contours
lwd	width for contour
border	type of border
...	dots additional arguments
col.regions	a vector of colors or a function (topo.colors by default) for generating such
filled	whether to fill the contours with color
alpha.regions	transparency of regions

panel.lmbands *show confidence and preciction bands on plots*

Description

show confidence and preciction bands on plots

Usage

```
panel.lmbands(x, y, interval = "confidence", level = 0.95, model = lm(y ~
  x), band.col = c(conf = slcol[3], pred = slcol[2]), band.lty = c(conf =
  slty[3], pred = slty[2]), band.show = TRUE, fit.show = TRUE,
  band.alpha = 0.6, band.lwd = 1, npts = 100, ...)
```

Arguments

x, y	numeric vectors
interval	a vector subset of 'confidence' and 'prediction'
level	conficence level
model	model to be used for generating bands
band.col	a vector of length 1 or 2 giving the color of bands
band.lty	a vector of length 1 or 2 giving the line type for bands
band.show	logical vector of length 1 or 2 indicating whether confidence and prediction bands should be shown
fit.show	logical indicating whether the model fit should be shown
band.alpha	a vector of length 1 or 2 alpha level for bands
band.lwd	a vector of length 1 or 2 giving line width for bands
npts	resolution parameter for bands (increase to get better resolution)
...	additional arguments

panel.plotFun *Panel function for plotting functions*

Description

Panel function for plotting functions

Usage

```
panel.plotFun(object, ..., type = "l", npts = NULL, zlab = NULL,
  filled = TRUE, levels = NULL, nlevels = 10, surface = FALSE,
  col.regions = topo.colors, alpha = NULL, discontinuity = NULL,
  discontinuities = NULL)
```

Arguments

object	an object (e.g., a formula) describing a function
...	additional arguments, typically processed by lattice panel functions such as panel.xyplot or panel.levelplot . Frequently used arguments include
lwd	line width
lty	line type
col	a color
type	type of plot ("l" by default)
npts	an integer giving the number of points (in each dimension) to sample the function
zlab	label for z axis (when in surface-plot mode)
filled	fill with color between the contours (TRUE by default)
levels	levels at which to draw contours
nlevels	number of contours to draw (if levels not specified)
surface	a logical indicating whether to draw a surface plot rather than a contour plot
col.regions	a vector of colors or a function (topo.colors by default) for generating such
alpha	number from 0 (transparent) to 1 (opaque) for the fill colors
discontinuity	a positive number determining how sensitive the plot is to potential discontinuity. Larger values result in less sensitivity. The default is 1. Use discontinuity = Inf to disable discontinuity detection. Discontinuity detection uses a crude numerical heuristic and may not give the desired results in all cases.
discontinuities	a vector of input values at which a function is discontinuous or NULL to use a heuristic to auto-detect.

See Also

plotFun

Examples

```
x <- runif(30,0,2*pi)
d <- data.frame( x = x, y = sin(x) + rnorm(30,sd=.2) )
xyplot( y ~ x, data=d )
ladd(panel.plotFun( sin(x) ~ x, col='red' ) )
xyplot( y ~ x | rbinom(30,1,.5), data=d )
ladd(panel.plotFun( sin(x) ~ x, col='red', lty=2 ) ) # plots sin(x) in each panel
```

panel.plotFun1 *Panel function for plotting functions*

Description

Panel function for plotting functions

Usage

```
panel.plotFun1(..f.., ..., x, y, type = "l",
  col = trellis.par.get("superpose.line")$col, npts = NULL, zlab = NULL,
  filled = TRUE, levels = NULL, nlevels = 10, surface = FALSE,
  alpha = NULL, discontinuity = NULL, discontinuities = NULL)
```

Arguments

<code>..f..</code>	an object (e.g., a formula) describing a function
<code>...</code>	additional arguments, typically processed by lattice panel functions such as panel.xyplot or panel.levelplot . Frequently used arguments include <code>lwd</code> line width <code>lty</code> line type <code>col</code> a color
<code>x, y</code>	ignored, but there for compatibility with other lattice panel functions
<code>type</code>	type of plot ("l" by default)
<code>col</code>	a vector of colors
<code>npts</code>	an integer giving the number of points (in each dimension) to sample the function
<code>zlab</code>	label for z axis (when in surface-plot mode)
<code>filled</code>	fill with color between the contours (TRUE by default)
<code>levels</code>	levels at which to draw contours
<code>nlevels</code>	number of contours to draw (if levels not specified)
<code>surface</code>	a logical indicating whether to draw a surface plot rather than a contour plot
<code>alpha</code>	number from 0 (transparent) to 1 (opaque) for the fill colors

discontinuity a positive number determining how sensitive the plot is to potential discontinuity. Larger values result in less sensitivity. The default is 1. Use `discontinuity = Inf` to disable discontinuity detection. Discontinuity detection uses a crude numerical heuristic and may not give the desired results in all cases.

discontinuities a vector of input values at which a function is discontinuous or NULL to use a heuristic to auto-detect.

See Also

`plotFun`

Examples

```
x <- runif(30,0,2*pi)
d <- data.frame( x = x, y = sin(x) + rnorm(30,sd=.2) )
xyplot( y ~ x, data=d )
ladd(panel.plotFun1( sin, col='red' ) )
xyplot( y ~ x | rbinom(30,1,.5), data=d )
ladd(panel.plotFun1( sin, col='red', lty=2 ) ) # plots sin(x) in each panel
```

pdist

Illustrated probability calculations from distributions

Description

Illustrated probability calculations from distributions

Usage

```
pdist(dist = "norm", q, plot = TRUE, verbose = FALSE, invisible = FALSE,
      digits = 3L, xlim, ylim, resolution = 500L, return = c("values",
      "plot"), ..., refinements = list())
```

`xpgamma(...)`

`xpt(...)`

`xpchisq(...)`

`xpf(...)`

`xpbinom(...)`

`xppois(...)`

`xpgeom(...)`

```
xpnbinom(...)
```

```
xpbeta(...)
```

Arguments

dist	a character discription of a distribution, for example "norm", "t", or "chisq"
q	a vector of quantiles
plot	a logical indicating whether a plot should be created
verbose	a logical
invisible	a logical
digits	the number of digits desired
xlim	x limits
ylim	y limits
resolution	Number of points used for detecting discreteness and generating plots. The default value of 5000 should work well except for discrete distributions that have many distinct values, especially if these values are not evenly spaced.
return	If "plot", return a plot. If "values", return a vector of numerical values.
...	Additional arguments, including parameters of the distribution and additional options for the plot
refinements	A list of refinements to the plot. See gf_refine() .

Details

The most general function is `pdist` which can work with any distribution for which a p-function exists. As a convenience, wrappers are provided for several common distributions.

Value

A vector of probabilities; a plot is printed as a side effect.

See Also

[qdist](#), [xpnorm](#), [xqnorm](#).

Examples

```
pdist("norm", -2:2)
pdist("norm", seq(80,120, by = 10), mean = 100, sd = 10)
pdist("chisq", 2:4, df = 3)
pdist("f", 1, df1 = 2, df2 = 10)
pdist("gamma", 2, shape = 3, rate = 4)
```

perctable

Cross tabulation displayed as percents or proportions

Description

perctable and proptable use the cross-classifying factors to build a contingency table of the percents or proportions at each combination of factor levels.

Usage

```
perctable(...)
```

```
proptable(...)
```

Arguments

... arguments passed directly to [table](#); typically one or more objects which can be interpreted as factors (including character strings), or a list (or data frame) whose components can be so interpreted.

Details

See [table](#).

Value

a contingency table, an object of class "table", an array of percentage or proportion values. Note that unlike S the result is always an array, a 1D array if one factor is given.

Examples

```
# perctable() has been deprecated. Use tally() instead
example(tally)
```

plotCumfreq

Cumulative frequency plots

Description

A high-level function for producing a cumulative frequency plot using lattice graphics.

Usage

```

plotCumfreq(x, data, ...)

## S3 method for class 'formula'
plotCumfreq(x, data = NULL, subscripts, ...)

## Default S3 method:
plotCumfreq(x, ...)

prepanel.cumfreq(x, ...)

panel.cumfreq(x, type = c("smooth", "step"), groups = NULL, ...)

```

Arguments

x	a formula or numeric vector
data	a data frame in which x is evaluated if x is a formula.
...	other lattice arguments
subscripts	as in lattice plots
type	smooth or step-function?
groups	grouping variable

See Also

[histogram](#), [densityplot](#)

Examples

```
plotCumfreq(~eruptions, faithful, xlab = 'duration of eruptions')
```

plotDist

Plots of Discrete and Continuous Distributions

Description

Provides a simple way to generate plots of pdfs, probability mass functions, cdfs, probability histograms, and normal-quantile plots for distributions known to R.

Usage

```

plotDist(dist, ..., xlim = NULL, ylim = NULL, add, under = FALSE,
         packets = NULL, rows = NULL, columns = NULL, kind = c("density",
         "cdf", "qq", "histogram"), xlab = "", ylab = "", breaks = NULL, type,
         resolution = 5000L, params = NULL)

```

Arguments

dist	A string identifying the distribution. This should work with any distribution that has associated functions beginning with 'd', 'p', and 'q' (e.g. dnorm , pnorm , and qnorm). dist should match the name of the distribution with the initial 'd', 'p', or 'q' removed.
...	other arguments passed along to lattice graphing routines
xlim	a numeric vector of length 2 or NULL, in which case the central 99.8% of the distribution is used.
ylim	a numeric vector of length 2 or NULL, in which case a heuristic is used to avoid chasing asymptotes in distributions like the F distributions with 1 numerator degree of freedom.
add	a logical indicating whether the plot should be added to the previous lattice plot. If missing, it will be set to match under.
under	a logical indicating whether adding should be done in a layer under or over the existing layers when add = TRUE.
packets, rows, columns	specification of which panels will be added to when add is TRUE. See layer .
kind	one of "density", "cdf", "qq", or "histogram" (or prefix of any of these)
xlab, ylab	as per other lattice functions
breaks	a vector of break points for bins of histograms, as in histogram
type	passed along to various lattice graphing functions
resolution	number of points to sample when generating the plots
params	a list containing parameters for the distribution. If NULL (the default), this list is created from elements of ... that are either unnamed or have names among the formals of the appropriate distribution function. See the examples.

Details

plotDist determines whether the distribution is continuous or discrete by seeing if all the sampled quantiles are unique. A discrete random variable with many possible values could fool this algorithm and be considered continuous.

The plots are done referencing a data frame with variables x and y giving points on the graph of the pdf, pmf, or cdf for the distribution. This can be useful in conjunction with the groups argument. See the examples.

Examples

```
plotDist('norm')
plotDist('norm', type='h')
plotDist('norm', kind='cdf')
plotDist('exp', kind='histogram')
plotDist('binom', params=list( 25, .25))      # explicit params
plotDist('binom', 25, .25)                   # params inferred
plotDist('norm', mean=100, sd=10, kind='cdf') # params inferred
plotDist('binom', 25, .25, xlim=c(-1,26) )   # params inferred
```

```

plotDist('binom', params=list( 25, .25), kind='cdf')
plotDist('beta', params=list( 3, 10), kind='density')
plotDist('beta', params=list( 3, 10), kind='cdf')
plotDist( "binom", params=list(35,.25),
          groups= y < dbinom(qbinom(0.05, 35, .25), 35,.25) )
plotDist( "binom", params=list(35,.25),
          groups= y < dbinom(qbinom(0.05, 35, .25), 35,.25),
          kind='hist')
plotDist("norm", mean=10, sd=2, col="blue", type="h")
plotDist("norm", mean=12, sd=2, col="red", type="h", under=TRUE)
plotDist("binom", size=100, prob=.30) +
  plotDist("norm", mean=30, sd=sqrt(100 * .3 * .7))
plotDist("chisq", df=4, groups = x > 6, type="h")
plotDist("f", df1=1, df2 = 99)
if (require(mosaicData)) {
  histogram( ~age|sex, data=HELPrct)
  m <- mean( ~age|sex, data=HELPrct)
  s <- sd(~age|sex, data=HELPrct)
  plotDist( "norm", mean=m[1], sd=s[1], col="red", add=TRUE, packets=1)
  plotDist( "norm", mean=m[2], sd=s[2], col="blue", under=TRUE, packets=2)
}

```

plotFun

Plotting mathematical expressions

Description

Plots mathematical expressions in one and two variables.

Usage

```

plotFun(object, ..., plot = trellis.last.object(), add = NULL,
        under = FALSE, xlim = NULL, ylim = NULL, npts = NULL, ylab = NULL,
        xlab = NULL, zlab = NULL, filled = TRUE, levels = NULL,
        nlevels = 10, labels = TRUE, surface = FALSE, groups = NULL,
        col = trellis.par.get("superpose.line")$col, col.regions = topo.colors,
        type = "l", lwd = trellis.par.get("superpose.line")$lwd,
        lty = trellis.par.get("superpose.line")$lty, alpha = NULL,
        discontinuities = NULL, discontinuity = 1,
        interactive = rstudio_is_available())

```

Arguments

object a mathematical expression or a function "of one variable" which will be converted to something intuitively equivalent to $\text{object}(x) \sim x$. (See examples)

... additional parameters, typically processed by lattice functions such as [xyplot](#), [levelplot](#) or their panel functions. Frequently used parameters include

main main title for plot
 sub subtitle for plot
 lwd line width
 lty line type
 col a color or a (small) integer indicating which color in the current color scheme is desired.

Additionally, these arguments can be used to specify parameters for the function being plotted and to specify the plotting window with natural names. See the examples for such usage.

plot a trellis object; by default, the most recently created trellis plot. When add is TRUE, the new function will be plotted into a layer added to this object.
 add if TRUE, then add a layer to an existing plot rather than creating a new plot. If NULL, this will be determined by the value of under.
 under if TRUE, then new layer is added beneath existing layers
 xlim limits for x axis (or use variable names, see examples)
 ylim limits for y axis (or use variable names, see examples)
 npts number of points for plotting.
 ylab label for y axis
 xlab label for x axis
 zlab label for z axis (when in surface-plot mode)
 filled fill with color between the contours (TRUE by default)
 levels levels at which to draw contours
 nlevels number of contours to draw (if levels not specified)
 labels if FALSE, don't label contours
 surface draw a surface plot rather than a contour plot
 groups grouping argument ala lattice graphics
 col vector of colors for line graphs and contours
 col.regions a vector of colors or a function (topo.colors by default) for generating such
 type type of plot ("l" by default)
 lwd vector of line widths for line graphs
 lty vector of line types for line graphs
 alpha number from 0 (transparent) to 1 (opaque) for the fill colors
 discontinuities a vector of input values at which a function is discontinuous or NULL to use a heuristic to auto-detect.
 discontinuity a positive number determining how sensitive the plot is to potential discontinuity. Larger values result in less sensitivity. The default is 1. Use discontinuity = Inf to disable discontinuity detection. Discontinuity detection uses a crude numerical heuristic and may not give the desired results in all cases.
 interactive a logical indicating whether the surface plot should be interactive.

Details

makes plots of mathematical expressions using the formula syntax. Will draw both line plots and contour/surface plots (for functions of two variables). In RStudio, the surface plot comes with sliders to set orientation. If the colors in filled surface plots are too blocky, increase npts beyond the default of 50, though npts=300 is as much as you're likely to ever need. See examples for overplotting a constraint function on an objective function.

Value

a trellis object

Examples

```
plotFun( a*sin(x^2)~x, xlim=range(-5,5), a=2 ) # setting parameter value
plotFun( u^2 ~ u, ulim=c(-4,4) ) # limits in terms of u
# Note roles of ylim and y.lim in this example
plotFun( y^2 ~ y, ylim=c(-2,20), y.lim=c(-4,4) )
# Combining plot elements to show the solution to an inequality
plotFun( x^2 -3 ~ x, xlim=c(-4,4), grid=TRUE )
ladd( panel.abline(h=0,v=0,col='gray50') )
plotFun( (x^2 -3) * (x^2 > 3) ~ x, type='h', alpha=.1, lwd=4, col='lightblue', add=TRUE )
plotFun( sin(x) ~ x,
  groups=cut(x, findZeros(sin(x) ~ x, within=10)$x),
  col=c('blue','green'), lty=2, lwd=3, xlim=c(-10,10) )
plotFun( sin(x) ~ x,
  groups=cut(x, findZeros(sin(x) ~ x, within=10)$x),
  col=c(1,2), lty=2, lwd=3, xlim=c(-10,10) )
## plotFun( sin(2*pi*x/P)*exp(-k*t)~x+t, k=2, P=.3)
f <- rfun( ~ u & v )
plotFun( f(u=v) ~ u & v, u.lim=range(-3,3), v.lim=range(-3,3) )
plotFun( u^2 + v < 3 ~ u & v, add=TRUE, npts=200 )
if (require(mosaicData)) {
# display a linear model using a formula interface
model <- lm(wage ~ poly(exper,degree=2), data=CPS85)
fit <- makeFun(model)
xyplot(wage ~ exper, data=CPS85)
plotFun(fit(exper) ~ exper, add=TRUE, lwd=3, col="red")
# Can also just give fit since it is a "function of one variable"
plotFun(fit, add=TRUE, lwd=2, col='white')
}
# Attempts to find sensible axis limits by default
plotFun( sin(k*x)~x, k=0.01 )
# Plotting a linear model with multiple predictors.
mod <- lm(length ~ width * sex, data=KidsFeet)
fitted.length <- makeFun(mod)
xyplot(length ~ width, groups=sex, data=KidsFeet, auto.key=TRUE)
plotFun(fitted.length(width, sex="B") ~ width, add=TRUE, col=1)
plotFun(fitted.length(width, sex="G") ~ width, add=TRUE, col=2)
```

plotModel *Plot a regression model*

Description

Visualize a regression model amid the data that generated it.

Usage

```
plotModel(mod, ...)
```

Arguments

mod	A model of type lm or glm
...	arguments passed to xyplot or <code>rgl::plot3d</code> .

Details

The goal of this function is to assist with visualization of statistical models. Namely, to plot the model on top of the data from which the model was fit.

The primary plot type is a scatter plot. The x-axis can be assigned to one of the predictors in the model. Additional predictors are thought of as co-variates. The data and fitted curves are partitioned by these covariates. When the number of components to this partition is large, a random subset of the fitted curves is displayed to avoid visual clutter.

If the model was fit on one quantitative variable (e.g. SLR), then a scatter plot is drawn, and the model is realized as parallel or non-parallel lines, depending on whether interaction terms are present.

Eventually we hope to support 3-d visualizations of models with 2 quantitative predictors using the [rgl](#) package.

Currently, only linear regression models and generalized linear regression models are supported.

Value

A lattice or [ggplot2](#) graphics object.

Caution

This is still underdevelopment. The API is subject to change, and some use cases may not work yet. Watch for improvements in subsequent versions of the package.

Author(s)

Ben Baumer, Galen Long, Randall Pruim

See Also

[plotPoints](#), [plotFun](#)

Examples

```
require(mosaic)

mod <- lm( mpg ~ factor(cyl), data = mtcars)
plotModel(mod)

# SLR
mod <- lm( mpg ~ wt, data = mtcars)
plotModel(mod, pch = 19)

# parallel slopes
mod <- lm( mpg ~ wt + factor(cyl), data=mtcars)
plotModel(mod)

# multiple categorical vars
mod <- lm( mpg ~ wt + factor(cyl) + factor(vs) + factor(am), data = mtcars)
plotModel(mod)
plotModel(mod, mpg ~ am)

# interaction
mod <- lm( mpg ~ wt + factor(cyl) + wt:factor(cyl), data = mtcars)
plotModel(mod)

# polynomial terms
mod <- lm( mpg ~ wt + I(wt^2), data = mtcars)
plotModel(mod)

# GLM
mod <- glm(vs ~ wt, data=mtcars, family = 'binomial')
plotModel(mod)

# GLM with interaction
mod <- glm(vs ~ wt + factor(cyl), data=mtcars, family = 'binomial')
plotModel(mod)

# 3D model
mod <- lm( mpg ~ wt + hp, data = mtcars)
plotModel(mod)

# parallel planes
mod <- lm( mpg ~ wt + hp + factor(cyl) + factor(vs), data = mtcars)
plotModel(mod)

# interaction planes
mod <- lm( mpg ~ wt + hp + wt * factor(cyl), data = mtcars)
plotModel(mod)
plotModel(mod, system="g") + facet_wrap( ~ cyl )
```

Description

Make or add a scatter plot in a manner coordinated with plotFun.

Usage

```
plotPoints(x, data = parent.frame(), add = NULL, under = FALSE,
  panelfun = panel.xyplot, plotfun = xyplot, ...,
  plot = trellis.last.object())
```

Arguments

x	A formula specifying $y \sim x$ or $z \sim x \& y$
data	Data frame containing the variables to be plotted. If not specified, the variables will be looked up in the local environment
add	If TRUE, add points as a new layer to an existing plot. If NULL, the value of under will be used.
under	If TRUE, the new layer will be underneath existing layers.
panelfun	Lattice panel function to be used for adding. Set only if you want something other than a scatter plot. Mainly, this is intended to add new functionality through other functions.
plotfun	Lattice function to be used for initial plot creation. Set only if you want something other than a scatter plot. Mainly, this is intended to add new functionality through other functions.
...	additional arguments
plot	a trellis plot, by default the most recently created one. If add is TRUE, new points will be added as a new layer to plot.

Value

A trellis graphics object

See Also

[plotFun](#)

Examples

```
if (require(mosaicData)) {
  plotPoints( width ~ length, data=KidsFeet, groups=sex, pch=20)
  f <- makeFun( lm( width ~ length * sex, data=KidsFeet))
  plotFun( f(length=length,sex="G")~length, add=TRUE, col="pink")
  plotFun( f(length=length,sex="B")~length, add=TRUE)
}
```

```
print.msummary.lm      Modified summaries
```

Description

msummary provides modified summary objects that typically produce output that is either identical to or somewhat terser than their [summary](#) analogs. The contents of the object itself are unchanged (except for an augmented class) so that other downstream functions should work as before.

Usage

```
## S3 method for class 'msummary.lm'
print(x, digits = max(3L, getOption("digits") - 3L),
      symbolic.cor = x$symbolic.cor,
      signif.stars = getOption("show.signif.stars"), ...)

## S3 method for class 'msummary.glm'
print(x, digits = max(3L, getOption("digits") - 3L),
      symbolic.cor = x$symbolic.cor,
      signif.stars = getOption("show.signif.stars"), ...)

msummary(object, ...)

## Default S3 method:
msummary(object, ...)

## S3 method for class 'lm'
msummary(object, ...)

## S3 method for class 'glm'
msummary(object, ...)
```

Arguments

x	an object to summarize
digits	desired number of digits to display
symbolic.cor	see summary
signif.stars	a logical indicating whether to display stars to indicate significance
...	additional arguments
object	an object to summarise

Examples

```
msummary(lm(Sepal.Length ~ Species, data = iris))
```

 project

Projections

Description

Compute projections onto the span of a vector or a model space, dot products, and vector lengths in Euclidean space.

Usage

```
project(x, ...)

## S4 method for signature 'formula'
project(x, u = NULL, data = parent.frame(2),
        coefficients = TRUE, ...)

## S4 method for signature 'numeric'
project(x, u = rep(1, length(x)), type = c("vector",
      "length", "coef"), ...)

## S4 method for signature 'matrix'
project(x, u, data = parent.frame())

vlength(x, ...)

dot(u, v)
```

Arguments

x	a numeric vector (all functions) or a formula (only for project). Left-hand sides of formulas should be a single quantity
...	additional arguments
u	a numeric vector
data	a data frame.
coefficients	For <code>project(y ~ x)</code> indicates whether the projection coefficients should be returned or the projection vector.
type	one of "length" or "vector" determining the type of the returned value
v	a numeric vector

Details

`project` (preferably pronounced "pro-JECT" as in "projection") does either of two related things: (1) Given two vectors as arguments, it will project the first onto the second, returning the point in the subspace of the second that is as close as possible to the first vector. (2) Given a formula as an argument, will work very much like `lm()`, constructing a model matrix from the right-hand side of the formula and projecting the vector on the left-hand side onto the subspace of that model matrix.

In (2), rather than returning the projected vector, `project()` returns the coefficients on each of the vectors in the model matrix. UNLIKE `lm()`, the intercept vector is NOT included by default. If you want an intercept vector, include `+1` in your formula.

Value

`project` returns the projection of `x` onto `u` (or its length if `u` and `v` are numeric vectors and `type == "length"`)

`vlength` returns the length of the vector (i.e., the square root of the sum of the squares of the components)

`dot` returns the dot product of `u` and `v`

See Also

`link{project}`

Examples

```
x1 <- c(1,0,0); x2 <- c(1,2,3); y1 <- c(3,4,5); y2 <- rnorm(3)
# projection onto the 1 vector gives the mean vector
mean(y2)
project(y2, 1)
# return the length of the vector, rather than the vector itself
project(y2, 1, type='length')
project(y1 ~ x1 + x2) -> pr; pr
# recover the projected vector
cbind(x1,x2) %*% pr -> v; v
project( y1 ~ x1 + x2, coefficients=FALSE )
dot( y1 - v, v ) # left over should be orthogonal to projection, so this should be ~ 0
if (require(mosaicData)) {
  project(width~length+sex, data=KidsFeet)
}
vlength(rep(1,4))
if (require(mosaicData)) {
  m <- lm( length ~ width, data=KidsFeet )
  # These should be the same
  vlength( m$effects )
  vlength( KidsFeet$length )
  # So should these
  vlength( tail(m$effects, -2) )
  sqrt(sum(resid(m)^2))
}
v <- c(1,1,1); w <- c(1,2,3)
u <- v / vlength(v) # make a unit vector
# The following should be the same:
project(w,v, type="coef") * v
project(w,v)
# The following are equivalent
abs(dot( w, u ))
vlength( project( w, u ) )
vlength( project( w, v ) )
```

```
project( w, v, type='length' )
```

 prop

Compute proportions, percents, or counts for a single level

Description

Compute proportions, percents, or counts for a single level

Usage

```
prop(x, data = parent.frame(), useNA = "no", ..., success = NULL,
     level = NULL, long.names = TRUE, sep = ".", format = c("proportion",
     "percent", "count"), quiet = TRUE, pval.adjust = FALSE)
```

```
prop1(..., pval.adjust = TRUE)
```

```
count(x, ...)
```

```
perc(x, data = parent.frame(), ..., format = "percent")
```

Arguments

x	an R object, usually a formula
data	a data frame in which x is to be evaluated
useNA	an indication of how NA's should be handled. By default, they are ignored.
...	arguments passed through to tally
success	the level for which counts, proportions or percents are calculated
level	Deprecated. Use success.
long.names	a logical indicating whether long names should be when there is a conditioning variable
sep	a character used to separate portions of long names
format	one of proportion, percent, or count, possibly abbreviated
quiet	a logical indicating whether messages regarding the success level should be suppressed.
pval.adjust	a logical indicating whether the "p-value" adjustment should be applied. This adjustment adds 1 to the numerator and denominator counts.

Details

prop1 is intended for the computation of p-values from randomization distributions and differs from prop only in its default value of pval.adjust.

Note

For 0-1 data, success is set to 1 by default since that a standard coding scheme for success and failure.

Examples

```
prop( ~sex, data=HELPrct)
prop( ~sex, data=HELPrct, success = "male")
count( ~sex | substance, data=HELPrct)
prop( ~sex | substance, data=HELPrct)
perc( ~sex | substance, data=HELPrct)
```

prop.test

Exact and Approximate Tests for Proportions

Description

The mosaic prop.test provides wrapper functions around the function of the same name in **stats**. These wrappers provide an extended interface (including formulas). prop.test performs an approximate test of a simple null hypothesis about the probability of success in a Bernoulli or multinomial experiment from summarized data or from raw data.

Usage

```
prop.test(x, n, p = NULL, alternative = c("two.sided", "less", "greater"),
  conf.level = 0.95, data = NULL, success = NULL, ...)
```

Arguments

x	count of successes, length 2 vector of success and failure counts, a formula, or a character, numeric, or factor vector containing raw data.
n	sample size (successes + failures) or a data frame (for the formula interface)
p	a vector of probabilities of success. The length of p must be the same as the number of groups specified by x, and its elements must be greater than 0 and less than 1.
alternative	character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". You can specify just the initial letter. Only used for testing the null that a single proportion equals a given value, or that two proportions are equal; ignored otherwise.
conf.level	confidence level of the returned confidence interval. Must be a single number between 0 and 1. Only used when testing the null that a single proportion equals a given value, or that two proportions are equal; ignored otherwise.
data	a data frame (if missing, n may be a data frame)
success	level of variable to be considered success. All other levels are considered failure.
...	additional arguments (often ignored). When x is a formula, groups can be used to compare groups: x = ~ var, groups=g is equivalent to x = var ~ g . See the examples.

Details

```
conf.level = 0.95, ...)
```

This is a wrapper around `prop.test` to simplify its use when the raw data are available, in which case an extended syntax for `prop.test` is provided.

Value

an `htest` object

Note

When `x` is a 0-1 vector, 0 is treated as failure and 1 as success. Similarly, for a logical vector `TRUE` is treated as success and `FALSE` as failure.

See Also

[binom.test](#), [prop.test](#)

Examples

```
# Several ways to get a confidence interval for the proportion of Old Faithful
# eruptions lasting more than 3 minutes.
prop.test( faithful$eruptions > 3 )
prop.test(97,272)
faithful$long <- faithful$eruptions > 3
prop.test( faithful$long )
prop.test( ~long , data = faithful )
prop.test( homeless ~ sex, data = HELPrct )
prop.test( ~ homeless | sex, data = HELPrct )
prop.test( ~ homeless, groups = sex, data = HELPrct )
```

qdata

The Data Distribution

Description

Density, distribution function, quantile function, and random generation from data.

Usage

```
qdata(formula, p = seq(0, 1, 0.25), data = NULL, ...)
```

```
cdata(formula, p = 0.95, data = NULL, ...)
```

```
pdata(formula, q, data = NULL, ...)
```

```
rdata(formula, n, data = NULL, ...)
```

```
ddata(formula, q, data = NULL, ...)
```

Arguments

formula	a formula or a vector
p	a vector of probabilities
data	a data frame in which to evaluate formula
...	additional arguments passed to quantile or sample
q	a vector of quantiles
n	number of values to sample

Value

For qdata, a vector of quantiles

for cdata, a named numerical vector or a data frame giving upper and lower limits and the central proportion requested

For pdata, a vector of probabilities

For rdata, a vector of sampled values.

For ddata, a vector of probabilities (empirical densities)

Examples

```
data(iris)
qdata(Sepal.Length ~ Species, 0.5, data=iris)
qdata(~Sepal.Length, p = 0.5, groups=Species, data=iris)
qdata(iris$Sepal.Length, p = 0.5)
qdata(~ Sepal.Length, p = 0.5, data=iris)
qdata(~ Sepal.Length, p = 0.5, groups=Species, data=iris)
data(iris)
cdata(iris$Sepal.Length, 0.5)
cdata( ~ Sepal.Length, 0.5, data = iris)
cdata( ~ Sepal.Length, 0.5, data = iris)
cdata( ~ Sepal.Length | Species, data = iris, p = .5)
data(iris)
pdata(iris$Sepal.Length, 3:6)
pdata( ~ Sepal.Length, 3:6, data=iris)
data(iris)
rdata(iris$Species, 10)
rdata(~Species, n = 10, data=iris)
rdata(Sepal.Length ~ Species, n = 5, data=iris)
data(iris)
ddata(iris$Species, 'setosa')
ddata(~Species, 'setosa', data=iris)
```

qdata_v

*The Data Distribution***Description**

Utility functions for density, distribution function, quantile function, and random generation from data.

Usage

```
qdata_v(x, p = seq(0, 1, 0.25), na.rm = TRUE, ...)
qdata_f(x, ..., data = NULL, groups = NULL, na.rm = TRUE)
cdata_v(x, p = 0.95, na.rm = TRUE, ...)
cdata_f(x, ..., data = NULL, groups = NULL, na.rm = TRUE)
pdata_v(x, q, lower.tail = TRUE, ...)
pdata_f(x, ..., data = NULL, groups = NULL, na.rm = TRUE)
rdata_v(x, n, replace = TRUE, ...)
rdata_f(x, ..., data = NULL, groups = NULL, na.rm = TRUE)
ddata_v(x, q, ..., data = NULL, log = FALSE, na.rm = TRUE)
ddata_f(x, ..., data = NULL, groups = NULL, na.rm = TRUE)
```

Arguments

x	a vector containing the data
p	a vector of probabilities
na.rm	a logical indicating whether NAs should be removed before computing.
...	additional arguments passed to quantile or sample
data	a data frame in which to evaluate formula
groups	a grouping variable, typically the name of a variable in data
q	a vector of quantiles
lower.tail	a logical indicating whether to use the lower or upper tail probability
n	number of values to sample
replace	a logical indicating whether to sample with replacement
log	a logical indicating whether the result should be log transformed

See Also

[ddata](#), [pdata](#), [qdata](#), [rdata](#), [cdata](#)

qdist

Illustrated quantile calculations from distributions

Description

Illustrated quantile calculations from distributions

Usage

```
qdist(dist = "norm", p, plot = TRUE, verbose = FALSE, invisible = FALSE,
      resolution = 500L, digits = 3L, xlim, ylim, return = c("values",
      "plot"), ..., refinements = list())
```

```
xqgamma(...)
```

```
xqt(...)
```

```
xqchisq(...)
```

```
xqf(...)
```

```
xqbinom(...)
```

```
xqpois(...)
```

```
xqgeom(...)
```

```
xqnbinom(...)
```

```
xqbeta(...)
```

Arguments

dist	a character discription of a distribution, for example "norm", "t", or "chisq"
p	a vector of probabilities
plot	a logical indicating whether a plot should be created
verbose	a logical
invisible	a logical
resolution	number of points used for detecting discreteness and generating plots. The default value of 5000 should work well except for discrete distributions that have many distinct values, especially if these values are not evenly spaced.
digits	the number of digits desired

xlim	x limits. By default, these are chosen to show the central 99.8% of the distribution.
ylim	y limits
return	If "plot", return a plot. If "values", return a vector of numerical values.
...	additional arguments, including parameters of the distribution and additional options for the plot
refinements	A list of refinements to the plot. See gf_refine() .

Details

The most general function is `qdist` which can work with any distribution for which a q-function exists. As a convenience, wrappers are provided for several common distributions.

Value

a vector of quantiles; a plot is printed as a side effect

Examples

```
qdist("norm", seq(.2, .8, by = 0.10))
xqnorm(seq(.2, .8, by = 0.10), mean = 100, sd = 10)
qdist("unif", .5)
xqgamma(.5, shape = 3, scale = 4)
xqgamma(.5, shape = 3, scale = 4, dlwd = 1)
xqbeta(.5, shape1 = .9, shape2 = 1.4, dlwd = 1)
xqchisq(c(.25, .5, .75), df = 3)
xqbinom(c(0.25, 0.85), size = 1000, prob = 0.40)
# displayed as if continuous
xqbinom(c(0.25, 0.85), size = 5000, prob = 0.40)
xpbinom( c(480, 500, 510), size = 1000, prob = 0.48)
xpbinom( c(40, 60), size = 100, prob = 0.5)
xqpois( c(0.25, 0.5, 0.75), lambda = 6, lwd = 3, vlwd = 2)
```

r.squared

Extract r-squared value

Description

Attempts to extract an r-squared value from a model or model-like object.

Usage

```
r.squared(x, ...)
```

Arguments

x	an object
...	additional arguments

rand	<i>Random Regressors</i>
------	--------------------------

Description

A utility function for producing random regressors with a specified number of degrees of freedom.

Usage

```
rand(df = 1, rdist = rnorm, args = list(), nrow, seed = NULL)
```

Arguments

df	degrees of freedom, i.e., number of random regressors
rdist	random distribution function for sampling
args	arguments for rdist
nrow	number of rows in resulting matrix. This can often be omitted in the context of functions like <code>lm</code> where it is inferred from the data frame, if one is provided.
seed	seed for random number generation

Value

A matrix of random variates with `df` columns. In its intended use, the number of rows will be selected to match the size of the data frame supplied to `lm`

Examples

```
rand(2,nrow=4)
rand(2,rdist=rpois, args=list(lambda=3), nrow=4)
summary(lm( waiting ~ eruptions + rand(1), faithful))
```

read.file	<i>Read data files</i>
-----------	------------------------

Description

A wrapper around various file reading functions.

Usage

```
read.file(file, header = T, na.strings = "NA", comment.char = NULL,
  filetype = c("default", "csv", "txt", "tsv", "fw", "rdata"),
  stringsAsFactors = FALSE, readr = FALSE, package = NULL, ...)
```

Arguments

<code>file</code>	character: The name of the file which the data are to be read from. This may also be a complete URL or a path to a compressed file. If it does not contain an absolute path, the file name is relative to the current working directory, <code>getwd()</code> . Tilde-expansion is performed where supported. See read.table for more details.
<code>header</code>	logical; For <code>.txt</code> and <code>.csv</code> files, this indicates whether the first line of the file includes variables names.
<code>na.strings</code>	character: strings that indicate missing data.
<code>comment.char</code>	character: a character vector of length one containing a single character or an empty string. Use "" to turn off the interpretation of comments altogether.
<code>filetype</code>	one of "default", "csv", "txt", or "rdata" indicating the type of file being loaded. The default is to use the filename to guess the type of file.
<code>stringsAsFactors</code>	a logical indicating whether strings should be converted to factors. This has no affect when using <code>readr</code> .
<code>readr</code>	a logical indicating whether functions from the <code>readr</code> package should be used, if available.
<code>package</code>	if specified, files will be searched for among the documentation files provided by the package.
<code>...</code>	additional arguments passed on to read.table , or load or one of the functions in the <code>readr</code> package. Note that a message will indicate which underlying function is being used.

Details

Unless `filetype` is specified, `read.file` uses the (case insensitive) file extension to determine how to read data from the file. If file ends in `.rda` or `.rdata`, then [load](#) is used to load the file. If file ends in `.csv`, then [read_csv](#) or [read.csv](#) is used. Otherwise, [read.table](#) is used.

Value

A data frame, unless `file` unless `filetype` is "rdata", in which case arbitrary objects may be loaded and a character vector holding the names of the loaded objects is returned invisibly.

See Also

[read.csv](#), [read.table](#), [read_table](#), [read_csv](#), [load](#).

Examples

```
## Not run:
Dome <- read.file("http://www.mosaic-web.org/go/datasets/Dome.csv")

## End(Not run)
Mustangs <- read.file("MustangPrice.csv", package="mosaic")
```

relm	<i>Resample a Linear Model</i>
------	--------------------------------

Description

Residual resampling from a linear model

Usage

```
relm(model, ..., envir = environment(formula(model)))
```

Arguments

model	a linear model object produced using lm .
...	additional arguments passed through to resample .
envir	an environment in which to (re)evaluate the linear model.

repeater-class	<i>Repeater objects</i>
----------------	-------------------------

Description

Repeater objects can be used with the * operator to repeat things multiple time using a different syntax and different output format from that used by, for example, [replicate](#).

Slots

n: Object of class "numeric" indicating how many times to repeat something.
cull: Object of class "function" that culls the output from each repetition.
mode: Object of class "character" indicating the output mode ('default', 'data.frame', 'matrix', 'vector', or 'list'). For most purposes 'default' (the default) should suffice.
algorithm: an algorithm number.
parallel: a logical indicating whether to attempt parallel execution.

See Also

[do](#)

resample

*More Random Samples***Description**

These functions simplify and unify sampling in various ways.

Usage

```
resample(..., replace = TRUE)

deal(...)

shuffle(x, replace = FALSE, prob = NULL, groups = NULL,
        orig.ids = FALSE)

sample(x, size, replace = FALSE, ...)

## Default S3 method:
sample(x, size, replace = FALSE, prob = NULL,
       groups = NULL, orig.ids = FALSE, ...)

## S3 method for class 'data.frame'
sample(x, size, replace = FALSE, prob = NULL,
       groups = NULL, orig.ids = TRUE, fixed = names(x), shuffled = c(),
       invisibly.return = NULL, ...)

## S3 method for class 'matrix'
sample(x, size, replace = FALSE, prob = NULL,
       groups = NULL, orig.ids = FALSE, ...)

## S3 method for class 'factor'
sample(x, size, replace = FALSE, prob = NULL,
       groups = NULL, orig.ids = FALSE, drop.unused.levels = FALSE, ...)
```

Arguments

...	additional arguments passed to <code>sample</code> or <code>sample</code> .
replace	Should sampling be with replacement?
x	Either a vector of one or more elements from which to choose, or a positive integer.
prob	A vector of probability weights for obtaining the elements of the vector being sampled.
groups	a vector (or variable in a data frame) specifying groups to sample within. This will be recycled if necessary.

orig.ids	a logical; should original ids be included in returned data frame?
size	a non-negative integer giving the number of items to choose.
fixed	a vector of column names. These variables are shuffled en masse, preserving associations among these columns.
shuffled	a vector of column names. these variables are reshuffled individually (within groups if groups is specified), breaking associations among these columns. examples.
invisibly.return	a logical, should return be invisible?
drop.unused.levels	a logical, should unused levels be dropped?

Details

These functions are wrappers around [sample](#) providing different defaults and natural names.

Examples

```
# 100 Bernoulli trials -- no need for replace=TRUE
resample(0:1, 100)
tally(resample(0:1, 100))
if (require(mosaicData)) {
  Small <- sample(KidsFeet, 10)
  resample(Small)
  tally(~ sex, data=resample(Small))
  tally(~ sex, data=resample(Small))
  # fixed marginals for sex
  tally(~ sex, data=Small)
  tally(~ sex, data=resample(Small, groups=sex))
  # shuffled can be used to reshuffle some variables within groups
  # orig.id shows where the values were in original data frame.
  Small <- mutate(Small,
    id1 = paste(sex,1:10, sep=":"),
    id2 = paste(sex,1:10, sep=":"))
  resample(Small, groups=sex, shuffled=c("id1","id2"))
}
deal(Cards, 13) # A Bridge hand
shuffle(Cards)
```

rescale

Rescale

Description

Rescale vectors or variables within data frames. This can be useful for comparing vectors that are on different scales, for example in parallel plots or heatmaps.

Usage

```

rescale(x, range, domain = NULL, ...)

## S3 method for class 'data.frame'
rescale(x, range = c(0, 1), domain = NULL, ...)

## S3 method for class 'factor'
rescale(x, range, domain = NULL, ...)

## S3 method for class 'numeric'
rescale(x, range = c(0, 1), domain = NULL, ...)

## Default S3 method:
rescale(x, range = c(0, 1), domain = NULL, ...)

## S3 method for class 'character'
rescale(x, range = c(0, 1), domain = NULL, ...)

```

Arguments

x	an R object to rescale
range	a numeric vector of length 2
domain	a numeric vector of length 2 or NULL
...	additional arguments

rflip

Tossing Coins

Description

These functions simplify simulating coin tosses for those (students primarily) who are not yet familiar with the binomial distributions or just like this syntax and verbosity better.

Usage

```

rflip(n = 1, prob = 0.5, quiet = FALSE, verbose = !quiet,
      summarize = FALSE, summarise = summarize)

## S3 method for class 'cointoss'
print(x, ...)

nflip(n = 1, prob = 0.5, ...)

```

Arguments

n	the number of coins to toss
prob	probability of heads on each toss
quiet	a logical. If TRUE, less verbose output is used.
verbose	a logical. If TRUE, more verbose output is used.
summarize	if TRUE, return a summary (as a data frame).
summarise	alternative spelling for summarize.
x	an object
...	additional arguments

Value

for `rflip`, a `cointoss` object
 for `nflip`, a numeric vector

Examples

```
rflip(10)
rflip(10, prob = 1/6, quiet = TRUE)
rflip(10, prob = 1/6, summarize = TRUE)
do(5) * rflip(10)
as.numeric(rflip(10))
nflip(10)
```

 rflin

Generate a natural-looking function

Description

Produce a random function that is the sum of Gaussian random variables
`rpoly2` generates a random 2nd degree polynomial (as a function)

Usage

```
rflin(vars = ~x & y, seed = NULL, n = 0)

rpoly2(vars = ~x & y, seed = NULL)
```

Arguments

vars	a formula; the LHS is empty and the RHS indicates the variables used for input to the function (separated by <code>&</code>)
seed	seed for random number generator, passed to <code>set.seed</code> .
n	the number of Gaussians. By default, this will be selected randomly.

Details

rfun is an easy way to generate a natural-looking but random function with ups and downs much as you might draw on paper. In two variables, it provides a good way to produce a random landscape that is smooth. Things happen in the domain -5 to 5. The function is pretty flat outside of that. Use seed to create a fixed function that will be the same for everybody

These functions are particularly useful for teaching calculus.

Value

a function with the appropriate number of inputs

a function defined by a 2nd degree polynomial with coefficients selected randomly according to a Unif(-1,1) distribution.

Examples

```
f <- rfun( ~ u & v)
plotFun(f(u,v)~u&v,u=range(-5,5),v=range(-5,5))
myfun <- rfun(~ u & v, seed=1959)
g <- rpoly2( ~ x&y&z, seed=1964)
plotFun(g(x,y,z=2)~x&y,xlim=range(-5,5),ylim=range(-5,5))
```

rlatlon

Sample longitude and latitude on a sphere

Description

Randomly samples longitude and latitude on earth so that equal areas are (approximately) equally likely to be sampled. (Approximation assumes earth as a perfect sphere.)

Usage

```
rlatlon(...)
```

```
rlonlat(...)
```

```
rgeo(n = 1, latlim = c(-90, 90), lonlim = c(-180, 180), verbose = FALSE)
```

```
rgeo2(n = 1, latlim = c(-90, 90), lonlim = c(-180, 180),
      verbose = FALSE)
```

Arguments

...	arguments passed through to other functions
n	number of random locations
latlim, lonlim	range of latitudes and longitudes to sample within, only implemented for rgeo.
verbose	return verbose output that includes Euclidean coordinates on unit sphere as well as longitude and latitude.

Details

rgeo and rgeo2 differ in the algorithms used to generate random positions. Each assumes a spherical globe. rgeo uses that fact that each of the x, y and z coordinates is uniformly distributed (but not independent of each other). Furthermore, the angle about the z-axis is uniformly distributed and independent of z. This provides a straightforward way to generate Euclidean coordinates using `runif`. These are then translated into latitude and longitude.

r`latlon` is an alias for rgeo and r`lonlat` is too, expect that it reverses the order in which the latitude and longitude values are returned.

rgeo2 samples points in a cube by independently sampling each coordinate. It then discards any point outside the sphere contained in the cube and projects the non-discarded points to the sphere. This method must oversample to allow for the discarded points.

Value

a data frame with variables `long` and `lat`. If `verbose` is `TRUE`, then `x`, `y`, and `z` coordinates are also included in the data frame.

See Also

[deg2rad](#), [googleMap](#) and [latlon2xyz](#).

Examples

```
rgeo(4)
# sample from a region that contains the continental US
rgeo( 4, latlim=c(25,50), lonlim=c(-65,-125) )
rgeo2(4)
```

rspin

Simulate spinning a spinner

Description

This is essentially `rmultinom` with a different interface.

Usage

```
rspin(n, probs, labels = 1:length(probs))
```

Arguments

<code>n</code>	number of spins of spinner
<code>probs</code>	a vector of probabilities. If the sum is not 1, the probabilities will be rescaled.
<code>labels</code>	a character vector of labels for the categories

Examples

```
rspin(20, prob=c(1,2,3), labels=c("Red", "Blue", "Green"))  
do(2) * rspin(20, prob=c(1,2,3), labels=c("Red", "Blue", "Green"))
```

rsquared	<i>Extract r-squared value</i>
----------	--------------------------------

Description

Attempts to extract an r-squared value from a model or model-like object.

Usage

```
rsquared(x, ...)
```

Arguments

x	an object
...	additional arguments

rstudio_is_available	<i>Check whether RStudio is in use</i>
----------------------	--

Description

This functions checks that RStudio is in use. It will likely be removed from this package once the versions of RStudio in popular use rely on the manipulate package on CRAN which will provide its own version.

Usage

```
rstudio_is_available()
```

Value

a logical

set.rseed	<i>Set seed in parallel compatible way</i>
-----------	--

Description

When the `parallel` package is used, setting the RNG seed for reproducibility involves more than simply calling `set.seed`. `set.rseed` takes care of the additional overhead.

Usage

```
set.rseed(seed)
```

Arguments

seed	seed for the random number generator
------	--------------------------------------

Details

If the `parallel` package is not on the search path, then `set.seed` is called. If `parallel` is on the search path, then the RNG kind is set to "L'Ecuyer-CMRG", the seed is set and `mc.reset.stream` is called.

Examples

```
# These should give identical results, even if the `parallel` package is loaded.
set.rseed(123); do(3) * resample(1:10, 2)
set.rseed(123); do(3) * resample(1:10, 2)
```

sp2df	<i>Transforms a shapefile into a dataframe</i>
-------	--

Description

This function takes in a shapefile (formal class of `SpatialPolygonsDataFrame`) and transforms it into a dataframe

Usage

```
sp2df(map, ...)
```

Arguments

map	A map object of class <code>SpatialPolygonsDataFrame</code>
...	Other arguments, currently ignored

Value

A dataframe, in which the first 7 columns hold geographical information (ex: long and lat)

Examples

```
## Not run:
if(require(maptools)) {
  data(wrld_simpl)
  worldmap <- sp2df(wrld_simpl)
}

if ( require(ggplot2) && require(maptools) ) {
  data(wrld_simpl)
  World <- sp2df(wrld_simpl)
  World2 <- merge(World, Countries, by.x="NAME", by.y="maptools", all.y=FALSE)
  Mdata <- merge(Alcohol, World2, by.x="country", by.y="gapminder", all.y=FALSE)
  Mdata <- Mdata[order(Mdata$order),]
  qplot( x=long, y=lat, fill=ntiles(alcohol,5),
        data=subset(Mdata, year==2008), group = group,
        geom="polygon")
}

## End(Not run)
```

standardName

Standardization of Geographic Names

Description

Often different sources of geographical data will use different names for the same region. These utilities make it easier to merge data from different sources by converting names to standardized forms.

Usage

```
standardName(x, standard, ignore.case = TRUE, returnAlternatives = FALSE,
  quiet = FALSE)
```

```
standardCountry(x, ignore.case = TRUE, returnAlternatives = FALSE,
  quiet = FALSE)
```

```
standardState(x, ignore.case = TRUE, returnAlternatives = FALSE,
  quiet = FALSE)
```

Arguments

x	A vector with the region names to standardize
standard	a named vector providing the map from non-standard names (names of vector) to standard names (values of vector)
ignore.case	a logical indicating whether case should be ignored when matching.
returnAlternatives	a logical indicating whether all alternatives should be returned in addition to the standard name.
quiet	a logical indicating whether warnings should be suppressed

Details

standardName This is the most general standardizing function. In addition to x, this function requires another argument: `standard` - a named vector in which each name is a particular spelling of the region name in question and the corresponding value is the standardized version of that region name

standardCountry This function will standardize the country names in x to the standard ISO_a3 country code format. If `returnAlternatives` is set to TRUE, this function will also return the the named vector used to standardize the country names

standardState This function will standardize the US state names in x to the standard two-letter abbreviations. If `returnAlternatives` is set to TRUE, this function will also return the the named vector used to standardize the state names

In all three cases, any names not found in `standard` will be left unaltered. Unless suppressed, a warning message will indicate the number of such cases, if there are any.

statTally

Tally test statistics

Description

Tally test statistics from data and from multiple draws from a simulated null distribution

Usage

```
statTally(sample, rdata, FUN, direction = NULL, alternative = c("default",
  "two.sided", "less", "greater"), sig.level = 0.1, center = NULL,
  stemplot = dim(rdata)[direction] < 201, q = c(0.5, 0.9, 0.95, 0.99),
  fun = function(x) x, xlim, ...)
```

Arguments

sample	sample data
rdata	a matrix of randomly generated data under null hypothesis.
FUN	a function that computes the test statistic from a data set. The default value does nothing, making it easy to use this to tabulate precomputed statistics into a null distribution. See the examples.
direction	1 or 2 indicating whether samples in rdata are in rows (1) or columns (2).
alternative	one of default, two.sided, less, or greater
sig.level	significance threshold for wilcox.test used to detect lack of symmetry
center	center of null distribution
stemplot	indicates whether a stem plot should be displayed
q	quantiles of sampling distribution to display
fun	same as FUN so you don't have to remember if it should be capitalized
xlim	limits for the horizontal axis of the plot.
...	additional arguments passed to histogram

Value

A lattice plot showing the sampling distribution.

As side effects, information about the empirical sampling distribution and (optionally) a stem plot are printed to the screen.

Examples

```
# is my spinner fair?
x <- c(10, 18, 9, 15) # counts in four cells
rdata <- rmultinom(999, sum(x), prob=rep(.25, 4))
statTally(x, rdata, fun=max) # unusual test statistic
statTally(x, rdata, fun=var) # equivalent to chi-squared test
# Can also be used with test stats that are precomputed.
if (require(mosaicData)) {
  D <- diffmean( age ~ sex, data=HELPrct); D
  nullDist <- do(999) * diffmean( age ~ shuffle(sex), data=HELPrct)
  statTally( D, nullDist)
}
```

surround	<i>Format strings for pretty output</i>
----------	---

Description

Format strings for pretty output

Usage

```
surround(x, pre = " ", post = " ", width = 8, ...)
```

Arguments

x	a vector
pre	text to prepend onto string
post	text to postpend onto string
width	desired width of string
...	additional arguments passed to format

Value

a vector of strings padded to the desired width

Examples

```
surround(rbinom(10,20,.5), " ", " ", width=4)
surround(rnorm(10), " ", " ", width=8, digits = 2, nsmall = 2)
```

swap	<i>Swap values among columns of a data frame</i>
------	--

Description

Swap values among columns of a data frame

Usage

```
swap(data, which)
```

Arguments

data	a data frame
which	a formula or an integer or character vector specifying columns in data

Details

swap is not a particularly speedy function. It is intended primarily as an aid for teaching randomization for paired designs. Used this way, the number of randomizations should be kept modest (approximately 1000) unless you are very patient.

Examples

```
if (require(tidyr)) {
  Sleep2 <- sleep %>% spread( key=group, val=extra )
  names(Sleep2) <- c("subject", "drug1", "drug2")
  swap(Sleep2, drug1 ~ drug2)
  mean( ~(drug1 - drug2), data=Sleep2)
  do(3) * mean( ~(drug1 - drug2), data=Sleep2 %>% swap(drug1 ~ drug2) )
}
```

tally

Tabulate categorical data

Description

Tabulate categorical data

Usage

```
tally(x, ...)
```

```
## S3 method for class 'tbl'
```

```
tally(x, wt, sort = FALSE, ..., envir = parent.frame())
```

```
## S3 method for class 'data.frame'
```

```
tally(x, wt, sort = FALSE, ..., envir = parent.frame())
```

```
## S3 method for class 'formula'
```

```
tally(x, data = parent.frame(2), format = c("count",
  "proportion", "percent", "data.frame", "sparse", "default"),
  margins = FALSE, quiet = TRUE, subset, groups = NULL, useNA = "ifany",
  groups.first = FALSE, ...)
```

Arguments

x	an object
...	additional arguments passed to table
wt	for weighted tallying, see tally in dplyr
sort	a logical, see tally in dplyr
envir	an environment in which to evaluate

data	a data frame or environment in which evaluation occurs. Note that the default is <code>data=parent.frame()</code> . This makes it convenient to use this function interactively by treating the working environment as if it were a data frame. But this may not be appropriate for programming uses. When programming, it is best to use an explicit data argument – ideally supplying a data frame that contains the variables mentioned
format	a character string describing the desired format of the results. One of 'default', 'count', 'proportion', 'percent', 'data.frame', 'sparse', or 'default'. In case of 'default', counts are used unless there is a condition, in which case proportions are used instead. Note that prior to version 0.9.3, 'default' was the default, now it is 'count'. 'data.frame' converts the table to a data frame with one row per cell; 'sparse' additionally removes any rows with 0 counts.
margins	a logical indicating whether marginal distributions should be displayed.
quiet	a logical indicating whether messages about order in which marginal distributions are calculated should be suppressed. See addmargins .
subset	an expression evaluating to a logical vector used to select a subset of data
groups	used to specify a condition as an alternative to using a formula with a condition.
useNA	as in table , but the default here is "ifany".
groups.first	a logical indicating whether groups should be inserted ahead of the condition (else after).

Details

The **dplyr** package also exports a [tally](#) function. If `x` inherits from class "tbl" or "data frame", then **dplyr**'s [tally\(\)](#) is called. This makes it easier to have the two packages coexist.

Otherwise, [tally\(\)](#) is designed as an alternative to [table\(\)](#) and [xtabs\(\)](#). The primary use case is to describe a (possibly multi-dimensional) table using a formula. For a table of counts, each component of the formula becomes one of the dimensions of the cross table. For tables of proportions or percents, conditional proportions and percents are computed, conditioned on each level of all "secondary" (i.e., conditioning) variables, defined as everything other than the left hand side, if there is a left hand side to the formula; and everything except the right hand side if the left hand side of the formula is empty. Note that `groups` is folded into the formula prior to this determination and becomes part of the conditioning.

When marginal totals are added, they are added for all of the conditioning dimensions, and proportions should sum to 1 for each level of the conditioning variables. This can be useful to make it clear which conditional proportions are being computed.

See the examples for some typical use cases.

Value

A object of class "table", unless passing through to **dplyr** or converted to a data frame because format is "data.frame" or "sparse".

Note

The current implementation when `format = "sparse"` first creates the full data frame and then removes the unneeded rows. So the savings is in terms of space, not time.

Examples

```
tally( ~ substance, data = HELPrct)
tally( ~ substance + sex , data = HELPrct)
tally( sex ~ substance, data = HELPrct) # equivalent to tally( ~ sex | substance, ... )
tally( ~ substance | sex , data = HELPrct)
tally( ~ substance | sex , data = HELPrct, format = 'count', margins = TRUE)
tally( ~ substance + sex , data = HELPrct, format = 'percent', margins = TRUE)
tally( ~ substance | sex , data = HELPrct, format = 'percent', margins = TRUE)
# force NAs to show up
tally( ~ sex, data = HELPrct, useNA = "always")
# show NAs if any are there
tally( ~ link, data = HELPrct)
# ignore the NAs
tally( ~ link, data = HELPrct, useNA = "no")
```

 theme.mosaic

Lattice Theme

Description

A theme for use with lattice graphics.

Usage

```
theme.mosaic(bw = FALSE, lty = if (bw) 1:7 else 1, lwd = 2, ...)
```

```
col.mosaic(bw = FALSE, lty = if (bw) 1:7 else 1, lwd = 2, ...)
```

Arguments

bw	whether color scheme should be "black and white"
lty	vector of line type codes
lwd	vector of line widths
...	additional named arguments passed to trellis.par.set

Value

Returns a list that can be supplied as the theme to [trellis.par.set\(\)](#).

Note

These two functions are identical. `col.mosaic` is named similarly to `col.whitebg`, but since more than just colors are set, `theme.mosaic` is a preferable name.

See Also

[trellis.par.set](#), [show.settings](#)

Examples

```
trellis.par.set(theme=theme.mosaic())
show.settings()
trellis.par.set(theme=theme.mosaic(bw=TRUE))
show.settings()
```

theme_map	<i>ggplot2 theme for maps</i>
-----------	-------------------------------

Description

A very plain **ggplot2** theme that is good for maps.

Usage

```
theme_map(base_size = 12)
```

Arguments

`base_size` the base font size for the theme.

Details

This theme is largely based on an example posted by Winston Chang at the **ggplot2** Google group forum.

TukeyHSD.lm	<i>Additional interfaces to TukeyHSD</i>
-------------	--

Description

[TukeyHSD](#) requires use of [aov](#). Since this is a hinderence for beginners, wrappers have been provided to remove this need.

Usage

```
## S3 method for class 'lm'
TukeyHSD(x, which, ordered = FALSE, conf.level = 0.95, ...)

## S3 method for class 'formula'
TukeyHSD(x, which, ordered = FALSE, conf.level = 0.95,
  data = parent.frame(), ...)
```

Arguments

x an object, for example of class `lm` or formula
 which, ordered, `conf.level`, ...
 just as in [TukeyHSD](#) from the base package
 data a data frame. NB: This does not come second in the argument list.

Examples

```
## These should all give the same results
if (require(mosaicData)) {
  model <- lm(age ~ substance, data=HELPrct)
  TukeyHSD(model)
  TukeyHSD( age ~ substance, data=HELPrct)
  TukeyHSD(aov(age ~ substance, data=HELPrct))
}
```

t_test

Student's t-Test

Description

Performs one and two sample t-tests. The mosaic `t.test` provides wrapper functions around the function of the same name in **stats**. These wrappers provide an extended interface that allows for a more systematic use of the formula interface.

Usage

```
t_test(x, ...)
```

```
t.test(x, ...)
```

```
## S3 method for class 'formula'
t_test(formula, data, ..., groups = NULL)
```

```
## Default S3 method:
t_test(x, y = NULL, alternative = c("two.sided", "less",
  "greater"), mu = 0, paired = FALSE, var.equal = FALSE,
  conf.level = 0.95, ...)
```

Arguments

x a (non-empty) numeric vector of data values.
 ... further arguments to be passed to or from methods.
 formula a formula of the form `lhs ~ rhs` where `lhs` is a numeric variable giving the data values and `rhs` a factor with two levels giving the corresponding groups.

data	an optional matrix or data frame (or similar: see model.frame) containing the variables in the formula formula. By default the variables are taken from <code>environment(formula)</code> .
groups	When x is a formula, groups can be used to compare groups: <code>x = ~ var</code> , <code>groups = g</code> is equivalent to <code>x = var ~ g</code> . See the examples.
y	an optional (non-empty) numeric vector of data values.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". You can specify just the initial letter.
mu	a number indicating the true value of the mean (or difference in means if you are performing a two sample test).
paired	a logical indicating whether you want a paired t-test.
var.equal	a logical variable indicating whether to treat the two variances as being equal. If TRUE then the pooled variance is used to estimate the variance otherwise the Welch (or Satterthwaite) approximation to the degrees of freedom is used.
conf.level	confidence level of the interval.

Details

This is a wrapper around [t.test](#) from the **stats** package to extend the functionality of the formula interface. In particular, one can now use the formula interface for a 1-sample t-test. Before, the formula interface was only permitted for a 2-sample test. The type of formula that can be used for the 2-sample test has also be broadened. See the examples.

Value

an object of class `htest`

See Also

[prop.test](#), [binom.test](#), [t.test](#)

Examples

```
t.test(HELPrct$age)
# We can now do this with a formula
t.test(~ age, data = HELPrct)
# data = can be omitted, but it is better to use it
t.test(~ age, HELPrct)
# the original 2-sample formula
t.test(age ~ sex, data = HELPrct)
# alternative 2-sample formulas
t.test(~ age | sex, data = HELPrct)
t.test(~ age, groups = sex, data = HELPrct)
# 2-sample t from vectors
with(HELPrct, t.test(age[sex == "male"], age[sex == "female"]))
# just the means
mean(age ~ sex, data = HELPrct)
```

update_ci	<i>Update confidence interval</i>
-----------	-----------------------------------

Description

Update the confidence interval portion of an object returned from `binom.test` using one of several alternative methods.

Usage

```
update_ci(object, method = c("clopper-pearson", "wald", "agresti-coull",
  "plus4", "score"))
```

Arguments

object	An "htest" object produced by <code>binom.test</code>
method	a method for computing a confidence interval for a propotion.

Value

an "htest" object with an updated confidence interval

See Also

[binom.test](#)

value	<i>Extract value from an object</i>
-------	-------------------------------------

Description

Functions like `integrate()` and `nlm()` return objects that contain more information than simply the value of the integration or optimization. `value()` extracts the primary value from such objects. Currently implemented situations include the output from `integrate()`, `nlm()`, `adaptIntegrate()`, and `uniroot()`.

Usage

```
value(object, ...)

## S3 method for class 'integrate'
value(object, ...)

## Default S3 method:
value(object, ...)
```

Arguments

object an object from which a "value" is to be extracted.
... additional arguments (currently ignored).

Examples

```
integrate(sin, 0, 1) %>% value()
nlm(cos, p = 0) %>% value()
uniroot(cos, c(0, 2)) %>% value()
```

vector2df	<i>Convert a vector to a data frame</i>
-----------	---

Description

Convert a vector into a 1-row data frame using the names of the vector as column names for the data frame

Usage

```
vector2df(x, nice_names = FALSE)
```

Arguments

x a vector
nice_names a logical indicating whether names should be nicified

Value

a data frame

Examples

```
vector2df(c(1, b = 2, `(Intercept)` = 3))
vector2df(c(1, b = 2, `(Intercept)` = 3), nice_names = TRUE)
```

xchisq.test

Augmented Chi-squared test

Description

This augmented version of [chisq.test](#) provides more verbose output.

Usage

```
xchisq.test(x, y = NULL, correct = TRUE, p = rep(1/length(x), length(x)),
  rescale.p = FALSE, simulate.p.value = FALSE, B = 2000,
  data = environment(x))
```

Arguments

`x`, `y`, `correct`, `p`, `rescale.p`, `simulate.p.value`, `B`
as in [chisq.test](#), but `x` may also be a formula, in which case `x` is replaced by `tally(x, data)` prior to the call to [chisq.test\(\)](#).

`data` a data frame for use when `x` is a formula.

See Also

[chisq.test\(\)](#)

Examples

```
# Physicians' Health Study data
phs <- cbind(c(104,189),c(10933,10845))
rownames(phs) <- c("aspirin","placebo")
colnames(phs) <- c("heart attack","no heart attack")
phs
xchisq.test(phs)
xchisq.test(sex ~ substance, data = HELPrct)
```

xhistogram

Augmented histograms

Description

The **mosaic** package adds some additional functionality to [histogram\(\)](#), making it simpler to obtain certain common histogram adornments. This is done by resetting the default panel and prepanel functions used by [histogram](#).

Usage

```
xhistogram(...)

xhistogramBreaks(x, center = NULL, width = NULL, nint, ...)

prepanel.xhistogram(x, breaks = xhistogramBreaks, ...)

panel.xhistogram(x, dcol = trellis.par.get("plot.line")$col, dalpha = 1,
  dlwd = 2, gcol = trellis.par.get("add.line")$col, glwd = 2,
  fcol = trellis.par.get("superpose.polygon")$col, dmath = dnorm,
  verbose = FALSE, dn = 100, args = NULL, labels = FALSE,
  density = NULL, under = FALSE, fit = NULL, start = NULL,
  type = "density", v, h, groups = NULL, center = NULL, width = NULL,
  breaks, nint = round(1.5 * log2(length(x)) + 1), stripes = c("vertical",
  "horizontal", "none"), alpha = 1, ...)
```

Arguments

...	additional arguments passed from histogram to the panel function; by default when the mosaic package has been loaded this will panel.xhistogram .
x	a formula or a numeric vector
center	center of one of the bins
width	width of the bins
nint	approximate number of bins
breaks	break points for histogram bins, a function for computing such, or a method hist knows about given as a character string. When using the mosaic package defaults, xhistogramBreaks is used.
dcol	color of density curve
dalpha	alpha for density curve
dlwd, glwd	like lwd but affecting the density line and guide lines, respectively
gcol	color of guidelines
fcol	fill colors for histogram rectangles when using groups. (Use col, which is passed through to panel.histogram() , when not using 'groups'.
dmath	density function for density curve overlay
verbose	be verbose?
dn	number of points to sample from density curve
args	a list of additional arguments for dmath
labels	should counts/densities/precents be displayed or each bin?
density	a logical indicating whether to overlay a density curve
under	a logical indicating whether the density layers should be under or over other layers of the plot.
fit	a character string describing the distribution to fit. Known distributions include "exponential", "normal", "lognormal", "poisson", "beta", "geometric", "t", "weibull", "cauchy", "gamma", "chisq", and "chi-squared"

start	numeric value passed to fitdistr
type	one of 'density', 'count', or 'percent'
h, v	a vector of values for additional horizontal and vertical lines
groups	as per histogram
stripes	one of "vertical", "horizontal", or "none", indicating how bins should be striped when groups is not NULL
alpha	transparency level
panel	a panel function

Details

The primary additional functionality added to [histogram\(\)](#) are the arguments `width` and `center` which provide a simple way of describing equal-sized bins, and `fit` which can be used to overlay the density curve for one of several distributions. The `groups` argument can be used to color the bins. The primary use for this is to shade tails of histograms, but there may be other uses as well.

Value

`xhistogramBreaks` returns a vector of break points

Note

Versions of **lattice** since 0.20-21 support setting custom defaults for `breaks`, `panel`, and `prepanel` used by [histogram\(\)](#), so `xhistogram()` is no longer needed. As a result, `xhistogram()` (which was required in earlier versions of **mosaic** is no longer needed and has been removed.

See Also

[histogram](#), [mosaicLatticeOptions\(\)](#), and [restoreLatticeOptions\(\)](#).

Examples

```
if (require(mosaicData)) {
  histogram(~age | substance, HELPrct, v=35, fit='normal')
  histogram(~age, HELPrct, labels=TRUE, type='count')
  histogram(~age, HELPrct, groups=cut(age, seq(10,80,by=10)))
  histogram(~age, HELPrct, groups=sex, stripes='horizontal')
  histogram(~racegrp, HELPrct, groups=substance,auto.key=TRUE)
  xhistogramBreaks(1:10, center=5, width=1)
  xhistogramBreaks(1:10, center=5, width=2)
  xhistogramBreaks(0:10, center=15, width=3)
  xhistogramBreaks(1:100, center=50, width=3)
  xhistogramBreaks(0:10, center=5, nint=5)
}
```


Description

These functions behave similarly to the functions with the initial x removed from their names but add more verbose output and graphics.

Usage

```
xpnorm(q, mean = 0, sd = 1, plot = TRUE, verbose = TRUE,
       invisible = FALSE, digits = 4, lower.tail = TRUE, log.p = FALSE,
       xlim = mean + c(-4, 4) * sd, ylim = c(0, 1.4 * dnorm(mean, mean, sd)),
       manipulate = FALSE, ..., return = c("value", "plot"))
```

```
xqnorm(p, mean = 0, sd = 1, plot = TRUE, verbose = TRUE,
       digits = getOption("digits"), lower.tail = TRUE, log.p = FALSE, xlim,
       ylim, invisible = FALSE, ..., return = c("value", "plot"))
```

Arguments

q	quantile
mean, sd	parameters of normal distribution.
plot	logical. If TRUE, show an illustrative plot.
verbose	logical. If TRUE, display verbose output.
invisible	logical. If TRUE, return value invisibly.
digits	number of digits to display in output.
lower.tail	logical. If FALSE, use upper tail probabilities.
log.p	logical. If TRUE, uses the log of probabilities.
xlim, ylim	limits for plotting.
manipulate	logical. If TRUE and in RStudio, then sliders are added for interactivity.
...	additional arguments.
return	If "plot", return a plot. If "values", return a vector of numerical values.
p	probability

See Also

[histogram](#), [chisq.test](#), [pnorm](#), [qnorm](#), [qqmath](#), and [plot](#).

Examples

```
xpnorm(650, 500, 100)
xqnorm(.75, 500, 100)
## Not run:
if (rstudio_is_available() & require(manipulate)) {
  manipulate(xpnorm(score, 500, 100, verbose=verbose),
    score = slider(200,800),
    verbose = checkbox(TRUE, label="Verbose Output")
  )
}
## End(Not run)
```

xqqmath

Augmented version of qqmath

Description

Augmented version of qqmath

Usage

```
xqqmath(x, data = NULL, panel = "panel.xqqmath", ...)

panel.xqqmath(x, qqmathline = !(fitline || idline), idline = FALSE,
  fitline = NULL, slope = NULL, intercept = NULL, overlines = FALSE,
  groups = NULL, ..., col.line = trellis.par.get("add.line")$col,
  pch = 16, lwd = 2, lty = 2)
```

Arguments

x, data, panel, xqqmath, ...	as in qqmath
qqmathline	a logical: should line be displayed passing through first and third quartiles?
idline	a logical; should the line $y=x$ be added to the plot?
fitline	a logical; should a fitted line be added to plot? Such a line will use slope and intercept if provided, else the standard deviation and mean of the data. If slope is specified, the line will be added unless fitline is FALSE.
slope	slope for added line
intercept	intercept for added line
overlines	a logical: should lines be on top of qq plot?
groups, pch, lwd, lty	as in lattice plots
col.line	color to use for added lines

Value

a trellis object

Examples

```
x <- rnorm(100)
xqqmath( ~ x)                # with quartile line
xqqmath( ~ x, fitline = TRUE) # with fitted line
xqqmath( ~ x, idline = TRUE) # with y = x
x <- rexp(100, rate = 10)
xqqmath( ~ x, distribution = qexp) # with quartile line
xqqmath( ~ x, distribution = qexp, slope = 1/10)
xqqmath( ~ x, distribution = qexp, slope = mean(x))
```

xyz2latlon

Convert back and forth between latitude/longitude and XYZ-space

Description

Convert back and forth between latitude/longitude and XYZ-space

Usage

```
xyz2latlon(x, y, z)

latlon2xyz(latitude, longitude)

lonlat2xyz(longitude, latitude)
```

Arguments

```
x, y, z          numeric vectors
latitude, longitude
                  vectors of latitude and longitude values
```

Value

a matrix each row of which describes the latitudes and longitudes

a matrix each row of which contains the x, y, and z coordinates of a point on a unit sphere

See Also

[deg2rad](#), [googleMap](#), and [rgeo](#).

Examples

```
xyz2latlon(1, 1, 1)    # point may be on sphere of any radius
xyz2latlon(0, 0, 0)    # this produces a NaN for latitude
latlon2xyz(30, 45)
lonlat2xyz(45, 30)
```

zscore

Compute z-scores

Description

Compute z-scores

Usage

```
zscore(x, na.rm = getOption("na.rm", FALSE))
```

Arguments

x a numeric vector
na.rm a logical indicating whether missing values should be removed

Examples

```
iris %>%
  group_by(Species) %>%
  mutate(zSepal.Length = zscore(Sepal.Length)) %>%
  head()
```

Index

- *Topic **calculus**
 - findZeros, 41
- *Topic **distribution**
 - qdata, 98
 - rand, 103
- *Topic **geometry**
 - rlatlon, 110
- *Topic **graphics**
 - dotPlot, 34
 - ladd, 57
 - plotCumfreq, 84
 - plotDist, 85
 - theme.mosaic, 120
- *Topic **inference**
 - CIsim, 17
 - confint.htest, 23
 - statTally, 115
- *Topic **iteration**
 - compareMean, 19
 - compareProportion, 20
 - do, 31
- *Topic **manipulate**
 - as.xtabs, 8
 - cross, 26
 - perctable, 84
- *Topic **map**
 - rlatlon, 110
- *Topic **package**
 - mosaic-package, 4
- *Topic **random**
 - rfunc, 109
 - rlatlon, 110
- *Topic **regression**
 - rand, 103
- *Topic **simulation**
 - CIsim, 17
- *Topic **stats**
 - binom.test, 12
 - compareMean, 19
 - compareProportion, 20
 - confint.htest, 23
 - fav_stats, 39
 - orrr, 76
 - plotDist, 85
 - prop.test, 97
- *Topic **util**
 - read.file, 103
- *, repeater, ANY-method (do), 31
- adapt_seq, 5
- adaptIntegrate, 124
- addmargins, 119
- aggregatingFunction1, 6
- aggregatingFunction1or2, 7
- aggregatingFunction2, 7
- aov, 121
- apply, 30
- as.xtabs, 8
- ashplot, 9
- barchart, 11, 12
- bargraph, 11
- binom.test, 12, 13, 98, 123, 124
- Broyden, 14
- bs, 45
- cdata, 101
- cdata (qdata), 98
- cdata_f (qdata_v), 100
- cdata_v (qdata_v), 100
- cdist, 14
- chisq, 15
- chisq.test, 77, 126, 129
- CIadata, 16
- CIsim, 17
- coef.nlsfunction (fitModel), 43
- col.mosaic (theme.mosaic), 120
- col.whitebg, 120
- columns, 18

- compareMean, 19
- compareProportion, 19, 20
- confint, 21
- confint.htest, 23
- connector (FunctionsFromData), 50
- cor (mean_), 65
- cor.test, 24
- cor.test (cor_test.formula), 24
- cor_test.default (cor_test.formula), 24
- cor_test.formula, 24
- count, 25
- count (prop), 96
- counts, 25
- cov (mean_), 65
- cross, 26
- cull_for_do, 26
- ddata, 101
- ddata (qdata), 98
- ddata_f (qdata_v), 100
- ddata_v (qdata_v), 100
- deal (resample), 106
- deg2rad, 27, 53, 111, 131
- deltaMethod, 28
- densityplot, 49, 85
- derivedFactor (derivedVariable), 28
- derivedVariable, 28
- dfapply, 30
- diff, 36
- diffmean, 19, 31
- diffprop, 20
- diffprop (diffmean), 31
- dnorm, 86
- Do (do), 31
- do, 19, 22, 26, 31, 32, 54, 105
- docFile, 33
- dot (project), 94
- dotPlot, 34
- dpqrdist, 35
- ediff, 35
- eval, 70
- evalFormula, 36
- evalSubFormula, 37
- expandFun, 38
- factorise (factorize), 38
- factorize, 38
- fav_stats, 39
- favstats, 39
- favstats (mean_), 65
- fetchData, 40
- fetchGapminder (fetchData), 40
- fetchGapminder1 (fetchData), 40
- fetchGoogle (fetchData), 40
- findZeros, 41
- findZerosMult, 42
- fisher.test, 77
- fitdistr, 128
- fitModel, 43
- fitSpline, 45
- fivenum (mean_), 65
- format, 117
- fortify.hclust, 46
- fortify.summary.glm
(fortify.summary.lm), 47
- fortify.summary.lm, 47
- fortify.TukeyHSD (fortify.summary.lm),
47
- freqpoly, 47
- freqpolygon, 49
- FunctionsFromData, 50
- getVarFormula, 52
- gf_refine, 83, 102
- glm, 72, 90
- googleMap, 27, 52, 111, 131
- gwm, 53
- hist, 48, 127
- hist2freqpolygon (freqpoly), 47
- histogram, 34, 49, 85, 86, 116, 126–129
- histogram (xhistogram), 126
- ilogit (logit), 60
- inferArgs, 54
- inspect, 30, 55
- integrate, 124
- IQR (mean_), 65
- iqr (mean_), 65
- is.integer, 56
- is.wholenumber, 56
- jitter, 10
- joinFrames, 57
- joinTwoFrames (joinFrames), 57
- ladd, 57

- lapply, 30
- latlon2xyz, 27, 53, 111
- latlon2xyz (xyz2latlon), 131
- layer, 57, 58, 86
- levelplot, 87
- library, 33
- linear.algebra, 58
- linearModel, 44, 59
- linearModel (FunctionsFromData), 50
- lm, 51, 54, 90, 105
- load, 104
- loess, 51
- logical2factor, 59
- logit, 60
- lonlat2xyz (xyz2latlon), 131

- MAD, 61
- mad, 62
- MAD_, 61, 62
- maggregate, 62
- makeColorscheme, 64
- makeFun, 51
- makeMap, 64
- mat (linear.algebra), 58
- max (mean_), 65
- mean, 31
- mean (mean_), 65
- mean_, 65
- median (mean_), 65
- merge, 70
- mid, 67
- min (mean_), 65
- mm, 68
- mMap (mPlot), 69
- model (fitModel), 43
- model.frame, 123
- mosaic (mosaic-package), 4
- mosaic-package, 4
- mosaic.getOption (mosaic.options), 68
- mosaic.options, 68
- mosaic.par.get (mosaic.options), 68
- mosaic.par.set (mosaic.options), 68
- mosaicGetOption (mosaic.options), 68
- mosaicLatticeOptions, 128
- mosaicLatticeOptions (mosaic.options), 68
- mPlot, 69
- mplot, 70, 71
- mplot.hclust (fortify.hclust), 46
- mScatter (mPlot), 69
- msummary (print.msummary.lm), 93
- mUniplot (mPlot), 69
- mUSMap, 73
- mutate, 29
- mWorldMap, 73

- n_missing, 76
- nflip (rflip), 108
- nice_names, 74
- nlm, 124
- nls, 44
- ns, 45
- ntiles, 75

- oddsRatio (orrr), 76
- orrr, 76

- panel.ashplot (ashplot), 9
- panel.cumfreq (plotCumfreq), 84
- panel.dotPlot (dotPlot), 34
- panel.freqpolygon (freqpolygon), 49
- panel.histogram, 127
- panel.levelcontourplot, 78
- panel.levelplot, 80, 81
- panel.lmbands, 79
- panel.plotFun, 80
- panel.plotFun1, 81
- panel.xhistogram, 127
- panel.xhistogram (xhistogram), 126
- panel.xqqmath (xqqmath), 130
- panel.xyplot, 80, 81
- pdata, 101
- pdata (qdata), 98
- pdata_f (qdata_v), 100
- pdata_v (qdata_v), 100
- pdist, 82
- perc (prop), 96
- percs (counts), 25
- perctable, 84
- plot, 129
- plot.freqpolygon (freqpoly), 47
- plotCumfreq, 84
- plotDist, 85
- plotFun, 38, 87, 90, 92
- plotModel, 90
- plotPoints, 90, 91
- pnorm, 86, 129
- prepanel.cumfreq (plotCumfreq), 84

- prepanel.default.ashplot (ashplot), 9
- prepanel.default.freqpolygon (freqpolygon), 49
- prepanel.xhistogram (xhistogram), 126
- print.cointoss (rflip), 108
- print.inspected_data_frame (inspect), 55
- print.msummary.glm (print.msummary.lm), 93
- print.msummary.lm, 93
- print.oddsRatio (orrr), 76
- print.relrisk (orrr), 76
- print.repeater (do), 31
- prod (mean_), 65
- project, 51, 59, 94
- project, formula-method (project), 94
- project, matrix-method (project), 94
- project, numeric-method (project), 94
- prop, 25, 31, 96
- prop.test, 13, 97, 98, 123
- prop1 (prop), 96
- props (counts), 25
- proptable (perctable), 84
- pval (confint.htest), 23

- qdata, 98, 101
- qdata_f (qdata_v), 100
- qdata_v, 100
- qdist, 83, 101
- qnorm, 86, 129
- qqmath, 129, 130
- quantile, 40
- quantile (mean_), 65

- r.squared, 102
- rad2deg (deg2rad), 27
- rand, 103
- range (mean_), 65
- rdata, 101
- rdata (qdata), 98
- rdata_f (qdata_v), 100
- rdata_v (qdata_v), 100
- read.csv, 104
- read.file, 103
- read.table, 104
- read_csv, 104
- read_table, 104
- relm, 105
- relrisk (orrr), 76
- repeater-class, 105

- replicate, 33, 105
- resample, 105, 106
- rescale, 107
- restoreLatticeOptions, 128
- restoreLatticeOptions (mosaic.options), 68
- rflip, 108
- rfun, 109
- rgeo, 27, 53, 131
- rgeo (rlatlon), 110
- rgeo2 (rlatlon), 110
- rlatlon, 110
- r lonlat (rlatlon), 110
- rows (columns), 18
- rpoly2 (rfun), 109
- rspin, 111
- rsquared, 112
- rstudio_is_available, 112

- SAD (MAD), 61
- SAD_ (MAD_), 62
- sample, 106, 107
- sample (resample), 106
- sapply, 30
- sd (mean_), 65
- set.rseed, 33, 113
- set.seed, 109, 113
- show.settings, 120
- shuffle, 19
- shuffle (resample), 106
- singvals (linear.algebra), 58
- smoother (FunctionsFromData), 50
- solve.formula (findZeros), 41
- sp2df, 70, 113
- spline, 51
- spliner (FunctionsFromData), 50
- standardCountry (standardName), 114
- standardName, 114
- standardState (standardName), 114
- stat, 16
- stat (confint.htest), 23
- statTally, 115
- sum (mean_), 65
- summary, 93
- summary.nlsfunction (fitModel), 43
- summary.oddsRatio (orrr), 76
- summary.relrisk (orrr), 76
- surround, 117
- swap, 117

t.test, 123
t.test (t_test), 122
t_test, 122
table, 84, 118, 119
tally, 16, 96, 118, 118, 119
tapply, 30
theme.mosaic, 120
theme_map, 121
transform, 29
trellis.par.set, 120
TukeyHSD, 121, 122
TukeyHSD.formula (TukeyHSD.lm), 121
TukeyHSD.lm, 121

uniroot, 124
update_ci, 124

value, 124
var, 7
var (mean_), 65
vector2df, 125
vlength (project), 94

xchisq.test, 126
xhistogram, 126
xhistogramBreaks, 127
xhistogramBreaks (xhistogram), 126
xpbeta (pdist), 82
xpbinom (pdist), 82
xpchisq (pdist), 82
xpf (pdist), 82
xpgamma (pdist), 82
xpgeom (pdist), 82
xpnbinom (pdist), 82
xpnorm, 83, 129
xppois (pdist), 82
xpt (pdist), 82
xqbeta (qdist), 101
xqbinom (qdist), 101
xqchisq (qdist), 101
xqf (qdist), 101
xqgamma (qdist), 101
xqgeom (qdist), 101
xqnbinom (qdist), 101
xqnorm, 83
xqnorm (xpnorm), 129
xqpois (qdist), 101
xqqmath, 130
xqt (qdist), 101

xtabs, 11, 119
xyplot, 87, 90
xyz2latlon, 131

zscore, 132