

Package ‘politicaldata’

March 13, 2019

Type Package

Title Tools for Acquiring and Analyzing Political Data

Version 0.1.2

Description Provides useful functions for obtaining commonly-used data in political analysis and political science, including from sources such as the Comparative Agendas Project <<https://www.comparativeagendas.net>>, which provides data on politics and policy from 20+ countries, the MIT Election and Data Science Lab <<https://www.electionlab.mit.edu>>, and FiveThirtyEight <<https://www.FiveThirtyEight.com>>.

License MIT + file LICENSE

BugReports <https://github.com/elliottmorris/politicaldata/issues>

Encoding UTF-8

LazyData true

Imports utils

Suggests testthat, dplyr, magrittr, tidyr, ggplot2

Depends R (>= 2.10)

RoxygenNote 6.1.1

NeedsCompilation no

Author G. Elliott Morris [aut, cre],
Comparative Agendas Project [cph],
MIT Election and Data Science Lab [cph],
FiveThirtyEight.com [cph]

Maintainer G. Elliott Morris <elliott@thecrosstab.com>

Repository CRAN

Date/Publication 2019-03-13 06:20:03 UTC

R topics documented:

cap_get_mip	2
cap_major_topics	3

cap_subtopics	3
get_house_nominate	4
get_senate_nominate	5
house_116	5
house_results	6
pres_results	6
pres_results_by_cd	7
senate_116	7
trump_approval_polls_538	8
us_pres_polls_history	9

Index	10
--------------	-----------

cap_get_mip	<i>Download the Comparative Agenda Project's dataset of responses to Gallup's Most Important Problem question, coded by CAP major topic</i>
-------------	---

Description

From CAP: > This dataset contains responses to Gallup's Most Important Problem question aggregated at the annual level and coded by major topic. Years with missing observations (1953/1955) are those in which there were no corresponding MIP data available. Contact us for quarterly MIP data if needed.

Usage

```
cap_get_mip(min_year = NULL, max_year = NULL)
```

Arguments

min_year	Returns data starting at this year
max_year	Returns data up to this year

Value

a data.frame of CAP's most important problem data

See Also

The master codebook and datasets at https://www.comparativeagendas.net/datasets_codebooks

Examples

```
# pull the Most Important Problem data for every year since 1980
mip <- cap_get_mip(min_year = 1980)

# pull the MIP data for every year between 1950 and 1970
mip <- cap_get_mip(min_year = 1950, max_year = 1970)

# pull the MIP Data for every year until 2010
mip <- cap_get_mip(max_year = 2010)
```

cap_major_topics	<i>Major topic codes from the Comparative Agendas Project</i>
------------------	---

Description

Major topic codes from the Comparative Agendas Project

Usage

```
data(cap_major_topics)
```

Format

An object of class `data.frame` with 21 rows and 2 columns.

Source

See for more: https://www.comparativeagendas.net/datasets_codebooks

cap_subtopics	<i>Subtopic codes from the Comparative Agendas Project</i>
---------------	--

Description

Subtopic codes from the Comparative Agendas Project

Usage

```
data(cap_subtopics)
```

Format

An object of class `data.frame` with 213 rows and 3 columns.

Source

See for more: https://www.comparativeagendas.net/datasets_codebooks

get_house_nominate *Get DW-nominate Scores for members of the U.S. House*

Description

Returns a dataset of nominate scores for House members of the the specified congress, available otherwise at VoteView.com.

Usage

```
get_house_nominate(congress = "ALL")
```

Arguments

congress Number for the congress you're interested in. Defaults to "ALL" to get the most recent scores for every congress.

Value

a data frame containing the relevant legislator names and DW-nominate scores, as well as other information made available by [VoteView](http://VoteView.com)

See Also

<https://voteview.com/data>

Examples

```
# get the scores for the 116th (2019-2021) congress
house <- get_house_nominate(congress=116)

# returned as a data frame
house
```

get_senate_nominate *Get DW-nominate Scores for members of the U.S. Senate*

Description

Returns a dataset of nominate scores for Senate members of the the specified congress, available otherwise at VoteView.com.

Usage

```
get_senate_nominate(congress = "ALL")
```

Arguments

congress Number for the congress you're interested in. Defaults to "ALL" to get the most recent scores for every congress.

Value

a data frame containing the relevant legislator names and DW-nominate scores, as well as other information made available by VoteView

See Also

<https://voteview.com/data>

Examples

```
# get the scores for the 116th (2019-2021) congress
senate <- get_senate_nominate(congress=116)

# returned as a data frame
senate
```

house_116 *DW-NOMINATE scores for the 116th House*

Description

Data for: - house_116: the result of calling `get_house_nominate(congress=116)`

Usage

```
data(house_116)
```

Format

An object of class `data.frame` with 434 rows and 22 columns.

house_results	<i>US House election results from 1976 to 2018</i>
---------------	--

Description

US House election results from 1976 to 2018

Usage

```
data(house_results)
```

Format

An object of class `data.frame` with 13037 rows and 7 columns.

Source

See for more: <https://electionlab.mit.edu> and official sites

pres_results	<i>State-by-state US presidential election results from 1976 to 2016</i>
--------------	--

Description

State-by-state US presidential election results from 1976 to 2016

Usage

```
data(pres_results)
```

Format

An object of class `data.frame` with 561 rows and 6 columns.

Source

See for more: <https://electionlab.mit.edu> and official sites

pres_results_by_cd *Presidential election by congressional district*

Description

Presidential election by congressional district

Usage

```
data(pres_results_by_cd)
```

Format

An object of class `data.frame` with 4201 rows and 7 columns.

Source

See for more: <https://www.thealmanacofamericanpolitics.com>

senate_116 *DW-NOMINATE scores for the Senators of the 116th Congress*

Description

Data for: - senate_116: the result of calling ``get_senate_nominate(congress=116)``

Usage

```
data(senate_116)
```

Format

An object of class `data.frame` with 100 rows and 22 columns.

trump_approval_polls_538

Download FiveThirtyEight's dataset of Donald Trump's job approval polling

Description

Returns a data.frame of individual polls aggregated by FiveThirtyEight

Usage

```
trump_approval_polls_538(subgroup = "All polls")
```

Arguments

subgroup Filters the dataset to the polled population, either 'Adults', 'All polls', or 'Voters'. Defaults to 'All polls'

Value

a data.frame of individual polls aggregated by FiveThirtyEight

See Also

Their dataset at https://projects.fivethirtyeight.com/trump-approval-data/approval_polllist.csv and interactive at <https://projects.fivethirtyeight.com/trump-approval-ratings/>

Examples

```
# get all polls
polls <- trump_approval_polls_538(subgroup='Adults')

# returned as a data.frame
polls
```

us_pres_polls_history *Every presidential general election poll from 1980 through 2016*

Description

Every presidential general election poll from 1980 through 2016

Usage

```
data(us_pres_polls_history)
```

Format

An object of class `data.frame` with 3586 rows and 10 columns.

Index

*Topic **datasets**

- cap_major_topics, 3
- cap_subtopics, 3
- house_116, 5
- house_results, 6
- pres_results, 6
- pres_results_by_cd, 7
- senate_116, 7
- us_pres_polls_history, 9

- cap_get_mip, 2
- cap_major_topics, 3
- cap_subtopics, 3

- get_house_nominate, 4
- get_senate_nominate, 5

- house_116, 5
- house_results, 6

- pres_results, 6
- pres_results_by_cd, 7

- senate_116, 7

- trump_approval_polls_538, 8

- us_pres_polls_history, 9