

# Package ‘prettifyAddins’

September 29, 2020

**Type** Package

**Title** 'RStudio' Addins to Prettify 'HTML', 'CSS', 'JavaScript', and  
More

**Version** 0.1.0

**Description** Provides 'RStudio' addins to prettify 'HTML', 'CSS', 'SCSS', 'JavaScript', 'JSX', 'Mark-  
down', and to format 'C', 'C++', 'Julia', 'Python', 'Shell' and 'SQL'. Two addins are provided: 'Pret-  
tify' and 'Indent'. The 'Indent' addin only reindents the code, while the 'Prettify' addin also modi-  
fies the code, e.g. it adds trailing semi-colons to 'JavaScript' code when they are missing.

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**Imports** shiny, shinythemes, shinyAce, miniUI, rstudioapi, tools

**URL** <https://github.com/stla/prettifyAddins>

**BugReports** <https://github.com/stla/prettifyAddins/issues>

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Stéphane Laurent [aut, cre],  
James Long and contributors [ctb, cph] ('Prettier' library),  
Zeb Zhao [ctb, cph] ('indent.js' library),  
Marijn Haverbeke [ctb, cph] ('CodeMirror' library)

**Maintainer** Stéphane Laurent <laurent\_step@outlook.fr>

**Repository** CRAN

**Date/Publication** 2020-09-29 09:20:03 UTC

## R topics documented:

prettifyAddins . . . . .	2
Index	3

---

`prettifyAddins`*Prettify Addins*

---

**Description**

This package provides two RStudio addins: `Prettify` and `Indent`. To run an addin, select `Prettify` or `Indent` from the Addins menu within RStudio. The `Indent` addin only reindents the code, while the `Prettify` addin also modifies the code, e.g. it adds trailing semi-colons to JavaScript code when they are missing.

# Index

`prettifyAddins`, [2](#)