

# Package ‘rsparkling’

March 17, 2017

**Title** R Interface for H2O Sparkling Water

**Version** 0.2.0

**Imports** utils, sparklyr (>= 0.3), h2o (>= 3.8.3.3)

**Suggests** dplyr, testthat

**Description** An extension package for 'sparklyr' that provides an R interface to H2O Sparkling Water machine learning library (see <<https://github.com/h2oai/sparkling-water>> for more information).

**License** Apache License 2.0 | file LICENSE

**Encoding** UTF-8

**LazyData** true

**NeedsCompilation** no

**SystemRequirements** Java (>= 1.6)

**URL** <https://github.com/h2oai/rsparkling>

**BugReports** <http://jira.h2o.ai>

**RoxygenNote** 5.0.1

**Author** JJ Allaire [aut],  
Erin LeDell [aut],  
Michal Malohlava [aut],  
Navdeep Gill [aut, cre],  
Jakub Hava [aut],  
RStudio [cph],  
H2O.ai [cph]

**Maintainer** Navdeep Gill <[navdeep@h2o.ai](mailto:navdeep@h2o.ai)>

**Repository** CRAN

**Date/Publication** 2017-03-17 21:23:27

## R topics documented:

<code>as_h2o_frame</code> . . . . .	2
<code>as_spark_dataframe</code> . . . . .	2

h2o_context . . . . .	3
h2o_flow . . . . .	3
h2o_release_table . . . . .	4

<b>Index</b>	<b>5</b>
--------------	----------

---

as_h2o_frame	<i>Convert a Spark DataFrame to an H2O Frame</i>
--------------	--

---

### Description

Convert a Spark DataFrame to an H2O Frame

### Usage

```
as_h2o_frame(sc, x, name = NULL, strict_version_check = TRUE)
```

### Arguments

sc	Object of type spark_connection.
x	A spark_dataframe.
name	The name of the H2OFrame.
strict_version_check	(Optional) Setting this to FALSE does not cross check version of H2O and attempts to connect.

---

as_spark_dataframe	<i>Convert an H2O Frame to a Spark DataFrame</i>
--------------------	--

---

### Description

Convert an H2O Frame to a Spark DataFrame

### Usage

```
as_spark_dataframe(sc, x, name = paste(deparse(substitute(x)), collapse = ""),
  strict_version_check = TRUE)
```

### Arguments

sc	Object of type spark_connection.
x	An H2OFrame.
name	The name to assign the data frame in Spark.
strict_version_check	(Optional) Setting this to FALSE does not cross check version of H2O and attempts to connect.

---

h2o_context	<i>Get the H2OContext. Will create the context if it has not been previously created.</i>
-------------	---

---

**Description**

Get the H2OContext. Will create the context if it has not been previously created.

**Usage**

```
h2o_context(x, strict_version_check = TRUE)
```

**Arguments**

x	Object of type spark_connection or spark_jobj.
strict_version_check	(Optional) Setting this to FALSE does not cross check version of H2O and attempts to connect.

---

h2o_flow	<i>Open the H2O Flow UI in a browser</i>
----------	--

---

**Description**

Open the H2O Flow UI in a browser

**Usage**

```
h2o_flow(sc, strict_version_check = TRUE)
```

**Arguments**

sc	Object of type spark_connection.
strict_version_check	(Optional) Setting this to FALSE does not cross check version of H2O and attempts to connect.

---

h2o_release_table	<i>Provide integration information for rsparkling</i>
-------------------	---

---

**Description**

Provide integration information for rsparkling

**Usage**

```
h2o_release_table()
```

**Value**

Returns a data frame containing rsparkling integration information

# Index

[as\\_h2o\\_frame](#), 2  
[as\\_spark\\_dataframe](#), 2  
  
[h2o\\_context](#), 3  
[h2o\\_flow](#), 3  
[h2o\\_release\\_table](#), 4