

Package ‘rstan’

January 20, 2018

Type Package

Title R Interface to Stan

Version 2.17.3

Date 2018-01-15

Description User-facing R functions are provided to parse, compile, test, estimate, and analyze Stan models by accessing the header-only Stan library provided by the 'StanHeaders' package. The Stan project develops a probabilistic programming language that implements full Bayesian statistical inference via Markov Chain Monte Carlo, rough Bayesian inference via 'variational' approximation, and (optionally penalized) maximum likelihood estimation via optimization. In all three cases, automatic differentiation is used to quickly and accurately evaluate gradients without burdening the user with the need to derive the partial derivatives.

License GPL (>= 3)

NeedsCompilation yes

Imports methods, stats4, inline, gridExtra (>= 2.0.0), Rcpp (>= 0.12.0)

Depends R (>= 3.0.2), ggplot2 (>= 2.0.0), StanHeaders (>= 2.17.2)

LinkingTo Rcpp (>= 0.12.0), RcppEigen (>= 0.3.3.3.0), BH (>= 1.65), StanHeaders (>= 2.17.2)

Suggests RUnit, RcppEigen (>= 0.3.3.3.0), BH (>= 1.65), parallel, KernSmooth, loo (>= 1.0.0), shinystan (>= 2.2.1), bayesplot, rstantools, rstudioapi, Matrix, knitr (>= 1.15.1)

URL <http://discourse.mc-stan.org>, <http://mc-stan.org>

BugReports <https://github.com/stan-dev/rstan/issues/>

VignetteBuilder knitr

SystemRequirements pandoc

RoxygenNote 5.0.1

Author Jiqiang Guo [aut],
Jonah Gabry [aut],

Ben Goodrich [cre, aut],
 Daniel Lee [ctb],
 Krzysztof Sakrejda [ctb],
 Trustees of Columbia University [cph],
 Oleg Sklyar [cph] (R/cxxfunplus.R),
 The R Core Team [cph] (R/pairs.R, R/dynGet.R),
 Jens Oehlschlaegel-Akiyoshi [cph] (R/pairs.R),
 Hadley Wickham [cph] (R/rtools.R),
 Joel de Guzman [cph] (Boost),
 John Fletcher [cph] (Boost),
 Thomas Heller [cph] (Boost),
 Eric Niebler [cph] (Boost)

Maintainer Ben Goodrich <benjamin.goodrich@columbia.edu>

Repository CRAN

Date/Publication 2018-01-20 15:33:21 UTC

R topics documented:

rstan-package	3
as.array	5
As.mcmc.list	6
check_hmc_diagnostics	7
Diagnostic plots	8
expose_stan_functions	10
extract	11
extract_sparse_parts	14
log_prob-methods	15
lookup	17
makeconf_path	18
monitor	19
optimizing	20
pairs.stanfit	23
plot-methods	25
Plots	26
print	29
read_rdump	30
read_stan_csv	31
rstan-plotting-functions	32
rstan.package.skeleton	32
rstan_gg_options	33
rstan_options	33
sampling	34
set_cppo	37
sflist2stanfit	37
stan	39
stanc	46
stanfit-class	49

stanmodel-class	53
stan_demo	54
stan_model	55
stan_rdump	58
stan_version	59
summary-methods	60
traceplot	61
vb	63

Index 66

Description

RStan is the R interface to the Stan C++ package. RStan provides

- full Bayesian inference using the No-U-Turn sampler (NUTS), a variant of Hamiltonian Monte Carlo (HMC)
- approximate Bayesian inference using automatic differentiation variational inference (ADVI)
- penalized maximum likelihood estimation using L-BFGS optimization

For documentation on the Stan modeling language see the *Stan Modeling Language User’s Guide and Reference Manual*.

Other R packages from the Stan Development Team

Various related R packages are also available from the Stan Development Team:

Package	Description
bayesplot	ggplot-based plotting library for graphing parameter estimates, MCMC diagnostics, and posterior predictive checks.
shinystan	Interactive visual summaries and advanced posterior analysis of MCMC output.
loo	Out-of-sample predictive performance estimates and model comparison.
rstanarm	R formula interface for Bayesian applied regression modeling.
rstantools	Tools for developers of R packages interfacing with Stan.

Author(s)

Authors: Jiqiang Guo <guojq28@gmail.com>
 Ben Goodrich <benjamin.goodrich@columbia.edu>
 Jonah Gabry <jsg2201@columbia.edu>

Maintainer: Ben Goodrich <benjamin.goodrich@columbia.edu>

See Also

- [stan](#) for details on fitting models and [stanfit](#) for information on the fitted model objects.
- <https://github.com/stan-dev/rstan/issues/> to submit a bug report or feature request.
- <http://discourse.mc-stan.org> to ask a question on the Stan-users forum.

Examples

```
## Not run:

stanmodelcode <- "
data {
  int<lower=0> N;
  real y[N];
}

parameters {
  real mu;
}

model {
  target += normal_lpdf(mu | 0, 10);
  target += normal_lpdf(y | mu, 1);
}
"

y <- rnorm(20)
dat <- list(N = 20, y = y);
fit <- stan(model_code = stanmodelcode, model_name = "example",
           data = dat, iter = 2012, chains = 3, sample_file = 'norm.csv',
           verbose = TRUE)

print(fit)
traceplot(fit)

# extract samples
e <- extract(fit, permuted = TRUE) # return a list of arrays
mu <- e$mu

m <- extract(fit, permuted = FALSE, inc_warmup = FALSE) # return an array
print(dimnames(m))

# using as.array directly on stanfit objects
m2 <- as.array(fit)

## End(Not run)
```

as.array	<i>Create array, matrix, or data.frame objects from samples in a stanfit object</i>
----------	---

Description

The samples (without warmup) included in a `stanfit` object can be coerced to an array, matrix, or `data.frame`. Methods are also provided for checking and setting names and dimnames.

Usage

```
## S3 method for class 'stanfit'
as.array(x, ...)
## S3 method for class 'stanfit'
as.matrix(x, ...)
## S3 method for class 'stanfit'
as.data.frame(x, ...)
## S3 method for class 'stanfit'
is.array(x)
## S3 method for class 'stanfit'
dim(x)
## S3 method for class 'stanfit'
dimnames(x)
## S3 method for class 'stanfit'
names(x)
## S3 replacement method for class 'stanfit'
names(x) <- value
```

Arguments

x	An object of S4 class <code>stanfit</code> .
...	Additional parameters that can be passed to <code>extract</code> for extracting samples from x. For now, <code>pars</code> is the only additional parameter supported.
value	For the names replacement method, a character vector to set/replace the parameter names in x.

Details

`as.array` and `as.matrix` can be applied to a `stanfit` object to coerce the samples without warmup to array or matrix. The `as.data.frame` method first calls `as.matrix` and then coerces this matrix to a `data.frame`.

The array has three named dimensions: iterations, chains, parameters. For `as.matrix`, all chains are combined, leaving a matrix of iterations by parameters.

Value

as.array, as.matrix, and as.data.frame return an array, matrix, and data.frame, respectively.

dim and dimnames return the dim and dimnames of the array object that could be created, while names returns the third element of the dimnames, which are the names of the margins of the posterior distribution. The names assignment method allows for assigning more interpretable names to them.

is.array returns TRUE for stanfit objects that include samples; otherwise FALSE.

When the stanfit object does not contain samples, empty objects are returned from as.array, as.matrix, as.data.frame, dim, dimnames, and names.

See Also

S4 class [stanfit](#) and its method [extract](#)

Examples

```
## Not run:
ex_model_code <- '
  parameters {
    real alpha[2,3];
    real beta[2];
  }
  model {
    for (i in 1:2) for (j in 1:3)
      alpha[i, j] ~ normal(0, 1);
    for (i in 1:2)
      beta[i] ~ normal(0, 2);
    # beta ~ normal(0, 2) // vectorized version
  }
'

## fit the model
fit <- stan(model_code = ex_model_code, chains = 4)

dim(fit)
dimnames(fit)
is.array(fit)
a <- as.array(fit)
m <- as.matrix(fit)
d <- as.data.frame(fit)

## End(Not run)
```

As.mcmc.list

Create an mcmc.list from a stanfit object

Description

Create an [mcmc.list](#) ([coda](#)) from a stanfit object.

Usage

```
As.mcmc.list(object, pars, include = TRUE, ...)
```

Arguments

object	object of class "stanfit"
pars	optional character vector of parameters to include
include	logical scalar indicating whether to include (the default) or exclude the parameters named in pars
...	unused

Value

An object of class `mcmc.list`.

check_hmc_diagnostics *Check HMC diagnostics after sampling*

Description

These functions print summaries of important HMC diagnostics. The `check_hmc_diagnostics` function calls the other functions internally and prints an overall summary, but the other functions can also be called directly: `check_divergences` prints the number (and percentage) of iterations that ended with a divergence, `check_treedepth` prints the number (and percentage) of iterations that saturated the max treedepth, and `check_energy` prints E-BFMI values for each chain for which E-BFMI is less than 0.2.

Brief explanations of some of the problems detected by these diagnostics can be found at <http://mc-stan.org/misc/warnings.html>. For more depth see Betancourt (2017).

Usage

```
check_hmc_diagnostics(object)  
check_divergences(object)  
check_treedepth(object)  
check_energy(object)
```

Arguments

object	A stanfit object.
--------	-------------------

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org/>.

Betancourt, M. (2017). A conceptual introduction to Hamiltonian Monte Carlo. <https://arxiv.org/abs/1701.02434>.

Examples

```
## Not run:
schools <- stan_demo("eight_schools")
check_hmc_diagnostics(schools)
check_divergences(schools)
check_treedepth(schools)
check_energy(schools)

## End(Not run)
```

Diagnostic plots

RStan Diagnostic plots

Description

Diagnostic plots for HMC and NUTS using ggplot2.

Usage

```
stan_diag(object,
           information = c("sample", "stepsize", "treedepth", "divergence"),
           chain = 0, ...)
stan_par(object, par, chain = 0, ...)

stan_rhat(object, pars, ...)
stan_ess(object, pars, ...)
stan_mcse(object, pars, ...)
```

Arguments

<code>object</code>	A stanfit or stanreg object.
<code>information</code>	The information to be contained in the diagnostic plot.
<code>par, pars</code>	The name of a single scalar parameter (<code>par</code>) or one or more parameter names (<code>pars</code>).
<code>chain</code>	If <code>chain=0</code> (the default) all chains are combined. Otherwise the plot for <code>chain</code> is overlaid on the plot for all chains combined.
<code>...</code>	For <code>stan_diag</code> and <code>stan_par</code> , optional arguments to arrangeGrob . For <code>stan_rhat</code> , <code>stan_ess</code> , and <code>stan_mcse</code> , optional arguments to stat_bin .

Details

`stan_rhat`, `stan_ess`, `stan_mcse` Respectively, these plots show the distribution of the Rhat statistic, the ratio of effective sample size to total sample size, and the ratio of Monte Carlo standard error to posterior standard deviation for the estimated parameters. These plots are not intended to identify individual parameters, but rather to allow for quickly identifying if the estimated values of these quantities are desirable for all parameters.

`stan_par` Calling `stan_par` generates three plots: (i) a scatterplot of `par` vs. the accumulated log-posterior (`lp__`), (ii) a scatterplot of `par` vs. the average Metropolis acceptance rate (`accept_stat`), and (iii) a violin plot showing the distribution of `par` at each of the sampled step sizes (one per chain). For the scatterplots, red points are superimposed to indicate which (if any) iterations encountered a divergent transition. Yellow points indicate a transition that hit the maximum treedepth rather than terminated its evolution normally.

`stan_diag` The `information` argument is used to specify which plots `stan_diag` should generate:

- `information='sample'` Histograms of `lp__` and `accept_stat`, as well as a scatterplot showing their joint distribution.
- `information='stepsize'` Violin plots showing the distributions of `lp__` and `accept_stat` at each of the sampled step sizes (one per chain).
- `information='treedepth'` Histogram of `treedepth` and violin plots showing the distributions of `lp__` and `accept_stat` for each value of `treedepth`.
- `information='divergence'` Violin plots showing the distributions of `lp__` and `accept_stat` for iterations that encountered divergent transitions (`divergent=1`) and those that did not (`divergent=0`).

Value

For `stan_diag` and `stan_par`, a list containing the `ggplot` objects for each of the displayed plots. For `stan_rhat`, `stan_ess`, and `stan_mcse`, a single `ggplot` object.

Note

For details about the individual diagnostics and sampler parameters and their interpretations see the Stan Modeling Language User's Guide and Reference Manual at <http://mc-stan.org/documentation/>.

See Also

[List of RStan plotting functions, Plot options](#)

Examples

```
## Not run:
fit <- stan_demo("eight_schools")

stan_diag(fit, info = 'sample') # shows three plots together
samp_info <- stan_diag(fit, info = 'sample') # saves the three plots in a list
samp_info[[3]] # access just the third plot

stan_diag(fit, info = 'sample', chain = 1) # overlay chain 1

stan_par(fit, par = "mu")

## End(Not run)
```

expose_stan_functions *Expose user-defined Stan functions to R for testing and simulation*

Description

The Stan modeling language allows users to define their own functions in a functions block at the top of a Stan program. The `expose_stan_functions` utility function uses `sourceCpp` to export those user-defined functions to the specified environment for testing inside R or for doing posterior predictive simulations in R rather than in the generated quantities block of a Stan program.

Usage

```
expose_stan_functions(stanmodel, ...)
```

Arguments

<code>stanmodel</code>	A <code>stanmodel</code> object, a <code>stanfit</code> object, a list produced by <code>stanc</code> or the path to a Stan program (<code>.stan</code> file). In any of these cases, the underlying Stan program should contain a non-empty functions block.
<code>...</code>	Further arguments passed to <code>sourceCpp</code> .

Details

There are a few special types of user-defined Stan functions for which some additional details are relevant:

(P)RNG functions: If a user-defined Stan function ends in `_rng`, then it can use the Boost pseudo-random number generator used by Stan. When exposing such functions to R, a seed argument will be added to the `formals`. This seed argument defaults to `0L`, but any non-negative integer can be passed as the seed the **first** time **any** user-defined function ending in `_rng` is called. In other words, the Boost pseudo-random number generator is initialized with the given seed but is declared with the `static C++` keyword, meaning that it will not be reinitialized by subsequent calls to user-defined functions ending in `_rng`.

LP functions: If a user-defined Stan function ends in `_lp`, then it can modify the log-probability used by Stan to evaluate Metropolis proposals or as an objective function for optimization. When exposing such functions to R, a `lp__` argument will be added to the `formals`. This `lp__` argument defaults to zero, but a `double` precision scalar may be passed to this argument when the function is called from R. Such a user-defined Stan function can terminate with `return target()`; or can execute `print(target())`; to verify that the calculation is correct.

Value

The names of the new functions in `env` are returned invisibly.

See Also

[sourceCpp](#)

Examples

```

mc <-
',
functions {
  int fibonacci(int x);
  int fibonacci(int x) {
    if (x <= 0) reject("x must be positive");
    return x <= 2 ? 1 : fibonacci(x - 1) + fibonacci(x - 2);
  }
}
',
cppcode <- stanc(model_code = mc, model_name = "Fibonacci")
## Not run:
expose_stan_functions(cppcode)

## End(Not run)

```

extract

Extract samples from a fitted Stan model

Description

Extract samples from a fitted model represented by an instance of class `stanfit`.

Usage

```

## S4 method for signature 'stanfit'
extract(object, pars, permuted = TRUE, inc_warmup = FALSE,
        include = TRUE)

```

Arguments

<code>object</code>	An object of class <code>stanfit</code> .
<code>pars</code>	An optional character vector providing the parameter names (or other quantity names) of interest. If not specified, all parameters and other quantities are used. The log-posterior with name <code>lp__</code> is also included by default.
<code>permuted</code>	A logical scalar indicating whether the draws after the <i>warmup</i> period in each chain should be <i>permuted</i> and <i>merged</i> . If <code>FALSE</code> , the original order is kept. For each <code>stanfit</code> object, the permutation is fixed (i.e., extracting samples a second time will give the same sequence of iterations).
<code>inc_warmup</code>	A logical scalar indicating whether to include the warmup draws. This argument is only relevant if <code>permuted</code> is <code>FALSE</code> .
<code>include</code>	A logical scalar indicating whether the parameters named in <code>pars</code> should be included (<code>TRUE</code>) or excluded (<code>FALSE</code>).

Value

When `permuted = TRUE`, this function returns a named list, every element of which is an array representing samples for a parameter with all chains merged together.

When `permuted = FALSE`, an array is returned; the first dimension is for the iterations, the second for the number of chains, the third for the parameters. Vectors and arrays are expanded to one parameter (a scalar) per cell, with names indicating the third dimension. See the examples (with comments) below. The `monitor` function can be applied to the returned array to obtain a summary (similar to the `print` method for `stanfit` objects).

Methods

extract signature(object = "stanfit") Extract samples from a fitted model represented by an instance of class `stanfit`.

See Also

S4 class `stanfit`, `as.array.stanfit`, and `monitor`

Examples

```
## Not run:
ex_model_code <- '
  parameters {
    real alpha[2,3];
    real beta[2];
  }
  model {
    for (i in 1:2) for (j in 1:3)
      alpha[i, j] ~ normal(0, 1);
    for (i in 1:2)
      beta ~ normal(0, 2);
  }
'
```

```
## fit the model
fit <- stan(model_code = ex_model_code, chains = 4)
```

```
## extract alpha and beta with 'permuted = TRUE'
fit_ss <- extract(fit, permuted = TRUE) # fit_ss is a list
## list fit_ss should have elements with name 'alpha', 'beta', 'lp__'
alpha <- fit_ss$alpha
beta <- fit_ss$beta
## or extract alpha by just specifying pars = 'alpha'
alpha2 <- extract(fit, pars = 'alpha', permuted = TRUE)$alpha
print(identical(alpha, alpha2))
```

```
## or extract alpha by excluding beta and lp__
alpha3 <- extract(fit, pars = c('beta', 'lp__'),
  permuted = TRUE, include = FALSE)$alpha
print(identical(alpha, alpha3))
```

```

## get the samples for alpha[1,1] and beta[2]
alpha_11 <- alpha[, 1, 1]
beta_2 <- beta[, 2]

## extract samples with 'permuted = FALSE'
fit_ss2 <- extract(fit, permuted = FALSE) # fit_ss2 is an array

## the dimensions of fit_ss2 should be
## "# of iterations * # of chains * # of parameters"
dim(fit_ss2)

## since the third dimension of `fit_ss2` indicates
## parameters, the names should be
## alpha[1,1], alpha[2,1], alpha[1,2], alpha[2,2],
## alpha[1,3], alpha[2,3], beta[1], beta[2], and lp__
## `lp__` (the log-posterior) is always included
## in the samples.
dimnames(fit_ss2)

## End(Not run)

# Create a stanfit object from reading CSV files of samples (saved in rstan
# package) generated by funtion stan for demonstration purpose from model as follows.
#
excode <- '
  transformed data {
    real y[20];
    y[1] <- 0.5796; y[2] <- 0.2276; y[3] <- -0.2959;
    y[4] <- -0.3742; y[5] <- 0.3885; y[6] <- -2.1585;
    y[7] <- 0.7111; y[8] <- 1.4424; y[9] <- 2.5430;
    y[10] <- 0.3746; y[11] <- 0.4773; y[12] <- 0.1803;
    y[13] <- 0.5215; y[14] <- -1.6044; y[15] <- -0.6703;
    y[16] <- 0.9459; y[17] <- -0.382; y[18] <- 0.7619;
    y[19] <- 0.1006; y[20] <- -1.7461;
  }
  parameters {
    real mu;
    real<lower=0, upper=10> sigma;
    vector[2] z[3];
    real<lower=0> alpha;
  }
  model {
    y ~ normal(mu, sigma);
    for (i in 1:3)
      z[i] ~ normal(0, 1);
    alpha ~ exponential(2);
  }
'

# exfit <- stan(model_code = excode, save_dso = FALSE, iter = 200,
#               sample_file = "rstan_doc_ex.csv")
#
exfit <- read_stan_csv(dir(system.file('misc', package = 'rstan'),
                             pattern='rstan_doc_ex_[[:digit:]].csv',

```

```

                                full.names = TRUE))

ee1 <- extract(exfit, permuted = TRUE)
print(names(ee1))

for (name in names(ee1)) {
  cat(name, "\n")
  print(dim(ee1[[name]]))
}

ee2 <- extract(exfit, permuted = FALSE)
print(dim(ee2))
print(dimnames(ee2))

```

extract_sparse_parts *Extract the compressed representation of a sparse matrix*

Description

Create a list of vectors that represents a sparse matrix.

Usage

```
extract_sparse_parts(A)
```

Arguments

A [A matrix](#) or [Matrix](#).

Details

The Stan Math Library has a function called `csr_matrix_times_vector`, which inputs a matrix in compressed row storage form and a dense vector and returns their product without fillin. To use the `csr_matrix_times_vector` function with a large sparse matrix, it is optimal in terms of memory to simply pass the three vectors that characterize the compressed row storage form of the matrix to the data block of the Stan program. The `extract_sparse_parts` function provides a convenient means of obtaining these vectors.

Value

A named list with components

1. `w` A numeric vector containing the non-zero elements of `A`.
2. `v` An integer vector containing the column indices of the non-zero elements of `A`.
3. `u` An integer vector indicating where in `w` a given row's non-zero values start.

Examples

```
A <- rbind(
  c(19L, 27L, 0L, 0L),
  c(0L, 0L, 0L, 0L),
  c(0L, 0L, 0L, 52L),
  c(81L, 0L, 95L, 33L)
)
str(extract_sparse_parts(A))
```

log_prob-methods *Model's log_prob and grad_log_prob functions*

Description

Using model's `log_prob` and `grad_log_prob` take values from the unconstrained space of model parameters and (by default) return values in the same space. Sometimes we need to convert the values of parameters from their support defined in the parameters block (which might be constrained, and for simplicity, we call it the constrained space) to the unconstrained space and vice versa. The `constrain_pars` and `unconstrain_pars` functions are used for this purpose.

Usage

```
## S4 method for signature 'stanfit'
log_prob(object, upars, adjust_transform = TRUE, gradient = FALSE)

## S4 method for signature 'stanfit'
grad_log_prob(object, upars, adjust_transform = TRUE)

## S4 method for signature 'stanfit'
get_num_upars(object)

## S4 method for signature 'stanfit'
constrain_pars(object, upars)

## S4 method for signature 'stanfit'
unconstrain_pars(object, pars)
```

Arguments

<code>object</code>	An object of class <code>stanfit</code> .
<code>pars</code>	An list specifying the values for all parameters on the constrained space.
<code>upars</code>	A numeric vector for specifying the values for all parameters on the unconstrained space.

<code>adjust_transform</code>	Logical to indicate whether to adjust the log density since Stan transforms parameters to unconstrained space if it is in constrained space. Set to FALSE to make the function return the same values as Stan's <code>lp__</code> output.
<code>gradient</code>	Logical to indicate whether gradients are also computed as well as the log density.

Details

Stan requires that parameters be defined along with their support. For example, for a variance parameter, we must define it on the positive real line. But inside Stan's samplers, all parameters defined on the constrained space are transformed to unconstrained space, so the log density function need be adjusted (i.e., adding the log of the absolute value of the Jacobian determinant). With the transformation, Stan's samplers work on the unconstrained space and once a new iteration is drawn, Stan transforms the parameters back to their supports. All the transformation are done by Stan without interference from the users. However, when using the log density function for a model exposed to R, we need to be careful. For example, if we are interested in finding the mode of parameters on the constrained space, we then do not need the adjustment. For this reason, the `log_prob` and `grad_log_prob` functions accept an `adjust_transform` argument.

Value

`log_prob` returns a value (up to an additive constant) the log posterior. If `gradient` is TRUE, the gradients are also returned as an attribute with name `gradient`.

`grad_log_prob` returns a vector of the gradients. Additionally, the vector has an attribute named `log_prob` being the value the same as `log_prob` is called for the input parameters.

`get_num_upars` returns the number of parameters on the unconstrained space.

`constrain_pars` returns a list and `unconstrain_pars` returns a vector.

Methods

log_prob signature(object = "stanfit") Compute the log posterior (`lp__`) for the model represented by a `stanfit` object. Note that, by default, `log_prob` returns the log posterior in the unconstrained space; set `adjust_transform = FALSE` to make the values match Stan's output.

grad_log_prob signature(object = "stanfit") Compute the gradients for `log_prob` as well as the log posterior. The latter is returned as an attribute.

get_num_upars signature(object = "stanfit") Get the number of unconstrained parameters.

constrain_pars signature(object = "stanfit") Convert values of the parameter from unconstrained space (given as a vector) to their constrained space (returned as a named list).

unconstrain_pars signature(object = "stanfit") Contrary to `constrain_pars`, convert values of the parameters from constrained to unconstrained space.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org>.

See Also[stanfit](#)**Examples**

```
## Not run:
# see the examples in the help for stanfit as well
# do a simple optimization problem
opcode <- "
parameters {
  real y;
}
model {
  target += log(square(y - 5) + 1);
}
"
opfit <- stan(model_code = opcode, chains = 0)
tfun <- function(y) log_prob(opfit, y)
tgrfun <- function(y) grad_log_prob(opfit, y)
or <- optim(1, tfun, tgrfun, method = 'BFGS')
print(or)

# return the gradient as an attribute
tfun2 <- function(y) {
  g <- grad_log_prob(opfit, y)
  lp <- attr(g, "log_prob")
  attr(lp, "gradient") <- g
  lp
}

or2 <- nlm(tfun2, 10)
or2

## End(Not run)
```

lookup

Look up the Stan function that corresponds to a R function or name.

Description

This function helps to map between R functions and Stan functions.

Usage

```
lookup(FUN, ReturnType = character())
```

Arguments

FUN	A character string naming a R function or a R function for which the (near) equivalent Stan function is sought. If no matching R function is found, FUN is reinterpreted as a regexp and matches are sought.
ReturnType	A character string of positive length naming a valid return type for a Stan function: int, int[], matrix, real, real[,], real[], row_vector, T[], vector, or void. If "ANY" is passed, then the entire data.frame is returned and can be inspected with the View function, for example.

Value

Ordinarily, a data.frame with rows equal to the number of partial matches and four columns:

1. StanFunction Character string for the Stan function's name.
2. Arguments Character string indicating the arguments to that Stan function.
3. ReturnType Character string indicating the return type of that Stan function.
4. Page Integer indicating the page of the Stan reference manual where that Stan function is defined.

If there are no matching Stan functions, a character string indicating so is returned.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org/>.

The Stan Development Team *CmdStan Interface User's Guide*. <http://mc-stan.org>.

Examples

```
lookup(dnorm)      # Stan equivalents for the normal PDF (in log form)
lookup("foo")     # fails
lookup("Student") # succeeds even though there is no such R function
lookup("^poisson") # every Stan function that starts with poisson
```

makeconf_path

Obtain the full path of file Makeconf

Description

Obtain the full path of file Makeconf, in which, for example the flags for compiling C/C++ code are configured.

Usage

```
makeconf_path()
```

Details

The configuration for compiling shared objects using R CMD SHLIB are set in file Makeconf. To change how the C++ code is compiled, modify this file. For RStan, package **inline** compiles the C++ code using R CMD SHLIB. To speed up compiled Stan models, increase the optimization level to -O3 defined in property CXXFLAGS in the file Makeconf. This file may also be modified to specify alternative C++ compilers, such as clang++ or later versions of g++.

Value

An character string for the full path of file Makeconf.

See Also

[stan](#)

Examples

```
makeconf_path()
```

monitor

Compute summaries of MCMC draws and monitor convergence

Description

Similar to the print method for stanfit objects, but monitor takes an array of simulations as its argument rather than a stanfit object. For a 3-D array (iterations * chains * parameters) of MCMC draws, monitor computes means, standard deviations, quantiles, Monte Carlo standard errors, split Rhats, and effective sample sizes. By default, half of the iterations are considered warmup and are excluded.

Usage

```
monitor(sims, warmup = floor(dim(sims)[1]/2),
       probs = c(0.025, 0.25, 0.5, 0.75, 0.975),
       digits_summary = 1, print = TRUE, ...)
```

Arguments

sims	A 3-D array (iterations * chains * parameters) of MCMC simulations from any MCMC algorithm.
warmup	The number of warmup iterations to be excluded when computing the summaries. The default is half of the total number of iterations. If sims doesn't include the warmup iterations then warmup should be set to zero.
probs	A numeric vector specifying quantiles of interest. The defaults is c(0.025, 0.25, 0.5, 0.75, 0.975).
digits_summary	The number of significant digits to use when printing the summary, defaulting to 1. Applies to the quantities other than the effective sample size, which is always rounded to the nearest integer.

`print` Logical, indicating whether to print the summary after the computations are performed.

`...` Additional arguments passed to the underlying `print` method.

Value

A 2-D array with rows corresponding to parameters and columns to the summary statistics.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org>.

See Also

S4 class `stanfit` and particularly its `print` method.

Examples

```
csvfiles <- dir(system.file('misc', package = 'rstan'),
               pattern = 'rstan_doc_ex_[0-9].csv', full.names = TRUE)
fit <- read_stan_csv(csvfiles)
# The following is just for the purpose of giving an example
# since print can be used for a stanfit object.
monitor(extract(fit, permuted = FALSE, inc_warmup = TRUE))
```

optimizing

Obtain a point estimate by maximizing the joint posterior

Description

Obtain a point estimate by maximizing the joint posterior from the model defined by class `stanmodel`.

Usage

```
## S4 method for signature 'stanmodel'
optimizing(object, data = list(),
           seed = sample.int(.Machine$integer.max, 1), init = 'random',
           check_data = TRUE, sample_file = NULL,
           algorithm = c("LBFGS", "BFGS", "Newton"),
           verbose = FALSE, hessian = FALSE, as_vector = TRUE,
           draws = 0, constrained = TRUE, ...)
```

Arguments

object	An object of class <code>stanmodel</code> .
data	A named list or environment providing the data for the model or a character vector for all the names of objects used as data. See the Note section in <code>stan</code> .
seed	The seed for random number generation. The default is generated from 1 to the maximum integer supported by R on the machine. Even if multiple chains are used, only one seed is needed, with other chains having seeds derived from that of the first chain to avoid dependent samples. When a seed is specified by a number, <code>as.integer</code> will be applied to it. If <code>as.integer</code> produces NA, the seed is generated randomly. The seed can also be specified as a character string of digits, such as "12345", which is converted to integer.
init	Initial values specification. See the detailed documentation for the <code>init</code> argument in <code>stan</code> with one exception. If specifying inits using a list then only a single named list of values should be provided. For example, to initialize a parameter alpha to value1 and beta to value2 you can specify <code>list(alpha = value1, beta = value2)</code> .
check_data	Logical, defaulting to TRUE. If TRUE the data will be preprocessed; otherwise not. See the Note section in <code>stan</code> .
sample_file	A character string of file name for specifying where to write samples for <i>all</i> parameters and other saved quantities. If not provided, files are not created. When the folder specified is not writable, <code>tempdir()</code> is used.
algorithm	One of "Newton", "BFGS", and "LBFGS" (the default) indicating which optimization algorithm to use.
verbose	TRUE or FALSE (the default): flag indicating whether to print intermediate output from Stan on the console, which might be helpful for model debugging.
hessian	TRUE or FALSE (the default): flag indicating whether to calculate the Hessian (via numeric differentiation of the gradient function in the unconstrained parameter space).
as_vector	TRUE (the default) or FALSE: flag indicating whether a vector is used to store the point estimate found. A list can be used instead by specifying it to be FALSE.
draws	A non-negative integer (that defaults to zero) indicating how many times to draw from a multivariate normal distribution whose parameters are the mean vector and the inverse negative Hessian in the unconstrained space.
constrained	A logical scalar indicating, if <code>draws > 0</code> , whether the draws should be transformed to the constrained space defined in the parameters block of the Stan program. Defaults to TRUE.
...	Other optional parameters: <ul style="list-style-type: none"> • <code>iter</code> (integer), the maximum number of iterations, defaulting to 2000. • <code>save_iterations</code> (logical), a flag indicating whether to save the iterations, defaulting to FALSE. • <code>refresh</code> (integer), the number of iterations between screen updates, defaulting to 100. • <code>init_alpha</code> (double), for BFGS and LBFGS, the line search step size for first iteration, defaulting to 0.001.

- `tol_obj` (double), for BFGS and LBFGS, the convergence tolerance on changes in objective function value, defaulting to $1e-12$.
- `tol_rel_obj` (double), for BFGS and LBFGS, the convergence tolerance on relative changes in objective function value, defaulting to $1e4$.
- `tol_grad` (double), for BFGS and LBFGS, the convergence tolerance on the norm of the gradient, defaulting to $1e-8$.
- `tol_rel_grad` (double), for BFGS and LBFGS, the convergence tolerance on the relative norm of the gradient, defaulting to $1e7$.
- `tol_param` (double), for BFGS and LBFGS, the convergence tolerance on changes in parameter value, defaulting to $1e-8$.
- `history_size` (integer), for LBFGS, the number of update vectors to use in Hessian approximations, defaulting to 5.

Refer to the manuals for both CmdStan and Stan for more details.

Value

<code>par</code>	The point estimate found. Its form (vector or list) is determined by the <code>as_vector</code> argument.
<code>value</code>	The value of the log-posterior (up to an additive constant, the " <code>lp__</code> " in Stan) corresponding to <code>par</code> .
<code>return_code</code>	The value of the return code from the optimizer; anything that is not zero is problematic.
<code>hessian</code>	The Hessian matrix if <code>hessian</code> is TRUE
<code>theta_tilde</code>	If <code>draws > 0</code> , the matrix of parameter draws in the constrained or unconstrained space, depending on the value of the <code>constrained</code> argument.
<code>log_p</code>	If <code>draws > 0</code> , a vector of length <code>draws</code> that contains the value of the log-posterior evaluated at each row of <code>theta_tilde</code> .
<code>log_g</code>	If <code>draws > 0</code> , a vector of length <code>draws</code> that contains the value of the logarithm of the multivariate normal density evaluated at each row of <code>theta_tilde</code> .

If the optimization is not completed for reasons such as feeding wrong data, it returns NULL.

Methods

optimizing signature(object = "stanmodel")

Call Stan's optimization methods to obtain a point estimate for the model defined by S4 class `stanmodel` given the data, initial values, etc.

See Also

[stanmodel](#)

Examples

```
## Not run:
m <- stan_model(model_code = 'parameters {real y;} model {y ~ normal(0,1);}')
f <- optimizing(m, hessian = TRUE)

## End(Not run)
```

pairs.stanfit *Create a matrix of output plots from a stanfit object*

Description

A [pairs](#) method that is customized for MCMC output

Usage

```
## S3 method for class 'stanfit'
pairs(x, labels = NULL, panel = NULL, ...,
      lower.panel = NULL,
      upper.panel = NULL, diag.panel = NULL, text.panel = NULL,
      label.pos = 0.5 + 1/3, cex.labels = NULL, font.labels = 1,
      row1atop = TRUE, gap = 1, log = "", pars = NULL, condition = "accept_stat__",
      include = TRUE)
```

Arguments

x	An object of S4 class stanfit
labels, panel, ..., lower.panel, upper.panel, diag.panel	Same as in pairs syntactically but see the Details section for different default arguments
text.panel, label.pos, cex.labels, font.labels, row1atop, gap	Same as in pairs.default
log	Same as in pairs.default , which makes it possible to utilize logarithmic axes and additionally accepts log = TRUE. See the Details section.
pars	If not NULL, a character vector indicating which quantities to include in the plots, which is passed to extract . Thus, by default, all unknown quantities are included, which may be far too many to visualize on a small computer screen. If include = FALSE, then the named parameters are excluded from the plot.
condition	<p>If NULL, it will plot roughly half of the chains in the lower panel and the rest in the upper panel. An integer vector can be passed to select some subset of the chains, of which roughly half will be plotted in the lower panel and the rest in the upper panel. A list of two integer vectors can be passed, each specifying a subset of the chains to be plotted in the lower and upper panels respectively.</p> <p>A single number between zero and one exclusive can be passed, which is interpreted as the proportion of realizations (among all chains) to plot in the lower panel starting with the first realization in each chain, with the complement (from the end of each chain) plotted in the upper panel.</p> <p>A (possibly abbreviated) character vector of length one can be passed among "accept_stat__", "stepsize__", "treedepth__", "n_leapfrog__", "divergent__", "energy__", or "lp__", which are the variables produced by get_sampler_params and get_logposterior. In that case the lower panel will plot realizations that are below the median of the indicated variable (or are zero in the case</p>

of "divergent__") and the upper panel will plot realizations that are greater than or equal to the median of the indicated variable (or are one in the case of "divergent__"). Finally, any logical vector whose length is equal to the product of the number of iterations and the number of chains can be passed, in which case realizations corresponding to FALSE and TRUE will be plotted in the lower and upper panel respectively. The default is "accept_stat__".

`include` Logical scalar indicating whether to include (the default) or exclude the parameters named in the `pars` argument from the plot.

Details

This method differs from the default `pairs` method in the following ways. If unspecified, the `smoothScatter` function is used for the off-diagonal plots, rather than `points`, since the former is more appropriate for visualizing thousands of draws from a posterior distribution. Also, if unspecified, histograms of the marginal distribution of each quantity are placed on the diagonal of the plot, after pooling all of the chains specified by the `chain_id` argument.

The draws from the warmup phase are always discarded before plotting.

By default, the lower (upper) triangle of the plot contains draws with below (above) median acceptance probability. Also, if `condition` is not "divergent__", red points will be superimposed onto the smoothed density plots indicating which (if any) iterations encountered a divergent transition. Otherwise, yellow points indicate a transition that hit the maximum treedepth rather than terminated its evolution normally.

You may very well want to specify the `log` argument for non-negative parameters. However, the `pairs` function will drop (with a message) parameters that are either constant or duplicative with previous parameters. For example, if a correlation matrix is included among `pars`, then neither its diagonal elements (which are always 1) nor its upper triangular elements (which are the same as the corresponding lower triangular elements) will be included. Thus, if `log` is an integer vector, it needs to pertain to the parameters after constant and duplicative ones are dropped. It is perhaps easiest to specify `log = TRUE`, which will utilize logarithmic axes for all non-negative parameters, except `lp__` and any integer valued quantities.

See Also

S4 class `stanfit` and its method `extract` as well as the `pairs` generic function. Also, see `get_sampler_params` and `get_logposterior`.

Examples

```
example(read_stan_csv)
pairs(fit, pars = c("mu", "sigma", "alpha", "lp__"), log = TRUE, las = 1)
# sigma and alpha will have logarithmic axes
```

Description

The default plot shows posterior uncertainty intervals and point estimates for parameters and generated quantities. The plot method can also be used to call the other **rstan** plotting functions via the `plotfun` argument (see Examples).

Usage

```
## S4 method for signature 'stanfit,missing'  
plot(x, ..., plotfun)
```

Arguments

<code>x</code>	An instance of class <code>stanfit</code> .
<code>plotfun</code>	A character string naming the plotting function to apply to the <code>stanfit</code> object. If <code>plotfun</code> is missing, the default is to call <code>stan_plot</code> , which generates a plot of credible intervals and point estimates. See rstan-plotting-functions for the names and descriptions of the other plotting functions. <code>plotfun</code> can be either the full name of the plotting function (e.g. <code>"stan_hist"</code>) or can be abbreviated to the part of the name following the underscore (e.g. <code>"hist"</code>).
<code>...</code>	Optional arguments to <code>plotfun</code> .

Value

A `ggplot` object that can be further customized using the **ggplot2** package.

Note

Because the **rstan** plotting functions use **ggplot2** (and thus the resulting plots behave like `ggplot` objects), when calling a plotting function within a loop or when assigning a plot to a name (e.g., `graph <- plot(fit, plotfun = "rhat")`), if you also want the side effect of the plot being displayed you must explicitly print it (e.g., `(graph <- plot(fit, plotfun = "rhat")), print(graph <- plot(fit, plotfun = "rhat"))`).

See Also

[List of RStan plotting functions](#), [Plot options](#)

Examples

```
## Not run:  
library(rstan)  
fit <- stan_demo("eight_schools")  
plot(fit)  
plot(fit, show_density = TRUE, ci_level = 0.5, fill_color = "purple")
```

```

plot(fit, plotfun = "hist", pars = "theta", include = FALSE)
plot(fit, plotfun = "trace", pars = c("mu", "tau"), inc_warmup = TRUE)
plot(fit, plotfun = "rhat") + ggtitle("Example of adding title to plot")

## End(Not run)

```

Plots

*ggplot2 for RStan***Description**

Visual posterior analysis using `ggplot2`.

Usage

```

stan_plot(object, pars, include = TRUE, unconstrain = FALSE, ...)
stan_trace(object, pars, include = TRUE, unconstrain = FALSE,
           inc_warmup = FALSE, nrow = NULL, ncol = NULL, ...,
           window = NULL)
stan_scatter(object, pars, unconstrain = FALSE,
            inc_warmup = FALSE, nrow = NULL, ncol = NULL, ...)
stan_hist(object, pars, include = TRUE, unconstrain = FALSE,
          inc_warmup = FALSE, nrow = NULL, ncol = NULL, ...)
stan_dens(object, pars, include = TRUE, unconstrain = FALSE,
          inc_warmup = FALSE, nrow = NULL, ncol = NULL, ...,
          separate_chains = FALSE)
stan_ac(object, pars, include = TRUE, unconstrain = FALSE,
        inc_warmup = FALSE, nrow = NULL, ncol = NULL, ...,
        separate_chains = FALSE, lags = 25, partial = FALSE)
quietgg(gg)

```

Arguments

<code>object</code>	A <code>stanfit</code> or <code>stanreg</code> object.
<code>pars</code>	Optional character vector of parameter names. If <code>object</code> is a <code>stanfit</code> object, the default is to show all user-defined parameters or the first 10 (if there are more than 10). If <code>object</code> is a <code>stanreg</code> object, the default is to show all (or the first 10) regression coefficients (including the intercept). For <code>stan_scatter</code> only, <code>pars</code> should not be missing and should contain exactly two parameter names.
<code>include</code>	Should the parameters given by the <code>pars</code> argument be included (the default) or excluded from the plot?
<code>unconstrain</code>	Should parameters be plotted on the unconstrained space? Defaults to <code>FALSE</code> . Only available if <code>object</code> is a <code>stanfit</code> object.
<code>inc_warmup</code>	Should warmup iterations be included? Defaults to <code>FALSE</code> .
<code>nrow, ncol</code>	Passed to <code>facet_wrap</code> .

...	Optional additional named arguments passed to geoms (e.g. for <code>stan_trace</code> the geom is <code>geom_path</code> and we could specify <code>linetype</code> , <code>size</code> , <code>alpha</code> , etc.). For <code>stan_plot</code> there are also additional arguments that can be specified in ... (see Details).
<code>window</code>	For <code>stan_trace</code> <code>window</code> is used to control which iterations are shown in the plot. See traceplot .
<code>separate_chains</code>	For <code>stan_dens</code> , should the density for each chain be plotted? The default is <code>FALSE</code> , which means that for each parameter the draws from all chains are combined. For <code>stan_ac</code> , if <code>separate_chains=FALSE</code> (the default), the autocorrelation is averaged over the chains. If <code>TRUE</code> each chain is plotted separately.
<code>lags</code>	For <code>stan_ac</code> , the maximum number of lags to show.
<code>partial</code>	For <code>stan_ac</code> , should partial autocorrelations be plotted instead? Defaults to <code>FALSE</code> .
<code>gg</code>	A <code>ggplot</code> object or an expression that creates one.

Details

For `stan_plot`, there are additional arguments that can be specified in ... The optional arguments and their default values are:

`point_est = "median"` The point estimate to show. Either "median" or "mean".

`show_density = FALSE` Should kernel density estimates be plotted above the intervals?

`ci_level = 0.8` The posterior uncertainty interval to highlight. Central $100 \times \text{ci_level} \%$ intervals are computed from the quantiles of the posterior draws.

`outer_level = 0.95` An outer interval to also draw as a line (if `show_outer_line` is `TRUE`) but not highlight.

`show_outer_line = TRUE` Should the `outer_level` interval be shown or hidden? Defaults to `TRUE` (to plot it).

`fill_color, outline_color, est_color` Colors to override the defaults for the highlighted interval, the outer interval (and density outline), and the point estimate.

Value

A `ggplot` object that can be further customized using the **ggplot2** package.

Note

Because the **rstan** plotting functions use **ggplot2** (and thus the resulting plots behave like `ggplot` objects), when calling a plotting function within a loop or when assigning a plot to a name (e.g., `graph <- plot(fit, plotfun = "rhat")`), if you also want the side effect of the plot being displayed you must explicitly print it (e.g., `(graph <- plot(fit, plotfun = "rhat")), print(graph <- plot(fit, plotfun = "rhat"))`).

See Also

[List of RStan plotting functions, Plot options](#)

Examples

```

## Not run:
example("read_stan_csv")
stan_plot(fit)
stan_trace(fit)

library(gridExtra)
fit <- stan_demo("eight_schools")

stan_plot(fit)
stan_plot(fit, point_est = "mean", show_density = TRUE, fill_color = "maroon")

# histograms
stan_hist(fit)
# suppress ggplot2 messages about default bandwidth
quietgg(stan_hist(fit))
quietgg(h <- stan_hist(fit, pars = "theta", binwidth = 5))

# juxtapose histograms of tau and unconstrained tau
tau <- stan_hist(fit, pars = "tau")
tau_unc <- stan_hist(fit, pars = "tau", unconstrain = TRUE) +
  xlab("tau unconstrained")
grid.arrange(tau, tau_unc)

# kernel density estimates
stan_dens(fit)
(dens <- stan_dens(fit, fill = "skyblue", ))
dens <- dens + ggtitle("Kernel Density Estimates\n") + xlab("")
dens

(dens_sep <- stan_dens(fit, separate_chains = TRUE, alpha = 0.3))
dens_sep + scale_fill_manual(values = c("red", "blue", "green", "black"))
(dens_sep_stack <- stan_dens(fit, pars = "theta", alpha = 0.5,
  separate_chains = TRUE, position = "stack"))

# traceplot
trace <- stan_trace(fit)
trace +
  scale_color_manual(values = c("red", "blue", "green", "black"))
trace +
  scale_color_brewer(type = "div") +
  theme(legend.position = "none")

facet_style <- theme(strip.background = element_rect(fill = "white"),
  strip.text = element_text(size = 13, color = "black"))
(trace <- trace + facet_style)

# scatterplot
(mu_vs_tau <- stan_scatter(fit, pars = c("mu", "tau"), color = "blue", size = 4))
mu_vs_tau +
  coord_flip() +

```

```

theme(panel.background = element_rect(fill = "black"))

## End(Not run)

```

print

Print a summary for a fitted model represented by a stanfit object

Description

Print basic information regarding the fitted model and a summary for the parameters of interest estimated by the samples included in a stanfit object.

Usage

```

## S3 method for class 'stanfit'
print(x, pars = x@sim$pars_oi,
      probs = c(0.025, 0.25, 0.5, 0.75, 0.975),
      digits_summary = 2, include = TRUE, ...)

```

Arguments

x	An object of S4 class stanfit.
pars	A character vector of parameter names. The default is all parameters for which samples are saved. If include = FALSE, then the specified parameters are excluded from the printed summary.
probs	A numeric vector of quantiles of interest. The default is c(0.025, 0.25, 0.5, 0.75, 0.975).
digits_summary	The number of significant digits to use when printing the summary, defaulting to 2. Applies to the quantities other than the effective sample size, which is always rounded to the nearest integer.
include	Logical scalar (defaulting to TRUE) indicating whether to include or exclude the parameters named by the pars argument.
...	Additional arguments passed to the summary method for stanfit objects.

Details

The information regarding the fitted model includes the number of iterations, the number of chains, the total number of saved iterations, the estimation algorithm used, and the timestamp indicating when sampling finished.

The parameter summaries computed include means, standard deviations (sd), quantiles, Monte Carlo standard errors (se_mean), split Rhats, and effective sample sizes (n_eff). The summaries are computed after dropping the warmup iterations and merging together the draws from all chains.

In addition to the model parameters, summaries for the log-posterior (lp__) are also reported.

See Also

S4 class [stanfit](#) and particularly its method [summary](#), which is used to obtain the values that are printed.

`read_rdump`*Read data in an R dump file to a list*

Description

Create an R list from an R dump file

Usage

```
read_rdump(f, keep.source = FALSE, ...)
```

Arguments

<code>f</code>	A character string providing the dump file name.
<code>keep.source</code>	logical: should the source formatting be retained when echoing expressions, if possible?
<code>...</code>	passed to source

Details

The R dump file can be read directly by R function `source`, which by default would read the data into the user's workspace (the global environment). This function instead read the data to a list, making it convenient to prepare data for the stan model-fitting function.

Value

A list containing all the data defined in the dump file with keys corresponding to variable names.

See Also

[stan_rdump](#); [dump](#)

Examples

```
x <- 1; y <- 1:10; z <- array(1:10, dim = c(2,5))
stan_rdump(ls(pattern = '^[xyz]'), "xyz.Rdump")
l <- read_rdump('xyz.Rdump')
print(l)
```

read_stan_csv	<i>Read CSV files of samples generated by (R)Stan into a stanfit object</i>
---------------	---

Description

Create a `stanfit` object from the saved CSV files that are created by Stan or RStan and that include the samples drawn from the distribution of interest to facilitate analysis of samples using RStan.

Usage

```
read_stan_csv(csvfiles, col_major = TRUE)
```

Arguments

<code>csvfiles</code>	A character vector providing CSV file names
<code>col_major</code>	The order for array parameters; default to TRUE

Details

Stan and RStan could save the samples to CSV files. This function reads the samples and using the comments (beginning with "#") to create a `stanfit` object. The model name is derived from the first CSV file.

`col_major` specifies how array parameters are ordered in each row of the CSV files. For example, parameter "a[2,2]" would be ordered as "a[1,1], a[2,1], a[1,2], a[2,2]" if `col_major` is TRUE.

Value

A `stanfit` object (with invalid `stanmodel` slot). This `stanfit` object cannot be used to re-run the sampler.

See Also

[stanfit](#)

Examples

```
csvfiles <- dir(system.file('misc', package = 'rstan'),  
               pattern = 'rstan_doc_ex_[0-9].csv', full.names = TRUE)  
fit <- read_stan_csv(csvfiles)
```

rstan-plotting-functions

RStan Plotting Functions

Description

List of RStan plotting functions that return ggplot objects

RStan plotting functions

Posterior intervals and point estimates [stan_plot](#)

Traceplots [stan_trace](#)

Histograms [stan_hist](#)

Kernel density estimates [stan_dens](#)

Scatterplots [stan_scatter](#)

Diagnostics for Hamiltonian Monte Carlo and the No-U-Turn Sampler [stan_diag](#)

Rhat [stan_rhat](#)

Ratio of effective sample size to total posterior sample size [stan_ess](#)

Ratio of Monte Carlo standard error to posterior standard deviation [stan_mcse](#)

Autocorrelation [stan_ac](#)

See Also

[Plot options](#)

rstan.package.skeleton

Create a Skeleton for a New Source Package with Stan Programs

Description

This function has been removed from **rstan**. Please use the new `rstan_package_skeleton` function in the **rstantools** package.

rstan_gg_options	<i>Set default appearance options</i>
------------------	---------------------------------------

Description

Set default appearance options

Usage

```
rstan_gg_options(...)
```

```
rstan_ggtheme_options(...)
```

Arguments

... For `rstan_ggtheme_options`, see [theme](#) for the theme elements that can be specified in For `rstan_gg_options`, ... can be `fill`, `color`, `chain_colors`, `size`, `pt_color`, or `pt_size`. See Examples.

See Also

[List of RStan plotting functions](#)

Examples

```
rstan_ggtheme_options(panel.background = element_rect(fill = "gray"),
  legend.position = "top")
rstan_gg_options(fill = "skyblue", color = "skyblue4", pt_color = "red")
```

rstan_options	<i>Set and read options used in RStan</i>
---------------	---

Description

Set and read options used in RStan. Some settings as options can be controlled by the user.

Usage

```
rstan_options(...)
```

Arguments

... Arguments of the form `opt = val` set option `opt` to value `val`. Arguments of the form `opt` set the function to return option `opt`'s value. Each argument must be a character string.

Details

The available options are:

1. `plot_rhat_breaks`: The cut off points for Rhat for which we would indicate using a different color. This is a numeric vector, defaulting to `c(1.1, 1.2, 1.5, 2)`. The value for this option will be sorted in ascending order, so for example `plot_rhat_breaks = c(1.2, 1.5)` is equivalent to `plot_rhat_breaks = c(1.5, 1.2)`.
2. `plot_rhat_cols`: A vector of the same length as `plot_rhat_breaks` that indicates the colors for the breaks.
3. `plot_rhat_nan_col`: The color for Rhat when it is Inf or NaN.
4. `plot_rhat_large_col`: The color for Rhat when it is larger than the largest value of `plot_rhat_breaks`.
5. `rstan_alert_col`: The color used in method `plot` of S4 class `stanfit` to show that the vector/array parameters are truncated.
6. `rstan_chain_cols`: The colors used in methods `plot` and `traceplot` of S4 class `stanfit` for coloring different chains.
7. `rstan_warmup_bg_col`: The background color for the warmup area in the traceplots.
8. `boost_lib`: The path for the Boost C++ library used to compile Stan models. This option is valid for the whole R session if not changed again.
9. `eigen_lib`: The path for the Eigen C++ library used to compile Stan models. This option is valid for the whole R session if not changed again.
10. `auto_write`: A logical scalar (defaulting to `FALSE`) that controls whether a compiled instance of a `stanmodel-class` is written to the hard disk in the same directory as the `.stan` program.

Value

The values as a list for existing options and NA for non-existent options. When only one option is specified, its old value is returned.

sampling

Draw samples from a Stan model

Description

Draw samples from the model defined by class `stanmodel`.

Usage

```
## S4 method for signature 'stanmodel'
sampling(object, data = list(), pars = NA,
  chains = 4, iter = 2000, warmup = floor(iter/2), thin = 1,
  seed = sample.int(.Machine$integer.max, 1),
  init = 'random', check_data = TRUE,
  sample_file = NULL, diagnostic_file = NULL, verbose = FALSE,
```

```

algorithm = c("NUTS", "HMC", "Fixed_param"),
control = NULL, include = TRUE,
cores = getOption("mc.cores", 1L),
open_progress = interactive() && !isatty(stdout()) &&
                !identical(Sys.getenv("RSTUDIO"), "1"),
show_messages = TRUE, ...)

```

Arguments

object	An object of class <code>stanmodel</code> .
data	A named list or environment providing the data for the model or a character vector for all the names of objects used as data. See the Note section in <code>stan</code> .
pars	A vector of character strings specifying parameters of interest. The default is NA indicating all parameters in the model. If <code>include = TRUE</code> , only samples for parameters named in <code>pars</code> are stored in the fitted results. Conversely, if <code>include = FALSE</code> , samples for all parameters <i>except</i> those named in <code>pars</code> are stored in the fitted results.
chains	A positive integer specifying the number of Markov chains. The default is 4.
iter	A positive integer specifying the number of iterations for each chain (including warmup). The default is 2000.
warmup	A positive integer specifying the number of warmup (aka burnin) iterations per chain. If step-size adaptation is on (which it is by default), this also controls the number of iterations for which adaptation is run (and hence these warmup samples should not be used for inference). The number of warmup iterations should not be larger than <code>iter</code> and the default is <code>iter/2</code> .
thin	A positive integer specifying the period for saving samples. The default is 1, which is usually the recommended value.
seed	The seed for random number generation. The default is generated from 1 to the maximum integer supported by R on the machine. Even if multiple chains are used, only one seed is needed, with other chains having seeds derived from that of the first chain to avoid dependent samples. When a seed is specified by a number, <code>as.integer</code> will be applied to it. If <code>as.integer</code> produces NA, the seed is generated randomly. The seed can also be specified as a character string of digits, such as "12345", which is converted to integer.
init	Initial values specification. See the detailed documentation for the <code>init</code> argument in <code>stan</code> .
check_data	Logical, defaulting to TRUE. If TRUE the data will be preprocessed; otherwise not. See the Note section in <code>stan</code> .
sample_file	An optional character string providing the name of a file. If specified the draws for <i>all</i> parameters and other saved quantities will be written to the file. If not provided, files are not created. When the folder specified is not writable, <code>tempdir()</code> is used. When there are multiple chains, an underscore and chain number are appended to the file name prior to the <code>.csv</code> extension.
diagnostic_file	An optional character string providing the name of a file. If specified the diagnostics data for <i>all</i> parameters will be written to the file. If not provided, files

are not created. When the folder specified is not writable, `tempdir()` is used. When there are multiple chains, an underscore and chain number are appended to the file name prior to the `.csv` extension.

verbose	TRUE or FALSE: flag indicating whether to print intermediate output from Stan on the console, which might be helpful for model debugging.
algorithm	One of sampling algorithms that are implemented in Stan. Current options are "NUTS" (No-U-Turn sampler, Hoffman and Gelman 2011, Betancourt 2017), "HMC" (static HMC), or "Fixed_param". The default and preferred algorithm is "NUTS".
control	A named list of parameters to control the sampler's behavior. See the details in the documentation for the <code>control</code> argument in stan .
include	Logical scalar defaulting to TRUE indicating whether to include or exclude the parameters given by the <code>pars</code> argument. If FALSE, only entire multidimensional parameters can be excluded, rather than particular elements of them.
cores	Number of cores to use when executing the chains in parallel, which defaults to 1 but we recommend setting the <code>mc.cores</code> option to be as many processors as the hardware and RAM allow (up to the number of chains).
open_progress	Logical scalar that only takes effect if <code>cores > 1</code> but is recommended to be TRUE in interactive use so that the progress of the chains will be redirected to a file that is automatically opened for inspection. For very short runs, the user might prefer FALSE.
show_messages	Either a logical scalar (defaulting to TRUE) indicating whether to print the summary of Informational Messages to the screen after a chain is finished or a character string naming a path where the summary is stored. Setting to FALSE is not recommended unless you are very sure that the model is correct up to numerical error.
...	Additional arguments can be <code>chain_id</code> , <code>init_r</code> , <code>test_grad</code> , <code>append_samples</code> , <code>refresh</code> , <code>enable_random_init</code> . See the documentation in stan .

Value

An object of S4 class `stanfit` representing the fitted results. Slot `mode` for this object indicates if the sampling is done or not.

Methods

`sampling` `signature(object = "stanmodel")`

Call a sampler (NUTS, HMC, or Fixed_param depending on parameters) to draw samples from the model defined by S4 class `stanmodel` given the data, initial values, etc.

See Also

[stanmodel](#), [stanfit](#), [stan](#)

Examples

```
## Not run:
m <- stan_model(model_code = 'parameters {real y;} model {y ~ normal(0,1);}')
f <- sampling(m, iter = 100)

## End(Not run)
```

set_cppo

Defunct function to set the compiler optimization level

Description

This function returns nothing and does nothing except throw a warning. See <https://cran.r-project.org/doc/manuals/r-release/R-admin.html#Customizing-package-compilation> for information on customizing the compiler options, but doing so should be unnecessary for normal usage.

Usage

```
set_cppo(...)
```

Arguments

... Any input is ignored

Value

An invisible NULL

sflist2stanfit

Merge a list of stanfit objects into one

Description

This function takes a list of stanfit objects and returns a consolidated stanfit object. The stanfit objects to be merged need to have the same configuration of iteration, warmup, and thin, besides being from the same model. This could facilitate some parallel usage of RStan. For example, if we call `stan` by parallel and it returns a list of stanfit objects, this function can be used to create one stanfit object from the list.

Usage

```
sflist2stanfit(sflist)
```

Arguments

sflist A list of stanfit objects.

Value

An S4 object of stanfit consolidated from all the input stanfit objects.

Note

This function should be called in rare circumstances because `sampling` has a `cores` argument that allows multiple chains to be executed in parallel. However, if you need to depart from that, the best practice is to use `sflist2stanfit` on a list of `stanfit` objects created with the same seed but different `chain_id` (see example below). Using the same seed but different `chain_id` can make sure the random number generations for all chains are not correlated.

This function would do some check to see if the `stanfit` objects in the input list can be merged. But the check is not sufficient. So generally, it is the user's responsibility to make sure the input is correct so that the merging makes sense.

The date in the new `stanfit` object is when it is merged.

`get_seed` function for the new consolidated `stanfit` object only returns the seed used in the first chain of the new object.

The sampler such as NUTS2 that is displayed in the printout by `print` is the sampler used for the first chain. The `print` method assumes the samplers are the same for all chains.

The included `stanmodel` object, which includes the compiled model, in the new `stanfit` object is from the first element of the input list.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org/>.

See Also

[stan](#)

Examples

```
## Not run:
library(rstan)
scode <- "
data {
  int<lower=1> N;
}
parameters {
  real y1[N];
  real y2[N];
}
model {
  y1 ~ normal(0, 1);
```

```

    y2 ~ double_exponential(0, 2);
  }
"

seed <- 123 # or any other integer
foo_data <- list(N = 2)
foo <- stan(model_code = scode, data = foo_data, chains = 1, iter = 1)
f1 <- stan(fit = foo, data = foo_data, chains = 1, seed = seed, chain_id = 1)
f2 <- stan(fit = foo, data = foo_data, chains = 2, seed = seed, chain_id = 2:3)
f12 <- sflist2stanfit(list(f1, f2))

## parallel stan call for unix-like OS
library(parallel)

if (.Platform$OS.type == "unix") {
sflist1 <-
  mclapply(1:4, mc.cores = 2,
           function(i) stan(fit = foo, data = foo_data, seed = seed,
                           chains = 1, chain_id = i, refresh = -1))
f3 <- sflist2stanfit(sflist1)
}
if (.Platform$OS.type == "windows") { # also works on non-Windows
CL <- makeCluster(2)
clusterExport(cl = CL, c("foo_data", "foo", "seed"))
sflist1 <- parLapply(CL, 1:4, fun = function(cid) {
  require(rstan)
  stan(fit = foo, data = foo_data, chains = 1,
       iter = 2000, seed = seed, chain_id = cid)
})

fit <- sflist2stanfit(sflist1)
print(fit)
stopCluster(CL)
} # end example for Windows

## End(Not run)

```

stan

Fit a model using Stan

Description

Fit a model defined in the Stan modeling language and return the fitted result as an instance of `stanfit`.

Usage

```

stan(file, model_name = "anon_model", model_code = "",
     fit = NA, data = list(), pars = NA, chains = 4,
     iter = 2000, warmup = floor(iter/2), thin = 1,
     init = "random", seed = sample.int(.Machine$integer.max, 1),

```

```

algorithm = c("NUTS", "HMC", "Fixed_param"),
control = NULL,
sample_file = NULL, diagnostic_file = NULL,
save_dso = TRUE,
verbose = FALSE, include = TRUE,
cores = getOption("mc.cores", 1L),
open_progress = interactive() && !isatty(stdout()) &&
!identical(Sys.getenv("RSTUDIO"), "1"),
...,
boost_lib = NULL,
eigen_lib = NULL)

```

Arguments

<code>file</code>	A character string file name or a connection that R supports containing the text of a model specification in the Stan modeling language; a model may also be specified directly as a character string using parameter <code>model_code</code> or through a previous fit using parameter <code>fit</code> . When <code>fit</code> is specified, parameter <code>file</code> is ignored.
<code>model_name</code>	A character string naming the model; defaults to "anon_model". However, the model name would be derived from <code>file</code> or <code>model_code</code> (if <code>model_code</code> is the name of a character string object) if <code>model_name</code> is not specified.
<code>model_code</code>	A character string either containing the model definition or the name of a character string object in the workspace. This parameter is used only if parameter <code>file</code> is not specified. When <code>fit</code> is specified, the model compiled previously is used so specifying <code>model_code</code> is ignored.
<code>fit</code>	An instance of S4 class <code>stanfit</code> derived from a previous fit; defaults to NA. If <code>fit</code> is not NA, the compiled model associated with the fitted result is re-used; thus the time that would otherwise be spent recompiling the C++ code for the model can be saved.
<code>data</code>	A named list or environment providing the data for the model, or a character vector for all the names of objects used as data. See the Note section below.
<code>pars</code>	A vector of character strings specifying parameters of interest. The default is NA indicating all parameters in the model. If <code>include = TRUE</code> , only samples for parameters named in <code>pars</code> are stored in the fitted results. Conversely, if <code>include = FALSE</code> , samples for all parameters <i>except</i> those named in <code>pars</code> are stored in the fitted results.
<code>chains</code>	A positive integer specifying the number of Markov chains. The default is 4.
<code>iter</code>	A positive integer specifying the number of iterations for each chain (including warmup). The default is 2000.
<code>warmup</code>	A positive integer specifying the number of warmup (aka burnin) iterations per chain. If step-size adaptation is on (which it is by default), this also controls the number of iterations for which adaptation is run (and hence these warmup samples should not be used for inference). The number of warmup iterations should not be larger than <code>iter</code> and the default is <code>iter/2</code> .
<code>thin</code>	A positive integer specifying the period for saving samples. The default is 1, which is usually the recommended value.

init	<p>Can be the digit 0, the strings "0" or "random", a function that returns a named list, or a list of named lists.</p> <p>init="random" (default): Let Stan generate random initial values for all parameters. The seed of the random number generator used by Stan can be specified via the seed argument. If the seed for Stan is fixed, the same initial values are used. The default is to randomly generate initial values between -2 and 2 on the unconstrained support. The optional additional parameter <code>init_r</code> can be set to some value other than 2 to change the range of the randomly generated inits.</p> <p>init="0", init=0: Initialize all parameters to zero on the unconstrained support.</p> <p>inits via list: Set initial values by providing a list equal in length to the number of chains. The elements of this list should themselves be named lists, where each of these named lists has the name of a parameter and is used to specify the initial values for that parameter for the corresponding chain.</p> <p>inits via function: Set initial values by providing a function that returns a list for specifying the initial values of parameters for a chain. The function can take an optional parameter <code>chain_id</code> through which the <code>chain_id</code> (if specified) or the integers from 1 to <code>chains</code> will be supplied to the function for generating initial values. See the Examples section below for examples of defining such functions and using a list of lists for specifying initial values.</p> <p>When specifying initial values via a list or function, any parameters for which values are not specified will receive initial values generated as described in the <code>init="random"</code> description above.</p>
seed	<p>The seed for random number generation. The default is generated from 1 to the maximum integer supported by R on the machine. Even if multiple chains are used, only one seed is needed, with other chains having seeds derived from that of the first chain to avoid dependent samples. When a seed is specified by a number, <code>as.integer</code> will be applied to it. If <code>as.integer</code> produces NA, the seed is generated randomly. The seed can also be specified as a character string of digits, such as "12345", which is converted to integer.</p>
algorithm	<p>One of sampling algorithms that are implemented in Stan. Current options are "NUTS" (No-U-Turn sampler, Hoffman and Gelman 2011, Betancourt 2017), "HMC" (static HMC), or "Fixed_param". The default and preferred algorithm is "NUTS".</p>
sample_file	<p>An optional character string providing the name of a file. If specified the draws for <i>all</i> parameters and other saved quantities will be written to the file. If not provided, files are not created. When the folder specified is not writable, <code>tempdir()</code> is used. When there are multiple chains, an underscore and chain number are appended to the file name.</p>
diagnostic_file	<p>An optional character string providing the name of a file. If specified the diagnostics data for <i>all</i> parameters will be written to the file. If not provided, files are not created. When the folder specified is not writable, <code>tempdir()</code> is used. When there are multiple chains, an underscore and chain number are appended to the file name.</p>

save_dso	Logical, with default TRUE, indicating whether the dynamic shared object (DSO) compiled from the C++ code for the model will be saved or not. If TRUE, we can draw samples from the same model in another R session using the saved DSO (i.e., without compiling the C++ code again). This parameter only takes effect if <code>fit</code> is not used; with <code>fit</code> defined, the DSO from the previous run is used. When <code>save_dso=TRUE</code> , the fitted object can be loaded from what is saved previously and used for sampling, if the compiling is done on the same platform, that is, same operating system and same architecture (32bits or 64bits).
verbose	TRUE or FALSE: flag indicating whether to print intermediate output from Stan on the console, which might be helpful for model debugging.
control	<p>A named list of parameters to control the sampler's behavior. It defaults to NULL so all the default values are used. First, the following are adaptation parameters for sampling algorithms. These are parameters used in Stan with similar names here.</p> <ul style="list-style-type: none"> • <code>adapt_engaged</code> (logical) • <code>adapt_gamma</code> (double, positive, defaults to 0.05) • <code>adapt_delta</code> (double, between 0 and 1, defaults to 0.8) • <code>adapt_kappa</code> (double, positive, defaults to 0.75) • <code>adapt_t0</code> (double, positive, defaults to 10) • <code>adapt_init_buffer</code> (integer, positive, defaults to 75) • <code>adapt_term_buffer</code> (integer, positive, defaults to 50) • <code>adapt_window</code> (integer, positive, defaults to 25) <p>In addition, algorithm HMC (called 'static HMC' in Stan) and NUTS share the following parameters:</p> <ul style="list-style-type: none"> • <code>stepsize</code> (double, positive) • <code>stepsize_jitter</code> (double, [0,1]) • <code>metric</code> (string, one of "unit_e", "diag_e", "dense_e") <p>For algorithm HMC, we can also set</p> <ul style="list-style-type: none"> • <code>int_time</code> (double, positive) <p>For algorithm NUTS, we can set</p> <ul style="list-style-type: none"> • <code>max_treedepth</code> (integer, positive) <p>For <code>test_grad</code> mode, the following parameters can be set</p> <ul style="list-style-type: none"> • <code>epsilon</code> (double, defaults to 1e-6) • <code>error</code> (double, defaults to 1e-6)
include	Logical scalar defaulting to TRUE indicating whether to include or exclude the parameters given by the <code>pars</code> argument. If FALSE, only entire multidimensional parameters can be excluded, rather than particular elements of them.
cores	Number of cores to use when executing the chains in parallel, which defaults to 1 but we recommend setting the <code>mc.cores</code> option to be as many processors as the hardware and RAM allow (up to the number of chains).
open_progress	Logical scalar that only takes effect if <code>cores > 1</code> but is recommended to be TRUE in interactive use so that the progress of the chains will be redirected to a file that is automatically opened for inspection. For very short runs, the user might prefer FALSE.

...	<p>Other optional parameters:</p> <ul style="list-style-type: none"> • <code>chain_id</code> (integer) • <code>init_r</code> (double, positive) • <code>test_grad</code> (logical) • <code>append_samples</code> (logical) • <code>refresh</code>(integer) • <code>save_warmup</code>(logical) • deprecated: <code>enable_random_init</code>(logical) <p><code>chain_id</code> can be a vector to specify the <code>chain_id</code> for all chains or an integer. For the former case, they should be unique. For the latter, the sequence of integers starting from the given <code>chain_id</code> are used for all chains.</p> <p><code>init_r</code> is used only for generating random initial values, specifically when <code>init="random"</code> or not all parameters are initialized in the user-supplied list or function. If specified, the initial values are simulated uniformly from interval <code>[-init_r, init_r]</code> rather than using the default interval (see the manual of (cmd)Stan).</p> <p><code>test_grad</code> (logical). If <code>test_grad=TRUE</code>, Stan will not do any sampling. Instead, the gradient calculation is tested and printed out and the fitted <code>stanfit</code> object is in test gradient mode. By default, it is <code>FALSE</code>.</p> <p><code>append_samples</code> (logical). Only relevant if <code>sample_file</code> is specified <i>and</i> is an existing file. In that case, setting <code>append_samples=TRUE</code> will append the samples to the existing file rather than overwriting the contents of the file.</p> <p><code>refresh</code> (integer) can be used to control how to indicate the progress during sampling (i.e. show the progress every <code>refresh</code> iterations). By default, <code>refresh = max(iter/10, 1)</code>. The progress indicator is turned off if <code>refresh <= 0</code>.</p> <p>Deprecated: <code>enable_random_init</code> (logical) being <code>TRUE</code> enables specifying initial values randomly when the initial values are not fully specified from the user.</p> <p><code>save_warmup</code> (logical) indicates whether to save draws during the warmup phase and defaults to <code>TRUE</code>. Some memory related problems can be avoided by setting it to <code>FALSE</code>, but some diagnostics are more limited if the warmup draws are not stored.</p>
<code>boost_lib</code>	The path for an alternative version of the Boost C++ to use instead of the one in the BH package.
<code>eigen_lib</code>	The path for an alternative version of the Eigen C++ library to the one in RcppEigen .

Details

`stan` does all of the work of fitting a Stan model and returning the results as an instance of `stanfit`. First, it translates the Stan model to C++ code. Second, the C++ code is compiled into a binary shared object, which is loaded into the current R session (an object of S4 class `stanmodel` is created). Finally, samples are drawn and wrapped in an object of S4 class `stanfit`, which has methods such as `print`, `summary`, and `plot` to inspect and retrieve the results of the fitted model.

`stan` can also be used to sample again from a fitted model under different settings (e.g., different `iter`, `data`, etc.) by using the `fit` argument to specify an existing `stanfit` object. In this case, the compiled C++ code for the model is reused.

Value

An object of S4 class `stanfit`. However, if `cores > 1` and there is an error for any of the chains, then the error(s) are printed. If all chains have errors and an error occurs before or during sampling, the returned object does not contain samples. But the compiled binary object for the model is still included, so we can reuse the returned object for another sampling.

Note

The data passed to `stan` are preprocessed before being passed to Stan. If data is not a character vector, the data block of the Stan program is parsed and R objects of the same name are searched starting from the calling environment. Then, if data is list-like but not a `data.frame` the elements of data take precedence. This behavior is similar to how a formula is evaluated by the `lm` function when data is supplied. In general, each R object being passed to Stan should be either a numeric vector (including the special case of a 'scalar') or a numeric array (matrix). The first exception is that an element can be a logical vector: TRUE's are converted to 1 and FALSE's to 0. An element can also be a data frame or a specially structured list (see details below), both of which will be converted into arrays in the preprocessing. Using a specially structured list is not encouraged though it might be convenient sometimes; and when in doubt, just use arrays.

This preprocessing for each element mainly includes the following:

1. Change the data of type from double to integer if no accuracy is lost. The main reason is that by default, R uses double as data type such as in `a <- 3`. But Stan will not read data of type `int` from real and it reads data from `int` if the data type is declared as real.
2. Check if there is NA in the data. Unlike BUGS, Stan does not allow missing data. Any NA values in supplied data will cause the function to stop and report an error.
3. Check data types. Stan allows only numeric data, that is, doubles, integers, and arrays of these. Data of other types (for example, characters and factors) are not passed to Stan.
4. Check whether there are objects in the data list with duplicated names. Duplicated names, if found, will cause the function to stop and report an error.
5. Check whether the names of objects in the data list are legal Stan names. If illegal names are found, it will stop and report an error. See (Cmd)Stan's manual for the rules of variable names.
6. When an element is of type `data.frame`, it will be converted to `matrix` by function `data.matrix`.
7. When an element is of type `list`, it is supposed to make it easier to pass data for those declared in Stan code such as `"vector[J] y1[I]"` and `"matrix[J,K] y2[I]"`. Using the latter as an example, we can use a list for `y2` if the list has "I" elements, each of which is an array (matrix) of dimension "J*K". However, it is not possible to pass a list for data declared such as `"vector[K] y3[I,J]"`; the only way for it is to use an array with dimension "I*J*K". In addition, technically a `data.frame` in R is also a list, but it should not be used for the purpose here since a `data.frame` will be converted to a matrix as described above.

Stan treats a vector of length 1 in R as a scalar. So technically if, for example, `"real y[1];"` is defined in the data block, an array such as `"y = array(1.0, dim = 1)"` in R should be used. This is also the case for specifying initial values since the same underlying approach for reading data from R in Stan is used, in which vector of length 1 is treated as a scalar.

In general, the higher the optimization level is set, the faster the generated binary code for the model runs, which can be set in a Makevars file. However, the binary code generated for the model runs fast by using a higher optimization level at the cost of longer times to compile the C++ code.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org>.

The Stan Development Team *CmdStan Interface User's Guide*. <http://mc-stan.org>.

See Also

[stanc](#) for translating model code in Stan modeling language to C++, [sampling](#) for sampling, and [stanfit](#) for the fitted results.

see [extract](#) and [as.array.stanfit](#) for extracting samples from stanfit objects.

Examples

```
## Not run:
#### example 1
library(rstan)
scode <- "
parameters {
  real y[2];
}
model {
  y[1] ~ normal(0, 1);
  y[2] ~ double_exponential(0, 2);
}
"

fit1 <- stan(model_code = scode, iter = 10, verbose = FALSE)
print(fit1)
fit2 <- stan(fit = fit1, iter = 10000, verbose = FALSE)

## extract samples as a list of arrays
e2 <- extract(fit2, permuted = TRUE)

## using as.array on the stanfit object to get samples
a2 <- as.array(fit2)

#### example 2
#### the result of this package is included in the package

excode <- '
transformed data {
  real y[20];
  y[1] = 0.5796;  y[2] = 0.2276;  y[3] = -0.2959;
  y[4] = -0.3742; y[5] = 0.3885;  y[6] = -2.1585;
  y[7] = 0.7111;  y[8] = 1.4424;  y[9] = 2.5430;
  y[10] = 0.3746; y[11] = 0.4773; y[12] = 0.1803;
  y[13] = 0.5215; y[14] = -1.6044; y[15] = -0.6703;
```

```

    y[16] = 0.9459; y[17] = -0.382; y[18] = 0.7619;
    y[19] = 0.1006; y[20] = -1.7461;
  }
  parameters {
    real mu;
    real<lower=0, upper=10> sigma;
    vector[2] z[3];
    real<lower=0> alpha;
  }
  model {
    y ~ normal(mu, sigma);
    for (i in 1:3)
      z[i] ~ normal(0, 1);
    alpha ~ exponential(2);
  }
,

```

```

exfit <- stan(model_code = excode, save_dso = FALSE, iter = 500)
print(exfit)
plot(exfit)

## End(Not run)
## Not run:
## examples of specify argument `init` for function stan

## define a function to generate initial values that can
## be fed to function stan's argument `init`
# function form 1 without arguments
initf1 <- function() {
  list(mu = 1, sigma = 4, z = array(rnorm(6), dim = c(3,2)), alpha = 1)
}
# function form 2 with an argument named `chain_id`
initf2 <- function(chain_id = 1) {
  # cat("chain_id =", chain_id, "\n")
  list(mu = 1, sigma = 4, z = array(rnorm(6), dim = c(3,2)), alpha = chain_id)
}

# generate a list of lists to specify initial values
n_chains <- 4
init_ll <- lapply(1:n_chains, function(id) initf2(chain_id = id))

exfit0 <- stan(model_code = excode, init = initf1)
stan(fit = exfit0, init = initf2)
stan(fit = exfit0, init = init_ll, chains = n_chains)

## End(Not run)

```

Description

Translate a model specification in Stan code to C++ code, which can then be compiled and loaded for sampling.

Usage

```
stanc(file, model_code = '', model_name = "anon_model", verbose = FALSE,
      obfuscate_model_name = TRUE, allow_undefined = FALSE,
      isystem = c(if (!missing(file)) dirname(file), getwd()))
stanc_builder(file, isystem = c(dirname(file), getwd()),
              verbose = FALSE, obfuscate_model_name = FALSE,
              allow_undefined = FALSE)
```

Arguments

file	A character string or a connection that R supports specifying the Stan model specification in Stan's modeling language.
model_code	Either a character string containing a Stan model specification or the name of a character string object in the workspace. This parameter is used only if parameter file is not specified, so it defaults to the empty string.
model_name	A character string naming the model. The default is "anon_model". However, the model name will be derived from file or model_code (if model_code is the name of a character string object) if model_name is not specified.
verbose	Logical, defaulting to FALSE. If TRUE more intermediate information is printed during the translation procedure.
obfuscate_model_name	Logical, defaulting to TRUE, indicating whether to use a randomly-generated character string for the name of the C++ class. This prevents name clashes when compiling multiple models in the same R session.
isystem	A character vector naming a path to look for file paths in file that are to be included within the Stan program named by file. See the Details section below.
allow_undefined	A logical scalar defaulting to FALSE indicating whether to allow Stan functions to be declared but not defined in file or model_code. If TRUE, then it is the caller's responsibility to provide a function definition in another header file or linked shared object.

Details

The `stanc_builder` function supports the standard C++ convention of specifying something like `#include "my_includes.txt"` on an entire line within the file named by the `file` argument. In other words, `stanc_builder` would look for "my_includes.txt" in (or under) the directories named by the `isystem` argument and — if found — insert its contents verbatim at that position before calling `stanc` on the resulting `model_code`. This mechanism reduces the need to copy common chunks of code across Stan programs. It is possible to include such files recursively.

Note that line numbers referred to in parser warnings or errors refer to the postprocessed Stan program rather than `file`. In the case of a parser error, the postprocessed Stan program will be

printed after the error message. Line numbers referred to in messages while Stan is executing also refer to the postprocessed Stan program which can be obtained by calling `get_stancode`.

Value

A list with named entries:

1. `model_name` Character string for the model name.
2. `model_code` Character string for the model's Stan specification.
3. `cppcode` Character string for the model's C++ code.
4. `status` Logical indicating success/failure (always TRUE) of translating the Stan code.

Note

Unlike R, in which variable identifiers may contain dots (e.g. `a.1`), Stan prohibits dots from occurring in variable identifiers. Furthermore, C++ reserved words and Stan reserved words may not be used for variable names; see the Stan User's Guide for a complete list.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org/>.

The Stan Development Team *CmdStan Interface User's Guide*. <http://mc-stan.org>.

See Also

[stan_model](#) and [stan](#)

Examples

```
stanmodelcode <- "
data {
  int<lower=0> N;
  real y[N];
}

parameters {
  real mu;
}

model {
  mu ~ normal(0, 10);
  y ~ normal(mu, 1);
}
"

r <- stanc(model_code = stanmodelcode, model_name = "normal1")
str(r)
```

stanfit-class	<i>Class stanfit: fitted Stan model</i>
---------------	---

Description

The components (slots) of a `stanfit` object and the various available methods are described below. When methods have their own more detailed documentation pages links are provided.

Objects from the Class

An object of class `stanfit` contains the output derived from fitting a Stan model as returned by the top-level function `stan` or the lower-level methods `sampling` and `vb` (which are defined on class `stanmodel`). Many methods (e.g., `print`, `plot`, `summary`) are provided for summarizing results and various access methods also allow the underlying data (e.g., simulations, diagnostics) contained in the object to be retrieved.

Slots

`model_name`: The model name as a string.

`model_pars`: A character vector of names of parameters (including transformed parameters and derived quantities).

`par_dims`: A named list giving the dimensions for all parameters. The dimension for a scalar parameter is given as `numeric(0)`.

`mode`: An integer indicating the mode of the fitted model. 0 indicates sampling mode, 1 indicates test gradient mode (no sampling is done), and 2 indicates error mode (an error occurred before sampling). Most methods for `stanfit` objects are useful only if `mode=0`.

`sim`: A list containing simulation results including the posterior draws as well as various pieces of metadata used by many of the methods for `stanfit` objects.

`inits`: The initial values (either user-specified or generated randomly) for all chains. This is a list with one component per chain. Each component is a named list containing the initial values for each parameter for the corresponding chain.

`stan_args`: A list with one component per chain containing the arguments used for sampling (e.g. `iter`, `seed`, etc.).

`stanmodel`: The instance of S4 class `stanmodel`.

`date`: A string containing the date and time the object was created.

`.MISC`: Miscellaneous helper information used for the fitted model. This is an object of type `environment`. Users rarely (if ever) need to access the contents of `.MISC`.

Methods

Printing, plotting, and summarizing:

`show` Print the default summary for the model.

`print` Print a customizable summary for the model. See `print.stanfit`.

- `plot` Create various plots summarizing the fitted model. See [plot, stanfit-method](#).
- `summary` Summarize the distributions of estimated parameters and derived quantities using the posterior draws. See [summary, stanfit-method](#).
- `get_posterior_mean` Get the posterior mean for parameters of interest (using `pars` to specify a subset of parameters). Returned is a matrix with one column per chain and an additional column for all chains combined.

Extracting posterior draws:

- `extract` Extract the draws for all chains for all (or specified) parameters. See [extract](#).
- `as.array, as.matrix, as.data.frame` Coerce the draws (without warmup) to an array, matrix or data frame. See [as.array.stanfit](#).
- `As.mcmc.list` Convert a `stanfit` object to an `mcmc.list` as in package `coda`. See [As.mcmc.list](#).
- `get_logposterior` Get the log-posterior at each iteration. Each element of the returned list is the vector of log-posterior values (up to an additive constant, i.e. up to a multiplicative constant on the linear scale) for a single chain. The optional argument `inc_warmup` (defaulting to TRUE) indicates whether to include the warmup period.

Diagnostics, log probability, and gradients:

- `get_sampler_params` Obtain the parameters used for the sampler such as `stepsize` and `treedepth`. The results are returned as a list with one component (an array) per chain. The array has number of columns corresponding to the number of parameters used in the sampler and its column names provide the parameter names. Optional argument `inc_warmup` (defaulting to TRUE) indicates whether to include the warmup period.
- `get_adaptation_info` Obtain the adaptation information for the sampler if NUTS was used. The results are returned as a list, each element of which is a character string with the info for a single chain.
- `log_prob` Compute the log probability density (`lp__`) for a set of parameter values (on the *unconstrained* space) up to an additive constant. The unconstrained parameters are specified using a numeric vector. The number of parameters on the unconstrained space can be obtained using method `get_num_upars`. A numeric value is returned. See also the documentation in [log_prob](#).
- `grad_log_prob` Compute the gradient of log probability density function for a set of parameter values (on the *unconstrained* space) up to an additive constant. The unconstrained parameters are specified using a numeric vector with the length being the number of unconstrained parameters. A numeric vector is returned with the length of the number of unconstrained parameters and an attribute named `log_prob` being the `lp__`. See also the documentation in [grad_log_prob](#).
- `get_num_upars` Get the number of unconstrained parameters of the model. The number of parameters for a model is not necessarily equal to this number of unconstrained parameters. For example, when a parameter is specified as a simplex of length `K`, the number of unconstrained parameters is `K-1`.
- `unconstrain_pars` Transform the parameters to unconstrained space. The input is a named list as for specifying initial values for each parameter. A numeric vector is returned. See also the documentation in [unconstrain_pars](#).

`constrain_pars` Get the parameter values from their unconstrained space. The input is a numeric vector. A list is returned. This function is contrary to `unconstrain_pars`. See also the documentation in [constrain_pars](#).

Metadata and miscellaneous:

`get_stancode` Get the Stan code for the fitted model as a string. The result can be printed in a readable format using [cat](#).

`get_stanmodel` Get the object of S4 class [stanmodel](#) of the fitted model.

`get_elapsed_time` Get the warmup time and sample time in seconds. A matrix of two columns is returned with each row containing the warmup and sample times for one chain.

`get_inits`, `iter = NULL` Get the initial values for parameters used in sampling all chains. The returned object is a list with the same structure as the `inits` slot described above. If `object@mode=2` (error mode) an empty list is returned. If `iter` is not `NULL`, then the draw from that iteration is returned for each chain rather than the initial state.

`get_cppo_mode` Get the optimization mode used for compilation. The returned string is one of "fast", "presentation2", "presentation1", and "debug".

`get_seed` Get the (P)RNG seed used. When the fitted object is empty (`mode=2`), `NULL` might be returned. In the case that the seeds for all chains are different, use `get_seeds`.

`get_seeds` Get the seeds used for all chains. When the fitted object is empty (`mode=2`), `NULL` might be returned.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org>.

See Also

[stan](#) and [stanmodel](#)

Examples

```
## Not run:
showClass("stanfit")
ecode <- '
  parameters {
    real<lower=0> y[2];
  }
  model {
    y ~ exponential(1);
  }
'

fit <- stan(model_code = ecode, iter = 10, chains = 1)
fit2 <- stan(fit = fit)
print(fit2)
plot(fit2)
traceplot(fit2)
ainfo <- get_adaptation_info(fit2)
```

```

cat(ainfo[[1]])
seed <- get_seed(fit2)
sp <- get_sampler_params(fit2)
sp2 <- get_sampler_params(fit2, inc_warmup = FALSE)
head(sp[[1]])

lp <- log_prob(fit, c(1, 2))
grad <- grad_log_prob(fit, c(1, 2))
lp2 <- attr(grad, "log_prob") # should be the same as "lp"

# get the number of parameters on the unconstrained space
n <- get_num_upars(fit)

# parameters on the positive real line (constrained space)
y1 <- list(y = rep(1, 2))

uy <- unconstrain_pars(fit, y1)
## uy should be c(0, 0) since here the log transformation is used
y1star <- constrain_pars(fit, uy)

print(y1)
print(y1star) # y1start should equal to y1

## End(Not run)

# Create a stanfit object from reading CSV files of samples (saved in rstan
# package) generated by funtion stan for demonstration purpose from model as follows.
#
excode <- '
transformed data {
  real y[20];
  y[1] <- 0.5796; y[2] <- 0.2276; y[3] <- -0.2959;
  y[4] <- -0.3742; y[5] <- 0.3885; y[6] <- -2.1585;
  y[7] <- 0.7111; y[8] <- 1.4424; y[9] <- 2.5430;
  y[10] <- 0.3746; y[11] <- 0.4773; y[12] <- 0.1803;
  y[13] <- 0.5215; y[14] <- -1.6044; y[15] <- -0.6703;
  y[16] <- 0.9459; y[17] <- -0.382; y[18] <- 0.7619;
  y[19] <- 0.1006; y[20] <- -1.7461;
}
parameters {
  real mu;
  real<lower=0, upper=10> sigma;
  vector[2] z[3];
  real<lower=0> alpha;
}
model {
  y ~ normal(mu, sigma);
  for (i in 1:3)
    z[i] ~ normal(0, 1);
  alpha ~ exponential(2);
}
'

```

```

# exfit <- stan(model_code = excode, save_dso = FALSE, iter = 200,
#             sample_file = "rstan_doc_ex.csv")
#

exfit <- read_stan_csv(dir(system.file('misc', package = 'rstan'),
                             pattern='rstan_doc_ex_[[:digit:]].csv',
                             full.names = TRUE))

print(exfit)
## Not run:
plot(exfit)

## End(Not run)

adaptinfo <- get_adaptation_info(exfit)
inits <- get_inits(exfit) # empty
inits <- get_inits(exfit, iter = 101)
seed <- get_seed(exfit)
sp <- get_sampler_params(exfit)
ml <- As.mcmc.list(exfit)
cat(get_stancode(exfit))

```

stanmodel-class

Class representing model compiled from C++

Description

A `stanmodel` object represents the model compiled from C++ code. The sampling method defined in this class may be used to draw samples from the model and optimizing method is for obtaining a point estimate by maximizing the log-posterior.

Objects from the Class

Instances of `stanmodel` are usually created by calling function `stan_model` or function `stan`.

Slots

- `model_name`: The model name, an object of type character.
- `model_code`: The Stan model specification, an object of type character.
- `model_cpp`: Object of type `list` that includes the C++ code for the model.
- `mk_cppmodule`: A function to return a RCpp module. This function will be called in function `sampling` and `optimzing` with one argument (the instance of `stanmodel` itself).
- `dso`: Object of S4 class `cxxdso`. The container for the dynamic shared objects compiled from the C++ code of the model, returned from function `cxxfunction` in package **inline**.

Methods

`show signature(object = "stanmodel")`: print the Stan model specification.

`vb signature(object = "stanmodel")`: use the variational Bayes algorithms.

`sampling signature(object = "stanmodel")`: draw samples for the model (see [sampling](#)).

`optimizing signature(object = "stanmodel")`: obtain a point estimate by maximizing the posterior (see [optimizing](#)).

`get_cppcode signature(object = "stanmodel")`: return the C++ code for the model as a character string. This is part of the C++ code that is compiled to the dynamic shared object for the model.

`get_cxxflags signature(object = "stanmodel")`: return the CXXFLAGS used for compiling the model. The returned string is like `CXXFLAGS = -O3`.

Note

Objects of class `stanmodel` can be saved for use across R sessions only if `save_dso = TRUE` is set during calling functions that create `stanmodel` objects (e.g., `stan` and `stan_model`).

Even if `save_dso = TRUE`, the model cannot be loaded on a platform (operating system, 32 bits or 64 bits, etc.) that differs from the one on which it was compiled.

See Also

[stan_model](#), [stanc](#) [sampling](#), [optimizing](#), [vb](#)

Examples

```
showClass("stanmodel")
```

stan_demo

Demonstrate examples included in Stan

Description

Stan includes a variety of examples and most of the BUGS example models that are translated into Stan modeling language. One example is chosen from a list created from matching user input and gets fitted in the demonstration.

Usage

```
stan_demo(model = character(0),
          method = c("sampling", "optimizing", "meanfield", "fullrank"), ...)
```

Arguments

model	A character string for model name to specify which model will be used for demonstration. The default is an empty string, which prompts the user to select one the available models. If <code>model = 0</code> , a character vector of all models is returned without any user intervention. If <code>model = i</code> where <code>i > 0</code> , then the <code>i</code> th available model is chosen without user intervention, which is useful for testing.
method	Whether to call <code>sampling</code> (the default), <code>optimizing</code> , or one of the variants of <code>vb</code> for the demonstration
...	Further arguments passed to method.

Value

An S4 object of `stanfit`, unless `model = 0`, in which case a character vector of paths to available models is returned.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org/>.

See Also

`sampling`, `optimizing`

Examples

```
## Not run:
dogsfit <- stan_demo("dogs") # run the dogs model
fit1 <- stan_demo(1) # run model_names[1]

## End(Not run)
```

stan_model

Construct a Stan model

Description

Construct an instance of S4 class `stanmodel` from a model specified in Stan's modeling language. A `stanmodel` object can then be used to draw samples from the model. The Stan program (the model expressed in the Stan modeling language) is first translated to C++ code and then the C++ code for the model plus other auxiliary code is compiled into a dynamic shared object (DSO) and then loaded. The loaded DSO for the model can be executed to draw samples, allowing inference to be performed for the model and data.

Usage

```
stan_model(file, model_name = "anon_model",
           model_code = "", stanc_ret = NULL,
           boost_lib = NULL, eigen_lib = NULL,
           save_dso = TRUE, verbose = FALSE,
           auto_write = rstan_options("auto_write"),
           obfuscate_model_name = TRUE,
           allow_undefined = FALSE, includes = NULL)
```

Arguments

file	A character string or a connection that R supports specifying the Stan model specification in Stan's modeling language.
model_name	A character string naming the model; defaults to "anon_model". However, the model name will be derived from file or model_code (if model_code is the name of a character string object) if model_name is not specified.
model_code	Either a character string containing the model specification or the name of a character string object in the workspace. This is an alternative to specifying the model via the file or stanc_ret arguments.
stanc_ret	A named list returned from a previous call to the stanc function. The list can be used to specify the model instead of using the file or model_code arguments.
boost_lib	The path to a version of the Boost C++ library to use instead of the one in the BH package.
eigen_lib	The path to a version of the Eigen C++ library to use instead of the one in the RcppEigen package.
save_dso	Logical, defaulting to TRUE, indicating whether the dynamic shared object (DSO) compiled from the C++ code for the model will be saved or not. If TRUE, we can draw samples from the same model in another R session using the saved DSO (i.e., without compiling the C++ code again).
verbose	Logical, defaulting to FALSE, indicating whether to report additional intermediate output to the console, which might be helpful for debugging.
auto_write	Logical, defaulting to the value of <code>rstan_options("auto_write")</code> , indicating whether to write the object to the hard disk using saveRDS . Although this argument is FALSE by default, we recommend calling <code>rstan_options("auto_write" = TRUE)</code> in order to avoid unnecessary recompilations. If file is supplied and its <code>dirname</code> is writable, then the object will be written to that same directory, substituting a <code>.rds</code> extension for the <code>.stan</code> extension. Otherwise, the object will be written to the tempdir .
obfuscate_model_name	A logical scalar that is TRUE by default and passed to stanc .
allow_undefined	A logical scalar that is FALSE by default and passed to stanc .
includes	If not NULL (the default), then a character vector of length one (possibly containing "\n") of the form <code>'#include "/full/path/to/my_header.hpp"'</code> , which will be inserted into the C++ code in the model's namespace and can be used

to provide definitions of functions that are declared but not defined in file or model_code when allow_undefined = TRUE

Details

If a previously compiled stanmodel exists on the hard drive, its validity is checked and then returned without recompiling. The most common form of invalidity seems to be Stan code that ends with a } rather than a blank line, which causes the hash checker to think that the current model is different than the one saved on the hard drive. To avoid reading previously compiled stanmodels from the hard drive, supply the stanc_ret argument rather than the file or model_code arguments.

There are three ways to specify the model's code for stan_model:

1. parameter model_code: a character string containing the Stan model specification,
2. parameter file: a file name (or a connection) from which to read the Stan model specification, or
3. parameter stanc_ret: a list returned by stanc to be reused.

Value

An instance of S4 class stanmodel that can be passed to the `sampling`, `optimizing`, and `vb` functions.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org/>.

See Also

`stanmodel` for details on the class.

`sampling`, `optimizing`, and `vb`, which take a stanmodel object as input, for estimating the model parameters.

More details on Stan, including the full user's guide and reference manual, can be found at <http://mc-stan.org/>.

Examples

```
## Not run:
stancode <- 'data {real y_mean;} parameters {real y;} model {y ~ normal(y_mean,1);}'
mod <- stan_model(model_code = stancode)
fit <- sampling(mod, data = list(y_mean = 0))
fit2 <- sampling(mod, data = list(y_mean = 5))

## End(Not run)
```

stan_rdump	<i>Dump the data for a Stan model to R dump file in the limited format that Stan can read.</i>
------------	--

Description

This function takes a vector of names of R objects and outputs text representations of the objects to a file or connection. The file created by `stan_rdump` is typically used as data input of the Stan package (<http://mc-stan.org/>) or `sourced` into another R session. The usage of this function is very similar to `dump` in R.

Usage

```
stan_rdump(list, file = "", append = FALSE,
           envir = parent.frame(),
           width = options("width")$width,
           quiet = FALSE)
```

Arguments

list	A vector of character string: the names of one or more R objects to be dumped. See the note below.
file	Either a character string naming a file or a connection . "" indicates output to the console.
append	Logical: if TRUE and file is a character string, output will be appended to file; otherwise, it will overwrite the contents of file.
envir	The environment to search for objects.
width	The width for maximum characters on a line. The output is broken into lines with width.
quiet	Whether to suppress warning messages that would appear when a variable is not found or not supported for dumping (not being numeric or it would not be converted to numeric) or a variable name is not allowed in Stan.

Value

An invisible character vector containing the names of the objects that were dumped.

Note

`stan_rdump` only dumps numeric data, which first can be a scalar, vector, matrix, or (multidimensional) array. Additional types supported are logical (TRUE and FALSE), factor, `data.frame` and a specially structured list.

The conversion for logical variables is to map TRUE to 1 and FALSE to 0. For factor variable, function `as.integer` is used to do the conversion (If we want to transform a factor `f` to approximately its original numeric values, see the help of function `factor` and do the transformation before calling `stan_rdump`). In the case of `data.frame`, function `data.matrix` is applied to the data frame before

dumping. See the notes in `stan` for the specially structured list, which will be converted to array before dumping.

`stan_rdump` will check whether the names of objects are legal variable names in Stan. If an illegal name is found, data will be dumped with a warning. However, passing the name checking does not necessarily mean that the name is legal. More details regarding rules of variable names in Stan can be found in Stan's manual.

If objects with specified names are not found, a warning will be issued.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org>.

See Also

[dump](#)

Examples

```
# set variables in global environment
a <- 17.5
b <- c(1,2,3)
# write variables a and b to file ab.data.R in working directory
stan_rdump(c('a','b'), "ab.data.R")

x <- 1; y <- 1:10; z <- array(1:10, dim = c(2,5))
stan_rdump(ls(pattern = '^[xyz]'), "xyz.Rdump")
cat(paste(readLines("xyz.Rdump"), collapse = '\n'), '\n')
unlink("xyz.Rdump")
```

stan_version

Obtain the version of Stan

Description

The stan version is in form of `major.minor.patch`; the first version is 1.0.0, indicating major version 1, minor version 0 and patch level 0. Functionality only changes with minor versions and backward compatibility will only be affected by major versions.

Usage

```
stan_version()
```

Value

A character string giving the version of Stan used in this version of RStan.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org/>.

See Also

[stan](#) and [stan_model](#)

Examples

```
stan_version()
```

summary-methods

Summary method for stanfit objects

Description

Summarize the distributions of estimated parameters and derived quantities using the posterior draws.

Usage

```
## S4 method for signature 'stanfit'
summary(object, pars, probs = c(0.025, 0.25, 0.50, 0.75, 0.975),
        use_cache = TRUE, ...)
```

Arguments

object	An instance of class stanfit .
pars	A character vector of parameter names. Defaults to all parameters as well as the log-posterior (lp__).
probs	A numeric vector of quantiles of interest. The default is <code>c(0.025, 0.25, 0.5, 0.75, 0.975)</code> .
use_cache	Logical, defaulting to TRUE. When <code>use_cache=TRUE</code> the summary quantities for all parameters are computed and cached for future use. Setting <code>use_cache=FALSE</code> can be used to avoid performing the summary computations for all parameters if <code>pars</code> is given as some specific parameters.
...	Currently unused.

Value

The summary method returns a named list with elements `summary` and `c_summary`, which contain summaries for for all chains merged and individual chains, respectively. Included in the summaries are quantiles, means, standard deviations (sd), effective sample sizes (n_eff), and split Rhats (the potential scale reduction derived from all chains after splitting each chain in half and treating the halves as chains). For the summary of all chains merged, Monte Carlo standard errors (se_mean) are also reported.

See Also

[monitor](#), which computes similar summaries but accepts an array of MCMC draws as its input rather than a stanfit object.

Examples

```
## Not run:
ecode <- '
  parameters {
    real<lower=0> y[2];
  }
  model {
    y ~ exponential(1);
  }
'

fit <- stan(model_code = ecode)
s <- summary(fit, probs = c(0.1, 0.9))
s$summary # all chains merged
s$c_summary # individual chains

## End(Not run)
```

 traceplot

Markov chain traceplots

Description

Draw the traceplot corresponding to one or more Markov chains, providing a visual way to inspect sampling behavior and assess mixing across chains and convergence.

Usage

```
## S4 method for signature 'stanfit'
traceplot(object, pars, include = TRUE, unconstrain = FALSE,
          inc_warmup = FALSE, window = NULL, nrow = NULL, ncol = NULL, ...)
```

Arguments

object	An instance of class stanfit .
pars	A character vector of parameter names. Defaults to all parameters or the first 10 parameters (if there are more than 10).
include	Should the parameters given by the pars argument be included (the default) or excluded from the plot? Only relevant if pars is not missing.
inc_warmup	TRUE or FALSE, indicating whether the warmup sample are included in the trace plot; defaults to FALSE.

window	A vector of length 2. Iterations between window[1] and window[2] will be shown in the plot. The default is to show all iterations if inc_warmup is TRUE and all iterations from the sampling period only if inc_warmup is FALSE. If inc_warmup is FALSE the iterations specified in window should not include iterations from the warmup period.
unconstrain	Should parameters be plotted on the unconstrained space? Defaults to FALSE.
nrow, ncol	Passed to facet_wrap .
...	Optional arguments to pass to geom_path (e.g. size, linetype, alpha, etc.).

Value

A [ggplot](#) object that can be further customized using the **ggplot2** package.

Methods

traceplot signature(object = "stanfit") Plot the sampling paths for all chains.

See Also

[List of RStan plotting functions](#), [Plot options](#)

Examples

```
## Not run:
# Create a stanfit object from reading CSV files of samples (saved in rstan
# package) generated by function stan for demonstration purpose from model as follows.
#
excode <- '
transformed data {
  real y[20];
  y[1] <- 0.5796; y[2] <- 0.2276; y[3] <- -0.2959;
  y[4] <- -0.3742; y[5] <- 0.3885; y[6] <- -2.1585;
  y[7] <- 0.7111; y[8] <- 1.4424; y[9] <- 2.5430;
  y[10] <- 0.3746; y[11] <- 0.4773; y[12] <- 0.1803;
  y[13] <- 0.5215; y[14] <- -1.6044; y[15] <- -0.6703;
  y[16] <- 0.9459; y[17] <- -0.382; y[18] <- 0.7619;
  y[19] <- 0.1006; y[20] <- -1.7461;
}
parameters {
  real mu;
  real<lower=0, upper=10> sigma;
  vector[2] z[3];
  real<lower=0> alpha;
}
model {
  y ~ normal(mu, sigma);
  for (i in 1:3)
    z[i] ~ normal(0, 1);
  alpha ~ exponential(2);
}
'
```

```

# exfit <- stan(model_code = excode, save_dso = FALSE, iter = 200,
#             sample_file = "rstan_doc_ex.csv")
#
exfit <- read_stan_csv(dir(system.file('misc', package = 'rstan'),
                             pattern='rstan_doc_ex_[[:digit:]].csv',
                             full.names = TRUE))

print(exfit)
traceplot(exfit)
traceplot(exfit, size = 0.25)
traceplot(exfit, pars = "sigma", inc_warmup = TRUE)

trace <- traceplot(exfit, pars = c("z[1,1]", "z[3,1]"))
trace + scale_color_discrete() + theme(legend.position = "top")

## End(Not run)

```

vb

Run Stan's variational algorithm for approximate posterior sampling

Description

Approximately draw from a posterior distribution using variational inference. We recommend calling `stan` or `sampling` for final inferences and only using `vb` to get a rough idea of the parameter distributions.

Usage

```

## S4 method for signature 'stanmodel'
vb(object, data = list(), pars = NA, include = TRUE,
    seed = sample.int(.Machine$integer.max, 1),
    init = 'random', check_data = TRUE,
    sample_file = tempfile(fileext = '.csv'),
    algorithm = c("meanfield", "fullrank"), ...)

```

Arguments

<code>object</code>	An object of class <code>stanmodel</code> .
<code>data</code>	A named list or environment providing the data for the model or a character vector for all the names of objects used as data. See the Note section in <code>stan</code> .
<code>pars</code>	If not NA, then a character vector naming parameters, which are included in the output if <code>include = TRUE</code> and excluded if <code>include = FALSE</code> . By default, all parameters are included.
<code>include</code>	Logical scalar defaulting to TRUE indicating whether to include or exclude the parameters given by the <code>pars</code> argument. If FALSE, only entire multidimensional parameters can be excluded, rather than particular elements of them.

seed	The seed for random number generation. The default is generated from 1 to the maximum integer supported by R on the machine. Even if multiple chains are used, only one seed is needed, with other chains having seeds derived from that of the first chain to avoid dependent samples. When a seed is specified by a number, as <code>integer</code> will be applied to it. If <code>integer</code> produces NA, the seed is generated randomly. The seed can also be specified as a character string of digits, such as "12345", which is converted to integer.
init	Initial values specification. See the detailed documentation for the <code>init</code> argument in stan .
check_data	Logical, defaulting to TRUE. If TRUE the data will be preprocessed; otherwise not. See the Note section in stan .
sample_file	A character string of file name for specifying where to write samples for <i>all</i> parameters and other saved quantities. This defaults to a temporary file.
algorithm	Either "meanfield" (the default) or "fullrank", indicating which variational inference algorithm is used. The "meanfield" option uses a fully factorized Gaussian for the approximation whereas the fullrank option uses a Gaussian with a full-rank covariance matrix for the approximation. Details and additional references are available in the Stan manual.
...	Other optional parameters: <ul style="list-style-type: none"> • <code>iter</code> (positive integer), the maximum number of iterations, defaulting to 10000. • <code>grad_samples</code> (positive integer), the number of samples for Monte Carlo estimate of gradients, defaulting to 1. • <code>elbo_samples</code> (positive integer), the number of samples for Monte Carlo estimate of ELBO (objective function), defaulting to 100. (ELBO stands for "the evidence lower bound".) • <code>eta</code> (double), positive stepsize weighting parameter for variational inference but is ignored if adaptation is engaged, which is the case by default. • <code>adapt_engaged</code> (logical), a flag indicating whether to automatically adapt the stepsize, defaulting to TRUE. • <code>tol_rel_obj</code> (positive double), the convergence tolerance on the relative norm of the objective, defaulting to 0.01. • <code>eval_elbo</code> (positive integer), evaluate ELBO every Nth iteration, defaulting to 100. • <code>output_samples</code> (positive integer), number of posterior samples to draw and save, defaults to 1000. • <code>adapt_iter</code> (positive integer), the maximum number of iterations to adapt the stepsize, defaulting to 50. Ignored if <code>adapt_engaged = FALSE</code>.

Refer to the manuals for both `CmdStan` and `Stan` for more details.

Value

An object of `stanfit-class`.

Methods

vb signature(object = "stanmodel")

Call Stan's variational Bayes methods for the model defined by S4 class `stanmodel` given the data, initial values, etc.

References

The Stan Development Team *Stan Modeling Language User's Guide and Reference Manual*. <http://mc-stan.org>.

The Stan Development Team *CmdStan Interface User's Guide*. <http://mc-stan.org>.

See Also

[stanmodel](#)

The manuals of CmdStan and Stan.

Examples

```
## Not run:  
m <- stan_model(model_code = 'parameters {real y;} model {y ~ normal(0,1);}')  
f <- vb(m)  
  
## End(Not run)
```

Index

- *Topic **classes**
 - stanfit-class, [49](#)
 - stanmodel-class, [53](#)
- *Topic **methods**
 - extract, [11](#)
 - plot-methods, [25](#)
 - summary-methods, [60](#)
 - traceplot, [61](#)
- *Topic **package**
 - rstan-package, [3](#)
- *Topic **rstan**
 - makeconf_path, [18](#)
 - read_rdump, [30](#)
 - rstan-package, [3](#)
 - rstan_options, [33](#)
 - stan, [39](#)
 - stan_model, [55](#)
 - stan_rdump, [58](#)
 - stan_version, [59](#)
- arrangeGrob, [8](#)
- as.array, [5](#)
- as.array.stanfit, [12](#), [45](#), [50](#)
- as.data.frame.stanfit (as.array), [5](#)
- as.matrix.stanfit (as.array), [5](#)
- As.mcmc.list, [6](#), [50](#)
- bayesplot-package, [3](#)
- cat, [51](#)
- check_divergences
 - (check_hmc_diagnostics), [7](#)
- check_energy (check_hmc_diagnostics), [7](#)
- check_hmc_diagnostics, [7](#)
- check_treedepth
 - (check_hmc_diagnostics), [7](#)
- connection, [58](#)
- constrain_pars, [51](#)
- constrain_pars (log_prob-methods), [15](#)
- constrain_pars, stanfit-method
 - (log_prob-methods), [15](#)
- data.frame, [18](#)
- Diagnostic plots, [8](#)
- dim.stanfit (as.array), [5](#)
- dimnames.stanfit (as.array), [5](#)
- dirname, [56](#)
- double, [10](#)
- dump, [30](#), [59](#)
- expose_stan_functions, [10](#)
- extract, [5](#), [6](#), [11](#), [23](#), [24](#), [45](#), [50](#)
- extract, stanfit-method (extract), [11](#)
- extract_sparse_parts, [14](#)
- facet_wrap, [26](#), [62](#)
- formals, [10](#)
- geom_path, [27](#), [62](#)
- get_adaptation_info (stanfit-class), [49](#)
- get_adaptation_info, stanfit-method
 - (stanfit-class), [49](#)
- get_cppcode (stanmodel-class), [53](#)
- get_cppcode, stanmodel-method
 - (stanmodel-class), [53](#)
- get_cppo_mode (stanfit-class), [49](#)
- get_cppo_mode, stanfit-method
 - (stanfit-class), [49](#)
- get_cxxflags (stanmodel-class), [53](#)
- get_cxxflags, stanmodel-method
 - (stanmodel-class), [53](#)
- get_elapsed_time (stanfit-class), [49](#)
- get_elapsed_time, stanfit-method
 - (stanfit-class), [49](#)
- get_inits (stanfit-class), [49](#)
- get_inits, stanfit-method
 - (stanfit-class), [49](#)
- get_logposterior, [23](#), [24](#)
- get_logposterior (stanfit-class), [49](#)

- get_logposterior, stanfit-method
(stanfit-class), 49
- get_num_upars (log_prob-methods), 15
- get_num_upars, stanfit-method
(log_prob-methods), 15
- get_posterior_mean (stanfit-class), 49
- get_posterior_mean, stanfit-method
(stanfit-class), 49
- get_sampler_params, 23, 24
- get_sampler_params (stanfit-class), 49
- get_sampler_params, stanfit, logical-method
(stanfit-class), 49
- get_seed (stanfit-class), 49
- get_seed, stanfit-method
(stanfit-class), 49
- get_seeds (stanfit-class), 49
- get_seeds, stanfit-method
(stanfit-class), 49
- get_stancode, 48
- get_stancode (stanfit-class), 49
- get_stancode, stanfit-method
(stanfit-class), 49
- get_stanmodel (stanfit-class), 49
- get_stanmodel, stanfit-method
(stanfit-class), 49
- ggplot, 25, 27, 62
- grad_log_prob, 50
- grad_log_prob (log_prob-methods), 15
- grad_log_prob, stanfit-method
(log_prob-methods), 15
- is.array.stanfit (as.array), 5
- lm, 44
- log_prob, 50
- log_prob (log_prob-methods), 15
- log_prob, stanfit-method
(log_prob-methods), 15
- log_prob-methods, 15
- loo-package, 3
- lookup, 17
- makeconf_path, 18
- Matrix, 14
- matrix, 14
- mcmc.list, 6, 7, 50
- monitor, 12, 19, 61
- names.stanfit (as.array), 5
- names<- .stanfit (as.array), 5
- optimizing, 20, 54, 55, 57
- optimizing, stanmodel-method
(optimizing), 20
- pairs, 23, 24
- pairs.default, 23
- pairs.stanfit, 23
- plot, stanfit, missing-method
(plot-methods), 25
- plot, stanfit-method (plot-methods), 25
- plot-methods, 25
- Plots, 26
- points, 24
- print, 20, 29
- print.stanfit, 49
- quantile, 60
- quietgg (Plots), 26
- read_rdump, 30
- read_stan_csv, 31
- regexp, 18
- rstan (rstan-package), 3
- rstan-package, 3
- rstan-plotting-functions, 32
- rstan.package.skeleton, 32
- rstan_gg_options, 33
- rstan_ggtheme_options
(rstan_gg_options), 33
- rstan_options, 33
- rstanarm-package, 3
- rstantools-package, 3
- sampling, 34, 38, 45, 49, 54, 55, 57, 63
- sampling, stanmodel-method (sampling), 34
- saveRDS, 56
- set_cppo, 37
- sflist2stanfit, 37
- shinystan-package, 3
- show, stanfit-method (stanfit-class), 49
- show, stanmodel-method
(stanmodel-class), 53
- smoothScatter, 24
- source, 58
- sourceCpp, 10
- stan, 4, 19, 21, 35–38, 39, 48, 49, 51, 59, 60,
63, 64

- stan_ac, [32](#)
- stan_ac (Plots), [26](#)
- stan_demo, [54](#)
- stan_dens, [32](#)
- stan_dens (Plots), [26](#)
- stan_diag, [32](#)
- stan_diag (Diagnostic plots), [8](#)
- stan_ess, [32](#)
- stan_ess (Diagnostic plots), [8](#)
- stan_hist, [32](#)
- stan_hist (Plots), [26](#)
- stan_mcse, [32](#)
- stan_mcse (Diagnostic plots), [8](#)
- stan_model, [48](#), [54](#), [55](#), [60](#)
- stan_par (Diagnostic plots), [8](#)
- stan_plot, [25](#), [32](#)
- stan_plot (Plots), [26](#)
- stan_rdump, [30](#), [58](#)
- stan_rhat, [32](#)
- stan_rhat (Diagnostic plots), [8](#)
- stan_scatter, [32](#)
- stan_scatter (Plots), [26](#)
- stan_trace, [32](#)
- stan_trace (Plots), [26](#)
- stan_version, [59](#)
- stanc, [10](#), [45](#), [46](#), [54](#), [56](#)
- stanc_builder (stanc), [46](#)
- stanfit, [4–6](#), [10–12](#), [15](#), [17](#), [20](#), [24](#), [25](#), [30](#),
[31](#), [34](#), [36](#), [44](#), [45](#), [60](#), [61](#)
- stanfit (stanfit-class), [49](#)
- stanfit-class, [49](#)
- stanmodel, [10](#), [21](#), [22](#), [35](#), [36](#), [49](#), [51](#), [57](#), [63](#),
[65](#)
- stanmodel-class, [53](#)
- stat_bin, [8](#)
- summary, [30](#)
- summary, stanfit-method
(summary-methods), [60](#)
- summary-methods, [60](#)

- tempdir, [56](#)
- theme, [33](#)
- traceplot, [27](#), [61](#)
- traceplot, stanfit-method (traceplot), [61](#)

- unconstrain_pars, [50](#)
- unconstrain_pars (log_prob-methods), [15](#)
- unconstrain_pars, stanfit-method
(log_prob-methods), [15](#)
- vb, [49](#), [54](#), [55](#), [57](#), [63](#)
- vb, stanmodel-method (vb), [63](#)
- View, [18](#)