

Package ‘shinyGovstyle’

November 4, 2021

Title Custom Gov Style Inputs for Shiny

Version 0.0.7

Description Collection of 'shiny' application styling that are the based on the GOV.UK Design System. See <https://design-system.service.gov.uk/components/> for details.

Depends R (>= 3.1.0)

License GPL-3

Encoding UTF-8

RoxygenNote 7.1.2

URL <https://github.com/moj-analytical-services/shinyGovstyle>

BugReports <https://github.com/moj-analytical-services/shinyGovstyle/issues>

Imports shiny (>= 0.14), htmltools, shinyjs, jsonlite

Suggests testthat

NeedsCompilation no

Author Ross Wyatt [aut, cre]

Maintainer Ross Wyatt <ross.wyatt@justice.gov.uk>

Repository CRAN

Date/Publication 2021-11-04 18:50:03 UTC

R topics documented:

accordion	2
backlink_Input	3
banner	4
button_Input	5
checkboxbox_Input	6
cookieBanner	8
date_Input	9
details	11
error_off	12

error_on	13
file_Input	14
font	16
footer	17
govTable	18
gov_layout	19
header	20
heading_text	21
input_field	22
insert_text	23
label_hint	24
noti_banner	25
panel_output	26
radio_button_Input	27
run_example	29
select_Input	29
tag_Input	30
text_area_Input	31
text_Input	32
warning_text	34
word_count	35

Index	37
--------------	-----------

accordion	<i>Accordion Function</i>
-----------	---------------------------

Description

This function inserts a accordion

Usage

```
accordion(inputId, titles, descriptions)
```

Arguments

inputId	Input id for the accordion
titles	Add the titles for the accordion
descriptions	Add the main text for the accordion

Value

an accordion html shiny object

Examples

```
if (interactive()) {  
  
  ui <- fluidPage(  
    shinyGovstyle::header(  
      main_text = "Example",  
      secondary_text = "User Examples",  
      logo="shinyGovstyle/images/moj_logo.png"),  
    shinyGovstyle::banner(  
      inputId = "banner", type = "beta", 'This is a new service'),  
    shinyGovstyle::gov_layout(size = "two-thirds",  
    accordion(  
      "acc1",  
      c("Writing well for the web",  
        "Writing well for specialists",  
        "Know your audience",  
        "How people read"  
      ),  
      c("This is the content for Writing well for the web.",  
        "This is the content for Writing well for specialists.",  
        "This is the content for Know your audience.",  
        "This is the content for How people read."  
      )),  
    shinyGovstyle::footer(full = TRUE)  
  )  
  
  server <- function(input, output, session) {}  
  
  shinyApp(ui = ui, server = server)  
}
```

backlink_Input

Back Link Function

Description

This function adds a back link to the page

Usage

```
backlink_Input(inputId)
```

Arguments

inputId The input slot that will be used to access the value.

Value

a backlink html shiny object

Examples

```

if (interactive()) {
  ui <- fluidPage(
    header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shiny::navlistPanel(
      "",
      id="nav",
      widths = c(2, 10),
      well = FALSE,

      #Create first panel
      shiny::tabPanel(
        "Select Types",
        value = "panel1",
        gov_layout(size = "two-thirds",
          backlink_Input("link1"),
          shiny::tags$br(), shiny::tags$br()
        )),
      shiny::tabPanel(
        "Tab2",
        value = "panel2")),
    shinyGovstyle::footer(full = TRUE)
  )

  server <- function(input, output, session) {
    #Slightly confused in that it goes forward rather than back, but shows how
    #to use
    observeEvent(input$link1,{
      updateTabsetPanel(session, "nav", selected = "panel2")
    })
  }
  shinyApp(ui = ui, server = server)
}

```

banner

Banner Function

Description

This function create a detail component that you can click for further details.

Usage

```
banner(inputId, type, label)
```

Arguments

inputId	The input slot that will be used to access the value.
type	Main type of label e.g. alpha or beta. Can be any word.
label	test to display.

Value

a banner html shiny object

Examples

```
if (interactive()) {

  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::banner(
      inputId = "banner", type = "beta", 'This is a new service')
  )

  server <- function(input, output, session) {}

  shinyApp(ui = ui, server = server)
}
```

 button_Input

Button Function

Description

This function create a gov style button

Usage

```
button_Input(inputId, label, type = "default")
```

Arguments

inputId	The input slot that will be used to access the value.
label	Display label for the control, or NULL for no label.
type	The type of button. Options are default, start, secondary and warning. Defaults to default.

Value

a html button shiny object

Examples

```

if (interactive()) {
  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::gov_layout(size = "two-thirds",
      shinyGovstyle::button_Input(
        inputId = "btn1",
        label = "Continue",
        type = "default")
    ),
    shinyGovstyle::footer(full = TRUE)
  )

  server <- function(input, output, session) {}
  shinyApp(ui = ui, server = server)
}

```

checkbox_input

*Checkbox Function***Description**

This function inserts a checkbox group

Usage

```

checkbox_input(
  inputId,
  cb_labels,
  checkboxIds,
  label,
  hint_label = NULL,
  small = FALSE,
  error = FALSE,
  error_message = NULL
)

```

Arguments

inputId	Input id for the group of checkboxes
cb_labels	Add the names of the options that will appear
checkboxIds	Add the values for each checkbox
label	Insert the text for the checkbox group.
hint_label	Insert optional hint/secondary text. Defaults to NULL

small change the sizing to a small version of the checkbox. Defaults to FALSE
 error Whenever you want to include error handle on the component.
 error_message If you want a default error message.

Value

a checkbox html shiny object

Examples

```

if (interactive()) {

  ui <- fluidPage(
    # Required for error handling function
    shinyjs::useShinyjs(),
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::banner(
      inputId = "banner", type = "beta", 'This is a new service'),
    shinyGovstyle::gov_layout(size = "two-thirds",
      # Simple checkbox
      shinyGovstyle::checkbox_Input(
        inputId = "check1",
        cb_labels = c("Option 1", "Option 2", "Option 3"),
        checkboxIds = c("op1", "op2", "op3"),
        label = "Choice option"),
      # Error checkbox
      shinyGovstyle::checkbox_Input(
        inputId = "check2",
        cb_labels = c("Option 1", "Option 2", "Option 3"),
        checkboxIds = c("op1", "op2", "op3"),
        label = "Choice option",
        hint_label = "Select the best fit",
        error = TRUE,
        error_message = "Select one"),
      # Button to trigger error
      shinyGovstyle::button_Input(inputId = "submit", label = "Submit")
    ),
    shinyGovstyle::footer(full = TRUE)
  )

  server <- function(input, output, session) {
    #'Trigger error on blank submit of eventId2
    observeEvent(input$submit, {
      if (is.null(input$check2)){
        shinyGovstyle::error_on(inputId = "check2")
      } else {
        shinyGovstyle::error_off(inputId = "check2")
      }
    })
  })
}

```

```

    }
  shinyApp(ui = ui, server = server)
}

```

 cookieBanner

Cookie Banner Function

Description

This function creates a cookie banner. You need to have shinyjs::useShinyjs() enabled to work. All the ids are pre set. See example for how to structure.

Usage

```
cookieBanner(service_name)
```

Arguments

service_name Name for this service to add to banner

Value

a cookie banner html shiny object.

Examples

```

if (interactive()) {
ui <- fluidPage(
  shinyGovstyle::header(
    main_text = "Example",
    secondary_text = "User Examples",
    logo="shinyGovstyle/images/moj_logo.png"),
  #Needs shinyjs to work
  shinyjs::useShinyjs(),
  shinyGovstyle::cookieBanner("The best thing"),
  shinyGovstyle::gov_layout(size = "two-thirds"),
  shinyGovstyle::footer(full = TRUE)
)

server <- function(input, output, session) {

  #Need these set of observeEvent to create a path through the cookie banner
  observeEvent(input$cookieAccept, {
    shinyjs::show(id = "cookieAcceptDiv")
    shinyjs::hide(id = "cookieMain")
  })

  observeEvent(input$cookieReject, {
    shinyjs::show(id = "cookieRejectDiv")
  })
}

```



```

    shinyjs::hide(id = "cookieMain")
  })

  observeEvent(input$hideAccept, {
    shinyjs::toggle(id = "cookieDiv")
  })

  observeEvent(input$hideReject, {
    shinyjs::toggle(id = "cookieDiv")
  })

  observeEvent(input$cookieLink, {
    #Need to link here to where further info is located. You can you
    #updateTabsetPanel to have a cookie page for instance
  })

}
shinyApp(ui = ui, server = server)
}

```

date_Input

Date Input Function

Description

This function create a date input that follows GDS component

Usage

```

date_Input(
  inputId,
  label,
  hint_label = NULL,
  error = FALSE,
  error_message = NULL,
  day = NULL,
  month = NULL,
  year = NULL
)

```

Arguments

inputId	The input slot that will be used to access the value.
label	Display label for the control, or NULL for no label.
hint_label	Display hint label for the control, or NULL for no hint label.
error	Whenever to include error components.Defaults to FALSE.
error_message	Error handling message? Defaults to NULL

day	Select a default day on start up. Defaults to NULL
month	Select a default month on start up. Defaults to NULL
year	Select a default year on start up. Defaults to NULL

Value

a data input html shiny object

Examples

```

if (interactive()) {

  ui <- fluidPage(
    # Required for error handling function.
    shinyjs::useShinyjs(),
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::banner(
      inputId = "banner", type = "beta", 'This is a new service'),
    shinyGovstyle::gov_layout(size = "two-thirds",
      # Simple date input
      shinyGovstyle::date_Input(
        inputId = "dob_input",
        label = "Please enter your birthday"),
      # Error date input
      shinyGovstyle::date_Input(
        inputId = "dob_input2",
        label = "Please enter your birthday",
        hint_label = "For example, 12 11 2007",
        error = TRUE),
      # Button to trigger error
      shinyGovstyle::button_Input(inputId = "submit", label = "Submit")
    ),
    shinyGovstyle::footer(full = TRUE)
  )

  server <- function(input, output, session) {
    #'Trigger error on blank submit of dob_input2
    observeEvent(input$submit, {
      if (input$dob_input2 == ""){
        shinyGovstyle::error_on(inputId = "dob_input2")
      } else {
        shinyGovstyle::error_off(
          inputId = "dob_input2")
      }
    })
  }
  shinyApp(ui = ui, server = server)
}

```

details	<i>Details Function</i>
---------	-------------------------

Description

This function create a detail component that you can click for further details.

Usage

```
details(inputId, label, help_text)
```

Arguments

inputId	The input slot that will be used to access the value.
label	Main label text
help_text	Additional help information in the component.

Value

a details box html shiny object

Examples

```
if (interactive()) {
  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::gov_layout(size = "two-thirds",
      shinyGovstyle::details(
        inputId = "help_div",
        label = "Help with form",
        help_text = "To complete the form you need to fill it in...")
      ),
    shinyGovstyle::footer(full = TRUE)
  )
}

server <- function(input, output, session) {}
shinyApp(ui = ui, server = server)
}
```

 error_off

Error off Function

Description

This function turns off the the error o the component, once issues have been sorted.

Usage

```
error_off(inputId)
```

Arguments

inputId The inputId to turn error handling iff for on for.

Value

no return value. This toggles off error css

Examples

```
## Only run examples in interactive R sessions
if (interactive()) {

  ui <- fluidPage(
    # Required for error handling function
    shinyjs::useShinyjs(),
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::banner(
      inputId = "banner", type = "beta", 'This is a new service'),
    shinyGovstyle::gov_layout(size = "two-thirds",
      # Error text box
      shinyGovstyle::text_Input(
        inputId = "eventId",
        label = "Event Name",
        error = TRUE),
      # Button to trigger error
      shinyGovstyle::button_Input(inputId = "submit", label = "Submit")
    ),
    shinyGovstyle::footer(full = TRUE)
  )

  server <- function(input, output, session) {
    #Trigger error on blank submit of eventId2
    observeEvent(input$submit, {
      if (input$eventId != ""){
```

```

    shinyGovstyle::error_off(inputId = "eventId")
  } else {
    shinyGovstyle::error_on(
      inputId = "eventId",
      error_message = "Please complete")
  }
})
}

# Run the application
shinyApp(ui = ui, server = server)
}

```

error_on

Error on Function

Description

This function turns on the the error o the component. Can be used to validate inputs.

Usage

```
error_on(inputId, error_message = NULL)
```

Arguments

`inputId` The input id that you to to turn the error on for.

`error_message` if you want to add an additional error message. Defaults to NULL, showing the original designed error message

Value

no return value. This toggles on error css

Examples

```

## Only run examples in interactive R sessions
if (interactive()) {

  ui <- fluidPage(
    # Required for error handling function
    shinyjs::useShinyjs(),
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::banner(
      inputId = "banner", type = "beta", 'This is a new service'),
    shinyGovstyle::gov_layout(size = "two-thirds",

```

```

# Error text box
shinyGovstyle::text_Input(
  inputId = "eventId",
  label = "Event Name",
  error = TRUE),
# Button to trigger error
shinyGovstyle::button_Input(inputId = "submit", label = "Submit")
),
shinyGovstyle::footer(full = TRUE)
)

server <- function(input, output, session) {
  #Trigger error on blank submit of eventId2
  observeEvent(input$submit, {
    if (input$eventId != ""){
      shinyGovstyle::error_off(inputId = "eventId")
    } else {
      shinyGovstyle::error_on(
        inputId = "eventId",
        error_message = "Please complete")
    }
  })
}

# Run the application
shinyApp(ui = ui, server = server)
}

```

file_Input

File Input Function

Description

This function create a file upload component. It uses the basis of the shiny fileInput function, but restyles the label and adds error onto it. It doesn't look like the www.gov.uk/ style one, although this www.gov.uk/ doesn't seem to have a settle style as, for example it changes between Firefox and Chrome

Usage

```

file_Input(
  inputId,
  label,
  multiple = FALSE,
  accept = NULL,
  width = NULL,
  buttonLabel = "Choose file",
  placeholder = "No file chosen",

```

```

    error = FALSE,
    error_message = NULL
  )

```

Arguments

inputId	The input slot that will be used to access the value.
label	Display label for the control, or NULL for no label.
multiple	Whether the user should be allowed to select and upload multiple files at once. Does not work on older browsers, including Internet Explorer 9 and earlier.
accept	A character vector of MIME types; gives the browser a hint of what kind of files the server is expecting.
width	The width of the input, e.g. '400px', or '100%'
buttonLabel	The label used on the button. Can be text or an HTML tag object.
placeholder	The text to show before a file has been uploaded.
error	Whenever to include error handling Defaults to FALSE.
error_message	Message to display on error. Defaults to NULL

Value

a file input html shiny object

Examples

```

if (interactive()) {
  ui <- fluidPage(
    # Required for error handling function
    shinyjs::useShinyjs(),
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::banner(
      inputId = "banner", type = "beta", 'This is a new service'),
    shinyGovstyle::gov_layout(size = "two-thirds",
      # Simple file input
      shinyGovstyle::file_Input(inputId = "file1", label = "Upload a file"),
      # Error file
      shinyGovstyle::file_Input(
        inputId = "file2",
        label = "Upload a file",
        error = TRUE),
      # Button to trigger error
      shinyGovstyle::button_Input(inputId = "submit", label = "Submit")
    ),
    shinyGovstyle::footer(full = TRUE)
  )
  server <- function(input, output, session) {

```

```
#Trigger error on blank submit of file2
observeEvent(input$submit, {
  if (is.null(input$file2)){
    shinyGovstyle::error_on(inputId = "file2")
  } else {
    shinyGovstyle::error_off(
      inputId = "file2")
  }
})
}
shinyApp(ui = ui, server = server)
}
```

font

Font Function

Description

This function adds rge nta fonts to the app. See <https://design-system.service.gov.uk/styles/typography/> for when they are allowed.

Usage

```
font()
```

Value

no value returned. This loads the font css file

Examples

```
if (interactive()) {

  ui <- fluidPage(
    font(),
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png")
  )

  server <- function(input, output, session) {}

  shinyApp(ui = ui, server = server)
}
```

footer	<i>Footer Function</i>
--------	------------------------

Description

This function create a gov style footer for your page

Usage

```
footer(full = FALSE)
```

Arguments

full Whenever you want to have blank footer or official gov version. Defaults to FALSE

Value

a footer html shiny object

Examples

```
if (interactive()) {  
  ui <- fluidPage(  
    shinyGovstyle::header(  
      main_text = "Example",  
      secondary_text = "User Examples",  
      logo="shinyGovstyle/images/moj_logo.png"),  
    shinyGovstyle::banner(  
      inputId = "banner", type = "beta", 'This is a new service'),  
    tags$br(),  
    tags$br(),  
    shinyGovstyle::footer(full = TRUE)  
  )  
  
  server <- function(input, output, session) {}  
  
  shinyApp(ui = ui, server = server)  
}
```

govTable	<i>Table Function</i>
----------	-----------------------

Description

This function inserts a gov styled table. Format is with header looking rows and columns

Usage

```
govTable(
  inputId,
  df,
  caption,
  caption_size = "l",
  num_col = NULL,
  width_overwrite = NULL
)
```

Arguments

inputId	Input id for the table
df	expects a dataframe to create a table
caption	adds a caption to the table as a header
caption_size	adjust the size of caption. Options are s, m, l, xl, with l as the default
num_col	adds numeric class format to these columns.
width_overwrite	change width. Need to include width for every column. Options are three-quarters, two-thirds, one-half, one-third, one-quarter. Default is NULL.

Value

an table html shiny object

Examples

```
if (interactive()) {

  Months <- c("January", "February", "March")
  Bikes <- c("£85", "£75", "£165")
  Cars <- c("£95", "£55", "£125")

  example_data <- data.frame(Months, Bikes, Cars)

  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
```

```

    logo="shinyGovstyle/images/moj_logo.png"),
  shinyGovstyle::banner(
    inputId = "banner", type = "beta", 'This is a new service'),
  shinyGovstyle::gov_layout(size = "two-thirds",
  shinyGovstyle::govTable(
    "tab1", example_data, "Test", "1", num_col = c(2,3),
    width_overwrite = c("one-half", "one-quarter", "one-quarter"))
  ),

  shinyGovstyle::footer(full = TRUE)
)

server <- function(input, output, session) {}

shinyApp(ui = ui, server = server)
}

```

gov_layout

Page Layout Function

Description

This function loads the page layout

Usage

```
gov_layout(..., inputID = "main", size = "full")
```

Arguments

...	include the components of the UI that you want within the main page.
inputID	ID of the main div. Defaults to "main"
size	Layout of the page. Optional are full, one-half, two-thirds, one-third and one-quarter. Defaults to "full"

Value

a html shiny layout div

Examples

```

if (interactive()) {
  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::gov_layout(size = "full",
    shinyGovstyle::panel_output(

```

```

      inputId = "panel1",
      main_text = "Application Complete",
      sub_text = "Thank you for submitting your application.
Your reference is xvsiq")
    ),
    shinyGovstyle::footer(full = TRUE)
  )

server <- function(input, output, session) {}
shinyApp(ui = ui, server = server)
}

```

header

Header Function

Description

This function create a header banner. For use at top of the screen

Usage

```

header(
  main_text,
  secondary_text,
  logo = NULL,
  main_link = "#",
  secondary_link = "#",
  logo_width = 36,
  logo_height = 32
)

```

Arguments

<code>main_text</code>	Main text that goes in the header
<code>secondary_text</code>	Secondary header to supplement the main text
<code>logo</code>	Add a link to a logo which will apply in the header. Use crown to use the crown svg version on gov uk.
<code>main_link</code>	Add a link for clicking on main text
<code>secondary_link</code>	Add a link for clicking on secondary header.
<code>logo_width</code>	Change the logo size width css to improve fit
<code>logo_height</code>	Change the logo size height css to improve fit

Value

a header html shiny object

Examples

```
if (interactive()) {  
  
  ui <- fluidPage(  
    shinyGovstyle::header(  
      main_text = "Example",  
      secondary_text = "User Examples",  
      logo="shinyGovstyle/images/moj_logo.png")  
    )  
  
  server <- function(input, output, session) {}  
  
  shinyApp(ui = ui, server = server)  
}
```

heading_text

Heading Text Function

Description

This function create a heading text

Usage

```
heading_text(text_input, size = "xl")
```

Arguments

text_input	Text to display
size	Text size using xl, l, m, s. Defaults to xl.

Value

a heading text html shiny object

Examples

```
if (interactive()) {  
  ui <- fluidPage(  
    shinyGovstyle::header(  
      main_text = "Example",  
      secondary_text = "User Examples",  
      logo="shinyGovstyle/images/moj_logo.png"),  
    shinyGovstyle::gov_layout(size = "two-thirds",  
      shinyGovstyle::heading_text("This is great text", "m")  
    ),  
    shinyGovstyle::footer(full = TRUE)  
  )  
}
```

```

server <- function(input, output, session) {}
shinyApp(ui = ui, server = server)
}

```

input_field

Input Field Function

Description

This function inserts number of text inputs. Useful for addresses.

Usage

```

input_field(
  legend,
  labels,
  inputIds,
  widths = NULL,
  types = "text",
  error = FALSE,
  error_message = NULL
)

```

Arguments

legend	Legend that goes above the fieldset
labels	A list of labels for the text inputs
inputIds	A list input slots that will be used to access the value.
widths	control the size of the box based on number of characters required. Options are 30, 20, 10, 5, 4, 3, 2. NULL will not limit the size
types	text box types. Will default to text.
error	Whenever to icnlud error handling Defaults to FALSE.
error_message	Message to display on error. Defaults to NULL

Value

a input field of html as a shiny object

Examples

```

if (interactive()) {
  ui <- fluidPage(
    # Required for error handling function
    shinyjs::useShinyjs(),
    shinyGovstyle::header(

```

```

    main_text = "Example",
    secondary_text = "User Examples",
    logo="shinyGovstyle/images/moj_logo.png"),
  shinyGovstyle::banner(
    inputId = "banner", type = "beta", 'This is a new service'),
  shinyGovstyle::gov_layout(size = "two-thirds",
    shinyGovstyle::input_field(
      legend ="List of three text boxes in a field",
      labels = c("Field 1", "Field 2", "Field 3"),
      inputIds = c("field1", "field2", "field3"),
      widths = c(30,20,10),
      error = TRUE),
    # Button to trigger error
    shinyGovstyle::button_Input(inputId = "submit", label = "Submit")
  ),
  shinyGovstyle::footer(full = TRUE)
)

server <- function(input, output, session) {
  # Trigger error on blank submit of field2
  observeEvent(input$submit, {
    if (input$field2 == ""){
      shinyGovstyle::error_on(inputId = "field2",
        error_message = "Please complete")
    } else {
      shinyGovstyle::error_off(
        inputId = "field2")
    }
  })
}
shinyApp(ui = ui, server = server)
}

```

insert_text

Insert Text Function

Description

This function loads the insert text component to display additional information in a special format.

Usage

```
insert_text(inputId, text)
```

Arguments

inputId	The input slot that will be used to access the value.
text	Text that you want to display on the insert

Value

a insert text html shiny object

Examples

```
if (interactive()) {
  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::gov_layout(size = "two-thirds",
      shinyGovstyle::insert_text(
        inputId = "note",
        text = "It can take up to 8 weeks to register a lasting power of
          attorney if there are no mistakes in the application."
      )
    ),
    shinyGovstyle::footer(full = TRUE)
  )
}

server <- function(input, output, session) {}
shinyApp(ui = ui, server = server)
}
```

label_hint

Label with Hint Function

Description

This function inserts a label and optional hint

Usage

```
label_hint(inputId, label, hint_input = NULL)
```

Arguments

inputId	The input slot that will be used to access the value.
label	Display label for the control, or NULL for no label.
hint_input	Display hint label for the control, or NULL for no hint label.

Value

a label hint html shiny object

Examples

```
if (interactive()) {
  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::gov_layout(size = "two-thirds",
      label_hint(
        inputId = "label1",
        label = "This is a label",
        hint_input = "This is a hint")
      ),
    shinyGovstyle::footer(full = TRUE)
  )

  server <- function(input, output, session) {}
  shinyApp(ui = ui, server = server)
}
```

noti_banner

Notification Banner Function

Description

This function create a notification banner

Usage

```
noti_banner(
  inputId,
  title_txt = "Important",
  body_txt = NULL,
  type = "standard"
)
```

Arguments

inputId	The input id for the banner
title_txt	The wording that appears in the title
body_txt	The wording that appears in the banner body
type	The type of banner. Options are standard and success. Standard is default

Value

a notification html shiny object

Examples

```

if (interactive()) {

  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::noti_banner(
      inputId = "banner", title_txt = "Important", body_txt = "Example text")
  )

  server <- function(input, output, session) {}

  shinyApp(ui = ui, server = server)
}

```

panel_output

Panel output

Description

This function inserts a panel. Normally used for confirmation screens

Usage

```
panel_output(inputId, main_text, sub_text)
```

Arguments

inputId	The input slot that will be used to access the value.
main_text	Add the header for the panel
sub_text	Add the main body of text for the panel

Value

a panel html shiny object

Examples

```

if (interactive()) {
  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::gov_layout(size = "full",

```

```

    shinyGovstyle::panel_output(
      inputId = "panel1",
      main_text = "Application Complete",
      sub_text = "Thank you for submitting your application.
                  Your reference is xvsiq")
    ),
    shinyGovstyle::footer(full = TRUE)
  )

server <- function(input, output, session) {}
shinyApp(ui = ui, server = server)
}

```

radio_button_Input *Radio Button Function*

Description

This function create radio buttons

Usage

```

radio_button_Input(
  inputId,
  label,
  choices = NULL,
  selected = NULL,
  inline = FALSE,
  small = FALSE,
  choiceNames = NULL,
  choiceValues = NULL,
  hint_label = NULL,
  error = FALSE,
  error_message = NULL,
  custom_class = ""
)

```

Arguments

inputId	The input slot that will be used to access the value.
label	Input label.
choices	List of values to select from (if elements of the list are named then that name rather than the value is displayed to the user)
selected	The initially selected value.
inline	If you want the radio inline or not, Default is FALSE
small	If you want the smaller versions of radio buttons, Default is FALSE

choiceNames, choiceValues	Same as in checkboxGroupInput . List of names and values, respectively, that are displayed to the user in the app and correspond to the each choice (for this reason they must have the same length). If either of these arguments is provided, then the other must be provided and choices must not be provided. The advantage of using both of these over a named list for choices is that choiceNames allows any type of UI object to be passed through (tag objects, icons, HTML code, ...), instead of just simple text.
hint_label	Additional hint text you may want to display below the label. Defaults to NULL
error	Whenever you want to include error handle on the component.
error_message	If you want a default error message.
custom_class	If you want to add additional classes to the radio buttons

Value

radio buttons html shiny object

Examples

```
if (interactive()) {

  ui <- fluidPage(
    # Required for error handling function
    shinyjs::useShinyjs(),
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::banner(
      inputId = "banner", type = "beta", 'This is a new service'),
    shinyGovstyle::gov_layout(size = "two-thirds",
      #Simple radio
      shinyGovstyle::radio_button_Input(
        inputId = "radio1",
        choices = c("Yes", "No", "Maybe"),
        label = "Choice option"),
      # Error radio
      shinyGovstyle::radio_button_Input(
        inputId = "radio2",
        choices = c("Yes", "No", "Maybe"),
        label = "Choice option",
        hint_label = "Select the best fit",
        inline = TRUE,
        error = TRUE,
        error_message = "Select one"),
      # Button to trigger error
      shinyGovstyle::button_Input(inputId = "submit", label = "Submit")
    ),
    shinyGovstyle::footer(full = TRUE)
  )
}
```

```
server <- function(input, output, session) {  
  #Trigger error on blank submit of eventId2  
  observeEvent(input$submit, {  
    if (is.null(input$radio2)){  
      shinyGovstyle::error_on(inputId = "radio2")  
    } else {  
      shinyGovstyle::error_off(  
        inputId = "radio2")  
      }  
    }  
  })  
}  
shinyApp(ui = ui, server = server)  
}
```

run_example

Example Function

Description

This function runs a shiny example using different parts of the package

Usage

```
run_example()
```

Value

a shiny app with examples in

Examples

```
if (interactive()) {  
  run_example()  
}
```

select_Input

Select Function

Description

This function inserts a select box

Usage

```
select_Input(inputId, label, select_text, select_value)
```

Arguments

inputId	Input id for the component
label	Insert the text for the label.
select_text	Add the text that will apply in the drop down as a list
select_value	Add the value that will be used for each selection.

Value

a select input html shiny object

Examples

```
if (interactive()) {
  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::gov_layout(size = "full",
      select_Input(
        inputId = "sorter",
        label = "Sort by",
        select_text = c("Recently published",
          "Recently updated",
          "Most views",
          "Most comments"),
        select_value = c("published", "updated", "view", "comments")),
      tags$br()
    ),
    shinyGovstyle::footer(full = TRUE)
  )
  server <- function(input, output, session) {}
  shinyApp(ui = ui, server = server)
}
```

tag_Input

Tag Function

Description

This function creates a tag

Usage

```
tag_Input(inputId, text, colour = "navy")
```

Arguments

inputId	The id to access the tag
text	The text in the tag
colour	The colour of the tag. Default is navy. Other options are grey, green, turquoise, blue, purple, pink, red, orange and yellow

Value

a tag html shiny object.

Examples

```
if (interactive()) {
  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::gov_layout(size = "two-thirds",
      shinyGovstyle::tag_Input("tag1", "COMPLETE"),
      shinyGovstyle::tag_Input("tag2", "INCOMPLETE", "red")),
    shinyGovstyle::footer(full = TRUE)
  )

  server <- function(input, output, session) {}
  shinyApp(ui = ui, server = server)
}
```

text_area_Input	<i>Text Area Input Function</i>
-----------------	---------------------------------

Description

This function create a text area input

Usage

```
text_area_Input(
  inputId,
  label,
  hint_label = NULL,
  row_no = 5,
  error = FALSE,
  error_message = NULL,
  word_limit = NULL
)
```

Arguments

inputId	The input slot that will be used to access the value.
label	Display label for the control, or NULL for no label.
hint_label	Display hint label for the control, or NULL for no hint label.
row_no	Size of the text entry box. Defaults to 5.
error	Whenever to icnlud error handling Defaults to FALSE
error_message	Message to display on error. Defaults to NULL
word_limit	Add a word limit to the display. Defaults to NULL.

Value

a text area box html shiny object

Examples

```
text_area_Input("taId", "Can you provide more detail?",  
"Do not include personal or financial information, like your  
National Insurance number or credit card details.")
```

text_Input

Text Input Function

Description

This function create a text area input

Usage

```
text_Input(  
  inputId,  
  label,  
  hint_label = NULL,  
  type = "text",  
  width = NULL,  
  error = FALSE,  
  error_message = NULL,  
  prefix = NULL,  
  suffix = NULL  
)
```


Arguments

inputId	The input slot that will be used to access the value.
label	Display label for the control, or NULL for no label.
hint_label	Display hint label for the control, or NULL for no hint label.
type	Type of text input to accept. Defaults to text.
width	control the size of the box based on number of characters required. Options are 30, 20, 10, 5, 4, 3, 2. NULL will not limit the size
error	Whenever to include error handling Defaults to FALSE.
error_message	Message to display on error. Defaults to NULL
prefix	Add a prefix to the box. Defaults to NULL
suffix	Add a suffix to the box. Defaults to NULL

Value

a text input html shiny object

Examples

```
## Only run examples in interactive R sessions
if (interactive()) {

  ui <- fluidPage(
    # Required for error handling function
    shinyjs::useShinyjs(),
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::banner(
      inputId = "banner", type = "beta", 'This is a new service'),
    shinyGovstyle::gov_layout(size = "two-thirds",
      # Simple text box
      shinyGovstyle::text_Input(inputId = "eventId", label = "Event Name"),
      # Error text box
      shinyGovstyle::text_Input(
        inputId = "eventId2",
        label = "Event Name",
        hint_label = "This can be found on the letter",
        error = TRUE),
      # Button to trigger error
      shinyGovstyle::button_Input(inputId = "submit", label = "Submit")
    ),
    shinyGovstyle::footer(full = TRUE)
  )

  server <- function(input, output, session) {
    #Trigger error on blank submit of eventId2
    observeEvent(input$submit, {
```

```

    if (input$eventId2 != ""){
      shinyGovstyle::error_off(inputId = "eventId2")
    } else {
      shinyGovstyle::error_on(
        inputId = "eventId2",
        error_message = "Please complete")
    }
  })
}

# Run the application
shinyApp(ui = ui, server = server)
}

```

warning_text

Warning Text Function

Description

This function create warning text

Usage

```
warning_text(inputId, text)
```

Arguments

inputId	The input slot that will be used to access the value.
text	Text that goes in the main

Value

a warning box html shiny object

Examples

```

if (interactive()) {
  ui <- fluidPage(
    shinyGovstyle::header(
      main_text = "Example",
      secondary_text = "User Examples",
      logo="shinyGovstyle/images/moj_logo.png"),
    shinyGovstyle::gov_layout(size = "two-thirds",
      shinyGovstyle::warning_text(
        inputId = "warn1",
        text = "You can be fined up to £5,000 if you do not register.")
    ),
    shinyGovstyle::footer(full = TRUE)
  )
}

```

```

server <- function(input, output, session) {}
shinyApp(ui = ui, server = server)
}

```

word_count

Word Count Function

Description

This function create tracks the word count and should be used with the text area function

Usage

```
word_count(inputId, input, word_limit = NULL)
```

Arguments

inputId	The input slot of the text area that you want to affect
input	The text input that is associated with the box.
word_limit	Change the word limit if needed. Default will keep as what was used in text area component

Value

no value returned. Updates the word count in a shiny app

Examples

```

if (interactive()) {

  ui <- shiny::fluidPage(
    shinyjs::useShinyjs(),
    shinyGovstyle::header(
      "Justice", "", logo="shinyGovstyle/images/moj_logo.png"),
    gov_layout(size = "full",
      text_area_Input(
        inputId = "text_area",
        label = "Can you provide more detail?",
        hint_label = "Do not include personal or financial information
          , like your National Insurance number or credit
          card details.",
        word_limit = 300)
      ),
    footer(TRUE)
  )

  server <- function(input, output, session) {
    shiny::observeEvent(input$text_area,

```

```
        word_count(inputId = "text_area",
                   input = input$text_area
        )
    }
    shinyApp(ui = ui, server = server)
}
```

Index

- * **accordion**
 - accordion, [2](#)
 - * **area**
 - text_area_Input, [31](#)
 - * **backlink**
 - backlink_Input, [3](#)
 - * **banner**
 - banner, [4](#)
 - cookieBanner, [8](#)
 - noti_banner, [25](#)
 - * **box**
 - details, [11](#)
 - * **button**
 - button_Input, [5](#)
 - * **checkbox**
 - checkbox_Input, [6](#)
 - * **cookie**
 - cookieBanner, [8](#)
 - * **count**
 - word_count, [35](#)
 - * **date**
 - date_Input, [9](#)
 - * **details**
 - details, [11](#)
 - * **error**
 - error_off, [12](#)
 - error_on, [13](#)
 - * **example**
 - run_example, [29](#)
 - * **field**
 - input_field, [22](#)
 - * **file**
 - file_Input, [14](#)
 - * **font**
 - font, [16](#)
 - * **footer**
 - footer, [17](#)
 - * **header**
 - header, [20](#)
 - * **heading**
 - heading_text, [21](#)
 - * **input**
 - file_Input, [14](#)
 - input_field, [22](#)
 - text_Input, [32](#)
 - * **inserttext**
 - insert_text, [23](#)
 - * **label**
 - label_hint, [24](#)
 - * **notification**
 - noti_banner, [25](#)
 - * **panel**
 - panel_output, [26](#)
 - * **radiobuttons**
 - radio_button_Input, [27](#)
 - * **select**
 - select_Input, [29](#)
 - * **style**
 - gov_layout, [19](#)
 - * **table**
 - govTable, [18](#)
 - * **tag**
 - tag_Input, [30](#)
 - * **text**
 - text_area_Input, [31](#)
 - text_Input, [32](#)
 - * **warning**
 - warning_text, [34](#)
 - * **word**
 - word_count, [35](#)
- accordion, [2](#)
- backlink_Input, [3](#)
- banner, [4](#)
- button_Input, [5](#)
- checkbox_Input, [6](#)
- checkboxGroupInput, [28](#)

cookieBanner, 8

date_Input, 9
details, 11

error_off, 12
error_on, 13

file_Input, 14
font, 16
footer, 17

gov_layout, 19
govTable, 18

header, 20
heading_text, 21

input_field, 22
insert_text, 23

label_hint, 24

noti_banner, 25

panel_output, 26

radio_button_Input, 27
run_example, 29

select_Input, 29

tag_Input, 30
text_area_Input, 31
text_Input, 32

warning_text, 34
word_count, 35