

Package ‘sphet’

May 9, 2026

Version 2.1-1

Encoding UTF-8

Date 2024-12-06

Title Estimation of Spatial Autoregressive Models with and without Heteroskedastic Innovations

Depends R (>= 3.0.1)

Imports nlme, spatialreg, spdep, Matrix, sp, methods, stats, utils, mvtnorm, stringr, coda, spData (>= 2.3.1), sf

URL <https://github.com/gpiras/sphet>

BugReports <https://github.com/gpiras/sphet/issues>

Description Functions for fitting Cliff-Ord-type spatial autoregressive models with and without heteroskedastic innovations using Generalized Method of Moments estimation are provided. Some support is available for fitting spatial HAC models, and for fitting with non-spatial endogeneous variables using instrumental variables.

License GPL-2

LazyLoad yes

LazyData no

RoxygenNote 7.3.2

NeedsCompilation no

Author Gianfranco Piras [aut, cre] (ORCID: <<https://orcid.org/0000-0003-0225-6061>>),
Roger Bivand [ctb] (ORCID: <<https://orcid.org/0000-0003-2392-6140>>)

Maintainer Gianfranco Piras <gpiras@mac.com>

Repository CRAN

Date/Publication 2024-12-06 15:00:02 UTC

Contents

sphet-package	2
circular	3
coldis	4
distance	4
gstslshet	6
impacts.error_sphet	8
impacts.gstsls	9
impacts.ols_sphet	12
impacts.stsls_sphet	14
kpjtest	17
listw2dgCMatrix	20
print.sphet	21
print.summary.sphet	22
read.gwt2dist	23
spreg	24
stslshac	29
summary.sphet	31
utilities	32
Index	33

sphet-package

Estimation of spatial models with heteroskedastic innovations

Description

A set of functions to estimate spatial models with heteroskedastic innovations

Details

Package:	sphet
Type:	Package
Version:	1.12
Date:	2021-06-17
License:	GPL
LazyLoad:	yes

Author(s)

Gianfranco Piras <gpiras@mac.com>

References

- Piras, Gianfranco (2010) sphet: Spatial Models with Heteroskedastic Innovations in R, *Journal of Statistical Software* June 2010, Volume 35, Issue 1.
- Bivand, R; Millo, G; Piras, G. (2021) A Review of Software for Spatial Econometrics in R *Mathematics* 9 (11):1276.
- Bivand, R; Piras, G. (2015) Comparing Implementations of Estimation Methods for Spatial Econometrics, *Journal of Statistical Software*, Volume 63, Issue 18, 1–36.

circular

Generate circular weighing matrices

Description

The function generates k-ahead and k-behind weighting matrices as in Kelejian and Prucha (1999)

Usage

```
circular(nrow, ncol, ab)
```

Arguments

nrow	Number of rows
ncol	Number of columns
ab	Ahead - behind

Details

Generate circular weighing matrices

Value

An object of class nb

Author(s)

Gianfranco Piras <gpiras@mac.com>

Examples

```
ab.3 <- circular(10, 10, 3)
ab.5 <- circular(15, 15, 5)
```

coldis	<i>Object of class distance for Columbus dataset 10-nearest neighbors matrix for columbus dataset</i>
--------	---

Description

Object of class distance for Columbus dataset 10-nearest neighbors matrix for columbus dataset

Format

A list of neighbors and distances for the columbus neighborhoods

Author(s)

Gianfranco Piras <gpiras@mac.com>

distance	<i>Distance measures available in distance</i>
----------	--

Description

Reads points coordinates and generates objects of class distance.matrix

Usage

```
distance(coord, region.id = NULL, output = TRUE,
         type = c("NN", "distance", "inverse"),
         measure = c("euclidean", "gcircle", "chebyshev", "braycur", "canberra"),
         nn = 6, cutoff = FALSE, miles = TRUE, R = NULL, shape.name = NULL, region.id.name = NULL,
         firstline = FALSE, file.name = NULL)
```

Arguments

coord	a matrix with the (X,Y)-coordinates of the points. The first column can be the region.id variable giving the ordering of the observations
region.id	variable that defines the ordering of the observations
output	when TRUE (default) writes the object to a file
type	one of ("NN", "distance", "inverse"). Nearest neighbors, distance or inverse distance
measure	one of ("euclidean", "gcircle", "chebyshev", "braycur", "canberra"). The distance measure to be employed in the calculations (See Details)
nn	the number of nearest neighbors

cutoff	If type is distance or inverse. Assumes values 1, 2 or 3. When 1, the cutoff is set to the first quantile of the distribution of distances. When 2 to the median, and when 3 to the third quantile. Only observations with distance less than cutoff distance are neighbors.
miles	If TRUE (default), distances are in miles, otherwise in Km. (See spDists which returns km, and are converted if required)
R	deprecated, spDists uses an approximation to the WGS84 spheroid
shape.name	The name of the shape file. See Details
region.id.name	The name of the region.id variable. See Details
firstline	If TRUE, a first line is added to the output file. See Details
file.name	If output, the name of the output file. See Details

Details

Writes distance matrices

The object created is similar to the content of a 'GWT' file. The output file can be of any format. In particular, it could be a 'GWT' file. When `firstline` is TRUE, an header line is added to the 'GWT' file. The first element is simply a place holder, the second is the number of observations. The name of the shape file and of the id variable can be specified by the options `shape.name` and `region.id.name` respectively. The function performs a series of test on the `region.id` variable. If a `region.id` variable is not specified and `coord` only has two columns, a sequence from 1 to the number of observations is generated and used as identification variable. If `region.id` is specified and the first column of `coord` contains an id variable they should be the same.

The distance measures implemented in `sphet` are:

- 'euclidean': $\sqrt{\sum (x_i - y_i)^2}$
- 'chebyshev': $\max(|x_i - y_i|)$
- 'braycur': $\frac{\sum |x_i - y_i|}{\sum |x_i + y_i|}$
- 'canberra': $\frac{\sum |x_i - y_i|}{\sum |x_i| + |y_i|}$
- 'gcircle': see [spDists](#), which uses an approximation to the WGS84 spheroid.

Value

A matrix of three columns: from, to, and distance

Author(s)

Gianfranco Piras <gpiras@mac.com>

Examples

```
set.seed("1234")
X <- runif(100, 0, 70)
Y <- runif(100, -30, 20)
coord1 <- cbind(seq(1,100), X, Y)
thm2 <- distance(coord1, region.id = NULL,
```

```
output = FALSE, type = "NN", nn = 6)
thm2 <- distance(coord1, region.id = NULL, output = FALSE, type = "distance", cutoff = 1)
```

gstslshet	<i>GM estimation of a Cliff-Ord type model with Heteroskedastic Innovations</i>
-----------	---

Description

Multi step GM/IV estimation of a linear Cliff and Ord -type of model of the form:

$$y = \lambda W y + X \beta + u$$

$$u = \rho W u + e$$

with

$$e \sim N(0, \sigma_i^2)$$

The model allows for spatial lag in the dependent variable and disturbances. The innovations in the disturbance process are assumed heteroskedastic of an unknown form.

Usage

```
gstslshet(formula, data = list(), listw, na.action = na.fail,
           zero.policy = NULL, initial.value = 0.2, abs.tol = 1e-20,
           rel.tol = 1e-10, eps = 1e-5, inverse = T, sarar = T)
```

Arguments

formula	a description of the model to be fit
data	an object of class <code>data.frame</code> . An optional data frame containing the variables in the model.
listw	an object of class <code>listw</code> created for example by <code>nb2listw</code>
na.action	a function which indicates what should happen when the data contains missing values. See <code>lm</code> for details.
zero.policy	See <code>lagsarlm</code> for details
initial.value	The initial value for ρ . It can be either numeric (default is 0.2) or set to 'SAR', in which case the optimization will start from the estimated coefficient of a regression of the 2SLS residuals over their spatial lag (i.e. a spatial AR model)
abs.tol	Absolute tolerance. See <code>nliminb</code> for details.
rel.tol	Relative tolerance. See <code>nliminb</code> for details.
eps	Tolerance level for the approximation. See Details.
inverse	TRUE. If FALSE, an approximated inverse is calculated. See Details.
sarar	TRUE. If FALSE, a spatial error model is estimated.

Details

The procedure consists of two steps alternating GM and IV estimators. Each step consists of sub-steps. In step one $\delta = [\beta', \lambda]'$ is estimated by 2SLS. The 2SLS residuals are first employed to obtain an initial (consistent but not efficient) GM estimator of ρ and then a consistent and efficient estimator (involving the variance-covariance matrix of the limiting distribution of the normalized sample moments). In step two, the spatial Cochrane-Orcutt transformed model is estimated by 2SLS. This corresponds to a GS2SLS procedure. The GS2SLS residuals are used to obtain a consistent and efficient GM estimator for ρ .

The initial value for the optimization in step 1b is taken to be `initial.value`. The initial value in step 1c is the optimal parameter of step 1b. Finally, the initial value for the optimization of step 2b is the optimal parameter of step 1c.

Internally, the object of class `listw` is transformed into a `Matrix` using the function `listw2dgMatrix`.

The expression of the estimated variance covariance matrix of the limiting distribution of the normalized sample moments based on 2SLS residuals involves the inversion of $I - \rho W'$. When `inverse` is `FALSE`, the inverse is calculated using the approximation $I + \rho W' + \rho^2 W'^2 + \dots + \rho^n W'^n$. The powers considered depend on a condition. The function will keep adding terms until the absolute value of the sum of all elements of the matrix $\rho^i W'^i$ is greater than a fixed ϵ (eps). By default eps is set to 1e-5.

Value

A list object of class `sphet`

<code>coefficients</code>	Generalized Spatial two stage least squares coefficient estimates of δ and GM estimator for ρ .
<code>var</code>	variance-covariance matrix of the estimated coefficients
<code>s2</code>	GS2SLS residuals variance
<code>residuals</code>	GS2SLS residuals
<code>yhat</code>	difference between GS2SLS residuals and response variable
<code>call</code>	the call used to create this object
<code>model</code>	the model matrix of data
<code>method</code>	'gsts1shac'
<code>w</code>	Wald test for both ρ and λ are zero

Author(s)

Gianfranco Piras <gpiras@mac.com>

References

- Arraiz, I. and Drukker, M.D. and Kelejian, H.H. and Prucha, I.R. (2007) A spatial Cliff-Ord-type Model with Heteroskedastic Innovations: Small and Large Sample Results, *Department of Economics, University of Maryland*
- Kelejian, H.H. and Prucha, I.R. (2007) Specification and Estimation of Spatial Autoregressive Models with Autoregressive and Heteroskedastic Disturbances, *Journal of Econometrics*, forthcoming.

Kelejian, H.H. and Prucha, I.R. (1999) A Generalized Moments Estimator for the Autoregressive Parameter in a Spatial Model, *International Economic Review*, **40**, pages 509–533.

Kelejian, H.H. and Prucha, I.R. (1998) A Generalized Spatial Two Stage Least Square Procedure for Estimating a Spatial Autoregressive Model with Autoregressive Disturbances, *Journal of Real Estate Finance and Economics*, **17**, pages 99–121.

See Also

[stslshac](#)

Examples

```
data(columbus, package = "spdep")
listw <- spdep::nb2listw(col.gal.nb)
res <- gstslshet(CRIME ~ HOVAL + INC, data = columbus, listw = listw)
summary(res)
```

impacts.error_sphet *Generate impacts for objects of class error_sphet created in sphet*

Description

Generate impacts for objects of class error_sphet created in sphet

Usage

```
## S3 method for class 'error_sphet'
impacts(
  obj,
  ...,
  tr = NULL,
  R = NULL,
  listw = NULL,
  evalues = NULL,
  tol = 1e-06,
  empirical = FALSE,
  Q = NULL
)
```

Arguments

obj	A spreg spatial regression object created by spreg with model="lag"
...	Arguments passed through to methods in the coda package
tr	A vector of traces of powers of the spatial weights matrix created using trW, for approximate impact measures; if not given, listw must be given for exact measures (for small to moderate spatial weights matrices); the traces must be for the same spatial weights as were used in fitting the spatial regression

R	If given, simulations are used to compute distributions for the impact measures, returned as mcmc objects
listw	a listw object
evalues	vector of eigenvalues of spatial weights matrix for impacts calculations
tol	Argument passed to mvrnorm: tolerance (relative to largest variance) for numerical lack of positive-definiteness in the coefficient covariance matrix
empirical	Argument passed to mvrnorm (default FALSE): if true, the coefficients and their covariance matrix specify the empirical not population mean and covariance matrix
Q	default NULL, else an integer number of cumulative power series impacts to calculate if tr is given

Value

Estimate of the Average Total, Average Direct, and Average Indirect Effects

Examples

```
library(sphet)
require("sf", quietly=TRUE)
columbus <- st_read(system.file("shapes/columbus.gpkg", package="spData")[1], quiet=TRUE)
col.gal.nb <- spdep::read.gal(system.file("weights/columbus.gal", package="spData")[1])
listw <- spdep::nb2listw(col.gal.nb)
error1 <- spreg(CRIME ~ INC + HOVAL, columbus, listw, Durbin=TRUE,
               model = "error")
summary(error1)
impacts(error1)
summary(impacts(error1))
error2 <- spreg(CRIME ~ INC + HOVAL, columbus, listw, Durbin= ~ INC,
               model = "error")
impacts(error2)
error3 <- spreg(CRIME ~ HOVAL, columbus, listw, Durbin= ~ INC,
               model = "error")
summary(impacts(error3))
```

impacts.gstsls

Generate impacts for spreg lag and sarar models

Description

Generate impacts for spreg lag and sarar models

Generate impacts for objects of class sarar_gmm created in sphet

Usage

```
## S3 method for class 'gstsls'
impacts(
  obj,
  ...,
  tr = NULL,
  R = NULL,
  listw = NULL,
  evalues = NULL,
  tol = 1e-06,
  empirical = FALSE,
  Q = NULL,
  KPformula = FALSE,
  prt = TRUE
)
```

Arguments

obj	A spreg spatial regression object created by spreg with model ="sarar"
...	Arguments passed through to methods in the coda package
tr	A vector of traces of powers of the spatial weights matrix created using trW, for approximate impact measures; if not given, listw must be given for exact measures (for small to moderate spatial weights matrices); the traces must be for the same spatial weights as were used in fitting the spatial regression
R	If given, simulations are used to compute distributions for the impact measures, returned as mcmc objects
listw	a listw object
evalues	vector of eigenvalues of spatial weights matrix for impacts calculations
tol	Argument passed to mvrnorm: tolerance (relative to largest variance) for numerical lack of positive-definiteness in the coefficient covariance matrix
empirical	Argument passed to mvrnorm (default FALSE): if true, the coefficients and their covariance matrix specify the empirical not population mean and covariance matrix
Q	default NULL, else an integer number of cumulative power series impacts to calculate if tr is given
KPformula	default FALSE, else inference of the impacts based on Kelejian and Piras (2020)
prt	prints the KP summary of the VC matrix

Value

Estimate of the Average Total, Average Direct, and Average Indirect Effects

Estimate of the Average Total, Average Direct, and Average Indirect Effects

References

Roger Bivand, Gianfranco Piras (2015). Comparing Implementations of Estimation Methods for Spatial Econometrics. *Journal of Statistical Software*, 63(18), 1-36. <https://www.jstatsoft.org/v63/i18/>. Harry Kelejian, Gianfranco Piras (2020). Spillover effects in spatial models: Generalization and extensions. *Journal of Regional Science*, 60(3), 425-442. Gianfranco Piras, Paolo Postiglione (2022). A deeper look at impacts in spatial Durbin model with sphet. *Geographical Analysis*, 54(3), 664-684.

Examples

```
data(columbus, package="spdep")
listw <- spdep::nb2listw(col.gal.nb)
res <- spreg(CRIME~HOVAL + INC, data=columbus, listw=listw,
            het = TRUE, verbose = FALSE, model = "sarar")
summary(res)
effects <- impacts(res, listw = listw, R = 399)
summary(effects)
data(boston, package="spData")
Wb <- as(spdep::nb2listw(boston.soi), "CsparseMatrix")
ev <- eigen(Wb)$values
trMatb <- spatialreg::trW(Wb, type="mult")
sarar1 <- spreg(log(CMEDV) ~ CRIM + ZN + INDUS + CHAS + I(NOX^2) +
              I(RM^2) + AGE + log(DIS) + log(RAD) + TAX + PTRATIO + B + log(LSTAT),
              data = boston.c, listw = Wb, model = "sarar")
summary(sarar1)
impacts(sarar1, KPformula = TRUE)
summary(impacts(sarar1, tr = trMatb, R=1000), zstats=TRUE, short=TRUE)
summary(impacts(sarar1, evalues = ev, R=1000), zstats=TRUE, short=TRUE)

sarar2 <- spreg(log(CMEDV) ~ CRIM + ZN + INDUS + CHAS + I(NOX^2) +
              I(RM^2) + AGE + log(DIS) + log(RAD) + TAX + PTRATIO + B + log(LSTAT),
              data = boston.c, listw = Wb, model = "sarar", Durbin = TRUE)

summary(sarar2)
impacts(sarar2, evalues = ev, KPformula = TRUE)
impacts(sarar2, evalues = ev)
impacts(sarar2, listw = spdep::nb2listw(boston.soi))
impacts(sarar2, tr = trMatb)
summary(impacts(sarar2, evalues = ev, R=1000), zstats=TRUE, short=TRUE)

sarar3 <- spreg(log(CMEDV) ~ CRIM + ZN + INDUS + CHAS + I(NOX^2) +
              I(RM^2) + AGE + log(DIS) + log(RAD) + TAX + PTRATIO + B + log(LSTAT),
              data = boston.c, listw = Wb, model = "sarar", Durbin = ~CRIM + TAX)

summary(sarar3)
impacts(sarar3, evalues = ev)
impacts(sarar3, evalues = ev, KPformula = TRUE)
impacts(sarar3, evalues = ev, KPformula = TRUE, tr = trMatb)
impacts(sarar3, listw = spdep::nb2listw(boston.soi))
impacts(sarar3, tr = trMatb)
summary(impacts(sarar3, listw = spdep::nb2listw(boston.soi), R=1000), zstats=TRUE, short=TRUE)
```

```

sarar4 <- spreg(log(CMEDV) ~ CRIM + ZN + INDUS + CHAS + I(NOX^2) +
               I(RM^2) + AGE + log(DIS) + log(RAD) + TAX + PTRATIO + B ,
               data = boston.c, listw = Wb, model = "sarar", Durbin = ~CRIM + TAX + log(LSTAT))

summary(sarar4)
impacts(sarar4, values = ev)
summary(impacts(sarar4, values = ev, R=1000), zstats=TRUE, short=TRUE)

sarar5 <- spreg(log(CMEDV) ~ CRIM + ZN + INDUS + CHAS + I(NOX^2) + I(RM^2) + AGE + log(DIS),
               data = boston.c, listw = Wb, model = "sarar", Durbin = ~ TAX + log(LSTAT))

summary(sarar5)
impacts(sarar5, values = ev)
summary(impacts(sarar4, tr = trMatb, R=1000), zstats=TRUE, short=TRUE)

```

impacts.ols_sphet *Generate impacts for objects of class ols_sphet created in sphet*

Description

Generate impacts for objects of class `ols_sphet` created in `sphet`

Usage

```

## S3 method for class 'ols_sphet'
impacts(
  obj,
  ...,
  tr = NULL,
  R = NULL,
  listw = NULL,
  values = NULL,
  tol = 1e-06,
  empirical = FALSE,
  Q = NULL
)

```

Arguments

<code>obj</code>	A <code>spreg</code> spatial regression object created by <code>spreg</code> with <code>model = "lag"</code>
<code>...</code>	Arguments passed through to methods in the <code>coda</code> package
<code>tr</code>	A vector of traces of powers of the spatial weights matrix created using <code>trW</code> , for approximate impact measures; if not given, <code>listw</code> must be given for exact measures (for small to moderate spatial weights matrices); the traces must be for the same spatial weights as were used in fitting the spatial regression
<code>R</code>	If given, simulations are used to compute distributions for the impact measures, returned as <code>mcmc</code> objects

<code>listw</code>	a listw object
<code>evalues</code>	vector of eigenvalues of spatial weights matrix for impacts calculations
<code>tol</code>	Argument passed to <code>mvrnorm</code> : tolerance (relative to largest variance) for numerical lack of positive-definiteness in the coefficient covariance matrix
<code>empirical</code>	Argument passed to <code>mvrnorm</code> (default FALSE): if true, the coefficients and their covariance matrix specify the empirical not population mean and covariance matrix
<code>Q</code>	default NULL, else an integer number of cumulative power series impacts to calculate if <code>tr</code> is given

Value

Estimate of the Average Total, Average Direct, and Average Indirect Effects

Examples

```

data(boston, package="spData")
Wb <- as(spdep::nb2listw(boston.soi), "CsparseMatrix")
ev <- eigen(Wb)$values
trMatb <- spatialreg::trW(Wb, type="mult")

lm.D <- spreg(log(CMEDV) ~ CRIM + ZN + INDUS + CHAS + I(NOX^2) + I(RM^2) + AGE + log(DIS),
             data = boston.c, listw = Wb, model = "ols", Durbin = TRUE)
summary(lm.D)
impacts(lm.D)
summary(impacts(lm.D))

lm.D2 <- spreg(log(CMEDV) ~ CRIM + ZN + INDUS + CHAS + I(NOX^2) + I(RM^2) + AGE + log(DIS),
              data = boston.c, listw = Wb, model = "ols", Durbin = ~AGE)
summary(lm.D2)
impacts(lm.D2)
summary(impacts(lm.D2))

lm.D3 <- spreg(log(CMEDV) ~ CRIM + ZN + CHAS + I(NOX^2) + I(RM^2) + AGE,
              data = boston.c, listw = Wb, model = "ols", Durbin = ~AGE + INDUS )
summary(lm.D3)
impacts(lm.D3)
summary(impacts(lm.D3))

require("sf", quietly=TRUE)
columbus <- st_read(system.file("shapes/columbus.gpkg", package="spData")[1], quiet=TRUE)
col.gal.nb <- spdep::read.gal(system.file("weights/columbus.gal", package="spData")[1])
listw <- spdep::nb2listw(col.gal.nb)
knear <- spdep::knearneigh(cbind(columbus$X, columbus$Y), 5)
knb <- spdep::knn2nb(knear)
dist <- spdep::nbdist(knb, cbind(columbus$X, columbus$Y))
k5d <- spdep::nb2listw(knb, glist = dist, style = "B")
class(k5d) <- c("listw", "nb", "distance")
lm.D4 <- spreg(CRIME ~ INC + HOVAL, columbus, listw, Durbin=TRUE,
              model = "ols")
summary(lm.D4)

```

```

impacts(lm.D4)

lm.D5 <- spreg(CRIME ~ INC + HOVAL, columbus, listw, Durbin= ~ INC,
              model = "ols")
summary(lm.D5)
impacts(lm.D5)
summary(impacts(lm.D5))

lm.D6 <- spreg(CRIME ~ HOVAL, columbus, listw, Durbin= ~ INC,
              model = "ols")
summary(lm.D6)
summary(impacts(lm.D6))
## Not run:
lm.D7 <- spreg(CRIME ~ INC + HOVAL, columbus, listw,
              model = "ols", HAC = TRUE, distance = k5d,
              type = "Triangular")
summary(lm.D7)
impacts(lm.D7)
summary(impacts(lm.D7))

## End(Not run)
lm.D8 <- spreg(CRIME ~ INC + HOVAL, data = columbus, listw = listw, Durbin=TRUE,
              model = "ols", distance = k5d, type = "Triangular")
summary(lm.D8)
impacts(lm.D8)
summary(impacts(lm.D8))

lmD.9 <- spreg(CRIME ~ INC + HOVAL, data = columbus, listw = listw, Durbin= ~ INC,
              model = "ols", distance = k5d, type = "Parzen")

impacts(lmD.9)

lmD.10 <- spreg(CRIME ~ HOVAL, columbus, listw, Durbin= ~ INC,
               model = "ols", distance = k5d, type = "Bisquare")
summary(lmD.10)
summary(impacts(lmD.10))

```

impacts.stsls_sphet *Generate impacts for objects of class lag_gmm created in sphet*

Description

Generate impacts for objects of class lag_gmm created in sphet

Usage

```

## S3 method for class 'stsls_sphet'
impacts(
  obj,

```

```

    ...,
    tr = NULL,
    R = NULL,
    listw = NULL,
    evalues = NULL,
    tol = 1e-06,
    empirical = FALSE,
    Q = NULL,
    KPformula = FALSE,
    prt = TRUE
  )

```

Arguments

obj	A spreg spatial regression object created by spreg with model = "lag"
...	Arguments passed through to methods in the coda package
tr	A vector of traces of powers of the spatial weights matrix created using trW, for approximate impact measures; if not given, listw must be given for exact measures (for small to moderate spatial weights matrices); the traces must be for the same spatial weights as were used in fitting the spatial regression
R	If given, simulations are used to compute distributions for the impact measures, returned as mcmc objects
listw	a listw object
evalues	vector of eigenvalues of spatial weights matrix for impacts calculations
tol	Argument passed to mvrnorm: tolerance (relative to largest variance) for numerical lack of positive-definiteness in the coefficient covariance matrix
empirical	Argument passed to mvrnorm (default FALSE): if true, the coefficients and their covariance matrix specify the empirical not population mean and covariance matrix
Q	default NULL, else an integer number of cumulative power series impacts to calculate if tr is given
KPformula	default FALSE, else inference of the impacts based on Kelejian and Piras (2020)
prt	prints the KP summary of the VC matrix

Value

Estimate of the Average Total, Average Direct, and Average Indirect Effects

References

Roger Bivand, Gianfranco Piras (2015). Comparing Implementations of Estimation Methods for Spatial Econometrics. *Journal of Statistical Software*, 63(18), 1-36. <https://www.jstatsoft.org/v63/i18/>. Harry Kelejian, Gianfranco Piras (2020). Spillover effects in spatial models: Generalization and extensions. *Journal of Regional Science*, 60(3), 425-442. Gianfranco Piras, Paolo Postiglione (2022). A deeper look at impacts in spatial Durbin model with sphet. *Geographical Analysis*, 54(3), 664-684.

Examples

```

require("sf", quietly=TRUE)
library(coda)
columbus <- st_read(system.file("shapes/columbus.gpkg", package="spData")[1], quiet=TRUE)
col.gal.nb <- spdep::read.gal(system.file("weights/columbus.gal", package="spData")[1])
listw <- spdep::nb2listw(col.gal.nb)
ev <- spatialreg::eigenw(listw)
W <- as(listw, "CsparseMatrix")
trMatc <- spatialreg::trW(W, type="mult")
trMC <- spatialreg::trW(W, type="MC")
#LAG
lobj_gm <- spreg(CRIME ~ INC + HOVAL, columbus, listw,
                model = "lag")
summary(lobj_gm)
lobj_gmh <- spreg(CRIME ~ INC + HOVAL, columbus, listw,
                model = "lag", het = TRUE)
summary(lobj_gmh)
set.seed(1)
impacts(lobj_gm, listw=listw)
impacts(lobj_gm, tr=trMatc)
impacts(lobj_gm, tr=trMC)
impacts(lobj_gm, evalues=ev)
impacts(lobj_gmh, listw=listw)
impacts(lobj_gmh, tr=trMatc)
impacts(lobj_gmh, tr=trMC)
impacts(lobj_gmh, evalues=ev)
#same impacts but different SD
summary(impacts(lobj_gm, evalues = ev, R = 1000))
summary(impacts(lobj_gmh, evalues = ev, R = 1000))
lobjIQ5_gm <- impacts(lobj_gm, tr=trMatc, R=1000, Q=5)
summary(lobjIQ5_gm, zstats=TRUE, short=TRUE)
summary(lobjIQ5_gm, zstats=TRUE, short=TRUE, reportQ=TRUE)
# LAG durbin TRUE
mobj_gm <- spreg(CRIME ~ INC + HOVAL, columbus, listw, Durbin=TRUE,
                model = "lag")
summary(mobj_gm)
mobj_gmh <- spreg(CRIME ~ INC + HOVAL, columbus, listw, Durbin=TRUE,
                model = "lag", het = TRUE)
mobj_gm2 <- spreg(CRIME ~ INC, columbus, listw, Durbin=TRUE,
                model = "lag")
summary(mobj_gmh)
impacts(mobj_gm, KPformula = TRUE)
impacts(mobj_gm2, KPformula = TRUE)
summary(impacts(mobj_gm2, evalues=ev, R=1000), short=TRUE, zstats=TRUE)
impacts(mobj_gm, listw=listw)
impacts(mobj_gm, tr=trMatc)
impacts(mobj_gm, tr=trMC)
impacts(mobj_gm, evalues=ev)
summary(impacts(mobj_gm, evalues=ev, R=1000), short=TRUE, zstats=TRUE)
impacts(mobj_gmh, listw=listw)
impacts(mobj_gmh, tr=trMatc)
impacts(mobj_gmh, tr=trMC)

```

```

impacts(mobj_gmh, evalues=ev)
summary(impacts(mobj_gmh, tr=trMatc, R=1000), short=TRUE, zstats=TRUE)
#lag durbin = ~formula
mobj1_gmh <- spreg(CRIME ~ INC + HOVAL, columbus, listw, Durbin= ~ INC,
                  model = "lag")
mobj1_gmh <- spreg(CRIME ~ INC + HOVAL, columbus, listw, Durbin= ~ INC,
                  model = "lag", het = TRUE)
impacts(mobj1_gmh, tr=trMatc)
impacts(mobj1_gmh, listw=listw)
impacts(mobj1_gmh, KPformula = TRUE)
summary(impacts(mobj_gmh, evalues=ev, R=200), short=TRUE, zstats=TRUE)
summary(impacts(mobj1_gmh, tr=trMatc, R=200), short=TRUE, zstats=TRUE)
mobj1_gmh <- spreg(CRIME ~ HOVAL, columbus, listw, Durbin= ~ INC,
                  model = "lag")
summary(impacts(mobj1_gmh, evalues=ev, R=200), short=TRUE, zstats=TRUE)

```

kpjtest

Kelejian and Piras J-test

Description

The function calculate the Kelejian and Piras J-test for spatial models. Both models (under the null and under the alternative) can be specified with additional endogenous variables, and additional instruments. The model under the null allows for heteroskedasticity as well as spatial autocorrelation:

$$y = \lambda W y + X \beta + u$$

$$u = R e$$

with

$$e \sim N(0, \sigma_i^2)$$

Note that when R reduces to an identity matrix, the error term, while still heteroskedastic, is not spatially autocorrelated. On the other hand, when the σ_i^2 are all the same (and R is an identity matrix) than the error term is neither heteroskedastic nor autocorrelated.

Usage

```

kpjtest(H0model, H1model, data = list(), listw0 = NULL, listw1 = NULL,
        endogH0 = NULL, endogH1 = NULL, instrumentsH0 = NULL, instrumentsH1 = NULL,
        lag.instr = FALSE, model = "lag", het = FALSE, HAC = F,
        distance = NULL, type = "Epanechnikov",
        bandwidth = "variable", na.action = na.fail)

```

Arguments

H0model	Formula object for the specification of the model under the null
H1model	Formula object for the specification of the model under the alternative
data	an object of class data.frame . An optional data frame containing the variables in the model
listw0	an object of class <code>listw</code> , <code>matrix</code> , or <code>Matrix</code> . The spatial weighting matrix under the null model
listw1	an object of class <code>listw</code> , <code>matrix</code> , or <code>Matrix</code> . The spatial weighting matrix under the alternative model
endogH0	additional endogenous variables under the null model. Default NULL. If not NULL should be specified as a formula with no dependent variable (<code>endog = ~ x1 + x2</code>). Note the <code>~</code> before the expression
endogH1	additional endogenous variables under the alternative model. Default NULL. If not NULL should be specified as a formula with no dependent variable (<code>endog = ~ x1 + x2</code>). Note the <code>~</code> before the expression
instrumentsH0	external instruments for the null model. Default NULL. If not NULL should be specified as a formula with no dependent variable (<code>instruments = ~ x1 + x2</code>). Note the <code>~</code> before the expression
instrumentsH1	external instruments for the alternative model. Default NULL. If not NULL should be specified as a formula with no dependent variable (<code>instruments = ~ x1 + x2</code>). Note the <code>~</code> before the expression
lag.instr	should the external instruments be spatially lagged?
model	one of <code>lag</code> , or <code>sarar</code> . The current version of the function only implements the lag model.
het	default FALSE: if TRUE uses the methods developed for heteroskedasticity
HAC	perform the HAC estimator of Kelejian and Prucha, 2007 on the null (and augmented) model.
distance	an object of class <code>distance</code> created for example by read.gwt2dist The object contains the specification of the distance measure to be employed in the estimation of the VC matrix. See Details.
type	One of <code>c("Epanechnikov", "Triangular", "Bisquare", "Parzen", "QS", "TH", "Rectangular")</code> . The type of Kernel to be used. See Details.
bandwidth	"variable" (default) - or numeric when a fixed bandwidth is specified by the user.
na.action	a function which indicates what should happen when the data contains missing values. See lm for details

Details

In order to calculate the J-test, the function follows a few steps:

- The alternative model is estimated by S2SLS.
- Based on the estimated parameters in the previous step, obtain a prediction based on the alternative models of the dependent vector in the null model. The predictor is based on the right hand side of the model.

- Use these predicted values of the dependent variable based on the alternative models into the null model to obtain the augmented model.
- Estimate the augmented model by 2SLS using all of the instruments relating to the null model as well as all of the instruments relating to the alternative models.
- Test for the statistical significance of the predicted value. If it is not significant, accept the null model. If it is significant, reject the null and conclude that the true model is the alternative models.

The output is an object of class `sphet` where the last row of the table of coefficients is the prediction.

When the model is heteroskedastic as well as spatially autocorrelated, an HAC procedure is employed. The default sets the bandwidth for each observation to the maximum distance for that observation (i.e. the max of each element of the list of distances).

Six different kernel functions are implemented:

- 'Epanechnikov': $K(z) = 1 - z^2$
- 'Triangular': $K(z) = 1 - z$
- 'Bisquare': $K(z) = (1 - z^2)^2$
- 'Parzen': $K(z) = 1 - 6z^2 + 6|z|^3$ if $z \leq 0.5$ and $K(z) = 2(1 - |z|)^3$ if $0.5 < z \leq 1$
- 'TH' (Tukey - Hanning): $K(z) = \frac{1 + \cos(\pi z)}{2}$
- 'Rectangular': $K(z) = 1$
- 'QS' (Quadratic Spectral): $K(z) = \frac{25}{12\pi^2 z^2} \left(\frac{\sin(6\pi z/5)}{6\pi z/5} - \cos(6\pi z/5) \right)$.

If the kernel type is not one of the six implemented, the function will terminate with an error message. The spatial two stage least square estimator is based on the matrix of instruments $H = [X, WX, W^2X^2]$.

Value

A list object of class `sphet`

<code>coefficients</code>	Generalized Spatial two stage least squares coefficient estimates of δ and GM estimator for ρ .
<code>var</code>	variance-covariance matrix of the estimated coefficients
<code>s2</code>	GS2SLS residuals variance
<code>residuals</code>	GS2SLS residuals
<code>yhat</code>	difference between GS2SLS residuals and response variable
<code>call</code>	the call used to create this object
<code>model</code>	the model matrix of data
<code>method</code>	's2slshac'

Author(s)

Gianfranco Piras <gpiras@mac.com>

References

- Kelejian and Piras (2017). *Spatial Econometrics*. Academic Press. ISBN: 978-0-12-813387-3
- Gianfranco Piras (2010). sphet: Spatial Models with Heteroskedastic Innovations in R. *Journal of Statistical Software*, 35(1), 1-21. <https://www.jstatsoft.org/v35/i01/>.
- Roger Bivand, Gianfranco Piras (2015). Comparing Implementations of Estimation Methods for Spatial Econometrics. *Journal of Statistical Software*, 63(18), 1-36. <https://www.jstatsoft.org/v63/i18/>.

Examples

```
library(spdep)
library(sphet)
data(boston)
boslw <- nb2listw(boston.soi)

Bos.Knn <- knearneigh(boston.utm, k = 5)
bos.nb <- knn2nb(Bos.Knn)
boslw2 <- nb2listw(bos.nb)

fm <- log(MEDV) ~ CRIM + ZN + INDUS + CHAS
fm2 <- log(MEDV) ~ CRIM + ZN + INDUS + RM + AGE

test <- kpjtest(fm, fm2, data = boston.c,
listw0 = boslw, listw1 = boslw2, model = "lag")
```

listw2dgCMatrix

Interface between Matrix class objects and weights list

Description

Interface between Matrix class objects and weights list

Usage

```
listw2dgCMatrix(listw, zero.policy = NULL)
```

Arguments

`listw` a listw object created for example by `nb2listw`

`zero.policy` See `lagsarlm` for details

Value

Matrix class object: a sparse Matrix

Author(s)

Gianfranco Piras <gpiras@mac.com>

Examples

```
library(spdep)
data(columbus)
listw <- nb2listw(col.gal.nb)
spW <- listw2dgCMatrix(listw)
```

print.sphet

print method for class sphet

Description

Method used to print objects of class 'summary.sphet' and 'sphet'

Usage

```
## S3 method for class 'sphet'
print(x, digits = max(3, getOption("digits") - 3),...)
```

Arguments

x	an object of class 'sphet'
digits	minimal number of significant digits, see print.default
...	additional arguments to be passed

Details

The summary function summary.sphet returns an objects of class 'sphet' organized in a coefficient matrix.

Author(s)

Gianfranco Piras<gpiras@mac.com>

See Also

[gstslshet](#), [stslshac](#)

Examples

```
library(spdep)
data(columbus)
listw <- nb2listw(col.gal.nb)
res <- spreg(CRIME~HOVAL + INC, data=columbus, listw=listw, model ="sarar")
summary(res)
```

print.summary.sphet *print method for class sphet*

Description

Method used to print objects of class 'summary.sphet' and 'sphet'

Usage

```
## S3 method for class 'summary.sphet'  
print(x,digits= max(3, getOption("digits") - 2),  
width=getOption("width"), obsinfo=FALSE,...)
```

Arguments

x	an object of class 'sphet'
digits	minimal number of significant digits, see print.default
width	controls the maximum number of columns on a line used in printing
obsinfo	for objects of class distance: if TRUE prints observation-wise information
...	additional arguments to be passed

Details

The summary function summary.sphet returns an objects of class 'sphet' organized in a coefficient matrix.

Author(s)

Gianfranco Piras<gpiras@mac.com>

See Also

[gstslshet](#), [stslshac](#)

Examples

```
library(spdep)  
data(columbus)  
listw <- nb2listw(col.gal.nb)  
res <- spreg(CRIME~HOVAL + INC, data=columbus, listw=listw, model ="sarar")  
summary(res)
```

read.gwt2dist	<i>Read distance objects</i>
---------------	------------------------------

Description

The function reads "GWT" files (i.e. generated using [distance](#)). It will read also other more general formats (as for example .txt files).

Usage

```
read.gwt2dist(file, region.id = NULL, skip = 1)
```

Arguments

file	name of file to be read
region.id	variable that defines the ordering of the observations
skip	number of lines to skip

Details

The first line of a 'GWT' file generally contains some information (e.g. the name of the shape file, the number of observations), in which case, skip should be equal to 1. When the file has a 'GWT' extension, the number of observations is generally retrieved from the first line. Alternatively, it is fixed to the length of the [unique](#) region.id variable.

Value

An object of class distance

Author(s)

Gianfranco Piras <gpiras@mac.com>

Examples

```
## Not run:  
library(spdep)  
data(columbus)  
dist <- read.gwt2dist(file = system.file('extdata/knn10columbus.GWT',  
package = "sphet"), region.id = columbus$POLYID)  
  
## End(Not run)
```

spreg	<i>GM estimation of a Cliff-Ord type model with Heteroskedastic Innovations</i>
-------	---

Description

Multi step GM/IV estimation of a linear Cliff and Ord -type of model of the form:

$$y = \lambda W y + X \beta + u$$

$$u = \rho W u + e$$

with

$$e \sim N(0, \sigma_i^2)$$

The model allows for spatial lag in the dependent variable and disturbances. The innovations in the disturbance process are assumed heteroskedastic of an unknown form.

Usage

```
spreg(formula, data = list(), listw, listw2 = NULL,
      endog = NULL, instruments = NULL,
      lag.instr = FALSE, initial.value = 0.2, q = 2,
      model = c("sarar", "lag", "error", "ivhac", "ols"),
      het = FALSE, verbose = FALSE,
      na.action = na.fail, HAC = FALSE,
      distance = NULL, type = c("Epanechnikov", "Triangular",
                                "Bisquare", "Parzen", "QS", "TH", "Rectangular"),
      bandwidth = "variable", step1.c = FALSE,
      control = list(), Durbin = FALSE)
```

Arguments

formula	a description of the model to be fit
data	an object of class <code>data.frame</code> . An optional data frame containing the variables in the model
listw	an object of class <code>listw</code> , <code>matrix</code> , or <code>Matrix</code>
listw2	an object of class <code>listw</code> , <code>matrix</code> , or <code>Matrix</code> specified only when <code>sarar</code> is true
endog	additional endogenous variables. Default <code>NULL</code> . If not <code>NULL</code> should be specified as a formula with no dependent variable (<code>endog = ~ x1 + x2</code>). Note the <code>~</code> before the expression.
instruments	external instruments. Default <code>NULL</code> . If not <code>NULL</code> should be specified as a formula with no dependent variable (<code>instruments = ~ x1 + x2</code>). Note the <code>~</code> before the expression.
lag.instr	should the external instruments be spatially lagged?

<code>initial.value</code>	The initial value for ρ . It can be either numeric (default is 0.2) or set to 'SAR', in which case the optimization will start from the estimated coefficient of a regression of the 2SLS residuals over their spatial lag (i.e. a spatial AR model)
<code>q</code>	default equal 2, if 1 the only WX is considered in matrix of instruments
<code>model</code>	one of lag, error, sarar, ivhac, or ols. If HAC is TRUE, model should be one of ivhac, or ols.
<code>het</code>	default FALSE: if TRUE uses the methods developed for heteroskedasticity
<code>verbose</code>	print optimization details
<code>na.action</code>	a function which indicates what should happen when the data contains missing values. See lm for details.
HAC	perform the HAC estimator of Kelejian and Prucha, 2007.
<code>distance</code>	an object of class <code>distance</code> created for example by read.gwt2dist The object contains the specification of the distance measure to be employed in the estimation of the VC matrix. See Details.
<code>type</code>	One of <code>c("Epanechnikov", "Triangular", "Bisquare", "Parzen", "QS", "TH", "Rectangular")</code> . The type of Kernel to be used. default = "Epanechnikov" See Details.
<code>bandwidth</code>	"variable" (default) - or numeric when a fixed bandwidth is specified by the user.
<code>step1.c</code>	Should step 1.c from Arraiz et al. 2012 be performed?
<code>control</code>	A list of control arguments. See nlminb
Durbin	Should (some of) the regressors be lagged? Default FALSE. If not FALSE should be specified as a formula with no dependent variable (Durbin = ~ x1 + x2) or set to TRUE. See details.

Details

The procedure consists of two steps alternating GM and IV estimators. Each step consists of sub-steps. In step one $\delta = [\beta', \lambda]'$ is estimated by 2SLS. The 2SLS residuals are first employed to obtain an consistent GM estimator of ρ .

In step two, the spatial Cochrane-Orcutt transformed model is estimated by 2SLS. This corresponds to a GS2SLS procedure. The GS2SLS residuals are used to obtain a consistent and efficient GM estimator for ρ .

The initial value for the optimization in step 1b is taken to be `initial.value`. The initial value for the optimization of step 2b is the optimal parameter of step 1b.

Internally, the object of class `listw` is transformed into a `Matrix` using the function [listw2dgCMatrix](#).

For the HAC estimator (Kelejian and Prucha, 2007), there are four possibilities:

- A model with only W_y
- A model with W_y and additional endogenous
- Additional endogenous variables but no W_y
- No additional endogenous variables (A linear model with HAC estimation)

In the first two cases, the model should be "ivhac", in the last two cases, the model should be "ols".

Furthermore, the default sets the bandwidth for each observation to the maximum distance for that observation (i.e. the max of each element of the list of distances).

Six different kernel functions are implemented:

- 'Epanechnikov': $K(z) = 1 - z^2$
- 'Triangular': $K(z) = 1 - z$
- 'Bisquare': $K(z) = (1 - z^2)^2$
- 'Parzen': $K(z) = 1 - 6z^2 + 6|z|^3$ if $z \leq 0.5$ and $K(z) = 2(1 - |z|)^3$ if $0.5 < z \leq 1$
- 'TH' (Tukey - Hanning): $K(z) = \frac{1 + \cos(\pi z)}{2}$
- 'Rectangular': $K(z) = 1$
- 'QS' (Quadratic Spectral): $K(z) = \frac{25}{12\pi^2 z^2} \left(\frac{\sin(6\pi z/5)}{6\pi z/5} - \cos(6\pi z/5) \right)$.

If the kernel type is not one of the six implemented, the function will terminate with an error message.

Value

A list object of class sphet

coefficients	Generalized Spatial two stage least squares coefficient estimates of δ and GM estimator for ρ .
var	variance-covariance matrix of the estimated coefficients
s2	GS2SLS residuals variance
residuals	GS2SLS residuals
yhat	difference between GS2SLS residuals and response variable
call	the call used to create this object
model	the model matrix of data
method	'gs2slshac'

Author(s)

Gianfranco Piras <gpiras@mac.com>

References

- Arraiz, I. and Drukker, M.D. and Kelejian, H.H. and Prucha, I.R. (2010) A spatial Cliff-Ord-type Model with Heteroskedastic Innovations: Small and Large Sample Results, *Journal of Regional Sciences*, **50**, pages 592–614.
- Drukker, D.M. and Egger, P. and Prucha, I.R. (2013) On Two-step Estimation of a Spatial Autoregressive Model with Autoregressive Disturbances and Endogenous Regressors, *Econometric Review*, **32**, pages 686–733.

Kelejian, H.H. and Prucha, I.R. (2010) Specification and Estimation of Spatial Autoregressive Models with Autoregressive and Heteroskedastic Disturbances, *Journal of Econometrics*, **157**, pages 53–67.

Kelejian, H.H. and Prucha, I.R. (1999) A Generalized Moments Estimator for the Autoregressive Parameter in a Spatial Model, *International Economic Review*, **40**, pages 509–533.

Kelejian, H.H. and Prucha, I.R. (1998) A Generalized Spatial Two Stage Least Square Procedure for Estimating a Spatial Autoregressive Model with Autoregressive Disturbances, *Journal of Real Estate Finance and Economics*, **17**, pages 99–121.

Gianfranco Piras (2010). sphet: Spatial Models with Heteroskedastic Innovations in R. *Journal of Statistical Software*, 35(1), 1-21. doi:10.18637/jss.v035.i01.

Roger Bivand, Gianfranco Piras (2015). Comparing Implementations of Estimation Methods for Spatial Econometrics. *Journal of Statistical Software*, 63(18), 1-36. doi:10.18637/jss.v063.i18.

Gianfranco Piras, Paolo Postiglione (2022). A deeper look at impacts in spatial Durbin model with sphet. *Geographical Analysis*, 54(3), 664-684.

See Also

[stslshac](#)

Examples

```
data(columbus, package="spdep")
listw <- spdep::nb2listw(col.gal.nb)
res <- spreg(CRIME ~ HOVAL + INC, data = columbus , listw = listw,
            het = TRUE, verbose = FALSE, model = "sarar")
summary(res)
Effects <- impacts(res, listw = listw, R = 1000)

library(spdep)
data("baltimore", package = "spData")
mat <- nb2listw(knn2nb(knearneigh(cbind(baltimore$X,baltimore$Y), 3)))

knb10 <- knn2nb(knearneigh(cbind(baltimore$X,baltimore$Y), k=5))
dists <- nbdists(knb10, cbind(baltimore$X,baltimore$Y))
k10lw <- nb2listw(knb10, glist=dists, style="B")
class(k10lw) <- "distance"

# OLS MODEL
res <- spreg(PRICE ~ NROOM +AGE, data = baltimore, listw = mat,
            verbose = FALSE, model = "ols", Durbin = TRUE, HAC = TRUE,
            distance = k10lw, type = "Triangular")
summary(res)

# note model = "ols" but with endogenous variables
res <- spreg(PRICE ~ NROOM +AGE, data = baltimore, listw = mat,
            verbose = FALSE, model = "ols", Durbin = TRUE, HAC = TRUE,
            distance = k10lw, type = "Triangular", endog = ~SQFT,
            instruments = ~GAR + PATIO)
summary(res)
```

```

# ERROR MODEL
res <- spreg(PRICE ~ NROOM +AGE, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "error", Durbin = FALSE)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE + SQFT + NBATH, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "error", Durbin = TRUE)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE + SQFT + NBATH, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "error", Durbin = ~SQFT + NBATH)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE + NBATH, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "error", Durbin = ~SQFT + NBATH)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "error", Durbin = ~SQFT + NBATH)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE -1, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "error", Durbin = ~SQFT + NBATH)
summary(res)

# LAG MODEL
res <- spreg(PRICE ~ NROOM +AGE, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "lag", Durbin = FALSE)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE + SQFT + NBATH, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "lag", Durbin = TRUE)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE + SQFT + NBATH, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "lag", Durbin = ~SQFT + NBATH)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE + NBATH, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "lag", Durbin = ~SQFT + NBATH)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "lag", Durbin = ~SQFT + NBATH)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE -1, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "lag", Durbin = ~SQFT + NBATH)
summary(res)

# IVHAC MODEL
res <- spreg(PRICE ~ NROOM +AGE, data = baltimore, listw = mat,

```

```

het = TRUE, verbose = FALSE, model = "ivhac", Durbin = FALSE,
HAC = TRUE, distance = k10lw, type = "Triangular", endog = ~SQFT,
instruments = ~GAR + PATIO)

# SARAR MODEL
res <- spreg(PRICE ~ NROOM + AGE, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "sarar", Durbin = FALSE, q = 1)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE + SQFT + NBATH, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "sarar", Durbin = TRUE, q = 1)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE + SQFT + NBATH, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "sarar", Durbin = ~SQFT + NBATH, q = 2)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE + NBATH, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "sarar", Durbin = ~SQFT + NBATH)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "sarar", Durbin = ~SQFT + NBATH)
summary(res)

res <- spreg(PRICE ~ NROOM + AGE -1, data = baltimore, listw = mat,
het = TRUE, verbose = FALSE, model = "sarar", Durbin = ~SQFT + NBATH)
summary(res)

summary(res)

```

stslshac

Spatial two stages least square with HAC standard errors

Description

Non-parametric heteroskedasticity and autocorrelation consistent (HAC) estimator of the variance-covariance (VC) for a vector of sample moments within a spatial context. The disturbance vector is generated as follows:

$$u = R\epsilon$$

where R is a non-stochastic matrix.

Usage

```

stslshac(formula, data = list(), listw,
na.action = na.fail, zero.policy = NULL, HAC = TRUE,
distance = NULL, type = "Epanechnikov",
bandwidth = "variable", W2X = TRUE)

```

Arguments

formula	a description of the model to be fit
data	an object of class <code>data.frame</code> . An optional data frame containing the variables in the model.
listw	an object of class <code>listw</code> created for example by <code>nb2listw</code>
na.action	a function which indicates what should happen when the data contains missing values. See <code>lm</code> for details.
zero.policy	See <code>lagsarlm</code> for details
HAC	if FALSE traditional standard errors are provided.
distance	an object of class <code>distance</code> created for example by <code>read.gwt2dist</code> The object contains the specification of the distance measure to be employed in the estimation of the VC matrix. See Details.
type	One of <code>c("Epanechnikov", "Triangular", "Bisquare", "Parzen", "QS", "TH")</code> . The type of Kernel to be used. See Details.
bandwidth	"variable" (default) - or numeric when a fixed bandwidth is specified by the user.
W2X	default TRUE. if FALSE only WX are used as instruments in the spatial two stage least squares.

Details

The default sets the bandwidth for each observation to the maximum distance for that observation (i.e. the max of each element of the list of distances).

Six different kernel functions are implemented:

- 'Epanechnikov': $K(z) = 1 - z^2$
- 'Rectangular': $K(z) = 1$
- 'Triangular': $K(z) = 1 - z$
- 'Bisquare': $K(z) = (1 - z^2)^2$
- 'Parzen': $K(z) = 1 - 6z^2 + 6|z|^3$ if $z \leq 0.5$ and $K(z) = 2(1 - |z|)^3$ if $0.5 < z \leq 1$
- 'TH' (Tukey - Hanning): $K(z) = \frac{1 + \cos(\pi z)}{2}$
- 'QS' (Quadratic Spectral): $K(z) = \frac{25}{12\pi^2 z^2} \left(\frac{\sin(6\pi z/5)}{6\pi z/5} - \cos(6\pi z/5) \right)$.

If the kernel type is not one of the six implemented, the function will terminate with an error message. The spatial two stage least square estimator is based on the matrix of instruments $H = [X, WX, W^2X^2]$.

Value

A list object of class `sphet`

coefficients	Spatial two stage least squares coefficient estimates
vcmat	variance-covariance matrix of the estimated coefficients
s2	S2sls residulas variance

residuals	S2sls residuals
yhat	difference between residuals and response variable
call	the call used to create this object
model	the model matrix of data
type	the kernel employed in the estimation
bandwidth	the type of bandwidth
method	's2slshac'

Author(s)

Gianfranco Piras <gpiras@mac.com>

References

Kelejian, H.H. and Prucha, I.R. (2007) HAC estimation in a spatial framework, *Journal of Econometrics*, **140**, pages 131–154.

Kelejian, H.H. and Prucha, I.R. (1999) A Generalized Moments Estimator for the Autoregressive Parameter in a Spatial Model, *International Economic Review*, **40**, pages 509–533.

Kelejian, H.H. and Prucha, I.R. (1998) A Generalized Spatial Two Stage Least Square Procedure for Estimating a Spatial Autoregressive Model with Autoregressive Disturbances, *Journal of Real Estate Finance and Economics*, **17**, pages 99–121.

See Also

[gstslshet](#), [distance](#), [distance](#)

Examples

```
library(spdep)
data(columbus)
listw <- nb2listw(col.gal.nb)
data(coldis)
res <- stslshac(CRIME ~ HOVAL + INC, data = columbus, listw = listw,
distance = coldis, type = 'Triangular')
summary(res)
```

```
summary.sphet
```

```
print method for class sphet
```

Description

Method used to print objects of class 'summary.sphet' and 'sphet'

Usage

```
## S3 method for class 'sphet'
summary(object, width=getOption("width"), digits=getOption("digits"), obsinfo=FALSE,...)
```

Arguments

object	an object of class 'spnet'
width	controls the maximum number of columns on a line used in printing
digits	minimal number of significant digits, see <code>print.default</code>
obsinfo	for objects of class <code>distance</code> : if TRUE prints observation-wise information
...	additional arguments to be passed

Details

The summary function `summary.spnet` returns an objects of class 'spnet' organized in a coefficient matrix.

Author(s)

Gianfranco Piras <gpiras@mac.com>

See Also

[gstslshet](#), [stslshac](#)

Examples

```
library(spdep)
data(columbus)
listw <- nb2listw(col.gal.nb)
res <- spreg(CRIME~HOVAL + INC, data=columbus, listw=listw, model ="sarar")
summary(res)
```

utilities

Functions used by `gstslshet`.

Description

- `arg` and `arg1` are the objective functions of the non-linear estimators in the GMM procedure.
- `Omega` and `Omegabis` generates the variance-covariance matrices of the Original and Transformed models (See Arraiz et al., 2007 for details.)
- `Ggfastfast` calculates `G` and `g`.
- All other functions perform calculations to estimates various objects defined in Appendix B2 and B3 in Arraiz et al., 2007.

Author(s)

Gianfranco Piras <gpiras@mac.com>

Index

- * **models**
 - gstslshet, 6
 - spreg, 24
 - stslshac, 29
 - utilities, 32
- * **spatial**
 - circular, 3
 - distance, 4
 - kpjtest, 17
 - listw2dgCMatrix, 20
 - read.gwt2dist, 23
- arg (utilities), 32
- arg1 (utilities), 32
- circular, 3
- coldis, 4
- data.frame, 6, 18, 24, 30
- distance, 4, 23, 31
- fierror (utilities), 32
- fifour (utilities), 32
- fistslserror (utilities), 32
- fistslsfast (utilities), 32
- Ggfastfast (utilities), 32
- gstslshet, 6, 21, 22, 31, 32
- impacts (impacts.gstsls), 9
- impacts.error_sphet, 8
- impacts.gstsls, 9
- impacts.ols_sphet, 12
- impacts.stsls_sphet, 14
- knn10columbus (coldis), 4
- kpjtest, 17
- listw2dgCMatrix, 20, 25
- lm, 6, 18, 25, 30
- nlminb, 6, 25
- Omega (utilities), 32
- Omegabis (utilities), 32
- print.sphet, 21
- print.summary.sphet, 22
- read.gwt2dist, 18, 23, 25, 30
- spDists, 5
- sphet (sphet-package), 2
- sphet-package, 2
- spreg, 24
- stslshac, 8, 21, 22, 27, 29, 32
- summary.sphet, 31
- sumres (summary.sphet), 31
- tsls (stslshac), 29
- unique, 23
- utilities, 32