

Package ‘stylo’

October 23, 2016

Type Package

Title Functions for a Variety of Stylometric Analyses

Version 0.6.4

Date 2016-10-22

Author Maciej Eder, Jan Rybicki, Mike Kestemont

Maintainer Maciej Eder <maciejeder@gmail.com>

URL <https://sites.google.com/site/computationalstylistics/>

Depends R (>= 2.14)

Imports tcltk, tcltk2, ape, pamr, e1071, class, lattice, tsne

Suggests stringi

Description A number of functions, supplemented by GUI, to perform various analyses in the field of computational stylistics, authorship attribution, etc.

License GPL (>= 3)

NeedsCompilation no

Repository CRAN

Date/Publication 2016-10-23 13:15:20

R topics documented:

assign.plot.colors	2
classify	4
crossv	7
define.plot.area	9
delete.markup	10
delete.stop.words	11
dist.cosine	12
dist.delta	14
dist.simple	15
galbraith	16
gui.classify	17
gui.oppose	18

gui.stylo	19
lee	20
load.corpus	21
load.corpus.and.parse	22
make.frequency.list	24
make.ngrams	25
make.samples	27
make.table.of.frequencies	28
novels	30
oppose	31
parse.corpus	33
parse.pos.tags	35
perform.culling	36
perform.delta	37
perform.impostors	39
perform.knn	41
perform.naivebayes	42
perform.nsc	44
perform.svm	45
rolling.classify	47
rolling.delta	50
stylo	51
stylo.default.settings	54
stylo.pronouns	55
txt.to.features	56
txt.to.words	57
txt.to.words.ext	59
zeta.chisquare	60
zeta.craig	61
zeta.eder	62
Index	64

<code>assign.plot.colors</code>	<i>Assign colors to samples</i>
---------------------------------	---------------------------------

Description

Function that assigns unique colors to each class represented in a corpus: used for graph auto-coloring.

Usage

`assign.plot.colors(labels, col = "colors", opacity = 1)`

Arguments

labels	a vector containing the names of the samples in a corpus; it is obligatory to use an underscore as a class delimiter. Consider the following examples: c("Sterne_Tristram", "Sterne_Sentimental", "Fielding_Tom", ...), where the classes are the authors' names, and c("M_Joyce_Dubliners", "F_Woolf_Night_and_day", "M_Conrad_Lord_Jim", ...), where the classes are M(ale) and F(emale) according to authors' gender. Note that only the part up to the first underscore in the sample's name will be included in the class label.
col	an optional argument specifying the color palette to be used: "colors" for full-color output (default), "greyscale" for greyscale (useful for preparing publishable pictures), and "black", if no colors should be used.
opacity	optional argument to set transparency/opacity of the colors. 0 means full transparency, 1 means full opacity (default).

Details

Function for graph auto-coloring; depending on the user's choice it assigns either colors or greyscale tones to matching strings of characters which stand for class identifiers. These metadata will typically be encoded in the texts' filenames. (As class delimiter, the underscore character should be used). Alternatively, all labels can be plotted in black.

Value

The function returns a vector of colors, using their conventional names (e.g. red, maroon4, mediumturquoise, gold4, deepskyblue, ...), or numeric values if the greyscale option was chosen (e.g. #000000, #000000, #595959, #B2B2B2, ...).

Author(s)

Maciej Eder

Examples

```
# in this example, three discrete classes are specified,
# for Tacitus, Caesar, and Livius
sample.names = c("Tacitus_Annales", "Tacitus_Germania", "Tacitus_Histories",
                 "Caesar_Civil_wars", "Caesar_Gallic_wars",
                 "Livius_Ab_Urbe_Condita")
assign.plot.colors(sample.names)

# as above, but using greyscale:
assign.plot.colors(sample.names, col = "greyscale")
```

 classify

Machine-learning classification

Description

Function that performs a number of machine-learning methods for classification used in computational stylistics: Delta (Burrows, 2002), k-Nearest Neighbors, Support Vector Machines, Naive Bayes, and Nearest Shrunken Centroids (Jockers and Witten, 2010). Most of the options are derived from the `stylo` function.

Usage

```
classify(gui = TRUE, training.frequencies = NULL, test.frequencies = NULL,
         training.corpus = NULL, test.corpus = NULL, features = NULL,
         path = NULL, training.corpus.dir = "primary_set",
         test.corpus.dir = "secondary_set", ...)
```

Arguments

- | | |
|-----------------------------------|---|
| <code>gui</code> | an optional argument; if switched on, a simple yet effective graphical user interface (GUI) will appear. Default value is <code>TRUE</code> . |
| <code>training.frequencies</code> | using this optional argument, one can load a custom table containing frequencies/counts for several variables, e.g. most frequent words, across a number of text samples (for the training set). It can be either an R object (matrix or data frame), or a filename containing tab-delimited data. If you use an R object, make sure that the rows contain samples, and the columns – variables (words). If you use an external file, the variables should go vertically (i.e. in rows): this is because files containing vertically-oriented tables are far more flexible and easily editable using, say, Excel or any text editor. To flip your table horizontally/vertically use the generic function <code>t()</code> . |
| <code>test.frequencies</code> | using this optional argument, one can load a custom table containing frequencies/counts for the test set. Further details: immediately above. |
| <code>training.corpus</code> | another option is to pass a pre-processed corpus as an argument (here: the training set). It is assumed that this object is a list, each element of which is a vector containing one tokenized sample. The example shown below will give you some hints how to prepare such a corpus. Also, refer to <code>help(load.corpus.and.parse)</code> |
| <code>test.corpus</code> | if <code>training.corpus</code> is used, then you should also prepare a similar R object containing the test set. |
| <code>features</code> | usually, a number of the most frequent features (words, word n-grams, character n-grams) are extracted automatically from the corpus, and they are used as variables for further analysis. However, in some cases it makes sense to use a set of tailored features, e.g. the words that are associated with emotions or, say, |

	a specific subset of function words. This optional argument allows to pass either a filename containing your custom list of features, or a vector (R object) of features to be assessed.
<code>path</code>	if not specified, the current directory will be used for input/output procedures (reading files, outputting the results).
<code>training.corpus.dir</code>	the subdirectory (within the current working directory) that contains the training set, or the collection of texts used to exemplify the differences between particular classes (e.g. authors or genres). The discriminating features extracted from this training material will be used during the testing procedure (see below). If not specified, the default subdirectory <code>primary_set</code> will be used.
<code>test.corpus.dir</code>	the subdirectory (within the working directory) that contains the test set, or the collection of texts that are used to test the effectiveness of the discriminative features extracted from the training set. In the case of authorship attribution e.g., this set might contain works of non-disputed authorship, in order to check whether a classification procedure attribute the test texts to their correct author. This set contains 'new' or 'unseen' data (e.g. anonymous samples or samples of disputed authorship in the case of authorship studies). If not specified, the default subdirectory <code>secondary_set</code> will be used.
<code>...</code>	any variable as produced by <code>stylo.default.settings()</code> can be set here to overwrite the default values.

Details

There are numerous additional options that are passed to this function; so far, they are all loaded when `stylo.default.settings()` is executed (it will be invoked automatically from inside this function); the user can set/change them in the GUI.

Value

The function returns an object of the class `stylo.results`: a list of variables, including tables of word frequencies, vector of features used, a distance table and some more stuff. Additionally, depending on which options have been chosen, the function produces a number of files used to save the results, features assessed, generated tables of distances, etc.

Author(s)

Maciej Eder, Mike Kestemont, Jan Rybicki

References

- Eder, M. Kestemont, M. and Rybicki, J. (2013). Stylometry with R: a suite of tools. In: "Digital Humanities 2013: Conference Abstracts". University of Nebraska-Lincoln, Lincoln, NE, pp. 487-89.
- Burrows, J. F. (2002). "Delta": a measure of stylistic difference and a guide to likely authorship. "Literary and Linguistic Computing", 17(3): 267-87.

Jockers, M. L. and Witten, D. M. (2010). A comparative study of machine learning methods for authorship attribution. "Literary and Linguistic Computing", 25(2): 215-23.

Argamon, S. (2008). Interpreting Burrows's Delta: geometric and probabilistic foundations. "Literary and Linguistic Computing", 23(2): 131-47.

See Also

[stylo](#), [rolling.delta](#), [oppose](#)

Examples

```
## Not run:
# standard usage (it builds a corpus from a collection of text files):
classify()

# loading word frequencies from two tab-delimited files:
classify(training.frequencies = "table_with_training_frequencies.txt",
         test.frequencies = "table_with_test_frequencies.txt")

# using two existing sub-corpora (a list containing tokenized texts):
txt1 = c("now", "i", "am", "alone", "o", "what", "a", "slave", "am", "i")
txt2 = c("what", "do", "you", "read", "my", "lord")
setTRAIN = list(txt1, txt2)
names(setTRAIN) = c("hamlet_sample1", "polonius_sample1")
txt4 = c("to", "be", "or", "not", "to", "be")
txt5 = c("though", "this", "be", "madness", "yet", "there", "is", "method")
txt6 = c("the", "rest", "is", "silence")
setTEST = list(txt4, txt5, txt6)
names(setTEST) = c("hamlet_sample2", "polonius_sample2", "uncertain_1")
classify(training.corpus = setTRAIN, test.corpus = setTEST)

# using a custom set of features (words, n-grams) to be analyzed:
my.selection.of.function.words = c("the", "and", "of", "in", "if", "into",
                                   "within", "on", "upon", "since")
classify(features = my.selection.of.function.words)

# loading a custom set of features (words, n-grams) from a file:
classify(features = "wordlist.txt")

# batch mode, custom name of corpus directories:
my.test = classify(gui = FALSE, training.corpus.dir = "TrainingSet",
                  test.corpus.dir = "TestSet")
summary(my.test)

# batch mode, character 3-grams requested:
classify(gui = FALSE, analyzed.features = "c", ngram.size = 3)
```

```
## End(Not run)
```

crossv

Function to Perform Cross-Validation

Description

Function for performing a classification iteratively, while in each iteration the composition of the train set and the test set is re-shuffled. There are a few cross-validation flavors available; the current function supports (i) stratified cross-validation, which means that in N iterations, the train/test sets are assigned randomly, but the exact number of texts representing the original classes in the train set are kept unchanged; (ii) leave-one-out cross-validation, which moves one sample from the train set to the test set, performs a classification, and then repeats the same procedure until the available samples are exhausted.

Usage

```
crossv(training.set, test.set = NULL,
       cv.mode = "leaveoneout", cv.folds = 10,
       classes.training.set = NULL, classes.test.set = NULL,
       classification.method = "delta", ...)
```

Arguments

training.set	a table containing frequencies/counts for several variables – e.g. most frequent words – across a number of text samples (for the training set). Make sure that the rows contain samples, and the columns – variables (words, n-grams, or whatever needs to be analyzed).
test.set	a table containing frequencies/counts for the training set. The variables used (i.e. columns) must match the columns of the training set. If the leave-one-out cross-validation flavor was chosen, then the test set is not obligatory: it will be created automatically. If the test set is present, however, it will be used as a "new" dataset for predicting its classes. It might seem a bit misleading – new versions will distinguish more precisely the (i) train set, (ii) validation set and (iii) test set in the strict sense.
cv.mode	choose "leaveoneout" to perform leave-one-out cross-validation; choose "stratified" to perform random selection of train samples in N iterations (see the cv.folds parameter below) out of the all the available samples, provided that the very number of samples representing the classes in the original train set is kept in each iterations.
cv.folds	the number of train/test set swaps, or cross-validation folds. A standard solution in the exact sciences seems to be a 10-fold cross-validation. It has been shown, however (Eder and Rybicki 2013) that in text analysis setups, this might be not enough. This option is immaterial with leave-one-out cross-validation, since the number of folds is always as high as the number of train samples.

`classes.training.set`

a vector containing class identifiers for the training set. When missing, the row names of the training set table will be used; the assumed classes are the strings of characters followed by the first underscore. Consider the following examples: `c("Sterne_Tristram", "Sterne_Sentimental", "Fielding_Tom", ...)`, where the classes are the authors' names, and `c("M_Joyce_Dubliners", "F_Woolf_Night_and_day", "M_Conrad_Lord_Jim", ...)`, where the classes are M(ale) and F(emale) according to authors' gender. Note that only the part up to the first underscore in the sample's name will be included in the class label.

`classes.test.set`

a vector containing class identifiers for the test set. When missing, the row names of the test set table will be used (see above).

`classification.method`

the function invokes one of the classification methods provided by the package `stylo`. Choose one of the following: `"delta"`, `"svm"`, `"knn"`, `"nsc"`, `"naivebayes"`.

...

further parameters can be passed; they might be needed by particular classification methods. See `perform.delta`, `perform.svm`, `perform.nsc`, `perform.knn`, `perform.naivebayes` for further results.

Value

The function returns a vector of accuracy scores across specified cross-validation folds. The attributes of the vector contain a list of misattributed samples (attr `"misattributions"`) and a list of confusion matrices for particular cv folds (attr `"confusion_matrix"`).

Author(s)

Maciej Eder

See Also

[perform.delta](#), [perform.svm](#), [perform.nsc](#), [perform.knn](#), [perform.naivebayes](#)

Examples

```
## Not run:
crossv(training.set, test.set)

## End(Not run)

# classifying the standard 'iris' dataset:
data(iris)
x = subset(iris, select = -Species)
train = rbind(x[1:25,], x[51:75,], x[101:125,])
test = rbind(x[26:50,], x[76:100,], x[126:150,])
train.classes = c(rep("s",25), rep("c",25), rep("v",25))
test.classes = c(rep("s",25), rep("c",25), rep("v",25))

crossv(train, test, cv.mode = "stratified", cv.folds = 10,
       train.classes, test.classes)
```



```

# text categorization

# specify a table with frequencies:
data(galbraith)
freqs = galbraith

# specify class labels:
training.texts = c("coben_breaker", "coben_dropshot", "lewis_battle",
                  "lewis_caspian", "rowling_casual", "rowling_chamber",
                  "tolkien_lord1", "tolkien_lord2")
train.classes = match(training.texts, rownames(freqs))

# select the training samples:
training.set = freqs[train.classes,]

# select remaining rows as test samples:
test.set = freqs[-train.classes,]

crossv(training.set, test.set)

```

define.plot.area	<i>Define area for scatterplots</i>
------------------	-------------------------------------

Description

Function that determines the size of a scatterplot, taking into consideration additional margin to fit longer labels appearing on a graph (if applicable), optional margin defined by user, and some space to offset scatterplot labels from points (if applicable).

Usage

```
define.plot.area(x.coord, y.coord, xymargins = 2, v.offset = 0)
```

Arguments

x.coord	a vector of x coordinates, optionally with names.
y.coord	a vector of y coordinates.
xymargins	additional margins (expressed as a % of the actual plot area).
v.offset	label offset (expressed as a % of the actual plot area).

Details

Function that finds out the coordinates of scatterplots: it computes the extreme x and y values, adds margins, and optionally extends the top margin if a plot uses sample labels. Automatic margin extension will only take place if the x coordinates are supplemented by their names (i.e. labels of points to be shown on scatterplot).

Author(s)

Maciej Eder

See Also[assign.plot.colors, stylo](#)**Examples**

```
# to determine the plotting area for 4 points:
define.plot.area( c(1,2,3,4), c(-0.001,0.11,-0.023,0.09))

# to determine plot coordinates, taking into consideration
# the objects' names
my.points = cbind(c(1,2,3,4),c(-0.001,0.11,-0.023,0.09))
rownames(my.points) = c("first","second","third","very_long_fourth")
define.plot.area(my.points[,1], my.points[,2])
```

delete.markup

*Delete HTML or XML tags***Description**

Function for removing markup tags (e.g. HTML, XML) from a string of characters. All XML markup is assumed to be compliant with the TEI guidelines (<http://www.tei-c.org/>).

Usage

```
delete.markup(input.text, markup.type = "plain")
```

Arguments

input.text	any string of characters (e.g. vector) containing markup tags that have to be deleted.
markup.type	any of the following values: plain (nothing will happen), html (all <tags> will be deleted as well as HTML header), xml (TEI header, all strings between <note> </note> tags, and all the tags will be deleted), xml.drama (as above; but, additionally, speaker's names will be deleted, or strings within each the <speaker> </speaker> tags), xml.notitles (as above; but, additionally, all the chapter/section (sub)titles will be deleted, or strings within each the <head> </head> tags).

Details

This function needs to be used carefully: while a document formatted in compliance with the TEI guidelines will be parsed flawlessly, the cleaning up of an HTML page harvested randomly on the web might cause some side effects, e.g. the footers, disclaimers, etc. will not be removed.

Author(s)

Maciej Eder, Mike Kestemont

See Also

[load.corpus](#), [txt.to.words](#), [txt.to.words.ext](#), [txt.to.features](#)

Examples

```
delete.markup("Gallia est omnis <i>divisa</i> in partes tres",
              markup.type = "html")

delete.markup("Gallia<note>Gallia: Gaul.</note> est omnis
              <emph>divisa</emph> in partes tres", markup.type = "xml")

delete.markup("<speaker>Hamlet</speaker>Words, words, words...",
              markup.type = "xml.drama")
```

delete.stop.words	<i>Exclude stop words (e.g. pronouns, particles, etc.) from a dataset</i>
-------------------	---

Description

Function for removing custom words from a dataset: it can be the so-called stop words (frequent words without much meaning), or personal pronouns, or other custom elements of a dataset. It can be used to cull certain words from a vector containing tokenized text (particular words as elements of the vector), or to exclude unwanted columns (variables) from a table with frequencies. See examples below.

Usage

```
delete.stop.words(input.data, stop.words = NULL)
```

Arguments

input.data	either a vector containing words (actually, any countable features), or a data matrix/frame. The former in case of culling stop words from running text, the latter for culling them from tables of frequencies (then particular columns are excluded). The table should be oriented to contain samples in rows, variables in columns, and variables' names should be accessible via <code>colnames(input.table)</code> .
stop.words	a vector of words to be excluded.

Details

This function might be usefull to perform culling, or automatic deletion of the words that are too characteristic for particular texts. See `help(culling)` for further details.

Author(s)

Maciej Eder

See Also[stylo.pronouns](#), [perform.culling](#)**Examples**

```
# (i) excluding stop words from a vector
my.text = c("omnis", "homines", "qui", "sese", "student", "praestare",
            "ceteris", "animalibus", "summa", "ope", "niti", "decet", "ne",
            "vitam", "silentio", "transeant", "veluti", "pecora", "quae",
            "natura", "prona", "atque", "ventri", "oboedientia", "finxit")
delete.stop.words(my.text, stop.words = c("qui", "quae", "ne", "atque"))

# (ii) excluding stop words from tabular data
#
# assume there is a matrix containing some frequencies
# (be aware that these counts are fictional):
t1 = c(2, 1, 0, 8, 9, 5, 6, 3, 4, 7)
t2 = c(7, 0, 5, 9, 1, 8, 6, 4, 2, 3)
t3 = c(5, 9, 2, 1, 6, 7, 8, 0, 3, 4)
t4 = c(2, 8, 6, 3, 0, 5, 9, 4, 7, 1)
my.data.table = rbind(t1, t2, t3, t4)

# names of the samples:
rownames(my.data.table) = c("text1", "text2", "text3", "text4")
# names of the variables (e.g. words):
colnames(my.data.table) = c("the", "of", "in", "she", "me", "you",
                           "them", "if", "they", "he")

# the table looks as follows
print(my.data.table)

# now, one might want to get rid of the words "the", "of", "if":
delete.stop.words(my.data.table, stop.words = c("the", "of", "if"))

# also, some pre-defined lists of pronouns can be applied:
delete.stop.words(my.data.table,
                  stop.words = stylo.pronouns(language = "English"))
```

Description

Function for computing a cosine similarity of a matrix of values, e.g. a table of word frequencies. Recent findings (Jannidis et al. 2015) show that this distance outperforms other nearest neighbor approaches in the domain of authorship attribution.

Usage

```
dist.cosine(x)
```

Arguments

x a matrix or data table containing at least 2 rows and 2 cols, the samples (texts) to be compared in rows, the variables in columns.

Value

The function returns an object of the class `dist`, containing distances between each pair of samples. To convert it to a square matrix instead, use the generic function `as.dist`.

Author(s)

Maciej Eder

References

Jannidis, F., Pielstrom, S., Schoch, Ch. and Vitt, Th. (2015). Improving Burrows' Delta: An empirical evaluation of text distance measures. In: "Digital Humanities 2015: Conference Abstracts" <http://dh2015.org/abstracts>.

See Also

`stylo`, `classify`, `dist`, `as.dist`

Examples

```
# first, preparing a table of word frequencies
Iuvenalis_1 = c(3.939, 0.635, 1.143, 0.762, 0.423)
Iuvenalis_2 = c(3.733, 0.822, 1.066, 0.933, 0.511)
Tibullus_1  = c(2.835, 1.302, 0.804, 0.862, 0.881)
Tibullus_2  = c(2.911, 0.436, 0.400, 0.946, 0.618)
Tibullus_3  = c(1.893, 1.082, 0.991, 0.879, 1.487)
dataset = rbind(Iuvenalis_1, Iuvenalis_2, Tibullus_1, Tibullus_2,
                Tibullus_3)
colnames(dataset) = c("et", "non", "in", "est", "nec")

# the table of frequencies looks as follows
print(dataset)

# then, applying a distance, in two flavors
dist.cosine(dataset)
as.matrix(dist.cosine(dataset))
```

dist.delta	<i>Delta Distance</i>
------------	-----------------------

Description

Function for computing Delta similarity measure of a matrix of values, e.g. a table of word frequencies. Apart from the Classic Delta, two other flavors of the measure are supported: Argamon's Delta and Eder's Delta. There are also non-Delta distant measures available: see e.g. [dist.cosine](#) and [dist.simple](#).

Usage

```
dist.delta(x, scale = TRUE)
```

```
dist.argamon(x, scale = TRUE)
```

```
dist.eder(x, scale = TRUE)
```

Arguments

x	a matrix or data table containing at least 2 rows and 2 cols, the samples (texts) to be compared in rows, the variables in columns.
scale	the Delta measure relies on scaled frequencies – if you have your matrix scaled already (i.e. converted to z-scores), switch this option off. Default: TRUE.

Value

The function returns an object of the class `dist`, containing distances between each pair of samples. To convert it to a square matrix instead, use the generic function `as.dist`.

Author(s)

Maciej Eder

References

Argamon, S. (2008). Interpreting Burrows's Delta: geometric and probabilistic foundations. "Literary and Linguistic Computing", 23(2): 131-47.

Burrows, J. F. (2002). "Delta": a measure of stylistic difference and a guide to likely authorship. "Literary and Linguistic Computing", 17(3): 267-87.

Eder, M. (2015). Taking stylometry to the limits: benchmark study on 5,281 texts from Patrologia Latina. In: "Digital Humanities 2015: Conference Abstracts" <http://dh2015.org/abstracts>.

Jannidis, F., Pielstrom, S., Schoch, Ch. and Vitt, Th. (2015). Improving Burrows' Delta: An empirical evaluation of text distance measures. In: "Digital Humanities 2015: Conference Abstracts" <http://dh2015.org/abstracts>.

See Also

[stylo](#), [classify](#), [dist.cosine](#), [as.dist](#)

Examples

```
# first, preparing a table of word frequencies
Iuvenalis_1 = c(3.939, 0.635, 1.143, 0.762, 0.423)
Iuvenalis_2 = c(3.733, 0.822, 1.066, 0.933, 0.511)
Tibullus_1  = c(2.835, 1.302, 0.804, 0.862, 0.881)
Tibullus_2  = c(2.911, 0.436, 0.400, 0.946, 0.618)
Tibullus_3  = c(1.893, 1.082, 0.991, 0.879, 1.487)
dataset = rbind(Iuvenalis_1, Iuvenalis_2, Tibullus_1, Tibullus_2,
                Tibullus_3)
colnames(dataset) = c("et", "non", "in", "est", "nec")

# the table of frequencies looks as follows
print(dataset)

# then, applying a distance
dist.delta(dataset)
dist.argamon(dataset)
dist.eder(dataset)

# converting to a regular matrix
as.matrix(dist.delta(dataset))
```

dist.simple

Cosine Distance

Description

Function for computing Eder's Simple distance of a matrix of values, e.g. a table of word frequencies. This is done by normalizing the input dataset by a square root function, and then applying Manhattan distance.

Usage

```
dist.simple(x)
```

Arguments

x a matrix or data table containing at least 2 rows and 2 cols, the samples (texts) to be compared in rows, the variables in columns.

Value

The function returns an object of the class `dist`, containing distances between each pair of samples. To convert it to a square matrix instead, use the generic function `as.dist`.

Author(s)

Maciej Eder

See Also[stylo](#), [classify](#), [dist.delta](#), [as.dist](#)**Examples**

```
# first, preparing a table of word frequencies
Iuvenalis_1 = c(3.939, 0.635, 1.143, 0.762, 0.423)
Iuvenalis_2 = c(3.733, 0.822, 1.066, 0.933, 0.511)
Tibullus_1  = c(2.835, 1.302, 0.804, 0.862, 0.881)
Tibullus_2  = c(2.911, 0.436, 0.400, 0.946, 0.618)
Tibullus_3  = c(1.893, 1.082, 0.991, 0.879, 1.487)
dataset = rbind(Iuvenalis_1, Iuvenalis_2, Tibullus_1, Tibullus_2,
                Tibullus_3)
colnames(dataset) = c("et", "non", "in", "est", "nec")

# the table of frequencies looks as follows
print(dataset)

# then, applying a distance, in two flavors
dist.simple(dataset)
as.matrix(dist.simple(dataset))
```

galbraith

Table of word frequencies (Galbraith, Rowling, Cobenm, Tolkien, Lewis)

Description

This dataset contains a table (matrix) of relative frequencies of 3000 most frequent words retrieved from 26 books by 5 authors, including the novel "Cuckoo's Calling" by a mysterious Robert Galbraith that turned out to be J.K. Rowling. The remaining authors are as follows: Harlan Coben ("Deal Breaker", "Drop Shot", "Fade Away", "One False Move", "Gone for Good", "No Second Chance", "Tell No One"), C.S. Lewis ("The Last Battle", "Prince Caspian: The Return to Narnia", "The Silver Chair", "The Horse and His Boy", "The Lion, the Witch and the Wardrobe", "The Magician's Nephew", "The Voyage of the Dawn Treader"), J.K. Rowling ("The Casual Vacancy", "Harry Potter and the Chamber of Secrets", "Harry Potter and the Goblet of Fire", "Harry Potter and the Deathly Hallows", "Harry Potter and the Order of the Phoenix", "Harry Potter and the Half-Blood Prince", "Harry Potter and the Prisoner of Azkaban", "Harry Potter and the Philosopher's Stone"), and J.R.R. Tolkien ("The Fellowship of the Ring", "The Two Towers", "The Return of the King").

Usage

```
data("galbraith")
```


Details

The word frequencies are represented as a two-dimensional table: variables (words) in columns, samples (novels) in rows. The frequencies are relative, i.e. the number of occurrences of particular word type was divided by the total number of tokens in a given text.

Source

The novels represented by this dataset are protected by copyright. For that reason, it was not possible to provide the actual texts. Instead, the frequencies of the most frequent words are obtained – and those can be freely distributed.

Examples

```
data(galbraith)

rownames(galbraith)

stylo(frequencies=galbraith, gui=FALSE)
```

gui.classify

GUI for the function classify

Description

Graphical user interface for classify. Via the GUI, this function can set most of the variables needed for classify.

Usage

```
gui.classify(...)
```

Arguments

... any variable as produced by stylo.default.settings can be set here to overwrite the default values.

Details

The function calls stylo.default.settings to initialize a number of default variables. Then it reads the file classify_config.txt (if the file exists and can be found in the current directory) to overwrite any default values. Then a GUI box appears, allowing the variables' customization by the user. Refer to HOWTO available at <https://sites.google.com/site/computationalstylistics/> for a detailed explanation what the particular variables are for and how to use them.

Value

The function returns a list containing ca. 100 variables.

Author(s)

Jan Rybicki, Maciej Eder

See Also

`classify`, `gui.stylo`

Examples

```
## Not run:
gui.classify()

my.variables = gui.classify()
summary(my.variables)

## End(Not run)
```

`gui.oppose`

GUI for the function oppose

Description

Graphical user interface for oppose. This function sets most of the variables needed for oppose.

Usage

```
gui.oppose(...)
```

Arguments

... any variable as produced by `stylo.default.settings` can be set here to overwrite the default values.

Details

The function calls `stylo.default.settings` to initialize a number of default variables. Then it reads the file `oppose_config.txt` (if the file exists and can be found in the current directory) to overwrite any default values. Then a GUI box appears, allowing the variables' customization by the user. Refer to HOWTO available at <https://sites.google.com/site/computationalstylistics/> for a detailed explanation what the particular variables are for and how to use them.

Value

The function returns a list containing ca. 100 variables.

Author(s)

Jan Rybicki, Maciej Eder

See Also

[oppose](#), [stylo.default.settings](#)

Examples

```
## Not run:  
gui.oppose()  
  
my.variables = gui.oppose()  
summary(my.variables)  
  
## End(Not run)
```

gui.stylo

GUI for stylo

Description

Graphical user interface for the function `stylo`. This function sets most of the variables needed for `stylo`.

Usage

```
gui.stylo(...)
```

Arguments

... any variable as produced by `stylo.default.settings` can be set here to overwrite the default values.

Details

The function calls `stylo.default.settings` to initialize a number of default variables. Then it reads the file `stylo_config.txt` (if the file exists and can be found in the current directory) to overwrite any default values. Then a GUI box appears, allowing the variables' customization by the user. Refer to HOWTO available at <https://sites.google.com/site/computationalstylistics/> for a detailed explanation what the particular variables are for and how to use them.

Value

The function returns a list containing ca. 100 variables.

Author(s)

Jan Rybicki, Maciej Eder

See Also

[stylo](#), [stylo.default.settings](#)

Examples

```
## Not run:
gui.stylo()

my.variables = gui.stylo()
summary(my.variables)

## End(Not run)
```

lee

Table of word frequencies (Lee, Capote, Faulkner, Styron, etc.)

Description

This dataset contains a table (matrix) of relative frequencies of 3000 most frequent words retrieved from 28 books by 8 authors, including both novels by Harper Lee, namely "To Kill a Mockingbird" and "Go Set a Watchman". The remaining authors are as follows: Truman Capote ("In Cold Blood", "Breakfast at Tiffany's", "Summer Crossing", "The Grass Harp", "Other Voices, Other Rooms"), William Faulkner ("Absalom, Absalom!", "As I Lay Dying", "Light in August", "Go down, Moses", "The Sound and the Fury"), Ellen Glasgow ("Phases of an Inferior Planet", "Vein of Iron", "Virginia"), Carson McCullers ("The Heart is a Lonely Hunter", "The Member of the Wedding", "Reflections in a Golden Eye"), Flannery O'Connor ("Everything That Rises Must Converge", "The Compete Stories", "Wise Blood"), William Styron ("Sophie's Choice", "Set This House on Fire", "The Confessions of Nat Turner"), Eudora Welty ("Delta Wedding", "Losing Battles", "The Optimist's Daughter").

Usage

```
data("lee")
```

Details

The word frequencies are represented as a two-dimensional table: variables (words) in columns, samples (novels) in rows. The frequencies are relative, i.e. the number of occurrences of particular word type was divided by the total number of tokens in a given text.

Source

The novels represented by this dataset are protected by copyright. For that reason, it was not possible to provide the actual texts. Instead, the frequencies of the most frequent words are obtained – and those can be freely distributed.

Examples

```
data(lee)

rownames(lee)

stylo(frequencies=lee, gui=FALSE)
```

load.corpus	<i>Load text files</i>
-------------	------------------------

Description

Function for loading text files from a specified directory.

Usage

```
load.corpus(files = "all", corpus.dir = "", encoding = "native.enc")
```

Arguments

files	a vector of file names. The default value all is an equivalent to <code>list.files()</code> .
corpus.dir	a directory containing the text files to be loaded; if not specified, the current working directory will be used.
encoding	useful if you use Windows and non-ASCII alphabets: French, Polish, Hebrew, etc. In such a situation, it is quite convenient to convert your text files into Unicode and to set this option to <code>encoding = "UTF-8"</code> . In Linux and Mac, you are always expected to use Unicode, thus you don't need to set anything.

Value

The function returns an object of the class `stylo.corpus`. It is a list containing as elements the texts loaded.

Author(s)

Maciej Eder

See Also

[stylo](#), [classify](#), [rolling.delta](#), [oppose](#), [txt.to.words](#)

Examples

```
## Not run:
# to load file1.txt and file2.txt, stored in the subdirectory my.files:
my.corpus = load.corpus(corpus.dir = "my.files",
                        files = c("file1.txt", "file2.txt") )

# to load all XML files from the current directory:
my.corpus = load.corpus(files = list.files(pattern="[.]xml$") )

## End(Not run)
```

load.corpus.and.parse *Load text files and perform pre-processing*

Description

A high-level function that controls a number of other functions responsible for loading texts from files, deleting markup, sampling from texts, converting samples to n-grams, etc. It is build on top of a number of functions and thus it requires a large number of arguments. The only obligatory argument, however, is a vector containing the names of the files to be loaded.

Usage

```
load.corpus.and.parse(files = "all", corpus.dir = "", markup.type = "plain",
                      language = "English", splitting.rule = NULL,
                      sample.size = 10000, sampling = "no.sampling",
                      sample.overlap = 0, number.of.samples = 1,
                      sampling.with.replacement = FALSE, features = "w",
                      ngram.size = 1, preserve.case = FALSE,
                      encoding = "native.enc")
```

Arguments

files	a vector of file names. The default value all is an equivalent to list.files().
corpus.dir	the directory containing the text files to be loaded; if not specified, the current directory will be used.
markup.type	choose one of the following values: plain (nothing will happen), html (all tags will be deleted as well as HTML header), xml (TEI header, any text between <note> </note> tags, and all the tags will be deleted), xml.drama (as above; additionally, speaker's names will be deleted, or strings within the <speaker> </speaker> tags), xml.notitles (as above; but, additionally, all the chapter/section (sub)titles will be deleted, or strings within each the <head> </head> tags); see delete.markup for further details.
language	an optional argument indicating the language of the texts analyzed; the values that will affect the function's behavior are: English.contr, English.all, Latin.corr (type help(txt.to.words.ext) for explanation). The default value is English.
splitting.rule	if you are not satisfied with the default language settings (or your input string of characters is not a regular text, but a sequence of, say, dance movements represented using symbolic signs), you can indicate your custom splitting regular expression here. This option will overwrite the above language settings. For further details, refer to help(txt.to.words).
sample.size	desired size of samples, expressed in number of words; default value is 10,000.
sampling	one of three values: no.sampling (default), normal.sampling, random.sampling. See make.samples for explanation.

sample.overlap	if this option is used, a reference text is segmented into consecutive, equal-sized samples that are allowed to partially overlap. If one specifies the sample.size parameter of 5,000 and the sample.overlap of 1,000, for example, the first sample of a text contains words 1–5,000, the second 4001–9,000, the third sample 8001–13,000, and so forth.
number.of.samples	optional argument which will be used only if random.sampling was chosen; it is self-evident.
sampling.with.replacement	optional argument which will be used only if random.sampling was chosen; it specifies the method used to randomly harvest words from texts.
features	an option for specifying the desired type of features: w for words, c for characters (default: w). See txt.to.features for further details.
ngram.size	an optional argument (integer) specifying the value of <i>n</i> , or the size of n-grams to be produced. If this argument is missing, the default value of 1 is used. See txt.to.features for further details.
preserve.case	whether or not to lowercase all characters in the corpus (default = F).
encoding	useful if you use Windows and non-ASCII alphabets: French, Polish, Hebrew, etc. In such a situation, it is quite convenient to convert your text files into Unicode and to set this option to encoding = "UTF-8". In Linux and Mac, you are always expected to use Unicode, thus you don't need to set anything.

Value

The function returns an object of the class `stylo.corpus`. It is a list containing as elements the samples (entire texts or sampled subsets) split into words/characters and combined into n-grams (if applicable).

Author(s)

Maciej Eder

See Also

[load.corpus](#), [delete.markup](#), [txt.to.words](#), [txt.to.words.ext](#), [txt.to.features](#), [make.samples](#)

Examples

```
## Not run:
# to load file1.txt and file2.txt, stored in the subdirectory my.files:
my.corpus = load.corpus.and.parse(files = c("file1.txt", "file2.txt"),
                                corpus.dir = "my.files")

# to load all XML files from the current directory, while getting rid of
# all markup tags in the file, and split the texts into consecutive
# word pairs (2-grams):
my.corpus = load.corpus.and.parse(files = list.files(pattern = "[.]xml$"),
                                markup.type = "xml", ngram.size = 2)

## End(Not run)
```

make.frequency.list *Make List of the Most Frequent Elements (e.g. Words)*

Description

Function for generating a frequency list of words or other (linguistic) features. It basically counts the elements of a vector and returns a vector of these elements in descending order of frequency.

Usage

```
make.frequency.list(data, value = FALSE, head = NULL, relative = TRUE)
```

Arguments

data	either a vector of elements (e.g. words, letter n-grams), or an object of a class <code>stylo.corpus</code> as produced by the function <code>load.corpus.and.parse</code> .
value	if this function is switched on, not only the most frequent elements are returned, but also their frequencies. Default: <code>FALSE</code> .
head	this option is meant to limit the number of the most frequent features to be returned. Default value is <code>NULL</code> , which means that the entire range of frequent and unfrequent features is returned.
relative	if you've switched on the option <code>value</code> (see above), you might want to convert your frequencies into relative frequencies, i.e. the counted occurrences divided by the length of the input vector – in a vast majority of cases you should use it, in order to neutralize different sample sizes. Default: <code>TRUE</code> .

Value

The function returns a vector of features (usually, words) in a descending order of their frequency. Alternatively, when the option `value` is set `TRUE`, it returns a vector of frequencies instead, and the features themselves might be accessed using the generic `names` function.

Author(s)

Maciej Eder

See Also

[load.corpus.and.parse](#), [make.table.of.frequencies](#)

Examples

```
# assume there is a text:
text = "Mr. Sherlock Holmes, who was usually very late in the mornings,
       save upon those not infrequent occasions when he was up all night,
       was seated at the breakfast table. I stood upon the hearth-rug and
       picked up the stick which our visitor had left behind him the night
```



```

        before. It was a fine, thick piece of wood, bulbous-headed, of the
        sort which is known as a \"Penang lawyer.\"\"

# this text can be converted into vector of words:
words = txt.to.words(text)

# an avanced tokenizer is available via the function 'txt.to.words.ext':
words2 = txt.to.words.ext(text, language = \"English.all\")

# a frequency list (just words):
make.frequency.list(words)
make.frequency.list(words2)

# a frequency list with the numeric values
make.frequency.list(words2, value = TRUE)

## Not run:
# #####
# using the function with large text collections

# first, load and pre-process a corpus from 3 text files:
dataset = load.corpus.and.parse(files = c(\"1.txt\", \"2.txt\", \"3.txt\"))
#
# then, return 100 the most frequent words of the entire corpus:
make.frequency.list(dataset, head = 100)

## End(Not run)

```

make.ngrams

Make text n-grams

Description

Function that combines a vector of text units (words, characters, POS-tags, other features) into pairs, triplets, or longer sequences, commonly referred to as n-grams.

Usage

```
make.ngrams(input.text, ngram.size = 1)
```

Arguments

input.text	a vector containing words or characters to be parsed into n-grams.
ngram.size	an optional argument (integer) indicating the value of n , or the size of n-grams to be produced. If this argument is missing, default value of 1 is used.

Details

Function for combining series of items (e.g. words or characters) into n-grams, or strings of n elements. E.g. character 2-grams of the sentence "This is a sentence" are as follows: "th", "hi", "is", "s ", " i", "is", "s ", " a", "a ", " s", "se", "en", "nt", "te", "en", "nc", "ce". Character 4-grams would be, of course: "this", "his ", "is a", "s a ", " a s", etc. Word 2-grams: "this is", "is a", "a sentence". The issue whether using n-grams of items increases the accuracy of stylometric procedures has been heavily debated in the secondary literature (see the reference section for further reading). Eder (2013) e.g. shows that character n-grams are suprisingly robust for dealing with noisy corpora (in terms of a high number of misspelled characters).

Author(s)

Maciej Eder

References

- Alexis, A., Craig, H., and Elliot, J. (2014). Language chunking, data sparseness, and the value of a long marker list: explorations with word n-grams and authorial attribution. "Literary and Linguistic Computing", 29, advanced access (doi: 10.1093/lilc/fqt028).
- Eder, M. (2011). Style-markers in authorship attribution: a cross-language study of the authorial fingerprint. "Studies in Polish Linguistics", 6: 99-114. <http://www.wuj.pl/page,art,artid,1923.html>.
- Eder, M. (2013). Mind your corpus: systematic errors in authorship attribution. "Literary and Linguistic Computing", 28(4): 603-14.
- Hoover, D. L. (2002). Frequent word sequences and statistical stylistics. "Literary and Linguistic Computing", 17: 157-80.
- Hoover, D. L. (2003). Frequent collocations and authorial style. "Literary and Linguistic Computing", 18: 261-86.
- Hoover, D. L. (2012). The rarer they are, the more they are, the less they matter. In: Digital Humanities 2012: Conference Abstracts, Hamburg University, Hamburg, pp. 218-21.
- Koppel, M., Schler, J. and Argamon, S. (2009). Computational methods in authorship attribution. "Journal of the American Society for Information Science and Technology", 60(1): 9-26.
- Stamatatos, E. (2009). A survey of modern authorship attribution methods. "Journal of the American Society for Information Science and Technology", 60(3): 538-56.

See Also

[txt.to.words](#), [txt.to.words.ext](#), [txt.to.features](#)

Examples

```
# Consider the string my.text:
my.text = "Quousque tandem abutere, Catilina, patientia nostra?"
# which can be split into a vector of consecutive words:
my.vector.of.words = txt.to.words(my.text)
# now, we create a vector of word 2-grams:
make.ngrams(my.vector.of.words, ngram.size = 2)
```

```
# similarly, you can produce character n-grams:
my.vector.of.chars = txt.to.features(my.vector.of.words, features = "c")
make.ngrams(my.vector.of.chars, ngram.size = 4)
```

make.samples

Split text to samples

Description

Function that either splits an input text (a vector of linguistic items, such as words, word n-grams, character n-grams, etc.) into equal-sized samples of a desired length (expressed in words), or excerpts randomly a number of words from the original text.

Usage

```
make.samples(tokenized.text, sample.size = 10000,
             sampling = "no.sampling", sample.overlap = 0,
             number.of.samples = 1, sampling.with.replacement = FALSE)
```

Arguments

tokenized.text	input textual data stored either in a form of vector (single text), or as a list of vectors (whole corpus); particular vectors should contain tokenized data, i.e. words, word n-grams, or other features, as elements.
sample.size	desired size of sample expressed in number of words; default value is 10,000.
sampling	one of three values: no.sampling (default), normal.sampling, random.sampling.
sample.overlap	if this option is used, a reference text is segmented into consecutive, equal-sized samples that are allowed to partially overlap. If one specifies the sample.size parameter of 5,000 and the sample.overlap of 1,000, for example, the first sample of a text contains words 1–5,000, the second 4001–9,000, the third sample 8001–13,000, and so forth.
number.of.samples	optional argument which will be used only if random.sampling was chosen; it is self-evident.
sampling.with.replacement	optional argument which will be used only if random.sampling was chosen; it specifies the method to randomly harvest words from texts.

Details

Normal sampling is probably a good choice when the input texts are long: the advantage is that one gets a bigger number of samples which, in a way, validate the results (when several independent samples excerpted from one text are clustered together). When the analyzed texts are significantly unequal in length, it is not a bad idea to prepare samples as randomly chosen "bags of words". For this, set the sampling variable to random.sampling. The desired size of the sample should be

specified via the `sample.size` variable. Sampling with and without replacement is also available. It has been shown by Eder (2010) that harvesting random samples from original texts improves the performance of authorship attribution methods.

Author(s)

Mike Kestemont, Maciej Eder

References

Eder, M. (2014). Does size matter? Authorship attribution, short samples, big problem. "Literary and Linguistic Computing", 29, advanced access (doi:10.1093/llc/fqt066).

See Also

[txt.to.words](#), [txt.to.words.ext](#), [txt.to.features](#), [make.ngrams](#)

Examples

```
my.text = "Arma virumque cano, Troiae qui primus ab oris
          Italiam fato profugus Laviniaque venit
          litora, multum ille et terris iactatus et alto
          vi superum, saevae memorem Iunonis ob iram,
          multa quoque et bello passus, dum conderet urbem
          inferretque deos Latio; genus unde Latinum
          Albanique patres atque altae moenia Romae.
          Musa, mihi causas memora, quo numine laeso
          quidve dolens regina deum tot volvere casus
          insignem pietate virum, tot adire labores
          impulerit. tantaene animis caelestibus irae?"
my.words = txt.to.words(my.text)

# split the above text into samples of 20 words:
make.samples(my.words, sampling = "normal.sampling", sample.size = 20)

# excerpt randomly 50 words from the above text:
make.samples(my.words, sampling = "random.sampling", sample.size = 50)

# excerpt 5 random samples from the above text:
make.samples(my.words, sampling = "random.sampling", sample.size = 50,
             number.of.samples = 5)
```

make.table.of.frequencies

Prepare a table of (relative) word frequencies

Description

Function that collects several frequency lists and combines them into a single frequency table. To this end a number of rearrangements inside particular lists are carried out. The table is produced using a reference list of words/features (passed as an argument).

Usage

```
make.table.of.frequencies(corpus, features, absent.sensitive = TRUE,  
                          relative = TRUE)
```

Arguments

corpus	textual data: either a corpus (represented as a list), or a single text (represented as a vector); the data have to be split into words (or other features, such as character n-grams or word pairs).
features	a vector containing a reference feature list that will be used to build the table of frequencies (it is assumed that the reference list contains the same type of features as the corpus list, e.g. words, character n-grams, word pairs, etc.; otherwise, an empty table will be build).
absent.sensitive	this optional argument is used to prevent building tables of words/features that never occur in the corpus. When switched on (default), variables containing 0 values across all samples, will be excluded. However, in some cases this is important to keep all the variables regardless of their values. This is e.g. the case when comparing two corpora: even if a given word did not occur in corpus A, it might be present in corpus B. In short: whenever you perform any analysis involving two or multiple sets of texts, switch this option to FALSE.
relative	when this argument is switched to TRUE (default), relative frequencies are computed instead of raw frequencies.

Author(s)

Maciej Eder

See Also

[load.corpus](#), [load.corpus.and.parse](#)

Examples

```
# to get frequencies of the words "a", "the" and "of" from a text:  
  
sample.txt = txt.to.words("My father had a small estate  
                           in Nottinghamshire: I was the third of five sons.")  
make.table.of.frequencies(sample.txt, c("a", "the", "of"))  
  
  
# to get a table of frequencies across several texts:
```

```

txt.1 = "Gallia est omnis divisa in partes tres, quarum unam incolunt
        Belgae, aliam Aquitani, tertiam qui ipsorum lingua Celtae, nostra
        Galli appellantur."
txt.2 = "Si quis antea, iudices, mirabatur quid esset quod, pro tantis
        opibus rei publicae tantaque dignitate imperi, nequaquam satis multi
        cives forti et magno animo invenirentur qui auderent se et salutem
        suam in discrimen offerre pro statu civitatis et pro communi
        libertate, ex hoc tempore miretur potius si quem bonum et fortem
        civem viderit, quam si quem aut timidum aut sibi potius quam rei
        publicae consulentem."
txt.3 = "Nam mores et instituta vitae resque domesticas ac familiaris
        nos profecto et melius tuemur et lautius, rem vero publicam nostri
        maiores certe melioribus temperaverunt et institutis et legibus."
my.corpus.raw = list(txt.1, txt.2, txt.3)
my.corpus.clean = lapply(my.corpus.raw, txt.to.words)
my.favorite.words = c("et", "in", "se", "rara", "avis")
make.table.of.frequencies(my.corpus.clean, my.favorite.words)

# to include all words in the reference list, no matter if they
# occurred in the corpus:
make.table.of.frequencies(my.corpus.clean, my.favorite.words,
                          absent.sensitive=FALSE)

# to prepare a table of frequencies of all the words represented in
# a corpus, in descendent occurrence order, one needs to make the frequency
# list first, via the function 'make.frequency.list'
complete.word.list = make.frequency.list(my.corpus.clean)
make.table.of.frequencies(my.corpus.clean, complete.word.list)

# to create a table of frequencies of word pairs (word 2-grams):
my.word.pairs = lapply(my.corpus.clean, txt.to.features, ngram.size=2)
make.table.of.frequencies(my.word.pairs, c("et legibus", "hoc tempore"))

```

novels

A selection of 19th-century English novels

Description

This dataset contains a selection of 9 novels in English, written by Jane Austen ("Emma", "Pride and Prejudice", "Sense and Sensibility"), Anne Bronte ("Agnes Grey", "The Tenant of Wildfell Hall"), Charlotte Bronte ("Jane Eyre", "The Professor", "Villette"), and Emily Bronte ("Wuthering Heights").

Usage

```
data("novels")
```

Details

The novels are represented as elements of a class `stylo.corpus`, i.e. a list containing particular texts as its elements. The texts are not tokenized.

Source

The texts are harvested from open-access resources, e.g. the Gutenberg Project.

Examples

```
data(novels)

print(novels)
summary(novels)
```

oppose	<i>Contrastive analysis of texts</i>
--------	--------------------------------------

Description

Function that performs a contrastive analysis between two given sets of texts. It generates a list of words significantly preferred by a tested author (or, a collection of authors), and another list containing the words significantly avoided by the former when compared to another set of texts. Some visualizations are available.

Usage

```
oppose(gui = TRUE, path = NULL,
       primary.corpus = NULL,
       secondary.corpus = NULL,
       test.corpus = NULL,
       primary.corpus.dir = "primary_set",
       secondary.corpus.dir = "secondary_set",
       test.corpus.dir = "test_set", ...)
```

Arguments

<code>gui</code>	an optional argument; if switched on, a simple yet effective graphical interface (GUI) will appear. Default value is <code>TRUE</code> .
<code>path</code>	if not specified, the current working directory will be used for input/output procedures (reading files, outputting the results, etc.).
<code>primary.corpus.dir</code>	the subdirectory (within the current working directory) that contains one or more texts to be compared to a comparison corpus. These texts can e.g. be the oeuvre by author A (to be compared to the oeuvre of another author B) or a collection of texts by female authors (to be contrasted with texts by male authors). If not specified, the default subdirectory <code>primary_set</code> will be used.

<code>secondary.corpus.dir</code>	the subdirectory (within the current working directory) that contains a comparison corpus: a pool of texts to be contrasted with texts from the <code>primary.corpus</code> . If not specified, the default subdirectory <code>secondary_set</code> will be used.
<code>test.corpus.dir</code>	the subdirectory (within the current working directory) that contains texts to verify the discriminatory strength of the features extracted from the <code>primary.set</code> and <code>secondary.sets</code> . Ideally, the <code>test.corpus.dir</code> should contain texts known to belong to both classes (e.g. texts written by female and male authors in the case of a gender-oriented study). If not specified, the default subdirectory <code>test_set</code> will be used. If the default subdirectory does not exist or does not contain any texts, the validation test will not be performed.
<code>primary.corpus</code>	another option is to pass a pre-processed corpus as an argument (here: the primary set). It is assumed that this object is a list, each element of which is a vector containing one tokenized sample. Refer to <code>help(load.corpus.and.parse)</code> to get some hints how to prepare such a corpus.
<code>secondary.corpus</code>	if <code>primary.corpus</code> is used, then you should also prepare a similar R object containing the secondary set.
<code>test.corpus</code>	if you decide to use test corpus, you can pass it as a pre-processed R object using this argument.
<code>...</code>	any variable produced by <code>stylo.default.settings</code> can be set here, in order to overwrite the default values.

Details

This function performs a contrastive analysis between two given sets of texts, using Burrows's Zeta (2007) in its different flavors, including Craig's extensions (Craig and Kinney, 2009). Also, the Whitney-Wilcoxon procedure as introduced by Kilgariff (2001) is available. The function generates a vector of words significantly preferred by a tested author, and another vector containing the words significantly avoided.

Value

The function returns an object of the class `stylo.results`: a list of variables, including a list of words significantly preferred in the primary set, words significantly avoided (or, preferred in the secondary set), and possibly some other results, if applicable.

Author(s)

Maciej Eder, Mike Kestemont, Jan Rybicki

References

Eder, M. Kestemont, M. and Rybicki, J. (2013). Stylometry with R: a suite of tools. In: "Digital Humanities 2013: Conference Abstracts". University of Nebraska-Lincoln, Lincoln, NE, pp. 487-89.

Burrows, J. F. (2007). All the way through: testing for authorship in different frequency strata. "Literary and Linguistic Computing", 22(1): 27-48.

Craig, H. and Kinney, A. F., eds. (2009). Shakespeare, Computers, and the Mystery of Authorship. Cambridge: Cambridge University Press.

Hoover, D. (2010). Teasing out authorship and style with t-tests and Zeta. In: "Digital Humanities 2010: Conference Abstracts". King's College London, pp. 168-170.

Kilgariff A. (2001). Comparing Corpora. "International Journal of Corpus Linguistics" 6(1): 1-37.

See Also

[stylo](#), [classify](#), [rolling.delta](#)

Examples

```
## Not run:
# standard usage:
oppose()

# batch mode, custom name of corpus directories:
oppose(gui = FALSE, primary.corpus.dir = "ShakespeareCanon",
        secondary.corpus.dir = "MarloweSamples")

## End(Not run)
```

parse.corpus

Perform pre-processing (tokenization, n-gram extracting, etc.)

Description

A high-level function that controls a number of other functions responsible for dealing with a raw corpus stored as list, including deleting markup, sampling from texts, converting samples to n-grams, etc. It is build on top of a number of functions and thus it requires a large number of arguments. The only obligatory argument, however, is an R object containing a raw corpus: it is either an object of the class `sylo.corpus`, or a list of vectors, their elements being particular texts.

Usage

```
parse.corpus(input.data, markup.type = "plain",
             language = "English", splitting.rule = NULL,
             sample.size = 10000, sampling = "no.sampling",
             sample.overlap = 0, number.of.samples = 1,
             sampling.with.replacement = FALSE, features = "w",
             ngram.size = 1, preserve.case = FALSE,
             encoding = "native.enc")
```

Arguments

<code>input.data</code>	a list (preferably of the class <code>stylo.corpus</code>) containing a raw corpus, i.e. a vector of texts.
<code>markup.type</code>	choose one of the following values: <code>plain</code> (nothing will happen), <code>html</code> (all tags will be deleted as well as HTML header), <code>xml</code> (TEI header, any text between <code><note></code> <code></note></code> tags, and all the tags will be deleted), <code>xml.drama</code> (as above; additionally, speaker's names will be deleted, or strings within the <code><speaker></code> <code></speaker></code> tags), <code>xml.notitles</code> (as above; but, additionally, all the chapter/section (sub)titles will be deleted, or strings within each the <code><head></code> <code></head></code> tags); see <code>delete.markup</code> for further details.
<code>language</code>	an optional argument indicating the language of the texts analyzed; the values that will affect the function's behavior are: <code>English.contr</code> , <code>English.all</code> , <code>Latin.corr</code> (type <code>help(txt.to.words.ext)</code> for explanation). The default value is <code>English</code> .
<code>splitting.rule</code>	if you are not satisfied with the default language settings (or your input string of characters is not a regular text, but a sequence of, say, dance movements represented using symbolic signs), you can indicate your custom splitting regular expression here. This option will overwrite the above language settings. For further details, refer to <code>help(txt.to.words)</code> .
<code>sample.size</code>	desired size of samples, expressed in number of words; default value is 10,000.
<code>sampling</code>	one of three values: <code>no.sampling</code> (default), <code>normal.sampling</code> , <code>random.sampling</code> . See <code>make.samples</code> for explanation.
<code>sample.overlap</code>	if this option is used, a reference text is segmented into consecutive, equal-sized samples that are allowed to partially overlap. If one specifies the <code>sample.size</code> parameter of 5,000 and the <code>sample.overlap</code> of 1,000, for example, the first sample of a text contains words 1–5,000, the second 4001–9,000, the third sample 8001–13,000, and so forth.
<code>number.of.samples</code>	optional argument which will be used only if <code>random.sampling</code> was chosen; it is self-evident.
<code>sampling.with.replacement</code>	optional argument which will be used only if <code>random.sampling</code> was chosen; it specifies the method used to randomly harvest words from texts.
<code>features</code>	an option for specifying the desired type of features: <code>w</code> for words, <code>c</code> for characters (default: <code>w</code>). See <code>txt.to.features</code> for further details.
<code>ngram.size</code>	an optional argument (integer) specifying the value of n , or the size of n -grams to be produced. If this argument is missing, the default value of 1 is used. See <code>txt.to.features</code> for further details.
<code>preserve.case</code>	whether or not to lowercase all characters in the corpus (default = <code>F</code>).
<code>encoding</code>	useful if you use Windows and non-ASCII alphabets: French, Polish, Hebrew, etc. In such a situation, it is quite convenient to convert your text files into Unicode and to set this option to <code>encoding = "UTF-8"</code> . In Linux and Mac, you are always expected to use Unicode, thus you don't need to set anything.

Value

The function returns an object of the class `stylo.corpus`. It is a list containing as elements the samples (entire texts or sampled subsets) split into words/characters and combined into n-grams (if applicable).

Author(s)

Maciej Eder

See Also

[load.corpus.and.parse](#), [delete.markup](#), [txt.to.words](#), [txt.to.words.ext](#), [txt.to.features](#), [make.samples](#)

Examples

```
data(novels)
## Not run:
# depending on the size of the corpus, it might take a while
parse.corpus(novels)

## End(Not run)
```

parse.pos.tags

Extract POS-tags or Words from Annotated Corpora

Description

Function for extracting textual data from annotated corpora. It understands Stanford Tagger and TreeTagger output formats. Either part-of-speech tags, or words, or lemmata can be extracted.

Usage

```
parse.pos.tags(input.text, tagger = "stanford", feature = "pos")
```

Arguments

input.text	any string of characters (e.g. vector) containing markup tags that have to be deleted.
tagger	choose the input format: "stanford" for Stanford Tagger, "treetagger" for Tree-Tagger.
feature	choose "pos" (default), "word", or "lemma" (this one is not available for the Stanford-formatted input).

Value

If the function is applied to a single text, then a vector of extracted features is returned. If it is applied to a corpus (a list, preferably of a class "stylo.corpus"), then a list of preprocessed texts are returned.

Author(s)

Maciej Eder

See Also[load.corpus](#), [txt.to.words](#), [txt.to.words.ext](#), [txt.to.features](#)**Examples**

```
text = "I_PRP have_VBP just_RB returned_VBN from_IN a_DT visit_NN
to_TO my_PRP$ landlord_NN -: the_DT solitary_JJ neighbor_NN that_IN
I_PRP shall_MD be_VB troubled_VBN with_IN ._. This_DT is_VBZ certainly_RB
a_DT beautiful_JJ country_NN !_. In_IN all_DT England_NNP ,_, I_PRP do_VBP
not_RB believe_VB that_IN I_PRP could_MD have_VB fixed_VBN on_IN a_DT
situation_NN so_RB completely_RB removed_VBN from_IN the_DT stir_VB of_IN
society_NN ._."
```

```
parse.pos.tags(text, tagger = "stanford", feature = "word")
parse.pos.tags(text, tagger = "stanford", feature = "pos")
```

perform.culling	<i>Exclude variables (e.g. words, n-grams) from a frequency table that are too characteristic for some samples</i>
-----------------	--

Description

Culling refers to the automatic manipulation of the wordlist (proposed by Hoover 2004a, 2004b). The culling values specify the degree to which words that do not appear in all the texts of a corpus will be removed. A culling value of 20 indicates that words that appear in at least 20% of the texts in the corpus will be considered in the analysis. A culling setting of 0 means that no words will be removed; a culling setting of 100 means that only those words will be used in the analysis that appear in all texts of the corpus at least once.

Usage

```
perform.culling(input.table, culling.level = 0)
```

Arguments

input.table	a matrix or data frame containing frequencies of words or any other countable features; the table should be oriented to contain samples in rows, variables in columns, and variables' names should be accessible via <code>colnames(input.table)</code> .
culling.level	percentage of samples that need to have a given word in order to prevent this word from being culled (see the description above).

Author(s)

Maciej Eder

References

Hoover, D. (2004a). Testing Burrows's Delta. "Literary and Linguistic Computing", 19(4): 453-75.

Hoover, D. (2004b). Delta prime. "Literary and Linguistic Computing", 19(4): 477-95.

See Also

[delete.stop.words](#), [stylo.pronouns](#)

Examples

```
# assume there is a matrix containing some frequencies
# (be aware that these counts are entirely fictional):
t1 = c(2, 1, 0, 2, 9, 1, 0, 0, 2, 0)
t2 = c(1, 0, 4, 2, 1, 0, 3, 0, 1, 3)
t3 = c(5, 2, 2, 0, 6, 0, 1, 0, 0, 0)
t4 = c(1, 4, 1, 0, 0, 0, 0, 3, 0, 1)
my.data.table = rbind(t1, t2, t3, t4)

# names of the samples:
rownames(my.data.table) = c("text1", "text2", "text3", "text4")
# names of the variables (e.g. words):
colnames(my.data.table) = c("the", "of", "in", "she", "me", "you",
                           "them", "if", "they", "he")

# the table looks as follows
print(my.data.table)

# selecting the words that appeared in at least 50% of samples:
perform.culling(my.data.table, 50)
```

perform.delta

Distance-based classifier

Description

Delta: a simple yet effective machine-learning method of supervised classification, introduced by Burrows (2002). It computes a table of distances between samples, and compares each sample from the test set against training samples, in order to find its nearest neighbor. Apart from classic Delta, a number of alternative distance measures are supported by this function.

Usage

```
perform.delta(training.set, test.set,
              classes.training.set = NULL,
              classes.test.set = NULL,
              distance = "delta", no.of.candidates = 3,
              z.scores.both.sets = TRUE)
```

Arguments

- training.set** a table containing frequencies/counts for several variables – e.g. most frequent words – across a number of text samples (for the training set). Make sure that the rows contain samples, and the columns – variables (words, n-grams, or whatever needs to be analyzed).
- test.set** a table containing frequencies/counts for the training set. The variables used (i.e. columns) must match the columns of the training set.
- classes.training.set** a vector containing class identifiers for the training set. When missing, the row names of the training set table will be used; the assumed classes are the strings of characters followed by the first underscore. Consider the following examples: `c("Sterne_Tristram", "Sterne_Sentimental", "Fielding_Tom", ...)`, where the classes are the authors' names, and `c("M_Joyce_Dubliners", "F_Woolf_Night_and_day", "M_Conrad_Lord_Jim", ...)`, where the classes are M(ale) and F(emale) according to authors' gender. Note that only the part up to the first underscore in the sample's name will be included in the class label.
- classes.test.set** a vector containing class identifiers for the test set. When missing, the row names of the test set table will be used (see above).
- distance** a kernel (i.e. a distance measure) used for computing similarities between texts. Available options so far: "delta" (Burrow's Delta, default), "argamon" (Argamon's Linear Delta), "eder" (Eder's Delta), "simple" (Eder's Simple Distance), "canberra" (Canberra Distance), "manhattan" (Manhattan Distance), "euclidean" (Euclidean Distance), "cosine" (Cosine Distance).
- no.of.candidates** how many nearest neighbors will be computed for each test sample (default = 3).
- z.scores.both.sets** many distance measures convert input variables into z-scores before computing any distances. Such a variable weighting is highly dependent on the number of input texts. One might choose either training set only to scale the variables, or the entire corpus (both sets). The latter is default.

Value

The function returns a vector of "guessed" classes: each test sample is linked with one of the classes represented in the training set. Additionally, final scores and final rankings of candidates are returned as attributes.

Author(s)

Maciej Eder

References

- Argamon, S. (2008). Interpreting Burrows's Delta: geometric and probabilistic foundations. "Literary and Linguistic Computing", 23(2): 131-47.
- Burrows, J. F. (2002). "Delta": a measure of stylistic difference and a guide to likely authorship. "Literary and Linguistic Computing", 17(3): 267-87.
- Jockers, M. L. and Witten, D. M. (2010). A comparative study of machine learning methods for authorship attribution. "Literary and Linguistic Computing", 25(2): 215-23.

See Also

[perform.svm](#), [perform.nsc](#), [perform.knn](#), [perform.naivebayes](#), [dist.delta](#)

Examples

```
## Not run:
perform.delta(training.set, test.set)

## End(Not run)

# classifying the standard 'iris' dataset:
data(iris)
x = subset(iris, select = -Species)
train = rbind(x[1:25,], x[51:75,], x[101:125,])
test = rbind(x[26:50,], x[76:100,], x[126:150,])
train.classes = c(rep("s",25), rep("c",25), rep("v",25))
test.classes = c(rep("s",25), rep("c",25), rep("v",25))

perform.delta(train, test, train.classes, test.classes)
```

perform.impostors	<i>An Authorship Verification Classifier Known as the Impostors Method</i>
-------------------	--

Description

A machine-learning supervised classifier tailored to assess authorship verification tasks. This function is an implementation of the 2nd order verification system known as the General Impostors framework (GI), and introduced by Koppel and Winter (2014). The current implementation tries to stick – as closely as possible – to the description provided by Kestemont et al. (2016: 88).

Usage

```
perform.impostors(candidate.set, impostors.set, iterations = 100,
  features = 50, impostors = 30,
  classes.candidate.set = NULL, classes.impostors.set = NULL,
  distance = "delta", z.scores.both.sets = TRUE)
```

Arguments

<code>candidate.set</code>	a table containing frequencies/counts for several variables – e.g. most frequent words – across a number of texts written by a target author (i.e. the candidate to authorship). This table should also contain an anonymous sample to be assessed. Make sure that the rows contain samples, and the columns – variables (words, n-grams, or whatever needs to be analyzed).
<code>impostors.set</code>	a table containing frequencies/counts for the control set. This set should contain the samples by the impostors, or the authors that could not have written the anonymous sample in question. The variables used (i.e. columns) must match the columns of the candidate set.
<code>iterations</code>	the model is refined in N iterations. A reasonable number of turns is a few dozen or so (see the argument "features" below).
<code>features</code>	the "impostors" method is sometimes referred to as a 2nd order authorship verification system, since it selects randomly, in N iterations, a given subset of features (words, n-grams, etc.) and performs a classification. This argument specifies the percentage of features to be randomly chosen; the default value is 50.
<code>impostors</code>	in each iteration, a specified number of texts from the control set is chosen (randomly). The default number is 30.
<code>classes.candidate.set</code>	a vector containing class identifiers for the authorial set. When missing, the row names of the set table will be used; the assumed classes are the strings of characters followed by the first underscore. Consider the following examples: <code>c("Sterne_Tristram", "Sterne_Sentimental", "Fielding_Tom", ...)</code> , where the classes are the authors' names, and <code>c("M_Joyce_Dubliners", "F_Woolf_Night_and_day", "M_Conrad_Lord_Jim", ...)</code> , where the classes are M(ale) and F(emale) according to authors' gender. Note that only the part up to the first underscore in the sample's name will be included in the class label.
<code>classes.impostors.set</code>	a vector containing class identifiers for the control set. When missing, the row names of the set table will be used (see above).
<code>distance</code>	a kernel (i.e. a distance measure) used for computing similarities between texts. Available options so far: "delta" (Burrow's Delta, default), "argamon" (Argamon's Linear Delta), "eder" (Eder's Delta), "simple" (Eder's Simple Distance), "canberra" (Canberra Distance), "manhattan" (Manhattan Distance), "euclidean" (Euclidean Distance), "cosine" (Cosine Distance). THIS OPTION WILL BE CHANGED IN NEXT VERSIONS.
<code>z.scores.both.sets</code>	many distance measures convert input variables into z-scores before computing any distances. Such a variable weighting is highly dependent on the number of input texts. One might choose either training set only to scale the variables, or the entire corpus (both sets). The latter is default. THIS OPTION WILL BE CHANGED (OR DELETED) IN NEXT VERSIONS.

Value

The function returns a single score indicating the probability that an anonymized sample analyzed was/wasn't written by a candidate author. As a proportion, the score lies between 0 and 1 (higher scores indicate a higher attribution confidence).

Author(s)

Maciej Eder

References

Koppel, M., and Winter, Y. (2014). Determining if two documents are written by the same author. "Journal of the Association for Information Science and Technology", 65(1): 178-187.

Kestemont, M., Stover, J., Koppel, M., Karsdorp, F. and Daelemans, W. (2016). Authenticating the writings of Julius Caesar. "Expert Systems With Applications", 63: 86-96.

See Also

[perform.delta](#)

perform.knn

k-Nearest Neighbor classifier

Description

A machine-learning supervised classifier; this function is a wrapper for the k-NN procedure provided by the package `class`.

Usage

```
perform.knn(training.set, test.set, classes.training.set = NULL,
            classes.test.set = NULL, k.value = 1)
```

Arguments

<code>training.set</code>	a table containing frequencies/counts for several variables – e.g. most frequent words – across a number of text samples (for the training set). Make sure that the rows contain samples, and the columns – variables (words, n-grams, or whatever needs to be analyzed).
<code>test.set</code>	a table containing frequencies/counts for the training set. The variables used (i.e. columns) must match the columns of the training set.
<code>classes.training.set</code>	a vector containing class identifiers for the training set. When missing, the row names of the training set table will be used; the assumed classes are the strings of characters followed by the first underscore. Consider the following examples: <code>c("Sterne_Tristram", "Sterne_Sentimental", "Fielding_Tom", ...)</code> , where

the classes are the authors' names, and `c("M_Joyce_Dubliners", "F_Woolf_Night_and_day", "M_Conrad_Lord_Jim", ...)`, where the classes are M(ale) and F(emale) according to authors' gender. Note that only the part up to the first underscore in the sample's name will be included in the class label.

`classes.test.set`

a vector containing class identifiers for the test set. When missing, the row names of the test set table will be used (see above).

`k.value`

number of nearest neighbors considered.

Value

The function returns a vector of "guessed" classes: each test sample is linked with one of the classes represented in the training set.

Author(s)

Maciej Eder

See Also

[perform.svm](#), [perform.nsc](#), [perform.delta](#), [perform.naivebayes](#)

Examples

```
## Not run:
perform.knn(training.set, test.set)

## End(Not run)

# classifying the standard 'iris' dataset:
data(iris)
x = subset(iris, select = -Species)
train = rbind(x[1:25,], x[51:75,], x[101:125,])
test = rbind(x[26:50,], x[76:100,], x[126:150,])
train.classes = c(rep("s",25), rep("c",25), rep("v",25))
test.classes = c(rep("s",25), rep("c",25), rep("v",25))

perform.knn(train, test, train.classes, test.classes)
```

perform.naivebayes	<i>Naive Bayes classifier</i>
--------------------	-------------------------------

Description

A machine-learning supervised classifier; this function is a wrapper for the Naive Bayes procedure provided by the package `e1071`.

Usage

```
perform.naivebayes(training.set, test.set,
  classes.training.set = NULL, classes.test.set = NULL)
```

Arguments

training.set a table containing frequencies/counts for several variables – e.g. most frequent words – across a number of text samples (for the training set). Make sure that the rows contain samples, and the columns – variables (words, n-grams, or whatever needs to be analyzed).

test.set a table containing frequencies/counts for the training set. The variables used (i.e. columns) must match the columns of the training set.

classes.training.set a vector containing class identifiers for the training set. When missing, the row names of the training set table will be used; the assumed classes are the strings of characters followed by the first underscore. Consider the following examples: `c("Sterne_Tristram", "Sterne_Sentimental", "Fielding_Tom", ...)`, where the classes are the authors' names, and `c("M_Joyce_Dubliners", "F_Woolf_Night_and_day", "M_Conrad_Lord_Jim", ...)`, where the classes are M(ale) and F(emale) according to authors' gender. Note that only the part up to the first underscore in the sample's name will be included in the class label.

classes.test.set a vector containing class identifiers for the test set. When missing, the row names of the test set table will be used (see above).

Value

The function returns a vector of "guessed" classes: each test sample is linked with one of the classes represented in the training set.

Author(s)

Maciej Eder

See Also

[perform.svm](#), [perform.nsc](#), [perform.delta](#), [perform.knn](#)

Examples

```
## Not run:
perform.naivebayes(training.set, test.set)

## End(Not run)

# classifying the standard 'iris' dataset:
data(iris)
x = subset(iris, select = -Species)
train = rbind(x[1:25,], x[51:75,], x[101:125,])
```

```
test = rbind(x[26:50,], x[76:100,], x[126:150,])
train.classes = c(rep("s",25), rep("c",25), rep("v",25))
test.classes = c(rep("s",25), rep("c",25), rep("v",25))

perform.knn(train, test, train.classes, test.classes)
```

perform.nsc

*Nearest Shrunk Centroids classifier***Description**

A machine-learning supervised classifier; this function is a wrapper for the Nearest Shrunk Centroids procedure provided by the package pamr.

Usage

```
perform.nsc(training.set,
            test.set,
            classes.training.set = NULL,
            classes.test.set = NULL,
            show.features = FALSE,
            no.of.candidates = 3)
```

Arguments

- training.set a table containing frequencies/counts for several variables – e.g. most frequent words – across a number of text samples (for the training set). Make sure that the rows contain samples, and the columns – variables (words, n-grams, or whatever needs to be analyzed).
- test.set a table containing frequencies/counts for the training set. The variables used (i.e. columns) must match the columns of the training set.
- classes.training.set
 a vector containing class identifiers for the training set. When missing, the row names of the training set table will be used; the assumed classes are the strings of characters followed by the first underscore. Consider the following examples: c("Sterne_Tristram", "Sterne_Sentimental", "Fielding_Tom", ...), where the classes are the authors' names, and c("M_Joyce_Dubliners", "F_Woolf_Night_and_day", "M_Conrad_Lord_Jim", ...), where the classes are M(ale) and F(emale) according to authors' gender. Note that only the part up to the first underscore in the sample's name will be included in the class label.
- classes.test.set
 a vector containing class identifiers for the test set. When missing, the row names of the test set table will be used (see above).
- show.features a logical value (default: FALSE). When the option is switched on, the most discriminative features (e.g. words) will be shown.
- no.of.candidates
 how many nearest neighbors will be computed for each test sample (default = 3).

Value

The function returns a vector of "guessed" classes: each test sample is linked with one of the classes represented in the training set. Additionally, final scores and final rankings of candidates, as well as the discriminative features (if applicable) are returned as attributes.

Author(s)

Maciej Eder

See Also

[perform.delta](#), [perform.svm](#), [perform.knn](#), [perform.naivebayes](#)

Examples

```
## Not run:
perform.nsc(training.set, test.set)

## End(Not run)

# classifying the standard 'iris' dataset:
data(iris)
x = subset(iris, select = -Species)
train = rbind(x[1:25,], x[51:75,], x[101:125,])
test = rbind(x[26:50,], x[76:100,], x[126:150,])
train.classes = c(rep("s",25), rep("c",25), rep("v",25))
test.classes = c(rep("s",25), rep("c",25), rep("v",25))

perform.nsc(train, test, train.classes, test.classes)
```

perform.svm

Support Vector Machines classifier

Description

A machine-learning supervised classifier; this function is a wrapper for the Support Vector Machines procedure provided by the package e1071.

Usage

```
perform.svm(training.set,
            test.set,
            classes.training.set = NULL,
            classes.test.set = NULL,
            no.of.candidates = 3,
            tune.parameters = FALSE,
            svm.kernel = "linear",
            svm.degree = 3,
            svm.coef0 = 0,
            svm.cost = 1)
```

Arguments

<code>training.set</code>	a table containing frequencies/counts for several variables – e.g. most frequent words – across a number of text samples (for the training set). Make sure that the rows contain samples, and the columns – variables (words, n-grams, or whatever needs to be analyzed).
<code>test.set</code>	a table containing frequencies/counts for the training set. The variables used (i.e. columns) must match the columns of the training set.
<code>classes.training.set</code>	a vector containing class identifiers for the training set. When missing, the row names of the training set table will be used; the assumed classes are the strings of characters followed by the first underscore. Consider the following examples: <code>c("Sterne_Tristram", "Sterne_Sentimental", "Fielding_Tom", ...)</code> , where the classes are the authors' names, and <code>c("M_Joyce_Dubliners", "F_Woolf_Night_and_day", "M_Conrad_Lord_Jim", ...)</code> , where the classes are M(ale) and F(emale) according to authors' gender. Note that only the part up to the first underscore in the sample's name will be included in the class label.
<code>classes.test.set</code>	a vector containing class identifiers for the test set. When missing, the row names of the test set table will be used (see above).
<code>no.of.candidates</code>	how many nearest neighbors will be computed for each test sample (default = 3).
<code>tune.parameters</code>	if this argument is used, two parameters, namely <code>gamma</code> and <code>cost</code> , are tuned using a bootstrap procedure, and then used to build a SVM model.
<code>svm.kernel</code>	SVM kernel. Available values: "linear", which is probably the best choice in stylometry, since the number of variables (e.g. MFWs) is many times bigger than the number of classes; "polynomial", and "radial".
<code>svm.degree</code>	parameter needed for kernel of type "polynomial" (default: 3).
<code>svm.coef0</code>	parameter needed for kernel of type "polynomial" (default: 0).
<code>svm.cost</code>	cost of constraints violation (default: 1); it is the C-constant of the regularization term in the Lagrange formulation.

Value

The function returns a vector of "guessed" classes: each test sample is linked with one of the classes represented in the training set. Additionally, final scores and final rankings of candidates are returned as attributes.

Author(s)

Maciej Eder

See Also

[perform.delta](#), [perform.nsc](#), [perform.knn](#), [perform.naivebayes](#)

Examples

```
## Not run:
perform.svm(training.set, test.set)

## End(Not run)

# classifying the standard 'iris' dataset:
data(iris)
x = subset(iris, select = -Species)
train = rbind(x[1:25,], x[51:75,], x[101:125,])
test = rbind(x[26:50,], x[76:100,], x[126:150,])
train.classes = c(rep("s",25), rep("c",25), rep("v",25))
test.classes = c(rep("s",25), rep("c",25), rep("v",25))

perform.svm(train, test, train.classes, test.classes)
```

rolling.classify

Sequential machine-learning classification

Description

Function that splits a text into equal-sized consecutive blocks (slices) and performs a supervised classification of these blocks against a training set. A number of machine-learning methods for classification used in computational stylistics are available: Delta, k-Nearest Neighbors, Support Vector Machines, Naive Bayes, and Nearest Shrunk Centroids.

Usage

```
rolling.classify(gui = FALSE, training.corpus.dir = "reference_set",
  test.corpus.dir = "test_set", training.frequencies = NULL,
  test.frequencies = NULL, training.corpus = NULL,
  test.corpus = NULL, features = NULL, path = NULL,
  slice.size = 5000, slice.overlap = 4500,
  training.set.sampling = "no.sampling", mfw = 100, culling = 0,
  milestone.points = NULL, milestone.labels = NULL,
  plot.legend = TRUE, add.ticks = FALSE,
  ...)
```

Arguments

gui	an optional argument; if switched on, a simple yet effective graphical user interface (GUI) will appear. Default value is FALSE so far, since GUI is still under development.
training.frequencies	using this optional argument, one can load a custom table containing frequencies/counts for several variables, e.g. most frequent words, across a number of text samples (for the training set). It can be either an R object (matrix or data

frame), or a filename containing tab-delimited data. If you use an R object, make sure that the rows contain samples, and the columns – variables (words). If you use an external file, the variables should go vertically (i.e. in rows): this is because files containing vertically-oriented tables are far more flexible and easily editable using, say, Excel or any text editor. To flip your table horizontally/vertically use the generic function `t()`.

<code>test.frequencies</code>	using this optional argument, one can load a custom table containing frequencies/counts for the test set. Further details: immediately above.
<code>training.corpus</code>	another option is to pass a pre-processed corpus as an argument (here: the training set). It is assumed that this object is a list, each element of which is a vector containing one tokenized sample. The example shown below will give you some hints how to prepare such a corpus. Also, refer to <code>help(load.corpus.and.parse)</code>
<code>test.corpus</code>	if <code>training.corpus</code> is used, then you should also prepare a similar R object containing the test set.
<code>features</code>	usually, a number of the most frequent features (words, word n-grams, character n-grams) are extracted automatically from the corpus, and they are used as variables for further analysis. However, in some cases it makes sense to use a set of tailored features, e.g. the words that are associated with emotions or, say, a specific subset of function words. This optional argument allows to pass either a filename containing your custom list of features, or a vector (R object) of features to be assessed.
<code>path</code>	if not specified, the current directory will be used for input/output procedures (reading files, outputting the results).
<code>training.corpus.dir</code>	the subdirectory (within the current working directory) that contains the training set, or the collection of texts used to exemplify the differences between particular classes (e.g. authors or genres). The discriminating features extracted from this training material will be used during the testing procedure (see below). If not specified, the default subdirectory <code>reference_set</code> will be used.
<code>test.corpus.dir</code>	the subdirectory (within the working directory) that contains a test to be assessed, long enough to be split automatically into equal-sized slices, or blocks. If not specified, the default subdirectory <code>test_set</code> will be used.
<code>slice.size</code>	a text to be analyzed is segmented into consecutive, equal-sized samples (slices, windows, or blocks); the slice size is set using this parameter: default is 5,000 words. The samples are allowed to partially overlap (see the next parameter).
<code>slice.overlap</code>	if one specifies a <code>slice.size</code> of 5,000 and a <code>slice.overlap</code> of 4,500 (which is default), then the first extracted sample contains words 1–5,000, the second 501–5,500, the third sample 1001–6,000, and so forth.
<code>training.set.sampling</code>	sometimes, it makes sense to split training set texts into smaller samples. Available options: "no.sampling" (default), "normal.sampling", "random.sampling". See <code>help(make.samples)</code> for further details.
<code>mfw</code>	number of the most frequent words (MFWs) to be analyzed.

culling	culling level; see <code>help(perform.culling)</code> to get some help on the culling procedure principles.
milestone.points	sometimes, there is a need to mark one or more passages in an analyzed text (e.g. when external evidence suggests an authorial takeover at a certain point) to compare if the a priori knowledge is confirmed by stylometric evidence. To this end, one should add into the test file a string "xmilestone" (when input texts are loaded directly from files), or specify the break points using this parameter. E.g., to add two lines at 10,000 words and 15,000 words, use <code>milestone.points = c(10000, 15000)</code> .
milestone.labels	when milestone points are used (see immediately above), they are automatically labelled using lowercase letters: "a", "b", "c" etc. However, one can replace them with custom labels, e.g. <code>milestone.labels = c("Act I", "Act II")</code> .
plot.legend	self-evident. Default: TRUE.
add.ticks	a graphical parameter: consider adding tiny ticks (short horizontal lines) to see the density of sampling. Default: FALSE.
...	any variable as produced by <code>stylo.default.settings()</code> can be set here to overwrite the default values.

Details

There are numerous additional options that are passed to this function; so far, they are all loaded when `stylo.default.settings()` is executed (it will be invoked automatically from inside this function); the user can set/change them in the GUI.

Value

The function returns an object of the class `stylo.results`: a list of variables, including tables of word frequencies, vector of features used, a distance table and some more stuff. Additionally, depending on which options have been chosen, the function produces a number of files used to save the results, features assessed, generated tables of distances, etc.

Author(s)

Maciej Eder

References

- Eder, M. (2015). Rolling stylometry. "Digital Scholarship in the Humanities", 30, Advance Access published April 6, 2015 (doi: 10.1093/llc/fqv010).
- Eder, M. (2014). Testing rolling stylometry. <https://goo.gl/f0Yl0R>.

See Also

[classify](#), [rolling.delta](#)

Examples

```
## Not run:
# standard usage (it builds a corpus from a collection of text files):
rolling.classify()

rolling.classify(training.frequencies = "freqs_train.txt",
  test.frequencies = "freqs_test.txt", write.png.file = TRUE,
  classification.method = "nsc")

## End(Not run)
```

rolling.delta	<i>Sequential stylometric analysis</i>
---------------	--

Description

Function that analyses collaborative works and tries to determine the authorship of their fragments.

Usage

```
rolling.delta(gui = TRUE, path = NULL, primary.corpus.dir = "primary_set",
  secondary.corpus.dir = "secondary_set")
```

Arguments

gui	an optional argument; if switched on, a simple yet effective graphical user interface (GUI) will appear. Default value is TRUE.
path	if not specified, the current working directory will be used for input/output procedures (reading files, outputting the results).
primary.corpus.dir	the subdirectory (within the current working directory) that contains a collection of texts written by the authorial candidates, likely to have been involved in the collaborative work analyzed. If not specified, the default subdirectory primary_set will be used.
secondary.corpus.dir	the subdirectory (within the current working directory) that contains the collaborative work to be analyzed. If not specified, the default subdirectory secondary_set will be used.

Details

The procedure provided by this function analyses collaborative works and tries to determine the authorship of their fragments. The first step involves a "windowing" procedure (Dalen-Oskam and Zundert, 2007) in which each reference text is segmented into consecutive, equal-sized samples or windows. After "rolling" through the test text, we can plot the resulting series of Delta scores for each reference text in a graph.

Value

The function returns an object of the class `stylo.results`, and produces a final plot.

Author(s)

Mike Kestemont, Maciej Eder, Jan Rybicki

References

- Eder, M. Kestemont, M. and Rybicki, J. (2013). Stylometry with R: a suite of tools. In: "Digital Humanities 2013: Conference Abstracts". University of Nebraska-Lincoln, Lincoln, NE, pp. 487-89.
- van Dalen-Oskam, K. and van Zundert, J. (2007). Delta for Middle Dutch: author and copyist distinction in Walewein. "Literary and Linguistic Computing", 22(3): 345-62.
- Hoover, D. (2011). The Tutor's Story: a case study of mixed authorship. In: "Digital Humanities 2011: Conference Abstracts". Stanford University, Stanford, CA, pp. 149-51.
- Rybicki, J., Kestemont, M. and Hoover D. (2014). Collaborative authorship: Conrad, Ford and rolling delta. "Literary and Linguistic Computing", 29(3): 422-31.

See Also

[rolling.classify](#), [stylo](#)

Examples

```
## Not run:
# standard usage:
rolling.delta()

# batch mode, custom name of corpus directories:
rolling.delta(gui = FALSE, primary.corpus.dir = "MySamples",
              secondary.corpus.dir = "ReferenceCorpus")

## End(Not run)
```

stylo

Stylometric multidimensional analyses

Description

It is quite a long story what this function does. Basically, it is an all-in-one tool for a variety of experiments in computational stylistics. For a more detailed description, refer to HOWTO available at: <https://sites.google.com/site/computationalstylistics/>

Usage

```
stylo(gui = TRUE, frequencies = NULL, parsed.corpus = NULL,
      features = NULL, path = NULL, corpus.dir = "corpus", ...)
```

Arguments

<code>gui</code>	an optional argument; if switched on, a simple yet effective graphical interface (GUI) will appear. Default value is <code>TRUE</code> .
<code>frequencies</code>	using this optional argument, one can load a custom table containing frequencies/counts for several variables, e.g. most frequent words, across a number of text samples. It can be either an R object (matrix or data frame), or a filename containing tab-delimited data. If you use an R object, make sure that the rows contain samples, and the columns – variables (words). If you use an external file, the variables should go vertically (i.e. in rows): this is because files containing vertically-oriented tables are far more flexible and easily editable using, say, Excel or any text editor. To flip your table horizontally/vertically use the generic function <code>t()</code> .
<code>parsed.corpus</code>	another option is to pass a pre-processed corpus as an argument. It is assumed that this object is a list, each element of which is a vector containing one tokenized sample. The example shown below will give you some hints how to prepare such a corpus.
<code>features</code>	usually, a number of the most frequent features (words, word n-grams, character n-grams) are extracted automatically from the corpus, and they are used as variables for further analysis. However, in some cases it makes sense to use a set of tailored features, e.g. the words that are associated with emotions or, say, a specific subset of function words. This optional argument allows to pass either a filename containing your custom list of features, or a vector (R object) of features to be assessed.
<code>path</code>	if not specified, the current directory will be used for input/output procedures (reading files, outputting the results).
<code>corpus.dir</code>	the subdirectory (within the current working directory) that contains the corpus text files. If not specified, the default subdirectory <code>corpus</code> will be used. This option is immaterial when an external corpus and/or external table with frequencies is loaded.
<code>...</code>	any variable produced by <code>stylo.default.settings</code> can be set here, in order to overwrite the default values. An example of such a variable is <code>network = TRUE</code> (switched off as default) for producing stylometric bootstrap consensus networks (Eder, forthcoming); the function saves a csv file, containing a list of nodes that can be loaded into, say, Gephi.

Details

If no additional argument is passed, then the functions tries to load text files from the default subdirectory `corpus`. There are a lot of additional options that should be passed to this function; they are all loaded when `stylo.default.settings` is executed (which is typically called automatically from inside the `stylo` function).

Value

The function returns an object of the class `stylo.results`: a list of variables, including a table of word frequencies, vector of features used, a distance table and some more stuff. Additionally,

depending on which options have been chosen, the function produces a number of files containing results, plots, tables of distances, etc.

Author(s)

Maciej Eder, Jan Rybicki, Mike Kestemont

References

Eder, M. Kestemont, M. and Rybicki, J. (2013). Stylometry with R: a suite of tools. In: "Digital Humanities 2013: Conference Abstracts". University of Nebraska-Lincoln, Lincoln, NE, pp. 487-89.

Eder, M. (forthcoming). Visualization in stylometry: some problems and solutions.

See Also

[classify](#), [oppose](#), [rolling.classify](#)

Examples

```
## Not run:
# standard usage (it builds a corpus from a set of text files):
stylo()

# loading word frequencies from a tab-delimited file:
stylo(frequencies = "my_frequencies.txt")

# using an existing corpus (a list containing tokenized texts):
txt1 = c("to", "be", "or", "not", "to", "be")
txt2 = c("now", "i", "am", "alone", "o", "what", "a", "slave", "am", "i")
txt3 = c("though", "this", "be", "madness", "yet", "there", "is", "method")
custom.txt.collection = list(txt1, txt2, txt3)
names(custom.txt.collection) = c("hamlet_A", "hamlet_B", "polonius_A")
stylo(parsed.corpus = custom.txt.collection)

# using a custom set of features (words, n-grams) to be analyzed:
my.selection.of.function.words = c("the", "and", "of", "in", "if", "into",
                                   "within", "on", "upon", "since")
stylo(features = my.selection.of.function.words)

# loading a custom set of features (words, n-grams) from a file:
stylo(features = "wordlist.txt")

# batch mode, custom name of corpus directory:
my.test = stylo(gui = FALSE, corpus.dir = "ShakespeareCanon")
summary(my.test)

# batch mode, character 3-grams requested:
stylo(gui = FALSE, analyzed.features = "c", ngram.size = 3)

## End(Not run)
```

`stylo.default.settings`*Setting variables for the package stylo*

Description

Function that sets a series of global variables to be used by the package `stylo` and which can be modified by users via arguments passed to the function and/or via `gui.stylo`, `gui.classify`, or `gui.oppose`.

Usage

```
stylo.default.settings(...)
```

Arguments

... any variable as produced by this function can be set here to overwrite the default values.

Details

This function is typically called from inside `stylo`, `classify`, `oppose`, `gui.stylo`, `gui.classify` and `gui.oppose`.

Value

The function returns a list of a few dozen variables, mostly options and parameters for different stylometric tests.

Author(s)

Maciej Eder, Jan Rybicki, Mike Kestemont

See Also

[stylo](#), [gui.stylo](#)

Examples

```
stylo.default.settings()

# to see which variables have been set:
names(stylo.default.settings())

# to use the elements of the list as if they were independent variables:
my.variables = stylo.default.settings()
attach(my.variables)
```

`stylo.pronouns`*List of pronouns*

Description

This function returns a list of pronouns that can be used as a stop word list for different stylometric analyses. It has been shown that pronoun deletion improves, to some extent, attribution accuracy of stylometric procedures (e.g. in English novels: Hoover 2004a; 2004b).

Usage

```
stylo.pronouns(language = "English")
```

Arguments

language	an optional argument specifying the language of the texts analyzed: available languages are English, Latin, Polish, Dutch, French, German, Spanish, Italian, and Hungarian (default is English).
----------	--

Value

The function returns a vector of pronouns.

Author(s)

Jan Rybicki, Maciej Eder, Mike Kestemont

References

Hoover, D. (2004a). Testing Burrows's delta. "Literary and Linguistic Computing", 19(4): 453-75.
Hoover, D. (2004b). Delta prime?. "Literary and Linguistic Computing", 19(4): 477-95.

See Also

[stylo](#)

Examples

```
stylo.pronouns()  
stylo.pronouns(language="Latin")  
my.stop.words = stylo.pronouns(language="German")
```

txt.to.features	<i>Split string of words or other countable features</i>
-----------------	--

Description

Function that converts a vector of words into either words, or characters, and optionally parses them into n-grams.

Usage

```
txt.to.features(tokenized.text, features = "w", ngram.size = 1)
```

Arguments

tokenized.text	a vector of tokenized words
features	an option for specifying the desired type of feature: w for words, c for characters (default: w).
ngram.size	an optional argument (integer) indicating the value of n , or the size of n-grams to be created. If this argument is missing, the default value of 1 is used.

Details

Function that carries out the preprocessing steps necessary for feature selection: converts an input text into the type of sequences needed (n-grams etc.) and returns a new vector of items. The function invokes `make.ngrams` to combine single units into pairs, triplets or longer n-grams. See `help(make.ngrams)` for details.

Author(s)

Maciej Eder, Mike Kestemont

See Also

[txt.to.words](#), [txt.to.words.ext](#), [make.ngrams](#)

Examples

```
# consider the string my.text:
my.text = "Quousque tandem abutere, Catilina, patientia nostra?"

# split it into a vector of consecutive words:
my.vector.of.words = txt.to.words(my.text)

# build a vector of word 2-grams:
txt.to.features(my.vector.of.words, ngram.size = 2)

# or produce character n-grams (in this case, character tetragrams):
txt.to.features(my.vector.of.words, features = "c", ngram.size = 4)
```


txt.to.words

*Split text into words***Description**

Generic tokenization function for splitting a given input text into single words (chains of characters delimited by spaces or punctuation marks).

Usage

```
txt.to.words(input.text, splitting.rule = NULL, preserve.case = FALSE)
```

Arguments

`input.text` a string of characters, usually a text.

`splitting.rule` an optional argument indicating an alternative splitting regexp. E.g., if your corpus contains no punctuation, you can use a very simple splitting sequence: "[\t\n]+" or "[[:space:]]+" (in this case, any whitespace is assumed to be a word delimiter). If you deal with non-latin scripts, especially with those that are not supported by the `stylo` package yet (e.g. Chinese, Japanese, Vietnamese, Georgian), you can indicate your letter characters explicitly: for most Cyrillic scripts try the following code "[^\u0400-\u0482\u048A\u04FF]+". Remember, however, that your texts need to be properly loaded into R (which is quite tricky on Windows; see below).

`preserve.case` Whether or not to lowercase all characters in the corpus (default is FALSE).

Details

The generic tokenization function for splitting a given input text into single words (chains of characters delimited with spaces or punctuation marks). In obsolete versions of the package `stylo`, the default splitting sequence of chars was "[^[:alpha:]]+" on Mac/Linux, and "\\W+_" on Windows. Two different splitting rules were used, because regular expressions are not entirely platform-independent; type `help(regex)` for more details. For the sake of compatibility, then, in the version $\geq 0.5.6$ a lengthy list of dozens of letters in a few alphabets (Latin, Cyrillic, Greek, Hebrew, Arabic so far) has been indicated explicitly:

```
paste("[^A-Za-z",
      # Latin supplement (Western):
      "\u00C0-\u00FF",
      # Latin supplement (Eastern):
      "\u0100-\u01BF",
      # Latin extended (phonetic):
      "\u01C4-\u02AF",
      # modern Greek:
      "\u0386\u0388-\u03FF",
      # Cyrillic:
```

```

"\U0400-\U0481\U048A-\U0527",
# Hebrew:
"\U05D0-\U05EA\U05F0-\U05F4",
# Arabic:
"\U0620-\U065F\U066E-\U06D3\U06D5\U06DC",
# extended Latin:
"\U1E00-\U1EFF",
# ancient Greek:
"\U1F00-\U1FBC\U1FC2-\U1FCC\U1FD0-\U1FDB\U1FE0-\U1FEC\U1FF2-\U1FFC",
# Coptic:
"\U03E2-\U03EF\U2C80-\U2CF3",
# Georgian:
"\U10A0-\U10FF",
"]+",
sep="")

```

Alternatively, different tokenization rules can be applied through the option `splitting.rule` (see above). ATTENTION: this is the only piece of coding in the library `stylo` that might depend on the operating system used. While on Mac/Linux the native encoding is Unicode, on Windows you never know if your text will be loaded properly. A considerable solution for Windows users is to convert your texts into Unicode (a variety of freeware converters are available on the internet), and to use an appropriate encoding option when loading the files: `read.table("file.txt", encoding = "UTF-8")` or `scan("file.txt", what = "char", encoding = "UTF-8")`. If you use the functions provided by the library `stylo`, you should pass this option as an argument to your chosen function: `stylo(encoding = "UTF-8"), classify(encoding = "UTF-8"), oppose(encoding = "UTF-8")`.

Value

The function returns a vector of tokenized words (or other units) as elements.

Author(s)

Maciej Eder, Jan Rybicki, Mike Kestemont

See Also

[txt.to.words.ext](#), [txt.to.features](#), [make.ngrams](#), [load.corpus](#)

Examples

```

txt.to.words("And now, Laertes, what's the news with you?")

# retrieving grammatical codes (POS tags) from a tagged text:
tagged.text = "The_DT family_NN of_IN Dashwood_NNP had_VBD long_RB
              been_VBN settled_VBN in_IN Sussex_NNP ..."
txt.to.words(tagged.text, splitting.rule = "[A-Za-z,.;!]+_|[\\n\\t]")

```

txt.to.words.ext	<i>Split text into words: extended version</i>
------------------	--

Description

Function for splitting a string of characters into single words, removing punctuation etc., and preserving some language-dependent idiosyncracies, such as common contractions in English.

Usage

```
txt.to.words.ext(input.text, language = "English", splitting.rule = NULL,  
                preserve.case = FALSE)
```

Arguments

input.text	a string of characters, usually a text.
language	an optional argument specifying the language of the texts analyzed. Values that will affect the function's output are: <code>English.contr</code> , <code>English.all</code> , <code>Latin.corr</code> (their meaning is explained below). The default value is <code>English</code> .
splitting.rule	if you are not satisfied with the default language settings (or your input string of characters is not a regular text, but a sequence of, say, dance movements represented using symbolic signs), you can indicate your custom splitting regular expression here. This option will overwrite the above language settings. For further details, refer to <code>help(txt.to.words)</code> .
preserve.case	Whether or not to lowercase all character in the corpus (default = F).

Details

Function for splitting a given input text into single words (chains of characters delimited with spaces or punctuation marks). It is build on top of the function `txt.to.words` and it is designed to manage some language-dependent text features during the tokenization process. In most languages, this is irrelevant. However, it might be important when with English or Latin texts: `English.contr` treats contractions as single, atomary words, i.e. strings such as "don't", "you've" etc. will not be split into two strings; `English.all` keeps the contractions (as above), and also prevents the function from splitting compound words (mother-in-law, double-decker, etc.). `Latin.corr`: since some editions do not distinguish the letters v/u, this setting provides a consistent conversion to "u" in the whole string. The option `preserve.case` lets you specify whether you wish to lowercase all characters in the corpus.

Author(s)

Maciej Eder, Jan Rybicki, Mike Kestemont

See Also

[txt.to.words](#), [txt.to.features](#), [make.ngrams](#)

Examples

```
txt.to.words.ext("Nel mezzo del cammin di nostra vita / mi ritrovai per
una selva oscura, che la diritta via era smarrita.")

# to see the difference between particular options for English,
# consider the following sentence from Joseph Conrad's "Nostromo":
sample.text = "That's how your money-making is justified here."
txt.to.words.ext(sample.text, language = "English")
txt.to.words.ext(sample.text, language = "English.contr")
txt.to.words.ext(sample.text, language = "English.all")
```

zeta.chisquare

Compare two subcorpora using a home-brew variant of Craig's Zeta

Description

This is a function for comparing two sets of texts; unlike keywords analysis, in this method the goal is to split input texts into equal-sized slices, and to check the appearance of particular words over the slices. Number of slices in which a given word appeared in the subcorpus A and B is then compared using standard chisquare test (if p value exceeds 0.05, a difference is considered significant). This method is based on original Zeta as developed by Burrows and extended by Craig (Burrows 2007, Craig and Kinney 2009).

Usage

```
zeta.chisquare(input.data)
```

Arguments

input.data a matrix of two columns.

Value

The function returns a list of two elements: the first contains words (or other units, like n-grams) statistically preferred by the authors of the primary subcorpus, while the second element contains avoided words. Since the applied measure is symmetrical, the preferred words are ipso facto avoided by the secondary authors, and vice versa.

Author(s)

Maciej Eder

References

Burrows, J. F. (2007). All the way through: testing for authorship in different frequency strata. "Literary and Linguistic Computing", 22(1): 27-48.

Craig, H. and Kinney, A. F., eds. (2009). Shakespeare, Computers, and the Mystery of Authorship. Cambridge: Cambridge University Press.

See Also

[oppose](#), [zeta.eder](#), [zeta.craig](#)

Examples

```
## Not run:  
zeta.chisquare(input.data, filter.threshold)  
  
## End(Not run)
```

zeta.craig

Compare two subcorpora using Craig's Zeta

Description

This is a function for comparing two sets of texts; unlike keywords analysis, in this method the goal is to split input texts into equal-sized slices, and to check the appearance of particular words over the slices. Number of slices in which a given word appeared in the subcorpus A and B is then compared using Craig's formula, which is based on original Zeta as developed by Burrows (Craig and Kinney 2009, Burrows 2007).

Usage

```
zeta.craig(input.data, filter.threshold)
```

Arguments

`input.data` a matrix of two columns.

`filter.threshold`

this parameter (default 0.1) gets rid of words of weak discrimination strength; the higher the number, the less words appear in the final wordlists. It does not normally exceed 0.5. In original Craig's Zeta, no threshold is used: instead, the results contain the fixed number of 500 top avoided and 500 top preferred words.

Value

The function returns a list of two elements: the first contains words (or other units, like n-grams) statistically preferred by the authors of the primary subcorpus, while the second element contains avoided words. Since the applied measure is symmetrical, the preferred words are ipso facto avoided by the secondary authors, and vice versa.

Author(s)

Maciej Eder

References

Burrows, J. F. (2007). All the way through: testing for authorship in different frequency strata. "Literary and Linguistic Computing", 22(1): 27-48.

Craig, H. and Kinney, A. F., eds. (2009). Shakespeare, Computers, and the Mystery of Authorship. Cambridge: Cambridge University Press.

See Also

[oppose](#), [zeta.eder](#), [zeta.chisquare](#)

Examples

```
## Not run:
zeta.craig(input.data, filter.threshold)

## End(Not run)
```

zeta.eder

Compare two subcorpora using Eder's Zeta

Description

This is a function for comparing two sets of texts; unlike keywords analysis, in this method the goal is to split input texts into equal-sized slices, and to check the appearance of particular words over the slices. Number of slices in which a given word appeared in the subcorpus A and B is then compared using a distance derived from Canberra measure of similarity. Original Zeta was developed by Burrows and extended by Craig (Burrows 2007, Craig and Kinney 2009).

Usage

```
zeta.eder(input.data, filter.threshold)
```

Arguments

`input.data` a matrix of two columns.
`filter.threshold` this parameter (default 0.1) gets rid of words of weak discrimination strength; the higher the number, the less words appear in the final wordlists. It does not normally exceed 0.5.

Value

The function returns a list of two elements: the first contains words (or other units, like n-grams) statistically preferred by the authors of the primary subcorpus, while the second element contains avoided words. Since the applied measure is symmetrical, the preferred words are ipso facto avoided by the secondary authors, and vice versa.

Author(s)

Maciej Eder

References

Burrows, J. F. (2007). All the way through: testing for authorship in different frequency strata. "Literary and Linguistic Computing", 22(1): 27-48.

Craig, H. and Kinney, A. F., eds. (2009). Shakespeare, Computers, and the Mystery of Authorship. Cambridge: Cambridge University Press.

See Also

[oppose](#), [zeta.eder](#), [zeta.chisquare](#)

Examples

```
## Not run:  
zeta.eder(input.data, filter.threshold)  
  
## End(Not run)
```

Index

*Topic **datasets**

- galbraith, [16](#)
- lee, [20](#)
- novels, [30](#)

as.dist, [13](#), [15](#), [16](#)
assign.plot.colors, [2](#), [10](#)

classify, [4](#), [13](#), [15](#), [16](#), [18](#), [21](#), [33](#), [49](#), [53](#)
crossv, [7](#)

define.plot.area, [9](#)
delete.markup, [10](#), [23](#), [35](#)
delete.stop.words, [11](#), [37](#)
dist, [13](#)
dist.argamon(dist.delta), [14](#)
dist.cosine, [12](#), [14](#), [15](#)
dist.delta, [14](#), [16](#), [39](#)
dist.eder(dist.delta), [14](#)
dist.simple, [14](#), [15](#)

galbraith, [16](#)
gui.classify, [17](#)
gui.oppose, [18](#)
gui.stylo, [18](#), [19](#), [54](#)

lee, [20](#)
load.corpus, [11](#), [21](#), [23](#), [29](#), [36](#), [58](#)
load.corpus.and.parse, [22](#), [24](#), [29](#), [35](#)

make.frequency.list, [24](#)
make.ngrams, [25](#), [28](#), [56](#), [58](#), [59](#)
make.samples, [23](#), [27](#), [35](#)
make.table.of.frequencies, [24](#), [28](#)

novels, [30](#)

oppose, [6](#), [19](#), [21](#), [31](#), [53](#), [61–63](#)

parse.corpus, [33](#)
parse.pos.tags, [35](#)

perform.culling, [12](#), [36](#)
perform.delta, [8](#), [37](#), [41–43](#), [45](#), [46](#)
perform.impostors, [39](#)
perform.knn, [8](#), [39](#), [41](#), [43](#), [45](#), [46](#)
perform.naivebayes, [8](#), [39](#), [42](#), [42](#), [45](#), [46](#)
perform.nsc, [8](#), [39](#), [42](#), [43](#), [44](#), [46](#)
perform.svm, [8](#), [39](#), [42](#), [43](#), [45](#), [45](#)

rolling.classify, [47](#), [51](#), [53](#)
rolling.delta, [6](#), [21](#), [33](#), [49](#), [50](#)

stylo, [6](#), [10](#), [13](#), [15](#), [16](#), [19](#), [21](#), [33](#), [51](#), [51](#), [54](#),
[55](#)
stylo.default.settings, [19](#), [54](#)
stylo.pronouns, [12](#), [37](#), [55](#)

txt.to.features, [11](#), [23](#), [26](#), [28](#), [35](#), [36](#), [56](#),
[58](#), [59](#)
txt.to.words, [11](#), [21](#), [23](#), [26](#), [28](#), [35](#), [36](#), [56](#),
[57](#), [59](#)
txt.to.words.ext, [11](#), [23](#), [26](#), [28](#), [35](#), [36](#), [56](#),
[58](#), [59](#)

zeta.chisquare, [60](#), [62](#), [63](#)
zeta.craig, [61](#), [61](#)
zeta.eder, [61](#), [62](#), [62](#), [63](#)