

# Package ‘tufte’

September 25, 2020

**Type** Package

**Title** Tufte's Styles for R Markdown Documents

**Version** 0.7

**Maintainer** Yihui Xie <xie@yihui.name>

**Description** Provides R Markdown output formats to use Tufte styles for PDF and HTML output.

**License** GPL-3

**LazyData** TRUE

**URL** <https://github.com/rstudio/tufte>

**BugReports** <https://github.com/rstudio/tufte/issues>

**Imports** htmltools, xfun (>= 0.13), knitr (>= 1.28), rmarkdown (>= 2.1)

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Yihui Xie [aut, cre] (<<https://orcid.org/0000-0003-0645-5666>>),  
JJ Allaire [aut],  
Andrzej Oles [ctb],  
Dave Liepmann [ctb] (Tufte CSS in  
inst/rmarkdown/templates/tufte\_html/resources),  
RStudio, PBC [cph]

**Repository** CRAN

**Date/Publication** 2020-09-25 14:00:02 UTC

## R topics documented:

tufte\_handout . . . . . 2

**Index** 5

---

`tufte_handout`*Tufte handout formats (PDF and HTML)*

---

## Description

Templates for creating handouts according to the style of Edward R. Tufte and Richard Feynman.

## Usage

```
tufte_handout(  
  fig_width = 4,  
  fig_height = 2.5,  
  fig_crop = TRUE,  
  dev = "pdf",  
  highlight = "default",  
  ...  
)  
  
tufte_book(  
  fig_width = 4,  
  fig_height = 2.5,  
  fig_crop = TRUE,  
  dev = "pdf",  
  highlight = "default",  
  ...  
)  
  
tufte_html(  
  ...,  
  tufte_features = c("fonts", "background", "italics"),  
  tufte_variant = c("default", "envisioned"),  
  margin_references = TRUE  
)  
  
newthought(text)  
  
margin_note(text, icon = "&#8853;")  
  
quote_footer(text)  
  
sans_serif(text)
```

## Arguments

<code>fig_width</code>	Default width (in inches) for figures
<code>fig_height</code>	Default height (in inches) for figures

fig_crop	TRUE to automatically apply the pdfcrop utility (if available) to pdf figures
dev	Graphics device to use for figure output (defaults to pdf)
highlight	Syntax highlighting style. Supported styles include "default", "tango", "pygments", "kate", "monochrome", "espresso", "zenburn", and "haddock". Pass NULL to prevent syntax highlighting.
...	Other arguments to be passed to <code>pdf_document</code> or <code>html_document</code> (note you cannot use the <code>template</code> argument in <code>tufte_handout</code> or the <code>theme</code> argument in <code>tufte_html()</code> ; these arguments have been set internally)
tufte_features	A character vector of style features to enable: <code>fonts</code> stands for the et-book fonts in the tufte-css project, <code>background</code> means the lightyellow background color of the page, and <code>italics</code> means whether to use italics for the headers. You can enable a subset of these features, or just disable all of them by NULL. When this argument is not used and the <code>tufte_variant</code> argument is not default, no features are enabled.
tufte_variant	A variant of the Tufte style. Currently supported styles are <code>default</code> (from the tufte-css project), and <code>envisioned</code> (inspired by the project Envisioned CSS <a href="https://github.com/nogginfuel/envisioned-css">https://github.com/nogginfuel/envisioned-css</a> but essentially just sets the font family to Roboto Condensed, and changed the background/foreground colors).
margin_references	Whether to place citations in margin notes.
text	A character string to be presented as a “new thought” (using small caps), or a margin note, or a footer of a quote
icon	A character string to indicate there is a hidden margin note when the page width is too narrow (by default it is a circled plus sign)

## Details

`tufte_handout()` provides the PDF format based on the Tufte-LaTeX class: <https://tufte-latex.github.io/tufte-latex/>.

`tufte_html()` provides the HTML format based on the Tufte CSS: <https://edwardtufte.github.io/tufte-css/>.

`newthought()` can be used in inline R expressions in R Markdown (e.g. ```r newthought(Some text)```), and it works for both HTML (`<span class="newthought">text</span>`) and PDF (`\newthought{text}`) output.

`margin_note()` can be used in inline R expressions to write a margin note (like a sidenote but not numbered).

`quote_footer()` formats text as the footer of a quote. It puts text in `<footer></footer>` for HTML output, and after `\hfill` for LaTeX output (to right-align text).

`sans_serif()` applies sans-serif fonts to text.

## References

See <https://rstudio.github.io/tufte/> for an example.

**Examples**

```
library(tufte)
newthought("In this section")
```

# Index

`html_document`, [3](#)

`margin_note (tufte_handout)`, [2](#)

`newthought (tufte_handout)`, [2](#)

`pdf_document`, [3](#)

`quote_footer (tufte_handout)`, [2](#)

`sans_serif (tufte_handout)`, [2](#)

`tufte_book (tufte_handout)`, [2](#)

`tufte_handout`, [2](#)

`tufte_html (tufte_handout)`, [2](#)