Package 'websearchr'

May 8, 2026

Title Access Domains and Search Popular Websites

Version 0.0.3

Description Functions that allow for accessing domains and a number of search engines.

Depends R (>= 3.4.0)

Imports utils

License MIT + file LICENSE

LazyData true

RoxygenNote 6.1.0

Encoding UTF-8

URL https://github.com/fschaff/websearchr

BugReports https://github.com/fschaff/websearchr/issues

NeedsCompilation no

Author Florian S. Schaffner [aut, cre] (ORCID:
<https://orcid.org/0000-0003-3352-6191>),
Charles Crabtree [ctb]

Maintainer Florian S. Schaffner <florian.schaffner@outlook.com>

Repository CRAN

Date/Publication 2018-10-23 12:10:03 UTC

Contents

bing 2
crossref 2
duckduckgo 3
github 3
google 4
google_scholar 4
qwant 5
rdocumentation 5
rdrr_io 6

reddit 6
r_bloggers 7
stackoverflow 7
twitter 8
web 8
wikipedia 9
wolframalpha 9

Index **10**

`bing` *Search Bing*

Description

Improve your workflow by searching Bing directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
bing(search_terms)
```

Arguments

`search_terms`	Search terms encapsulated in " ".

Examples

```
bing("my search terms")
```

`crossref` *Find DOI's and other bibliographic metadata*

Description

Search crossref.org directly from the R console without having to switching to the browser and opening a new tab first.

Usage

```
crossref(search_terms)
```

Arguments

`search_terms`	Search terms encapsulated in " ".

Examples

```
crossref("my source")
```

duckduckgo *Search Duckduckgo*

Description

Improve your workflow by searching with duckduckgo.com directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
duckduckgo(search_terms)

ddg(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
duckduckgo("my search terms")
ddg("r-project")
```

github *Search GitHub*

Description

Improve your workflow by searching GitHub directly from R console.

Usage

```
github(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
github("ggplot extensions")
```

google *Search Google*

Description

Improve your workflow by searching google directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
google(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
google("my search terms")
```

google_scholar *Search Google Scholar*

Description

Improve your workflow by searching Google Scholar directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
google_scholar(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
google_scholar("my search terms")
```

qwant *Search Qwant*

Description

Improve your workflow by searching Qwant directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
qwant(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
qwant("my search terms")
```

rdocumentation *Search rdocumentation.org*

Description

Improve your workflow by searching rdocumentation.org directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
rdocumentation(search_terms)

rdoc(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
rdocumentation("my search terms")
rdoc("package I am looking for")
```

rdrr_io *Search rdrr.io*

Description

Improve your workflow by searching rdrr.io directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
rdrr_io(search_terms)

rdrr(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
rdrr_io("my search terms")
rdrr("my search terms")
```

reddit *Search Reddit*

Description

Improve your workflow by searching Reddit directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
reddit(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
reddit("my search terms")
```

r_bloggers *Search r-bloggers.com*

Description

Improve your workflow by searching r-bloggers.com directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
r_bloggers(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
r_bloggers("my search terms")
```

stackoverflow *Search Stackoverflow*

Description

Improve your workflow by searching Stackoverflow directly from R console.

Usage

```
stackoverflow(search_terms)

so(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
stackoverflow("r date conversion")
so("r ggplot2 geom_smooth()")
```

twitter *Search Twitter*

Description

Improve your workflow by searching Twitter directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
twitter(search_terms, lang = c("en", "de", "es", "fr"))
```

Arguments

search_terms	Search terms encapsulated in " ".
lang	Specify in which language Twitter should be accessed One of c("en", "de", "es" "fr") for English, German, Spanish and French, respectively.

Examples

```
twitter("rstudiotips")
```

web *Access Domain*

Description

Improve your workflow by accessing web directly from R console.

Usage

```
web(address, https = TRUE, suppressWWW = FALSE)
```

Arguments

address	The web address you want to open, encapsulated in " ".
https	if FALSE "http" will be used instead of the default "https".
suppressWWW	if TRUE "www" will be suppressed and the user input will follow directly after https://

Examples

```
web("r-project.org")
```

wikipedia *Search Wikipedia*

Description

Improve your workflow by searching Wikipedia directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
wikipedia(search_terms, lang = c("en", "de", "es", "fr"))

wp(search_terms, lang = c("en", "de", "es", "fr"))
```

Arguments

search_terms	Search terms encapsulated in " ".
lang	In which language Wikipedia should be accessed. One of c("en", "de", "es" "fr") for English, German, Spanish and French, respectively.

Examples

```
wikipedia("my search terms")
wp("my search terms")
```

wolframalpha *Search WolframAlpha*

Description

Improve your workflow by searching WolframAlpha directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
wolframalpha(search_terms)

wolfram(search_terms)
```

Arguments

search_terms	Search terms encapsulated in " ".

Examples

```
wolframalpha("my search terms")
wolfram("my search terms")
```

Index

∗ **DOI**
crossref, 2
∗ **bibliography**
crossref, 2
∗ **bing**
bing, 2
∗ **duckduckgo**
duckduckgo, 3
∗ **github**
github, 3
∗ **google**
google, 4
google_scholar, 4
∗ **internet**
bing, 2
crossref, 2
duckduckgo, 3
github, 3
google, 4
google_scholar, 4
qwant, 5
r_bloggers, 7
rdocumentation, 5
rdrr_io, 6
reddit, 6
twitter, 8
wikipedia, 9
wolframalpha, 9
∗ **qwant**
qwant, 5
∗ **r-bloggers**
r_bloggers, 7
∗ **rdocumentation**
rdocumentation, 5
∗ **rdrr.io**
rdrr_io, 6
∗ **reddit**
reddit, 6
∗ **scholar**
google_scholar, 4
∗ **stackoverflow**
stackoverflow, 7
∗ **web**
stackoverflow, 7
web, 8
∗ **wikipedia**
twitter, 8
wikipedia, 9
∗ **wolframalpha**
wolframalpha, 9
∗ **workflow**
bing, 2
crossref, 2
duckduckgo, 3
github, 3
google, 4
google_scholar, 4
qwant, 5
r_bloggers, 7
rdocumentation, 5
rdrr_io, 6
reddit, 6
stackoverflow, 7
twitter, 8
web, 8
wikipedia, 9
wolframalpha, 9

bing, 2

crossref, 2

ddg *(*duckduckgo*)*, 3
duckduckgo, 3

github, 3
google, 4
google_scholar, 4

qwant, 5

r_bloggers, 7
rdoc (rdocumentation), 5
rdocumentation, 5
rdrr (rdrr_io), 6
rdrr_io, 6
reddit, 6

so (stackoverflow), 7
stackoverflow, 7

twitter, 8

web, 8
wikipedia, 9
wolfram (wolframalpha), 9
wolframalpha, 9
wp (wikipedia), 9